From: Lobo, Deborah

Sent: 12/10/2014 11:30:48 PM

To: TTAB EFiling

CC:

Subject: U.S. TRADEMARK APPLICATION NO. 79124239 - VULCANIC - 06286-T0002A - Request for Reconsideration Denied - Return to TTAB - Message 2 of 7

****

Attachment Information:

Count: 26

Files: TempcoTempIndicator.jpg, TEmpcoThermostats.jpg, TempcoThermostats2.jpg, TempcoThermostats3.jpg, TempcoThermostats4.jpg, ChromaloxDiffuser.jpg, ChromaloxFinned.jpg, ChromaloxHeatingCartridges.jpg, ChromaloxInfrared.jpg, ChromaloxSteamGenerating.jpg, EmersonACApparatus.jpg, EmersonDrier.jpg, EmersonDrier2.jpg, EmersonDrier3.jpg, EmersonHumidifiers.jpg, EmersonHumidifiers2.jpg, EmersonHumidifiers3.jpg, EmersonHVACPart.jpg, EmersonHVACUnit.jpg, GraingerACs.jpg, GraingerACs2.jpg, GraingerACs3.jpg, GraingerACs4.jpg, GraingerDiffusers.jpg, GraingerDiffusers2.jpg, GraingerDiffusers3.jpg

Visionary Solutions for Industry® Since 1972 – ISO 9001 Certified

Committed to Excellence

Temperature Control

Home | Temperature Control Hub

TEC Display Only Temperature Indicator

TEC900 (1/16 DIN)

Display Only

TEC900 (1/16 DIN) PDF

User Manual (PDF)

© Copyright 2008 Tempco Electric Heater Corporation. All Rights Reserved

TEMPCO Electric Heater Corporation * 607 North Central Avenue * Wood Dale, Illinois 60191 USA
Toll Free: 888-268-6396 (USA & Canada) * Phone: 630-350-2252 * Fax: 630-350-0232
Email: info@tempco.com

1:29:59 PM 12/8/2014



TEMPCO Electric Heater Corporation

Home | Temperature Control Hub

Stock Thermostats and Accessories

How To Order

Thermostat Description and Selection

This type of control operates by expansion and contraction of a liquid in response to temperature change. Liquid contained within the sensing bulb and capillary flexes a diaphragm causing the opening and closing of a snap action switch. For heating applications the contacts are normally closed and open on temperature rise.

Do not use the thermostat as a power switch. Use some other means of disconnecting power to the heater for servicing. Thermostats are not a fail safe device. Use an approved high temperature limit control and/or pressure limit control for safe operation.

Thermostat Physical and Electrical Ratings

Control Type	Style	Temp. Range °F	Ampacity at Line Voltage				Bulb Dia. in	Bulb Length in	Capillary Length in	Terminals	Thermostat Part Number	Optional			
			120V	240V	277V	480V						Knob	Bezel	Pilot Lamp	Instruction Sheet Part Number
Single Pole		60-250	30	30	30	20	0.27	6.00	12	#10 screw	TST-101-112	TST-104-106	N/A	N/A	IDP-119-102
		150-560	30	30	30	20	0.33	3.70	12	#10 screw	TST-101-113	TST-104-109	N/A	N/A	IDP-119-102
		200-400	30	30	30	20	0.31	5.00	36	#10 screw	TST-101-121	TST-104-112	N/A	N/A	IDP-119-102
		60-212	30	30	30	20	0.27	5.92	12	#10 screw	TST-101-125	TST-104-117	N/A	N/A	IDP-119-102

HipChat - Emotico | thermostats Line V | "voltage regulator | Home | Home | tempco - Google S | Tempco Electric H
www.tempco.com/controls/thermo_bulb&cap.htm
Apps | Accession Area ... | USPTO Intranet ... | UPOV Database | Multi-Purpose ... | OPIM : Scientifi... | Deltek Time & ... | Lexis® Total Re... | Imported From IE | Watch Brand Pr...

Single Pole Single Throw **(SPST)**	A	60-250	30	30	30	20	0.27	6.00	12	#10 screw	TST-101-112	TST-104-106	N/A	N/A	IDP-119-102
		150-560	30	30	30	20	0.33	3.70	12	#10 screw	TST-101-113	TST-104-109	N/A	N/A	IDP-119-102
		200-400	30	30	30	20	0.31	5.00	36	#10 screw	TST-101-121	TST-104-112	N/A	N/A	IDP-119-102
		60-212	30	30	30	20	0.27	5.92	12	#10 screw	TST-101-125	TST-104-117	N/A	N/A	IDP-119-102
		80-194	30	30	30	-	0.38	5.53	48	#10 screw	TST-101-126	TST-104-115	N/A	N/A	IDP-119-102
		80-194	30	30	30	-	0.38	5.53	18	#10 screw	TST-101-127	TST-104-115	N/A	N/A	IDP-119-102
		70-245	30	30	15	15	0.25	5.50	12	#10 screw	TST-101-130	included	N/A	N/A	IDP-119-102
		60-250	30	30	30	-	0.38	4.63	48	#10 screw	TST-101-131	TST-104-103	N/A	N/A	IDP-119-102
		150-560	30	30	30	-	0.31	5.00	48	#10 screw	TST-101-132	TST-104-109	N/A	N/A	IDP-119-102
Double Pole Single Throw **(DPST)**	B	30-110	30	30	30	10	0.38	6.31	36	#10 screw	TST-110-101	TST-104-110	TST-111-101	EHD-109-103	IDP-119-105
		60-250	30	30	30	10	0.38	3.88	60	#10 screw	TST-110-102	TST-104-103	TST-111-101	EHD-109-103	IDP-119-105
		100-550	30	30	30	10	0.38	3.88	48	#10 screw	TST-110-117	TST-104-104	TST-111-101	EHD-109-103	IDP-119-105
		100-550	30	30	30	10	0.38	3.13	24	#10 screw	TST-110-103	TST-104-104	TST-111-101	EHD-109-103	IDP-119-105
(DPST)	C	60-250	30	30	30	-	0.38	4.50	72	#10 screw	TST-110-113	TST-104-103	TST-111-102	EHD-109-103	IDP-119-106
Single Pole Single Throw **(SPST)**	D	60-250	25	25	-	-	0.28	4.50	12	6" leads	TST-101-101	TST-104-101	N/A	N/A	IDP-119-101
		150-560	25	25	-	-	0.21	7.20	36	6" leads	TST-101-103	TST-104-104	N/A	N/A	IDP-119-101
		60-180	22	22	18	-	0.28	4.20	6	6" leads	TST-101-105	screw adj.	N/A	N/A	IDP-119-101
		47-107	25	25	-	-	0.32	2.85	8	6" leads	TST-101-106	TST-104-102	N/A	N/A	IDP-119-101
		20-120	25	25	-	-	0.26	4.15	24	6" leads	TST-101-109	TST-104-105	N/A	N/A	IDP-119-101
		60-250	25	25	-	-	0.26	3.35	70	1/4 quick conn.	TST-101-111	TST-104-101	N/A	N/A	IDP-119-101
		55-115	25	25	-	-	0.26	3.70	42	6" leads	TST-101-118	TST-104-102	N/A	N/A	IDP-119-101
		40-107	25	25	-	-	0.27	5.88	6	6" leads	TST-101-119	TST-104-102	N/A	N/A	IDP-119-101
		60-180	22	22	18	-	0.28	4.20	6	6" leads	TST-101-124	TST-104-102	N/A	N/A	IDP-119-101
(SPST)	D	60-250	25	25	22	-	0.27	4.10	12	#10 screw	TST-101-116	TST-104-114	N/A	N/A	IDP-119-103

⚠ ***Note:*** 1. Knobs, bezels, pilot lamps and enclosures are optional and they should be ordered separately.
2. Knob TST-104-105 is a plain pointer knob, not calibrated for the range.
3. Knob TST-104-102 is printed with 4 through 10, not calibrated for the range.

HipChat - Emotico | thermostats Line V | "voltage regulator | Home | Home | tempco - Google S | Tempco Electric H
www.tempco.com/controls/thermo_bulb&cap.htm
Apps | Accession Area ... | USPTO Intranet ... | UPOV Database | Multi-Purpose ... | OPIM : Scientifi... | Deltek Time & ... | Lexis® Total Re... | Imported From IE | Watch Brand Pr...

⚠ ***Note:*** 1. Knobs, bezels, pilot lamps and enclosures are optional and they should be ordered separately.
2. Knob TST-104-105 is a plain pointer knob, not calibrated for the range.
3. Knob TST-104-102 is printed with 4 through 10, not calibrated for the range.

Style A Single-Pole Thermostat

Style B Double-Pole Thermostat Shown with optional Pilot Lamp and Bezel Accessory

Style C Double-Pole Thermostat With Built-in High Limit Reset The high limit is calibrated to track 25°F above the thermostat's setpoint.

Style D Single-Pole Thermostat

NEMA 1 Enclosure For Single-Pole Thermostats Size: 4-1/4"H×3"W×2"D with a 5/8" knockout Part Number: **HSGR-1003**

NEMA 1 Enclosure For Double-Pole Thermostats Size: 5-3/4"H×3"W×2"D with a 5/8" knockout Part Number: **HSGR-1004**

Thermowells Thermowells provide

Immersed

Stuffing Box Assembly

1:20:53 PM 12/8/2014

fitting. Insert Washers and packing into top cavity of lower fitting. Upper fitting then screws into lower fitting creating the seal.
Part Number: TST-109-101

How To Order	
Stock Thermostats and Accessories	
Choose the Part Number of the item that best suits the needs of your application.	*Please contact Tempco for further assistance.* *Toll Free (888) 268-6396* *These major credit cards accepted*

Chromalox®

Installation Instructions

Air Diffusers For Vertical Unit Heaters

SERVICE REFERENCE	
DIVISION 4	SECTION VUH
SALES REFERENCE (Supersedes PF449-1)	PF449-2
	161-057825-001
DATE JULY, 2002	

DIFFUSERS	STANDARD HEATER	RADIAL DIFFUSER TYPE VUR	CONE DIFFUSER TYPE VUC	LOUVER DIFFUSER TYPE VUL	ANEMOSTAT DIFFUSER TYPE VUA
					

TABLE 1 – DIFFUSER MODEL NUMBERS, DIMENSIONS (IN.) AND MOUNTING WEIGHTS

	Heater Model	Model	A	Wt. (Lbs.)	Model	A	B	Wt. (Lbs.)	Model	A	B	Wt. (Lbs.)	Model	A	B	Wt. (Lbs.)
	VUH-B-05 thru VUH-B-10	VUR-ES	5	4 lb.	-	-	-	-	-	-	-	-	VUA-ES	17	5⅞	4 lb.
	VUH-B-05 thru VUH-B-25	-	-	-	VUC-S	16	13½	3 lb.	VUL-S	17¾ sq.	7½	9 lb.	-	-	-	-
	VUH-B-15 thru VUH-B-25	VUR-S	6¾	4 LB.	-	-	-	-	-	-	-	-	VUA-S	19¼	11¼	4 lb.
	VUH-B-30 thru VUH-B-50	VUR-L	9¼	8 lb.	VUC-L	22¼	16¾	7 lb.	VUL-L	23¾ sq.	7½	14 lb.	VUA-L	30¼	15½	11 lb.

TABLE 2 – MOUNTING HEIGHTS AND FLOOR COVERAGE (APPROXIMATE) (Dimensions in Feet)

	NO DIFFUSER		RADIAL DIFFUSER				CONE DIFFUSER		LOUVER DIFFUSER			ANEMOSTAT DIFFUSER	
			Open 45°		Vertical								
Heater Model	Mounting Height	Radius R	Mtg. Ht.	Radius R	Mtg. Ht.	Radius R	Mounting Height	Radius R	Mounting Height	Radius R	D	Mounting Height	Radius R
VUH-B-05	10	13	11	15	12	13	10	15	8-10	7-9	19-22	10	13
VUH-B-07	12	15	12½	18	14	15	12	17½	9-12	8-10½	21-25	12	15
VUH-B-10	14	19½	16	23	17	19½	14	22	9-14	11-13½	27-32	14	19½
VUH-B-15	25	20½	20	23½	29	20½	18	22	18-25	12-14	28-33	25	20
VUH-B-20	23	21½	19	24	26½	21½	17	23	17-23	12½-14½	30-35	23	21½
VUH-B-25	20	22½	17	24½	23	22½	15	24	13-20	13½-15	32-36	20	22½
VUH-B-30	33	32	23	36½	38	32	29	35	23-33	19½-21½	47-51	33	33½
VUH-B-40	30	33	23	36½	35	33	20	35	21-30	20-22	48-52	30	34½
VUH-B-50	27	34½	21	36½	31	34½	19	36	19-27	21-22½	50-54	27	35
HEATED AREA							All dimensions in feet.						

*Single phase VUH-B-10, VUH-B-15 and VUH-B-20 not U.L. listed when used with Radial Diffuser.
**VUH-B-30, VUH-B-40 and VUH-B-50 not U.L. listed with Cone Diffuser.
NOTE: The data given in Table 2 is approximate and depends upon Unit Heater location and its surroundings such as obstructions, drafts, etc. Specific location and mounting height will vary with the installation.

© 2010 Chromalox, Inc.

http://www.chromalox.com/catalog/resources/im-pf449.pdf
Dec. 9, 2014

Chromalox
PRECISION HEAT AND CONTROL

Contact Us | Careers | Locate a Rep | My Account | View Cart (0) | International Sites

Search: All GO

Product Catalog | Custom Solutions | Industries We Serve | Capabilities & Expertise | Case Studies | Resource Center | Service & Support

Home > Product Catalog > Industrial Heaters & Systems > Process Air Heaters > Finned Heaters

Finned Heaters

Overview

Finstrip® elements are superior to open coil elements since the heating coil is completely encased in a metal sheath, minimizing a shock hazard due to accidental contact with the heater. The rigid metal sheath minimizes hot spots and electrical shorting, likely with open coil elements. Application temperatures to 565°F are typical using finned strip units. Fintube® elements have a finned tubular design that provides the same benefits as the finned strip heater and additional features, allowing for special bending configurations to provide higher concentrations of installed kW for a given area. The elements can be supplied with bulkhead threaded fittings, and may include optional hermetically sealed terminals, or extra heavy wall thickness for use in atmospheres containing hazardous fumes or gasses. Finned element diameters of 0.315" and 0.475" are standard, with high temperature aluminum painted steel sheath and furnace brazed fins being the most common materials. Stainless Steel or MONEL® sheath and fins are also available for corrosive environments.

Application Guidelines

- Many Sheath and Fin Materials Available
- 475 – 10,000 Watts
- 120, 240 and 480 Volt
- 750 to 900F Max. Sheath Temp.

Technical Resources

- Process Air Heaters Overview
- Fintube Air Heaters Overview
- Process Air Heater Design Guide
- General Recommendations for Use of Electric Heating Elements
- General Recommendations for Use of Clamp-on, Oven, and Air Duct Elements
- Process Air Heaters Submittal Sheet

Find Your Model

Parameters:

Type
-- Select --

Features
-- Select --

RESET FORM

Select a Model to Spec:

Model	Description
FTI-315	.315" Dia. Fintube®Heaters
FTI-475	Fintube Heaters
FTS-315	.315" Dia. Fintube®Heaters
FTS-475	Fintube Heaters

Roll over results for more details

10 Matching Items

Can't find the Finned Heater you're looking for?

Request a Quote

Shopping Cart
Go to Cart

Contact An Engineer
Chromalox Tools
Technical Literature

About Us | Policies | Site Map

© copyright 2003-2014 Chromalox. All rights reserved.

http://www.chromalox.com/productcatalog/Industrial+Heaters+and+Systems/Process+Air+Heaters/Finned+Heaters/product-details.aspx?p=277

Cartridge Heaters

Overview

Cartridge heaters

Chromalox Cartridge heaters are high efficiency heating elements. Diameters of cartridge heaters range from 0.25" to 1.25". Watt densities from 25 W/in² to 200 W/in² and sheath temperatures to 1600 Deg. F. Optional end seals resist contaminants and moisture from entering inside the heater. Chromalox provides a variety of sizes, wattage ratings, voltages and protective features to meet many challenging applications.

Products

Cartridge Heaters

Cartridge heaters are inserted into drilled holes to heat metal parts or small spaces. Chromalox provides an array of sizes, wattage ratings, voltages, lead types, and mounting options. Chromalox manufacturers superior quality Cartridge Heaters for industrial and commercial use.

Find a Chromalox Representative to help with all your Cartridge Heater needs.

© copyright 2008-2014 Chromalox. All rights reserved.

10:51:00 AM 12/9/2014

Comfort Infrared Radiant Heaters

Overview

Radiant heating consists of "radiant energy" being emitted from a heat source. Radiant heating heats a building through radiant heat, rather than other conventional methods including convection heating. The heat energy is emitted from a warm element (floor, wall, overhead panel) and warms people and other objects in rooms rather than directly heating the air. The internal air temperature for radiant heated buildings may be lower than for a conventionally heated building to achieve the same level of body comfort (when adjusted so the perceived temperature is actually the same). Radiant heaters include a large selection of elements, fixtures and panels for the best solution of applications where immersion or direct contact heating is impossible, impractical or undesirable. Element source temperatures to 4000 Deg. F with emission surfaces of various sheaths including Incoloy®, ceramic or quartz providing work watt densities to 5.76 kW/ft². Applications include drying, curing, preheating, shrinking and thermoforming. Chromalox sensors and controls are available to provide a single source heating system designed specifically to suit your application.

Applications

- Localized heating in large plants
- Loading Docks
- Narrow warehouse aisle heating
- Garages
- Dry paint
- Prevent freezing of pipes, valves
- Heat hoppers

Technical Resources

- Comfort Heater Overview
- Comfort Air Heater Design Guide
- Comfort Heating Sizing Guide

Find Your Model

Parameters:

Features
-- Select --
RESET FORM

Select a Model to Spec:

Model	Description
RBC-1	Overhead Radiant Space Heater
RBC-3	Fixed Overhead Radiant Space Heater
STAR-F	STAR-F
STAR-	STAR-P

Roll over results for more details

5 Matching Items

Can't find the Comfort Infrared Radiant Heater you're looking for? Request a Quote

© copyright 2008-2014 Chromalox. All rights reserved.

http://www.chromalox.com/productcatalog/Industrial+Heaters+and+Systems/Comfort+Air+Heaters/Comfort+Infrared+Radiant+Heaters/product-details.aspx?p=258

Electric Steam and Hot Water Boilers

Overview

Chromalox Packaged Electric Steam and Hot Water Boilers are safe and versatile heat sources that produce low or high pressure steam or hot water for commercial and industrial processes and for comfort heating applications. Chromalox electric boilers can be used anywhere steam is required and electric power is available. Heating System Boilers are packaged units that operate from existing distribution voltages, making installation simple.

Technical Resources

- Packaged Systems Boiler Design Guide
- Steam Boilers Custom Engineering & Manufacturing
- Steam Boilers Optional Equipment
- Boiler and Steam Generator Heating Element Replacement

Find Your Model

Parameters:

Application
-- Select --
RESET FORM

Select a Model to Spec:

Model	Description
CAS	Special Process & OEM Steam Boiler
CES-B	Vertical Steam Boiler
CHPES-A	Medium Pressure Vertical Steam Boiler
	High Capacity

Roll over results for more details

6 Matching Items

Can't find the Electric Steam and Hot Water Boiler you're looking for? Request a Quote

© copyright 2008-2014 Chromalox. All rights reserved.

http://www.chromalox.com/productcatalog/Industrial+Heaters+and+Systems/Boilers+and+Steam+Generators/Electric+Steam+and+Hot+Water+Boilers/product-details.aspx?p=240



Air Conditioning

Many of Emerson Climate Technologies' products play a significant role in the temperature, humidity level and overall comfort of your home. If you're looking for ways to improve home comfort and reduce your energy costs, you have come to the right place.

Benefits of Home Comfort and Humidity Control

- Health Benefits
  - Reduced asthma symptoms due to minimized growth of common household allergens
  - Healthy skin resulting from proper moisture levels
  - Fewer sore throats and sinus irritations
  - Improved air quality
- Home Benefits
  - Energy savings resulting from a lower thermostat setting
  - Minimized mold and mildew growth
  - Longevity of wood flooring, trim and household furnishings
  - Interior paint quality
  - Reduced condensation and corrosion potential
  - Stabilized musical instrument sound quality

Conventional HVAC system humidity levels in the house fluctuate depending on the environment in which you live. This fluctuation can cause health issues as well as permanent damage to your home and belongings. When your house is too dry, it can cause chronic symptoms such as sore throats and sinus irritation. Too much humidity in the home can result in mold and mildew growth, which can heighten allergies as well as reduce the value of your home. However, Emerson has a range of products designed to provide optimal home comfort in any environment while also reducing energy costs.

The **Comfort Encoded Solutions™** offers long-term benefits of energy savings and comfort. Onboard **CoreSense™ diagnostics** can alert you to a problem before it happens and provide important information to you and your contractor to help diagnose the issue as well as prevent a catastrophic failure of the compressor in your system. This can save you money by preventing repair costs and give homeowners peace-of-mind that the problem will be fixed the first time.

Emerson's revolutionary new **Copeland Scroll™ variable speed compressor** delivers superior system performance for high efficiency air conditioning systems. With integrated electronics and built in compressor protection and diagnostics, our variable speed technology provides year-round comfort that homeowners will appreciate. Plus systems with Copeland Scroll variable speed technology can help homeowners save significantly on their energy bills. With proven field experience, Copeland Scroll variable speed compressors represent the pinnacle of reliability – the results you expect from the industry's leading compressor provider.

Emerson **Programmable thermostats** by White-Rodgers can provide significant savings on energy bills by regulating your home's temperature in both summer and winter — when you are asleep or away. Programmable thermostats are intended to deliver savings without sacrificing comfort and can also help control your home humidification/dehumidification needs. Depending on your family's schedule, you can see significant savings by sticking with those settings or adjust them as appropriate for your family. The key is to establish a program that automatically reduces heating and cooling in your home when you don't need as much.

At Emerson, we value reliability just as much as efficiency. All of our products are rigorously tested to ensure optimal performance and reliability. Only the best products emerge like our **SureSwitch™ relay** - a contactor that lasts up to 5 times longer than traditional contactors, which can help prevent additional service calls and lower repair costs. We also offer an extensive array of **refrigeration controls** and **defrost controls** that can help to maximize system reliability and save homeowners even more.

Contractors trust Emerson to continually create innovative and high quality products that help keep your air conditioning system running longer and more efficiently, including the **thermal expansion valve** and our innovative line of **filter driers**. Furthermore, Emerson is leading the transition to the more environmentally friendly R-410a products with **valves, controls and system protectors** that are optimized for the new refrigerant. No matter what the problem, you can trust Emerson to provide a solution that will maximize system performance and minimize additional service calls.

http://www.emersonclimate.com/en-US/market_solutions/residential/Pages/air_conditioning.aspx

Related Products:

Copeland Scroll™ Variable Speed Compressor

Emerson's new Copeland Scroll™ variable speed compressors are optimized for high efficiency (18+SEER) air conditioning and heat pump applications.

© 2014 Emerson Electric Co. All rights reserved.
CONSIDER IT SOLVED.



3:36:10 PM 12/8/2014



3:36:44 PM 12/8/2014



3:37:17 PM 12/8/2014

HipChat - Emoticons | humidifier site:http:/ | White-Rodgers Hum | thermostats Low Vol

www.emersonclimate.com/en-US/products/products_a_z/indoor_air_quality_and_zoning_systems/Pages/humidifiers.aspx

Apps | Accession Area ... | USPTO Intranet ... | UPOV Database | Multi-Purpose ... | OPIM : Scientifi... | Deltek Time & ... | Lexis® Total Re... | Imported From IE | Watch Brand Pr...

EMERSON Climate Technologies

ENGLISH (US) [Change] EMERSON.COM CONTACT US CAREERS DISTRIBUTOR LOCATOR

PRODUCTS | BRANDS | MARKET SOLUTIONS | SERVICES | RESOURCES | ABOUT US

Home > Products > Products A-Z > Indoor Air Quality and Zoning Systems > White-Rodgers Humidifiers

ShareThis

- APPLIANCE VALVES, COILS, WATER HEATER, LIMIT SWITCH, HYDRONIC CONTROLS
- COUPLINGS
- FURNACE IGNITION CONTROL, GAS VALVE, IGNITOR, THERMOCOUPLE
- HYDRONIC CONTROL, ZONE VALVE, ZONING
- INDOOR AIR QUALITY AND ZONING SYSTEMS
  - Electronic Air Cleaners Service Center
  - Electronic Air Cleaner Canada Service Center
  - White-Rodgers Humidifiers
  - White-Rodgers™ Media Air Cleaners
  - White-Rodgers UV Lights
  - Zoning
  - Zoning Dampers Size Chart
- COOLING/REFRIGERATION CONTROL
- RELAYS AND TRANSFORMERS

Humidifiers

HSP2000 HSP Series Humidifiers

- High Capacity Steam Power Humidifier
- Rated Output 13 Gallons per Day

Installation Instructions
Sell Sheet
Parts List
Wiring Diagram
Additional Information

Product Information

Search White-Rodgers or Competitive Models

Search by Model Number

GO >

OR

Search White-Rodgers Products by Feature

Search by Feature

Search >

White-Rodgers Brand Page

3:43:20 PM 12/8/2014



3:44:07 PM 12/8/2014



3:45:36 PM 12/8/2014

CALCULATORS
CALIFORNIA TRANSPARENCY IN SUPPLY CHAINS ACT
CONTRACTOR CONNECTION
CRITICAL COMPRESSOR LOCATOR
CROSS REFERENCE
DISTRIBUTOR LOCATOR
EBOOKS
ELECTRONIC EXPANSION VALVE SELECTION SOFTWARE
EMERSON CLIMATE VIDEOS
ENERGY
ENVIRONMENT
EPT EDGE
FAQ
- Browning™ Mounted Ball HVAC Bearing
- Browning™ Sheaves Bushings Overall Belt Drive
- Browning™ V-Belt
- Control Techniques Variable Speed Drives
- Copeland™ Brand Products General
- Copeland™ Brand Products R-410A
- Copeland™ Brand Products Technical
- Copeland™ Compressor
- Copeland Scroll™
- CoreSense™ technology for Air Conditioning
- CoreSense™ Technology for Refrigeration
- Emerson Flow Controls
- ProAct Transport Supported Functionalities
- Retail Solutions
- White-Rodgers™
- XJ Energy Rebate Tool

FAQ - KNOWLEDGEBASE
LITERATURE
MATERIAL SAFETY DATA SHEETS
MOBILE APPS
ONLINE PRODUCT INFORMATION AND TECHNICAL DATA
REFRIGERANTS
TECHNICAL DOCUMENTATION
TECHNICAL SUPPORT
TERMS & CONDITIONS OF SALE
TROUBLESHOOTING
VALVES, CONTROLS & SYSTEM PROTECTORS CATALOG
WARRANTY INFORMATION
WHITE-RODGERS CONTRACTOR SUPPORT
WHITE-RODGERS PRODUCT SELECTOR
CATALOGS AND LITERATURE

Browning™ Mounted Ball HVAC Bearing

FAQS

If you don't find an answer to your question, please **contact us** so we can help you.

Click on the links below to view answers:

- What HVAC applications can the above bearings are used?
- What type of bearing unit is recommended for a spider mount used in many fan applications?
- What does the AH suffix stand for in Browning mounted ball bearing units?
- What Browning mounted ball AH suffix housing styles are available with set screw locking?
- What type of set screws are used on the Browning mounted ball set screw lock product?
- What Browning mounted ball AH suffix housing styles are available with BOA concentric locking?
- What locking type is recommended for air handling applications?
- What is the temperature range for Browning ball bearings?
- What is the misalignment capability for Browning ball bearings?
- What grease is used in Browning ball bearings and what is it compatible with?
- Are Browning ball bearings sealed?
- What material are Browning ball bearings manufactured with?
- How are Browning mounted ball bearing identified for replacement?
- What types of air-handling ball bearings are available?
- What type of mounted ball bearing should be selected for industrial duty applications with high loads?

http://www.emersonclimate.com/en-US/resources/faq/Pages/browning_mounted_ball_hvac_bearings.aspx

© 2014 Emerson Electric Co. All rights reserved.
CONSIDER IT SOLVED.

CALCULATORS
CALIFORNIA TRANSPARENCY IN SUPPLY CHAINS ACT
CONTRACTOR CONNECTION
CRITICAL COMPRESSOR LOCATOR
CROSS REFERENCE
DISTRIBUTOR LOCATOR
EBOOKS
ELECTRONIC EXPANSION VALVE SELECTION SOFTWARE
EMERSON CLIMATE VIDEOS
ENERGY
ENVIRONMENT
EPT EDGE
FAQ - KNOWLEDGEBASE
LITERATURE
MATERIAL SAFETY DATA SHEETS
MOBILE APPS
ONLINE PRODUCT INFORMATION AND TECHNICAL DATA
REFRIGERANTS
TECHNICAL DOCUMENTATION
TECHNICAL SUPPORT
TERMS & CONDITIONS OF SALE
TROUBLESHOOTING
VALVES, CONTROLS & SYSTEM PROTECTORS CATALOG
WARRANTY INFORMATION
WHITE-RODGERS CONTRACTOR SUPPORT
WHITE-RODGERS PRODUCT SELECTOR
CATALOGS AND LITERATURE

HVAC Emerson XJ series condensing units

HVAC Emerson XJ series condensing units YouTube

Release Date: November 11, 2011 Length: 06:01 minutes

http://www.emersonclimate.com/en-US/Resources/Emerson_Climate_Videos/Pages/HVAC_Emerson_XJ_series_condensing_units.aspx

© 2014 Emerson Electric Co. All rights reserved.
CONSIDER IT SOLVED.

3:26:01 PM 12/8/2014


www.grainger.com/search?searchQuery=friedrich%20wall%20ac%20unit&nls=0&suggestConfigId=6
My Account | Order History | Lists/Learn More | Special Order Quotes
Sign In | Register Now
GRAINGER
Sign Up for Email | Feedback | Help | Español
Catalog 405 | Find A Branch | Services | Resources | Worldwide
All Products
friedrich wall ac unit
Search
Bulk Order Pad
Cart (0)
friedrich wall ac unit
Print
Filter Results By
Search within these results
GO
Browse
Window and Wall Air Conditioners (56)
Ductless Split Systems A/C and Heat Pumps (16)
Packaged Terminal Air Conditioners PTAC (7)
Price
$300-$400 (2)
$500-$600 (1)
$600-$700 (2)
$700-$800 (3)
$800-$900 (4)
$900-$1000 (7)
View More
friedrich wall ac unit
10 Results Found that Include 79 Products
Sort results by: Best Match
View Previously Purchased Products Only
Grid | List | Results per page: 16 | 32 | 48
FRIEDRICH
PTAC Air Conditioner
Multiple product options available
Category : Packaged Terminal Air Conditioners PTAC
Price: $1,071.00 - $1,238.00
View All 5 Products
Expand to Compare
Quick View Most Popular Products
FRIEDRICH
PTAC Air Condtioner, 9000/8800 Btuh, 230V
Item # 6GPG7
Price: $1,102.00 / each
Qty: 1
Add to Cart
11:04:32 AM 12/9/2014


thermoregulator s
Thermostats | Prog
Best Cocoa Browni
Cocoa Brownies Re
Cocoa Brownies Re
chromalox - Googl
friedrich wall ac ur
www.grainger.com/search?searchQuery=friedrich%20wall%20ac%20unit&nls=0&suggestConfigId=6
Apps
Accession Area ...
USPTO Intranet ...
UPOV Database
Multi-Purpose ...
OPIM : Scientifi...
Deltek Time & ...
Lexis® Total Re...
Imported From IE
Watch Brand Pr...
$700-$800 (3)
$800-$900 (4)
$900-$1000 (7)
View More
Shop By
Clearance Items (2)
Green (46)
Online Catalog (10)
Ratings
5 Stars (5)
4 Stars (11)
3 Stars (38)
FRIEDRICH
PTAC Air Condtioner, 9000/8800 Btuh, 230V
Item # 6GPG7
Mfr. Model # PDE09K3SF
Packaged Terminal Air Conditioner, BtuH Cooling 9000/8800, BtuH Heating 10,236, Voltage 230/208, EER...More
Compare
Category : Packaged Terminal Air Conditioners PTAC
Price:
$1,102.00 / each
Qty:
1
Add to Cart
+Add to list
Limited Quantity Available
Catalog Page # 4179
FRIEDRICH
Window Air Conditioner
Multiple product options available
Category : Window and Wall Air Conditioners
Price:
$333.00 - $2,822.00
View All 34 Products
Expand to Compare
Quick View Most Popular Products
FRIEDRICH
Wall Air Conditioner w/Heat
Multiple product options available
Category : Window and Wall Air Conditioners
Price:
$849.00 - $920.00
View All 2 Products
Expand to Compare
Quick View Most Popular Products
11:04:50 AM 12/9/2014


thermoregulator si
Thermostats | Prog
Best Cocoa Browni
Cocoa Brownies Re
Cocoa Brownies Re
chromalox - Googl
friedrich wall ac ur
www.grainger.com/search?searchQuery=friedrich%20wall%20ac%20unit&nls=0&suggestConfigId=6
Apps
Accession Area ...
USPTO Intranet ...
UPOV Database
Multi-Purpose ...
OPIM : Scientifi...
Deltek Time & ...
Lexis® Total Re...
Imported From IE
Watch Brand Pr...
Expand to Compare
Quick View Most Popular Products
FRIEDRICH
Window Air Conditioner w/Heat
Multiple product options available
Category : Window and Wall Air Conditioners
Price:
$1,111.00 -
$2,089.00
View All 3 Products
Expand to Compare
Quick View Most Popular Products
FRIEDRICH
Wall Air Conditioner
Multiple product options available
Category : Window and Wall Air Conditioners
Price:
$702.00 -
$1,375.00
View All 17 Products
Expand to Compare
Quick View Most Popular Products
FRIEDRICH
PTAC Air Conditioner, 7700 Btuh, 265V
Item # 6GPH4
Mfr. Model # PDE07R3SF
Packaged Terminal Air Conditioner, BtuH
Price:
$1,139.00 / each
Qty:
1
Add to Cart
+Add to list
11:05:18 AM 12/9/2014



11:05:30 AM 12/9/2014



10:55:19 AM 12/9/2014


thermoregulator si
Thermostats | Prog
Best Cocoa Brownie
Cocoa Brownies Re
Cocoa Brownies Re
chromalox - Googl
air diffuser produc
www.grainger.com/search?nls=0&searchQuery=air+diffuser
Apps
Accession Area ...
USPTO Intranet ...
UPOV Database
Multi-Purpose ...
OPIM : Scientifi...
Deltek Time & ...
Lexis® Total Re...
Imported From IE
Watch Brand Pr...
AMERICAN TORCH TIP (1)
AMERIFLOW (16)
BROAN (1)
DAYTON (45)
FANTECH (7)
View More
Price
$1-$5 (2)
$5-$10 (15)
$10-$15 (19)
$15-$20 (11)
$20-$25 (5)
$25-$30 (4)
View More
Shop By
Clearance Items (9)
Online Catalog (22)
Ratings
5 Stars (1)
4 Stars (1)
3 Stars (2)
Compare
Category : PAPR Accessories
supplier
Catalog Page # NA
Compare
LINCOLN ELECTRIC
Air Diffuser and Shield Cup
Item # 12C047
Mfr. Model # KH653
Air Diffuser and Shield Cup, For Use With Lincoln Electric P20 Plasma Cutter (K2820-1) and the PowerTorch P20...More
Category : Plasma Cutting Accessories
Price:
$36.85 / each
Qty:
1
Add to Cart
+Add to list
Product ships within 7 business days from supplier
Catalog Page # NA
GRAINGER APPROVED VENDOR
Ceiling 3-Cone Diffuser w/Collar
Multiple product options available
Category : Diffusers
Price:
$58.35 - $62.30
View All 4 Products
Expand to Compare
Quick View Most Popular Products

L.B. WHITE
End Diffuser
Multiple product options available
Category : Portable Gas Heater Accessories

Price: $369.00 - $548.50

View All 2 Products

Expand to Compare | Quick View Most Popular Products

QMARK
Radial Diffuser
Radial Diffuser, Height 5" and For Use With MUH Unit Heaters; Varies by Width and Fits KW
Category : Electric Unit Heater Accessories

Price: $134.45 - $170.75

View All 2 Products

Expand to Compare | Quick View Most Popular Products

PRICE
Risk Resistant Ceiling Diffuser
Multiple product options available
Category : Diffusers

Price: $422.00 - $1,130.00

View All 5 Products