

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE TRADEMARK TRIAL AND APPEAL BOARD**

In the Matter of Application No. 85/464,914

Mark: UNITY

Applicant: Thermo Fisher Scientific, Inc.

Filing Date: November 4, 2011

Published: December 11, 2012

Box TTAB
Commissioner for Trademarks
P.O. Box 1451
Alexandria, VA 22313-1451

REQUEST FOR AMENDMENT OF APPLICATION

Applicant, Thermo Fisher Scientific, Inc., hereby moves the Trademark Trial and Appeal Board to amend Application Serial No. 85/464,914 as follows:

Class 35: Facilitating, coordinating, arranging and scheduling the installation, maintenance and repair of laboratory instruments and equipment, excluding **computer hardware or** software for use in the collection, statistical analysis and management of clinical laboratory data **or clinical laboratory compliance services**; Promoting the services of others in the field of installation, maintenance and repair of laboratory instruments and equipment, excluding **computer hardware or** software for use in the collection, statistical analysis and management of clinical data **or clinical laboratory compliance services**

Class 37: Installation, maintenance and repair of laboratory instruments and equipment, excluding **computer hardware or** software for use in the collection, statistical analysis and management of clinical data **or clinical laboratory compliance services**

Class 41: Educational services, namely, providing training in the function, use, operation and care of laboratory instruments and equipment, excluding **computer hardware or** software for use in the collection, statistical analysis and management of clinical data **or clinical laboratory compliance services**




06-18-2013

Potential Opposer, Bio-Rad Laboratories, Inc., filed an extension of time to oppose Application Serial No. 85/464,914. The parties agreed to settle their differences, in part, pursuant to amendment of the Application as set forth above.

Potential Opposer has consented to the above amendments. As such, Applicant requests that the Board amend the Application accordingly.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'DR', is written over a horizontal line. The signature is fluid and cursive.

Denise Riemann, Ph.D.
Intellectual Property Counsel

Dated: June 14, 2013