LAW OFFICES

LADAS & PARRY LLP

JOHN E. McKIE

Telephone: (312) 427-1300 ext. 223
Email: johnm@ladas.net

224 SOUTH MICHIGAN AVENUE
CHICAGO, ILLINOIS 60604

TELEPHONE: (312) 427-1300
TELEFAX: (312) 427-6663
(312) 427-6668
www.ladas.com

26 WEST 61 STREET
NEW YORK, NY 10023

5670 WILSHIRE BLVD.
LOS ANGELES, CA 90036

52-54 HIGH HOLBORN
LONDON WC1V 6RR, ENGLAND

DACHAUERSTRASSE 37
80335 MUNICH, GERMANY

TTAB

September 8, 2004

Box TTAB Fee
Assistant Commissioner
for Trademarks
2900 Crystal Drive
Arlington, Virginia 22202-3513

[redacted]

09-13-2004
U.S. Patent & TMOfc/TM Mail Rcpt Dt. #22

RE: Notice of Opposition
CPFilms, Inc. v. Folia Tec Bohm GmbH & Co. Vertriebs KG
published U.S. Trademark Application
S.N. 78/210594
Opposed Mark: **LUMAX**
Our Ref: CTG04484: TMO

Dear Sir:

Enclosed for filing please find the following:

1. Notice of Opposition, including Exhibits, in duplicate;

2. Check in the amount of $1,200.00 made payable to the Commissioner of Patents and Trademarks in payment of the applicable filing fee;

3. Certificate of Mailing; and;

4. Return receipt postcard.

Please process this Notice of Opposition and affix your date stamp to the enclosed return-receipt postcard to evidence your receipt of the same. The Commissioner is authorized to charge any additional fees associated with this case or credit any overpayment to Deposit Account 12-0400.

Very truly yours,

JOHN E. MCKIE

JEM/rw
Enclosures: as recited above

CERTIFICATE OF MAILING (37 CFR 1.8)

Date of Deposit:	**September 8, 2004**
Opposer:	**CPFilms, Inc.**
Opposed Mark:	LUMAX
Opposed Serial No.:	**78/210594**
Documents:	**Notice of Opposition, with Exhibits, in duplicate, and as recited in cover letter**

I hereby certify that these documents and fees are being deposited with the United States Postal Service as first class mail, postage prepaid, addressed as follows on the date stated below, pursuant to 37 CFR 1.8:

Box TTAB Fee
Assistant Commissioner for Trademarks
2900 Crystal Drive
Arlington, Virginia 22202-3513

On this 8th day of September, 2004.

ROBERT C. WALKER

BOX TTAB FEE
TRADEMARK

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE TRADEMARK TRIAL AND APPEAL BOARD

CPFILMS, INC.,	§	
	§	
Opposer,	§	
	§	
v.	§	Opposition No. _____
	§	
FOLIA TEC BOHM GMBH & CO. VERTRIEBS KG,	§	
	§	
	§	
Applicant.	§	
	§	

09-13-2004
U.S. Patent & TMOfc/TM Mail Rcpt Dt. #22

NOTICE OF OPPOSITION

In the matter of an application to register a trademark under the Trademark Act of 1946, Serial No. 78/210594, filed February 4, 2003, in the name of Folia Tec Bohm Gmbh & Co. Vertriebs KG, published for opposition in the Official Gazette of May 18, 2004.

The grounds for opposition are as follows:

1. Opposer, CPFilms, Inc. ("Opposer"), is a Delaware corporation, with offices at 4210 The Great Road, Fieldale, Virginia, United States of America.

2. Commencing long prior to Applicant's first use, Opposer has and is now engaged in, the distribution, sale, marketing and promotion in interstate and/or commerce with the United States of plastic film product under the trademark LLUMAR.

09/14/2004 KSOMCHAN 00000082 78210594
01 FC:6402 1200.00 OP

3. Opposer's plastic film product under the trademark LLUMAR for a variety of uses: window films, automotive film, architectural/building film, safety and security films, and decorative films. These include films that are resistant to weather for use on exterior surfaces. Attached as Exhibit 1 are examples of Opposer's use of LLUMAR, including a partial printout from Opposer's website at www.llumar.com, as well as copies of example brochures, and a product sample collection for LLUMAR window film.

4. Opposer is the owner of, and will rely herein, upon U.S. Trademark Registration No. 1089700, LLUMAR, for "weatherized polyester film." This registration issued on April 17, 1978. A declaration of use and incontestability under §§8 & 15 were filed and accepted, and the registration was renewed for a further ten-year term from April 18, 1998. Attached as Exhibit 2 is a certified copy of this registration showing active status and title in the Opposer, CPFilms, Inc.

5. Since Opposer's initial use of Opposer's LLUMAR Mark, Opposer has extensively used, advertised, promoted, and offered and sold Opposer's goods bearing the mark, with the inevitable result that Opposer's customers and the public in general have come to know and recognize Opposer's LLUMAR Mark and associate same with Opposer and/or the goods sold by Opposer. Opposer thus has built up extensive goodwill in connection with the sale of products under its mark.

6. Opposer's LLUMAR mark is generally pronounced as "lumar", without separate pronunciation of each of the double "LL" letters that begin the mark.

7. Applicant, Folia Tec Bohm Gmbh & Co. Vertriebs KG, is a corporation organized and existing under the laws of Germany, with an address of Neumeyerstrasse 70, 90411 Nurnberg, Germany.

8. Applicant filed an application for registration of the alleged LUMAX mark, which application as published contains the following identification of goods: IC 11: "apparatus for lighting, namely lamps, lights for vehicles; neon and fluorescent lighting tubes and cables for illumination purposes; spotlights"; IC 12: "land vehicles parts, namely steering wheel and airbag covers, brake and clutch pedal pads and covers"; IC 16: "luminous stickers"; and IC 17: "tinted, laminated and/or reflective plastic adhesive films for use in home and automobile windows and automobile mirrors for use protection, glare protection UV radiation protection, heat insulation, scratching protection, decoration and visibility protection, for prevention of splintering and anti-for films; flexible pipes not made of metal". This application was published in the Official Gazette of May 18, 2004 and attached as Exhibit 3 is a copy of this publication. This Notice of Opposition was timely filed thereafter.

9. Applicant markets plastic film for application to automotive windows, plastic film for application to automotive painted surfaces, and plastic decorative signs and displays for application to automotive windows and other automotive surfaces, and other automotive decorative accessories. Attached as Exhibit 4 is a copy of material printed out from Applicant's website.

10. Applicant's claimed LUMAX mark is a colorable imitation of, and so resembles Opposer's LLUMAR Mark, when applied to the goods of the Applicant, to be likely to cause confusion or to cause mistake or to deceive consumers.

11. Opposer and Applicant are both engaged in the sale and promotion of automotive window film, and other automotive accessories, through some of the same channels of trade, and to some of the same class(es) of purchasers.

12. Opposer's customers and the consuming public in general are likely to be confused, mistaken or deceived as to the origin and sponsorship of Applicant's goods intended to be sold under Applicant's asserted LUMAX Mark, and misled into believing that such goods are sold by, emanate from, or are in some way directly or indirectly associated with Opposer to the damage and detriment of Opposer and its reputation.

13. Opposer alleges that Applicant was previously aware of Opposer's LLUMAR Mark and Opposer's business in plastic film under that mark, before Applicant adopted its asserted mark and filed the subject application 78/210594.

14. Opposer alleges that there was no technical trademark use of Applicant's Mark LUMAX in the sale or distribution of Applicant's goods in commerce that may be regulated by the U.S. Congress - interstate commerce, U.S. territorial commerce, and commerce between the United States and a foreign country -- prior to February 4, 2003.

15. Opposer alleges that product under Applicant's LUMAX mark has not previously been sold or distributed in commerce that may be regulated by the U.S.

Congress - interstate commerce, U.S. territorial commerce, and commerce between the United States and a foreign country. No technical trademark use of Applicant's Mark LUMAX has been made in the sale or distribution in commerce that may be regulated by the U.S. Congress of Applicant's goods as of September 7, 2004.

16. Opposer alleges that it will be damaged by the issuance of registration to Applicant of its asserted LUMAX Mark, as set forth in the Applicant's trademark Application, Serial No. 78/210594, in that the mark is substantially similar to, and a colorable imitation of, Opposer's pleaded LLUMAR Mark and, is used in connection with Opposer's goods that are related thereto. As a result, such mark when used is likely to to cause confusion or to cause mistake or to deceive consumers, in violation of §2(d) of the Lanham Trademark Act, as amended, 15 U.S.C. §1052(d), resulting in damage and detriment to Opposer and its reputation.

17. Opposer alleges that Applicant has failed to specify its goods in compliance with the Lanham Trademark Act, as amended. The identification of goods in IC 17 is without definite meaning, is ambiguous, indefinite and overbroad.

WHEREFORE, this Opposer, CPFilms, Inc., believes and avers that it will be damaged by registration of the above asserted mark of Folia Tec Bohm Gmbh & Co. Vertriebs KG, and respectfully requests that Application Serial No. 78/210594 be rejected, that no registration issue thereon, and that this Opposition be sustained by issuance of judgment in favor of Opposer.

The filing fee of $300.00 per class of the opposed application is enclosed herewith; should this filing fee become detached or the amount be insufficient, please charge Deposit Account No. 12-0400.

Respectfully submitted,

CPFILMS, INC.

By: _____

JOHN E. MCKIE
Ladas & Parry
224 South Michigan Avenue, Suite 1200
Chicago, Illinois 60604
312-427-1300
Attorneys for Opposer.

EXHIBIT 1

LLumar
WINDOW FILM

LLumar
N1040 SR CDF
36
LLumar
N1050 SR CDF
LLumar
WINDOW FILM
N1065 SR CDF
% Total Solar Transmittance 65
% Total Solar Reflectance 9
% Total Solar Absorptance 26
% Visible Light Transmittance 71
% Visible Light Reflectance 10
U-Factor Winter Median Value 1.03
% Ultraviolet Rejected 99
ding Coefficient .82
Solar Energy Rejected 29
t Reduction 18
.87
ALL VALUES AS APPLIED TO 1/8" CLEAR GLASS
E SYSTEM. Water Activated (Non Water Reactivatable) Adhesive

Protect your investment with LLumar Paint Protection Film

For maximum performance of this product, it is recommended that frequent washings and care consistent with the automobile manufacturer's recommendations for the exterior surfaces be used. An application of high-quality automotive wax at recommended intervals will help retain the lustre and performance of this product.

CPFilms Inc. of Martinsville, Virginia, the world's largest manufacturer of applied films, also offers a wide variety of films for automotive, residential, and commercial use.

LLumar®

Paint Protection Film

(800) 255-8627 www.llumar.com

LLumar®



You've seen the rest, you won't see the best.

unaltered film comparison photo

LLumar Paint Protection Film is the most optically clear paint protection film in the industry. Its superior optical clarity provides a virtually invisible shield to protect the painted surfaces of your vehicle. With its unique design, it provides an alternative to cumbersome leather bras and mechanically-attached bug deflectors. It enhances the quality of your vehicle, maintaining a high gloss for the life of the product without yellowing. With an unrivaled combination of clarity and protection, we provide the road traveler with the finest choice for keeping the vehicle's painted



Each LLumar Paint Protection Film pattern is computer-generated and precision-cut to ensure a perfe fit every time.

LLumar Paint Protection Film is professionally installed by trained and qualified dealers.

With a lifetime manufacturer's warra LLumar Paint Protection Film:

- **won't turn yellow**
- **won't crack, peel, or bubble**
- **will retain high lustre and gloss**

Some of the LLumaStar™ Comfort System Advantages

- blocks heat and glare
- improves performance of existing factory tint
- provides consistent interior comfort
- compatible with factory tint and stays color true
- offered in metallic and non-metallic finishes
- most complete UV protection available
- works with OnStar and all other electronic systems
- helps protect from shattered glass fragments
- creates privacy for you and your valuables

The LLumaStar™ Comfort System enhances appearance, security, performance, comfort, and safety so you can look as good as you feel.

Available now...ONLY from your trusted LLumar®* professional!

*LLumar is the world's largest automotive film manufacturer.

LLumar® WINDOW FILM

LLumar® is a registered trademark of CPFilms Inc.

P.O. Box 5068, Martinsville, Virginia, 24115
(800) 255-8627 www.llumar.com

L1519 03/03

LLumar® WINDOW FILM

LLuma

Minivans
Trucks
SUVs

4 PRODUCTS & SERVICES

THERE IS A **LLUMAR** WINDOW FILM SOLUTON FOR EVERY GLASS PROBLEM.

Excessive Heat	**Gain Safety**
Glare	**Security**
Interior Fading	**Anti-Graffiti**
Aesthetics Glass	**Decoration**

Technical data sheets and samples are available from your LLumar representative. To assist you in selecting the correct film, CPFilms has a comprehensive computerized energy analysis program, DOE-based, that factors in all data that effects a building project such as climactic region, exposure, size, type of HVAC, window area, energy costs, etc. The Demand Analyzer energy analysis provides comparisons of the selected films, energy costs, and payback periods. We also have energy engineers and technical staff available to support your needs.

Manufacturer's Warranty
When installed by an authorized LLumar representative, these products carry a manufacturer's warranty for materials and labor. The warranty covers peeling, cracking, demetallizing, delamination, and adhesive failure. LLumar solar control films are warranted for periods up to ten years depending on the product selected.

ABOUT THE COMPANY

The undisputed leader in the industry, CPFilms Inc., makes LLumar Window Films. From its 650,000 square foot facility in Martinsville, Virginia, CPFilms is the only manufacturer to perform every step of its window film producing process at one location, thus ensuring excellent product control. Through its rigid quality standards, the company has been ISO 9001 Certified (Certificate Number FM 35957). With an unmatched desire to manufacture the best film, CPFilms and their LLumar brand have prevailed as the tint professionals' choice.

Film installation is easily accomplished on new or retrofit projects. LLumar Window Films are available from professional installers throughout North America. Their application takes little time and doesn't disrupt normal inside activities.

Film is applied with the aid of a surfactant and then trimmed to size. The surfactant activates the Clear Distortion Free adhesive system of the film, which provides a permanent bond to the glass. Tough scratch-resistant coatings allow the film to be easily installed and maintained.

Glass surfaces with LLumar Window Film are easily maintained with mild cleaning solutions. The superior scratch-resistant coatings are designed for years of clear viewing.

Benefit from LLumar protection by contacting your LLumar dealer today!

LLumar is a registered trademark of CPFilms Inc.
P.O. Box 5068
Martinsville, Virginia 24115
(800) 255-8627 www.llumar.com
L1498 11/02

LLumar WINDOW FILM

LLumar® Window Film

Is your home using more energy than it should?

It's likely you don't have LLumar Window Film on your glass windows and doors. And it's equally likely that you're enduring lots of other inconveniences—from hot and cold spots to fading furnishings and annoying sun glare—that this film can easily cast away. Ask your dealer about taking the LLumar "Bright Test" and find out how LLumar can increase your comfort from heat and glare.

See The Light!

Simply select your favorite shade of LLumar film. Your authorized LLumar dealer can have your film professionally installed with little disruption to your home's daily activities. And every dealer-installed LLumar product comes with a manufacturer's warranty for film and labor.

Call Today

See why LLumar is the film more people choose to protect their homes...and to capture new energy efficiencies as well.

LLumar WINDOW FILM

ASK ABOUT ENERGY STAR

LLumar® is a registered trademark of CPFilms Inc.
©2000 CPFilms Inc., a unit of SOLUTIA. P.O.Box 5068 Martinsville, VA 24115
(800) 255-8627 www.llumar.com

The nature of certain delicate fabrics and dyes will lead to premature fading regardless of the application of any window film protective treatment.

IWFA INTERNATIONAL WINDOW FILM ASSOCIATION

Printed in U.S.A.
L1338-9/03



EFFICIENT

LONG LASTING

PROTECTION

LLumar WINDOW FILM

A More Efficient Way

LLumar, a virtually invisible window film, rejects up to 79 percent of solar energy—and lets you smartly keep the heat inside in the winter and outside in the summer, helping to reduce your energy use. Plus, with LLumar, your home will stay more comfortable all year long, with heating and air conditioning more evenly distributed through every room. You can also say goodbye to squinting and eye discomfort, since LLumar reduces sun glare that can hinder computer work and TV watching alike.

That Last

What's more, LLumar helps keep your home furnishings looking good longer, by blocking a full 99 percent of the damaging UV rays that can fade and deteriorate everything from draperies and wood furniture to carpeting and upholstery.

Durability

You Can Depend On

LLumar's patented SR coating makes it the industry's strongest and most durable window film. It's also specially formulated to resist scratches, yet is easy to maintain since it can be cleaned with everyday household window cleaning products.

And for strength that really pays off when you need it most, there's LLumar Magnum Window Film: This microthin film is comprised of polyester and metallized coating bonded by adhesives which form a defensive "sheath" to help contain shattering glass and minimize damage caused by rough weather or vandals. By helping to hold broken glass together, it even helps deter thieves.

Many SUVs have factory tinted glass in their [illegible]



SUVShield™

[illegible] LLumar® SUV Shield™ where allowed by law. The improved performance will result in less eye strain and increased solar energy rejection while still retaining a high level of light transmission.

LLumar
WINDOW FILM

LLumar® is a registered trademark of CPFilms Inc.
P.O. Box 5068 Martinsville, Virginia 24115
(276) 627-3000 www.llumar.com L1391 5/02

LLumar®
WINDOW FILM

Every once in a while, the unexpected happens. It could be an accident, an act of vandalism, or just a

mess

Whether you use your SUV for rigorous off-road

Protect your passengers and glass
with **LLumar® SUV Shield™**

LLumar®
WINDOW FILM

US & Canada
International

LLumar window film is the world's best-selling brand of window film. LLumar offers a complete line of automotive film, architectural film for both commercial and residential application, safety / security, anti-graffiti, as well as decorative films.
LLumar is professionally installed through our global dealer network and offers an unmatched manufacturer's warranty. Click on the links to the left for more information on the unique benefits of LLumar window film.

LLumar
WINDOW FILM

ISO 9001 GSA Contract # GS-07F-0019M

The World's Best-Selling
Brand of Window Film





LLumar
WINDOW FILM

Products • Specification Sheet • Compare Films • Tint Laws • Find a Dealer •

About the Manufacturer • News and Events • LLumar Racing •
Downloads • Search • Contact •
Products • Specification Sheet • Compare Films • Tint Laws • Find a Dealer •

©Copyright 2003 CPFilms Inc.

LOOK SHARP

Choose from an array of optically clear and tinted films and several levels of protection to get just the look and sun protection you desire. From basic and high-performance dyed films to metal combinations and top-performing all-metal films, LLumar will fit your style just right and dramatically enhance the appearance of any vehicle.

LLumar even keeps the inside of your car in top form - reducing the fading and cracking that comes with unprotected sun exposure over time.

LLumar lets you burn up the road, while keeping your car's interior cool and comfortable. The film rejects a full 99% of the sun's ultraviolet rays and repels heat - so you keep your cool... and all the while your car looks hotter than ever.

RIDE SAFE

Nothing is worse than dangerous glare. LLumar reduces glare and gives you a clearer, more comfortable view of the road ahead. Also, in the event of an accident, LLumar's sturdy construction can help hold shattered glass in place and reduce injuries from flying glass.

Reduce Heat & Glare - Stop heat and glare from intruding into your vehicle and enjoy a more comfortable, safer drive.

Reject 99% UV Rays - Reduce sun damage to your car's interior and increase your skin protection from the sun's dangerous rays.

Professional Installation - Reduce sun damage to your car's interior and increase your skin protection from the sun's dangerous rays.

STAY COOL

With LLumar's High Performance Resin (HPR) adhesive, the film smoothly hugs your vehicle - no bubbling or cracking. And, professionally applied, the durable film will stay looking smart, resist scratches and provide optical clarity for years to come.

What film do I need?

Click here for a [illegible] of our films.

LLumar
WINDOW FILM

Products · Specification Sheet · Compare Films · Tint Laws · Find a Dealer

©Copyright 2003 CPFilms Inc.

Products -

- Total Solar Protection
- UV Protection
- Safety / Security
- Paint Protection



LLumar window film for your vehicle rejects heat, reduces glare, resists interior fading, and eliminates 99% of incoming UV rays. Various levels of light transmission are available to provide you with the the perfect film for your vehicle.

LLumar UVShield rejects 99.9% of UV rays without darkening or tinting your vehicles windows. Protect you and your family from the dangers of ultraviolet rays with the window film recommended by the Skin Cancer Foundation. UVShield, invisible protection for your car.

The SUVShield safety series provides solar protection while reducing the risk of injury from flying glass in the event of an accident by helping to hold shattered glass in place. SUVShield also slows smash and grab thieves from entering the vehicle versus normal glass.

LLumar offers an optically clear line of paint protection films designed to preserve your cars good looks by protecting your vehicle's vulnerable areas against abraision, nicks ,and scratches from insects, small road debris, and winter sand and salt.

PRODUCT SPECIFICATIONS

Premium Dyed Non-Reflective	% Visible Light Transmission*	% Total Solar Energy Rejection	% Visible Light Reflection	% Ultra-Violet Light Rejection
AT 05 GR SR HPR	6	44	8	99
AT 15 GR SR HPR	15	40	8	99
AT 35 GR SR HPR	38	32	8	99
AT 50 GR SR HPR	55	26	8	99
AT 70 GR SR HPR	73	20	8	99
AT 05 CH SR HPR	5	41	8	99
AT 20 CH SR HPR	21	37	8	99
AT 35 CH SR HPR	38	32	8	99
AT 50 CH SR HPR	55	26	8	99
Jet Dyed Non-Reflective	**% Visible Light Transmission***	**% Total Solar Energy Rejection**	**% Visible Light Reflection**	**% Ultra-Violet Light Rejection**
JT 05 BK SR HPR	6	44	8	99
JT 15 BK SR HPR	15	40	8	99
JT 35 BK SR HPR	38	32	8	99
JT 50 BK SR HPR	55	26	8	99
HIGH PERFORMANCE DYED/METAL	**% Visible Light Transmission***	**% Total Solar Energy Rejection**	**% Visible Light Reflection**	**% Ultra-Violet Light Rejection**
ATR 05 CH SR HPR	5	63	8	99
ATR 15 CH SR HPR	15	50	8	99
ATR 20 CH SR HPR	21	48	8	99
ATR 30 CH SR HPR	32	46	8	99
ATR 35 CH SR HPR	38	44	8	99
ATR 40 CH SR HPR	44	43	8	99
ATR 50 CH SR HPR	55	34	8	99
ATR 20 BR SR HPR	23	48	8	99
ATR 35 BR SR HPR	38	44	8	99
ATR 50 BR SR HPR	55	34	8	99
STEALTH Dyed/HeavyMetal	**% Visible Light Transmission***	**% Total Solar Energy Rejection**	**% Visible Light Reflection**	**% Ultra-Violet Light Rejection**
ATR 05 ST SR HPR	7	68	12	99
ATR 18 ST SR HPR	19	62	12	99
ATR 30 ST SR HPR	30	50	12	99
ATR 38 ST SR HPR	39	46	11	99
ATR 50 ST SR HPR	52	40	11	99
CENTAUR Sputtered Alloy	**% Visible Light Transmission***	**% Total Solar Energy Rejection**	**% Visible Light Reflection**	**% Ultra-Violet Light Rejection**
PT 05 GR SR HPR	8	61	8	99
PT 18 GR SR HPR	18	56	8	99
PT 28 GR SR HPR	28	49	11	99
PT 38 GR SR HPR	38	46	11	99
PT 50 GR SR HPR	55	33	8	99
PLATINUM PLUS Sputtered Llumalloy	**% Visible Light Transmission***	**% Total Solar Energy Rejection**	**% Visible Light Reflection**	**% Ultra-Violet Light Rejection**
PP 18 LU SR HPR	17	65	18	99
PP 35 LU SR HPR	37	52	18	99
PP 50 LU SR HPR	50	41	13	99
UVSHIELD UV Protection	**% Visible Light Transmission***	**% Total Solar Energy Rejection**	**% Visible Light Reflection**	**% Ultra-Violet Light Rejection**
AU 75 UV SR HPR	78	20	8	99.9
SUVSHIELD Safety	**% Visible Light Transmission***	**% Total Solar Energy Rejection**	**% Visible Light Reflection**	**% Ultra-Violet Light Rejection**
SUV 38 ST SR PS4	38	48	12	99
SUV 50 ST SR PS4	53	40	11	99

* % Visible Light Tranmission is at 550 nm

Charcoal, UVShield, SUVShield has LLumaStar WINDOW FILM No Color Change Warranty

Printed in USA
Lit #L1365

CPFilms Inc.
P. O. Box 5068 Martinsville, VA 24115
Phone: (800) 255-8627, FAX: (276) 627-3032

LLumar
WINDOW FILM

Products · Specification Sheet · Compare Films · Tint Laws · Find a Dealer

©Copyright 2003 CPFilms Inc.

99% UV Protection

Compare Automotive Films

Blocks Heat & Glare
Manufacturer's Warranty
Dyed, Dyed/Metal and All-Metal Combinations Available
Reduce Sunlight Damage to Your Interior
Paint Protection Available
Helps Hold Shattered Glass in Place in the Event of and Accident
Available in Various Light Transmissions

LLumar Automotive Films:

AT	★★½	★★★	3 Years	Low	
JET	★★½	★★★	3 Years	Low	
AT Llumar	★★½	★★★	Lifetime	Low	
ATR Llumar	★★	★★★	Lifetime	Med	
SUV SHIELD Llumar	★★	★★★	Lifetime	Med	Automotive Safety/Security Film
CENTAUR	★★★½	★★★	Lifetime	Med	
STEALTH	★★★½	★★★	Lifetime	Med	
PLATINUM PLUS	★★★	★★★	Lifetime	High	
UVSHIELD	½	★★★ Optimum 99.9%	Lifetime	Low	99.9% - Highest UV Protection Avail.

LLumar
WINDOW FILM

Products • Specification Sheet • Compare Films • Tint Laws • Find a Dealer •

©Copyright 2003 CPFilms Inc.

U.S. Tint Laws

Canadian Tint Laws

LLumar
WINDOW FILM

Products · Specification Sheet · Compare Films · Tint Laws · Find a Dealer

©Copyright 2003 CPFilms Inc.

LLumar Window Film
Provides Total Solar Protection...

* Great Looking Films
* Reduce Heat & Glare
* Resist Interior Fading
* Block 99% UV Rays
* Variety of Light Transmissions
* Manufacturer's Warranty



From Light To Dark

LLumar offers films in dyed, dyed/metal and all metal combinations. A wide variety of light transmission ranges are available to help you ind exactly the film that is right for your vehicle. All LLumar automotive films block 99% UV rays or higher The films also have a durable scratch-resistant coating to preserve the film's great looks.

EXHIBIT 2

1177926

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

June 03, 2004

THE ATTACHED U.S. TRADEMARK REGISTRATION *1,089,700* IS CERTIFIED TO BE A TRUE COPY WHICH IS IN FULL FORCE AND EFFECT WITH NOTATIONS OF ALL STATUTORY ACTIONS TAKEN THEREON AS DISCLOSED BY THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE.

REGISTERED FOR A TERM OF *20* YEARS FROM *April 18, 1978*

1st RENEWAL FOR A TERM OF *10* YEARS FROM *April 18, 1998*

SECTION 8 & 15

SAID RECORDS SHOW TITLE TO BE IN:

CPFILMS, INC.

A DELAWARE CORPORATION

By Authority of the

COMMISSIONER OF PATENTS AND TRADEMARKS

P. SWAIN

Certifying Officer

Int. Cl.: 17

Prior U.S. Cl.: 1

United States Patent and Trademark Office

10 Year Renewal

Reg. No. 1,089,700

Registered Apr. 18, 1978

Renewal Term Begins Apr. 18, 1998

TRADEMARK
PRINCIPAL REGISTER

LLUMAR

COURTAULDS PERFORMANCE FILMS, INC. (DELAWARE CORPORATION)
P.O. BOX 5068
MARTINSVILLE, VA 24115, BY MERGER AND CHANGE OF NAME FROM MARTIN PROCESSING, INC. (DELAWARE CORPORATION) MARTINSVILLE, VA

FOR: WEATHERIZED POLYESTER FILM, IN CLASS 17 (U.S. CL. 1).

FIRST USE 7-14-1977; IN COMMERCE 7-14-1977.

SER. NO. 73-137,983, FILED 8-18-1977.

In testimony whereof I have hereunto set my hand and caused the seal of The Patent and Trademark Office to be affixed on Mar. 31, 1998.

COMMISSIONER OF PATENTS AND TRADEMARKS

Int. Cl.: 17

Prior U.S. Cl.: 1

United States Patent Office

Reg. No. 1,089,700

Registered Apr. 18, 1978

TRADEMARK

Principal Register

LLUMAR

Martin Processing, Inc. (Delaware corporation)
P.O. Box 5068
Martinsville, Va. 24112

For: WEATHERIZED POLYESTER FILM, in CLASS 17 (U.S. CL. 1).
First use July 14, 1977; in commerce July 14, 1977.

Ser. No. 137,983, filed Aug. 18, 1977.

B. C. WASHINGTON, Examiner

1177926

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:
UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office

June 03, 2004

THE ATTACHED U.S. TRADEMARK REGISTRATION *1,089,700* IS CERTIFIED TO BE A TRUE COPY WHICH IS IN FULL FORCE AND EFFECT WITH NOTATIONS OF ALL STATUTORY ACTIONS TAKEN THEREON AS DISCLOSED BY THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE.

REGISTERED FOR A TERM OF *20* YEARS FROM *April 18, 1978*
1st RENEWAL FOR A TERM OF *10* YEARS FROM *April 18, 1998*
SECTION 8 & 15
SAID RECORDS SHOW TITLE TO BE IN:
CPFILMS, INC.
A DELAWARE CORPORATION

By Authority of the
COMMISSIONER OF PATENTS AND TRADEMARKS

P. SWAIN
Certifying Officer

Int. Cl.: 17

Prior U.S. Cl.: 1

United States Patent and Trademark Office

10 Year Renewal

Reg. No. 1,089,700

Registered Apr. 18, 1978

Renewal Term Begins Apr. 18, 1998

TRADEMARK
PRINCIPAL REGISTER

LLUMAR

COURTAULDS PERFORMANCE FILMS, INC. (DELAWARE CORPORATION)
P.O. BOX 5068
MARTINSVILLE, VA 24115, BY MERGER AND CHANGE OF NAME FROM MARTIN PROCESSING, INC. (DELAWARE CORPORATION) MARTINSVILLE, VA

FOR: WEATHERIZED POLYESTER FILM, IN CLASS 17 (U.S. CL. 1).

FIRST USE 7-14-1977; IN COMMERCE 7-14-1977.

SER. NO. 73-137,983, FILED 8-18-1977.

In testimony whereof I have hereunto set my hand and caused the seal of The Patent and Trademark Office to be affixed on Mar. 31, 1998.

COMMISSIONER OF PATENTS AND TRADEMARKS

Int. Cl.: 17

Prior U.S. Cl.: 1

United States Patent Office

Reg. No. 1,089,700

Registered Apr. 18, 1978

TRADEMARK

Principal Register

LLUMAR

Martin Processing, Inc. (Delaware corporation)
P.O. Box 5068
Martinsville, Va. 24112

For: WEATHERIZED POLYESTER FILM, in CLASS 17 (U.S. CL. 1).
First use July 14, 1977; in commerce July 14, 1977.

Ser. No. 137,983, filed Aug. 18, 1977.

B. C. WASHINGTON, Examiner

EXHIBIT 3

SN 78-209,150. WM. BOLTHOUSE FARMS, INC., BAKERSFIELD, CA. FILED 1-30-2003.

BOLTHOUSE FARMS

OWNER OF U.S. REG. NOS. 1,644,819, 1,700,694 AND 2,225,521.
SEC. 2(F).

CLASS 29—MEATS AND PROCESSED FOODS

FOR SCRUBBED AND PEELED FRESH CARROTS; PROCESSED CARROT FIBER FOR PROCESSED FOODS; PROCESSED VEGETABLES (U.S. CL. 46).
FIRST USE 1-20-1990; IN COMMERCE 1-20-1990.

CLASS 31—NATURAL AGRICULTURAL PRODUCTS

FOR FRESH VEGETABLES (U.S. CLS. 1 AND 46).
FIRST USE 1-20-1990; IN COMMERCE 1-20-1990.

CLASS 32—LIGHT BEVERAGES

FOR VEGETABLE JUICES; CARROT JUICE AND BEVERAGES, NAMELY, FRUIT DRINKS (U.S. CLS. 45, 46 AND 48).
FIRST USE 1-20-1990; IN COMMERCE 1-20-1990.
WILLIAM P. SHANAHAN, EXAMINING ATTORNEY

SN 78-210,224. EUROPEAN HOME ACCESSORIES, INC., KEEGO HARBOR, MI. FILED 2-3-2003.

CLASS 35—ADVERTISING AND BUSINESS

FOR RETAIL STORE SERVICES AND ONLINE RETAIL SERVICES, FEATURING HOME FURNISHINGS, FURNITURE, HOME DECOR ACCESSORIES, MIRRORS, ARTWORK, LIGHTING, SOAPS, CANDLES, SACHETS, CRYSTAL AND GIFTS (U.S. CLS. 100, 101 AND 102).
FIRST USE 1-1-2001; IN COMMERCE 1-1-2001.

CLASS 42—SCIENTIFIC, COMPUTER AND LEGAL SERVICES

FOR INTERIOR DECORATING AND DESIGN SERVICES FOR OTHERS (U.S. CLS. 100 AND 101).
FIRST USE 1-1-2001; IN COMMERCE 1-1-2001.
PAULA MAYS, EXAMINING ATTORNEY

SN 78-210,594. FOLIA TEC BOHM GMBH & CO. VERTRIEBS KG, 90411 NURNBERG, FED REP GERMANY. FILED 2-4-2003.

LUMAX

CLASS 11—ENVIRONMENTAL CONTROL APPARATUS

FOR APPARATUS FOR LIGHTING, NAMELY LAMPS, LIGHTS FOR VEHICLES; NEON AND FLUORESCENT LIGHTING TUBES AND CABLES FOR ILLUMINATION PURPOSES; SPOTLIGHTS (U.S. CLS. 13, 21, 23, 31 AND 34).

CLASS 12—VEHICLES

FOR LAND VEHICLES PARTS, NAMELY STEERING WHEEL AND AIRBAG COVERS, BRAKE AND CLUTCH PEDAL PADS AND COVERS (U.S. CLS. 19, 21, 23, 31, 35 AND 44).

CLASS 16—PAPER GOODS AND PRINTED MATTER

FOR LUMINOUS STICKERS (U.S. CLS. 2, 5, 22, 23, 29, 37, 38 AND 50).

CLASS 17—RUBBER GOODS

FOR TINTED, LAMINATED AND/OR REFLECTIVE PLASTIC ADHESIVE FILMS FOR USE IN HOME AND AUTOMOBILE WINDOWS AND AUTOMOBILE MIRRORS FOR USE PROTECTION, GLARE PROTECTION UV RADIATION PROTECTION, HEAT INSULATION, SCRATCHING PROTECTION, DECORATION AND VISIBILITY PROTECTION, FOR PREVENTION OF SPLINTERING AND ANTI-FOR FILMS; FLEXIBLE PIPES NOT MADE OF METAL (U.S. CLS. 1, 5, 12, 13, 35 AND 50).
BRETT J. GOLDEN, EXAMINING ATTORNEY

SN 78-211,039. THE BURTON CORPORATION, BURLINGTON, VT. FILED 2-5-2003.

ANALOG

OWNER OF U.S. REG. NO. 2,458,144.

CLASS 18—LEATHER GOODS

FOR DUFFEL BAGS, TOTE BAGS, SPORT BAGS, BACKPACKS, HAND BAGS, AND WALLETS (U.S. CLS. 1, 2, 3, 22 AND 41).

CLASS 25—CLOTHING

FOR COATS, JACKETS, T-SHIRTS, SWEATSHIRTS, HATS, CAPS, SKIRTS, FOOTWEAR, SOCKS, GLOVES, MITTENS, AND PANTS (U.S. CLS. 22 AND 39).
ANDREW BENZMILLER, EXAMINING ATTORNEY

SN 78-211,050. THE HA
TON, NY. FILED 2-5-2

eHA

CLASS 9—ELECT
APPARATUS

FOR DOWNLOADA
ARTICLES FEATURI
MATTER DISTRIBUTE
26, 36 AND 38).

CLASS 41—EDUC
MENT

FOR COMPUTER SE
ON-LINE BOOKS, JO
TURING A VARIETY O
100, 101 AND 107).
ANDREW BENZMILL

SN 78-211,471. ABRO IND
FILED 2-6-2003.

PRO

CLASS 1—CHEMIC

FOR FABRIC PROTE
LEATHER AND SIMIL
HOLD AND AUTOMOT
AND 46).
FIRST USE 8-31-1996; I

CLASS 3—COSMET
PARATIONS

FOR CLEANER FOR
AND SIMILAR MATER
AUTOMOTIVE USE (U.S
FIRST USE 8-31-1996; I
ELLEN B. AWRICH, E

SN 78-211,518. SCHNABE
NEW YORK, NY. FILE

O

CLASS 24—FABRIC

FOR LINENS FOR B
KITCHEN AND DININ
CLOTHS NOT OF PAPE
PAPER, AND PLACEM
TOWELS; HOME ACCES
(U.S. CLS. 42 AND 50).

CLASS 25—CLOTH

FOR CLOTHING, N
SHIRTS, NIGHT GOW
CLS. 22 AND 39).

Vol. 1282 Number 3

OFFICIAL GAZETTE

of the

UNITED STATES PATENT AND TRADEMARK OFFICE

Route to:

TRADEMARKS

May 18, 2004

U.S.
DEPARTMENT
OF COMMERCE

Patent
and
Trademark
Office

PUBLISHED WEEKLY BY AUTHORITY OF CONGRESS

EXHIBIT 4



[Deutsch | English] [Deutsch | English]

Copyright © FOLIA TEC Böhm GmbH & Co Vertriebs KG | Neumeyer Straße 70 | 90411 Nürnberg
Last Update: 14.06.2004 | impressum

You want a more individual, stylish or sporty look f
like to upgrade safety and comfort?
And on top of that you want an individual touch?

FOLIA TEC AutoglasFilms help you to achieve all

Here you can download the latest flyer about our A

Download:

Info-Flyer english /PDF [2,9 MB]

But you also want to spend as little money and tim

Then here is our advice for you: use the professio
by our partners, the mobile FOLIA TEC StylingTea
are there to advise you and to provide the high-qu
products.
Fast and reliable - and of course at a fixed price. F
authorized and competent franchise partners all o
somewhere near you.

Hotline in German

01805 • 100

OUR EUROPEAN - PARTNERS

Country	Company	Tel. No.:	Country	Company
Germany	FOLIA TEC	0049 (0) 1805 100 234	Belgium	Car Trend
Austria	Pakfeifer	0043 (0) 133 03 842	Netherlands	Car Trend

Switzerland germ.	Carex	0041 (0) 71 844 07 00	Luxembourg	Car Trend
Switzerland franc.	Carex	0041 (0) 71 844 07 01	Spain	Plus Power S.A.
Poland	Technika Foliowania	0048 (0) 12 640 37 91	France	Team Bechara Division France
Ungarn	1-2RÁK Bt	0036 (0) 79 323 961	Greece	TROXOS
Czech. Republic	FOLIA TEC	0049 (0) 911 975 44 0	Finnland	Solarkon OY
Italy	FOLIA TEC	0049 (0) 911 975 44 0	Denmark	FOLIA TEC
Portugal	GVCAR Accessorios	00351 (0) 244 491 066	Great Britain	Exel Car Cosmetic
Slovenia	LESNIK	0038 (0) 641 653 246		

Attention: For all red remarked countries, we are searching partners.
Interested in more details?
Click here!

Copyright ©, Folia Tec Böhm GmbH & Co Vertriebs KG. All rights reserved
Last Update: 06.07.2004

Subject to modification, misprints, errors and technical changes.
For typographic reasons the colors shown in this catalogue may vary from actual colors.

FOLIA TEC PROTECT
STYLINGTEAM

Professional installation of AutoglassFilms

FOLIA TEC Böhm GmbH
Neumeyerstraße 70
90411 Nürnberg/Germany

FON +49/(0)911- 97 54 40
FAX +49/(0)911- 97 54 43 33
INTERNET www.foliatec.de
Email info@foliatec.de

More than 200 locations in Europe, find one close to you you

Your STYLINGTEAM:

05/02
Art.-Nr. 90073

FOLIA TEC PROTECT
STYLINGTEAM

Professional installation of AutoglassFilms

AUTOGLASSFILMS PROTECT

...increase your comfort and
...give your car
that special touch.

SAFEGUARD + SAFETY + WELL-BEING

Does this scenario in the car sound familiar?

oven-hot interior, sun-blinded and stressed passengers, and whining children that also seek shelter from the penetrating sun. The vision repressed, what tragic injuries might occur from flying glass in case of an accident?!

Protect yourself and your passengers with state of the art tinted car window films from FOLIA TEC.

HIGHEST FILM QUALITY

thanks to exceptional material design:



1. **Clear protective film.**
2. **Adhesive strength.** A clear and self-activating coating with acrylic resin adhesive ensures a permanent and blister-free bond.
3. **Multi-layer material design.** Using UV color stabilization, the tinted film design prevents sun fading the film. So film and glass surface form a permanent bond - even on curved rear screens.
4. **Precious-metal layer.** In UV/ HeatRejectionFilms, an additional precious-metal layer provides a highly-efficient solar heat rejection.
5. **Additional scratch-resistant coating.** This highly effective surface finish protects the film from scratches (suitable for wind-up windows) and ensures a long product life.

INSPECTED – TESTED – CERTIFIED

FOLIA TEC tinted car window films are inspected, tested and certified by the Technical Control Board, Federal Office of Motor Vehicles and the Material Testing Laboratory. We document this on every film with the FOLIA TEC SEAL:

MIDNIGHT REFLEX
FOLIA TEC 14
D 5081

We grant a 5 YEAR GUARANTEE

on all FOLIA TEC tinted car window films

Thanks to 20 YEAR EXPERIENCE

in development, production and processing of tinted car window films.

Optimum tinted film effect



FOLIA TEC FILMS
STYLINGTEAM
Professional installation of AutoglassFilms

CONTENT

Film design and protective functions 3-5

STYLINGTEAM 6-7

StylingFilms 8-9

UV-/Infrared ProtectionFilms 10-13

ProtectionFilms 14-16

SunGlareStrips 17

Ask your STYLING TEAM about other film designs and new styles.

FOLIA TEC FILMS
STYLINGTEAM
Professional installation of AutoglassFilms

THE 6 MOST IMPORTANT PROTECTIVE FUNCTIONS OF FOLIA TEC FILMS:

89% IR

HEAT PROTECTION

Up to 89% reflection of INFRARED RADIATION. Interior temperatures stay up to 9° C cooler.

99% UV

ULTRAVIOLET RADIATION PROTECTION (UV-A+UV-B)

99% reflection of ultraviolet radiation with all FOLIA TEC FILMS. Prevents fading of the interior and offers relief to light sensitive persons.

69*

GLARE PROTECTION

Reduces glare during the day and reflection at night for relaxed driving.

VIEW PROTECTION

Low visibility looking into the interior. Theft prevention.

SHATTERED GLASS PROTECTION

The »glass bonding effect« provides effective passenger protection in case of an accident or forced impac

SECURLUX FOLIA TEC

BURGLAR PROTECTION

The »multilayered material bond« has a break-in inhibiting effect especially with the FOLIA TEC SECURLUX® Film.

FOLIA TEC AutoglassFilms

FOLIA TEC PARTNER
STYLINGTEAM

The professional tinted car window film application by your authorized FOLIA TEC PARTNER.

This is what you can expect from us:

Qualified consultation
make and model specific, with a demonstration of quality and effect of the films as well as a fixed price guarantee.

Extensive film selection of various
film qualities in many color variations available immediately.

Professional film application
by qualified trained specialists.

FOLIA TEC Guarantee
5 YEAR GUARANTEE on quality, effectiness as well as the color and form stability of the film

Certification documentation
of all relevant licensing authorities.
Additional documentation of each film with the FOLIA TEC SEAL.



Good to know! FOLIA TEC films do not impair the function of rear window defoggers and car window antennas.
An entry in the vehicle registration is not required.
For fitment in countries outside the Federal Republic of Germany, the national homologation regulations apply.

IWFA EWFA

FOLIA TEC STYLING TEAM partners are the only from DFV recognized Franchise-Group on the tinted car window market in Germany.

MITGLIED DFV DEUTSCHER FRANCHISE VERBAND E.V.

The 3 phases to more protection, safety and comfort in your vehicle

FOLIA TEC PARTNER
STYLINGTEAM
Professional installation of Autoglass® film

STYLINGTEAM

MIDNIGHT StylingFilm



opaque from outside

transparent from inside

- Maximum protection from undesired public viewing.
- Clear one-way vision from the inside.
- Optimum glare protection for relaxed driving.

FOLIA TEC STYLINGTEAM

Professional installation of Autoglass

We only work with FOLIA TEC tinted car window films. All of them are highly scratch resistant, have a guaranteed shattered glass bonding effect and offer 99 % protection from ultraviolet radiation.

99% UV

COLOR StylingFilms



COMFORT GREEN

GREENLIGHT



GREYLIGHT

BLUELIGHT



FLAMEORANGE

- Gives your vehicle that personalized flair.
- Affords the interior that special touch.

StylingFilms

UV-/InfraredProtectionFilms

FOLIA TEC FILM STYLINGTEAM

Professional Installation of AutoglassFilms

We only work with FOLIA TEC tinted car window films. All of them are highly scratch resistant, have a guaranteed shattered glass bonding effect and offer 99 % protection from ultraviolet radiation.

99% UV

CHROMOLUX® UV-/InfraredProtectionFilm



In bright sunlight CHROMOLUX® maintains a discret metallic gloss. Outward vision remains strikingly clear.

If the sky is clouded, the degree of tinting is automatically reduced.

- Improved interior climate control through high-grade heat rejecting metal coating.
- More relaxed driving with natural color reception of the surrounding environment.
- Soft, iridescent change of the windowpane optics corresponding to the light angle of incidence.

SILVER REFLEX UV-/InfraredProtectionFilm

Chrome



Chrome-Plus

- Extreme heat retardation through high-grade heat rejecting metal coating.
- Affords the interior that special touch.
- Visual upgrade of tinted windows.

UV-InfraredProtectionFilms

FOLIA TEC FILM STYLINGTEAM

Professional installation of AutoglassFilms

We only work with FOLIA TEC tinted car window films. All of them are highly scratch resistant, have a guaranteed shattered glass bonding effect and offer 99 % protection from ultraviolet radiation.

99% UV

MIDNIGHT SPEED UV-InfraredProtectionFilm



- Maximum protection from undesired public viewing.
- Optimum glare protection for relaxed driving.
- Clear one way vision from the inside.
- Maximum heat retardation through high-grade heat rejecting metal coating.
- Value increasing appearance of tinted windows.

COLOR REFLEX UV-InfraredProtectionFilm



- Extreme heat retardation through high-grade heat rejecting metal coating.
- More relaxed driving with natural color reception of the surrounding environment.
- Visual upgrade of tinted windows with chrome optics and individual color coordination to match the color of your vehicle.

SECURLUX®-Protection from what is out there





impact

The multi-layer sandwich design (composite) of the SECURLUX® AutoGlassFilm absorbs the kinetic impact energy. Preventing a bursting of the window during a crash, the film provides optimum splinter protection. Whilst it is not possible to crush the window from the outside, it can be pushed out from inside.

German police trusts in SECURLUX®*

* Our professionals fitted various police vehicles with a special variety of SECURLUX®

FOLIA TEC STYLINGTEAM

Professional installation of AutoglassFilms

We only work with FOLIA TEC tinted car window films. All of them are highly scratch resistant, have a guaranteed shattered glass bonding effect and offer 99 % protection from ultraviolet radiation.

99% UV

ECE
RICHTLINIEN GEPRÜFT

SECURLUX®-Protection for all passengers

unvisible protection

- Burglar protection.
- Splinter-protection effect.
- Anti-crush effect.
- Added safety during lateral impacts.

ProtectionFilms

PAINT ProtectionFilm



e.g. on the front/transparent

e.g. wheelarch/black structured



e.g. trunk sill/black structured

e.g. door treat plate/
black structured

- Maintains the value of your vehicle.
- Can be removed without residue and is car wash resistant.
- Reduces stone, sand and insect damage .
- Ideal as scratch protection on exposed surfaces.
- Available in transparent and black structured.

STYLINGTEAM

Professional installation of AutoglassFilms

ProtectionFilms

TOPSTRIPE

TOPSTRIPE REFLEX

High quality metalization

- Protects the eyes from sun glare.
- Relaxed driving increases the sense of comfort.
- Visual upgrade of the front car window.

■TOPSTRIPE
A classic in form and function, available in four colors.

■TOPSTRIPE REFLEX
Mirrored optics, available in six colors.

■SUNVISOR
With tint progression, available in four colors.

SUNVISOR

High quality metalization

SunGlareStrips

In our new Online Catalogue you will find all details about our complete product range.

click here!

PRODUCT TIPS!

- PRO-SHAPE 3D-Fitting Form AutoglassFilm
- SECURLUX ProtectionFilm
- HYDRO-VISION ClearVisionFilm
- Undercover
- TuningPolice
- BIKESTYLING

TECHNIQUE FORUM

FAQs

Here you can find the answers to the frequently asked questions about our Carstyling products FAQ

click here!

Installation Instructions

Our latest installation instructions with a lof of tips and tricks.

click here!



Dealer Information

CARSTYLING 2004/ 2005

The new catalogue is here!!

132 pages,
80 hot novelities
and more ...

click here!

NEW





NEW

PAROTECS pride and joy – a Peugeot 206CC

click here!

STYLE UP YOUR BIKE!

16 pages individual BIKESTYLING with mor than 50 products and hot bikestyles.

click here!

E-CARDS!

click here!

NEW



Copyright ©, Foliatec Böhm GmbH & Co Vertriebs KG, All rights reserved.
Last Update: 06.05.2004


FOLIATEC
...the CARSTYLING FACTORY

FOLIA TEC

...the CARSTYLING FACTORY

To style or not to style is this the question?!

It certainly is! Why else should carstylers all over the world try hard to make their wheels individual and even unique? They are styling-addicts. They love what's beautiful, extraordinary, individual and special.

And when extraordinary carstyling products also meet the demands of discerning scene customers in terms of function, handling and both material and finish quality, these products most certainly originated from our FOLIA TEC THINK TANK.

Our new catalogue for FOLIA TEC fans and fans-to-be is again packed with exciting novelties which will make carstyler hearts beat faster — together with our proven and popular products.

Nevertheless we are not content with ranking among the world's top designers and suppliers of individual car accessories. The dedicated and satisfied customer is the benchmark for everything we do. Without compromise!

Enjoy our catalogue.



Michael Bohm and your FOLIA TEC team.

We turn your car into a HIGHLIGHT

FOLIA TEC sets standards
for the design and production of individual car accessories. Top quality in material, finish and function are our minimum standards.

FOLIA TEC is uncompromising
in implementing and complying with safety standards. The FOLIA TEC Management System without exception uses the strict standards of the TÜV and German Federal Motor Vehicle Registration Agency.



FOLIA TEC is focussed on implementing the quality objectives.
Customers and suppliers alike benefit through exceptional reliability in order processing and production. Our quality management system ensures a complete documentation and recording of all operational stages.

FOLIA TEC has a global market presence!
How do you benefit? Through this global presence in all major markets the decision-making of the Folia Tec management is constantly stimulated by new ideas and contents for design, production and function.



FOLIA TEC on the World Wide Web!
www.foliatec.de is the platform for the latest FOLIA TEC news. Products, novelties, specials, events — it's all there together with multimedia "configurators" for first online attempts at carstyling.
Welcome to the "FOLIA TEC Cyberspace".
See pp. 50/51 for further details.

FOLIA TEC

...the CARSTYLING FACTORY

Safety Quality and Responsibility

Interesting

In order to ensure consistent performance, many of our products are tested and certified by independent institutes.

Our new water based paint range has been developed through the application of ECO, our approach to be more friendly.

All our packaged items are tested by a persons group and carry labels [illegible] and are approved by [illegible]

TÜV SÜD NORM

TÜV TÜV

CE

With [illegible] installation "Folia Tec" [illegible] the German Products [illegible]

DFV

[illegible] membership of and active participation in both international and national trade associations support our aim to [illegible] the strictly quality of our products.

VDAT

MARCI

EWTA

Design Award Winner

PRIME PAGES

WHY COMPLICATED? p. 22-27
Autoglass & PRO-SHAPE

SHOWCARS GALLERY p. 40-41
Concept cars, showcars & customized cars

WWW.FOLIATEC.DE p. 50-51
Check out the new FOLIA TEC Homepage – Downloads, Interviews

BIKE STYLING p. 57
Stay ahead! Test ride with the pros!

BOAT STYLING p. 67
Clear the deck for FOLIA TEC!

SPONSORED BY FOLIA TEC p. 73
Check out our sponsorships!

THE SECRET OF THE TRIBALS p. 76-77
Explore the tribal design!

STYLING TEAM p. 120-123
Professional AutoGlassFilm Installation & Partner of FOLIA TEC

PERFORMANCE CENTER p. 124-131
The information network the specialist carstyling shops

ADHESIVE Remover p. 19
CHROMOLUX® InfraredProtectionFilm p. 17
COLOR REFLEX InfraredProtectionFilm p. 14-15
COLOR StylingFilm p. 13
JOY InfraredProtectionFilm p. 19
MIDNIGHT REFLEX InfraredProtectionFilm p. 16
MIDNIGHT StylingFilm p. 12
PRO-SHAPE 3D-FittingForm AutoglassFilm p. 22-27
SECURLUX® SafetyFilm p. 20-21
SILBER-REFLEX InfraredProtectionFilm p. 18
SUNVISOR GlareStrip p. 28
TOPSTRIPE GlareStrip p. 29
TOPSTRIPE REFLEX GlareStrip p. 29
TWILIGHT InfraredProtectionFilm p. 15
WINDOW FoamCleaner p. 19

ALU Brace p. 67
BRAKE SHIFT HandbrakeHandle p. 42, 43
CARBON DesignLook p. 36
CARBON Plate p. 37
CHROME DesignStrips p. 55
COCKPIT DesignFilm p. 35
DOOR Plus p. 54
FIRE LIGHTER CigaretteLighter p. 56
GEAR Bars p. 46
GEAR LeverSurround p. 46
GLOW BulbLacquer p. 55
INSTYLE InteriorMirror p. 52
INTERIOR ColorSpray p. 32-33
INTERIOR DesignCover p. 37
INTERIOR-INTENSIVE ColorSpray p. 34
KILL SWITCH On/Off p. 58-59
LEATHER SteeringWheel-Cover p. 38
LUMAX ElectroluminiscentFoil p. 49
NOS Bottle p. 39
PEDAL Sets p. 48-49
RACE Floor p. 47
RACE Floor-Plate p. 47
SHIFT LeverGaiter p. 45
SHORT-SHIFT GearStick p. 42, 43, 44, 45
SHOULDER Pads p. 38
SPRING HeadRestSprings p. 55
STEP DoorSillCovers p. 53

AERO DoorProtector p. 63
ALU GrillWireLook p. 69
ALU LicencePlateScrews p. 68
ALU RaceGrid p. 70
CHROME DesignFilm p. 63
EXTERIOR DesignFilm p. 62
FACT Antenna + DistributorCap p. 71
FULLSPEED OutsideMirrorSpoiler p. 72
FULLSPEED WindscreenWiper + WiperSpoiler p. 66
HYDRO VISION ClearVisionFilm p. 75
PAINT ProtectionFilm p. 74
PIPE DesignTrim p. 68
POWERFUEL FillerNeck p. 64
POWERFUEL TankCapTrim p. 64
RACE TowRing p. 72
SPLASH Caps + WasherNozzles p. 65

new

Engine HoodDecor p. 83
Front WindowDecor p. 81
GRAVUR Tattoo p. 82
MIRROR Tattoo p. 82
RACE Decor p. 86-87
Rear WindowDecor p. 80
Side PanelsDecor p. 76-79
WINDOW Tattoo p. 84-85

AIRCAPS ValveCaps p. 90
BRAKE CaliperLacquer p. 91
BRAKE DiskInstruction p. 90
PERFORMANCE
-CableClips p. 94
-CoverFinisher p. 93
-CoverSet p. 92
-EngineColorSet p. 93
-MirrorFilm p. 95
-PlugWireClips p. 94

BLACKLIGHT Cabinet p. 106
BLACKLIGHT Board p. 106
CALL Cabinet p. 107
CALL Board p. 107
LED Cabinet p. 108
LED Board p. 108
LED Accessories p. 109
LUMAX Cabinet p. 110
LUMAX Board p. 110
NEON CABINET p. 101
NEON Tube p. 104
NEON Connector p. 104
NEON INSIDE Light p. 101
NEON BOARD p. 101
Light Accessories p. 101
NEON INSIDE Light Blue p. 101
NEON INSIDE Light Silver p. 101
NEON INSIDE Sport p. 102
NEON Portable p. 104
NEON Accessories p. 101
STROBE Cabinet p. 102
STROBE Board p. 102

ALIEN Collection p. 115
PISTON Collection p. 116
PLASTIC GlareSpray p. 117
SKULL Collection p. 114
SPACE Pen p. 118
TRENDWEAR p. 118-119
XENON Film p. 117

FOLIATEC ...the CARSTYLING FACTORY

Fun & Function Finder

AutoglassFilm 6-29

Interior 30-59

LED/Neon 96-111

Special Effects 112-119

Look!

FOLIATEC ...the CARSTYLING FACTORY

AutoGlassFilms

Fun & Function - AutoGlassFilms style - AutoGlassFilms protect

ADHESIVE-Remover p. 19
CHROMOLUX® UV-/ InfraredProtectionFilm p. 17
COLOR-REFLEX UV-/ InfraredProtectionFilm p. 14-15
COLOR StylingFilm p. 13
JOY InstallationFluid p. 19
MIDNIGHT-REFLEX UV-/ InfraredProtectionFilm p. 16
MIDNIGHT StylingFilm p. 12
PRO-SHAPE-3D-FittingForm AutoglassFilm p. 22-27
SECURLUX®-SafetyFilm p. 20-21
SILVER-REFLEX UV-/ InfraredProtectionFilm p. 18
SUNVISOR GlareStrip p. 28
TOPSTRIPE GlareStrip p. 29
TOPSTRIPE-REFLEX GlareStrip p. 29
TWILIGHT-InfraredProtectionFilm p. 15
WINDOW-FoamCleaner p. 19

Sun, Climate and Cars

The Sun - its light, its radiation and its heat - is the source of all life on our planet.
The radiation emitted by the sun falls into invisible ultra-violet (UV), visible (light) and warming infrared (IR) radiation.

The protective ozone layer that surrounds the Earth is shrinking. As a consequence higher doses of harmful UV radiation are hitting the Earth, causing skin and eye diseases. Doctors are warning against prolonged stays in the open sun, and are recommending enhanced UV protection.

In order to improve fuel economy, and for other reasons, modern car bodies are getting an ever more aerodynamic design, including greater and ever more inclined glass surfaces.
A negative effect of this trend is that the occupants are exposed to the sun and that the cabin gets extremely hot. The strain through UV and heat radiation the occupants are exposed to increases immensely.

Styling, Safety and Protection: FOLIA TEC® AutoglassFilms

FOLIA TEC® Quality AutoGlassFilms are designed to filter or reject solar radiation. Thanks to their high-grade multi-layer design the films effectively select and filter light, heat and UV radiation. The degree of rejection and filtration depends on the material design of the specific film type fitted.

Below we'll give you a simplified description of the connection between solar radiation - UV, light and heat radiation - and the effect of FOLIA TEC® AutoGlassFilms.

99% UV — UV (ultra-violet) Protection

Depending on its wavelength, the invisible UV radiation is divided into UV-A and UV-B radiation. Being the main cause for the fading of all kinds of fabrics, UV light also causes the human skin to get a tan. Under adverse circumstances UV radiation can cause skin cancer.

- **UV-A Radiation**

Being both invisible and imperceptible, this kind of radiation is particularly harmful to the human skin. Car windows fitted with FOLIA TEC® AutoGlassFilms reject 99% of this radiation.

- **UV-B Radiation**

Less harmful than UV-A radiation, moderate exposure to UV-B radiation produces a tan by causing the skin to produce the dark pigment Melanin. However over-exposure to this sort of radiation may cause a - painful and potentially dangerous - sunburn. Car windows fitted with FOLIA TEC® AutoGlassFilms reject 99% of this radiation.
FOLIA TEC® AutoGlassFilms efficiently protect occupants from harmful UV radiation, and upholstery and interior trim from fading.

69% — Glare and Privacy Protection

A part of the sun's radiation (44%) we experience as visible light which contains all colors, from violet through blue and yellow to red. Reducing light incidence, AutoGlassFilms allow a more comfortable and relaxed driving by protecting the eyes from direct sunlight during the day, and from back-traffic glare during the night. By inhibiting the view into the car interior, AutoGlassFilms also protect the privacy and the belongings of the occupants.

89% IR — Solar Heat Rejection

53% of the sun's energy consist of INFRARED radiation which is a main source of heat energy. Invisible yet perceptible, this sort of radiation causes particular discomfort when it heats up the human body and the car interior.
FOLIA TEC® UV/SolarHeatProtectionFilms feature a high-grade precious-metal layer which reflects the infrared (heat) radiation like a mirror. When driving, the films prevent the cabin from heating up and improve the cabin climate. If a car is left in the open sun, FOLIA TEC® AutoGlassFilms can reduce but not fully prevent the accumulation of heat in the cabin. Relief comes easy: ventilate the cabin, use the wind and enjoy the comfort of the FOLIA TEC® AutoGlassFilms.
The films also support the cooling effect of air conditioning systems by keeping the air cool (thermo effect).

Additional BENEFITS - SplinterProtection - IntrusionProtection

Effective protection against splinters caused by accidents or vandalism, and against intrusion. Through their splinter-bonding effect FOLIA TEC® AutoGlassFilms enhance occupant safety in case of glass breakage by external impacts (glass bonding effect).

Combined by these excellent protective properties, the German POLICE is fitting some of their vehicles with FOLIA TEC® SECURLUX® films. The FLIC (International Motor Sport Association) recommends drivers to fit their cars with SplinterProtectionFilms.



Film Range & Properties

Visible light transmission in %



24 IR	18 IR	19 IR	24 IR	20 IR	24 IR	72 IR	85 IR	85 IR	86 IR
4*	51*	30*	60*	24*	47*	16*	13*	8*	10*



74 IR	48 IR	81% 19% IR	85 IR	72 IR	52 IR	63 IR	64 IR	67 IR	
28*	36*	21% 50*	5*	17*	35*	16*	52*	24*	84*

The base matrix UV-stabilizer and light transmission data for automobile glass of the Bayer AG are provided by Bayer AG, Leverkusen, Germany.

Our 6 key protective effects of our films

FOLIA TEC ...the CARSTYLING FACTORY

Infrared protection



The visible proof:
Fitted with a FOLIA TEC® UV/SolarHeatProtection-Film, the right-hand glass section efficiently rejects infrared (heat) radiation, while the deep red coloring of the left-hand side-glass section shows the significantly greater infrared transmission of uncoated glass.
Test design: car glass, divided in two sections - one fitted with FOLIA TEC®'s MIDNIGHT-REFLEX UV/SolarHeatProtectionFilm. Heat radiation simulated by infrared lamps.
Measurements: Thermography with Varioscan 2011, LGA (Bavarian Trade Office...). Certificat PZG-1616044/20.08.01
Picture: Chrysler Voyager Vn. 2, next row.
For better visibility the outline of the cable were redrawn.
The deep red colored window section identifies the unprotected window surface where infrared (heat) radiation can enter the cable unfiltered.



Top film quality through multi-layer material design



1. **Clear protective film**
2. **Adhesive strength**
   Apart from ensuring a permanent and blister-free bond, a clear and self-activating coating with acrylic resin adhesive also facilitates film fitting.
3. **Dyed polyesterfilm**
   Using UV color stabilization, the tinted film design prevents sun fading the film. So film and glass surface form a permanent bond - even on curved/rear screens.
4. **Precious-metal layer**
   In UV/ HeatRejectionFilms, an additional precious-metal layer provides a highly-efficient color heat rejection
5. **Dyed polyesterfilm**
6. **Additional scratch-resistant coating**
   This highly effective surface finish protects the film from scratches (suitable for wind-up windows) and ensures a long product life.

Homologation & Safety Notes

Homologation note (for StVZO territories):

The self-adhesive film does not inhibit the functioning of either the rear screen heater or the window-integrated antenna.
The film must be fitted to inner window surfaces. Not suitable for plexiglass or acrylic glass.

Tinted AutoGlassFilms with a visible light transmission of less than 70% are approved for fitment to rear quarter windows and in the backlite (only in combination with an additional exterior mirror).
Foreign markets: please refer to national homologation regulations.
Transparent AutoGlassFilms such as SECURITY®, are approved for fitment to the backlite as well as to rear and front side windows. (Only in combination with laminate glass).

For more information visit us on the internet at www.foliatec.de

AutoGlassFilms as tested and homologated FOLIA TEC® products. Watch out for this trademark - it guarantees top quality, protection, safety and distinctive styling.

MIDNIGHT REFLEX
FOLIA TEC 14
D 5081

TÜV Geprüft RWTÜV

KRAFTFAHRT-BUNDESAMT

Bundesverband AFA NEW

FOLIA TEC

FOLIA TEC ...the CARSTYLING FACTORY

Autoglass Films

41% IR 5%

18% IR 51%

19% IR 30%

24% IR 60%

20% IR 24%

24% IR 47%

Car in Black. While x-tra dark smoke from outside, the MIDNIGHT StylingFilm is fully transparent from inside. Get the best of both worlds: eye-catching looks - and privacy protection. Thanks to its high-quality material design the MIDNIGHT StylingFilm provides optimum glare, privacy and UV protection.
This FOLIA TEC classic is available for all vehicle types in various universal sizes.

- extra dark smoke, individual design
- optimum privacy, heat, glare and UV protection
- splinter-bonding effect
- easy to fit

Item No.	Item description/application	Dimensions
1030	Complete Set 1 (for rear side windows and backlite)	45x152cm/17,7x60" and 70x152cm/27,5x60"
1040	Side Window Set 1 (for rear side windows)	45x152cm/17,7x60"
1071	Side Window Set 2 (for long rear side windows)	51x230cm/20x90,5"
1041	Backlite Set 1 (for backlite)	70x152cm/27,5x60"
1070	Backlite Set 2 (for curved backlites)	18x600cm/7x236"
1060	Universal Set 1 (for long rear side windows)	51x300cm/20x118"
1061	Universal Set 2 (for rear side windows and backlite)	76x300cm/30x118"
1063	Universal Set 3 (for long rear side windows and backlite)	51x300cm/20x118" and 76x152cm/30x60"

For further dimensions see price list

CARSTYLING MIDNIGHT StylingFilm

Color communicates style. The COLOR StylingFilm helps you to get the message across.

- individual styling
- optimum privacy, heat, glare and UV protection
- splinter-bonding effect
- easy to fit

	Item No.	Item description/application		Dimensions
1	1180	FLAME ORANGE	Universal Set 2 (for rear side windows and backlite)	76x300cm/30x118"
2	1185	COMFORT GREEN	Universal Set 2 (for rear side windows and backlite)	76x300cm/30x118"
3	1561	GREENLIGHT	Universal Set 2 (for rear side windows and backlite)	76x300cm/30x118"
4	1261	GREYLIGHT	Universal Set 2 (for rear side windows and backlite)	76x300cm/30x118"
5	1461	BLUELIGHT	Universal Set 2 (for rear side windows and backlite)	76x300cm/30x118"

CARSTYLING COLOR StylingFilm

FOLIATEC ...the CARSTYLING FACTORY

Autoglassfilms

reflective area 81% IR
transparent tinted area 50%

reflective area 21%
transparent tinted area 50%

Man and machine. Made of space-age material, COLOR REFLEX UV-/heat ProtectionFilm provides safety, comfort and mega-looks. The integrated high-grade precious-metal layer ensures maximum heat and UV reflection. Vehicle and driver alike benefit from the spectacular, color-metallized filmLook.
So: let's go cruising!

- colored, reflective
- effective heat rejection
- optimum glare, privacy and UV protection

	Item No.	Color	Item description/application	Dimensions
1	17510	BLUE	Universal Set 2 (for rear side windows and backlite)	76x300cm/30x118"
2	17530	RED	Universal Set 2 (for rear side windows and backlite)	76x300cm/30x118"
3	17540	YELLOW	Universal Set 2 (for rear side windows and backlite)	76x300cm/30x118"
4	1461	BRONZE	Universal Set 2 (for rear side windows and backlite)	76x300cm/30x118"
5	17520	GREEN	Universal Set 2 (for rear side windows and backlite)	76x300cm/30x118"
6	17550	AQUABLUE	Universal Set 2 (for rear side windows and backlite)	76x300cm/30x118"

CARSTYLING COLOR REFLEX



TWILIGHT-REFLEX is the innovative UV/thermal protection film with a graduated tint! Added interest due to high-quality metallised look that gradually recedes into a discreet tint. The best way to achieve definitive styling!

- reflective
- effective heat rejection
- optimum glare, privacy and UV protection

Item No.	Item description/application	Dimensions
17585	Universal Set 2 (for rear side windows and backlite)	76x300cm/30x118"

CARSTYLING TWILIGHT REFLEX

FOLIATEC ...the CARSTYLING FACTORY

AutoglassFilms

85% IR 5%

52% IR 35%

63% IR 16%

72% IR 17%

new

Cool appearance - powerful effect: maximum heat and UV rejection, dark smoke, reflective, high-dermatorials.
By the way - the tough look comes free.

- dark smoke, metallized
- effective heat rejection
- optimum glare, privacy and UV protection
- 5-year warranty

	Item No.	Item description/application	Dimensions
1	17440	»Dark« Universal-Set 2 (for rear side windows and backlite)	76x300cm/30x118"
2	1761	»Super Dark« Universal-Set 2 (for rear side windows and backlite)	76x300cm/30x118"
	1765	»Super Dark« Universal-Set 5 (for long rear side windows and backlite)	76x152 cm/30x60" 51 x 400/20x158"

CARSTYLING MIDNIGHT

CHROMOLUX® provides perfect vision and a comfortable interior climate - perfectly matched to light and weather conditions.
CHROMOLUX® helps you demonstrate style.

- descreet metallic gloss
- effective heat rejection through high-grade metal coating
- maximum UV-protection through integrated UV-filters
- improved color and contrast perception through special light filters

	Item No.	Item description/application	Dimensions
	1861	»Light« Universal-Set 2 (for rear side window and backlite)	76x300cm/30x118"
1	1863	»Light« Universal-Set 3 (for long rear side window and backlite)	76x152cm/30x60" and 51x300cm/20x118"
	1865	»Light« Universal-Set 5 (for long rear side window and backlite)	76x152 cm/30x60" 51 x 400
2	18600	»Dark« Universal-Set 2 (for rear side window and backlite)	76x300cm/30x118"

CARSTYLING CHROMOLUX

FOLIATEC ...the CARSTYLING FACTORY

AutoglassFilms



ADHESIVE Remover allows the complete removal of adhesive residues left on windows after sun protection film removal. After a short application time the adhesive residues are neutralised and can be easily removed with a normal glass cleaner.

- gentle removal of adhesive residues
- easy to use

Item No.	Item description	Contents
22501	ADHESIVE Remover	150 ml

CARSTYLING ADHESIVE

The cleaning and installation fluid also used by experts for AutoGlassFilm installation. Joy is neutral to the metal coat of the backlight heater conductors.

- PH-neutral, no surfactants
- reduces the surface tension of water (less drop formation)
- water-softening

Item No.	Item description	Contents
79866	cleaning-/installation fluid	200ml



CARSTYLING JOY

It takes a silver bullet to kill a vampire? To treat your car to killer looks, you just need the SILVER REFLEX Film! Thanks to its precious-metal coating, the silver-metallized AutoglassFilm features excellent heat-rejection properties.

- reflective*
- effective heat rejection
- optimum glare, privacy and UV protection

* The reflectivity depends on the sun's radiation and the vehicle's interior.

	Item No.	Item description/application		Dimensions
1	17570	Chrome	Universal-Set 2 (for rear side window and backlite)	76x300cm/30x118"
2	17670	Chrome-Plus	Universal-Set 2 (for rear side window and backlite)	76x300cm/30x118"
	17675	Chrome-Plus	Universal-Set 5 (for long rear side window and backlite)	76x152 cm/30x60" 51x400 cm/20x158"

CARSTYLING SILVER REFLEX

Removes insects and other dirt from your windscreen, mirrors and headlights reliably, quickly and without streaks. The foam achieves very high cleaning performance even on vertical surfaces due to the correspondingly longer action than with conventional cleaning sprays.
WINDOW-FoamCleaner is ideal for film-coated windows!

- only 14.5 cm high – fits into every glovebox
- optimal, even for vertical surfaces
- high cleaning performance
- easy to use
- preserves your AutoGlassFilm

Item No.	Item description	Contents
22560	WINDOW FoamCleaner	150 ml

CARSTYLING WINDOW

Inward protection
(against glass splinters)

SECURLUX® - the ProtectiveGlassFilm - provides threefold protection: from glass breakage during an accident, from external impacts and from harmful UV radiation. This security and safety feature is easy to fit, and has been tested by the NRW Material Testing Institute (Germany) for its compliance with ECE-standards.

- antiburglar protection
- splinter protection (protects passengers from splinters)
- added safety during lateral impacts
- may also be fitted to front side windows (on colourless glass)
- easy to fit

Outward Protection
(against intrusion)

FOLIATEC ...the CARSTYLING FACTORY

AutoglassFilms







DIN EN 1200 tested and approved

Its combination of anti-theft and anti-crash properties make the SECURLUX® SplinterProtectionFilm an indispensible safety and security feature for every car. The SECURLUX® SplinterProtectionFilm is the perfect solution for curved and flat glass surfaces (e.g. kindergartens, swimming pools....). For additional information refer to www.securlux.de.

For further dimensions see price list.

Item No.	Item Description/Application	Dimension
1140	Side Window Set 2 (for 2 side windows)	51x230cm/20x90"
1164	Universal Set 4 (for front and rear side windows)	51x400cm/20x157"
1165	Universal Set 5 (for long rear side windows and backlite)	51x400cm/20x157" and 76x152cm/30x60"

CARSECURITY SECURLUX

CARSECURITY SECURLUX

www.pro-shape.de

The easy and convenient way of AutoglassFilm DIY FITMENT

FOLIA TEC ...the CARSTYLING FACTORY

AutoglassFilms

Precise shape scan

Vehicle-specific cut

Professional 3D pre-shaping

Customer-specific fit

3D -FITTING FORM AutoglassFilm

- self-adhesive
- easy fitment
- wrinkle- and blister-free (on correct fitment)
- multi-layer, scratch-proof film
- high heat rejection efficiency (up to 85%)
- 99% UV protection (UVA + UVB)

Over **15.000 combinations possible**

Kit includes all: PRO-SHAPE FILM(S), fitting fluid, squeegee, cutter knife and instructions.

Professional result in half the time !

NEW!
PRO-SHAPE 3D-AutoGlassFilm available as Full-Kit (for rear quarter windows and backlight) or Backlight-Kit (for backlight only) or Quarter-Kit (for quarter windows only). Choice of 19 film types with different features and colors.

SECURLUX®-SecurityFilm: Also approved for fitment to clear-glass front side windows. Note: A minimum light transmission of 70% must be achieved.
For fitment in countries outside the Federal Republic of Germany, the national homologation regulation apply.

3D -FITTING FORM

- easy DIY fitment
- pre-cut for your vehicle type
- easy fitment to curved backlights
- wrinkle- and blister-free fitment – clear easy!

+++ our vehicle type list is continually updated : www.pro-shape.de +++

CARSTYLING PRO-SHAPE 3-D fitting forms

CARSTYLING PRO-SHAPE 3-D fitting forms

Code vehicle type

Code	Item Description / Type	KOM	VSS*	HES
[illegible]	145 Coupe, 3 doors, 10/94 - 01/01	5	2	1
[illegible]	147 Sport, 3 doors, 01/01 -	3	2	1
[illegible]	147 Sport, 5 doors, 05/01 -	3	2	1
[illegible]	156 Sport, Sport Wagon, 05/2000 -	5	2	1
[illegible]	A3, 3 doors, '96, 09/98 -	3	2	1
[illegible]	A3, 3 doors, 10/98 - 04/03	3	2	1
[illegible]	A3, 3 doors, 05/03 -	3	2	1
[illegible]	A3, 5 doors, 09/98 - 04/03	5	2	1
[illegible]	A4, Avant, 01/96 - 09/01	5	2	1
[illegible]	A4, Avant (8E), 10/01 -	5	2	1
[illegible]	A4, Limousine, 11/94 - 09/2000	5	2	1
[illegible]	A4, Limousine (8E), 10/2000 -	5	2	1
[illegible]	A6, Avant, 04/97 -	5	2	1
[illegible]	A6, Avant, 12/97 -	5	2	1
[illegible]	A6, Limousine, 11/97 -	5	2	1
[illegible]	A6, Limousine, 05/97 -	5	2	1
[illegible]	A8, 10/98 -	5	2	1
[illegible]	TT, 10/98 -	3	4	1
[illegible]	3-er (E30), 2 doors (not M3)	3	2	1
[illegible]	3-er (E30), 4 doors (not M3)	5	2	1
[illegible]	3-er (E30), Touring	7	2	1
[illegible]	3-er (E36), 2 doors incl. M3	3	2	1
[illegible]	3-er (E36), 4 doors (incl. M3)	5	2	1
[illegible]	3-er (E36), Compact	3	2	1
[illegible]	3-er (E36), Touring	7	2	1
[illegible]	3-er (E46), 2 doors (C)	3	2	1
[illegible]	3-er (E46), Compact, 3 doors	3	2	1
[illegible]	3-er (E46), 4 doors	5	2	1
[illegible]	3-er (E46), Touring	7	2	1
[illegible]	5-er (E34), Limousine	5	2	1
[illegible]	5-er (E34), Touring	7	2	1
[illegible]	5-er (E39), Limousine	5	2	1
[illegible]	5-er (E39), Touring	7	2	1
[illegible]	7-er (E38)	5	2	1
[illegible]	X5	7	2	1
[illegible]	Cherokee, 03/96 -	7	2	1
[illegible]	Cherokee KJ Liberty, 10/01 -	7	2	1
[illegible]	Grand Cherokee, 03/99 -	7	2	1
[illegible]	PT Cruiser, 06/00 -	5	2	1
[illegible]	Grand Voyager, 01/96 - 02/01	5	2	1
[illegible]	Grand Voyager, 03/01 -	5	2	1
[illegible]	Voyager, 03/91 - 12/95	5	2	1
[illegible]	Voyager, 01/96 - 02/01	5	2	1
[illegible]	Voyager, 03/01 -	5	2	1
[illegible]	C3 Limousine, 5 doors, 04/02 -	5	4	1
[illegible]	C5 Combi, 05/01 -	5	2	1
[illegible]	Picasso, 03/00 -	5	4	1
[illegible]	Saxo, 3 doors, 02/96 -	3	2	1
[illegible]	Saxo, 5 doors, 04/96 -	5	2	1
[illegible]	Xantia, Combi, 06/95 -	5	2	1
[illegible]	Xsara (N6) Combi, 12/97 -	5	2	1
[illegible]	Bravo, '95 -	3	2	1
[illegible]	Brava, '95 -	3	2	1
[illegible]	Cinquecento, 02/93 - 05/98	3	2	1
[illegible]	Marea notchback, 4 doors, '96 -	5	2	1
[illegible]	Marea Weekend, '96 -	7	2	1
[illegible]	Punto, 3 doors, 09/99 -	3	2	1
[illegible]	Punto, 3 doors, 09/93 - 08/99	3	2	1
[illegible]	Punto, 5 doors, 09/99 -	5	2	1
[illegible]	Seicento, 3 doors, 04/98 -	3	2	1
[illegible]	Uno, 3 doors, 10/89 - 12/93	3	2	1
[illegible]	Uno, 5 doors, 10/89 - 12/93	5	2	1
[illegible]	Stilo, 3 doors, 10/01 -	3	2	1
[illegible]	Stilo, 5 doors, 10/01 -	5	2	1
[illegible]	Escort, 3 doors, 01/95 - 10/98	3	2	1
[illegible]	Escort, 4 doors, 08/99 - 02/99	5	2	1
[illegible]	Escort Turnier, 04/90 - 02/99	5	2	1
[illegible]	Escort, 5 doors, 01/95 - 10/98	5	2	1
[illegible]	Fiesta, 3 doors, 08/95 - 09/02	3	2	1
[illegible]	Fiesta, 3 doors, 11/02 -	3	2	1
[illegible]	Fiesta, 5 doors, 08/95 - 02/02	5	2	1
[illegible]	Focus, 3 doors, 10/98 -	3	2	1
5676*	Focus, 4 doors, notchback, 01/99 -	5	2	1
5677*	Focus, 5 doors, fastback, 10/98 -	5	2	1
5678*	Focus Turnier, 01/99 -	5	2	1
5679*	Galaxy, 05/95, 03/2000 -	5	4	1
5683*	Galaxy, 04/2000 -	5	4	1
5665*	KA, 3 doors, '96 -	3	2	1
5670*	Mondeo, 4 doors, notchback, 01/93 - 09/00	3	2	1
5671*	Mondeo, 5 doors, fastback, 01/93 - 09/00	3	2	1
5672*	Mondeo Turnier, 01/93 - 09/00	5	2	1
5684*	Mondeo, 4 doors, notchback, 10/2000 -	5	2	1
5685*	Mondeo, 5 doors, fastback, 10/2000 -	5	2	1
5686*	Mondeo Turnier, 10/2000 -	7	2	1
5682*	Puma, 3 doors, '97 -	3	2	1
5916*	H1 Van (GH1/GH2), 5 doors, 10/99 -	3	2	1
5917*	Starex Van, 05/01 -	5	2	1
5694*	121, 3 doors, 03/96 -	3	2	1
5695*	121, 5 doors, 03/96 -	5	2	1
5691*	323, 3 doors, 01/97 -	3	2	1
5692*	323, 4 doors, 09/98 -			
5693*	323, 5 doors, 09/98 -	7	2	1
5696*	6, Combi, 08/02 -	5	2	1
5697*	6, Limousine, 4 doors, 06/02 -	5	2	1
5698*	6, Limousine, 5 doors, 06/02 -	5	2	1
[illegible]	MCC Smart, only backlite '98 -	1	4	1
5700*	A-Klasse, W 168, '97 -	7	4	1
5931*	A-Klasse, W 168, long, 03/01 -	7	4	1
5699*	C-Klasse, W 202, 5 doors, T-Mod, '96 - 04/00	7	2	1
5701*	C-Klasse, W 202, 4 doors, Lim, '93 - 04/00	5	2	1
5706*	C-Klasse, W 203, 4 doors, Limousine, 05/00 -	5	2	1
5933*	C-Klasse, W 203, T-Modell, 03/01 -	7	2	1
5935*	E-Klasse, W 124, Limousine, 01/85 - 06/95	5	2	1
5936*	E-Klasse, W 124, T-Modell, 09/85 - 04/96	7	2	1
5703*	E-Klasse, W 210, 4 doors, Lim., '96 - 00	5	2	1
5708*	E-Klasse, W 210, 4 doors, Limousine, '01 -	5	2	1
5702*	E-Klasse, W 210, 5 doors, T-Modell, '96 - 00	7	2	1
5707*	E-Klasse, W 210, 5 doors, T-Modell, '01 -	7	2	1
5952*	E-Klasse, W 211, 4 doors, Limousine, '03 -	5	2	1
5951*	E-Klasse, W 211, 5 doors, T-Modell, 04 -	7	2	1
5705*	M-Klasse, W 163, '98 -	7	2	1
5938*	Sprinter, 2 sw/2 side wind. middle, 01/95 - 10/02	4	4	2
5939*	Sprinter, 2 sw/2 side wind. middle, 10/02 -	4	4	2
5940*	Sprinter WB short, (1 sliding. d.), 01/95 - 10/02	6	4	2
5941*	Sprinter WB short, (1 sliding. d.), 10/02 -	6	4	2
5944*	Sprinter WB med., (1 sliding. d.), 01/95 - 10/02	6	4	2
5945*	Sprinter WB medium, (1 sliding. d.), 10/02 -	6	4	2
5942*	Sprinter WB long, (1 sliding. d.), 01/95 - 10/02	8	4	2
5943*	Sprinter WB long, (1 sliding. d.), 10/02 -	8	4	2
5947*	Vaneo with back-door, 11/01 -	5	2	1
5948*	Vito with swing-doors, 01/99 -	6	2	2
5937*	Vito with back-door, 02/96 -	5	2	1
5949*	V-Klasse with swing-doors, 01/99 -	6	2	2
5950*	V-Klasse with back-door, 02/96 -	5	2	1
5930*	190, W 201, 12/82 - 05/93	5	2	1
5849*	Mini Cooper, 04/01 -	3	2	1
5960*	Space Runner, (N60), Combi, 08/99 -	5	2	1
5961*	Space Star, (DG0), Van, 06/98 -	5	2	1
5709*	Micra (K12), 3 doors, 01/03 -	3	2	1
5711*	Pathfinder (Off Road), 5 doors, 09/97 -	7	2	1
5713*	Primera, Combi, (P12), 04/02 -	5	2	1
5715*	Primera, P11, 4 doors, 06/99 - 02/02	5	2	1
5716*	Primera, P11, 5 doors, 06/99 - 02/02	5	2	1
5712*	Primera, WP 11, Combi, 04/98 - 02/02	7	2	1
5718*	Terrano, 3 doors, 07/86 - 01/93	5	2	1
5719*	Terrano, 5 doors, 07/86 - 01/93	7	2	1
5747*	Agila, 2000 -	5	2	1
5748*	Astra, Coupe, 01/2000 -	3	2	1
5756*	Astra F, 5 doors, '91 - 03/98	5	2	1
5730*	Astra F, 5 doors, Caravan, 03/98 -	7	2	1
5729*	Astra F, 3 doors, 03/98 -	3	2	1
5731*	Astra G, 3 doors, 04/98 -	3	2	1
5732*	Astra G, 5 doors, 04/98 -	5	2	1
5733*	Astra G, 5 doors, Caravan, 04/98 -	7	2	1
5799*	Calibra, '90 -	3	4	1
5725*	Corsa B, 3 doors, 04/93 - 12/99	3	2	1
5727*	Corsa B, 5 doors, 04/93 - 12/99	5	2	1
5749*	Corsa C, 3 doors, 01/2000 -	3	2	1
5751*	Corsa C, 5 doors, 11/2000 -	5	2	1
5752*	Kadett E, 3 doors, fastback, '84 - '91	3	2	1
5753*	Kadett E, 5 doors, fastback, '84 - '91	5	2	1
5970*	Kadett E, Combi, 5 doors, 09/84 - 08/91	7	2	1
5740*	Frontera, 5 doors, '97 - 08/98	7	2	1
5741*	Frontera Sport, 3 doors, '92 - 08/98	5	2	1
5971*	Movano Van, 04/03 -	5	2	1
5742*	Monterey, '92 -	8	2	2
5972*	Omega A Caravan, 10/86 - 03/94	7	2	1
5743*	Omega B, 4 doors, '94 - 08/99	5	2	1
5744*	Omega B, 5 doors, Caravan, '94 - 08/99	7	2	1
5973*	Signum, 5 doors, 03/03 -	5	2	1
5745*	Sintra, 03/97 -	5	2	1
5734*	Vectra A, 4 doors, notchback, - 12/99	5	2	1
5735*	Vectra A, 5 doors, fastback, - 12/94	5	2	1
5736*	Vectra B, 4 doors, notchback, '95 -	5	2	1
5737*	Vectra B, 5 doors, fastback, '95 -	5	2	1
5738*	Vectra B, 5 doors, Caravan, '96 -	5	2	1
5974*	Vectra C, Combi, 11/03 -	7	2	1
5975*	Vectra C, fastback, 5 doors, 11/03 -	5	2	1
5976*	Vectra C, 4 doors, 04/02 -	5	2	1
5746*	Zafira, 04/99 -	7	4	1
5906*	205, 3 doors, 02/87 - 09/98	3	2	1
5761*	206, 3 doors, 10/98 -	3	2	1
5762*	206, 5 doors, 10/98 -	5	2	1
5981*	206, Combi, 06/02 -	5	2	1
5757*	306, 3 doors, 01/93 - 06/01	3	2	1
5763*	306, 4 doors, notchback, 06/94 - 06/01	5	2	1
5756*	306, 5 doors, 01/93 - 06/01	5	2	1
5758*	306, Break, '94 -	7	2	1
5982*	307, Combi ab 03/02	7	2	1
5759*	406, 4 doors, 09/95 -	5	2	1
5760*	406, Break, 10/96 -	7	2	1
5990*	911, 01/63 - 07/88	3	4	1
5991*	911, (993), 08/93 - 07/97	3	4	1
5992*	911, (964), 08/88 - 07/93	3	4	1
5764*	Clio, 3 doors, 01/91 - 02/98	3	2	1
5768*	Clio, 3 doors, 03/98 -	3	2	1
5767*	Clio, 5 doors, 01/91 - 02/98	5	2	1
5769*	Clio, 5 doors, 03/98 -	5	2	1
5778*	Espace, Phase 2, 04/91 - 12/96	5	4	1
5779*	Espace, Phase 3, 01/97 - 10/02	5	4	1
5531*	Espace, 11/02 -	7	4	1
5780*	Grand Espace, Phase 3, 06/97 - 10/02	5	4	1
5532*	Grand Espace, 11/02 -	7	4	1
5781*	Kangoo, with back-door, 4/98 -	5	2	1
5534*	Kangoo, with swing-doors, 04/98 -	6	2	2
5782*	Laguna, Limousine, 11/93 - 02/01	5	2	1
5783*	Laguna, Combi, 09/95 - 01/01	5	2	1
5535*	Laguna Grandtour, 03/01 -	7	2	1
5536*	Laguna Limousine, 03/01 -	5	2	1
5772*	Megane, 3 doors, Coach, 01/96 - 09/02	3	2	1
5539*	Megane, 3 doors, 10/02 -	3	2	1
5775*	Megane, 4 doors, Classic, 09/96 -	5	2	1
5540*	Megane, 5 doors, 10/02 -	5	2	1
5771*	Megane, 5 doors, 01/97 - 09/02	5	2	1
5537*	Megane Grandtour, '02	7	2	1
5777*	Megane, Grand Tour 03/99 - '02	7	2	1
5774*	Megane Scenic ab 97-99	5	4	1
5541*	Scenic Van, 06/03 -	3	4	1
5533*	Grand Scenic Van, 06/03 -	5	4	1
5770*	Twingo, 3 doors, '93 -	3	2	1
5551*	Rover 75 Tourer/Combi, 5 doors, 06/01 -	5	2	1
5792*	Arosa, 3 doors, 05/97 -	3	2	1
5790*	Alhambra, 04/96 - 05/2000	5	4	1
5794*	Alhambra, 06/2000 -	5	4	1
5787*	Cordoba, 3 doors, 10/99 -	3	2	1
5788*	Cordoba, 4 doors, 10/99 -	5	2	1
5789*	Cordoba Vario, 10/99 -	5	2	1
5543*	Cordoba 6 L, 4 doors, 01/03 -	5	2	1
5552*	Ibiza (6L), 3 doors, 05/02 -	3	2	1
5544*	Ibiza (6L), 5 doors, 05/02 -	5	2	1
5785*	Ibiza, 3 doors, 10/93 - 08/99	3	2	1
5786*	Ibiza, 3 doors, 09/99 - 04/02	3	2	1
5784*	Ibiza, 5 doors, 09/99 - 04/02	5	2	1
5793*	Leon, 5 doors, 11/99 -	5	2	1
5791*	Toledo, 5 doors, 03/99 -	5	2	1
5401*	Fabia, Combi, 11/00 -	7	2	1
5797*	Fabia, 5 doors, 08/98 -	5	2	1
5798*	Fabia, 5-trg. Combi, 08/98 -	7	2	1
5799*	Octavia, 5 doors, '97 -	5	2	1
5800*	Octavia, 5 doors, Combi, '98 -	7	2	1
5402*	Superb Limousine, 4 doors, 03/02 -	5	2	1
5804*	Baleno, 3 doors, '95 -	3	2	1
5805*	Baleno, 4 doors, '95 -	5	2	1
5806*	Baleno, Combi, '95 -	7	2	1
5807*	Vitara, 5 doors, 04/95 -	7	2	1
5808*	Grand Vitara, '98 -	7	2	1
5809*	Wagon R+ (MM) Mini Van, 2000 -	5	2	1
5571*	Avensis (T22) Combi, 01/98 -	5	2	1
5574*	Avensis Verso Van, 08/01 -	5	2	1
5576*	Land Cruiser (J100), 5 doors, 01/03 -	7	2	1
5578*	RAV 4 (XA/XA1), 5 doors, 07/00 -	7	2	1
5579*	Yaris Verso Van, '99 -	5	2	1
5580*	Yaris, 3 doors, 04/99 -	3	2	1
5581*	Yaris, 5 doors, 04/99 -	5	2	1
5815*	C70, 2 doors, Limousine, '97 -			
5812*	S40, '96 -	5	2	1
5816*	S70, 4 doors, Limousine, '97 -	5	2	1
5818*	S80, 4 doors, notchback, 09/98 -	5	2	1
5813*	V40, Combi, '96 -	5	2	1
5814*	V70, Combi, - 12/99	5	2	1
5817*	V70, Combi, 12/99 -	5	2	1
5819*	V90, Combi, 12/96 - '99	5	2	1
5820*	XC90, (4x4), 5 doors, 02/03 -	5	2	1
5842*	Beetle, '98 -	3	2	1
5844*	Bora Variant, 05/98 -	7	2	1
5843*	Bora, 4 doors, Limousine, 11/98 -	5	2	1
5841*	Corrado, 08/87 - 12/95	3	2	1
5822*	Golf II, 3 doors, 08/83 - 10/91	3	2	1
5823*	Golf II, 5 doors, 08/83 - 10/91	5	2	1
5824*	Golf III, 3 doors, 11/91 - 09/97	3	2	1
5825*	Golf III, 5 doors, 11/91 - 09/97	5	2	1
5826*	Golf III, Variant, 07/93 - 12/98	7	2	1
5827*	Golf IV, 3 doors, 10/97 -	3	2	1
5828*	Golf IV, 5 doors, 10/97 -	5	2	1
5829*	Golf IV, Variant, 12/98 -	7	2	1
5546*	Golf V, 3 doors, 11/03 -	3	2	1
5547*	Golf V, 5 doors, 11/03 -	5	2	1
5842*	Lupo, 3 doors, 10/98 -	3	2	1
5839*	Passat, 4 doors, 10/96 - 09/00	5	2	1
5837*	Passat, 4 doors, 10/93 - 09/96	5	2	1
5838*	Passat, Variant, 08/90 - 05/97	5	2	1
5840*	Passat, Variant, 06/97 - 09/00	5	2	1
5830*	Polo 6N, 3 doors, 10/94 - 09/99	3	2	1
5831*	Polo 6N, 5 doors, 0/94 - 09/99	5	2	1
5834*	Polo 6N Facelift, 3 doors, 10/99 - 10/01	3	2	1
5835*	Polo 6N Facelift, 5 doors, 10/99 - 10/01	5	2	1
5548*	Polo (9N), 3 doors, 11/01 -	3	2	1
5549*	Polo (9N), 5 doors, 11/01 -	5	2	1
5832*	Polo Variant, 04/97 - 09/99	5	2	1
5836*	Polo Variant, 10/99 -	5	2	1
5833*	Polo Classic, 4 doors, 11/95 - 09/99	5	2	1
5835*	Sharan, 05/95 - 06/00	5	4	1
5845*	Sharan, 07/00 -	5	4	1
5590*	T3, all models with back door	5	4	1
5591*	T4 swing door/short wheelbase	6	2	2
5592*	T4 with back door/short wheelbase	5	2	1
5841*	T4 Multivan (sliding window, left), '99 -	6	4	1
5593*	Touran Van, 05/03 -	5	4	1
5594*	Touareg (Off Road), 4 doors, 11/02 -	5	2	1

For VSS-Kit:
* Homologation note for Federal Republic of Germany: not approved for territories where German Road Traffic Regulations apply. For export only. A minimum light transmission of 70% must be achieved

+++ our vehicle type list is continually updated : www.pro-shape.de +++

+++ our vehicle type list is continually updated : www.pro-shape.de +++

CARSTYLING PRO-SHAPE 3-D fitting form

CARSTYLING PRO-SHAPE 3-D fitting form

Film program

Film code

Film code	Visible Light Transmission	Heat Rejection
01	52%	35%
02	63%	16%
03	85%	13%
04	48%	36%
05	86%	10%
06	74%	28%
07	85%	8%
08	72%	16%
09	72%	17%
10	85%	5%
11	64%	52%
12	67%	24%
13	41%	5%
14	20%	24%
15	24%	17%
16	24%	60%
17	19%	30%
18	18%	51%
19		84%

Over **15.000 combinations possible**

Film code

Film code

StylingFilms

69% Visible Light Transmission

52% Heat Rejection

99% UV All FOLIA TEC AutoglassFilms are scratch resistant and offer 99% UV protection.

+++ our vehicle type list is continually updated : www.pro-shape.de +++

Film kit/ application

FOLIATEC ...the CARSTYLING FACTORY

AutoglassFilms

Film kit-code

KOM — **Full-Kit for rear quarter windows and backlight**
3 – 9-piece (depending on vehicle type)

VSS — **Kit for front side windows**
2 – 4-piece (depending on vehicle type)
Homologation note for Federal Republic of Germany: not approved for territories where German Road Traffic Regulations apply. For export only.
A minimum light transmission of 70% must be achieved exception
exception: SECURLUX® to clear-glass front side windows.

HES — **Kit for rear quarter window** 1-piece (exception: 2-piece for wing doors)

REP — **Repair kit for 1 quarter window** 1 piece
Please order Backlight-Kit (HES-Kit) for backlights
For further details on how to ascertain the order code, please refer to our price list or visit **www.pro-shape.de**

Order

How to order – from your specialist dealer or online under www.pro-shape.de:

Step 1: Ascertain the code for your vehicle type, eg. Toyota Land Cruiser (J100), 5-door, from 01/03 (see p. 24/25) — 5576

Step 2: For recognizing easy options, special models or re-imports for your vehicle, please state the key codes of your vehicle type (see vehicle identification card column 2+ 3)
from column 2 — digits 1-4
from column 3 — digits 10 only

Step 3: Ascertain the code of the desired AutoGlassFilm, eg. Midnight-StylingFilm (see p. 26) — 13

Step 4: Ascertain the kit type for the desired application (see p. 27) eg. Full-Kit »for rear quarter windows and backlight« — K O M

Step 5: Combination of your Item Number:

Vehicle type code	Key code (column 2)	Key code (column 3)	Film type code	Film kit (3 digits)	Code Tempo-tin (optional, only if required, 2 digits)
5 5 7 6	5 0 1 3	3 9 8	1 3	K O M	X X

Your Item number (16 digits) -only REP-Set (18 digits):

(for assistance please contact our Technical Support under techsupport@foliatec.de or Tel. +49(0)911-97544-120)
For further details on how to ascertain the order code, please refer to our price list or visit www.pro-shape.de

Note: ProShape 3D-AutoglassFilms are produced by your individual specifications. Cancellations of orders or returns are not accepted!

CARSTYLING PRO-SHAPE AutoglassFilms

3-D fitting form

FOLIATEC ...the CARSTYLING FACTORY

Autoglassfilms

GlareStrip. Designed to provide highly-effective protection from frontal glare, this windshield film strip features continuous line - elegant in design and function. Besides it's inexpensive and easy to fit.

- protects the eyes from sun glare
- easy to fit, self-adhesive (squeegee and cutterknife included)
- fits all vehicle types
- German TÜV approved

Item No.	Color	Dimensions
1025	dark smoke	15x152cm/5,9x60"
1125	orange	15x152cm/5,9x60"
11825	comfort green	15x152cm/5,9x60"
1225	smoke	15x152cm/5,9x60"
1425	blue	15x152cm/5,9x60"
1525	green	15x152cm/5,9x60"

CARSTYLING TOPSTRIPE glare strip

Design and function render the SUNVISOR GlareStrip a must for every windshield.
Featuring gradual tint, the strip through its high-grade metallization provides highly effective protection from direct sunlight.

- protects the eyes from sun glare
- easy to fit, self-adhesive (squeegee and cutter-knife included)
- fits all vehicle types
- German TÜV approved

Item No.	Color	Dimensions
1710	dark smoke	19x150cm/7,5x59"
1712	violet	19x150cm/7,5x59"
1714	blue	19x150cm/7,5x59"

CARSTYLING SUNVISOR metallized with gradual tinting

Even with overcast skies, the difference in brightness between the sky and the road and countryside has a tiring effect on the eyes. TOPSTRIPE REFLEX reduces the contrast and thereby reduces tiredness and makes safer driving possible. The transparent film protects the eyes without limiting the field of vision.

- protects the eyes from sun glare
- easy to fit, self-adhesive (squeegee and cutter-knife included)
- fits all vehicle types
- German TÜV approved

Item No.	Color	Dimensions
17200	silver	15x152cm/5,9x60"
17201	blue	15x152cm/5,9x60"
17202	green	15x152cm/5,9x60"
17203	red	15x152cm/5,9x60"
17204	yellow	15x152cm/5,9x60"
17205	black	15x152cm/5,9x60"
17206	aquablue	15x152cm/5,9x60"
17207	bronze	15x152cm/5,9x60"
17208	chromelux	15x152cm/5,9x60"



CARSTYLING TOPSTRIPE REFLEX

Switch it on...
FOLIATEC
...the CARSTYLING FACTORY
LED/NEON
...Fun & light – a blink makes the difference!
BLACKLIGHT-Colorline p. 99
BLACKLIGHT-Special p. 99
CALL-MobilePhoneHolder p. 106
LED-Dots p. 111
LED-Interior p. 106
LED-Screws p. 111
LED-GroundKit p. 108/109
LUMAX-Signs p. 110
LUMAX-Sky p. 110
NEON-Cable p. 103
NEON-FlexTube p. 104
NEON-GroundKit p. 105
NEON-INSIDE-Light p. 98
NEON-INSIDE-Colorline p. 98
NEON-INSIDE-Light Mini p. 101
NEON-INSIDE-Light Special p. 100
NEON-INSIDE-Spots p. 102
NEON-FlexTube p. 104
NEON-Spots p. 101
NEON-GroundKit p. 107
NEON-Kit p. 107



CARSTYLING

available in two different lengths

Spot and find the ultimate cool cabin outfit and ultimate ambient with NEON-INSIDE Lights. Install the lights where you like, you can add some light accents - below dashboards, consoles or seats, or on the door moldings. Connected to the interior lighting, the NEON-INSIDE Light goes on when the doors are opened.

Set 1 includes 2 neon tubes (36cm/14,2" each, tube-Ø 2cm/0,8")
Set 2 includes 2 neon tubes (69cm/27,2" each, tube-Ø 2cm/0,8")
(incl. inverter)

1	4041	4051	violet
2	4042	4052	blue
3	4044	4054	red





universal inverter
easy to fit, low power consumption
internal transformer 12V

2 tubes, overall length 36cm/14,2", with clear connection cable

1	40470	clear fluorescent casing
2	40471	blue fluorescent casing
3	40472	orange fluorescent casing
4	40473	chrome casing



FOLIATEC ...the CARSTYLING FACTORY

LED/NEON

casing fluorescent with BLACKLIGHT

CARSTYLING BLACK LIGHT

Colorline

casings fluorescent with BLACKLIGHT

CARSTYLING NEON LIGHT

Colorline





Set 1 includes 2 neon tubes (36cm/14,2" each)

1	40401	clear fluorescent casing	white
2	40402	blue fluorescent casing	blue
3	40404	chrome casing	blue



Tattoo your car ... Dark side of the car with Blacklight-lamp, sticker, ... a must-have Special for interior carstyling when parties are around.

12V transformer included
without Blacklight-tube
easy to fit

40456 Window Tattoo

Package contents: Blacklight tube (8,5mm/0,4", overall length 23,5cm/9,3") with sockets for fixtures to the window, blacks, 2 fluorescent, self-adhesive fixes (1x gas-cut Scorpion sticker 14x10cm/4,3x4", 1x film for underseat styling 19,5x19cm/7,7x7,5").

CARSTYLING BLACK LIGHT







Ultra-type neon tubes give a spheric atmosphere. NEON-Cradle and Move great the ultimate effect when mated to powerful subwoofers. The bass vibrations from the music will turn your car into a disco. The spirals create atmosphere through "wonderful" light pulses and/or Blacklight effects.

- easy to fit, screw-on mount
- with high voltage connection
- 2 cables are included

① NEON-Spiral: 1 tube		
40430	blue, moving light effects	36cm/14,2"
NEON-Move: 1 tube		
② 40570	blue, internal transformer	40cm/15,7"
③ 40580	red, internal transformer	40cm/15,7"
NEON-Cradle: 1 tube		
④ 40550	blue, internal transformer	42cm/16,5"
⑤ 40560	red, internal transformer	42cm/16,5"
⑥ NEON-Spiral - Blacklight: 1 tube with orbit blue neon tube, internal 12 V transformer, door connection cable		36cm/14,2"

CARSTYLING NEON Special

Mini-Neon-Lights: Extra small fitting dimensions allow illumination of the remotest corners (e.g. storage box, gear, behind trim panels etc.).
Can also be used for indirect illumination.

- connection via cigarette lighter
- easy to fit, screw-on mount
- incl. extend transformer
- with clem connection cable

2 NEON light, overall length 24cm/0,9"		
① 40445	clear fluorescent casing	
② 40446	blue fluorescent casing	
③ 40447	orange fluorescent casing	
④ 40448	chrome casing	



casings fluorescent with BLACKLIGHT

CARSTYLING NEON Mini





Come and see the light! Cold-blue NEON Spots give an intensive light inside the car. Perfect for the radio, behind trim panels or any other zones in your car. Designed to be cool.

- for sticking or screwing in the place
- connection 12 V
- [illegible]
- with blue LED

40195	Mini-Spot



extra small fitting dimensions! 2,5cm/1"

CARSTYLING NEON Spots







CARSTYLING

NEON



CARSTYLING

NEON





CARSTYLING

GroundKIT



Use the new LED technology for your car! Benefit from the LED's electrifying luminosity and long life. The tube lamps are fracture-proof and easy to fit.

48442	white/blue, 1 tube	13,5 cm/5,31"
48443	white/blue, 1 tube	20 cm/7,9"
48444	white/blue, 1 tube	36 cm/14,2"

Factory connect: 1 tube, intermediate fuse.

CARSTYLING

new

CARSTYLING

CALL

Mobile Phone Holder

Cool light effects instead of tedious ringing sounds! The element-blue LEDs flash when you receive a call. In conjunction with the blinklight, the strongest existing disco fireworks. With the adjustable rotating clips, almost all mobile phones can be fitted.

48188	Mobile Phone Holder

Carstyling is a flash. Because installation is dead easy, and because the 4 white stroboscope flashlights in each tube create the coolest effects. The flexible tubes perfectly adapt to every curvature. Suitable for wheelarches, car underbody etc.

4027	white strobe lights 2 strobe tubes with external transformer, fastener	116 cm/45,4"

FOLIATEC STRIP

...the CARSTYLING FACTORY

LED/NEON

new

CARSTYLING

STRIP

Metallic

Two tubes with 5 white stroboscope flashlights each give the ultimate signal effect. The perfect eyecatcher!

4026	white strobe lights 2 tubes, with external transformer	145 cm/57"





CARSTYLING



FOLIATEC
...the CARSTYLING FACTORY
LED/NEON
new
LED
Technology
• long service life
(ca. 10,000 service hours)
• nonwearing and maintenance-free
• water- and dust-proof
• very low heat emission
• vibration-insensitive
Why leave your baby in the dark? The LED Underfloorillumination creates exciting light effects without compromise.
CARSTYLING
Wandering light/ flash-light function
new
COLOR CHANGE with
Incl. controller for 14 different light effects!
CARSTYLING

FOLIATEC
...the CARSTYLING FACTORY
LED/NEON
Call me:
017X-12X34X
Was guckst Du?
Was guckst Du?
CARSTYLING
LUMAX
Technology
Why LEDs?
• low power consumption
• long service life
(ca. 10,000 service hours)
• nonwearing and maintenance-free
• water- and dust-proof
• very low heat emission
• vibration-insensitive
Clever and smart. With a base diameter of only 5mm, the super-mini LEDs can be quickly fitted to sills, exterior mirrors, spoilers etc. Totally discreet when unlit, the illuminated LEDs show your styling ideas in an effective light.
extra small
with built-in resistor
mounting base for easy fitting
40441 3 clear LEDs, light color blue 0.5 mm/0.2"
Super flat, flexible LUMAX fluorescent strips for the roof liner, footwell and all other areas requiring a low installation height. At a total height of just 1 cm, there's room for LUMAX-Sky just about everywhere.
40723 LUMAX-Sky 39.5cm/15.5"
40724 LUMAX-Sky 20cm/7.9"
Package contents: 2 lights, height 1 cm/0.4", width 1.5cm/0.6", incl. control unit and connection cable (3m/118")
LED Screws - For the total neon optics effect!
The result: ORBIT-BLUE in all those places, were screws are used.
connection 12 V
easy installation
powerful optics
34206 Typ 1, Alu-Silver, light orbit-blue
34202 Typ 2, Alu-Silver, light orbit-blue
34210 Typ 3, Alu-Silver, light orbit-blue
CARSTYLING
LED
Technology