BULKY DOCUMENTS

(Exceeds 300 pages)

Proceeding/Serial No: 92048334

Filed: 4-15-09

Title: PETITIONERS NOTICE OF FILING AND MOTION TO FILE TESTIMONY AND EXHIBITS UNDER SEAL

Part 1 of 1

Processed by Curtis Puryear

TTAB

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE TRADEMARK TRIAL AND APPEAL BOARD

In the Matter of Trademark Registration No. 2,945,099
For the Mark: SUPERMAG
Date Registered: April 26, 2005

72/266,217

RA BRANDS, L.L.C.,	)	
	)	
Petitioner,	)	
	)	
v.	)	**Opposition No.: 92048334**
	)	
ROBERT AUSTIN BURNS, JR.,	)	
	)	
Registrant.	)	

PETITIONER'S NOTICE OF FILING AND MOTION TO FILE TESTIMONY AND EXHIBITS UNDER SEAL

Petitioner, through the undersigned counsel, hereby submits this notice of filing of testimony pursuant to Rule 2.125(a) and, pursuant to Rule 2.125(e) and the Protective Order agreed to by the parties (a copy of which is submitted herewith as **Exhibit A**), respectfully moves the Board for an order permitting Petitioner to file portions of the testimony deposition of John Trull and confidential exhibits thereto under seal. Pursuant to Rule 2.127(a), Petitioner's brief in support of its motion is embodied in this motion. In support of its motion, Petitioner states:

Petitioner designated the following portions of the transcript as "Highly Confidential"[1] at the testimony deposition of Mr. Trull. Registrant has not objected to this designation. Accordingly, the following portions of Mr. Trull's testimony and related exhibits contain commercially sensitive financial data and thus should be shielded by the Board from public access, restricted from any access by Registrant, and be available for review by outside counsel for the parties and subject to the Protective Order entered into by the parties:

Page 50, line 13 – Page 54, line 22
Exhibit 15A
Exhibit 16

04-15-2009

U.S. Patent & TMOfc/TM Mail Rcpt Dt. #31

[1] The Protective Order agreed to by the parties provides that material designated "Highly Confidential" is afforded the same level of protection as material designated "Trade Secret/Commercially Sensitive" under the Board's standard Protective Order.

The foregoing excerpts of Mr. Trull's testimony and the confidential exhibits are submitted herewith as **Exhibit B** in the enclosed envelope marked "CONFIDENTIAL – FILED UNDER SEAL."

WHEREFORE, Petitioner RA Brands, L.L.C. respectfully requests an order authorizing Petitioner to file the foregoing portion of the testimony of John Trull and the confidential exhibits under seal.

This the 14th day of April, 2009.

By: _____

Randel S. Springer
Jacob S. Wharton
Womble Carlyle Sandridge & Rice, PLLC
One West Fourth Street
Winston-Salem, North Carolina 27101
Telephone: (336) 747-6609
Facsimile: (336) 726-6985
E-Mail: jwharton@wcsr.com
Attorneys for Petitioner

CERTIFICATE OF MAILING

This will certify that a copy of the foregoing PETITIONER'S NOTICE OF FILING AND MOTION TO FILE TESTIMONY AND EXHIBITS UNDER SEAL and all exhibits thereto are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service pursuant to 37 C.F.R. § 2.198 on the 14th of April, 2009, and addressed as follows:

U. S. Patent and Trademark Office
Trademark Trial and Appeal Board
P.O. Box 1451
Alexandria, Virginia 22313-1451

The envelope has been given U.S. Postal Service "Express Mail Post Office to Addressee" Package # **EU348606000US**.

Victoria Sharpe

Victoria Sharpe, Paralegal

CERTIFICATE OF SERVICE

This will certify that a copy of the foregoing PETITIONER'S NOTICE OF FILING AND MOTION TO FILE TESTIMONY AND EXHIBITS UNDER SEAL and all exhibits thereto were sent on the 14th of April, 2009 via overnight courier to the following:

Dean Turman, Esq.
4306 La Vera Street
High Point, North Carolina 27265

and that a copy of the foregoing PETITIONER'S NOTICE OF FILING AND MOTION TO FILE TESTIMONY AND EXHIBITS UNDER SEAL and Exhibit A thereto (but not Exhibit B) were sent on the 14th of April, 2009 via overnight courier to the following:

Robert Austin Burns, Jr.
4004 Country Oaks Drive
Waxhaw, North Carolina 28173

Victoria Sharpe

Victoria Sharpe, Paralegal

EXHIBIT A

PETITIONER'S NOTICE OF FILING AND MOTION TO FILE TESTIMONY AND EXHIBITS UNDER SEAL

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE TRADEMARK TRIAL AND APPEAL BOARD

In the Matter of Trademark Registration No. 2,945,099
For the Mark: SUPERMAG

RA BRANDS, L.L.C.,	)	
	)	
Petitioner,	)	
	)	
v.	)	**Opposition No.: 92048334**
	)	
ROBERT AUSTIN BURNS, JR.,	)	
	)	
Registrant.	)	

PROTECTIVE ORDER

1) Classes of Protected Information.

The Rules of Practice in Trademark Cases provide that all inter partes proceeding files, as well as the involved registration and application files, are open to public inspection. The terms of this order are not to be used to undermine public access to files. When appropriate, however, a party or witness, on its own or through its attorney, may seek to protect the confidentiality of information by employing one of the following designations.

Confidential—Material to be shielded by the Board from public access.

Highly Confidential—Material to be shielded by the Board from public access, restricted from any access by the parties, and available for review by outside counsel for the parties and, subject to the provisions of paragraph 4 and 5, by independent experts or consultants for the parties.

2) Information Not to Be Designated as Protected.

Information may not be designated as subject to any form of protection if it (a) is, or becomes, public knowledge, as shown by publicly available writings, other than through violation of the terms of this document; (b) is acquired by a non-designating party or non-party witness from a third party lawfully possessing such information and having no obligation to the owner of the information; (c) was lawfully possessed by a non-designating party or non-party witness prior to the opening of discovery in this proceeding, and for which there is written evidence of the lawful possession; (d) is

disclosed by a non-designating party or non-party witness legally compelled to disclose the information; or (e) is disclosed by a non-designating party with the approval of the designating party.

3) Access to Protected Information.

The provisions of this order regarding access to protected information are subject to modification by written agreement of the parties or their attorneys, or by motion filed with and approved by the Board.

Judges, attorneys, and other employees of the Board are bound to honor the parties' designations of information as protected but are not required to sign forms acknowledging the terms and existence of this order. Court reporters, stenographers, video technicians or others who may be employed by the parties or their attorneys to perform services incidental to this proceeding will be bound only to the extent that the parties or their attorneys make it a condition of employment or obtain agreements from such individuals, in accordance with the provisions of paragraph 4.

- **Parties** are defined as including individuals, officers of corporations, partners of partnerships, and management employees of any type of business organization.

- **Attorneys** for parties are defined as including **in-house counsel** and **outside counsel**, including support staff operating under counsel's direction, such as paralegals or legal assistants, secretaries, and any other employees or independent contractors operating under counsel's instruction.

- **Independent experts or consultants** include individuals retained by a party for purposes related to prosecution or defense of the proceeding but who are not otherwise employees of either the party or its attorneys.

- **Non-party witnesses** include any individuals to be deposed during discovery or trial, whether willingly or under subpoena issued by a court of competent jurisdiction over the witness.

- **Parties** and their **attorneys** shall have access to information designated as **confidential**, subject to any agreed exceptions.

- **Outside counsel**, but not **in-house counsel**, shall have access to information designated as **highly confidential**.

Independent experts or consultants, non-party witnesses, and any other individual not otherwise specifically covered by the terms of this order may be afforded access to confidential or highly confidential information in accordance with the terms that follow in paragraph 4. Further, independent experts or consultants may have access to highly

confidential information if such access is agreed to by the parties or ordered by the Board, in accordance with the terms that follow in paragraph 4 and 5.

4) Disclosure to Any Individual.

Prior to disclosure of protected information by any party or its attorney to any individual not already provided access to such information by the terms of this order, the individual shall be informed of the existence of this order and provided with a copy to read. The individual will then be required to certify in writing that the order has been read and understood and that the terms shall be binding on the individual. No individual shall receive any protected information until the party or attorney proposing to disclose the information has received the signed certification from the individual. A form for such certification is attached to this order as Exhibit A. The party or attorney receiving the completed form shall retain the original.

5) Disclosure to Independent Experts or Consultants.

In addition to meeting the requirements of paragraph 4, any party or attorney proposing to share disclosed information with an independent expert or consultant must also notify the party which designated the information as protected. Notification must be personally served or forwarded by certified mail, return receipt requested, and shall provide notice of the name, address, occupation and professional background of the expert or independent consultant.

The party or its attorney receiving the notice shall have ten (10) business days to object to disclosure to the expert or independent consultant. If objection is made, then the parties must negotiate the issue before raising the issue before the Board. If the parties are unable to settle their dispute, then it shall be the obligation of the party or attorney proposing disclosure to bring the matter before the Board with an explanation of the need for disclosure and a report on the efforts the parties have made to settle their dispute. The party objecting to disclosure will be expected to respond with its arguments against disclosure or its objections will be deemed waived.

6) Responses to Written Discovery.

Responses to interrogatories under Federal Rule 33 and requests for admissions under Federal Rule 36, and which the responding party reasonably believes to contain protected information shall be prominently stamped or marked with the appropriate designation from paragraph 1. Any inadvertent disclosure without appropriate designation shall be remedied as soon as the disclosing party learns of its error, by informing all adverse parties, in writing, of the error. The parties should inform the Board only if necessary because of the filing of protected information not in accordance with the provisions of paragraph 12.

7) Production of Documents.

If a party responds to requests for production under Federal Rule 34 by making copies and forwarding the copies to the inquiring party, then the copies shall be prominently stamped or marked, as necessary, with the appropriate designation from paragraph 1. If the responding party makes documents available for inspection and copying by the inquiring party, all documents shall be considered protected during the course of inspection. After the inquiring party informs the responding party what documents are to be copied, the responding party will be responsible for prominently stamping or marking the copies with the appropriate designation from paragraph 1. Any inadvertent disclosure without appropriate designation shall be remedied as soon as the disclosing party learns of its error, by informing all adverse parties, in writing, of the error. The parties should inform the Board only if necessary because of the filing of protected information not in accordance with the provisions of paragraph 12.

8) Depositions.

Protected documents produced during a discovery deposition, or offered into evidence during a testimony deposition shall be orally noted as such by the producing or offering party at the outset of any discussion of the document or information contained in the document. In addition, the documents must be prominently stamped or marked with the appropriate designation.

During discussion of any non-documentary protected information, the interested party shall make oral note of the protected nature of the information.

The transcript of any deposition and all exhibits or attachments shall be considered protected for 30 days following the date of service of the transcript by the party that took the deposition. During that 30-day period, either party may designate the portions of the transcript, and any specific exhibits or attachments, that are to be treated as protected, by electing the appropriate designation from paragraph 1. Appropriate stampings or markings should be made during this time. If no such designations are made, then the entire transcript and exhibits will be considered unprotected.

9) Filing Notices of Reliance.

When a party or its attorney files a notice of reliance during the party's testimony period, the party or attorney is bound to honor designations made by the adverse party or attorney, or non-party witness, who disclosed the information, so as to maintain the protected status of the information.

10) Briefs.

When filing briefs, memoranda, or declarations in support of a motion, or briefs at final hearing, the portions of these filings that discuss protected information, whether information of the filing party, or any adverse party, or any non-party witness, should be redacted. The rule of reasonableness for redaction is discussed in paragraph 12 of this order.

11) Handling of Protected Information.

Disclosure of information protected under the terms of this order is intended only to facilitate the prosecution or defense of this case. The recipient of any protected information disclosed in accordance with the terms of this order is obligated to maintain the confidentiality of the information and shall exercise reasonable care in handling, storing, using or disseminating the information.

12) Redaction; Filing Material With the Board.

When a party or attorney must file protected information with the Board, or a brief that discusses such information, the protected information or portion of the brief discussing the same should be redacted from the remainder. A rule of reasonableness should dictate how redaction is effected.

Redaction can entail merely covering a portion of a page of material when it is copied in anticipation of filing but can also entail the more extreme measure of simply filing the entire page under seal as one that contains primarily confidential material. If only a sentence or short paragraph of a page of material is confidential, covering that material when the page is copied would be appropriate. In contrast, if most of the material on the page is confidential, then filing the entire page under seal would be more reasonable, even if some small quantity of non-confidential material is then withheld from the public record. Likewise, when a multi-page document is in issue, reasonableness would dictate that redaction of the portions or pages containing confidential material be affected when only some small number of pages contain such material. In contrast, if almost every page of the document contains some confidential material, it may be more reasonable to simply submit the entire document under seal. Occasions when a whole document or brief must be submitted under seal should be very rare.

Protected information, and pleadings, briefs or memoranda that reproduce, discuss or paraphrase such information, shall be filed with the Board under seal. The envelopes or containers shall be prominently stamped or marked with a legend in substantially the following form:

CONFIDENTIAL

This envelope contains documents or information that are subject to a protective order or agreement. The confidentiality of the material is to be maintained and the envelope is not to be opened, or the contents revealed to any individual, except by order of the Board.

13) Acceptance of Information; Inadvertent Disclosure.

Acceptance by a party or its attorney of information disclosed under designation as protected shall not constitute an admission that the information is, in fact, entitled to protection. Inadvertent disclosure of information which the disclosing party intended to designate as protected shall not constitute waiver of any right to claim the information as protected upon discovery of the error.

14) Challenges to Designations of Information as Protected.

If the parties or their attorneys disagree as to whether certain information should be protected, they are obligated to negotiate in good faith regarding the designation by the disclosing party. If the parties are unable to resolve their differences, the party challenging the designation may make a motion before the Board seeking a determination of the status of the information.

A challenge to the designation of information as protected must be made substantially contemporaneous with the designation or as soon as practicable after the basis for challenge is known. When a challenge is made long after a designation of information as protected, the challenging party will be expected to show why it could not have made the challenge at an earlier time.

The party designating information as protected will, when its designation is timely challenged, bear the ultimate burden of proving that the information should be protected.

15) Board's Jurisdiction; Handling of Materials After Termination.

The Board's jurisdiction over the parties and their attorneys ends when this proceeding is terminated. A proceeding is terminated only after a final order is entered and either all appellate proceedings have been resolved or the time for filing an appeal has passed without filing of any appeal.

The parties may agree that archival copies of evidence and briefs may be retained, subject to compliance with agreed safeguards. Otherwise, within 30 days after the final termination of this proceeding, the parties and their attorneys shall return to each disclosing party the protected information disclosed during the proceeding, and shall include any briefs, memoranda, summaries, and the like, which discuss or in any way refer to such information. In the alternative, the disclosing party or its attorney may make a written request that such materials be destroyed rather than returned.

16) Other Rights of the Parties and Attorneys.

This order shall not preclude the parties or their attorneys from making any applicable claims of privilege during discovery or at trial. Nor shall the order preclude the filing of any motion with the Board for relief from a particular provision of this order or for additional protections not provided by this order.

By Agreement of the Following, effective

February 26, 2009

RA Brands, L.L.C.

By its Attorneys

Randel S. Springer
Jacob S. Wharton
Anne C. Fleeson
Womble Carlyle Sandridge & Rice, PLLC
One West Fourth Street
Winston-Salem, NC 27101
Tel: (336) 721-3747
Fax: (336) 726-6991
E-Mail: rspringer@wcsr.com

~~Robert Austin Burns, Jr.~~

Dean Turman
4306 La Vera Street
High Point, NC 27265
Tel: (336) 812-2972
Fax: (336) 283-0889
Email: dean.turman@gmail.com

EXHIBIT A
WRITTEN ASSURANCE

_____ declares that:

I reside at _____ in the city of _____, county of _____, state of _____;

I am currently employed by _____ located at _____ and my current job title is _____.

I have read and believe I understand the terms of the Protective Order dated _____, filed in Opposition No. 92048334 pending before the Trademark Trial and Appeal Board. I agree to comply with and be bound by the provisions of the Protective Order. I understand that any violation of the Protective Order may subject me to sanctions.

I shall not divulge any documents, or copies of documents, designated "Confidential" or "Highly Confidential" obtained pursuant to such Protective Order, or the contents of such documents, to any person other than those specifically authorized by the Protective Order. I shall not copy or use such documents except for the purposes of this action and pursuant to the terms of the Protective Order.

As soon as practical, but no later than thirty (30) days after final termination of this action, I shall return to the attorney from whom I have received any documents in my possession designated "Confidential" or "Highly Confidential," and all copies, excerpts, summaries, notes, digests, abstracts, and indices relating to such documents.

I declare under penalty of perjury that the foregoing is true and correct.

Dated: _____ _____
(Signature)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE TRADEMARK TRIAL AND APPEAL BOARD

In the Matter of Trademark Registration No. 2,945,099
For the Mark: SUPERMAG
Date Registered: April 26, 2005

RA BRANDS, L.L.C.,	)	
	)	
Petitioner,	)	
	)	
v.	)	**Opposition No.: 92048334**
	)	
ROBERT AUSTIN BURNS, JR.,	)	
	)	
Registrant.	)	

PETITIONER'S NOTICE OF FILING OF TESTIMONY

Pursuant to Rule 2.125(c) of the Trademark Rules of Practice, Petitioner makes of record the non-confidential testimony and exhibits of John Trull by way of the enclosed transcript and exhibits thereto taken on behalf of Petitioner. Petitioner submits concurrently herewith, pursuant to Rule 2.125(e), a Notice of Filing and Motion to File Testimony and Exhibits Under Seal that includes as Exhibit B thereto the confidential portions of the transcript and the confidential exhibits.

This the 14th day of April, 2009.

By: _____

Randel S. Springer
Jacob S. Wharton
Womble Carlyle Sandridge & Rice, PLLC
One West Fourth Street
Winston-Salem, North Carolina 27101
Telephone: (336) 747-6609
Facsimile: (336) 726-6985
E-Mail: jwharton@wcsr.com
Attorneys for Petitioner

CERTIFICATE OF MAILING

This will certify that a copy of the foregoing PETITIONER'S NOTICE OF FILING OF TESTIMONY and all exhibits thereto are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service pursuant to 37 C.F.R. § 2.198 on the 14th of April, 2009, and addressed as follows:

U. S. Patent and Trademark Office
Trademark Trial and Appeal Board
P.O. Box 1451
Alexandria, Virginia 22313-1451

The envelope has been given U.S. Postal Service "Express Mail Post Office to Addressee" Package # **EU348606000US**.

Victoria Sharpe

Victoria Sharpe, Paralegal

CERTIFICATE OF SERVICE

This will certify that a copy of the foregoing PETITIONER'S NOTICE OF FILING OF TESTIMONY and all exhibits thereto was deposited with the United States Postal Service as first-class mail on the 14th of April, 2009, envelopes addressed as follows:

Dean Turman, Esq.
4306 La Vera Street
High Point, North Carolina 27265

Robert Austin Burns, Jr.
4004 Country Oaks Drive
Waxhaw, North Carolina 28173

Victoria Sharpe

Victoria Sharpe, Paralegal

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE TRADEMARK TRIAL AND APPEAL BOARD

In the Matter of Trademark Registration No. 2,945,099
For the Mark: SUPERMAG

RA BRANDS, L.L.C.,

Petitioner,

vs.) Cancellation No. 92048334

ROBERT AUSTIN BURNS, JR.,

Registrant.

CERTIFIED COPY

DEPOSITION OF JOHN TRULL

(Taken by Petitioner)

Winston-Salem, North Carolina

Thursday, February 26, 2009

Reported in Stenotype by
Wendy Alcock, RPR
Transcript produced by computer-aided transcription

APPEARANCES

ON BEHALF OF THE PETITIONER:

JACOB WHARTON, Esquire
Womble, Carlyle, Sandridge & Rice, PLLC
One West Fourth Street
Winston-Salem, North Carolina 27101
(336) 747-6609

ON BEHALF OF THE REGISTRANT:

DEAN TURMAN, Esquire
Turman Law Firm
4306 La Vera Street
High Point, North Carolina 27265
(336) 812-2972

ALSO PRESENT:

ROBERT BURNS, JR.
ROBERT BURNS, SR.

DEPOSITION OF JOHN TRULL, a witness called on behalf of the Petitioner, before Wendy Alcock, Notary Public, in and for the State of North Carolina, at the law offices of Womble Carlyle Sandridge & Rice, One West Fourth Street, 12th Floor, Winston-Salem, North Carolina, on Thursday, the 26th day of February, 2009, commencing at 1:08 p.m.

INDEX OF EXAMINATIONS

	PAGE
By Mr. Wharton	4

INDEX OF EXHIBITS

NUMBER	DESCRIPTION	MARKED
1	Application File	10
2	Excerpt, Remington Country 1998 Catalog	15
3	Excerpt, Remington Country 1999 Catalog	19
4	Excerpt, Remington Country 2000 Catalog	20
5	Excerpt, Remington Country 2001 Catalog	21
6	Remington 2001 Parts Price List	22
7	Excerpt, Remington Country 2001 Catalog	24
8	Excerpt, Remington Country 2003 Catalog	25
9	Excerpt, Remington Country 2004 Catalog	27
10	Excerpt, Remington Country 2005 Catalog	27
11	Excerpt, Remington Country 2006 Catalog	29
12	Excerpt, Remington Country 2007 Catalog	29
13	Excerpt, Remington Country 2008 Catalog	31
14	Photocopies of box end labels	32
15	Excerpt, Remington Country 2009 Catalog Summary of Sales Figures	35
16	Shipment Value by Month Worldwide	52

JOHN TRULL,

having been first duly sworn, was examined and testified as follows:

MR. WHARTON: For the record I just wanted to reflect who's present here today. Jacob Wharton on behalf of the petitioner, RA Brands.

MR. TURMAN: I'm Dean Turman, and I'm representing Mr. Burns today.

MR. R. BURNS, JR.: And I'm Robert A. Burns.

MR. R. BURNS, SR: I'm Robert Burns, Sr.

EXAMINATION

BY MR. WHARTON:

Q And our witness, would you state your name for the record, please?

A John Trull.

Q Mr. Trull, who is your current employer?

A Remington Arms Company.

Q And what is your title with them?

A Vice president of brand management and product development.

Q What are your duties in that position?

A I oversee all the product management functions for the firearms business, which includes new product introductions, product life cycle management, pricing,

sales programs, et cetera.

MR. TURMAN: Counsel, I would like to preserve any objections, legal objections to the questions, except for of course the form of the question, for the record.

MR. WHARTON: Since this is a testimony deposition, I don't know if we can do that.

MR. TURMAN: Well, we'll put it in the record.

MR. WHARTON: Okay. I don't want to agree to that on the record, but it's noted.

BY MR. WHARTON:

Q Mr. Trull, when did you start with Remington?

A I became employed by Remington in August of 2000.

Q What was your title?

A Product manager.

Q What were your duties as product manager?

A Set up new product specifications for firearms, worked through the manufacturing and R&D centers to bring new products to market, worked with the sales department on pricing and sales programs, as well as with marketing communications on advertising and new product position.

Q Then if you would, could you take us through any interim positions you've had from the time you were hired

in August 2000 through your current position?

A Sure. And I'm going to speak in generalities in time frames here, not exact years. After product manager -- I was in that role for approximately two years, and then I became product and planning manager for the firearms business, which my duties were as previously stated, plus planning and forecasting sales demand functions and working with planning and forecasting for the manufacturing facilities.

Approximately a year to a year-and-a-half after that I became the director of marketing, which is the director of product management, where I had responsibility for a product manager and continued to oversee the duties as stated, but at a higher level with greater responsibility.

That brings me to this state of my career, which is -- I guess my title actually changed back in '07 to director of brand management and product development. However, the duties didn't change, it was just a title change to align with some corporate redirectives.

And then in January 1 of the current year, 2009, I became vice president of brand management and product development for the firearms business.

Q What are some of the products that you oversaw during these various positions?

A All Remington's pump action shotguns. The 870s, autoloading shotguns, 11-87s, bolt action rifles, which would be primarily the model 700, model 710, as well as custom shop products.

Q Did you oversee any products that were sold in conjunction with the Super Magnum or Super Mag mark during this time frame?

A Yes. Yes. That would apply to both the 870 product line, which would entail the 870 Express Super Mag, as well as the 870 SPS Super Mag. I believe we also had a 870 Wingmaster Super Mag for a period of time. In addition, the 11-87 family of the auto loading shotguns, 11-87 Super Mag, which would entail the SPS Super Mag and the Premier Super Mag, and now the Sportsman Super Mag. So, yes, I did.

Q Who were you employed by prior to Remington in August of 2000?

A I was employed by a firm here in Winston, Frisby Technologies.

Q Were you aware of the Super Mag products prior to your employment with Remington?

A Oh, yeah. I'm a -- I've always been a hunter and outdoorsman. I closely followed products in the category. Pretty much all the firearms I've ever owned were Remington. So, yes, I was absolutely aware of the

870 Super Mag when I was employed elsewhere.

Q Can you give us some specific examples of work with Super Mag products while at Remington?

A Sure. Yeah. We would set -- through our life cycle -- product life cycle management we'll introduce new variants or configurations of products. We may change a camouflage pattern or we may change a stock configuration or sights.

And so it's not unusual for us to take a base product, say in this case the 870 Express Super Mag, and either change or add a camouflage pattern to it or create a special turkey configuration, the 870 Express Super Mag Turkey Special Purpose Synthetic products. So through the life cycle management it would not be uncommon for us to change and modify product configurations over the course of a normal year.

Q And what would your duties be with respect to those product life cycles?

A Monitoring the sales performance of those products, making adjustments based on feedback from end users as well as others within the industry, which would be customers. We may have a particular retail customer that would request a special makeup product that we would make for them in a unique camo pattern or a unique barrel length or configuration.

So my involvement would be working with those folks, keeping the factors of sales performance in mind, and then also actually laying out and setting out the specifications and communicating those to the factories and to the research and development group where required.

Q And could you explain the relationship between Remington and the trademark applicant involved in this case, RA Brands, LLC?

A Yes. RA Brands, LLC is a subsidiary of Remington Arms Company. RA Brands is the holding company for all of Remington Arms Company, Incorporated's intellectual property, which would include patents and trademarks. So it's a wholly owned subsidiary of Remington Arms Company.

Q And do you work with trademark applications from time to time?

A Through our legal counsel, yes. Yes, sir.

Q And with respect to the market issue in this case, what did RA Brands seek to register with the trademark office?

A "Super Mag" in conjunction with our firearms line.

Q I'd like to introduce what we'll mark as Exhibit 1.

(Exhibit Number 1 was marked for identification.)

BY MR. WHARTON:

Q Mr. Trull, would you take a look at what we've marked as Exhibit 1, which is labeled REM 79 through REM 121, and let me know if you recognize this collection of documents.

A Yes. This is RA Brands' application to register "Super Mag" for use for firearms.

Q And are you familiar with the documents in this application file?

A Yes.

Q And to the best of your knowledge, is this a true and accurate copy of the documents from the application file?

A Yes, it is.

Q And what is your understanding of the status of this application with the trademark office right now?

A My understanding currently is that the application has been suspended pending a cancellation proceeding that has been filed. The application was initially refused by the trademark office over the likelihood of a confusion issue related to the mark of Mr. Burns' "Supermag."

Q If you will turn to the last page in this exhibit, marked RAM 121 --

A Okay.

Q -- is this the specimen that was submitted with Remington's -- I'm sorry, RA Brands' trademark application?

A Yes, it is.

Q And is this consistent with how Remington would use the Super Mag mark in commerce?

A Yes, it is.

Q Can you describe what the specimen consists of, please?

A Yes, these are two specimens of what we refer to as box end labels. These would be the packaging labels that are located on the end of the firearm box that gives the description of the product as well as the item number, serial number. The UPC code is contained within the bar code there as well.

Q And in particular can you call out where the mark is used and how it's used here?

A Yes. The description -- the primary line of the description there describes the firearm. That's the one in the largest font. In the case of the top one, it would be the model 870 SPS-T Super Mag Turkey, which would be a Turkey-specific model of the 870 SPS Super Mag.

The lower example would list the model 11-87 SPS Super Mag, which is the semiautomatic shotgun,

which is chambered for three-and-a-half inch 12 gauge shells, as is the 870.

Q Thank you. To the best of your knowledge, when did Remington adopt the Super Mag trademark?

A That would have been 1998. First use would have been the fourth quarter of 1997 with the introduction of the 870 Super Mag.

Q When you say fourth quarter, of 1997?

A Yes.

Q You were not with Remington at that time?

A No, I was not.

Q What is the basis for your knowledge that Remington introduced it at that time?

A Remington, as is the case with many firearms manufacturers, introduces their new products for the upcoming year. Typically we'll begin in the October time frame with an outdoor writers conference where the top outdoor media writers from the outdoor media will convene for a presentation. The product management team will present the new firearms and ammunitions for the upcoming year. In this case it would have been 1997 for the 1998 product line.

Prior to 2009, Remington's standard sales year would have run not on a calendar year of January 1 to December 31, but December 1 to November 30. So in this

case the new pricing, new programs, new catalogs for the 1998 line would have been introduced and been active as of December -- December 1, 1997 for customers to place orders.

Catalogs would typically be printed in that time frame as well in December, or early January at the latest. So that's the basis for my statement.

Q Were you personally aware, not as an employee of Remington but as an individual, of the introduction of the model 870 Super Magnum?

A Yes, I was. The three-and-a-half inch shot shell for people that hunt waterfowl was a very big event. Mossberg -- prior to this date Mossberg was, I think, the only manufacturer that was making a three-and-a-half inch chamber shotgun.

And being a Remington person, or avid Remington user at the time, the anticipation of waiting for the model 870 to follow suit and to come out with a three-and-a-half inch version was certainly top of mind.

So reading outdoor publications -- the major outdoor magazines and journals would have been big news at that time. I recall reading articles. I can't recall exactly which publication it was in at the time, but reading articles that spoke to the 870 Super Magnum.

Q So you were personally aware at least as early

as 1998 --

A Oh, yes.

Q -- of the introduction of the model 870 Super Magnum?

A Yes, that's correct.

Q And once you were hired or started your employment with Remington, through that experience did that confirm what you knew personally, that the introduction was in 1998?

A Yes, it did.

Q Okay.

A And I would have had access to all the prior sales materials and price lists and catalogs, printed catalogs, as well as, you know, interoffice conversations with persons that were there during the introduction, as well as interaction with the manufacturing facilities. So, yes, that certainly confirmed what I was aware of.

Q When the Express Super Mag -- I'm sorry, the model 870 Super Magnum was introduced, do you know if Remington used the name of Super Mag to describe that product?

A Yes, Super Mag, Super Magnum. Super Mag is really used interchangeably with Super Magnum. Mag is just an accepted, you know, abbreviation of the word Magnum. The seven-millimeter Remington Magnum is always

referred to as the seven-millimeter Rem Mag, or the 300 Winchester Magnum is the 300 Win Mag. So it's not just within Remington. That would have been or is common within the industry, within all those that would be exposed to the product.

Q Let me introduce the next exhibit. We'll mark this as Exhibit 2.

(Exhibit Number 2 was marked for identification.)

BY MR. WHARTON:

Q Mr. Trull, would you tell us if you're familiar with what these several pages are and what they're from?

A Yes, these would be excerpts from the 1998 Remington full-line catalog.

Q And for the record, I'll note that they're marked with REM 3 through REM 5. And specifically do these pages show the first introduction of the Super Magnum to the best of your knowledge?

A To the best of my knowledge, they do.

Q And are these pages true and accurate copies from the 1998 Remington catalog?

A Yes, they are.

Q When would the 1998 catalog be publicly available?

A No later than January of 1998, typically. I wasn't there when this particular catalog was printed.

Catalogs were typically printed in the December time frame, which would make them available in late December depending on when they are mailed, to early January.

It's very critical for that to happen because of industry-wide trade shows. The major trade show, the Shot Show, typically takes place either in January or, at the very latest, the first part of February of every year. So having the catalogs printed and available prior to the Shot Show is absolutely critical to everything we do.

Q So to the best of your knowledge, would Remington employees be using Super Mag to describe the product, at least as early as 1998?

A Yes, they would.

Q And would they have done that not just internally, but externally as well?

A Yes, they would have communicated that to customers, to the sales force, to outdoor writers, and other constituents within the industry; that is correct.

Q Would they have also used that term to potential customers?

A Yes, absolutely. When programs and price lists are presented to the sales force typically in the November time frame, in this case it would have been November 1997, the sales force would immediately set forth to contact

customers.

Sometimes during the sales meeting itself they would actually have placed programs and price lists on fax machines. Today they more likely would e-mail them, but at that time they most likely would have been faxed or phone calls made.

And immediately followings the sales meeting typically is the NASGW show, which the National Association of Sporting Good Wholesalers Show, where many of our distributors and customers would have been present and privy to these products around the same time that our sales force would have been.

Q Today is Super Mag used as shorthand for Super Magnum?

A Yes, it is.

Q And to the best of your knowledge, would it have been used as shorthand in 1997?

A Yes, it would have.

Q 1998?

A Absolutely.

Q Would it have been used interchangeably in a way where the sales force would use it on a daily basis with potential customers?

A Absolutely. They would use it -- probably a great example would be in the way that one might use Coca

Cola or Coke, synonymous, both meaning the same thing. So, yeah, it would be used as one and the same. No doubt.

Q So really from its introduction, Super Magnum was shortened to Super Mag and used consistently since that time?

A Yes, consistently.

Q And that is based on your knowledge at Remington?

A To my knowledge at Remington. And also my knowledge before Remington, because I can remember having conversations with some of my friends talking about the new 870 Express Super Mag. So, yeah, that would have been undoubtedly accepted continuously year after year throughout the industry and to customers and consumers and end users.

Like I said before, the seven-millimeter Remington Magnum is referred to commonly as the seven-millimeter Rem Mag, or the 300 Winchester Magnum is the 300 Win Mag. And those are names and usage that would have far preceded this. It just speaks to the fact that it would have been common practice to abbreviate Super Mag -- use Super Mag interchangeably with Super Magnum.

Q Have you had any conversation with Remington employees that were with Remington in 1997 and 1998 to confirm such usage?

A Yes, I have. Yes, I have.

Q Do you recall who you spoke with?

A Sure. John Fink, who works for me now was there during that time frame, as well as Al Ruso, who is our director of marketing communications. Jay Bunting, who would have been in charge of the firearms product line at that time also has confirmed such. It's common -- common language both inside the office and throughout the industry, and extending all the way to consumers and the marketplace.

Q And they confirmed usage back to at least 1998?

A Yes.

Q I'll hand you what we'll mark as Exhibit 3.

(Exhibit Number 3 was marked for identification.)

BY MR. WHARTON:

Q Mr. Trull, could you identify what these pages are for us, please?

A These pages would represent excerpts from the 1999 Remington full-line catalog.

Q And I'll represent that Super Mag does not appear in this excerpt, nor does it appear in the remainder of the catalog, but could you tell us how Super Magnum was used in the '99 catalog?

A Yes. Super Magnum was used to describe the model 870 Express product category. As you can see from

-- I think it's REM 008, which would have -- or 007 as well -- which would show several different configurations of the model 870 product, the SPS-T Super Mag Camo, the Express Super Magnum Turkey Camo, Express Super Magnum Synthetic, Express Super Magnum Combo, as well as a call-out that shows the features of the 870 Super Magnum shown on the page marked as 0009.

Q So during this 1999 sales cycle, would the Remington sales force, as well as the whole company, have used Super Mag to describe these Super Magnum products you just called out?

A Yes, they would.

Q Let me hand you what we'll mark as Exhibit 4.

(Exhibit Number 4 was marked for identification.)

BY MR. WHARTON:

Q And if you would, describe for us what these several pages represent.

A These would be excerpts from the 2000 Remington full-line catalog.

Q And, again, I'll represent that Super Mag does not appear in this excerpt or for the remainder of the catalog. But, again, could you confirm and explain how Super Magnum continues to be used?

A Yes, it continues to be used to describe the model 870, as well as new product introduction of the

model 11-87 Super Magnum. So it was used to describe the three-and-a-half inch chambered shotgun products in the 870 model as well as in the 11-87 product line.

Q And, again, would Remington have used the term Super Mag in conjunction with these products during the 2000 sales cycle?

A Yes, they would.

Q Let me hand you what we will mark as Exhibit 5.

(Exhibit Number 5 was marked for identification.)

BY MR. WHARTON:

Q Please tell us what these pages represent.

A These are excerpts from the 2001 Remington full-line product catalog.

Q And if you would, turn to the page marked REM 20. And in the table there could you explain how the term Super Mag is being used in this catalog?

A Yes, Super Mag is being used to describe the model 11-87 SPS Super Mag Camo, which was -- I believe that particular configuration was new for 2001, but I believe it's also a camo pattern there that they had changed. But it was representative of a three-and-a-half inch chambered 11-87 Super Magnum that was used there to describe that product.

Q And then right in the middle is there another Super Mag?

A Yes, there is. The 870 SPS Super Mag Camo, which was also a new camo pattern, Mossy Oak Break-Up I believe was the pattern there for the 2001 year. That would have been used to describe that particular product. I believe in this case there were two SKUs, SKU 24952 and 24949.

Q When would the 2001 catalog have been printed, approximately?

A Late 2000. So December of 2000.

Q And when would it have been available for distribution to the public?

A In January of 2001.

Q So this catalog would have been in use in commerce before July 1, 2001?

A Oh, without question. It would have been used in commerce prior to that date.

Q And to the best of your knowledge, are these true and accurate copies of an excerpt of the 2001 Remington catalog?

A Yes, they are.

Q Let me hand you what we will mark as Exhibit 6.

(Exhibit Number 6 was marked for identification.)

BY MR. WHARTON:

Q Could you tell us what Exhibit 6 is, please?

A Yes. This would be the 2001 Remington parts

price list. This is a price list that is distributed to Remington authorized repair centers throughout the United States. This contains parts descriptions, part numbers, as well as description of the part and pricing therein.

Q Let me direct you to the page marked 242 and on through pages 248 and 250. Could you describe if Super Mag is used, and if so, on how many of those pages?

A Yes, it is used. And just at first glance I can see on page 246, without going very far into this, there's a part No. 99965 listed as a magazine plug, 12 gauge Super Mag. There is a part No. 99834, it says, "Port Cover 12 Gauge Super Mag Matte."

Q Slow down just a little bit.

A Okay.

Q That's okay.

A Below that would be, "Port Cover 12 Gauge Super Mag Wingmaster." That's all just on this one page, 246. On the following page there would be, "Receiver Assembly," part No. 108671, "Receiver Assembly 12 Gauge Super Mag M/O Break-Up," which is Mossy Oak Break-Up. There's also a recoil pad listed on that page, "Recoil Pad Black Synthetic Super Mag." We could continue on through all these pages if we needed to, but that's --

Q Are those uses that you just called out similar to how other parts are described --

A Sure.

Q -- in various parts lists?

A Yes, they are.

Q Okay. And to the best of your knowledge, is this a true and accurate copy of the 2001 parts price list?

A Yes, it is.

Q Okay. Let me hand you what we will mark as Exhibit 7.

(Exhibit Number 7 was marked for identification.)

BY MR. WHARTON:

Q And if you would, please tell us what Exhibit 7 is.

A These are excerpts from the 2002 Remington full-line catalog.

Q And if you would, look at what is marked page 27. REM 27.

A Okay.

Q And, again, if you would, describe any use of Super Mag that's on this page.

A Yes. And if you'd refer back to the chart on that page, REM 0027, you'll see that it's there used again to describe both the 870 SPS Super Mag Camo and the 11-87 SPS Super Mag Camo products.

Q Is it similar to the 2001 catalog?

A Yes.

Q And to the best of your knowledge, is this a true and accurate copy of excerpts from the 2002 Remington catalog?

A Yes, it is.

Q I hand you what we will mark as Exhibit 8.

(Exhibit Number 8 was marked for identification.)

BY MR. WHARTON:

Q Could you describe Exhibit 8 for us, please?

A These are excerpts from the 2003 Remington full-line catalog.

Q And if I could direct your attention to the pages marked REM 36 and 37, could you describe any use of the Super Mag mark on these pages, please?

A Yes. It's used as a descriptive up in the top chart to describe the 870 SPS-T Super Mag Cantilever Barrel. And below that another 870 SPS-T Super Mag Camo. There's also two model 11-87 SPS-T Super Mags listed as well. And these would have been three-and-a-half inch chambered pump and semiautomatic shotgun descriptions.

Q And then over on page 37, same question.

A Yes. In the top chart you'll see the term Super Mag used to describe the 870 Express Super Mag Turkey, the Express Super Mag Turkey Camo, the Express Super Mag, the 870 Express Super Mag Synthetic, and the 870 Express Super

Mag Combo.

Q And to the best of your knowledge, is this a true and accurate copy of excerpts from the Remington 2003 catalog?

A Yes, it is.

Q Approximately how many catalogs are published each year?

A Wow. Half a million.

Q And would that be true going back to 2001?

A Yes, it would.

Q And what happens to those approximately half-million catalogs?

A Those catalogs are either distributed at trade shows, they are sent out in bulk to retailers, they are also direct mail to individual consumers, end users of the products that may call in to Remington to request a catalog.

So they would have been distributed a number of ways, but dispersed all through the United States to retailers, consumers, customers. Sales reps would carry them. And, as stated, they would be distributed at trade shows and other consumer shows, NRA shows, National Wild Turkey Federation Shows. That's just an example of some of the larger trade shows where the catalogs would have been available.

Q Okay. Let me hand you what we wil mark as Exhibit 9.

(Exhibit Number 9 was marked for identification.)

BY MR. WHARTON:

Q Could you describe for us this exhibit, please?

A This is the 2004 Remington full-line catalog. Excerpts from that catalog.

Q And if I could direct your attention to the page marked REM 44A, could you describe the use of the Super Mag mark on this page, please?

A Yes. It would have been used -- in the top chart you can see Super Mag used to describe the 870 Express Super Mag Turkey, the 870 Express Super Mag Turkey Camo, 870 Express Super Mag, the 870 Express Super Mag Synthetic, and the 870 Express Super Mag Combo.

Q And to the best of your knowledge are these pages true and accurate copies of an excerpt from the Remington 2004 catalog?

A Yes, they are.

(Exhibit Number 10 was marked for identification.)

BY MR. WHARTON:

Q I hand you what we've labeled as Exhibit 10. Would you describe for us this exhibit, please?

A This is the 2005 Remington full-line product catalog, or excerpts of the 2005 Remington full-line

product catalog.

Q And if I could direct you to page 53A, could you describe any use of the Super Mag mark on this page?

A Yes. In the first chart at the top it's used to describe the 870 SP-T Super Mag Thumbhole, the 11-87 SPS-T -- actually, that's Super Magnum in that case. The SPS-T Super Mag Camo is listed in that first chart.

The second chart shows 870 SPS Super Mag Camo, the 11-87 SPS Super Mag Camo. Down at the bottom chart there's also more descriptions using Super Mag for the 870 Express Super Mag Fall Flight, Express Super Mag Turkey, 870 Express Super Mag Turkey Camo, 870 Express Super Mag, 870 Express Super Mag Synthetic, 870 Express Super Mag Combo.

Q And just so the record is clear, all of the products that you've described, and not just in this 2005 catalog but the preceding catalogs, are all shotguns; is that correct?

A That is correct, they are all shotguns.

Q And to the best of your knowledge, is this a true and accurate copy of excerpts from the Remington 2005 catalog?

A Yes, it is.

Q I'd like to hand you what we'll mark as Exhibit 11.

(Exhibit Number 11 was marked for identification.)

BY MR. WHARTON:

Q Could you describe for us this exhibit, please?

A Yes, these are excerpts from the 2006 Remington full-line catalog.

Q And if I can direct you to the pages marked REM 58 and 59, could you again describe how Super Mag is used on these pages?

A Yes. On 58 you can see Super Mag used to describe the 11-87 SPS Super Mag Camo. On 59 you can see the descriptions basically noted in the previous catalogs for the 870 Express Super Magnum or Super Mag products, the 870 Express Super Mag, Super Mag Turkey, Super Mag Turkey Camo, 870 Express Super Mag, Super Mag Synthetic, and Super Mag Combo.

Q And, again, those are all shotguns?

A Yes, they are shotguns.

Q And to the best of your knowledge, are these true and correct copies of an excerpt from the Remington 2006 catalog?

A Yes, they are accurate.

Q Let me hand you what we will mark as Exhibit 12.

(Exhibit Number 12 was marked for identification.)

BY MR. WHARTON:

Q If you would please describe for us this

exhibit?

A This would be the Remington 2000 -- excerpt from the Remington 2007 full-line catalog.

Q And if I can direct you to the pages marked REM 61 through 65, could you describe any use of Super Mag on these pages, please?

A Yes. On 61 under the category heading "More New Firearms," you'll see the 11-87 SPS Super Mag Waterfowl listed. Two items below that is the 870 Express Super Mag Waterfowl. Two items below that is the 870 SPS Super Mag Max Gobbler.

On page 62 you'll see listed as a descriptive under the pictures and photographs the product model 11-87 SPS Super Mag Waterfowl, the model 11-87 SP-T Super Mag Thumbhole. On page 63, similar to how it was used on the preceding page under the photographs, the model 870 SPS Super Mag Max Gobbler, the 870 Super Mag SP-T Thumbhole, and the 870 SPS-T Super Mag.

Q And then on pages 64 and 65 is there a similar use there?

A Yes. As in the preceding catalog excerpts in the product specifications tables, the shotgun specification tables, it shows the use of Super Mag in both the 11-87, the 870 Express, and the 870 Special Purpose shotgun descriptions on those tables.

Q Okay. You don't need to call out the products again. But that's just referring back to --

A Using it in the same manner, the 870 Express Super Mag Turkey, 870 SPS Super Mag Camo Max Gobbler, et cetera.

Q And to the best of your knowledge, is this a true and correct copy of the excerpts from the 2007 catalog?

A Yes.

Q I'll hand you what we will mark as Exhibit 13.

(Exhibit Number 13 was marked for identification.)

BY MR. WHARTON:

Q Can you describe Exhibit 4 for us, please?

A These are excerpts from the 2008 Remington full-line catalog.

Q And if I could direct you to pages 68 and 72 through 74, could you describe any use of the Super Mag mark on these pages, please?

A Yes. On page 68 it's used as a descriptive below the photograph -- the partial photograph of the 11-87 Sportsman Super Mag Waterfowl, as well as the 11-87 Sportsman Super Mag SureShot Turkey.

On page 72, it's used in the same manner, below a photograph of model 870 SPS Super Mag Max Gobbler. And then it's also used in the shotgun specification

charts on page 73 to describe the 11-87 Sportsman Super Mag, Sportsman Super Mag Waterfowl, 11-87 Sportsman Super Mag SureShot Stock.

It's also used on page 74 to describe the 870 Express Super Mag Turkey, Super Mag Waterfowl, Super Mag Camo. Basically all the other Express Super Mag descriptions as we've seen in the previous catalog excerpts.

Q To the best of your knowledge, is this a true and accurate copy of excerpts from Remington's 2008 catalog?

A Yes.

Q Okay. I'd like to hand you what we'll mark as Exhibit 14.

(Exhibit Number 14 was marked for identification.)

BY MR. WHARTON:

Q Mr. Trull, we looked at this before as the specimen. In addition to use in the catalog, what does Exhibit 14 show as additional use of the Super Mag mark?

A It shows additional use on the actual products themselves, on the packaging for which the product would be contained. These are the box end labels that would note the product that's contained within that particular package. And as you can see from the first description line there, the top picture would be describing the model

870 SPS-T Super Mag Turkey. The photo below that would be describing the model 11-87 SPS Super Mag. And both these would be three-and-a-half inch chambered shotguns.

Q And to the best of your knowledge was Remington using packaging with Super Mag on it prior to July 2001?

A Yes. That would have been a consistent use of the Super Mag term and description throughout the life cycle of this product.

Q Where else would Remington use the Super Mag mark in addition to the catalogs and product packaging?

A It would also likely be used in price lists. It could be used in product presentations that may have been given to customers or outdoor writers. It could be used on signage at trade show exhibits. Could be -- although I don't have a specific example, it could be used in advertising copy as well. Website, web-based descriptions. So it would have been very prominently used.

Q And to the best of your knowledge, are these true and accurate copies of box ends --

A Yes, these are true and accurate copies.

Q -- in Exhibit 14?

A Yes, in Exhibit 14.

Q And is Remington still selling product using labels such as Exhibit 14?

A Yes.

Q The other use you just mentioned at trade shows, et cetera, would Remington use Super Mag in a manner similar to what we've seen in the catalog and the box ends?

A Yes. Typically at a trade show you would have a product on display with a tag positioned underneath that particular product that would have a description of that item. So it would logically follow suit that it would be used in the same manner that it would have been used in the catalog.

Q And have you personally attended trade shows where such use occurs?

A Yes.

Q Can you name some of those trade shows?

A I've attended every shot show since 2001. I've attended several NRA shows, I've attended the NASGW shows, attended the Safari Club show in both Reno and in Dallas. So, yes, I've been attending these trade shows since my employment at Remington.

Q Are these annual shows?

A Yes, these are all annual shows.

Q Do you recall if at the 2001 Shot Show whether the term Super Mag was used?

A The 2001 Shot Show, yes, absolutely.

Q Let me hand you what I will mark as Exhibit 15.

(Exhibit Number 15 was marked for identification.)

BY MR. WHARTON:

Q Could you describe for us Exhibit 15, please?

A Yes. These would be excerpts from the new 2009 Remington full-line catalog.

Q Does this material also appear on the website?

A Yes.

Q So the 2009 catalog is reproduced on --

A On the website, yes, it is. It's downloadable as a PDF file, either the full catalog or pages within.

Q And if I could direct you to Remington 290, can you describe any use of Super Mag on this page?

A Yes. It's used, as previously noted, underneath some of the photographs of products. 11-87 Sportsman Super Mag Waterfowl, 11-87 Sportsman Super Mag Synthetic, and the 11-87 Sportsman Super Mag SureShot Turkey.

Q Again, all shotguns?

A All shotguns.

Q And to the best of your knowledge, is this a true and accurate copy of material off of Remington's website, as well as the 2009 -- excerpts of the 2009 catalog?

A Yes, it is.

MR. WHARTON: Why don't we take a couple

minute break now if that's okay.

(Recess taken.)

BY MR. WHARTON:

Q Mr. Trull, before the break you mentioned you were at the 2001 Shot Show. Could you tell us the approximate date of the show?

A I believe the 2001 Shot Show would have been in January of 2001. That was in New Orleans, if I recall correctly.

Q Mr. Trull, are you familiar with the respondent's trademark?

A Yes, I am.

Q By respondent I mean Mr. Burns.

A Yes, I am.

Q And what is his mark?

A "Supermag."

Q And is that the same as your mark?

A Identical. I think ours has maybe a space between Super and Mag, but in pronunciation and spelling it's identical. It's the same.

Q So they sound the same, correct?

A That's correct.

Q And they look the same or similar in print?

A That is correct.

Q And as you said, does the space have any

significance in the commercial context?

A In the commercial context, no.

Q And to your knowledge what goods does the respondent use the Supermag mark in conjunction with?

A I believe he uses the Supermag mark in conjunction with hunting stands.

Q And to the best of your ability could you describe Remington's goods?

A Remington, in addition to -- speaking in terms of Remington in general, Remington, in addition to firearms and ammunition, is basically very broad and encompassing in the outdoor world, particularly in the hunting area.

We either directly sell or through licensees touch virtually all areas: Pet products, hunting stands is one area through licensees, hunting clothing, knives, home decor even that's related to hunting and shooting in the outdoors. So in addition just to firearms and ammunition, Remington is basically all encompassing in terms of hunting and shooting in the outdoors as a lifestyle brand.

Q You mentioned hunting stands. Are those the same type products as respondent's products?

A Yes, they would be. There may be subtle differences in terms of configuration, but the

applications would be used exactly the same. The same application, same use in terms of hunting. Probably most likely in most cases deer hunting. But, yes, they would be one and the same as far as what they are and how they're used.

Q Did the catalogs -- do the Remington catalogs display any of the goods that you mentioned that Remington sells other than the firearms that we looked at earlier?

A Yes. We typically dedicate -- typically, it's the back page or two pages of our catalog. It usually doesn't go into great detail, but it shows excerpts and a contact name for each of the licensees and the products that they license.

So we would have a picture of hunting stands with the licensee's name and contact information, as well as apparel, game calls, pet products, safes. All those would be pictured typically in the back section of the catalog. They would also be available for viewing on our website as well, again, directing folks to those particular licensees for those products.

Q Into what channels of trade does Remington sell some, all, or any of those products you just mentioned?

A Basically all channels of distribution and trading in the industry. That would be through either two-step distributors, which are also known a wholesalers,

our licensees would also sell direct to mass merchant retailers such as Wal-Mart, Dick's Sporting Goods, Gander Mountain, Big Five, Cabella's, Bass Pro Shops, as well to individual dealers either on a direct basis or through what we refer to as buying groups. Basically it's a syndicate of dealers that are organized under a centralized headquarters to bring basically the buying power of a two-step distributor or wholesaler.

So Remington sells through all those channels. Many of our licensees are selling through those exact channels as well.

Q And that, for example, would be a nationwide use?

A That would be a nationwide use. That would not be limited to a regional basis.

Q And then with respect to advertising, what sort of channels would you advertise any or all of those goods?

A They would be advertised through mainstream media, which would include print advertising in outdoor publications such as Outdoor Life, Field and Stream, trade publications. Shot Business I think is probably one of the better known. That's a publication that's distributed mainly to retailers.

Television, as far as either television show sponsorships or actual television advertisements,

web-based outlets, websites, direct mail campaigns to targeted consumers. Basically all of your typical forms of media and communications media for advertising and communicating with either the customer, being the retailer or distributor, or the consumer being the end user of the product.

Q What good or goods comprise Remington's core business?

A Remington is primarily a hunting and shooting based company, so that is the core of our business. And I think if you maybe would expand it out, the actual core would be the firearms and the ammunition business.

And through longevity and nearly 200 years in the industry, Remington has, through its brand reach and recognition and value that's there with the consumer, expanded all throughout that particular space in the marketplace. All of the hunting and outdoors and shooting outlets of the industry.

Remington basically has, through its longevity, extended into all levels within that particular category. Not just firearms and ammunition, but extending broadly into subcategories that would be there in support of that particular industry.

Q With respect to any Remington good, or a good with the Remington mark on it, are buyers attracted to

those goods?

A Yes. Buyers, specifically end users. As I mentioned a moment ago, Remington is a 200-year-old -- nearly a 200-year-old name. It's top of mind with anyone who's familiar with hunting and shooting certainly. In fact, I looked at a recent brand survey. I think it was Sporting Goods Business in the November '08 issue that did a brand awareness study that showed Remington in outdoor brands was the number two brand, second only to Nike. So very, very broad-based awareness.

Q How does that translate into consumers making decisions at the point of purchase? Are they more careful or less careful based on presence of the Remington name?

A I think when a consumer sees the Remington name on a product, they intuitively associate that with a name that they can trust, a brand that has been around for a long, long time, a brand that has, you know, proven itself over and over again that it's going to be there for the long haul, that there's going to be some certification and validation of the integrity of those products and how they're going to perform.

And when a person is venturing out into the woods to hunt, the safety of those products becomes a factor. So I think that when a consumer sees the Remington name or Remington brand, or any of its

sub-brands for that matter associated with a particular product, that automatically makes that connection of trust with that consumer.

And so I think if they see a product that's maybe at a moderate price point or an opening price point, whereas if it was a name that they didn't recognize or weren't familiar with, they may be more careful in terms of purchasing that brand. But if they see the Remington brand associated with that, then I think there's an intuitive connection there that takes place with the consumer that says if Remington put their name associated with this product, then it's a product that I can -- I know that someone's standing behind it that I can trust and I'll be satisfied with the performance of that product.

Q Would you gauge the strength of the Remington mark in terms of your ability to license it?

A Oh, absolutely. Our brand is extremely strong. I mean, the licensing -- we screen our licensees. We have a number of potential licensees that we would review and perhaps choose not to partner with that particular licensee because we didn't feel comfortable associating our name with that particular product.

So I think licensees -- we hear it time and time again, they recognize the value and the reach and

extension of the Remington brand. And it helps them to take a product that they would have to start from scratch from the ground up to try to aggressively advertise and promote and attempt to create a name for themselves, and by being able to associate themselves with the Remington brand, that work has already been done. That name is already there. It's already prominent in the minds of the consumer and end users. And licensees absolutely acknowledge that and are willing to pay royalties to Remington for the use and strength of that brand.

Q Moving from the Remington brand to what I will refer to as sub-brands, could you name some sub-brands and perhaps the products with which they're used? Firearms ammunition, et cetera?

A I know that some of the sub-brands -- just some examples of those would be Super Mag or Wingmaster or Premier, Parker. These are all associated brands with Remington and have been used in certain areas.

It's a logical extension for some of our licensees in game calls or safes or apparel to associate some of these sub-brands with some of the products as they fit accordingly. You know, Wingmaster makes a great association for a duck call. Premier makes a great association for a gun safe. So in addition to just the strength of the Remington brand, it only makes sense for

some of that connectivity to take place there with the sub-brands as well.

Q I think you were touching on connotations that may arise from a sub-brand. Are there any that attach to Super Mag?

A Sure. I mean, Super Mag typically would -- in terms of how we first used Super Mag, it was used to describe a three-and-a-half inch shot shell, which means it's very large, very powerful. Magnum by itself has been used since they've had cartridges -- brass cartridges to describe a very powerful and strong shell and performance.

So to use something in a pretense of Super Mag would connotate, large, strong, you know, heavy duty. So those would be some associated connotations that I would see with Super Mag.

Q As far as you know, is Remington the only company using Super Mag with respect to firearms?

A Absolutely. Absolutely.

Q Although Magnum and Mag is used elsewhere?

A Yes.

Q No one else is using Super Mag?

A No one else is using Super Mag.

Q Or Super Magnum?

A Or Super Magnum on firearms, no.

Q Going back to the point of purchase, would the

presence of a sub-brand assist a potential customer in making a purchasing decision?

A Absolutely. Just to use an example, I used the term Wingmaster earlier. Wingmaster was a sub-brand associated with the early model 870 that Remington introduced. And to this day you'll hear people describe their product -- and even in Super Mag I hear people all the time tell you that, "I've got one of your -- I've got one of your Super Mags." Or, "I've got a Wingmaster." They default to that sub-brand to refer to that product.

So it would be only logical in the mind of a consumer if they walk into a retail setting to see one of those sub-brands associated with the Remington name and a Remington product to associate that particular sub-brand with the product from Remington.

Q Would they be enticed to make the purchase based on the presence of the sub-brand alone?

A Sure they will. Sure they would. You know, as we discussed earlier, particularly if you've got a moderately priced product or something that maybe a person might ordinarily proceed with greater caution, to see the associated brand of Remington with that particular product would certainly cause less skepticism or weariness on the part of the consumer to make that purchase. Their confidence level certainly would be higher.

Q Are you aware of any goods other than Remington's -- what goods, both direct and through licensees, has Remington used the Super Mag mark on?

A The only goods that I'm aware of that Remington has used the Super Mag mark on was firearms. I know there was some use by our tree stand licensee, which I think was perhaps the point of the action from the trademark office.

Mr. Burns' registration and mark for Supermag, I think, and our tree stand licensee use of Super Mag presents one of those cases at retail that would be perhaps likely to confuse that consumer in thinking if he saw Mr. Burns' product with Supermag on it that that's a Remington or associated with the Remington name and the Remington brand.

Q So I'm trying to get a list of what products Super Mag appears on, whether yours or anyone else's.

A Firearms from us. And I don't know of Super Mag used on any other product other than Mr. Burns'.

Q Tree stands?

A Tree stands.

Q Okay. Going back to who you sell your products to. And let me step back for a second. The licensee at this point -- your licensee -- tree stand licensee at this point is not using the Super Mag mark?

A That is correct.

Q Are they using other sub-brands?

A Yes, they are. I know for a fact they're using Express. They're also using the Ultra Mag, which I think is their largest -- it makes sense, it's their largest platform ladder stand, I believe. So those are two that I know for certain that they are currently using.

Q You mentioned the channels of trade into which you sell. Is it possible that Mr. Burns' product, tree stands, are sold through the same or similar channels of trade?

A I would say that it's very likely that it's sold through the same channels of trade. His product is going to be sold through the same outlets to reach the same consumers that ours would. So it would be typical to see his product in a retail setting ultimately on the shelf.

I don't know if he sells through distributors, but ultimately to reach the end consumer the outlets are going to be the same, whether it's through a larger nationally known retailer or through a small independent dealer or a sporting good store to reach the consumer. Those products are going to have to go through the same channels.

Q And what are some of those channels? I think you touched on some, but could you specifically call out what those channels are?

A Could be Gander Mountain, Dick's Sporting Goods, it could be a gun dealer, a sporting goods store, it could be a small store front or a larger retail setting. But those are some examples of where that would take place.

Dick's Sporting Goods, Cabella's, Gander Mountain, Bass Pro, and then local sporting good stores throughout the country that are dispersed throughout the United States, all of those market and sell products to the hunting -- to the sportsman, to the hunter, or to the shooter.

Q The customer that's going to buy a hunting or tree stand, are they also going to be in the market for products that Remington sells?

A Certainly. Just by nature alone, a hunting stand is associated with hunting products. Remington makes firearms, ammunition, and also through licensees, hunting apparel, camouflage clothing, game calls, pet products. So, yeah, just by nature of what a hunting stand is, it's going to be utilized with products that are marketed and sold by our licensees.

Q Is the hunting stand market a subset or niche of Remington's total market?

A Yes. Yes, it is a subset of Remington's total market. The hunting market, a subset of that would be hunting stands.

MR. WHARTON: Counsel, I'm going to go through some sales figures in a moment, but I want to get into some general numbers or general comments first before we get into numbers.

BY MR. WHARTON:

Q With respect to sales of product going back to -- what year do you have knowledge back to on the sale of products sold in conjunction with Remington's use of Super Mag?

A That I have knowledge of would be back to 1998 when the 870 Express Super Mag was first introduced.

Q And in that year would there have been over a million dollars of sales of product?

A Absolutely.

Q And in '99 would there have also been over a million dollars of sales?

A I can safely say that there's been over a million dollars of sales every year since then up through 2008.

Q And in those sales, does it include a changing number of products that use the Super Mag mark?

A Yes. It typically has stayed with shotguns. But I mentioned earlier in our discussions it's not uncommon that as camouflage patterns evolve and new patterns are introduced and new features are introduced

What were those again?

A Core goods for Remington are firearms and ammunition.

Q And is that what Remington started out manufacturing?

A Remington started out manufacturing firearms components in the early 1800s, then progressed into complete firearms by the late 1800s. And over the course of the late 19th century, early 20th century, through some mergers and acquisitions, became involved in the ammunition business as well.

So early on in the 20th century Remington would have been manufacturing firearms and ammunition through both World Wars, very prolific in terms of scale, and continuously on through the 20th century and now into the 21st.

Q From those core goods, where did Remington expand into?

A Remington has expanded from those core goods into all aspects of the hunting and shooting industry, through clothing, cutlery, knives, accessory products, gun care, cleaning kits, gun oils, hunting stands, licensees, clothing through licensees, game calls, footwear, optics used in terms of binoculars, packs, hunting packs, backpacks, home furnishings, other accessories that would

be associated with hunting cabins and things of that nature, pet products.

Q Are you still licensing the Remington mark to a hunting stand manufacturer?

A Yes, we are.

Q What is Remington Country?

A Remington Country is -- it's basically an advertising or a marketing communication strategy that was set forth in I guess the late 1990s. And basically Remington Country, you know, represents that overall broad experience in the outdoors. It represents a lifestyle. It represents my own or your own or someone else's own personal state of mind in terms of what the outdoors means to them. So Remington Country is basically an all-encompassing experience that goes hand in hand with Remington's reach into the outdoors.

Q In your opinion, is there a likelihood of confusion between Remington's use on firearms and Mr. Burns' use of the Supermag mark on hunting stands?

A I could see where there is a definite likelihood of confusion just by the nature of the type of business that we're in and the type of business that he is in. They are one and the same. They're interrelated. Hunting stands and hunting are like a hand and a glove.

It only seems natural that there would be a

likelihood of confusion when a consumer sees a mark that they would associate with the Remington brand on another product for them to become or potentially become confused as to the source of that product.

Q Describe the person or persons that would experience that confusion.

A A consumer, a hunter, a deer hunter that would be going to a retail store, who may or may not own a Remington firearm but certainly is going to be familiar with the Remington brand or products that goes into a retail environment to purchase a hunting stand. And in that retail environment there's going to be products offered by Remington in that setting, whether it be firearms or ammunition or other accessories that go along with it.

So that particular person -- it could be a deer hunter, it could be -- you know, in this particular case it would likely be someone who's going to be hunting from a hunting stand, which would first and foremost speak to a consumer that participates in big game hunting.

Q Would a hunter use a product that's marked or sold under the Supermag mark for a hunting stand?

A Sure. A hunter that hunts deer with a shotgun slug or buck shot. A deer hunter would likely hunt deer from a hunting stand. In fact, there's some states where

they only allow deer hunting with a shotgun. In this case, it would be very likely that a person who hunts deer with a shotgun slug would hunt deer with a shotgun slug from a hunting stand.

Q And in your opinion, if Mr. Burns' use extends from hunting stands to other outdoor products, would there also be a likelihood of confusion with those outdoor products as well?

A Yes, I think that one could easily draw the conclusion that a consumer would associate that product using the Supermag mark with a product that's backed by the Remington Arms Company.

Q And when you say someone familiar with the Remington mark in a retail setting, what are you referring to when you say the Remington brand?

A What am I referring to when I say Remington brand? Firearms, ammunition, and any associated products.

Q Would that include sub-brands as well?

A Sure it includes sub-brands. Super Mag, Ultimate Mag, Wingmaster, Premier, any of the related sub-brands.

Q Staying on sub-brands for a minute, what are the top sub-brands that Remington uses?

A Wingmaster, Super Mag. And I'm speaking just in terms of firearms here. Premier, Sportsman, Express.

Those would make up the top sub-brands that Remington would use.

Q Would you say that Remington cultivates a reputation around those sub-brands, just as it does its house mark, Remington?

A Oh, absolutely. I think those products earn, sometimes, legs of their own. As I mentioned before, we hear constantly, when talking to consumers, that they'll approach us and say, "I've owned one of your Wingmasters for 47 years. It was my father's gun." Or, you know, "I've got one of your Super Mags," you know. So it's not uncommon for us to hear consumers referring to, you know, a particular product that we manufacture and sell as, you know, referring to it by the sub-brand name.

Q Are there sub-brands for ammunition?

A Yes, there are. Some of them are similar, or in some cases identical to the sub-brands we use on the firearms side, Sportsman, Wingmaster, Premier. Core Lokt is probably the best known name from an ammunition standpoint as a sub-brand for Remington. Express also is used with Remington ammunition products. So ammunition does have sub-brands that they use. And in many cases -- some cases they are used interchangeably with the firearm sub-brands.

Q You mentioned earlier that approximately half a

million catalogs get distributed. What are some of the -- who are some of the recipients of those catalogs?

A Retailers in terms of mass merchants or gun shops, sporting good stores. We also send those directly to consumers, direct mail to consumers. Typically they would either request a catalog on line or actually call and speak to one of our consumer service representatives and that catalog would be mailed at that time. Customers in terms of wholesale buyers, retail buyers.

Catalogs are also distributed to outdoor writers, editors of publications. Our catalogs typically touch every constituent in this particular industry.

MR. WHARTON: No further questions.

MR. TURMAN: Okay.

MR. WHARTON: Do you have any cross?

MR. TURMAN: No, I don't.

(The deposition concluded at 3:05 p.m.)

(Signature reserved.)

STATE OF NORTH CAROLINA
COUNTY OF ROWAN

REPORTER'S CERTIFICATE

I, Wendy Alcock, a Notary Public in and for the State of North Carolina, do hereby certify that there came before me on Thursday, the 26th day of February, 2009, the person hereinbefore named, who was by me duly sworn to testify to the truth and nothing but the truth of his knowledge concerning the matters in controversy in this cause; that the witness was thereupon examined under oath, the examination reduced to typewriting, and the deposition is a true record of the testimony given by the witness.

I further certify that I am neither attorney or counsel for, nor related to or employed by, any attorney or counsel employed by the parties hereto or financially interested in the action.

IN WITNESS WHEREOF, I have hereunto set my hand, this the 8th day of March, 2009.

Wendy Alcock

Wendy Alcock, Notary Public
Notary Number: 200831800235

WITNESS'S CERTIFICATE

I, JOHN TRULL, do hereby certify that I have read and understand the foregoing transcript and believe it to be a true, accurate, and complete transcript of my testimony, subject to the attached list of changes, if any.

JOHN TRULL

This deposition was signed in my presence by John Trull, on the 13th day of April, 2009.

Notary Public

My commission expires:

OFFICIAL SEAL
NOTARY PUBLIC - NORTH CAROLINA
COUNTY OF STOKES
LAUREN A. COE
My Commission Expires May 17 2010

No Changes

CaseWorks, Inc.
1550 Westbrook Plaza Drive (Page 1 of 2)
Winston-Salem, North Carolina 27103-1328

E R R A T A S H E E T

Re: RA Brands, LLC vs. Robert Austin Burns, Jr.

Deposition of: John Trull

Please read this transcript with care, and if you find any corrections or changes you wish made, list them by page and line number below. DO NOT WRITE IN THE TRANSCRIPT ITSELF. Return the Certificate and Errata Sheet to this office after it is signed. We would appreciate your prompt attention to this matter.

To assist you in making any such corrections, please use the form below. If supplemental or additional pages are necessary, please furnish same and attach them to the errata sheet.

Page _____ Line _____ should read: _____

Page _____ Line _____ should read: _____

Page _____ Line _____ should read: _____

Page _____ Line _____ should read: _____

Page _____ Line _____ should read: _____

Page _____ Line _____ should read: _____

Page _____ Line _____ should read: _____

Page _____ Line _____ should (Page 2 of 2)
read: _____

Page _____ Line _____ should
read: _____

Page _____ Line _____ should
read: _____

Page _____ Line _____ should
read: _____

Page _____ Line _____ should
read: _____

Page _____ Line _____ should
read: _____

Page _____ Line _____ should
read: _____

Page _____ Line _____ should
read: _____

Page _____ Line _____ should
read: _____

Page _____ Line _____ should
read: _____

Page _____ Line _____ should
read: _____

T	RA Brands, L.L.C. (trademarkswinston@wcsr.com)
Subject:	TRADEMARK APPLICATION NO. 78738013 - SUPER MAG - 27584.0084.3
Sent:	7/6/2007 8:52:17 AM
Sent As:	ECOM111@USPTO.GOV
Attachments:	

UNITED STATES PATENT AND TRADEMARK OFFICE

SERIAL NO: 78/738013

MARK: SUPER MAG

78738013

CORRESPONDENT ADDRESS:
RANDEL S. SPRINGER
WOMBLE CARLYLE SANDRIDGE & RICE, PLLC
1 W 4TH ST
WINSTON-SALEM, NC 27101-3818

GENERAL TRADEMARK INFORMATION:
http://www.uspto.gov/main/trademarks.htm

'PLICANT: RA Brands, L.L.C.

CORRESPONDENT'S REFERENCE/DOCKET NO:
27584.0084.3

CORRESPONDENT E-MAIL ADDRESS:
trademarkswinston@wcsr.com

NOTICE OF SUSPENSION

SSUE/MAILING DATE: 7/6/2007

'his letter responds to the applicant's communication filed on June 28, 2007.

'he amendments made to the application regarding Section 2(f) of the Act and the disclaimer statement are accepted.

SUSPENSION PROCEDURE: This suspension notice serves to suspend action on the application for the reason(s) pecified below. No response is needed. 37 C.F.R. §2.67. However, periodic status checks will be conducted and the xamining attorney may issue inquiries at 6 month intervals from the mailing date of this notice. TMEP §716.05. If a tatus inquiry Office action issues, applicant will have 6 months from the mailing of the status inquiry to respond. 15 J. C. §1062(b); 37 C.F.R. §2.62.

Petitioner's Exhibit
RA Brands, LLC v. Burns
Cancellation No. 92048334

EXHIBIT
tabbies
1

Action on this application is suspended pending the disposition of:

- The Cancellation Proceeding with respect to US Reg. No. 2945099

The proceeding(s) above pertains to one or more of the following: (1) a registration cited as a bar to applicant's registrati under Section 2(d) of the Trademark Act, (2) a pending application(s) that could present a future bar to registration under Section 2(d) if it matured into a registration, and/or (3) the registrability of applicant's mark. 15 U.S.C. §1052. Therefor action is suspended pending the final disposition of this proceeding(s). See 37 C.F.R. §2.83; TMEP §§716.02(a), (c) and d), 1208 et seq. Any refusal(s) made under Section 2 is herein maintained.

/James Ringle/

Trademark Attorney

Law Office 111

571-272-9393

jim.ringle@uspto.gov

STATUS CHECK: Check the status of the application at least once every six months from the initial filing date using th USPTO Trademark Applications and Registrations Retrieval (TARR) online system at http://tarr.uspto.gov. When conducting an online status check, print and maintain a copy of the complete TARR screen. If the status of your application has not changed for more than six months, please contact the assigned examining attorney.

	RA Brands, L.L.C. (trademarkswinston@wcsr.com)
Subject:	TRADEMARK APPLICATION NO. 78738013 - SUPER MAG - 27584.0084.3
Sent:	7/6/2007 8:52:18 AM
Sent As:	ECOM111@USPTO.GOV
Attachments:	

IMPORTANT NOTICE

USPTO OFFICE ACTION HAS ISSUED ON 7/6/2007 FOR APPLICATION SERIAL NO. 78738013

Please follow the instructions below to continue the prosecution of your application:

VIEW OFFICE ACTION: Click on this lin
http://portal.uspto.gov/external/portal/tow?DDA=Y&serial_number=78738013&doc_type=SUL&mail_date=20070
or copy and paste this URL into the address field of your browser), or visit **http://portal.uspto.gov/external/portal/to**
and enter the application serial number to **access** the Office action.

PLEASE NOTE: The Office action may not be immediately available but will be viewable within 24 hours of thi
cation.

RESPONSE MAY BE REQUIRED: You should carefully review the Office action to determine (1) if a response i
required; (2) how to respond; and (3) the applicable **response time period**. Your response deadline will be calculated fro
7/6/2007.

Do NOT hit "Reply" to this e-mail notification, or otherwise attempt to e-mail your response, as the USPTO doe NOT accept e-mailed responses. Instead, the USPTO recommends that you respond online using the Trademar Electronic Application System response form at http://www.uspto.gov/teas/eTEASpageD.htm.

HELP: For *technical* assistance in accessing the Office action, please e-mail TDR@uspto.gov. Please contact the assigned examining attorney with questions about the Office action.

WARNING

1. The USPTO will NOT send a separate e-mail with the Office action attached.

2. Failure to file any required response by the applicable deadline will result in th ABANDONMENT of your application.

OVERVIEW

SERIAL NUMBER	78738013	FILING DATE	10/21/2005
REG NUMBER	0000000	REG DATE	N/A
REGISTER	PRINCIPAL	MARK TYPE	TRADEMARK
INTL REG #	N/A	INTL REG DATE	N/A
TM ATTORNEY	RINGLE, JAMES W	L.O. ASSIGNED	111

PUB INFORMATION

RUN DATE	06/29/2007
PUB DATE	N/A
STATUS	661-RESPONSE AFTER NON-FINAL-ACTION-ENTERED
US DATE	06/28/2007
LITERAL MARK ELEMENT	SUPER MAG

DATE ABANDONED	N/A	DATE CANCELLED	N/A
SECTION 2F	YES	SECTION 2F IN PART	NO
SECTION 8	NO	SECTION 8 IN PART	NO
SECTION 15	NO	REPUB 12C	N/A
RENEWAL FILED	NO	RENEWAL DATE	N/A
DATE AMEND REG	N/A		

FILING BASIS

FILED BASIS		CURRENT BASIS		AMENDED BASIS	
1 (a)	YES	1 (a)	YES	1 (a)	NO
1 (b)	NO	1 (b)	NO	1 (b)	NO
44D	NO	44D	NO	44D	NO
44E	NO	44E	NO	44E	NO

6[illegible]	NO	66A	NO		
NO BASIS	NO	NO BASIS	NO		

MARK DATA

STANDARD CHARACTER MARK	YES
LITERAL MARK ELEMENT	SUPER MAG
MARK DRAWING CODE	4-STANDARD CHARACTER MARK
COLOR DRAWING FLAG	NO

CURRENT OWNER INFORMATION

PARTY TYPE	10-ORIGINAL APPLICANT
NAME	RA Brands, L.L.C.
ADDRESS	870 Remington Drive Madison, NC 27025
[illegible]TY	16-LTD LIAB CO
CITIZENSHIP	Delaware

GOODS AND SERVICES

INTERNATIONAL CLASS	013
DESCRIPTION TEXT	Firearms

GOODS AND SERVICES CLASSIFICATION

INTERNATIONAL CLASS	013	FIRST USE DATE	00/00/1998	FIRST USE IN COMMERCE DATE	00/00/1998	CLASS STATUS	6-ACTIVE

MISCELLANEOUS INFORMATION/STATEMENTS

C[illegible]NGE IN REGISTRATION	NO
DISCLAIMER W/PREDETER TXT	"MAG"

PROSECUTION HISTORY

DATE	ENT CD	ENT TYPE	DESCRIPTION	ENT NUM
06/28/2007	TEME	I	TEAS/EMAIL CORRESPONDENCE ENTERED	012
06/28/2007	CRFA	I	CORRESPONDENCE RECEIVED IN LAW OFFICE	011
06/28/2007	TROA	I	TEAS RESPONSE TO OFFICE ACTION RECEIVED	010
12/28/2006	GNRT	O	NON-FINAL ACTION E-MAILED	009
12/28/2006	CNRT	R	NON-FINAL ACTION WRITTEN	008
11/15/2006	TEME	I	TEAS/EMAIL CORRESPONDENCE ENTERED	007
11/03/2006	CRFA	I	CORRESPONDENCE RECEIVED IN LAW OFFICE	006
11/03/2006	TROA	I	TEAS RESPONSE TO OFFICE ACTION RECEIVED	005
05/05/2006	GNRT	F	NON-FINAL ACTION E-MAILED	004
05/05/2006	CNRT	R	NON-FINAL ACTION WRITTEN	003
04/25/2006	DOCK	D	ASSIGNED TO EXAMINER	002
10/25/2005	NWAP	I	NEW APPLICATION ENTERED IN TRAM	001

CURRENT CORRESPONDENCE INFORMATION

ATTORNEY	Randel S. Springer
CORRESPONDENCE ADDRESS	RANDEL S. SPRINGER WOMBLE CARLYLE SANDRIDGE & RICE, PLLC 1 W 4TH ST WINSTON-SALEM, NC 27101-3818
DOMESTIC REPRESENTATIVE	NONE

SUPER MAG

Response to Office Action

The table below presents the data as entered.

SERIAL NUMBER	78738013
LAW OFFICE ASSIGNED	LAW OFFICE 111

MARK SECTION (no change)

ARGUMENT(S)

With respect to the refusal based on Section 2(d), Applicant has used the mark SUPER MAG to identify its firearms since at least as early as 1998. The cited mark claims a date of first use of June, 2001. In light of the fact that Applicant is the senior user of the mark, Applicant requests that the Examining Attorney suspend further action on this application to allow Applicant time to determine whether a co-existence agreement can be reached with the owner of the cited mark, or, alternatively, whether Applicant must petition to cancel the cited mark.

Having responded to the issues raised by the Examining Attorney, Applicant respectfully submits that the application is now in condition for passage to publication, which action is respectfully requested. If the Examining Attorney should have any further questions, please do not hesitate to contact us.

ADDITIONAL STATEMENTS SECTION

DISCLAIMER	"No claim is made to the exclusive right to use MAG apart from the mark as shown."
SECTION 2(f)	"The mark has become distinctive of the goods/services through the applicant's substantially exclusive and continuous use in commerce for at least the five years immediately before the date of this statement."

SIGNATURE SECTION

DECLARATION SIGNATURE	/Randy Springer/
SIGNATORY'S NAME	Randel S. Springer
SIGNATORY'S POSITION	Attorney of Record
DATE SIGNED	06/28/2007
RESPONSE SIGNATURE	/Randy Springer/
SIGNATORY'S NAME	Randel S. Springer
SIGNATORY'S POSITION	Attorney of Record
DATE SIGNED	06/28/2007

A'' ''ORIZED SIGNATORY	YES

FILING INFORMATION SECTION

SUBMIT DATE	Thu Jun 28 15:38:01 EDT 2007
TEAS STAMP	USPTO/ROA-66.193.220.126-20070628153801882419-7873 8013-37026cf606462cf5d1b8 472703d6814648a-N/A-N/A-2 0070628153301720254

Response to Office Action

'o the Commissioner for Trademarks:

,pplication serial no. **78738013** has been amended as follows:

.rgument(s)

ı response to the substantive refusal(s), please note the following:

With respect to the refusal based on Section 2(d), Applicant has used the mark SUPER MAG to identify its firearms since at least as early ɜ .. ⁄8. The cited mark claims a date of first use of June, 2001. In light of the fact that Applicant is the senior user of the mark, Applicant requests ıat the Examining Attorney suspend further action on this application to allow Applicant time to determine whether a co-existence agreement can e reached with the owner of the cited mark, or, alternatively, whether Applicant must petition to cancel the cited mark.

Having responded to the issues raised by the Examining Attorney, Applicant respectfully submits that the pplication is now in condition for passage to publication, which action is respectfully requested. If the Examining ıttorney should have any further questions, please do not hesitate to contact us.

.dditional Statements

No claim is made to the exclusive right to use MAG apart from the mark as shown."

The mark has become distinctive of the goods/services through the applicant's substantially exclusive and continuous use in commerce for at least ıe five years immediately before the date of this statement."

)eclaration Signature

'the applicant is seeking registration under Section 1(b) and/or Section 44 of the Trademark Act, the applicant had a bona fide intention to use or se through the applicant's related company or licensee the mark in commerce on or in connection with the identified goods and/or services as of the ling date of the application. 37 C.F.R. Secs. 2.34(a)(2)(i); 2.34 (a)(3)(i); and 2.34(a)(4)(ii). If the applicant is seeking registration under Section (a) of the Trademark Act, the mark was in use in commerce on or in connection with the goods or services listed in the application as of the ɔplication filing date. 37 C.F.R. Secs. 2.34(a)(1)(i). The undersigned, being hereby warned that willful false statements and the like so made are unishable by fine or imprisonment, or both, under 18 U.S.C. §1001, and that such willful false statements may jeopardize the validity of the ɔplication or any resulting registration, declares that he/she is properly authorized to execute this application on behalf of the applicant; he/she elieves the applicant to be the owner of the trademark/service mark sought to be registered, or, if the application is being filed under 15 U.S.C. 1[illegible](b), he/she believes applicant to be entitled to use such mark in commerce; to the best of his/her knowledge and belief no other person, firm, ɔ.. ation, or association has the right to use the mark in commerce, either in the identical form thereof or in such near resemblance thereto as to e likely, when used on or in connection with the goods/services of such other person, to cause confusion, or to cause mistake, or to deceive; that if ıe original application was submitted unsigned, that all statements in the original application and this submission made of the declaration signer's

nowledge are true; and all statements in the original application and this submission made on information and belief are believed to be true.

ıre: /Randy Springer/ Date: 06/28/2007

ignatory's Name: Randel S. Springer

ignatory's Position: Attorney of Record

esponse Signature

ignature: /Randy Springer/ Date: 06/28/2007

ignatory's Name: Randel S. Springer

ignatory's Position: Attorney of Record

he signatory has confirmed that he/she is an attorney who is a member in good standing of the bar of the highest court of a U.S. state, which ıcludes the District of Columbia, Puerto Rico, and other federal territories and possessions; and he/she is currently the applicant's attorney or an ssociate thereof; and to the best of his/her knowledge, if prior to his/her appointment another U.S. attorney or a Canadian attorney/agent not ırrently associated with his/her company/firm previously represented the applicant in this matter: (1) the applicant has filed or is concurrently ling a signed revocation of or substitute power of attorney with the USPTO; (2) the USPTO has granted the request of the prior representative to ithdraw; (3) the applicant has filed a power of attorney appointing him/her in this matter; or (4) the applicant's appointed U.S. attorney or Canadia torney/agent has filed a power of attorney appointing him/her as an associate attorney in this matter.

erial Number: 78738013

ıternet Transmission Date: Thu Jun 28 15:38:01 EDT 2007

EAS Stamp: USPTO/ROA-66.193.220.126-200706281538018

2419-78738013-37026cf606462cf5d1b847270

d6814648a-N/A-N/A-20070628153301720254

Γ	RA Brands, L.L.C. (trademarkswinston@wcsr.com)
Subject:	TRADEMARK APPLICATION NO. 78738013 - SUPER MAG - 27584.0084.3
Sent:	12/28/2006 2:44:07 PM
Sent As:	ECOM111@USPTO.GOV
Attachments:	

UNITED STATES PATENT AND TRADEMARK OFFICE

SERIAL NO: 78/738013

APPLICANT: RA Brands, L.L.C.

78738013

CORRESPONDENT ADDRESS:
RANDEL S. SPRINGER
WOMBLE CARLYLE SANDRIDGE & RICE, PLLC
1 W 4TH ST
WINSTON-SALEM, NC 27101-3818

RETURN ADDRESS:
Commissioner for Trademarks
P.O. Box 1451
Alexandria, VA 22313-1451

ARK: SUPER MAG

CORRESPONDENT'S REFERENCE/DOCKET NO: 27584.0084.3

CORRESPONDENT EMAIL ADDRESS:
trademarkswinston@wcsr.com

Please provide in all correspondence:

1. Filing date, serial number, mark and applicant's name.
2. Date of this Office Action.
3. Examining Attorney's name and Law Office number.
4. Your telephone number and e-mail address.

OFFICE ACTION

RESPONSE TIME LIMIT: TO AVOID ABANDONMENT, THE OFFICE MUST RECEIVE A PROPER RESPONSE TO THIS OFFICE ACTION WITHIN 6 MONTHS OF THE MAILING OR E-MAILING DATE.

MAILING/E-MAILING DATE INFORMATION: If the mailing or e-mailing date of this Office action does not appear above, this information can be obtained by visiting the USPTO website at http://tarr.uspto.gov/, inserting the application number, and viewing the prosecution history for the mailing date of the most recently issued Office communication.

erial Number 78/738013

his letter responds to the applicant's communication filed on November 3, 2006.

he refusals based on Section 2(d) of the Act as well as 2(e)(1) of the Act are continued and maintained.

ection 2(f) Five Years' Use

pplicant has indicated that it wishes to seek registration on the Principal Register based on Section 2(f) of the Act, owever, applicant has not claimed acquired distinctiveness in an acceptable manner.

he record indicates that applicant has used its mark for a long time; therefore, applicant may seek registration on the rincipal Register under Trademark Act Section 2(f), 15 U.S.C. §1052(f), based on acquired distinctiveness. To amend the pplication to Section 2(f) based on five years use, applicant should submit the following written statement claiming cquired distinctiveness, if accurate:

> The mark has become distinctive of the goods and/or services through applicant's substantially exclusive an continuous use in commerce for at least the five years immediately before the date of this statement.

pplicant must verify this statement with a notarized affidavit or a signed declaration under 37 C.F.R. §2.20. 37 C.F.R. 2.41(b); TMEP §1212.05(d).

)' aimer

pplicant must disclaim the descriptive wording "MAG" apart from the mark as shown because the term merely describes feature or characteristic of the goods, namely, the type of goods ("mags" or magnums). Trademark Act Section 6, 15 J.S.C. §1056; TMEP §§1213 and 1213.03(a).

he Office can require an applicant to disclaim exclusive rights to an unregistrable part of a mark, rather than refuse egistration of the entire mark. Trademark Act Section 6(a), 15 U.S.C. §1056(a). Under Trademark Act Section 2(e), 15 J.S.C. §1052(e), the Office can refuse registration of the entire mark where it is determined that the entire mark is merely escriptive, deceptively misdescriptive, or primarily geographically descriptive of the goods. Thus, the Office may require ie disclaimer of a portion of a mark which, when used in connection with the goods or services, is merely descriptive, eceptively misdescriptive, primarily geographically descriptive, or otherwise unregistrable (e.g., generic). TMEP 1213.03(a). If an applicant does not comply with a disclaimer requirement, the Office may refuse registration of the entire iark. TMEP §1213.01(b).

a "disclaimer" is thus a written statement that an applicant adds to the application record that states that applicant does not ave exclusive rights, separate and apart from the entire mark, to particular wording and/or to a design aspect. The ppearance of the applied-for mark does not change.

a disclaimer does *not* physically remove the disclaimed matter from the mark, but rather is a written statement that pplicant does not claim exclusive rights to the disclaimed wording and/or design separate and apart from the mark as hc---n in the drawing.

he following cases explain the disclaimer requirement more fully: *Dena Corp. v. Belvedere Int'l Inc.*, 950 F.2d 1555, 21 J' `2d 1047 (Fed. Cir. 1991); *In re Kraft, Inc.*, 218 USPQ 571 (TTAB 1983); *In re EBS Data Processing, Inc.*, 212 IS. Q 964 (TTAB 1981); *In re National Presto Industries, Inc.*, 197 USPQ 188 (TTAB 1977).

he computerized printing format for the Office's *Trademark Official Gazette* requires a standardized format for a isclaimer. TMEP §1213.08(a)(i). The following is the standard format used by the Office:

lo claim is made to the exclusive right to use "MAG" apart from the mark as shown.

ee In re Owatonna Tool Co., 231 USPQ 493 (Comm'r Pats. 1983).

lease note: the applicant must insert the required disclaimer if registration of the mark is sought on the Supplemental .egister or on the Principal Register under Section 2(f), because the term "MAG" is generic in the context of applicant's oods and/or services. *In re Wella Corp.*, 565 F.2d 143, 196 USPQ 7 (C.C.P.A. 1977); *In re Creative Goldsmiths of Vashington, Inc.*, 229 USPQ 766 (TTAB 1986); *In re Carolyn's Candies, Inc.*, 206 USPQ 356 (TTAB 1980); TMEP 1213.03(b).

/James Ringle/

Trademark Attorney

Law Office 111

(571) 272-9393

jim.ringle@uspto.gov

IOW TO RESPOND TO THIS OFFICE ACTION:

- ONLINE RESPONSE: You may respond using the Office's Trademark Electronic Application System (TEAS) Response to Office action form available on our website at http://www.uspto.gov/teas/index.html. If the Office action issued via e-mail, you must wait 72 hours after receipt of the Office action to respond via TEAS. **NOTE: Do not respond by e-mail. THE USPTO WILL NOT ACCEPT AN E-MAILED RESPONSE.**
- REGULAR MAIL RESPONSE: To respond by regular mail, your response should be sent to the mailing return address above, and include the serial number, law office number, and examining attorney's name. **NOTE: The filing date of the response will be the *date of receipt in the Office*,** not the postmarked date. To ensure your response is timely, use a certificate of mailing. 37 C.F.R. §2.197.

;T 'US OF APPLICATION: To check the status of your application, visit the Office's Trademark Applications and tegistrations Retrieval (TARR) system at http://tarr.uspto.gov.

'IEW APPLICATION DOCUMENTS ONLINE: Documents in the electronic file for pending applications can be iewed and downloaded online at http://portal.uspto.gov/external/portal/tow.

;ENERAL TRADEMARK INFORMATION: For general information about trademarks, please visit the Office's /ebsite at http://www.uspto.gov/main/trademarks.htm

'OR INQUIRIES OR QUESTIONS ABOUT THIS OFFICE ACTION, PLEASE CONTACT THE ASSIGNED :XAMINING ATTORNEY SPECIFIED ABOVE.

Response to Office Action

The table below presents the data as entered.

SERIAL NUMBER	78738013
LAW OFFICE ASSIGNED	LAW OFFICE 111

MARK SECTION (no change)

ARGUMENT(S)

In response to the Office Action, Applicant makes the following points:

1. With respect to the refusal based on Section 2(d), Applicant has used the mark SUPER MAG to identify its firearms since at least as early as 1998. The cited mark claims a date of first use of June, 2001. In light of the fact that Applicant is the senior user of the mark, Applicant requests that the Examining Attorney suspend further action on this application to allow Applicant time to determine whether a co-existence agreement can be reached with the owner of the cited mark, or, alternatively, whether Applicant must petition to cancel the cited mark.

2. With respect to the refusal based on mere descriptiveness, Applicant asserts that numerous other registrations for the same mark have been granted without a showing of acquired distinctiveness. In particular, the cited mark, U.S. Reg. No. 2945099 for the mark SUPERMAG for use with hunting stands, was granted without disclaimer and without a showing of acquired distinctiveness. In the event the Examining Attorney still requires a showing of acquired distinctiveness, Applicant will amend its application to seek registration under Section 2(f).

Having responded to the issues raised by the Examining Attorney, Applicant respectfully submits that the application is now in condition for passage to publication, which action is respectfully requested. If the Examining Attorney should have any further questions, please do not hesitate to contact us.

SIGNATURE SECTION

RESPONSE SIGNATURE	/Randy Springer/
SIGNATORY'S NAME	Randel S. Springer
SIGNATORY'S POSITION	Attorney for Applicant
DATE SIGNED	11/03/2006
AUTHORIZED SIGNATORY	YES

FILING INFORMATION SECTION

SUBMIT DATE	Fri Nov 03 12:08:09 EST 2006
TEAS STAMP	USPTO/ROA-66.193.220.126-20061103120809372189-7873

	8013-3408cb55d6487bcaa433 7297851d31652-N/A-N/A-200 61103120506957116

Response to Office Action

'o the Commissioner for Trademarks:

.pplication serial no. **78738013** has been amended as follows:

.rgument(s)

ı response to the substantive refusal(s), please note the following:

In response to the Office Action, Applicant makes the following points:

1. With respect to the refusal based on Section 2(d), Applicant has used the mark SUPER MAG to identify its firearms since at least as ırly as 1998. The cited mark claims a date of first use of June, 2001. In light of the fact that Applicant is the senior user of the mark, Applicant :quests that the Examining Attorney suspend further action on this application to allow Applicant time to determine whether a co-existence greement can be reached with the owner of the cited mark, or, alternatively, whether Applicant must petition to cancel the cited mark.

2. With respect to the refusal based on mere descriptiveness, Applicant asserts that numerous other registrations for the same mark have een granted without a showing of acquired distinctiveness. In particular, the cited mark, U.S. Reg. No. 2945099 for the mark SUPERMAG for use : nting stands, was granted without disclaimer and without a showing of acquired distinctiveness. In the event the Examining Attorney still :quires a showing of acquired distinctiveness, Applicant will amend its application to seek registration under Section 2(f).

Having responded to the issues raised by the Examining Attorney, Applicant respectfully submits that the pplication is now in condition for passage to publication, which action is respectfully requested. If the Examining ıttorney should have any further questions, please do not hesitate to contact us.

:esponse Signature

ignature: /Randy Springer/ Date: 11/03/2006

ignatory's Name: Randel S. Springer

ignatory's Position: Attorney for Applicant

erial Number: 78738013

ıternet Transmission Date: Fri Nov 03 12:08:09 EST 2006

'EAS Stamp: USPTO/ROA-66.193.220.126-200611031208093

2189-78738013-3408cb55d6487bcaa43372978

1d31652-N/A-N/A-20061103120506957116

T	RA Brands, L.L.C. (trademarkswinston@wcsr.com)
Subject:	TRADEMARK APPLICATION NO. 78738013 - SUPER MAG - 27584.0084.3
Sent:	5/5/2006 4:51:33 PM
Sent As:	ECOM111@USPTO.GOV
Attachments:	Attachment - 1 Attachment - 2 Attachment - 3 Attachment - 4 Attachment - 5 Attachment - 6 Attachment - 7 Attachment - 8 Attachment - 9 Attachment - 10 Attachment - 11

UNITED STATES PATENT AND TRADEMARK OFFICE

SERIAL NO: 78/738013

APPLICANT: RA Brands, L.L.C.

78738013

CORRESPONDENT ADDRESS:
RANDEL S. SPRINGER
WOMBLE CARLYLE SANDRIDGE & RICE, PLLC
1 W 4TH ST
WINSTON-SALEM, NC 27101-3818

RETURN ADDRESS:
Commissioner for Trademarks
P.O. Box 1451
Alexandria, VA 22313-1451

MARK: SUPER MAG

CORRESPONDENT'S REFERENCE/DOCKET NO: 27584.0084.3

CORRESPONDENT EMAIL ADDRESS:
trademarkswinston@wcsr.com

Please provide in all correspondence:

1. Filing date, serial number, mark and applicant's name.
2. Date of this Office Action.
3. Examining Attorney's name and Law Office number.
4. Your telephone number and e-mail address.

OFFICE ACTION

RESPONSE TIME LIMIT: TO AVOID ABANDONMENT, THE OFFICE MUST RECEIVE A PROPER RESPONSE TO THIS OFFICE ACTION WITHIN 6 MONTHS OF THE MAILING OR E-MAILING DATE.

MAILING/E-MAILING DATE INFORMATION: If the mailing or e-mailing date of this Office action does not appear above, this information can be obtained by visiting the USPTO website at http://tarr.uspto.gov/, inserting the application serial number, and viewing the prosecution history for the mailing date of the most recently issued Office communication.

Serial Number 78/738013

The assigned trademark examining attorney has reviewed the referenced application filed on October 21, 2005, and has determined the following.

Registration Refused-Likelihood of Confusion

The examining attorney refuses registration under Trademark Act Section 2(d), 15 U.S.C. Section 1052(d), because the applicant's mark, when used on or in connection with the identified goods, so resembles the mark in U.S. Registration No. 2945099 as to be likely to cause confusion, to cause mistake, or to deceive. TMEP section 1207. See the enclosed registration.

The examining attorney must analyze each case in two steps to determine whether there is a likelihood of confusion. First, the examining attorney must look at the marks themselves for similarities in appearance, sound, connotation and commercial impression. *In re E. I. DuPont de Nemours & Co.*, 476 F.2d 1357, 177 USPQ 563 (CCPA 1973). Second, the examining attorney must compare the goods or services to determine if they are related or if the activities surrounding their marketing are such that confusion as to origin is likely. *In re August Storck KG,* 218 USPQ 823 (TTAB 1983); *In re International Telephone and Telegraph Corp.*, 197 USPQ 910 (TTAB 1978); *Guardian Products Co., v. Scott Paper Co.*, 200 USPQ 738 (TTAB 1978).

The applicant applied to register SUPER MAG for "firearms."

The registered mark is SUPERMAG for "hunting stands."

The marks are highly similar in appearance, and identical in sound and meaning because both marks are comprised of the same literal portion: SUPER MAG.

Both marks are used to identify related outdoorsman products in the form of firearms and hunting stands, used in conjunction with firearms. The same consumers will be exposed to the goods/services identified with both marks because both are hunting or firearm-related goods, and likely to travel through the same channels of trade to the same classes of purchasers. For example, both would likely be sold at gun shops, hunting shops, or general outdoor activity goods centers.

The similarities among the marks and the goods/services of the parties are so great as to create a likelihood of confusion. The examining attorney must resolve any doubt as to the issue or likelihood of confusion in favor of the registrant and against the applicant who has a legal duty to select a mark which is totally dissimilar to trademarks already being used. *Burroughs Wellcome Co. v. Warner-Lamber Co.*, 203 USPQ 191 (TTAB 1979).

Although the examining attorney has refused registration, the applicant may respond to the refusal to register by submitting evidence and arguments in support of registration.

f applicant chooses to respond to the refusal to register, the applicant must also respond to the following issues.

Mark is Merely Descriptive

The examining attorney refuses registration on the Principal Register because the proposed mark merely describes the goods. Trademark Act Section 2(e)(1), 15 U.S.C. Section 1052(e)(1); TMEP section 1209 *et seq.*

A mark is merely descriptive under Trademark Act Section 2(e)(1), 15 U.S.C. 1052(e)(1), if it describes an ingredient, quality, characteristic, function, feature, purpose or use of the relevant goods. *In re Gyulay*, 820 F.2d 1216, 3 USPQ2d 1009 (Fed. Cir. 1987); *In re Bed & Breakfast Registry*, 791 F.2d 157, 229 USPQ 818 (Fed. Cir. 1986); *In re MetPath Inc.*, 23 USPQ 88 (TTAB 1984); *In re Bright#Crest, Ltd.*, 204 USPQ 591 (TTAB 1979); TMEP section 1209.01(b).

It is not necessary that a term describe all of the purposes, functions, characteristics or features of the goods to be merely descriptive. It is enough if the term describes one attribute of the goods. *In re H.U.D.D.L.E.*, 216 USPQ 358 (TTAB 1982); *In re MBAssociates*, 180 USPQ 338 (TTAB 1973).

The applicant applied to register the mark SUPER MAG for "firearms." The applicant's mark is descriptive of the goods because it describes a feature or characteristic of the goods offered—namely, the way in which the firearsm are "super" or of superior quality, and the way in which the goods are "mags" or "magnums", that is, capable of firing a magnum round (see attached). Further, the term "mag" is a commonly used term of art in the firearm industry to refer to a magazine (see attached).

If "mag" is a descriptive term of art in the relevant industry, the term is merely descriptive within the meaning of section 2(e)(1) of the Trademark Act because the average prospective purchaser of the goods/services, when encountering the mark in connection with the goods/services, would immediately perceive a feature of the goods/services. *In re Omaha National Corporation* 2 USPQ2d 1859 (Fed. Cir. 1987).

Laudatory terms, i.e., those terms that attribute quality or excellence to goods or services, are considered descriptive terms under Trademark Act Section 2(e)(1), 15 U.S.C. §1052(e)(1); TMEP §1209.03(k). That is, laudatory terms, phrases and slogans are nondistinctive and unregistrable without proof of acquired distinctiveness. *In re Nett Designs Inc.*, 236 F.3d 339, 57 USPQ2d 1564 (Fed. Cir. 2001) (THE ULTIMATE BIKE RACK); *In re Boston Beer Co. L.P.*, 198 F.3d 1370, 53 USPQ2d 1056 (Fed. Cir. 1999) (THE BEST BEER IN AMERICA); *In re Dos Padres Inc.*, 49 USPQ2d 1860 (TTAB 1998) (QUESO QUESADILLA SUPREME); *In re Consolidated Cigar Co.*, 35 USPQ2d 1290 (TTAB 1995) (SUPER BUY); *General Foods Corp. v. Ralston Purina Co.*, 220 USPQ 990 (TTAB 1984) (ORIGINAL BLEND).

Thus, since the applicant's goods are in themselves "mags," the term "mag" has a variety of descriptive meanings within the firearm industry, and the term "super" is merely laudatory, descriptive language which does nothing to distinguish applicant's goods, the mark "SUPER MAG" merely describes a characteristic or quality of applicant's goods.

Accordingly the mark is refused registration on the Principal Register under Section 2(e)(1).

Although the examining attorney has refused registration, the applicant may respond to the refusal to register by submitting evidence and arguments in support of registration.

/James Ringle/

Trademark Attorney

Law Office 111

(571) 272-9393

jim.ringle@uspto.gov

IOW TO RESPOND TO THIS OFFICE ACTION:

- ONLINE RESPONSE: You may respond using the Office's Trademark Electronic Application System (TEAS) Response to Office action form available on our website at http://www.uspto.gov/teas/index.html. If the Office action issued via e-mail, you must wait 72 hours after receipt of the Office action to respond via TEAS. **NOTE: Do not respond by e-mail. THE USPTO WILL NOT ACCEPT AN E-MAILED RESPONSE.**
- REGULAR MAIL RESPONSE: To respond by regular mail, your response should be sent to the mailing return address above, and include the serial number, law office number, and examining attorney's name. **NOTE: The filing date of the response will be the *date of receipt in the Office*,** not the postmarked date. To ensure your response is timely, use a certificate of mailing. 37 C.F.R. §2.197.

TATUS OF APPLICATION: To check the status of your application, visit the Office's Trademark Applications and egistrations Retrieval (TARR) system at http://tarr.uspto.gov.

IEW APPLICATION DOCUMENTS ONLINE: Documents in the electronic file for pending applications can be iewed and downloaded online at http://portal.uspto.gov/external/portal/tow.

ENERAL TRADEMARK INFORMATION: For general information about trademarks, please visit the Office's ebsite at http://www.uspto.gov/main/trademarks.htm

OR INQUIRIES OR QUESTIONS ABOUT THIS OFFICE ACTION, PLEASE CONTACT THE ASSIGNED XAMINING ATTORNEY SPECIFIED ABOVE.

://www.andean-inc.com/Merchant2/merchant.mvc?Screen=PROD&Store_Code=TAOS&Product_Code=MGPMMAG04&Category_C
=magnum_research 05/05/2006 04:34:03 PM

---

storefront account search help basket checkout

Closeouts
Specials
Shop by type of gun
AK & SKS
AR-15/M-16
Astra
[illegible]etta
[illegible]a
Browning
Charter Arms
Colt
CZ
EAA
Glock
Heckler & Koch
Kahr
Kel-Tec
Llama
M1911 Gov't
Magnum Research/IMI
Marlin
Mossberg
Para Ordnance
Remington
[illegible]

Magazine, for Desert Eagle, .44 Mag. 8rd. blue, Pro Mag

Quantity in Basket: *none*
Code: **MGPMMAG04**
Price: **$18.95**
Shipping Weight: **0.50** pounds
11 available for immediate delivery

Quantity: 1 add to basket

8 round magazine/clip for the Desert Eagle pistol. Blued steel. Made in USA by Promag.

//www.andean-inc.com/Merchant2/merchant.mvc?Screen=PROD&Store_Code=TAOS&Product_Code=MGPMMAG04&Category_C
=magnum_research 05/05/2006 04:34:03 PM

Ruger
Sig-Sauer
Smith & Wesson
Springfield Armory
Taurus
Tikka
Walther
Winchester
Shop by type of product



afety Program
Table of Contents
Code of Ethics
Safety Guide
For Teenagers
For Parents
Firearms Primer
Marksmanship
Glossary
Gun Laws
he Debate
Veb Resources
ress Room
bout Us
ome
o to AGS
dvocacy Website

Firearms Glossary

Click the first letter of the word you want to find, or click the gray button to view all glossary items on a single long page.

A B C D E F G H I J K L M N O P Q R S T U V W-Z all A-Z

magazine

A container for cartridges or shotshells with a spring and follower to feed cartridges into the chamber of the firearm. It may be detachable or an integral part of the firearm.

magazine floorplate

The bottom of a fixed magazine.

magazine follower

A spring-actuated device to push cartridges in a magazine to the feeding position.

magazine plug

A part inserted into a magazine to reduce its capacity. It is also the part in the end of a tubular magazine that closes the end and retains the spring.

magazine release

A device that retains or releases a detachable magazine in a firearm.

John McCain appeared on 2,500 movie screens in Spring 2001 to urge parents and children to save lives by keeping guns locked up and out of schools. play video read more

Safe Carry
What are the best ways to carry a firearm comfortably and safely? Our Gun Safety Program explains which carrying techniques are safe in specific situations.

Safety Gear
You should always wear equipment to protect your eyes and ears when firearms are discharged, whether you are shooting or simply observing.

Cleaning

magazine safety

A safety device found on some semi-automatic handguns that prevents firing unless the magazine is inserted into the firearm.

magazine throat

A metallic insert found in some plastic magazines that aligns the next cartridge to be fed into the chamber.

magazine well

The opening in a firearm that receives the detachable magazine.

magnum cartridge

Centerfire, rimfire and shotshell ammunition that is larger, more powerful or produces higher velocities than standard calibers.

mainspring

A strong spring, aka an energy storage device, that operates the striker or hammer of a firearm.

mainspring guide

Usually a rod-like device that keeps the mainspring from kinking.

mainspring housing

A channel in which the mainspring rides.

Martini action

A hammerless single shot rifle action operated by a lever where the breechblock's movement is contained within the receiver and pivots at the rear.

match

A long cord of hemp, flax or cotton saturated with saltpeter that burns slowly without a flame. Used to ignite the early matchlock firearms.

Cleaning Firearms
See our Gun Safety Program for expert tips on how to safely clean and maintain firearms.



matchlock

A firearm action of the type used by the first European explorers and Conquistadors that relies on an S-shaped (serpentine) piece of metal to hold the smoldering match. Once activated the burning end of the match, held by the upper end of the serpentine, drops to the priming powder in the pan and ignites the powder charge in the barrel though the touch hole.

metallic sights

A non-telescopic firearm sight. Also called **iron sights**.

mini ball

A conical shaped lead bullet with a hollow base that spreads once fired to form a tight fit between the lead of the bullet skirt and the rifle's grooves. The most popular military bullet configuration throughout the Civil War.

modified choke

Provides a shot pattern midway between full choke and improved cylinder choke. *See also* choke.

musket

A smoothbore military shoulder gun with a long barrel and forend stock extending nearly to the muzzle. Muskets were in common use during the 17th, 18th, and 19th centuries.

musketoon

A musket shortened for cavalry use.

muzzle

The "business end" of the firearm's barrel from which the bullet or shot emerges.

muzzle blast

The loud noise that occurs at the muzzle of a firearm when the projectile

leaves the muzzle and hot gases are released into the air.

muzzle brake

A device at or in the muzzle end of the barrel (often slotted) that vents off the emerging gases behind the projectile to reduce recoil.

muzzle crown

A treatment of the mouth of the muzzle that creates an even, circular opening by shaving away metal that may be worn into a more oval pattern. Accuracy is often improved by crowning the muzzle.

muzzle energy

A bullet's energy, measured in foot pounds, as it emerges from the muzzle.

muzzle flash

The bright flash or illumination at the muzzle of the firearm that results from propellant particles emerging from the barrel behind the projectile and igniting when mixed with oxygen in the air.

muzzle loader

Any firearm that is loaded with gunpowder and projectile(s) through the muzzle end of the barrel.

muzzle velocity

The velocity of a projectile as it exits the muzzle of a firearm.

go to top of page

://72.14.203.104/search?q=cache:EY4k60la7-AJ:www.larrywillis.com/300winmag.html+%22mag%22+magnum&hl=en&gl=
ct=clnk&cd=7 05/05/2006 04:36:57 PM

This is G o g l e's cache of http://www.larrywillis.com/300winmag.html as retrieved on Apr 14, 2006 05:03:44 GMT.
G o g l e's cache is the snapshot that we took of the page as we crawled the web.
The page may have changed since that time. Click here for the current page without highlighting.
This cached page may reference images which are no longer available. Click here for the cached text only.
To link to or bookmark this page, use the following url: http://www.google.com/search?q=cache:EY4k60la7-AJ:www.larrywillis.com/300winmag.html+%22mag%22+magnum&hl=en&gl=us&ct=clnk&cd=7

Google is neither affiliated with the authors of this page nor responsible for its content.

These search terms have been highlighted: **mag** **magnum**

300 Win Mag

The .300 Winchester **Magnum** was introduced in 1963, and it is still one of the most popular **magnum** cartridges today. This cartridge is loaded to 54,000 cup and has a great reputation for outstanding accuracy. This cartridge is ideal for any big game hunting in North America, except for the very largest bear. The 300 Win **Mag** generates serious recoil in lightweight hunting rifles when firing bullets 180 grains or heavier.

I have discovered two very accurate handloads for my Browning A-Bolt Composit Stalker. Nosler makes a great 180 Grain Balistic Tip bullet that is unbeatable for long range hunting. I get consistent 3/4 MOA accuracy (5 shots @ 100 yds) using maximum loads with this bullet. I use H4350 powder and a Federal 210M primer.

For varmint hunting, I like the Speer flat base130 grain Hollow point bullet. This 130 grain Speer bullet delivers consistent 3/4 MOA accuracy at 3420 fps in my hunting rifle. This particular load has a very flat trajectory, and the recoil is similar to shooting a .308 Winchester. The only limiting factor with this particular bullet is that it's a bit wind sensitive at extreme long range. The Speer 130 grain bullet was originally designed to be used on varmints, but it also does a great job on deer.

The main problem with handloading the 300 Win **Mag** is case expansion that occurs at the pressure ring "just above" the belt. Conventional resizing dies can't properly resize any bolted [redacted] case in this area. These cases soon develop a slight "bulge"

://72.14.203.104/search?q=cache:EY4k60la7-AJ:www.larrywillis.com/300winmag.html+%22mag%22+magnum&hl=en&gl=
ct=clnk&cd=7 05/05/2006 04:36:57 PM

Conventional resizing dies can't properly resize any belted **magnum** case in this area. These cases soon develop a slight "bulge" around the case (usually after just 2 or 3 firings). When that happens, these cases will begin to stick in your chamber or they will fail to chamber at all. This is a very common symptom when reloading belted **magnum** calibers. Handloading the 300 Win **Mag** with our **Belted Magnum Collet Resizing Die** will increase the life of your cases and insure a perfect fit in your chamber.



"Finally a resizing die that works on belted magnum cases."

//72.14.203.104/search?q=cache:EY4k60la7-AJ:www.larrywillis.com/300winmag.html+%22mag%22+magnum&hl=en&gl=
ct=clnk&cd=7 05/05/2006 04:36:57 PM

This unique collet resizing die solves this common reloading problem and has several patented features. The top of the die serves as a case width gauge to show when "complete" case resizing is required. This resizing die is used to eliminate the case "bulge" after using your full length or neck sizing die. This die insures that your belted handloads will always chamber properly. Now your cases are able to last for up to 20 firings, even when using hot loads. This resizing die uses a collet that fits over the cartridge case, until it bottoms against the belt. The case is then pressed into the sizing die. The collet allows your case to go farther into the die where it only reduces the area "just above" the belt

This **ONE** die and collet is universal and works on **ALL** of the popular belted **magnum** calibers including: .257 Weatherby **Magnum**, 6.5 Remington **Magnum**, .264 Winchester **Magnum**, .270 Weatherby **Magnum**, 7 x 61 Sharpe & Hart, 7mm Remington **Magnum**, 7mm Weatherby **Magnum**, 7mm STW, .300 H & H **Magnum**, .300 Win **Mag**, .300 Weatherby **Magnum**, . 308 Norma **Magnum**, 8mm Remington **Magnum**, .338 Winchester **Magnum**, .340 Weatherby **Magnum**, .350 Remington **Magnum**, .358 Norma **Magnum**, .375 H & H **Magnum**, .416 Remington **Magnum**, . 458 Winchester **magnum** and several wildcat cartridges. There are no extra collets to buy when resizing any of these calibers. This unique **Belted Magnum Collet Resizing Die** is made only by Innovative Technologies. It is available from any of the authorized distributors listed on our home page.

RETURN

Innovative Technologies
Attn: Larry A. Willis
1480 Guinevere Dr.
Casselberry, FL 32707

Phone:
407-695-2685

Fax:
407-695-7067

Questions? Click to Email Us!

Visit our website at:
www.larrywillis.com

://72.14.203.104/search?q=cache:RIlsil9y0ukJ:www.ar15.com/forums/topic.html%3Fb%3D7%26f%3D24%26t%3D342131+2mag%22+clip&hl=en&gl=us&ct=clnk&cd=10 05/05/2006 04:39:58 PM

This is G o g l e's cache of http://www.ar15.com/forums/topic.html?b=7&f=24&t=342131 as retrieved on Apr 28, 2006 10:41:23 GMT.
G o g l e's cache is the snapshot that we took of the page as we crawled the web.
The page may have changed since that time. Click here for the current page without highlighting.
This cached page may reference images which are no longer available. Click here for the cached text only.
To link to or bookmark this page, use the following url: http://www.google.com/search?q=cache:RIlsil9y0ukJ:www.ar15.com/forums/topic.html%3Fb%3D7%26f%3D24%26t%3D342131+%22mag%22+clip&hl=en&gl=us&ct=clnk&cd=10

Google is neither affiliated with the authors of this page nor responsible for its content.

These search terms have been highlighted: **mag clip**

Online Store | Chat | Photos | Mail | Help | Lite Version | Advertiser Information

AR15.COM
HOME OF THE BLACK RIFLE

JTAC SUPPLY

BUSHMASTER

MAG CLIP

USER INFO

2 Preban 30 round mags with dual mag coupler.

Posted = 4/4/2006 1:03:18 PM **Last Edited = 4/19/2006 9:57:15 PM by ranchha**

USER INFO

Posted = 4/19/2006 9:57:30 PM

MAG CLIP

All Rights Reserved

Advertise | Membership Donations | Discussion Forums | About Us

TYPED DRAWING

Serial Number
78266217

Status
REGISTERED

Word Mark
SUPERMAG

Standard Character Mark
No

Registration Number
2945099

Date Registered
2005/04/26

Type of Mark
TRADEMARK

Register
PRINCIPAL

Mark Drawing Code
(1) TYPED DRAWING

Owner
BURNS, ROBERT AUSTIN JR. CORPORATION NORTH CAROLINA 4004 COUNTRY OAKS DRIVE WAXHAW NORTH CAROLINA 28173

Goods/Services
Class Status -- ACTIVE. IC 028. US 022 023 038 050. G & S: HUNTING STANDS. First Use: 2001/06/01. First Use In Commerce: 2001/07/01.

Filing Date
2003/06/24

Examining Attorney
LAMOTHE, LESLEY

User:jringle1 ***

Total ·ks	Dead Marks	Live Viewed Docs	Live Viewed Images	Status/ Search Duration	Search
1	0	1	1	0:01	78738013[SN]
139	26	113	61	0:02	"ra brands"[on]
19847	N/A	0	0	0:04	*{"scz"}up{v}r*[bi,ti]
1253	N/A	0	0	0:04	*{"scz"}oop{v}r*[bi,ti]
30752	N/A	0	0	0:01	*mag*[bi,ti]
96	57	39	22	0:01	(3 or 4) and 5
751	N/A	0	0	0:01	*magnum*[bi,ti]
309	N/A	0	0	0:04	7 not dead[ld]
969473	N/A	0	0	0:02	"013"[cc]
33	0	33	11	0:01	8 and 9

on started 5/5/2006 3:52:16 PM
on finished 5/5/2006 4:52:06 PM
search duration 0 minutes 21 seconds
on duration 59 minutes 50 seconds
ut NEAR limit=1ADJ limit=1
t to TICRS as Serial Number: 78738013

SUPER MAG

Remington
SUPER MAG TURKEY
D981577A
25007
11KZ
5867 D981577A
Remington
12KZ

Remington
SHOT SIZE
D9615777A
PRICE CAT.
25007
11KZ
5887 D9615777A
Remington
12KZ

Trademark/Service Mark Application, Principal Register

TEAS Plus Application

erial Number: 78738013
iling Date: 10/21/2005

*NOTE: Data fields with the * are mandatory under TEAS Plus. The wording "(if applicable)" appears where the field is only mandatory under the facts of the particular application.*

The table below presents the data as entered.

TEAS Plus	YES
MARK INFORMATION	
*MARK	SUPER MAG
*STANDARD CHARACTERS	YES
USPTO-GENERATED IMAGE	YES
! \L ELEMENT	SUPER MAG
*MARK STATEMENT	The mark consists of standard characters, without claim to any particular font, style, size, or color.
APPLICANT INFORMATION	
*OWNER OF MARK	RA Brands, L.L.C.
*STREET	870 Remington Drive
*CITY	Madison
*STATE (Required for U.S. applicants)	North Carolina
*COUNTRY	United States
*ZIP/POSTAL CODE (Required for U.S. applicants only)	27025
AUTHORIZED TO COMMUNICATE VIA EMAIL	No
LEGAL ENTITY INFORMATION	
*TYPE	LIMITED LIABILITY COMPANY
*STATE/COUNTRY UNDER WHICH ORGANIZED	Delaware
DS AND/OR SERVICES AND BASIS INFORMATION	
*INTERNATIONAL CLASS	013
*DESCRIPTION	Firearms

*FILING BASIS	SECTION 1(a)
,RST USE ANYWHERE DATE	At least as early as 00/00/1998
*FIRST USE IN COMMERCE DATE	At least as early as 00/00/1998
*SPECIMEN FILE NAME	\\TICRS\EXPORT8\IMAGEOUT8 \787\380\78738013\xml1\FT K0004.JPG
SPECIMEN DESCRIPTION	digital photohraph of labels used on packaging for the goods.

ADDITIONAL STATEMENTS INFORMATION

*TRANSLATION (if applicable)	
*TRANSLITERATION (if applicable)	
*CLAIMED PRIOR REGISTRATION (if applicable)	
*CONSENT (NAME/LIKENESS) (if applicable)	
*CONCURRENT USE CLAIM (if applicable)	

ATTORNEY INFORMATION

NAME	Randel S. Springer
:NEY DOCKET NUMBER	27584.0084.3
FIRM NAME	Womble Carlyle Sandridge & Rice, PLLC
STREET	One West Fourth Street
CITY	Winston-Salem
STATE	North Carolina
COUNTRY	United States
ZIP/POSTAL CODE	27101
PHONE	(336) 721-3747
FAX	(336) 726-6991
EMAIL ADDRESS	trademarkswinston@wcsr.com
AUTHORIZED TO COMMUNICATE VIA EMAIL	Yes
OTHER APPOINTED ATTORNEY	M. Christopher Bolen, Kathryn M. Eyster, Anne C. Fleeson, Jack B. Hicks, Jeanene L. Jobst, Sarah Anne Keefe, Jeffrey R. McFadden, C. Robert Rhodes, Randel S. Springer, Maury M. Tepper, III, Mitchell A. Tuchman

CORRESPONDENCE INFORMATION

*E	Randel S. Springer
FIRM NAME	Womble Carlyle Sandridge & Rice, PLLC
*STREET	One West Fourth Street

* CITY	Winston-Salem
* .TE (Required for U.S. applicants)	North Carolina
* COUNTRY	United States
* ZIP/POSTAL CODE (Required for U.S. applicants only)	27101
PHONE	(336) 721-3747
FAX	(336) 726-6991
* EMAIL ADDRESS	trademarkswinston@wcsr.com
*AUTHORIZED TO COMMUNICATE VIA EMAIL	Yes
FEE INFORMATION	
NUMBER OF CLASSES	1
FEE PER CLASS	275
TOTAL FEE DUE	275
SIGNATURE INFORMATION	
* SIGNATURE	/Kimberly A. Brown/
* ATORY NAME	Kimberly A. Brown
SIGNATORY POSITION	Secretary - Treasurer
* SIGNATURE DATE	10/21/2005
FILING INFORMATION SECTION	
SUBMIT DATE	Fri Oct 21 14:03:35 EDT 2005
TEAS STAMP	USPTO/FTK-66.193.220.126-20051021140335743468-7873 8013-300bb8cade8d5a181ad1 dbf9e472e26b-DA-1332-2005 1021105234803760

Trademark/Service Mark Application, Principal Register

TEAS Plus Application

Serial Number: 78738013
Filing Date: 10/21/2005

To the Commissioner for Trademarks:

M K: SUPER MAG (Standard Characters, see mark)

h. eral element of the mark consists of SUPER MAG. The mark consists of standard characters, without claim to any particular font, style, size, r color.

The applicant, RA Brands, L.L.C., a limited liability company organized under the laws of Delaware, residing at 870 Remington Drive, Madison, North Carolina, United States, 27025, requests registration of the trademark/service mark identified above in the United States Patent and Trademark Office on the Principal Register established by the Act of July 5, 1946 (15 U.S.C. Section 1051 et seq.), as amended.

For specific filing basis information for each item, you must view the display within the Input Table.

International Class 013: Firearms

If the applicant is filing under Section 1(b), intent to use, the applicant declares that it has a bona fide intention to use or use through the applicant's related company or licensee the mark in commerce on or in connection with the identified goods and/or services. 15 U.S.C. Section 1051(b), as amended.

If the applicant is filing under Section 1(a), actual use in commerce, the applicant declares that it is using the mark in commerce, or the applicant's related company or licensee is using the mark in commerce, on or in connection with the identified goods and/or services. 15 U.S.C. Section 1051(a), as amended.

If the applicant is filing under Section 44(d), priority based on foreign application, the applicant declares that it has a bona fide intention to use the mark in commerce on or in connection with the identified goods and/or services, and asserts a claim of priority based on a specified foreign application(s). 15 U.S.C. Section 1126(d), as amended.

If the applicant is filing under Section 44(e), foreign registration, the applicant declares that it has a bona fide intention to use the mark in commerce on or in connection with the identified goods and/or services, and submits a copy of the supporting foreign registration(s), and translation thereof, if appropriate. 15 U. S.C. Section 1126(e), as amended.

The applicant hereby appoints Randel S. Springer and M. Christopher Bolen, Kathryn M. Eyster, Anne C. Fleeson, Jack B. Hicks, Jeanene L. Jobst, Sarah Anne Keefe, Jeffrey R. McFadden, C. Robert Rhodes, Randel S. Springer, Maury M. Tepper, III, Mitchell A. Tuchman of Womble Carlyle Sandridge & Rice, PLLC, One West Fourth Street, Winston-Salem, North Carolina, United States, 27101 to submit this application on behalf of the applicant. The attorney docket/reference number is 27584.0084.3.

The USPTO is authorized to communicate with the applicant or its representative at the following email address: trademarkswinston@wcsr.com.

A fee payment in the amount of $275 will be submitted with the application, representing payment for 1 class(es).

Declaration

The undersigned, being hereby warned that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. Section 1001, and that such willful false statements, and the like, may jeopardize the validity of the application or any resulting registration, declares that he/she is properly authorized to execute this application on behalf of the applicant; he/she believes the applicant to be the owner of the trademark/service mark sought to be registered, or, if the application is being filed under 15 U.S.C. Section 1051(b), he/she believes applicant to be entitled to use such mark in commerce; to the best of his/her knowledge and belief no other person, firm, corporation, or association has the right to use the mark in commerce, either in the identical form thereof or in such near resemblance thereto as to be likely, when used on or in connection with the goods/services of such other person, to cause confusion, or to cause mistake, or to deceive; and that all statements made of his/her own knowledge are true; and that all statements made on information and belief are believed to be true.

Signature: /Kimberly A. Brown/ Date: 10/21/2005
Signatory's Name: Kimberly A. Brown
Signatory's Position: Secretary - Treasurer
Mailing Address:
Randel S. Springer
One West Fourth Street
Winston-Salem, North Carolina 27101

RAM Sale Number: 1332
RAM Accounting Date: 10/21/2005

erial Number: 78738013
n' et Transmission Date: Fri Oct 21 14:03:35 EDT 2005
Stamp: USPTO/FTK-66.193.220.126-200510211403357
3468-78738013-300bb8cade8d5a181ad1dbf9e
72e26b-DA-1332-20051021105234803760

SUPER MAG

Remington
D9815777A
25007
11KZ
5007 D9815777A
Remington
12KZ

Remington
SUPER MAG TURKEY
D9615777A
25007
11KZ
5007 D9615777A
Remington
12KZ

1998

Remington COUNTRY



EXHIBIT
tabbies
2

REM 0003

FIREARMS • AMMUNITION • ACCESSORIES

Petitioner's Exhibit
RA Brands, LLC v. Burns
Cancellation No. 92048334

Cover: Original painting by Bob Kuhn from Remington Arms Company, Inc. archives. Copyright 1998 Remington Arms Company, Inc.

For sportsmen, Remington Country is a special place. It can be where we are, where we'd like to be, or where we've been. Sometimes it is an actual location, other times just a state of mind. It can include a favorite lifetime hunting spot, or it can be the hay bale shooting range where you coached your kids through their first box of .22s. What's most important about Remington Country is not the form it takes, but that it *exists*. It is a precious personal asset that can enrich our lives at any moment; a heritage passed down to us – one we're fortunate to have, and one we have an obligation to preserve and pass on to future generations. It is the appreciation of, and participation in, outdoor experiences.

Remington® would like to ask each of you to consider sharing that special feeling with your family, friends, neighbors, co-workers, or anyone else that is a part of your life. This is the focus of the National Shooting Sports Foundation's new program, "Step Outside." We all need to be not only ambassadors, but also recruiters of our sport.

In the past two years, Remington has presented shooting, hunting, fishing, and firearms safety to a new audience of millions of people through NASCAR Winston Cup Racing. For 32 weeks each year, huge and growing national audiences see the tradition we love in a positive light, and that participating in outdoor experiences is something everyone can enjoy.

For 1998, the exciting new product introductions in firearms, ammunition and accessories are a direct result of Remington's deep commitment to and investment in new product research and development. Combining cutting-edge research and development with almost 200 years of manufacturing excellence has yielded products that continue to provide you, our customer, with a great tradition in outdoor performance.

Best wishes for a great season!

Tommy Millner

Tommy Millner
President

Table of Contents

FIREARMS 3-31
AMMUNITION.....32-51
ACCESSORIES 52-66
SHOOTING SCHOOL/STREN®.....67



PUMP-ACTION SHOTGUNS



The Model 870™ 3½" Express® Super Magnum™—America's Pump Gun Just Developed Some Serious Muscle.

If you want to take advantage of the power and reach of 12-gauge 3½" magnum shotshells, then take advantage of the best value in high performance shotgunning – the Model 870™ Express® Super Magnum™. These guns are built with the brute strength and lifetime reliability of our legendary Model 870™ Wingmaster®, but with the added versatility of being able to handle 12-ga. 2¾" to 3½" loads. The inherent strength of the field-proven 870™ design allowed us to re-engineer the existing breech bolt and receiver to accommodate the big shells.* But most important, the new Express® Super Magnums have the same great 870™ balance, swing, and feel that have earned them the well-deserved title of "America's Pump Gun."

EXPRESS® SUPER MAGNUM™ DESIGN FEATURES





Petitioner's Exhibit
RA Brands, LLC v. Burns
Cancellation No. 92048334

tabbies
EXHIBIT
3

REM 0006

SPECIAL PURPOSE TURKEY GUNS

TURKEY-TAKING POWER AND PATTERNS
WITH NO HINT OF YOUR PRESENCE



MODEL SP-10™
TURKEY CAMO

MODEL 11-87™
SPS-T™ CAMO

MODEL 870™ SPS-T™
SUPER MAGNUM™ CAMO

These specialized Remington turkey guns do indeed have a special purpose — to convert one of those finicky, feathered phantoms of the woods into a turkey dinner. That's not always an easy task. No game species is spookier and warier than the wild turkey. But every one of our turkey guns is built from scratch to help you win this game of hide 'n seek.

A Wide Selection of Models and Options

First, depending on your preferences for action type and payload, Remington offers the broadest selection of versatile turkey gun options in existence. That selection includes five different guns and four different models. The most formidable is our **Model SP-10™ Magnum Turkey Camo**, providing 10-gauge magnum power from shells carrying a full hard-hitting 2¼ ounces of shot.

Approaching the power of a 10-gauge, but permitting the widest selection of loadings ever possible in a single shotgun, is our **Model 870™ SPS-T™ Super Magnum™ Camo**. In this most popular pump-action shotgun of all time, you can use any 12-gauge load made, from 2¾" standard or magnum shells up to 3" or 3½" magnum loads.

Next, you have two choices of our light-recoiling gas-operated **Model 11-87™ Autoloader**, with the ability to handle 12-gauge

REM 0007

870 EXPRESS SUPER MAGNUM

THE GREATEST COMBINATION OF VALUE AND VERSATILITY EVER OFFERED IN A SINGLE SHOTGUN

Not too many years back no one would have dreamed that one shotgun could be so versatile, or that a world-famous model could be so economical. But our selection of Model 870™ Express® Super Magnum™ pump action shotguns provide both these benefits. Each model is like having three shotguns in one. In fact the Combo version actually extends that to four shotguns in one.



MODEL 870™ EXPRESS®
SUPER MAGNUM™ TURKEY CAMO



MODEL 870™ EXPRESS®
SUPER MAGNUM™ SYNTHETIC

An Exceptional Value

The big winner when you buy any of these shotguns is your budget. You get the proven action of a Model 870™ — the most durable, best-selling shotgun in history, and still the world's most effective pump gun design. It costs you less because we didn't dress it up like a fancy wall-hanger. It's the toughest, most dependable, hard-working shotgun for hard-hunting owners. And the muted non-gloss finish or camo covering on these shotguns is exactly what you want for waterfowl, turkey or deer hunting.

However, underneath the practical outer appearance of an Express® shotgun is the lifetime longevity and proven strength of a smooth-shucking Model 870.™ You get the same rugged receiver machined from a solid bar of steel, the same non-binding twin action bars, and the same strong lock-up. That legendary inherent strength is even more important in our 12-gauge, 3½" Super Magnum™ models.

And by designing an action that accommodates the big 3½" shells without stretching the receiver, Express® Super Magnums™ still have the clean classic lines, sure-handling between-the-hands balance, and smooth natural pointing qualities of all Remington® Model 870™ pump shotguns.

Super Magnum™ Versatility

Start with the practical economy of our Model 870™ Express® and add the exceptional versatility of a 12-gauge, 3½" Super Magnum™ action, and you have the unchallenged "best buy" of any shotgun currently produced. Consider that these shotguns can handle any 12-gauge ammunition made — from heavy-payload 12-gauge, 3½" magnum shells all the way down to light 2¾" field or clay target loads. And the special bolt design in these guns retains the same length of cycle stroke for all shells.

In standard Model 870™ Express® Super Magnum™ shotguns with 26" or 28" vent rib, Rem™ Choke barrels, you can use the same shotgun for fast-flushing upland birds or darting mourning doves; larger, longer-range ringnecks and chukars; and still be able to chamber the heaviest charges

REM 0008



MODEL 870™ EXPRESS® SYNTHETIC SUPER MAGNUM TURKEY
MODEL 870™ EXPRESS® SUPER MAGNUM

MODEL 870™ SUPER MAGNUM™ DESIGN FEATURES

Superior design and inherent strength of 870™ receiver easily accommodates the power and longer length of 3½" shells

Breakthrough bolt re-design keeps cycle stroke equal for all three sizes of 12-ga. shotshells

Model 870™ Super Magnums will function with 2¾", 3", and 3½" shells interchangeably



Trigger mechanism retains same dimensions and crisp feel of all 12-ga. Model 870s

Super Magnum™ receiver is same size as all 12-ga. 870™ shotguns for similar balance

Magazine length unchanged for same balance point; capacity is three 3½", and four 2¾" or 3" shells

available for outer-fringe ducks and geese. All you need to do is change shells and, when appropriate, screw in a different Rem™ Choke.

In the turkey models, you can tailor the loads you use for any kind of gobbler situation. But these versatile pump guns are perfect for other game as well. Their 23" vent rib barrels also provide lightning-fast handling and easier carrying for close-cover upland birds.

Barrel and Choke Interchangeability

Unquestionably, the most versatile of any Model 870™ Express® Super Magnum™ shotguns is the two-barrel Combo version. For deer hunting with slugs, you get a 20" fully rifled barrel with adjustable factory sights to provide maximum accuracy with modern sabot slugs. The second, 26" vent rib Rem™ Choke barrel puts you in business for every other type of shotgunning you choose.

And don't forget to make use of the optional versatility of our Rem™ Choke system with any of these super-powerful shotguns. Besides the convenience of changing choke constrictions for different ranges or shot sizes, you can convert any barrel to a deer barrel by interchanging our Rifled Rem™ Choke.



MODEL 870™ EXPRESS® SUPER MAGNUM™ COMBO

SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	★ 870™ Express® Super Magnum™ Synthetic Turkey	870™ Express® Super Magnum™ Turkey Camo	870™ Express® Super Magnum™	870™ Express® Super Magnum™ Synthetic	870™ Express® Super Magnum™ Combo
Gauge	12 (3½")	12 (3½")	12 (3½")	12 (3½")	12 (3½")[1]
Mag. Capacity	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")
BBL Lengths/ Order No.	23"/5106	23"/5104	28"/5100	26"/5102	26" (Vent Rib)/5114 20" (Deer)
Barrel Type	Vent Rib Rem™ Choke (Turkey Extra Full)	Vent Rib Rem™ Choke (Turkey Extra Full)	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Mod.)	Mod. Rem Choke (Vent Rib) Fully Rifled (Deer)
Sights	Twin Bead	Twin Bead	Single Bead	Single Bead	Single Bead (Vent Rib) Rifle Sights (Deer)
Metal Finish	Matte Black Non-Reflect.	RealTree® Advantage® Camo	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.
Overall Length	44½"[2]	44½"[2]	48½"	46"	46" (Vent Rib) 40½" (Deer)
Length of Pull	14"	14"	14"	14"	14"
Drop (Comb)	1½"	1½"	1½"	1½"	1½"
Drop (Heel)	2½"	2½"	2½"	2½"	2½"
Stock Material	Black Synthetic	Synthetic	Wood	Black Synthetic	Wood
Stock Finish	Matte	RealTree® Advantage® Camo	Satin	Matte	Satin
Avg. Wt. (lbs.)	7¼	7¼	7½	7¼	7¼

[1] Combo Deer barrel has 3" chamber
[2] Includes 1" extended choke tube.

★ New For 1999

REM 0009

Remington

COUNTRY

2000

FIREARMS AMMUNITION ACCESSORIES

EXHIBIT
tabbies
4

Petitioner's Exhibit
RA Brands, LLC v. Burns
Cancellation No. 92048334

REM 0010

SPECIAL PURPOSE TURKEY GUNS

COVERT COMBINATIONS OF PAYLOAD, PRECISE SIGHTING AND PATTERN POWER

Matching skills with a wild gobbler takes full concealment, not a hint of movement, precise sighting and dense, heavy patterns once you pull the trigger. Remington® SP Turkey Guns offer the widest selection of features specifically designed to help you transport a lasty tom from the field to the freezer, and new sighting options further improve the odds of a year-game turkey feast.





MODEL SP-10™ MAGNUM TURKEY CAMO

MODEL 11-87™ SPS-T™ CAMO

MODEL 870™ SPS-T™ SUPER MAGNUM™ CAMO

Remington® turkey guns have a special purpose – to convert one of those feathered forest phantoms into a family dinner. No game species is warier than the wild turkey. But no other turkey guns are better designed to help you win the game. For 2000, we've added two new sighting systems to improve your chances of putting your pattern on the bird, and putting the bird in the bag. Precision Leupold®/Gilmore LG-35 sights incorporate a single red dot with adjustments for point of impact and 11 different brightness settings. TruGlo® fiber-optic rifle sights provide precision line-up of a light-amplifying blaze orange front sight into a notched rear sight flanked by two light-gathering green beads.

Remington offers the broadest selection of versatile turkey gun options in existence. That selection includes eight different guns and four different models. Utilizing Leupold's new LG-35 Red Dot sights with our integrated cantilever mounts is the pump-action, **Model 870™ SPS-T™ Super Magnum™ Camo** (see chart 1, column 1, at right) with the widest selection of 12-gauge loadings ever possible in a single shotgun. The same Leupold® LG-35 Red Dot system is also available on our autoloading **Model 11-87™ SPS-T™ Camo** (chart 1, col. 2). Both these shotguns also remain available with standard twin

870 EXPRESS SUPER MAGNUM

ECONOMY AND PERFORMANCE FOR VIRTUALLY EVERY HUNTING NEED

You can't find a better combination of versatility, economy and performance than our Model 870 Express Super Magnum shotguns. They handle 2¾", 3" and 3½" 12-gauge shells interchangeably, come at our budget friendly "Express" prices, and are built on our famous Model 870 actions. Each version is like having three shotguns in one, with the Combo expanding it to four.



MODEL 870™ EXPRESS®
SUPER MAGNUM™ TURKEY CAMO



MODEL 870™ EXPRESS®
SUPER MAGNUM™ SYNTHETIC

The big winner when you buy any of these shotguns is your wallet. You get the proven action of a Model 870™ — the most durable, best-selling shotgun in history, and still the world's most effective pump gun design. It costs you less because we didn't dress it up like a fancy wall-hanger. It's the toughest, most dependable, hard-working shotgun for hard-hunting owners. And the non-gloss finish or camo covering on these shotguns is exactly what you want for waterfowl, turkey or deer hunting.

However, underneath the practical outer appearance of an Express® shotgun is the lifetime longevity and proven strength of a smooth-shucking Model 870™. You get the same rugged receiver machined from a solid bar of steel, the same non-binding twin action bars, and the same strong lock-up. That legendary inherent strength is even more important in our 12-gauge, 3½" Super Magnum™ models.

And by designing an action that accommodates the big 3½" shells without stretching the receiver, Express® Super Magnums™ still have the clean classic lines, sure-handling between-the-hands balance, and smooth natural-pointing qualities of all Remington® Model 870™ pump shotguns.

Start with the practical economy of our Model 870™ Express® and add the exceptional versatility of a 12-gauge, 3½" Super Magnum™ action, and you have the unchallenged "best buy" of any shotgun currently produced. Consider that these shotguns can handle any 12-gauge ammunition made — from heavy-payload 12-gauge, 3½" magnum shells all the way down to light 2¾" field or clay target loads. And the special bolt design in these guns retains the same length of cycle stroke for all shells.

In standard **Model 870™ Express® Super Magnum™** shotguns with 26" or 28" vent rib, Rem™ Choke barrels, you can use the same shotgun for fast-flushing upland birds or darting mourning doves; larger, longer-range ringnecks and chukars; and still be able to chamber the heaviest charges available for outer-fringe ducks and geese. All you need to do is

REM 0013



MODEL 870™ EXPRESS® SUPER MAGNUM™ TURKEY
MODEL 870™ EXPRESS® SUPER MAGNUM™

change shells, and when appropriate, screw in a different Rem™ Choke.

In the turkey models, you can tailor the loads you use for any kind of gobbler situation. But these versatile pump guns are perfect for other game as well. Their 23" vent rib barrels also provide lightning-fast handling and easier carrying for close-cover upland birds.

Unquestionably, the most versatile of any Model 870™ Express® Super Magnum™ shotgun is the two-barrel Combo version. For deer hunting with slugs, you get a 20" fully rifled barrel with adjustable factory sights to provide maximum accuracy with modern sabot slugs. The second, 26" vent rib Rem™ Choke barrel puts you in business for every other type of shotgunning you choose.

And don't forget to make use of the optional versatility of our Rem™ Choke system with any of these super-powerful shotguns. Besides the convenience of changing choke constrictions for different ranges or shot sizes, you can convert any barrel to a deer barrel by interchanging our Rifled Rem™ Choke.



MODEL 870™ EXPRESS®
SUPER MAGNUM™ COMBO

MODEL 870™ SUPER MAGNUM™ DESIGN FEATURES

Superior design and inherent strength of 870™ receiver easily accommodates the power and longer length of 3½" shells

Breakthrough bolt re-design keeps cycle stroke equal for all three sizes of 12-ga. shotshells

Model 870™ Super Magnum will function with 2¾", 3", and 3½" shells interchangeably



Trigger mechanism retains same dimensions and crisp feel of all 12-ga. Model 870s

Super Magnum™ receiver is same size as all 12-ga. 870™ shotguns for similar balance

Magazine length unchanged for same balance point; capacity is three 3½", and four 2¾" or 3" shells

SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	870™ Express® Super Magnum™ Synthetic Turkey	870™ Express® Super Magnum™ Turkey Camo	870™ Express® Super Magnum™	870™ Express® Super Magnum™ Synthetic	870™ Express® Super Magnum™ Combo
Gauge	12 (3½")	12 (3½")	12 (3½")	12 (3½")	12 (3½")[1]
Mag. Capacity	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")
BBL Lengths/ Order No.	23"/5106	23"/5104	28"/5100	26"/5102	26" (Vent Rib)/5114 20" (Deer)
Barrel Type	Vent Rib Rem™ Choke (Turkey Extra Full)	Vent Rib Rem™ Choke (Turkey Extra Full)	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Mod.)	Mod. Rem Choke (Vent Rib) Fully Rifled (Deer)
Sights	Twin Bead	Twin Bead	Single Bead	Single Bead	Single Bead (Vent Rib) Rifle Sights (Deer)
Metal Finish	Matte Black Non-Reflect.	RealTree® Advantage® Camo	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.
Overall Length	44½"[2]	44½"[2]	48½"	46"	46" (Vent Rib) 40½" (Deer)
Length of Pull	14"	14"	14"	14"	14"
Drop (Comb)	1½"	1½"	1½"	1½"	1½"
Drop (Heel)	2½"	2½"	2½"	2½"	2½"
Stock Material	Black Synthetic	Synthetic	Hardwood	Black Synthetic	Hardwood
Stock Finish	Matte	RealTree® Advantage® Camo	Satin	Matte	Satin
Avg. Wt. (lbs.)	7¼	7¼	7½	7¼	7¼

[1] Combo Deer barrel has 3" chamber
[2] Includes 1" extended choke tube

Remington

FIREARMS · AMMUNITION · ACCESSORIES 2001

EXHIBIT
tabbies
5

Petitioner's Exhibit
RA Brands, LLC v. Burns
Cancellation No. 92048334

REM 0015





MODEL 11-87 SPS
SUPER MAGNUM™ CAMO

It's hard to believe that any shotgun could be as versatile as the new **Model 11-87™ Super Magnum.™** It's literally three guns in one — capable of handling any 12-gauge payload. The conditions may change. But your shotgun won't. Go from shooting heavy 3½" loads for geese in the morning to shooting light 2¾" loads for pheasants in the afternoon — no problem. In classic 11-87 form, it reliably cycles every shell with unmatched smoothness. In fact, you can even mix various-length shells interchangeably and it will still feed and function without a hitch. This versatility results from the Model 11-87 Super Magnum's patented self-cleaning, pressure-compensating gas system. It's the same proven system that hunters have been using for the past fourteen years on the original 11-87. The Model 11-87 Super Magnum is available in five versions. New this year are the Model 11-87 Premier® Super Magnum with high-gloss walnut stock and polished-blue metalwork, the Model 11-87 SPS™ Super Magnum in Mossy Oak® Break-Up® and the Model 11-87 SPS-T™ (see page 24) featuring a short turkey barrel and Mossy Oak® Break-Up® finish. Other versions include a second Model 11-87 SPS Super Magnum with matte-black synthetic stock and, finally, the Model 11-87 SP Super Magnum with a satin walnut stock and matte-finished metalwork. All versions are, of course, furnished with Rem™ Chokes.

SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	11-87™ SP™ Super Magnum™	11-87™ SPS™ Super Magnum™	★11-87™ SPS Camo Super Magnum™	★11-87 Premier™ Super Magnum™
Gauge	12 (3½")	12 (3½")	12 (3½")	12 (3½")
Mag. Capacity	3(3½"), 4(2¾" & 3")	3(3½"), 4(2¾" & 3")	3(3½"), 4(2¾" & 3")	3(3½"), 4(2¾" & 3")
BBL Lengths/ Order No.	28"/5305 26"/5307	28"/5337 26"/5339	28"/5343	28"/5303
Barrel Type	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke
Sights	Twin Bead	Twin Bead	Twin Bead	Twin Bead
Metal Finish	Matte Non-Reflective	Matte Non-Reflective	Mossy Oak™ Break-Up™ Camo	High Polish Blued
Overall Length	48"(28"BBL) 45¼"(26"BBL)	48"(28"BBL) 45¼"(26"BBL)	48"(28"BBL)	48"
Length of Pull	14¼"	14"	14"	14¼"
Drop (Comb)	1½"	1½"	1½"	1½"
Drop (Heel)	2½"	2½"	2½"	2½"
Stock Material	American Walnut	Black Synthetic	Camo Synthetic	American Walnut
Stock Finish	Satin	Matte	Matte	Gloss
Avg. Wt. (lbs.)	8¼ lbs. (28"BBL) 8¼ lbs. (26"BBL)	8¼ lbs. (28"BBL) 8¼ lbs. (26"BBL)	8¼ lbs. (28"BBL)	8¼ lbs.

★ New For 2001

MODEL 870

THE MOST POPULAR
SHOTGUN IN FIREARMS HISTORY.



MODEL 870™ WINGMASTER® SUPER MAGNUM®



MODEL 870™
WINGMASTER®
28-Gauge, Rem™ Choke

MODEL 870™
WINGMASTER®
.410 Bore

The original design of the **Model 870™ Wingmaster®** was so smooth and so reliable that today — more than five decades after its introduction — it's still the most modern pump-action you can buy. The unique, timeless design combines rugged reliability with a custom-quality finish. Its American walnut stock is generously covered with tournament-grade checkering while the receiver panels are fully engraved with delicate, fine-line scrollwork. Of course, beneath the attractive exterior is the workhorse Model 870 action — an unmatched shell-shucker with roller-bearing smoothness. In the field, its classic balance and natural pointing qualities provide the handling speed for the most evasive upland birds. Yet it has the strength to handle the heaviest magnum payloads for long-range waterfowl. And because they practically never wear out, there are more Model 870s in use today than any other shotgun. The Model 870 is available in a number of trustworthy setups, including a Super Magnum™ version capable of handling 12-gauge 2¾", 3" and 3½" shells interchangeably. For those who enjoy small bores, it's also the only repeating shotgun still made in 20-gauge, 28-gauge and .410-bore.

SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	Wingmaster® Super Magnum™	Wingmaster® (12-ga.)	Wingmaster® (20-ga.)	Wingmaster® (28-ga.)	Wingmaster® (.410 Bore)
Gauge	12 (3½")	12	20	28	.410 Bore
Mag. Capacity	3 (3½"); 4 (2¾" & 3")	4	4	4	4
BBL Lengths/ Order No.	28"/6975	30"/5053 Gloss Finish 28"/5055 Gloss Finish 26"/5057 Gloss Finish 28"/5063 Satin Finish	28"/5073 26"/5075	25"/5227	25"/4987
Barrel Type	Light Contour Vent Rib Rem™ Choke	Light Contour Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Mod.
Sights	Twin Bead	Twin Bead	Twin Bead	Twin Bead	Twin Bead
Metal Finish	High Polish Blued	High Polish Blued	High Polish Blued	High Polish Blued	High Polish Blued
Overall Length	48¼" (28" BBL)	50¼" (30" BBL) 48¼" (28" BBL) 46¼" (26" BBL)	48¼" (28" BBL) 46¼" (26" BBL)	45¼"	45¼"
Length of Pull	14¼"	14¼"	14"	14"	14"
Drop (Comb)	1½"	1½"	1½"	1½"	1½"
Drop (Heel)	2½"	2½"	2½"	2½"	2½"
Stock Material	American Walnut	American Walnut	American Walnut	American Walnut	American Walnut
Stock Finish/	Gloss (28")	Gloss (30", 28", 26") Satin (28")	Gloss (26" BBL) Satin (28" BBL)	Satin	Satin
Avg. Wt. (lbs.)	7½ (28" BBL)	7½ (30" BBL) 7 (28" BBL) 6¾ (26" BBL)	6½ (28" BBL) 6¾ (26" BBL)	6	6

All Model 870™ Wingmaster® shotguns have 5-shot capacity and come furnished with a 1-inch plug. All 2¾" and 3" chambers handle 2¾" shells. Super Magnums have 4-shot capacity when using 3½" shells.

SPECIAL PURPOSE TURKEY GUNS

SPRING FEVER? MAY WE RECOMMEND SOMETHING IN MAXIMUM STRENGTH?



MODEL 11-87™
SPS-T™ CAMO
TRUGLO® FIBER-OPTIC SIGHTS



MODEL 870™
SPS-T™ CAMO
TRUGLO® FIBER-OPTIC SIGHTS



MODEL SP-10™
MAGNUM
TURKEY CAMO



MODEL 870™ SPS-T™
SUPER MAGNUM™ CAMO



No species of game is warier than the wild turkey. Fortunately, no turkey guns are better made than the ones you see here. What's more, Remington® offers the broadest selection of turkey guns in existence. And this year, we add six new versions to our industry-leading lineup. Perhaps the most noteworthy of these is the new **11-87 Super Magnum™ SPS-T.™** This is the gun serious turkey hunters have been waiting for — combining legendary Model 11-87™ reliability with the unrivaled knockdown power of 3½" capability. Other new Special Purpose Turkey guns include a **Model 11-87 SPS-T** with 21" barrel and cantilever scope mount; a **Model 11-87 SPS-T** with 21" barrel and Truglo® fiber-optics sights; a **Model 870™ SPS-T** with 20" barrel and Truglo fiber-optic sights; a youth **Model 870 SPS-T** with 20" barrel and Truglo fiber-optic sights; and a powerful new **Model 870 Super Magnum SPS-T** with 23" barrel and cantilever scope mount. All new Special Purpose turkey guns feature weather-defying

REM 0018



MODEL 870™ SPS-T™ SUPER MAGNUM™ CAMO

synthetic stocks and are fully covered in Mossy Oak® Break-Up.® Finally, although not new this year, we'd be remiss not to mention our most formidable turkey gun: The Model SP-10™ Magnum Turkey Camo. It's the one gun for hunters truly obsessed with long-range reach and longbeard-busting knockdown power. For specialized turkey choke tubes, see page 68.



MODEL 11-87™ SPS-T™
SUPER MAGNUM™ CAMO
TRUGLO® FIBER-OPTIC SIGHTS

MODEL 870™ SPS-T™
SUPER MAGNUM™ CAMO
WITH CANTILEVER

REM 0019

SPECIAL PURPOSE TURKEY / SUPER MAGNUMS SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	★ 870™ SPS-T™ Super Magnum™ Synthetic Camo CL/RC	870™ SPS-T™ Super-Magnum Synthetic Camo	★ 11-87™ SPS-T™ Super Magnum™ Synthetic Camo RS/TG	SP-10™ Magnum Turkey Camo
Gauge	12 [3½"]**	12 [3½"]**	12 [3½"]**	10
Mag. Capacity	3 [3½"] 4 [2¾" & 3"]	3 [3½"] 4 [2¾" & 3"]	3 [3½"] 4 [2¾" & 3"]	3
BBL Lengths/Order No.	23"/4957	23"/4968	23"/5353	23"/4827
Barrel Type	Cantilever Rem® Choke	Vent Rib Rem® Choke	Rem Choke	Vent Rib Rem Choke
Sights	–	Twin Bead	Tru-Glo	Twin Bead
Metal Finish	Mossy Oak® Break-Up® Camo	Mossy Oak Break-Up Camo	Mossy Oak® Break-Up® Camo	Mossy Oak® Break-Up® Camo
Overall Length	44¼"	44½"	43"	44½"
Length of Pull	14"	14"	14"	14"
Drop (Comb)	1½"	1⅝"	1⅞"	1⅝"
Drop (Heel)	1⅝"	2⅜"	2⅛"	2⅜"
Stock Material	Camo-Covered Synthetic	Camo-Covered Synthetic	Camo-Covered Synthetic	Camo-Covered Synthetic
Stock Finish	Mossy Oak® Break-Up Camo	Mossy Oak Break-Up Camo	Mossy Oak® Break Up Camo	Mossy Oak Break-Up Camo
Avg. Wt. (lbs.)	7¼	7½	8¼	10½

★ New For 2001

SPECIAL PURPOSE TURKEY SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	★ 11-87™ SPS-T™ Synthetic Camo RS/TG	★ 11-87™ SPS-T™ Synthetic Camo CL/RC	11-87™ SPS-T™ Synthetic Camo	★ 870™ SPS-T™ Synthetic Camo RS/TG
Gauge	12	12	12	12
Mag. Capacity	4	4	4	4
BBL Lengths/Order No.	21"/5323	21"/5341	21"/5064	20"/4883
Barrel Type	Rem Choke	Cantilever Rem Choke	Vent Rib Rem Choke	Rem Choke
Sights	Truglo		Twin Bead	Truglo
Metal Finish	Mossy Oak Break-Up Camo	Mossy Oak Break-Up Camo	Mossy Oak Break Up Camo	Mossy Oak Break Up Camo
Overall Length	42½"	42½"	42½"	41½"
Length of Pull	14"	14"	14"	14"
Drop (Comb)	1½"	1⅝"	1⅝"	1⅝"
Drop (Heel)	2⅛"	2⅜"	2⅛"	1⅝"
Stock Material	Camo-Covered Synthetic	Camo-Covered Synthetic	Camo Covered Synthetic	Camo-Covered Synthetic
Stock Finish	Mossy Oak Break-Up Camo	Mossy Oak Break-Up Camo	Mossy Oak Break Up Camo	Mossy Oak Break-Up Camo
Avg. Wt. (lbs.)	8	8½	8	7½

★ New For 2001

** All 3" and 3½" chambers handle 2¾" shells
Note: Model 11-87™ SPS and Model 870™ SPS Turkey guns supplied with Turkey Super Full choke tube
Note: 21" Model 11-87™ Turkey and Deer barrels are not pressure-compensated. Not for use with Turkey or Light to Heavy Slugs.
Note: Model 870™ SPS-T™ Super Magnum™ Camo supplied with Turkey Extra Full and Turkey Super Full
Note: All Model 870™ Super Magnums have 3½" chambers except Deer barrel which has 3" chamber
Super Magnums can accept 2¾", 3" and 3½" shells interchangeably

WATERFOWL GUNS

SKIRTING THE EDGE OF THE DECOYS
WILL NO LONGER BE TOLERATED.



MODEL SP-10™ MAGNUM
MODEL 870™ SPS™ SUPER MAGNUM™ CAMO

MODEL 870™ SPS™
SUPER MAGNUM CAMO

MODEL SP-10™
MAGNUM SYNTHETIC
Black Synthetic Stock



MODEL 11-87™ SPS™
SUPER MAGNUM CAMO

Our lineup of industry-leading Special Purpose Waterfowl guns just keeps getting better. The biggest news for 2001 is the addition of two new SPS™ guns for the marsh. First, and definitely the most exciting, is the new **11-87™ SPS Super Magnum.™** It couples the proven reliability of the Model 11-87 action with the knockdown capability of 3½" magnum shotshells. And for ultimate concealment, it's camouflaged in Mossy Oak® Break-Up® from stock to muzzle. Goose and duck hunters are drooling. The second addition is our previously offered 3½" **Model 870™ SPS Super Magnum** now fitted with a 28" barrel. Of course, our perennial favorites still remain, including the sure-functioning **Model 11-87 SPS** and the awesome, goose-blind-ruling power of the 10-gauge **Model SP-10™ Magnum.**

SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	SP-10™ Magnum Synthetic[1]	SP-10™ Magnum[1]	SP-10™ Magnum Camo[1]	★870™ SPS™ Super Mag Camo	11-87™ SPS™	11-87™ SPS™ Camo	11-87™ SP™	★11-87™ SPS™ Super Mag Camo
Gauge	10	10	10	12 (3½")	12	12	12	12 (3½")
Mag. Capacity	2	2	2	3 (3½") 4 (2¾", 3")	4	4	4	3 (3½") 4 (2¾", 3")
BBL Lengths/ Order No.	26"/4822	30"/4808 26"/4812	26"/4809	26"/4952 ★ 28"/4949	28"/5269 26"/5271	26"/9662	28"/9005 26"/9906	28"/5343
Barrel Type	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke
Sights	Twin Bead	Twin Bead	Twin Bead	Twin Bead	Twin Bead	Twin Bead	Twin Bead	Twin Bead
Metal Finish	Matte Non-Reflective	Matte Non-Reflective	Mossy Oak® Break-Up® Camo	Mossy Oak® Break-Up® Camo	Matte Non-Reflective	Mossy Oak® Break-Up® Camo	Matte	Mossy Oak® Break-Up®
Overall Length	47½"	51⅛" (30" BBL) 47¾" (26" BBL)	47½"	46" (26" BBL)	48¾" (28" BBL) 46" (26" BBL)	46"	48¾" (28" BBL) 46" (26" BBL)	48"
Length of Pull	14"	14"	14"	14"	14"	14"	14"	14"
Drop (Comb)	1½"	1½"	1½"	1½"	1½"	1½"	1½"	1½"
Drop (Heel)	2½"	2½"	2½"	2½"	2½"	2½"	2½"	2½"
Stock Material	Black Synthetic	American Walnut	Camo-Covered Synthetic	Camo-Covered Synthetic	Black Synthetic	Camo-Covered Synthetic	American Walnut	Camo-Covered Synthetic
Stock Finish	Matte	Satin	Mossy Oak® Break-Up®	Mossy Oak® Break-Up®	Matte	Mossy Oak® Break-Up®	Satin	Mossy Oak® Break-Up®
Avg. Wt. (lbs.)	10¼	11 (30" BBL) 10¾ (26" BBL)	10¼	7½	8¼ (28" BBL) 8⅛ (26" BBL)	8¼	8¼ (28" BBL) 8⅛ (26" BBL)	8¼

[1] These Model SP-10™ shotguns supplied with Full and Mod Rem™ Choke tubes.
Important Note: Critical components – including the barrel, bolt assembly and trigger plate assembly of the Remington Model SP-10™ and other manufacturers' 10-gauge shotguns – are not interchangeable.
Note: All Model 870™ Super Magnums have 3½" chambers except their barrel which has 3" chamber. Super Magnums can stand 2¾", 3" and 3½" shells interchangeably.

★ New For 2001



MODEL 870™ EXPRESS® SYNTHETIC SUPER MAGNUM™ TURKEY
MODEL 870™ EXPRESS® SUPER MAGNUM™

REM 0021



MODEL 870™ EXPRESS® SUPER MAGNUM™ TURKEY CAMO

MODEL 870™ EXPRESS® SUPER MAGNUM™ SYNTHETIC

MODEL 870™ EXPRESS® SUPER MAGNUM™ COMBO

MODEL 870™ SUPER MAGNUM™ DESIGN FEATURES:



MODEL 870™ EXPRESS® SUPER MAGNUM.™ THE ONE GUN THAT CAN DO IT ALL.

Looking for a go-anywhere, do-anything hunting partner that will never let you down? Shake hands with the Remington® **Model 870™ Express® Super Magnum.™** Its 3½" shell capacity delivers the maximum long-range knockdown power and dense patterns to confidently put a bead on the most decoy-shy ducks, geese and gobblers. But because it handles everything from light 2¾" loads to heavy 3½" magnums interchangeably, you've got a shotgun that's unrivaled in versatility. No other pump gun even comes close. You can go from shooting heavy 3½" loads at high-passing waterfowl to shooting light 2¾" loads at fast-darting doves without a hitch. And it does it all with the same action stroke, balance and feel of our original Model 870™ (the most popular pump gun in history). Finally, we can't forget to mention what may be the most appealing thing about the Express Super Magnum: It comes at a very affordable price. Many workhorse models are available, including stock choices of flat-finished hardwood, durable black synthetic or popular camo finishes. To get the most versatile of any Model 870 Express Super Magnum, choose the two-barrel Combo. For deer hunting with slugs, you get a 20" fully-rifled barrel with adjustable factory sights and a standard 26" vent-rib Rem™ Choke barrel for just about any other shotgunning imaginable. Also check out our factory upgrade kits on page 68.



MODEL 870™ EXPRESS®

THE ECONOMICAL, ALL-AMERICAN SLIDE-ACTION.

This is the shotgun that has bagged more game than most guns will ever see. And although it's definitely a no-frills firearm, don't think for a minute that the Express® is anywhere near "cheap." Far from it. Express shotguns feature the same durability and reliability of the legendary Model 870™ Wingmaster.®

So while you may pay a very economical price for a **Model 870 Express**, you're not, by any means, getting short-changed. And with 14 different versions available, you're sure to find a setup for whatever you hunt, wherever you hunt. For factory accessories including our 12- and 20-gauge upgrade kits, see page 68.

MODEL 870™ EXPRESS® SUPER MAGNUM™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	870™ Express® Super Magnum™ Synthetic Turkey	870™ Express® Super Magnum™ Turkey Camo	870™ Express® Super Magnum™	870™ Express® Super Magnum™ Synthetic	870™ Express® Super Magnum™ Combo
Gauge	12 (3½")	12 (3½")	12 (3½")	12 (3½")	12 (3½")[1]
Mag. Capacity	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")
BBL Lengths/ Order No.	23"/5106	23"/5104	28"/5100	26"/5102	26" (Vent Rib)/5114 20" (Deer)[1]
Barrel Type	Vent Rib Rem™ Choke (Turkey Extra Full)	Vent Rib Rem™ Choke (Turkey Extra Full)	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Mod.)	Mod. Rem™ Choke (Vent Rib) Fully Rifled (Deer)
Sights	Twin Bead	Twin Bead	Single Bead	Single Bead	Single Bead (Vent Rib) Rifle Sights (Deer)
Metal Finish	Matte Black Non-Reflect.	RealTree® Advantage® Camo	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.
Overall Length	44½"	44½"	48½"	46"	46" (Vent Rib) 40½" (Deer)
Length of Pull	14"	14"	14"	14"	14"
Drop (Comb)	1½"	1½"	1½"	1½"	1½"
Drop (Heel)	2½"	2½"	2½"	2½"	2½"
Stock Material	Black Synthetic	Synthetic	Hardwood	Black Synthetic	Hardwood
Stock Finish	Matte	RealTree® Advantage® Camo	Satin	Matte	Satin
Avg. Wt. (lbs.)	7¼	7¼	7½	7¼	7½

[1] Combo Deer barrel has 3" chamber.

MODEL 870 EXPRESS® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	870™ Express® (12-ga.)	870™ Express® (20-ga.)	870™ Express® Synthetic	870™ Express® Turkey Camo[1]	870™ Express® Turkey	870™ Express® Synthetic Fully Rifled Deer Gun	870™ Express® Deer
Gauge	12	20	12	12	12	12	12
Mag. Capacity	4	4	4	4	4	4	4
BBL Lengths/ Order No.	28"/5568 26"/5569	28"/5583 26"/5584	28"/5587 26"/5589	21"/5089	21"/5573	20"/5097	20"/5565 20"/5575
Barrel Type/ Order No.	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Extra Full)	Vent Rib Rem™ Choke (Extra Full)	Fully Rifled	Imp. Cyl. Choke/5565 Fully Rifled/5575
Sights	Single Bead	Single Bead	Single Bead	Twin Bead	Twin Bead	Rifle Sights	Rifle Sights
Metal Finish	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect	Matte Black Non-Reflect
Overall Length	48½" (28" BBL) 46½" (26" BBL)	48½" (28" BBL) 46½" (26" BBL)	48½" (28" BBL) 46½" (26" BBL)	42½"	42½"	40½"	40½"
Length of Pull	14"	14"	14"	14"	14"	14"	14"
Drop (Comb)	1½"	1½"	1½"	1½"	1½"	1½"	1½"
Drop (Heel)	2½"	2½"	2½"	2½"	2½"	1½"	1½"
Stock Material	Wood	Wood	Black Synthetic	Camo-Covered Syn.	Wood	Black Synthetic	Wood
Stock Finish	Flat	Flat	Matte	RealTree® Advantage® Camo	Flat	Matte	Flat
Avg. wt. (lbs.)	7½ (28" BBL) 7¼ (26" BBL)	6½ (28" BBL) 6¼ (26" BBL)	7½ (28" BBL) 7¼ (26" BBL)	7¼	7½	7	7¼

[1] Stock and fore-end in Advantage® camo.

Model	870™ Express® Left Hand	870™ Express® Combo (12-ga.)	870™ Express® Combo (20-ga.)	870™ Express® HD	870™ Express® Youth	870™ Express® Youth Turkey Camo[1]	870™ Express® Youth Deer Gun
Gauge	12	12	20	12	20	20	20
Mag. Capacity	4	4	4	4	4	4	4
BBL Lengths/ Order No.	28"/5577	28" (Vent Rib)/5671 26" (Vent Rib)/5676 20" (Imp. Cyl. Deer or Fully Rifled Deer)	28" (Vent Rib)/5685 26" (Vent Rib)/5687 20" (Imp. Cyl. Deer or Fully Rifled Deer)	18"/5549	21"/5561	21"/5091	20"/5555
Barrel Type	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Mod.) I.C. Deer or Fully Rifled Deer	Vent Rib Rem™ Choke (Mod.) I.C. Deer or Fully Rifled Deer	Cylinder Choke	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Full)	Fully Rifled
Sights	Single Bead	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Single Bead	Single Bead	Twin Bead	Rifle Sights
Metal Finish	Matte Black Non-Reflect.	Matte Black Non-Reflect	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect	Matte Black Non-Reflect.	Matte Black Non-Reflect
Overall Length	48½"	48½", 46½" (Vent Rib) 40½" (Deer BBL)	48½", 46½" (Vent Rib) 40½" (Deer BBL)	38½"	40½"	40½"	39½"
Length of Pull	14"	14"	14"	14"	13"	13"	13"
Drop (Comb)	1½"	1½"	1½"	1½"	1½"	1½"	1½"
Drop (Heel)	2½"	2½"	2½"	2½"	2½"	2½"	2½"
Stock Material	Hardwood	Hardwood	Hardwood	Black Synthetic	Hardwood	Camo-Covered Syn	Hardwood
Stock Finish	Flat	Flat	Flat	Matte	Flat	RealTree® Advantage® Camo	Flat
Avg. Wt. (lbs.)	7½	7½ (Vent Rib) 7¼ (Deer BBL)	6½ (Vent Rib) 6¼ (Deer BBL)	7¼	6	6	6

[1] Stock and fore-end in Advantage® camo.

Remington®



2001 Parts Price List

Updated as of 01-08-01
T.A.P.

Remington Arms Co., Inc.
Madison, N.C.

EXHIBIT
tabbies
6

Petitioner's Exhibit
RA Brands, LLC v. Burns
Cancellation No. 92048334

2001 PARTS PRICE LIST

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1455			BARREL BOX INSERT	2.00	2.00	2.00
	1434			EMPTY BBL BOXES W/1455 INSERT	2.00	2.00	2.00
	1444			EMPTY RIFLE BOX (CF & RF)	5.00	5.00	5.00
	1499			EMPTY RIFLE BOX (40X-700 SENDERO-VARMINT)	5.00	5.00	5.00
	1657			EMPTY RIFLE BOX N/S (XP-100R)	7.00	7.00	7.00
	1453			EMPTY RIFLE BOX O/S (XP-100)	5.00	5.00	5.00
	1361			EMPTY SHOTGUN BOX (3200)	5.00	5.00	5.00
	1439			EMPTY SHOTGUN BOX (870-1100-1187)	5.00	5.00	5.00
	1454			EMPTY SHOTGUN BOX (90-T)	5.00	5.00	5.00
	1497			EMPTY SHOTGUN BOX (COMBOS)	5.00	5.00	5.00
	1498			EMPTY SHOTGUN BOX (PEERLESS-396-300)	5.00	5.00	5.00
	1442			EMPTY SHOTGUN BOX (POLICE)	5.00	5.00	5.00
	1496			EMPTY SHOTGUN BOX (SP-10)	5.00	5.00	5.00
	1618			LONG BBL BOX (26-28-30 INCH)	2.00	2.00	2.00
	1460			RIFLE HARDCASE OVERWRAP(HCR-1)	2.00	2.00	2.00
	1619			SHORT BBL BOX (18-20-21-23 INCH)	2.00	2.00	2.00
	1461			SHOTGUN HARDCASE OVERWRAP(HCS-1)	2.00	2.00	2.00
	20580			DUMMY SHELLS 12 GA 2 3/4" (BOX OF 25)	18.01	24.22	31.05
	103805			CHOKE TUBE 10 GA STEEL IMP MOD/LEAD MOD	23.00	30.93	39.65
	103806			CHOKE TUBE 10 GA STEEL X-FULL/LEAD FULL	23.00	30.93	39.65
	103780			CHOKE TUBE 10 GA TURKEY X-FULL LEAD ONLY	23.00	30.93	39.65
	94207			CHOKE TUBE 10 GA WRENCH	6.00	8.07	10.35
	98870			CHOKE TUBE 12 GA EXTENDED RIFLED	32.02	43.06	55.20
	103795			CHOKE TUBE 12 GA FULL--STEEL OR LEAD	18.11	24.35	31.22
	105360			CHOKE TUBE 12 GA FULL EXT SPTG CLAY BL	16.21	21.80	27.95
	102915			CHOKE TUBE 12 GA FULL TRAP (TRP BBL ONLY)	17.01	22.87	29.32
	101585			CHOKE TUBE 12 GA IMP CYL	10.50	14.12	18.10
	105362			CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY BL	16.99	22.85	29.30
	108261			CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY NP	17.01	22.87	29.32
	101590			CHOKE TUBE 12 GA IMP SKEET	10.50	14.12	18.10
	105363			CHOKE TUBE 12 GA IMP SKEET EXT SPTG CLAY BL	17.02	22.89	29.35
	108262			CHOKE TUBE 12 GA LT MOD EXT SPTG CLAY NP	17.01	22.87	29.32
N/A	101586			CHOKE TUBE 12 GA MOD	10.50	14.12	18.10
	105361			CHOKE TUBE 12 GA MOD EXT SPTG CLAY BL	16.99	22.85	29.30
	108263			CHOKE TUBE 12 GA MOD EXT SPTG CLAY NP	17.01	22.87	29.32
	94650			CHOKE TUBE 12 GA RIFLED N/S FLUSH	21.78	29.29	37.55
	101588			CHOKE TUBE 12 GA SKEET	10.50	14.12	18.10
	105364			CHOKE TUBE 12 GA SKEET EXT SPTG CLAY BL	16.99	22.85	29.30
	108260			CHOKE TUBE 12 GA SKEET EXT SPTG CLAY NP	17.01	22.87	29.32
	102917			CHOKE TUBE 12 GA SUPER FULL TRAP (TRP BBL ONLY)	17.01	22.87	29.32
	94516			CHOKE TUBE 12 GA TURKEY EXT EXTRA FULL	17.01	22.87	29.32
11	200094			CHOKE TUBE 12 GA TURKEY EXT STRAIGHT RIFLED	27.51	37.00	47.43
	105930			CHOKE TUBE 12 GA TURKEY EXT SUPER FULL	17.59	23.66	30.33
	94525			CHOKE TUBE 12 GA WRENCH	4.81	6.47	8.30
	106930			CHOKE TUBE 12 GA WRENCH (SPEED WRENCH)	6.26	8.42	10.80
	102916			CHOKE TUBE 12 GA X-FULL TRAP (TRP BBL ONLY)	17.01	22.87	29.32
	101227			CHOKE TUBE 20 GA FULL	10.50	14.12	18.10
	101225			CHOKE TUBE 20 GA IMP CYL	10.50	14.12	18.10
	108852			CHOKE TUBE 20 GA IMP CYL EXT SPTG CLAY BL	17.01	22.87	29.32
	101229			CHOKE TUBE 20 GA IMP SKEET	10.01	13.46	17.25
	108851			CHOKE TUBE 20 GA LT MOD EXT SPTG CLAY BL	17.01	22.87	29.32
	101226			CHOKE TUBE 20 GA MOD	10.50	14.12	18.10
	108850			CHOKE TUBE 20 GA MOD EXT SPTG CLAY BL	17.01	22.87	29.32
	101222			CHOKE TUBE 20 GA SKEET	10.50	14.12	18.10
	108853			CHOKE TUBE 20 GA SKEET EXT SPTG CLAY BL	17.01	22.87	29.32
11	200070			CHOKE TUBE 20 GA TURKEY SUPER FULL	17.60	23.67	30.35
	94573			CHOKE TUBE 20 GA WRENCH	4.81	6.47	8.30
	108931			CHOKE TUBE 20 SPEED WRENCH			10.80
	109031			CHOKE TUBE 28 GA IC EXT SPTG NP	16.21	21.80	27.95
	99313			CHOKE TUBE 28 GA IMP CYL SPTG	12.01	16.15	20.70
	109032			CHOKE TUBE 28 GA LT MOD EXT SPTG NP	16.21	21.80	27.95
	99314			CHOKE TUBE 28 GA LT MOD SPTG	12.01	16.15	20.70
	109033			CHOKE TUBE 28 GA MOD EXT SPTG NP	16.21	21.80	27.95
	99315			CHOKE TUBE 28 GA MOD SPTG	12.01	16.15	20.70
	109030			CHOKE TUBE 28 GA SKEET EXT SPTG NP	16.21	21.80	27.95
	99312			CHOKE TUBE 28 GA SKEET SPTG	12.01	16.15	20.70
	99316			CHOKE TUBE 28 GA WRENCH	4.81	6.47	8.30

Updated 01/08/01

Prices Subject to Change Without N

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
5	98602			ISS KIT RIGHT HAND (COMMON FIRE CONTROL)	10.15	13.65	17.50
5	98603			ISS KIT LEFT HAND (COMMON FIRE CONTROL)	10.15	13.65	17.50
	17515			SAFETY DETENT SPRING RETAINING PIN	1.28	1.72	2.20
	201218			SAFETY DETENT SPRING	0.99	1.33	1.70
6	201212			SAFETY RIGHT HAND (ISS)	2.76	3.71	4.75
6	201214			SAFETY LEFT HAND (ISS)	2.76	3.71	4.75
	201207			ISS KEY & COVER ASSEMBLY W/ INSTRUCTIONS	1.45	1.95	2.50
6	98604			RED PAINT 2oz	5.80	5.80	5.80
6	98605			WHITE PAINT 2oz	5.80	5.80	5.80
	34326		FOUR	BARREL TAKE DOWN NUT 243 & 308 (&7400)	2.32	3.12	4.00
	34580		FOUR	FORE END REINFORCMENT ASSEM (&7400)	8.61	11.58	14.85
3	91782		FOUR	GRIP CAP SPACER	0.99	1.33	1.70
	34325		FOUR	TAKE DOWN BARREL NUT 270 & 30/06 (&7400)	2.23	3.00	3.85
	91560		SIX	ACTION BAR ASSEM (&7600)	51.62	69.42	89.00
	14558		SIX	FORE END TIP (&7600)	0.99	1.33	1.70
	25007		N66	STK ASSEM AB	35.96	48.36	62.00
	34630		N66	STK ASSEM BD	34.80	46.80	60.00
	32341		N77	CLIP MAG 10 SHOT	7.95	10.69	13.70
	32340		N77	CLIP MAG 5 SHOT	7.95	10.69	13.70
	29536		788	CLIP MAG 22-250	11.29	15.19	19.47
	29535		788	CLIP MAG 222	11.29	15.19	19.47
3	29542		788	CLIP MAG 223 REM	11.29	15.19	19.47
	29540		788	CLIP MAG 243	11.29	15.19	19.47
	29539		788	CLIP MAG 308	11.29	15.19	19.47
	29543		788	CLIP MAG 7MM-08	11.29	15.19	19.47

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1444		7	EMPTY RIFLE BOX (CF & RF)	5.00	5.00	5.00
	14810		7	BARREL BRACKET BLUED	5.86	7.88	10.10
	97483		7	BARREL BRACKET SS	7.16	9.63	12.35
1	927420		7	BBL ACTION 223 BLUED	0.00	0.00	0.00
1	927424		7	BBL ACTION 243 WIN BLUED	0.00	0.00	0.00
1	927428		7	BBL ACTION 308 WIN BLUED	357.00	414.12	476.00
1	927426		7	BBL ACTION 7MM 08 REM BLUED	0.00	0.00	0.00
6	97781	1	7	BBL ASSEM 17 REM (SIGHTLESS) BLUED	126.50	170.12	218.10
6	34994		7	BBL ASSEM 222 BLUED	126.50	170.12	218.10
6	200440		7	BBL ASSEM 22-250 LSS	126.50	170.12	218.10
6	34995		7	BBL ASSEM 223 BLUED	126.50	170.12	218.10
6	106103		7	BBL ASSEM 223 SS	132.01	177.53	227.60
6	109082		7	BBL ASSEM 223 20"	126.50	170.12	218.10
6	34992		7	BBL ASSEM 243 BLUED	126.50	170.12	218.10
6	34996		7	BBL ASSEM 243 MATTE	110.00	147.93	189.65
6	106100		7	BBL ASSEM 243 WIN SS	132.01	177.53	227.60
6	109081		7	BBL ASSEM 243 20"	126.50	170.12	218.10
3	99692		7	BBL ASSEM 260 BLUED	126.50	170.12	218.10
6	106104		7	BBL ASSEM 260 SS	132.01	177.53	227.60
6	109083		7	BBL ASSEM 260 YOUTH 20"	126.50	170.12	218.10
3	34990		7	BBL ASSEM 308 BLUED	126.50	170.12	218.10
6	34997		7	BBL ASSEM 308 MATTE	110.00	147.93	189.65
6	106101		7	BBL ASSEM 308 WIN SS	132.01	177.53	227.60
6	109084		7	BBL ASSEM 308 20"	126.50	170.12	218.10
6	34991		7	BBL ASSEM 6MM REM BLUED	126.50	170.12	218.10
6	34993		7	BBL ASSEM 7MM/08 REM BLUED	126.50	170.12	218.10
6	34998		7	BBL ASSEM 7MM/08 REM MATTE	126.50	170.12	218.10
6	106102		7	BBL ASSEM 7MM/08 SS	132.01	177.53	227.60
6	109080		7	BBL ASSEM 7MM/08 20"	126.50	170.12	218.10
6	34971	2	7	BOLT ASSEM 222 & 223 BLUED	74.76	100.54	128.90
6	92659		7	BOLT ASSEM 222 & 223 MAX BLUED	74.76	100.54	128.90
6	99485		7	BOLT ASSEM 222 & 223 SS	74.76	100.54	128.90
6	201325		7	BLOT ASSEM 223 YOUTH	74.76	100.54	128.90
6	200413		7	BOLT ASSEM 243 YOUTH	74.76	100.54	128.90
6	34970		7	BOLT ASSEM 308 & 243 BLUED	74.76	100.54	128.90
6	34972		7	BOLT ASSEM 308 & 243 MATTE	74.76	100.54	128.90
6	92658		7	BOLT ASSEM 308 & 243 MAX BLUED	74.76	100.54	128.90
6	97948		7	BOLT ASSEM 308 & 243 SA SS	74.76	100.54	128.90
6	33274		7	BOLT ASSEM 350 MAG (CUSTOM SHOP)	74.76	100.54	128.90
	92229		7	BOLT HANDLE BLUED	10.01	13.46	17.25
	97448		7	BOLT HANDLE SS	15.60	20.98	26.90
	92288	3	7	BOLT PLUG BLUED	7.25	9.75	12.50
	97952		7	BOLT PLUG SS	7.25	9.75	12.50
5	15412	4	7	BOLT STOP	2.61	3.51	4.50
	24484	5	7	BOLT STOP PIN	1.28	1.72	2.20
5	91828		7	BOLT STOP RELEASE	0.99	1.33	1.70
5	97955		7	BOLT STOP RELEASE SS	2.09	2.81	3.60
5	15413	6	7	BOLT STOP SPRING	1.62	2.18	2.80
	17017	8	7	EJECTOR	2.61	3.51	4.50
	94555	9	7	EJECTOR PIN	1.28	1.72	2.20
	17019	10	7	EJECTOR SPRING	1.28	1.72	2.20
	90906	7	7	ELEVATION SCREW	1.28	1.72	2.20
	97138	11	7	EXTRACTOR 17, 222, 223 CA. HEAVY	6.50	8.74	11.20
	93712	11	7	EXTRACTOR RIVETLESS HEAVY	2.61	3.51	4.50
	28601	13	7	FIRING PIN ASSEM BLUED	28.62	38.49	49.35
	28603		7	FIRING PIN ASSEM MATTE	22.01	29.60	37.95
	97951		7	FIRING PIN ASSEM SS	28.62	38.49	49.35
	109583		7	FIRING PIN ASSEM BL W/ ISS			55.35
	109585		7	FIRING PIN ASSEM MATTE W/ ISS			55.35
	109584		7	FIRING PIN ASSEM SS W/ ISS			55.35
	17022	14	7	FIRING PIN CROSS PIN	1.28	1.72	2.20
	98868		7	FLOOR PLATE INSERT 17-223	1.71	2.30	2.95
	92848	17	7	FLOOR PLATE LATCH BLUED	3.60	4.84	6.20
	92846	19	7	FLOOR PLATE LATCH PIN BLUED	1.28	1.72	2.20
	97960		7	FLOOR PLATE LATCH PIN SS	0.99	1.33	1.70
	92847	18	7	FLOOR PLATE LATCH SPRING	1.28	1.72	2.20
	97958	17	7	FLOOR PLATE LATCH SS	2.76	3.71	4.75
	92450		7	FLOOR PLATE PAD	3.19	4.29	5.50
	16453	20	7	FLOOR PLATE PIVOT PIN	1.28	1.72	2.20
	104130	21	7	FRONT GUARD SCREW N/S HEX	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	92849		7	FRONT GUARD SCREW SPACER	1.19	1.60	2.05
	106290		7	FRONT GUARD SCREW SS HEX	1.28	1.72	2.20
	15373	22	7	FRONT SIGHT	4.41	5.93	7.60
	15719		7	FRONT SIGHT (LOW)	4.41	5.93	7.60
	17034	39	7	FRONT SIGHT PLUG SCREW BL (RECEIVER PLUG SCREW)	0.79	1.07	1.37
	97437		7	FRONT SIGHT PLUG SCREW SS (RECEIVER PLUG SCREW	0.79	1.07	1.37
	92081	23	7	FRONT SIGHT RAMP	8.15	10.96	14.05
	28505	24	7	FRONT SIGHT RAMP SCREW (NS)	0.79	1.07	1.37
3	92084		7	FRONT SIGHT RAMP SCREW	1.28	1.72	2.20
	98809	25	7	FRONT SWIVEL SCREW SS	0.99	1.33	1.70
	92753	26	7	GRIP CAP N/S	1.80	2.42	3.10
	106605	29	7	MAGAZINE ASSEMBLY 17, 222, 223	5.22	7.02	9.00
	92508	30	7	MAGAZINE FOLLOWER 17, 222, 223	13.01	17.50	22.43
	92455		7	MAGAZINE FOLLOWER SA	13.01	17.50	22.43
	16715	29	7	MAGAZINE SA	5.57	7.49	9.60
	15286		7	MAGAZINE SPACER 17, 222, 223	2.26	3.04	3.90
	91905	31	7	MAGAZINE SPRING	1.71	2.30	2.95
	91133		7	MAGAZINE SPRING 17, 222, 223	3.60	4.84	6.20
	15699		7	MAGAZINE SPRING SA	3.60	4.84	6.20
	15411	32	7	MAIN SPRING (FIRING PIN SPRING)	1.71	2.30	2.95
	104251	33	7	REAR GUARD SCREW NS HEX	1.28	1.72	2.20
	92850		7	REAR GUARD SCREW SPACER	1.19	1.60	2.05
	105406		7	REAR GUARD SCREW SS N/S HEX	1.28	1.72	2.20
	94333	34	7	REAR SIGHT APERTURE	4.41	5.93	7.60
	103145		7	REAR SIGHT ASSEM SATIN BL	18.21	24.49	31.40
	103530	35	7	REAR SIGHT BASE SATIN BL	6.64	8.93	11.45
	28505	36	7	REAR SIGHT BASE SCREW (NEED 2)	0.79	1.07	1.37
	17034	39	7	REAR SIGHT PLUG SCREW BL	0.79	1.07	1.37
	97437	39	7	REAR SIGHT PLUG SCREW SS	0.79	1.07	1.37
	94335	37	7	REAR SIGHT SLIDE	8.79	11.82	15.15
	17034	39	7	RECEIVER PLUG SCREW BL	0.79	1.07	1.37
	97437	39	7	RECEIVER PLUG SCREW SS	0.79	1.07	1.37
	91544	40	7	RECOIL PAD BROWN-WOOD (OVERSIZED-MUST BE FITTE	11.69	15.72	20.15
	25410	41	7	RECOIL PAD SCREW	0.79	1.07	1.37
	98008		7	RECOIL PAD SCREW SYN GUN	1.28	1.72	2.20
	97931		7	RECOIL PAD SYN GUN	11.69	15.72	20.15
5	24476	42	7	SEAR PIN	1.28	1.72	2.20
	93924	43	7	STK ASSEM KEVLAR CUSTOM SHOP	219.99	295.85	379.30
	98070		7	STK ASSEM MANNLICHER	235.97	317.34	406.85
	106300		7	STK ASSEM SYN	55.10	74.10	95.00
3	102944		7	STK ASSEM SYN GRAY FIBERGLASS	139.98	188.25	241.35
	100011		7	STK ASSEM WALNUT	139.20	187.20	240.00
	100012		7	STK ASSEM BROWN LAMINATED	241.35	241.35	241.35
	97422		7	STK ASSEM YOUTH BIRCH	66.70	89.70	115.00
	94996		7	STOCK SWIVEL SCREW	0.79	1.07	1.37
	94241		7	STOCK SWIVEL SCREW SPACER	1.28	1.72	2.20
	97744		7	STOCK SWIVEL SCREW SS	1.28	1.72	2.20
	15358		7	STOCK SWIVEL SCREW WOOD	2.09	2.81	3.60
5	92458	44	7	TRIGGER ASSEM BLUED	41.47	55.77	71.50
5	97954		7	TRIGGER ASSEM SS	41.47	55.77	71.50
	92909	45	7	TRIGGER GUARD ASSEM 7MM-08/308	49.65	66.77	85.60
	94075		7	TRIGGER GUARD ASSEM FS MATTE	41.35	55.61	71.30
	97957		7	TRIGGER GUARD ASSEM SS	49.65	66.77	85.60
	91951		7	TRIGGER GUARD BLUED	9.95	13.38	17.15
	90904	46	7	WINDAGE SCREW	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1453		100	EMPTY RIFLE BOX O/S (XP-100)	5.00	5.00	5.00
6	28751		100	BOLT ASSEM 223	74.76	100.54	128.90
6	28753		100	BOLT ASSEM 7MM BR 308	74.76	100.54	128.90
5	15413		100	BOLT STOP SPRING	1.62	2.18	2.80
3	91763		100	FRONT SIGHT RAMP	7.51	10.10	12.95
3	15451		100	REAR RECEIVER ESCUTCHEON SCREW	4.64	6.24	8.00
3	15450		100	REAR RECEIVER SCREW	1.28	1.72	2.20
3	15725		100	REAR SIGHT EYE PIECE	7.51	10.10	12.95
3	15778		100	REAR SIGHT WRENCH	1.25	1.68	2.15
6	91496		100	SAFETY ASSEM	3.97	5.34	6.85
6	14269		100	SEAR AND SAFETY CAM	5.95	8.00	10.25
6	26790		100	SEAR HOUSING ASSEM	45.59	61.31	78.60
	15416		100	SIGHT SCREW	1.28	1.72	2.20
	104090		100	STK ASSEM KEVLAR	149.93	201.63	258.50
3	91765		100	STK ASSEM BENCH REST	64.96	87.36	112.00
3	26805		100	STK ASSEM SYN STOCK	64.96	87.36	112.00
6	15470		100	TRIGGER BALANCE	2.00	2.69	3.45
6	16874		100	TRIGGER BALANCE BLANK	0.99	1.33	1.70
6	15471		100	TRIGGER BALANCE PIN	0.99	1.33	1.70
6	15472		100	TRIGGER BALANCE SPRING	1.51	2.03	2.60
6	15474		100	TRIGGER HOUSING SCREW REAR	1.28	1.72	2.20
6	24483		100	TRIGGER PIN	1.28	1.72	2.20
	1657		100R	EMPTY RIFLE BOX N/S (XP-100R)	7.00	7.00	7.00
	14810		100R	BARREL BRACKET	5.86	7.88	10.10
3	108643	1	100R	BBL ASSEM 22-250 REM			
3	108640		100R	BBL ASSEM 223 REM			
3	108641		100R	BBL ASSEM 260 REM			
3	108642		100R	BBL ASSEM 350 REM			
6	34976	2	100R	BOLT ASSEM 22-250--260--350	53.56	72.03	92.35
6	34975		100R	BOLT ASSEM 223 REM	44.66	60.06	77.00
	26330		100R	BOLT HANDLE	15.60	20.98	26.90
5	15412	4	100R	BOLT STOP	2.61	3.51	4.50
5	24484	5	100R	BOLT STOP PIN	1.28	1.72	2.20
5	91828		100R	BOLT STOP RELEASE	0.99	1.33	1.70
5	15413	6	100R	BOLT STOP SPRING	1.62	2.18	2.80
	17017	8	100R	EJECTOR	2.61	3.51	4.50
	94555	9	100R	EJECTOR PIN	1.28	1.72	2.20
	17019	10	100R	EJECTOR SPRING	1.28	1.72	2.20
	93712	11	100R	EXTRACTOR 22-250--260--350	2.61	3.51	4.50
	97138		100R	EXTRACTOR 223 REM	6.50	8.74	11.20
	200190	13	100R	FIRING PIN ASSEM			49.35
	17022	1	100R	FIRING PIN CROSS PIN	1.28	1.72	2.20
	15719		100R	FRONT SIGHT (LOW) (SAME AS MODEL 7)	4.41	5.93	7.60
	15373		100R	FRONT SIGHT (SAME AS MODEL 7)	4.41	5.93	7.60
	17034		100R	FRONT SIGHT PLUG SCREW BL	0.79	1.07	1.37
	92081		100R	FRONT SIGHT RAMP (SAME AS MODEL 7)	8.15	10.96	14.05
	92084		100R	FRONT SIGHT RAMP SCREW (SAME AS MODEL 7)	1.28	1.72	2.20
	104125	21	100R	FRONT TAKEDOWN SCREW	1.28	1.72	2.20
	16715	29	100R	MAGAZINE 22-250--260--350	5.57	7.49	9.60
	106605		100R	MAGAZINE ASSEMBLY 223 REM	5.22	7.02	9.00
	92455	30	100R	MAGAZINE FOLLOWER 22-250--260--350	13.01	17.50	22.43
	92508		100R	MAGAZINE FOLLOWER 223 REM	13.01	17.50	22.43
	15699	31	100R	MAGAZINE SPRING 22-250--260--350	3.60	4.84	6.20
	91133		100R	MAGAZINE SPRING 223 REM	3.60	4.84	6.20
	15411	32	100R	MAIN SPRING	1.71	2.30	2.95
	94333		100R	REAR SIGHT APERTURE (SAME AS MODEL 7)	4.41	5.93	7.60
	103145		100R	REAR SIGHT ASSEM SATIN BL (SAME AS MODEL 7)	18.21	24.49	31.40
	103530		100R	REAR SIGHT BASE SATIN BL (SAME AS MODEL 7)	6.64	8.93	11.45
	28505		100R	REAR SIGHT BASE SCREW (SAME AS MODEL 7)	0.79	1.07	1.37
	17034		100R	REAR SIGHT PLUG SCREW BL	0.79	1.07	1.37
	94335		100R	REAR SIGHT SLIDE (SAME AS MODEL 7)	8.79	11.82	15.15
	104251	33	100R	REAR TAKEDOWN SCREW	1.28	1.72	2.20
	17034	39	100R	RECEIVER PLUG SCREW	0.79	1.07	1.37
5	23222		100R	SAFETY DETENT BALL	1.28	1.72	2.20
5	15368		100R	SAFETY DETENT SPRING	1.71	2.30	2.95
5	17043		100R	SAFETY PIVOT PIN	1.28	1.72	2.20
5	17044		100R	SAFETY SNAP WASHER	1.28	1.72	2.20
5	24476	42	100R	SEAR PIN (TRIGGER PIN)	1.28	1.72	2.20
6	15666		100R	SEAR SAFETY CAM	2.61	3.51	4.50

RESTRIC.	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
6	17047		100R	SEAR SPRING	1.28	1.72	2.20
	104090	43	100R	STOCK ASSEM KEVLAR (RH ONLY)	149.93	201.63	258.50
5	92458	44	100R	TRIGGER ASSEMBLY	41.47	55.77	71.50
6	19461		100R	TRIGGER CONNECTOR	1.60	2.15	2.75
6	91128		100R	TRIGGER ENGAGEMENT SCREW	0.99	1.33	1.70
6	24477		100R	TRIGGER PIN	1.28	1.72	2.20
6	15400		100R	TRIGGER SPRING	1.28	1.72	2.20
6	17053		100R	TRIGGER STOP SCREW	0.99	1.33	1.70
6	15481		100R	TRIGGER STOP SCREW	0.99	1.33	1.70

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1498		300 IDEAL	EMPTY SHOTGUN BOX (300, 320, 396)	5.00	5.00	5.00
6	305360		300 IDEAL	BBL ASSEM 12/26	425.00	425.00	425.00
6	305361		300 IDEAL	BBL ASSEM 12/28	425.00	425.00	425.00
6	305362		300 IDEAL	BBL ASSEM 12/30	425.00	425.00	425.00
	103795		300 IDEAL	CHOKE TUBE FULL	18.11	24.35	31.22
	101586		300 IDEAL	CHOKE TUBE MOD	10.50	14.12	18.10
	101585		300 IDEAL	CHOKE TUBE IC	10.50	14.12	18.10
	106930		300 IDEAL	CHOKE TUBE WRENCH	6.26	8.42	10.80
	97124		300 IDEAL	COCKING ROD RETAINING PIN	1.97	2.65	3.40
6	300269		300 IDEAL	DISCONECTOR ROD	8.99	12.09	15.50
6	300270		300 IDEAL	EJECTOR BUFFER	2.90	3.90	5.00
	17676		300 IDEAL	EJECTOR PIN	0.93	1.25	1.60
5	97797		300 IDEAL	EJECTOR SEAR RIGHT	5.22	7.02	9.00
5	97798		300 IDEAL	EJECTOR SEAR LEFT	5.22	7.02	9.00
	97672		300 IDEAL	EJECTOR SEAR SPRING	1.97	2.65	3.40
	97042		300 IDEAL	EJECTOR SPRING	1.97	2.65	3.40
	97041		300 IDEAL	EJECTOR SPRING PLUNGER	2.78	3.74	4.80
	97788		300 IDEAL	EJECTOR SPRING RETAINER	2.78	3.74	4.80
	97088		300 IDEAL	FIRING PIN	5.22	7.02	9.00
	97152		300 IDEAL	FIRING PIN SPRING (2)	1.97	2.65	3.40
	97652		300 IDEAL	FORE END ADJ SCREW	1.97	2.65	3.40
	97898		300 IDEAL	FORE END ADJ SCREW KEY	4.96	6.67	8.55
6	300298		300 IDEAL	FORE END ASSEM	89.90	120.90	155.00
6	300311		300 IDEAL	FORE END IRON	124.99	168.09	215.50
6	300276		300 IDEAL	FORE END IRON CAM PLATE	2.90	3.90	5.00
6	300299		300 IDEAL	FORE END LATCH	1.28	1.72	2.20
	97266		300 IDEAL	FORE END LATCH SPRING	1.97	2.65	3.40
6	300300		300 IDEAL	FORE END LATCH PLATE	8.99	12.09	15.50
	99908		300 IDEAL	FORE END LATCH PIVOT STOP PIN	1.28	1.72	2.20
	99910		300 IDEAL	FORE END LATCH PLATE SCREW	1.28	1.72	2.20
	99912		300 IDEAL	FORE END LATCH ESCUT SCREW	1.28	1.72	2.20
6	200542		300 IDEAL	FRAME	301.60	405.60	520.00
	18918		300 IDEAL	FRONT SIGHT	3.89	5.23	6.70
	97010		300 IDEAL	HAMMER COCKING ROD LEFT	19.69	26.48	33.95
	97009		300 IDEAL	HAMMER COCKING ROD RIGHT	19.69	26.48	33.95
	94979		300 IDEAL	HAMMER LEFT	24.71	33.23	42.60
	94977		300 IDEAL	HAMMER RIGHT	24.71	33.23	42.60
	97117		300 IDEAL	HAMMER PIVOT PIN	1.97	2.65	3.40
	97903		300 IDEAL	HAMMER SPRING	2.61	3.51	4.50
	97072		300 IDEAL	HAMMER SPRING PLUNGER	5.86	7.88	10.10
	97073		300 IDEAL	HAMMER SPRING PLUNGER PIVOT	3.39	4.56	5.85
6	305330		300 IDEAL	LOCKING BOLT #0	27.49	36.97	47.40
6	305331		300 IDEAL	LOCKING BOLT #1	27.49	36.97	47.40
6	305332		300 IDEAL	LOCKING BOLT #2	27.49	36.97	47.40
6	305333		300 IDEAL	LOCKING BOLT #3	27.49	36.97	47.40
6	305334		300 IDEAL	LOCKING BOLT #4	27.49	36.97	47.40
	97199		300 IDEAL	LOCKING BLOT SPRING PIVOT	1.97	2.65	3.40
	97175		300 IDEAL	LOCKING BOLT SPRING	1.97	2.65	3.40
	18052		300 IDEAL	MIDDLE SIGHT	1.28	1.72	2.20
	94980		300 IDEAL	PIVOT PIN	3.60	4.84	6.20
6	300285		300 IDEAL	SAFETY/BBL SEL ASSEM	12.76	17.16	22.00
6	300286		300 IDEAL	SAFETY SEL DET SPRING	1.97	2.65	3.40
6	99905		300 IDEAL	SAFETY SEL RET PIN	1.28	1.72	2.20
6	300271		300 IDEAL	SAFETY SEL SPRING RET PIN	1.28	1.72	2.20
6	305325		300 IDEAL	SAFETY SEL SHIM .005	1.28	1.72	2.20
6	300349		300 IDEAL	SEAR LEFT	17.40	23.40	30.00
6	300279		300 IDEAL	SEAR PIVOT PIN	1.28	1.72	2.20
6	300350		300 IDEAL	SEAR RIGHT	1.28	1.72	2.20
	97154		300 IDEAL	SEAR SPRING	1.97	2.65	3.40
	97087		300 IDEAL	SEAR SPRING PLUNGER	1.97	2.65	3.40
6	300307		300 IDEAL	SELECTOR BLOCK	3.19	4.29	5.50
	97376		300 IDEAL	SELECTOR BLOCK PIN	3.39	4.56	5.85
	97374		300 IDEAL	SELECTOR BLOCK PIN RET	1.97	2.65	3.40
6	300322		300 IDEAL	STOCK ASSEM FIELD	133.40	179.40	230.00
6	200399		300 IDEAL	STOCK BOLT	4.64	6.24	8.00
	18572		300 IDEAL	STOCK BOLT LOCK WASHER	1.28	1.72	2.20
	18573		300 IDEAL	STOCK BOLT WASHER	1.28	1.72	2.20
6	200515		300 IDEAL	TOP LEVER	58.00	78.00	100.00
	97777		300 IDEAL	TOP LEVER ADJ SCREW	1.97	2.65	3.40
	97113		300 IDEAL	TOP LEVER DETENT	1.97	2.65	3.40

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	97111		300 IDEAL	TOP LEVER DETENT PLUNGER	1.97	2.65	3.40
	97156		300 IDEAL	TOP LEVER DETENT SPRING	1.97	2.65	3.40
	97886		300 IDEAL	TOP LEVER SPRING PLUNGER	1.97	2.65	3.40
	98029		300 IDEAL	TOP LEVER SHIM .010	1.97	2.65	3.40
	98030		300 IDEAL	TOP LEVER SHIM .012	1.97	2.65	3.40
	98031		300 IDEAL	TOP LEVER SHIM .015	1.97	2.65	3.40
	98032		300 IDEAL	TOP LEVER SHIM .018	1.97	2.65	3.40
	98033		300 IDEAL	TOP LEVER SHIM .020	1.97	2.65	3.40
6	200397		300 IDEAL	TOP LEVER SPRING INNER	1.28	1.72	2.20
6	200398		300 IDEAL	TOP LEVER SPRING OUTER	1.28	1.72	2.20
	90352		300 IDEAL	TRIGGER ADJ SCREW	1.51	2.03	2.60
	90353		300 IDEAL	TRIGGER ADJ SCREW NUT	1.80	2.42	3.10
6	300296		300 IDEAL	TRIGGER ASSEM	26.10	35.10	45.00
6	200522		300 IDEAL	TRIGGER GUARD	23.20	31.20	40.00
	97123		300 IDEAL	TRIGGER GUARD PIN	1.97	2.65	3.40
	97119		300 IDEAL	TRIGGER PIVOT PIN	1.97	2.65	3.40

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1498		320	EMPTY SHOTGUN BOX (PEERLESS-396)	5.00	5.00	5.00
6	97145	3	320	AUTO SAFETY ACTUATING ROD	3.89	5.23	6.70
6	97351	1	320	AUTO SAFETY ACTUATOR	11.69	15.72	20.15
	97822	2	320	AUTO SAFETY ACTUATOR PIN	1.51	2.03	2.60
	97300	5	320	BARREL SELECTOR GUIDE	1.51	2.03	2.60
	97302	6	320	BARREL SELECTOR GUIDE PLUNGER	1.51	2.03	2.60
	97315	7	320	BARREL SELECTOR GUIDE SPRING	1.51	2.03	2.60
6	104385	4	320	BBL ASSEM 12/26	700.00	700.00	700.00
6	104386		320	BBL ASSEM 12/28	700.00	700.00	700.00
6	104387		320	BBL ASSEM 12/30	700.00	700.00	700.00
	98870	8	320	CHOKE TUBE 12 GA EXTENDED RIFLED	32.02	43.06	55.20
	103795		320	CHOKE TUBE 12 GA FULL--STEEL OR LEAD	18.11	24.35	31.22
	105360		320	CHOKE TUBE 12 GA FULL EXT SPTG CLAY BL	16.21	21.80	27.95
	101585		320	CHOKE TUBE 12 GA IMP CYL	10.50	14.12	18.10
	105362		320	CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY BL	16.99	22.85	29.30
	108261		320	CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY NP	17.01	22.87	29.32
	101590		320	CHOKE TUBE 12 GA IMP SKEET	10.50	14.12	18.10
	105363		320	CHOKE TUBE 12 GA IMP SKEET EXT SPTG CLAY BL	17.02	22.89	29.35
	108262		320	CHOKE TUBE 12 GA LT MOD EXT SPTG CLAY NP	17.01	22.87	29.32
	101586		320	CHOKE TUBE 12 GA MOD	10.50	14.12	18.10
	105361		320	CHOKE TUBE 12 GA MOD EXT SPTG CLAY BL	16.99	22.85	29.30
	108263		320	CHOKE TUBE 12 GA MOD EXT SPTG CLAY NP	17.01	22.87	29.32
	94650		320	CHOKE TUBE 12 GA RIFLED N/S FLUSH	21.78	29.29	37.55
	101588		320	CHOKE TUBE 12 GA SKEET	10.50	14.12	18.10
	105364		320	CHOKE TUBE 12 GA SKEET EXT SPTG CLAY BL	16.99	22.85	29.30
	108260		320	CHOKE TUBE 12 GA SKEET EXT SPTG CLAY NP	17.01	22.87	29.32
	94516		320	CHOKE TUBE 12 GA TURKEY EXT EXTRA FULL	17.01	22.87	29.32
11	200094		320	CHOKE TUBE 12 GA TURKEY EXT STRAIGHT RIFLED	27.51	37.00	47.43
	105930		320	CHOKE TUBE 12 GA TURKEY EXT SUPER FULL	17.59	23.66	30.33
	94525		320	CHOKE TUBE 12 GA WRENCH	4.81	6.47	8.30
	106930		320	CHOKE TUBE 12 GA WRENCH (SPEED WRENCH)	6.26	8.42	10.80
	97124	9	320	COCKING ROD RETAINING PIN	1.97	2.65	3.40
	97324	10	320	CONNECTOR	12.56	16.89	21.65
5	97016	11	320	EJECTOR LEFT (BOTTOM BBL)	31.20	41.96	53.80
5	97015	12	320	EJECTOR RIGHT (TOP BBL)	31.20	41.96	53.80
5	97798	13	320	EJECTOR SEAR LEFT N/S	5.22	7.02	9.00
5	97036		320	EJECTOR SEAR LEFT O/S	4.00	5.38	6.90
5	97797	14	320	EJECTOR SEAR REAR N/S	5.22	7.02	9.00
5	97035		320	EJECTOR SEAR REAR O/S	4.00	5.38	6.90
	97672	15	320	EJECTOR SEAR SPRING	1.97	2.65	3.40
	97042	16	320	EJECTOR SPRING	1.97	2.65	3.40
	97041	17	320	EJECTOR SPRING PLUNGER	2.78	3.74	4.80
	97788	18	320	EJECTOR SPRING RETAINER	2.78	3.74	4.80
	97189	19	320	ESCUTCHEON	2.99	4.02	5.15
	97190	20	320	ESCUTCHEON SCREW	1.97	2.65	3.40
	97088	21	320	FIRING PIN	5.22	7.02	9.00
	94555	22	320	FIRING PIN RETAINING PIN	1.28	1.72	2.20
	97152	23	320	FIRING PIN SPRING	1.97	2.65	3.40
	97652	25	320	FORE END ADJUSTING SCREW	1.97	2.65	3.40
	97168	24	320	FORE END FIELD	79.98	107.56	137.90
6	97272	26	320	FORE END IRON	137.49	184.90	237.05
	97777	27	320	FORE END IRON ADJUSTING SCREW	1.97	2.65	3.40
6	105885		320	FORE END IRON ASSEMBLY			
	97898		320	FORE END KEY	4.96	6.67	8.55
	97102	28	320	FORE END LATCH	8.99	12.09	15.50
	97124	29	320	FORE END LATCH PIVOT PIN	1.97	2.65	3.40
	97266	30	320	FORE END LATCH SPRING	1.97	2.65	3.40
	97930	31	320	FORE END SCREW	1.51	2.03	2.60
	94731		320	FORE END SCREW (FOR WOOD)	3.65	4.91	6.30
6	97028	32	320	FRAME	299.98	403.42	517.20
	18918	33	320	FRONT SIGHT BRADLEY IVORY BEAD (SCREW IN)	3.89	5.23	6.70
	98816	36	320	HAMMER COCKING ROD LEFT 1 GROVE	19.69	26.48	33.95
	98817		320	HAMMER COCKING ROD LEFT 2 GROVE	19.69	26.48	33.95
	97010		320	HAMMER COCKING ROD LEFT NO GROVE	19.69	26.48	33.95
	98818	37	320	HAMMER COCKING ROD RIGHT 1 GROVE	19.69	26.48	33.95
	98819		320	HAMMER COCKING ROD RIGHT 2 GROVE	19.69	26.48	33.95
	97009		320	HAMMER COCKING ROD RIGHT NO GROVE	19.69	26.48	33.95
	94979	34	320	HAMMER LEFT (BOTTOM BBL)	24.71	33.23	42.60
	97117	38	320	HAMMER PIVOT PIN	1.97	2.65	3.40
	94977	35	320	HAMMER RIGHT (BOTTOM BBL)	24.71	33.23	42.60

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	97903	39	320	HAMMER SPRING	2.61	3.51	4.50
	97072	40	320	HAMMER SPRING PLUNGER	5.86	7.88	10.10
	97073	41	320	HAMMER SPRING PLUNGER PIVOT	3.39	4.56	5.85
6	94956	42	320	LOCKING BOLT #0	35.73	48.05	61.60
6	97661		320	LOCKING BOLT #1	35.73	48.05	61.60
6	97662		320	LOCKING BOLT #2	35.73	48.05	61.60
6	97663		320	LOCKING BOLT #3	35.73	48.05	61.60
6	98084		320	LOCKING BOLT #4	35.73	48.05	61.60
	97175	43	320	LOCKING BOLT SPRING	1.97	2.65	3.40
	97199	44	320	LOCKING BOLT SPRING PIVOT	1.97	2.65	3.40
	18052	45	320	MIDDLE SIGHT (THREADED)	1.28	1.72	2.20
	94980	46	320	PIVOT PIN	3.60	4.84	6.20
	97745	47	320	REAR CONNECTOR LINK	3.60	4.84	6.20
	90341	48	320	REAR CONNECTOR LINK PIN	1.51	2.03	2.60
	28231	49	320	RECOIL PAD BLK VENTED	10.41	14.00	17.95
	25410	50	320	RECOIL PAD SCREW	0.79	1.07	1.37
	104780		320	SAFETY SWITCH ASSEM	13.49	18.14	23.25
	97313	51	320	SAFETY SWITCH BBL SELECTOR	16.59	22.31	28.60
	97316	52	320	SAFETY SWITCH DETENT PIN	1.97	2.65	3.40
	99039	53	320	SAFETY SWITCH DETENT SPRING	1.97	2.65	3.40
	97304	54	320	SAFETY SWITCH GUIDE PIN	1.51	2.03	2.60
	97317	55	320	SAFETY SWITCH SPRING RETAINING PIN	1.51	2.03	2.60
	18325	56	320	SAFETY SWITCH STOP PIN	1.28	1.72	2.20
	97029	57	320	SEAR LEFT	20.82	28.00	35.90
	97121	59	320	SEAR PIVOT PIN	1.51	2.03	2.60
	97030	58	320	SEAR RIGHT	20.82	28.00	35.90
	97154	60	320	SEAR SPRING	1.97	2.65	3.40
	97087	61	320	SEAR SPRING PLNGR	1.97	2.65	3.40
	97400	62	320	SELECTOR BLOCK	14.96	20.12	25.80
	97376	63	320	SELECTOR BLOCK PIN	3.39	4.56	5.85
	97374	64	320	SELECTOR BLOCK RETAINING PIN	1.97	2.65	3.40
	97302		320	SELECTOR GUIDE PLUNGER	1.51	2.03	2.60
	104850	65	320	SIDE PLATE ASSEM LEFT FIELD O/S	19.20	25.82	33.10
	104851		320	SIDE PLATE ASSEM LEFT N/S	14.76	19.85	25.45
	104840	66	320	SIDE PLATE ASSEM RIGHT FIELD O/S	19.20	25.82	33.10
	104841		320	SIDE PLATE ASSEM RIGHT N/S	19.20	25.82	33.10
	97409	67	320	SIDE PLATE SCREW FRONT	1.97	2.65	3.40
	97410	68	320	SIDE PLATE SCREW RIGHT	1.97	2.65	3.40
	105920		320	SIDE RIB O/U 26"	8.00	10.76	13.80
	105921		320	SIDE RIB O/U 28"	8.00	10.76	13.80
	105922		320	SIDE RIB O/U 30"	8.00	10.76	13.80
5	97819		320	SIDE RIB RIVET	2.99	4.02	5.15
	104760	69	320	STK ASSEM FIELD	150.80	202.80	260.00
	97160	70	320	STOCK ATTACHMENT STUD	4.96	6.67	8.55
	97125	71	320	STOCK BOLT	5.57	7.49	9.60
	97056	72	320	STOCK BOLT GUIDE BUSHING	1.51	2.03	2.60
	18572	73	320	STOCK BOLT LOCK WASHER	1.28	1.72	2.20
	18753	74	320	STOCK BOLT WASHER	0.99	1.33	1.70
	94661		320	STOCK WRENCH	8.85	11.90	15.25
6	94958	75	320	TOP LEVER	73.37	98.67	126.50
	97777	76	320	TOP LEVER ADJUSTING SCREW	1.97	2.65	3.40
	97113	77	320	TOP LEVER DETENT	1.97	2.65	3.40
	97111	78	320	TOP LEVER DETENT PLUNGER	1.97	2.65	3.40
	97156	79	320	TOP LEVER DETENT SPRING	1.97	2.65	3.40
	98029		320	TOP LEVER SHIM .010	1.97	2.65	3.40
	98030		320	TOP LEVER SHIM .012	1.97	2.65	3.40
	98031		320	TOP LEVER SHIM .015	1.97	2.65	3.40
	98032		320	TOP LEVER SHIM .018	1.97	2.65	3.40
	98033		320	TOP LEVER SHIM .020	1.97	2.65	3.40
	97884	80	320	TOP LEVER SPRING INNER	1.97	2.65	3.40
	97885	81	320	TOP LEVER SPRING OUTER	1.97	2.65	3.40
	97886	82	320	TOP LEVER SPRING PLUNGER	1.97	2.65	3.40
6	98822	83	320	TRIGGER	19.49	26.21	33.60
6	104770		320	TRIGGER ASSEM	39.99	53.78	68.95
	90466	84	320	TRIGGER CONNECTOR SPRING	1.80	2.42	3.10
	97123	85	320	TRIGGER CONNECTOR SPRING PIN	1.97	2.65	3.40
	94988	86	320	TRIGGER GUARD	21.00	28.24	36.20
	97119	88	320	TRIGGER PIVOT PIN	1.97	2.65	3.40
	90352	89	320	TRIGGER SCREW	1.51	2.03	2.60
	90353	90	320	TRIGGER SCREW NUT	1.80	2.42	3.10

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1498		396	EMPTY SHOTGUN BOX (PEERLESS-396)	5.00	5.00	5.00
	97822	2	396	AUTO SAFETY ACTUATING PIN	1.51	2.03	2.60
6	97145	3	396	AUTO SAFETY ACTUATING ROD	3.89	5.23	6.70
6	97351	1	396	AUTO SAFETY ACTUATOR	11.69	15.72	20.15
6	107651	4	396	BARREL ASSEM 12/28 SKEET	406.00	546.00	700.00
6	107655		396	BARREL ASSEM 12/30 SPORTING	700.00	700.00	700.00
6	107650		396	BARREL ASSEM 12/30 SKEET	406.00	546.00	700.00
	97300	5	396	BARREL SELECTOR GUIDE	1.51	2.03	2.60
	97302	6	396	BARREL SELECTOR GUIDE PLUNGER	1.51	2.03	2.60
	97315	7	396	BARREL SELECTOR GUIDE SPRING	1.51	2.03	2.60
	105360	8	396	CHOKE TUBE 12 GA FULL EXT SPTG CLAY BL	16.21	21.80	27.95
	105362		396	CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY BL	16.99	22.85	29.30
	108261		396	CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY NP	17.01	22.87	29.32
	105363		396	CHOKE TUBE 12 GA IMP SKEET EXT SPTG CLAY BL	17.02	22.89	29.35
	108262		396	CHOKE TUBE 12 GA LT MOD EXT SPTG CLAY NP	17.01	22.87	29.32
	105361		396	CHOKE TUBE 12 GA MOD EXT SPTG CLAY BL	16.99	22.85	29.30
	108263		396	CHOKE TUBE 12 GA MOD EXT SPTG CLAY NP	17.01	22.87	29.32
	105364		396	CHOKE TUBE 12 GA SKEET EXT SPTG CLAY BL	16.99	22.85	29.30
	108260		396	CHOKE TUBE 12 GA SKEET EXT SPTG CLAY NP	17.01	22.87	29.32
	106930		396	CHOKE TUBE 12 GA WRENCH (SPEED WRENCH)	6.26	8.42	10.80
	97124	9	396	COCKING ROD RETAINING PIN	1.97	2.65	3.40
	97324	10	396	CONNECTOR	12.56	16.89	21.65
5	97798	13	396	EJECTOR SEAR - LEFT	5.22	7.02	9.00
5	97797	14	396	EJECTOR SEAR - RIGHT	5.22	7.02	9.00
	97672	15	396	EJECTOR SEAR SPRING	1.97	2.65	3.40
	97042	16	396	EJECTOR SPRING	1.97	2.65	3.40
	97041	17	396	EJECTOR SPRING PLUNGER	2.78	3.74	4.80
	97788	18	396	EJECTOR SPRING RETAINER	2.78	3.74	4.80
	97190	20	396	ESCUTCHEON SCREW	1.97	2.65	3.40
	97088	21	396	FIRING PIN	5.22	7.02	9.00
	94555	22	396	FIRING PIN RETAINING PIN	1.28	1.72	2.20
	97152	23	396	FIRING PIN SPRING	1.97	2.65	3.40
	97652	25	396	FORE-END ADJUSTING SCREW	1.97	2.65	3.40
	97898		396	FORE-END ADJUSTING SCREW KEY	4.96	6.67	8.55
	97777	27	396	FORE-END IRON ADJUSTING SCREW	1.97	2.65	3.40
	97124		396	FORE-END LATCH RETAINING PIN	1.97	2.65	3.40
	97266	30	396	FORE-END LATCH SPRING	1.97	2.65	3.40
	97930	31	396	FORE-END SCREW	1.51	2.03	2.60
	99063	24	396	FORE END ASSEM 12 GA 107090	129.98	174.80	224.10
	18918	33	396	FRONT SIGHT IVORY BEAD SCREW IN	3.89	5.23	6.70
	98816	36	396	HAMMER COCKING ROD LEFT (BOT) 1 GROOVE	19.69	26.48	33.95
	98817		396	HAMMER COCKING ROD LEFT (BOT) 2 GROOVE	19.69	26.48	33.95
	97010		396	HAMMER COCKING ROD LEFT (BOT) NO GROOVE	19.69	26.48	33.95
	98818	37	396	HAMMER COCKING ROD RIGHT (TOP) 1 GROOVE	19.69	26.48	33.95
	98819		396	HAMMER COCKING ROD RIGHT (TOP) 2 GROOVE	19.69	26.48	33.95
	97009		396	HAMMER COCKING ROD RIGHT (TOP) NO GROOVE	19.69	26.48	33.95
	94979	34	396	HAMMER LEFT (BOTTOM)	24.71	33.23	42.60
	97117	38	396	HAMMER PIVOT PIN	1.97	2.65	3.40
	94977	35	396	HAMMER RIGHT (TOP)	24.71	33.23	42.60
	97903	39	396	HAMMER SPRING	2.61	3.51	4.50
	97072	40	396	HAMMER SPRING PLUNGER	5.86	7.88	10.10
	97073	41	396	HAMMER SPRING PLUNGER PIVOT	3.39	4.56	5.85
6	94956	42	396	LOCKING BOLT #0	35.73	48.05	61.60
6	97661		396	LOCKING BOLT #1	35.73	48.05	61.60
6	97662		396	LOCKING BOLT #2	35.73	48.05	61.60
6	97663		396	LOCKING BOLT #3	35.73	48.05	61.60
6	98084		396	LOCKING BOLT #4	35.73	48.05	61.60
	97175	43	396	LOCKING BOLT SPRING	1.97	2.65	3.40
	97199	44	396	LOCKING BOLT SPRING PIVOT	1.97	2.65	3.40
	99435	45	396	MIDDLE SIGHT	1.51	2.03	2.60
	97745	47	396	REAR CONNECTOR LINK	3.60	4.84	6.20
	90341	48	396	REAR CONNECTOR LINK PIN	1.51	2.03	2.60
	25410	50	396	RECOIL PAD SCREW	0.79	1.07	1.37
	94799	49	396	RECOIL PAD SKEET	8.99	12.09	15.50
	99459		396	RECOIL PAD SPTG	25.93	34.87	44.70
	104781	51	396	SAFETY SWITCH BBL SELECTOR ASSEM	10.85	14.59	18.70
	97316	52	396	SAFETY SWITCH DETENT PIN	1.97	2.65	3.40
	99039	53	396	SAFETY SWITCH DETENT SPRING	1.97	2.65	3.40
	97304	54	396	SAFETY SWITCH GUIDE PIN	1.51	2.03	2.60
	97317	55	396	SAFETY SWITCH SPRING RETAINING PIN	1.51	2.03	2.60

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	18325	56	396	SAFETY SWTICH STOP PIN	1.28	1.72	2.20
	97029	57	396	SEAR LEFT	20.82	28.00	35.90
	97121	59	396	SEAR PIVOT PIN	1.51	2.03	2.60
	97030	58	396	SEAR RIGHT	20.82	28.00	35.90
	97154	60	396	SEAR SPRING	1.97	2.65	3.40
	97087	61	396	SEAR SPRING PLUNGER	1.97	2.65	3.40
	97400	62	396	SELECTOR BLOCK	14.96	20.12	25.80
	97376	63	396	SELECTOR BLOCK PIN	3.39	4.56	5.85
	97374	64	396	SELECTOR BLOCK PIN RETAINING	1.97	2.65	3.40
6	107731	65	396	SIDE PLATE ASSEMBLY - LEFT SKEET	11.46	15.41	19.75
6	107730		396	SIDE PLATE ASSEMBLY - LEFT SPORTING	11.46	15.41	19.75
6	107726	66	396	SIDE PLATE ASSEMBLY - RIGHT SKEET	11.46	15.41	19.75
6	107725		396	SIDE PLATE ASSEMBLY - RIGHT SPORTING	11.46	15.41	19.75
	97409	67	396	SIDE PLATE SCREW FRONT 2	1.51	2.03	2.60
	99444	68	396	SIDE PLATE SCREW REAR 2	1.51	2.03	2.60
	105921		396	SIDE RIB 28 INCH	8.00	10.76	13.80
	105922		396	SIDE RIB 30 INCH	8.00	10.76	13.80
5	97819		396	SIDE RIB RIVET	2.99	4.02	5.15
	104761	69	396	STK ASSEM SKEET	154.98	208.42	267.20
6	104762		396	STK ASSEM SPTG	159.99	215.16	275.85
	97160	70	396	STOCK ATTACHMENT STUD	4.96	6.67	8.55
	97125	71	396	STOCK BOLT	5.57	7.49	9.60
	97056	72	396	STOCK BOLT GUIDE BUSHING	1.51	2.03	2.60
	18572	73	396	STOCK BOLT LOCK WASHER	1.28	1.72	2.20
	18573	74	396	STOCK BOLT WASHER	1.28	1.72	2.20
	94661		396	STOCK BOLT WRENCH	8.85	11.90	15.25
	97777	76	396	TOP LEVER ADJUSTING SCREW	1.97	2.65	3.40
	97113	77	396	TOP LEVER DETENT	1.97	2.65	3.40
	97111	78	396	TOP LEVER DETENT PLUNGER	1.97	2.65	3.40
	97156	79	396	TOP LEVER DETENT SPRING	1.97	2.65	3.40
	98029		396	TOP LEVER SHIM .010	1.97	2.65	3.40
	98030		396	TOP LEVER SHIM .012	1.97	2.65	3.40
	98031		396	TOP LEVER SHIM .015	1.97	2.65	3.40
	98032		396	TOP LEVER SHIM .018	1.97	2.65	3.40
	98033		396	TOP LEVER SHIM .020	1.97	2.65	3.40
	97884	80	396	TOP LEVER SPRING - INNER	1.97	2.65	3.40
	97885	81	396	TOP LEVER SPRING - OUTER	1.97	2.65	3.40
	97886	82	396	TOP LEVER SPRING PLUNGER	1.97	2.65	3.40
6	98822	83	396	TRIGGER	19.49	26.21	33.60
	90466	84	396	TRIGGER CONNECTOR SPRING	1.80	2.42	3.10
	97123	85	396	TRIGGER CONNECTOR SPRING PIN	1.97	2.65	3.40
	99447	86	396	TRIGGER GUARD	25.49	34.28	43.95
	97123	87	396	TRIGGER GUARD PIN	1.97	2.65	3.40
	97119	88	396	TRIGGER PIVOT PIN	1.97	2.65	3.40
	90352	89	396	TRIGGER SCREW	1.51	2.03	2.60
	90353	90	396	TRIGGER SCREW NUT	1.80	2.42	3.10

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1499		40X	EMPTY RIFLE BOX (40X-700 SENDERO-VARMINT)	5.00	5.00	5.00
6	32580	1	40X	BOLT ASSEM 22 CAL	120.23	161.69	207.30
	26325	1	40X	BOLT ASSEM 222 REM., 222 REM MAG, 223, 6x47			
	26326	1	40X	BOLT ASSEM 243, 6mm Int.,22-250, 7.62NATO,30-06, 6			
	33273	1	40X	BOLT ASSEM 6.5 RemMag, 300 WinMag, 7mmRemMag, 30-3	74.76	100.54	128.90
	17012	1	40X	BOLT PLUG	10.70	14.39	18.45
	17013	1	40X	BOLT STOP	2.09	2.81	3.60
	24475	1	40X	BOLT STOP PIN	1.28	1.72	2.20
	19783	7	40X	BUTT PAD (CUSTOM SHOP)			
	19785		40X	EJECTOR	9.74	13.10	16.80
	19772		40X	EXTRACTOR LEFT	1.51	2.03	2.60
	16113		40X	FILLER PIECE, RECEIVER	1.39	1.87	2.40
	14489		40X	FORE END RAIL CENTERFIRE	12.99	17.47	22.40
	22037		40X	FRONT GUARD SCREW	1.51	2.03	2.60
	27465		40X	FRONT RAIL SCREW	1.51	2.03	2.60
	19796		40X	FRONT SWIVEL NUT	1.51	2.03	2.60
	19797		40X	FRONT SWIVEL SCREW	1.51	2.03	2.60
	91596		40X	REAR SCOPE BASE	5.16	6.94	8.90
	16114		40X	RECEIVER FILLER SPRING	1.51	2.03	2.60
	1499		40X	RIFLE BOX	5.00	5.00	5.00
	97480		40X	STK ASSEM LH SINGLE SHOT CUSTOM SHO	199.98	268.94	344.80
	16652		40X	SWIVEL BLK WASHER	1.51	2.03	2.60
	16204		40X	TELESCOPE BASE FRONT	3.89	5.23	6.70
	18843		40X	TELESCOPE BASE REAR	3.89	5.23	6.70
3	18842		40X	TELESCOPE BASE SCREW	1.51	2.03	2.60
6	14634		40X	TRIGGER ADJUSTING SPRING	1.51	2.03	2.60
5	27590		40X	TRIGGER ASSEM	49.01	65.91	84.50
5	31765		40X	TRIGGER ASSEM 2 OUNCE	139.98	188.25	241.35
	91089		40X	TRIGGER GUARD	15.81	21.26	27.25
6	30785		40X	TRIGGER HOUSING ASSEM	12.99	17.47	22.40
6	90568		40X	TRIGGER SCREW	1.51	2.03	2.60
6	14635		40X	TRIGGER SPRING	1.51	2.03	2.60
6	14633		40X	TRIGGER STOP SCREW	1.51	2.03	2.60

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1444		522	EMPTY RIFLE BOX (CF&RF)	5.00	5.00	5.00
	94838	2	522	BOLT GUIDE SPRING	1.28	1.72	2.20
	94964	1	522	BOLT RETURN SPRING	1.71	2.30	2.95
5	104206	3	522	BREECH BOLT ASSEM .10	26.01	34.98	44.85
5	104207		522	BREECH BOLT ASSEM .20	26.01	34.98	44.85
5	104208		522	BREECH BOLT ASSEM .30	20.01	26.91	34.50
5	104205		522	BREECH BOLT ASSEM 22 CAL	20.01	26.91	34.50
5	104200		522	BREECH BOLT ASSEM 22 CAL	12.01	16.15	20.70
	97275	4	522	CARRIER SEAR STOP	0.99	1.33	1.70
	94947		522	DISCONNECTOR	3.05	4.10	5.25
	97014		522	DISCONNECTOR SPRING	1.71	2.30	2.95
5	99267		522	EJECTOR	1.28	1.72	2.20
	90906	5	522	ELEVATION SCREW	1.28	1.72	2.20
	104830	6	522	EXTRACTOR	1.28	1.72	2.20
	97039	7	522	EXTRACTOR PLUNGER	0.79	1.07	1.37
	104831		522	EXTRACTOR SHORT	1.28	1.72	2.20
	97418	8	522	EXTRACTOR SPRING	0.79	1.07	1.37
5	97043	9	522	FIRING PIN	7.16	9.63	12.35
	97020		522	FIRING PIN CARRIER ASSEM	10.21	13.73	17.60
5	97019	11	522	FIRING PIN RETAINING PIN	0.99	1.33	1.70
	97419		522	FIRING PIN RETRACTOR PLUNGER	1.19	1.60	2.05
	97500		522	FIRING PIN RETRACTOR SPRING	1.80	2.42	3.10
	94965	12	522	FIRING PIN SPRING	1.28	1.72	2.20
	94839	13	522	FIRING PIN SPRING GUIDE	1.28	1.72	2.20
	94927	14	522	FRONT SIGHT	6.21	8.35	10.70
	28505	15	522	FRONT SIGHT SCREW	0.79	1.07	1.37
	94931	16	522	HOLD OPEN	2.49	3.35	4.30
	97050	17	522	HOLD OPEN RETAINING PIN	0.99	1.33	1.70
	94933	18	522	HOLD OPEN SPRING	1.28	1.72	2.20
5	104240	19	522	HOUSING ASSEMBLY COMPLETE	45.59	61.31	78.60
5	97530		522	HOUSING INSERT	1.31	1.76	2.25
	98940		522	MAG ASSEM 10 SHOT N/S	7.95	10.69	13.70
	98909	20	522	MAGAZINE BOTTOM	1.80	2.42	3.10
	94972	22	522	MAGAZINE FOLLOWER	1.19	1.60	2.05
	94992		522	MAGAZINE GUIDE	1.28	1.72	2.20
	98934		522	MAGAZINE LATCH EJECTOR	2.49	3.35	4.30
	97047		522	MAGAZINE LATCH RET SCREW	1.28	1.72	2.20
	98938	23	522	MAGAZINE SPRING	1.28	1.72	2.20
	97716	24	522	OPERATING HANDLE	6.50	8.74	11.20
	97681	26	522	REAR SIGHT APERTURE	1.89	2.54	3.25
3	104165		522	REAR SIGHT ASSEM	18.21	24.49	31.40
	104160	27	522	REAR SIGHT BASE	6.00	8.07	10.35
	28505	28	522	REAR SIGHT BASE SCREW	0.79	1.07	1.37
	94335	29	522	REAR SIGHT SLIDE	8.79	11.82	15.15
5	104185	25	522	RECEIVER BARREL ASSEMBLY	80.50	108.26	138.80
5	97529		522	RECEIVER INSERT	1.65	2.22	2.85
	97800		522	SAFETY	2.49	3.35	4.30
	23223		522	SAFETY DETENT BALL	1.28	1.72	2.20
	17514		522	SAFETY DETENT SPRING	1.28	1.72	2.20
	94968		522	SAFETY DETENT SPRING RET PIN	0.99	1.33	1.70
5	94951		522	SEAR LEFT	3.10	4.17	5.35
5	97382		522	SEAR PIVOT PIN	3.19	4.29	5.50
5	97263		522	SEAR RIGHT	2.99	4.02	5.15
	97739		522	SEAR RIGHT ASSEM	5.51	7.41	9.50
	97268		522	SEAR SPRING	2.26	3.04	3.90
5	97714		522	SEAR SPRING RETAINER	1.39	1.87	2.40
	104210	30	522	STK ASSEM	24.36	32.76	42.00
	94938	31	522	TAKE DOWN SCREW FRONT	1.28	1.72	2.20
	97371	32	522	TAKE DOWN SCREW REAR	1.28	1.72	2.20
5	104430		522	TRIGGER	8.00	10.76	13.80
5	104225		522	TRIGGER DISCONNECTOR ASSEM	15.89	21.37	27.40
	97045		522	TRIGGER PIVOT PIN	0.99	1.33	1.70
	97049		522	TRIGGER RETURN SPRING	1.51	2.03	2.60
	90904	33	522	WINDAGE SCREW	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1444		541	EMPTY RIFLE BOX (CF & RF)	5.00	5.00	5.00
	91342	2	541	BARREL ASSEM PIN	0.99	1.33	1.70
6	99221	1	541	BBL ASSEM 22 CAL BL	132.01	177.53	227.60
6	99222		541	BBL ASSEM 22 CAL HEAVY BBL BL	132.01	177.53	227.60
6	98077		541	BBL ASSEM 22 CAL SS HEAVY BBL	120.00	161.38	206.90
6	29000	5	541	BOLT BODY ASSEM	35.99	48.40	62.05
5	14509	8	541	BOLT STOP	1.97	2.65	3.40
5	14510	9	541	BOLT STOP RELEASE	0.99	1.33	1.70
5	14496	10	541	BOLT STOP SPRING	1.28	1.72	2.20
5	91471		541	BOLT STOP WASHER	1.31	1.76	2.25
	93543		541	BUTT PLATE	8.00	10.76	13.80
	25380		541	BUTT PLATE SCREW	1.28	1.72	2.20
	14008	12	541	EXTRACTOR LEFT	1.71	2.30	2.95
	14009	13	541	EXTRACTOR RIGHT	1.71	2.30	2.95
	14010	14	541	EXTRACTOR SPRING	1.28	1.72	2.20
3	91584	15	541	FIRING PIN	4.70	6.32	8.10
	91472	15a	541	FIRING PIN RETURN SPRING	1.28	1.72	2.20
	93542		541	GRIP CAP	1.54	2.07	2.65
	25380		541	GRIP CAP SCREW	1.28	1.72	2.20
5	14027	17	541	HOUSING LOCK SCREW	0.99	1.33	1.70
6	14031	18	541	HOUSING PIN (TRIGGER PIN)	1.28	1.72	2.20
	33000	19	541	MAG ASSEM 10-SHOT	7.95	10.69	13.70
	29075		541	MAG ASSEM 5-SHOT	7.95	10.69	13.70
	14047	20	541	MAGAZINE GUIDE	6.50	8.74	11.20
	14966		541	MAGAZINE LATCH	2.99	4.02	5.15
3	32135	21	541	MAGAZINE LATCH ASSEM			
	14982		541	MAGAZINE LATCH BUTTON	1.57	2.11	2.70
	14049	22	541	MAGAZINE LATCH SCREW	1.28	1.72	2.20
	99089	23	541	MAGAZINE PLATE N/S	10.41	14.00	17.95
	14099	24	541	MAGAZINE PLATE SCREW	1.28	1.72	2.20
	17034		541	RECEIVER PLUG SCREW BL	0.79	1.07	1.37
5	14498	30	541	SAFETY DETENT SPRING	1.28	1.72	2.20
6	14503	34	541	SEAR	4.76	6.40	8.20
6	24477	35	541	SEAR PIN (TRIGGER PIN)	1.28	1.72	2.20
3	29056	36	541	STK ASSEM BIRCH 93961	69.60	93.60	120.00
	32128		541	STK ASSEM HEAVY BBL N/S	142.68	191.88	246.00
	32129		541	STK ASSEM RIMFIRE N/S (STANDARD)	142.68	191.88	246.00
6	14014	38	541	STRIKER	1.60	2.15	2.75
5	29112	37	541	STRIKER ASSEM	14.62	19.66	25.20
	14071	41	541	TAKE DOWN SCREW	2.09	2.81	3.60
	99022		541	TAKE DOWN SCREW, REAR N/S	2.09	2.81	3.60
	93544	50	541	TRIGGER GUARD	5.39	7.25	9.30
	14042	51	541	TRIGGER GUARD SCREW	1.28	1.72	2.20
5	32130		541	TRIGGER HOUSING ASSEM	48.00	64.55	82.75
6	32131		541	TRIGGER HOUSING ASSEM N/S	48.00	64.55	82.75
6	24477	46	541	TRIGGER PIN	1.28	1.72	2.20
6	14045	44	541	TRIGGER SPRING	1.28	1.72	2.20
6	24477	46	541	TRIGGER SPRING RET PIN (TRIGGER PIN)	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1444		552	EMPTY RIFLE BOX (CF & RF)	5.00	5.00	5.00
	22610	1	552	ACTION BAR ASSEM	15.60	20.98	26.00
	19848	2	552	ACTION SPRING	1.28	1.72	2.20
6	91540	4	552	BBL ASSEM BDL BL	65.98	88.73	113.75
5	24270	5	552	BOLT ASSEM 22 CAL	32.48	43.68	56.00
	16398	7	552	BOLT BUFFER	1.57	2.11	2.70
	16399	6	552	BUFFER PADS	1.28	1.72	2.20
	92796	8	552	BUTT PLATE FRAME	3.85	5.17	6.63
	93276		552	BUTT PLATE INSERT	1.71	2.30	2.95
	25410	9	552	BUTT PLATE SCREW	0.79	1.07	1.37
	23050	10	552	CARRIER	2.87	3.86	4.95
	19820	11	552	CARRIER PIVOT TUBE	2.99	4.02	5.15
	19948	12	552	CARRIER SPRING	1.28	1.72	2.20
	19986	13	552	CARTRIDGE RAMP	1.62	2.18	2.80
6	17419	14	552	CONNECTOR LEFT	1.28	1.72	2.20
6	17420	16	552	CONNECTOR PIN	1.28	1.72	2.20
6	17551	15	552	CONNECTOR RIGHT	1.28	1.72	2.20
	19996	17	552	DEFLECTOR	1.80	2.42	3.10
	94586		552	DEFLECTOR N/S	1.39	1.87	2.40
	19997	18	552	DEFLECTOR SCREW	1.28	1.72	2.20
	19844	19	552	DISCONNECTOR	2.73	3.67	4.70
	19912	20	552	EJECTOR	2.73	3.67	4.70
	14236		552	ELEVATION SCREW	1.28	1.72	2.20
	90906	22	552	ELEVATION SCREW BDL	1.28	1.72	2.20
	19822	24	552	EXTRACTOR PIN	1.28	1.72	2.20
	22635	23	552	EXTRACTOR RIGHT	4.23	5.69	7.30
	16463	25	552	EXTRACTOR SPRING	1.28	1.72	2.20
	16397	26	552	EXTRACTOR SPRING SEAT	1.28	1.72	2.20
	93066	27	552	FIRING PIN	4.29	5.77	7.40
	18325	28	552	FIRING PIN RETAINING PIN	1.28	1.72	2.20
	94588	29	552	FORE END ASSEM BDL WALNUT N/S	43.50	58.50	75.00
	97389		552	FORE END ASSEM HG CUT	43.50	58.50	75.00
3	98054		552	FORE END ASSEM MAPLE	39.99	53.78	68.95
	19825	30	552	FORE END ESCUTCHEON	1.80	2.42	3.10
	25075	31	552	FORE END ESCUTCHEON NUT	1.71	2.30	2.95
	16759	32	552	FORE END HANGER	5.05	6.79	8.70
	19826	33	552	FORE END SUPPORT	1.71	2.30	2.95
3	14469	34	552	FRONT SIGHT	1.97	2.65	3.40
	16545	35	552	FRONT SIGHT BDL	6.50	8.74	11.20
	16892	36	552	FRONT SIGHT SCREW BDL	1.28	1.72	2.20
	16968	37	552	FRONT SIGHT WASHER BDL (2)	1.28	1.72	2.20
	92753	38	552	GRIP CAP BDL	1.80	2.42	3.10
	91634	39	552	GRIP CAP SCREW BDL	1.28	1.72	2.20
	19914	40	552	HAMMER	3.89	5.23	6.70
	19919	41	552	HAMMER PIN	1.28	1.72	2.20
	15809		552	HAMMER PIN WASHER	1.28	1.72	2.20
	17465	42	552	HAMMER PLUNGER	1.28	1.72	2.20
	19930	43	552	HAMMER SPRING	1.28	1.72	2.20
	19609	44	552	INNER MAGAZINE TUBE	3.25	4.37	5.60
	22790		552	INNER MAGAZINE TUBE ASSEM	10.41	14.00	17.95
	16450	45	552	MAGAZINE FOLLOWER	1.89	2.54	3.25
	25090	46	552	MAGAZINE PIN	1.28	1.72	2.20
	25095	47	552	MAGAZINE PLUG	1.45	1.95	2.50
	25100	48	552	MAGAZINE RING	3.89	5.23	6.70
	25105	49	552	MAGAZINE SCREW	1.28	1.72	2.20
	18379	50	552	MAGAZINE SPRING	1.45	1.95	2.50
	94333	52	552	REAR SIGHT APERTURE BDL	4.41	5.93	7.60
	103145		552	REAR SIGHT ASSEM BDL	18.21	24.49	31.40
3	91534	53	552	REAR SIGHT BASE	2.90	3.90	5.00
	103530		552	REAR SIGHT BASE BDL	6.64	8.93	11.45
	91547	55	552	REAR SIGHT BASE SCREW	1.28	1.72	2.20
	28505		552	REAR SIGHT BASE SCREW BDL	0.79	1.07	1.37
	14238	57	552	REAR SIGHT EYE PIECE	4.58	6.16	7.90
	15728	58	552	REAR SIGHT LEAF	1.97	2.65	3.40

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	94335	59	552	REAR SIGHT SLIDE BDL	8.79	11.82	15.15
3	25585		552	REAR SIGHT STEP	0.99	1.33	1.70
1	97387	60	552	REC ASSEM 175TH ANNIVERSARY MATTE	74.99	100.85	129.30
1	99961		552	RECEIVER	65.98	88.73	113.75
	16160	61	552	RECEIVER BUSHING	1.28	1.72	2.20
	25130	62	552	RECEIVER COVER	2.61	3.51	4.50
6	22627		552	RECEIVER MATTE N/S	54.98	73.94	94.80
	25115	63	552	SAFETY SWITCH	1.71	2.30	2.95
	23223	64	552	SAFETY SWITCH DETENT BALL	1.28	1.72	2.20
	17514	65	552	SAFETY SWITCH SPRING	1.28	1.72	2.20
	17515	66	552	SAFETY SWITCH SPRING RETAINING PIN	1.28	1.72	2.20
	18750	67	552	SEAR	5.22	7.02	9.00
	17463	68	552	SEAR PIN	1.28	1.72	2.20
	17518	69	552	SEAR SPRING	1.28	1.72	2.20
3	30855		552	SLING STRAP ASSEM 1 INCH PLAIN			
	26555		552	SLING SWIVEL ASSEM	11.05	14.86	19.05
3	94373	70	552	STK ASSEM BDL SATIN PRESSED	52.20	70.20	90.00
	94761		552	STK ASSEM HG MC CUT	62.64	84.24	108.00
	98051		552	STK ASSEM MAPLE	52.20	70.20	90.00
	94743		552	STK ASSEM SATIN STRAIGHT CUT (NON-MC)	55.10	74.10	95.00
	18571	71	552	STOCK BOLT	1.80	2.42	3.10
	18572	72	552	STOCK BOLT LOCK WASHER	1.28	1.72	2.20
	18573	73	552	STOCK BOLT WASHER	1.28	1.72	2.20
	15358		552	STOCK SWIVEL SCREW	2.09	2.81	3.60
	16155	74	552	TAKE DOWN SCREW	1.71	2.30	2.95
5	20610	75	552	TRIGGER ASSEM	8.47	11.39	14.60
	17533	76	552	TRIGGER PIN	1.28	1.72	2.20
	103785	77	552	TRIGGER PLATE ASSEM MATTE	35.99	48.40	62.05
	22730		552	TRIGGER PLATE ASSEM R H	43.21	58.11	74.50
	17541	78	552	TRIGGER PLATE PIN BUSHING REAR	1.28	1.72	2.20
	17539	79	552	TRIGGER PLATE PIN DETENT SPRING FRONT	1.28	1.72	2.20
	17540	80	552	TRIGGER PLATE PIN DETENT SPRING REAR	1.28	1.72	2.20
	25120	81	552	TRIGGER PLATE PIN FRONT	1.28	1.72	2.20
	20607	82	552	TRIGGER PLATE PIN REAR	1.28	1.72	2.20
	14240		552	WINDAGE SCREW	1.28	1.72	2.20
	90904	84	552	WINDAGE SCREW BDL	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1444		572	EMPTY RIFLE BOX (CF & RF)	5.00	5.00	5.00
	25050	1	572	ACTION BAR ASSEM	10.41	14.00	17.95
	25055	2	572	ACTION BAR LOCK	2.99	4.02	5.15
	25670	6	572	BARREL DOWEL SCREW	1.28	1.72	2.20
	15027	7	572	BARREL DOWEL SCREW WASHER	1.28	1.72	2.20
	25060	5	572	BARREL LOCK SCREW	1.97	2.65	3.40
6	91540	4	572	BBL ASSEM 22 CAL BDL	65.98	88.73	113.75
5	24680	8	572	BOLT ASSEM 22 CAL	35.99	48.40	62.05
	92796		572	BUTT PLATE FRAME	3.85	5.17	6.63
	92797		572	BUTT PLATE INSERT	1.06	1.42	1.82
	25410	10	572	BUTT PLATE SCREW	0.79	1.07	1.37
	16730	11	572	CARRIER	2.87	3.86	4.95
	19820	12	572	CARRIER PIVOT TUBE	2.99	4.02	5.15
	19821	13	572	CARRIER SPRING	1.28	1.72	2.20
	19986	14	572	CARTRIDGE RAMP	1.62	2.18	2.80
6	17419	15	572	CONNECTOR - LEFT	1.28	1.72	2.20
6	17551	16	572	CONNECTOR - RIGHT	1.28	1.72	2.20
	15047	18	572	DISCONNECTOR	2.73	3.67	4.70
	19912	19	572	EJECTOR	2.73	3.67	4.70
	14236	20	572	ELEVATION SCREW	1.28	1.72	2.20
	90906		572	ELEVATION SCREW BDL	1.28	1.72	2.20
	19816	22	572	EXTRACTOR LEFT	4.23	5.69	7.30
	19822	24	572	EXTRACTOR PIN	1.28	1.72	2.20
	22636	23	572	EXTRACTOR RIGHT	4.23	5.69	7.30
	19823	25	572	EXTRACTOR SPRING	1.28	1.72	2.20
	93066	26	572	FIRING PIN N/S	4.29	5.77	7.40
	18325	27	572	FIRING PIN RETAINING PIN	1.28	1.72	2.20
	19826	34	572	FORE-END SUPPORT	1.71	2.30	2.95
	97549	28	572	FORE END ASSEM HG BDL	40.60	54.60	70.00
	25070	29	572	FORE END ESCUTCHEON	1.80	2.42	3.10
	16759	30	572	FORE END HANGER	5.05	6.79	8.70
	25075	31	572	FORE END NUT	1.71	2.30	2.95
	25080	32	572	FORE END SCREW	1.28	1.72	2.20
	25085	33	572	FORE END SCREW LOCK WASHER	1.28	1.72	2.20
	14469	35	572	FRONT SIGHT	1.97	2.65	3.40
3	25225		572	FRONT SIGHT	2.09	2.81	3.60
	16545		572	FRONT SIGHT BDL	6.50	8.74	11.20
	16892	37	572	FRONT SIGHT SCREW BDL	1.28	1.72	2.20
	18673		572	FRONT SIGHT STEEL BEAD SMOOTH BORE	1.97	2.65	3.40
	16968		572	FRONT SIGHT WASHER BDL (2)	1.28	1.72	2.20
	92753	39	572	GRIP CAP BDL	1.80	2.42	3.10
	91634	40	572	GRIP CAP SCREW BDL	1.28	1.72	2.20
	19914	41	572	HAMMER	3.89	5.23	6.70
	19919	42	572	HAMMER PIN	1.28	1.72	2.20
	15809		572	HAMMER PIN WASHER	1.28	1.72	2.20
	17465	43	572	HAMMER PLUNGER	1.28	1.72	2.20
	19930	44	572	HAMMER SPRING	1.28	1.72	2.20
	19609	45	572	INNER MAGAZINE TUBE	3.25	4.37	5.60
	22790		572	INNER MAGAZINE TUBE ASSEM	10.41	14.00	17.95
	24676	46	572	LOCKING BAR ASSEM	8.15	10.96	14.05
	16728	47	572	LOCKING BAR RETAINING SCREW	1.28	1.72	2.20
	16729	48	572	LOCKING BAR SPRING	1.97	2.65	3.40
	16721	49	572	LOCKING BAR SPRING STUD	1.28	1.72	2.20
	16450	50	572	MAGAZINE FOLLOWER	1.89	2.54	3.25
	25090	51	572	MAGAZINE PIN	1.28	1.72	2.20
	25095	52	572	MAGAZINE PLUG	1.45	1.95	2.50
	25100	53	572	MAGAZINE RING	3.89	5.23	6.70
	25105	54	572	MAGAZINE SCREW	1.28	1.72	2.20
	18379	55	572	MAGAZINE SPRING	1.45	1.95	2.50
	25260		572	OPEN SIGHT LEAF	3.25	4.37	5.60
	15445		572	OPEN SIGHT SCREW	1.28	1.72	2.20
	25110	56	572	OUTER MAG TUBE	4.87	6.55	8.40
	94333	57	572	REAR SIGHT APERTURE BDL	4.41	5.93	7.60
	103145		572	REAR SIGHT ASSEM BDL	18.21	24.49	31.40

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	103530	58	572	REAR SIGHT BASE BDL	6.64	8.93	11.45
	91547	60	572	REAR SIGHT BASE SCREW	1.28	1.72	2.20
	28505	61	572	REAR SIGHT BASE SCREW BDL	0.79	1.07	1.37
	14238	62	572	REAR SIGHT EYE PIECE	4.58	6.16	7.90
	15728	63	572	REAR SIGHT LEAF	1.97	2.65	3.40
	94335	64	572	REAR SIGHT SLIDE BDL	8.79	11.82	15.15
1	97420		572	REC ASSEM 175TH ANNIVERSAY MATTE	74.99	100.85	129.30
1	99962	65	572	RECEIVER BDL	65.98	88.73	113.75
	25125	66	572	RECEIVER BUSHING	1.80	2.42	3.10
	25130	67	572	RECEIVER COVER	2.61	3.51	4.50
3	25132		572	RECEIVER COVER PARK	2.00	2.69	3.45
1	22628		572	RECEIVER MATTE N/S	65.98	88.73	113.75
	25115	68	572	SAFETY SWITCH	1.71	2.30	2.95
	23223	69	572	SAFETY SWITCH DETENT BALL	1.28	1.72	2.20
	17514	70	572	SAFETY SWITCH SPRING	1.28	1.72	2.20
	17515	71	572	SAFETY SWITCH SPRING RETAINING PIN	1.28	1.72	2.20
	18750	72	572	SEAR	5.22	7.02	9.00
	17463	73	572	SEAR PIN	1.28	1.72	2.20
	17518	74	572	SEAR SPRING	1.28	1.72	2.20
3	30855		572	SLING STRAP ASSEM 1 INCH PLAIN			
	26555		572	SLING SWIVEL ASSEM	11.05	14.86	19.05
	94761	75	572	STK ASSEM BDL HG MC	62.64	84.24	108.00
	94743		572	STK ASSEM BDL SATIN CUT	55.10	74.10	95.00
3	94373		572	STK ASSEM BDL SATIN PRESSED	52.20	70.20	90.00
	18571	76	572	STOCK BOLT	1.80	2.42	3.10
	18572	77	572	STOCK BOLT LOCK WASHER	1.28	1.72	2.20
	18573	78	572	STOCK BOLT WASHER	1.28	1.72	2.20
	15358		572	STOCK SWIVEL SCREW	2.09	2.81	3.60
5	20610	79	572	TRIGGER ASSEMBLY	8.47	11.39	14.60
	17533	80	572	TRIGGER PIN	1.28	1.72	2.20
	22735	81	572	TRIGGER PLATE ASSEM RH	43.21	58.11	74.50
	17541	82	572	TRIGGER PLATE PIN BUSHING REAR	1.28	1.72	2.20
	17539	83	572	TRIGGER PLATE PIN DETENT SPRING FRONT	1.28	1.72	2.20
	17540	84	572	TRIGGER PLATE PIN DETENT SPRING REAR	1.28	1.72	2.20
	25120	85	572	TRIGGER PLATE PIN FRONT	1.28	1.72	2.20
	20607	86	572	TRIGGER PLATE PIN REAR	1.28	1.72	2.20
	14240	87	572	WINDAGE SCREW	1.28	1.72	2.20
	90904	88	572	WINDAGE SCREW BDL	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1444		581	EMPTY RIFLE BOX (CF & RF)	5.00	5.00	5.00
6	32243	1	581	BBL ASSEM 22 CAL (580-581)	126.50	170.12	218.10
	91342	2	581	BBL ASSEM PIN	0.99	1.33	1.70
	18382	4	581	BOLT ASSEM PIN	0.99	1.33	1.70
6	29000	5	581	BOLT BODY ASSEM	35.99	48.40	62.05
6	14005	7	581	BOLT PLUG RH			
6	14065	7	581	BOLT PLUG LH	4.64	6.24	8.00
5	14002		581	BOLT STOP	1.97	2.65	3.40
5	14024		581	BOLT STOP SPRING	0.99	1.33	1.70
	92796	10	581	BUTT PLATE FRAME	3.85	5.17	6.63
	92797		581	BUTT PLATE INSERT	1.06	1.42	1.82
	25410	1	581	BUTT PLATE SCREW	0.79	1.07	1.37
	91524		581	CAP FOR CONVERSION KIT	4.93	6.63	8.50
	14039	18	581	EJECTOR (580)	1.28	1.72	2.20
	14236	19	581	ELEVATION SCREW	1.28	1.72	2.20
	14008	20	581	EXTRACTOR LEFT	1.71	2.30	2.95
	14009	21	581	EXTRACTOR RIGHT	1.71	2.30	2.95
	14010	22	581	EXTRACTOR SPRING	1.28	1.72	2.20
	91366		581	FEED RAMP (FOR CONVERSION KIT)	4.93	6.63	8.50
	91584	23	581	FIRING PIN	4.70	6.32	8.10
	91472		581	FIRING PIN RETURN SPRING	1.28	1.72	2.20
	14099	25	581	FLOOR PLATE SCREW (580-582)	1.28	1.72	2.20
	14001	26	581	FRONT SIGHT	2.99	4.02	5.15
	18673		581	FRONT SIGHT STEEL BEAD SMOOTH BORE	1.97	2.65	3.40
5	14027	29	581	HOUSING LOCK SCREW	0.99	1.33	1.70
6	14031	28	581	HOUSING PIN (TRIGGER PIN)	1.28	1.72	2.20
3	29115	30	581	INNER MAGAZINE TUBE ASSEM (582)	10.41	14.00	17.95
	14040	31	581	LOADING PLATFORM (580)	1.28	1.72	2.20
	90388	31a	581	LOADING PLATFORM SCREW (580)	1.28	1.72	2.20
	33000	32	581	MAG ASSEM 10 SHOT	7.95	10.69	13.70
	29075		581	MAG ASSEM 5 SHOT	7.95	10.69	13.70
	14022	33	581	MAGAZINE FOLLOWER (582)	0.99	1.33	1.70
	14047	34	581	MAGAZINE GUIDE (581)	6.50	8.74	11.20
	14048	35	581	MAGAZINE LATCH (581)	2.23	3.00	3.85
	14049	36	581	MAGAZINE LATCH SCREW (581)	1.28	1.72	2.20
	25090	37	581	MAGAZINE PIN (582)	1.28	1.72	2.20
	29050	38	581	MAGAZINE PLATE (581).	4.70	6.32	8.10
	14099	39	581	MAGAZINE PLATE SCREW (581)	1.28	1.72	2.20
	25095	40	581	MAGAZINE PLUG (582)	1.45	1.95	2.50
	25100	42	581	MAGAZINE RING (582)	3.89	5.23	6.70
	14495		581	MAGAZINE SHOE	1.51	2.03	2.60
	14038	45	581	REAR SIGHT BASE	1.97	2.65	3.40
	14059	46	581	REAR SIGHT EYE PIECE	4.58	6.16	7.90
3	14051	47	581	REAR SIGHT LEAF	3.25	4.37	5.60
	14034	48	581	REAR SIGHT SCREW	1.28	1.72	2.20
	17034		581	RECEIVER PLUG SCREW BL	0.79	1.07	1.37
5	14044		581	SAFETY PIVOT PIN RETAINING WASHER	0.99	1.33	1.70
6	14503		581	SEAR	4.76	6.40	8.20
6	24477	58	581	SEAR PIN (TRIGGER PIN)	1.28	1.72	2.20
	29056	59	581	STK ASSEM BIRCH	69.60	93.60	120.00
6	14014	61	581	STRIKER	1.60	2.15	2.75
5	29112		581	STRIKER ASSEM	14.62	19.66	25.20
	14071	65	581	TAKE DOWN SCREW (581)	2.09	2.81	3.60
	14971	70	581	TRIGGER GUARD	5.22	7.02	9.00
	14042	71	581	TRIGGER GUARD SCREW	1.28	1.72	2.20
3	29015		581	TRIGGER HOUSING ASSEM	29.90	40.21	51.55
6	14031		581	TRIGGER PIN	1.28	1.72	2.20
6	14045		581	TRIGGER SPRING	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	F330031		597	EMPTY BOX ASSEMBLY (597)	5.25	5.25	5.25
	F300110		597	ACTION SPRING INNER (MAG)	0.79	1.07	1.37
	F300111		597	ACTION SPRING OUTER (MAG)	0.79	1.07	1.37
	F300007	7	597	ACTION SPRING, 2/PACK (597LR, LSS)	0.79	1.07	1.37
	F300037		597	APERTURE - REAR SIGHT	5.37	7.22	9.26
	F300010		597	ASSEMBLY PIN	0.79	1.07	1.37
3	F305080	3	597	BARREL ASSEMBLY--LR CUSTOM TARGET	0.00	0.00	0.00
3	F305081		597	BARREL ASSEMBLY--MAG CUSTOM TARGET	0.00	0.00	0.00
5	F305030		597	BARREL ASSEMBLY - CS (597LR)	31.61	42.51	54.50
5	F305031		597	BARREL ASSEMBLY - SS (LSS)	57.30	77.06	98.79
5	F305070		597	BARREL ASSEMBLY (MAG)	53.49	71.93	92.22
	F300040	22	597	BARREL CLAMP	2.27	3.05	3.91
	F300013	23	597	BARREL CLAMP SCREW (1) 1/8" HEX	0.79	1.07	1.37
5	F305020		597	BARREL EXT - CS (597LR, MAG)	10.64	14.31	18.34
5	F305021		597	BARREL EXT - SS (LSS)	18.23	24.52	31.43
5	F300049	4	597	BOLT (597LR, LSS)	21.59	29.04	37.23
5	F300098		597	BOLT (MAG)	73.10	98.31	126.04
	F305050	28	597	BOLT ASSEMBLY (597LR, LSS)	35.10	47.20	60.51
	F305051		597	BOLT ASSEMBLY (MAG)	60.90	81.90	105.00
	F305000	10	597	BOLT BUFFER (597LR, LSS)	0.79	1.07	1.37
	F305001		597	BOLT BUFFER (MAG)	0.79	1.07	1.37
	F300001	5	597	BOLT GUDE RAILS, 2/PACK	4.00	5.38	6.90
	F300045	25	597	BOLT HANDLE	4.53	6.09	7.81
	F92796	30	597	BUTT PLATE - LSS	3.85	5.17	6.63
	F300058		597	BUTT PLATE FOR F305045 & F305047	1.63	2.19	2.81
	F92797		597	BUTT PLATE INSERT - LSS	1.06	1.42	1.82
	F25410		597	BUTT PLATE SCREWS, 4/PACK - PHILIPS	0.79	1.07	1.37
6	F300022	11	597	CAP, LINK PIVOT PIN (THA)	0.79	1.07	1.37
	F300020	12	597	EJECTOR (597LR, LSS)	1.06	1.42	1.82
	F300067		597	EJECTOR (MAG)	1.06	1.42	1.82
	F300034		597	ELEVATION SCREW - REAR SIGHT -- FLAT	2.69	3.61	4.63
	F300009		597	ELEVATION SPRING	0.79	1.07	1.37
3	F305013	21	597	EXTRACTOR (EXTRA LONG)	0.79	1.07	1.37
5	F305012		597	EXTRACTOR (LONG)	0.79	1.07	1.37
5	F305011		597	EXTRACTOR (LR--REG LENGTH)	0.79	1.07	1.37
5	F305010		597	EXTRACTOR (SHORT)	0.79	1.07	1.37
	F97039	20	597	EXTRACTOR PLUNGER	0.79	1.07	1.37
	F97418	19	597	EXTRACTOR SPRING HELICAL COMPRESSION (LR)	0.79	1.07	1.37
	F300170		597	EXTRACTOR SPRING MAGNUM	0.79	1.07	1.37
	F300028	16	597	FIRING PIN	6.22	8.36	10.72
	F300014	18	597	FIRING PIN RETAINING PIN	0.79	1.07	1.37
	F300006	17	597	FIRING PIN SPRING	0.79	1.07	1.37
	F300035	27	597	FRONT SIGHT	6.64	8.93	11.45
	F28505	26	597	FRONT SIGHT SCREW (1) FLAT	0.79	1.07	1.37
	F300012	32	597	FRONT TAKEDOWN SCREW 5/32" ALLEN HEAD	0.79	1.07	1.37
	F300059	31	597	GRIP CAP FOR F305045 & F305047	1.21	1.63	2.09
	F300018	6	597	GUIDE RAIL RETAINING SCREWS - 2PACK - 3/32 HEX	0.79	1.07	1.37
6	F300031		597	HAMMER (THA)	7.01	9.42	12.08
6	F300033		597	HAMMER SPRING (THA)	0.79	1.07	1.37
	F300039	14	597	HOLD OPEN (597LR, LSS)	1.10	1.48	1.90
	F300068		597	HOLD OPEN (MAG)	1.11	1.49	1.91
	F300015	13	597	HOLD OPEN PIN	0.79	1.07	1.37
	F300025	15	597	HOLD OPEN RETURN SPRING	0.79	1.07	1.37
6	F300051		597	HOUSING (597LR & LSS)(THA)	2.79	3.75	4.81
6	F300069		597	HOUSING (MAG)(THA)	2.79	3.75	4.81
6	F300002		597	LATCH PIVOT PIN (THA)	0.79	1.07	1.37
6	F300024		597	LATCH SPRING (THA)	0.79	1.07	1.37
6	F300004		597	LINK LEFT (THA)	0.79	1.07	1.37
6	F305006		597	LINK PIN - 2PACK (THA)	0.79	1.07	1.37
6	F300019		597	LINK RETURN SPRING (THA)	0.79	1.07	1.37
6	F300023		597	LINK RIGHT (THA)	0.79	1.07	1.37
	F305060	8	597	MAGAZINE BOX ASSEMBLY (597LR, LSS)	6.09	8.19	10.50
	F305061		597	MAGAZINE BOX ASSEMBLY (MAG)	7.31	9.83	12.60
6	F300038		597	MAGAZINE LATCH (THA)	1.29	1.73	2.22

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
6	F300032		597	MAGAZINE RELEASE (597LR, LSS) (THA)	1.90	2.55	3.27
6	F300066		597	MAGAZINE RELEASE (MAG) (THA)	1.90	2.55	3.27
6	F300016		597	MAGAZINE RELEASE RETAINING PIN (THA)	0.79	1.07	1.37
6	F305005		597	PIN, LINK SEAR (THA)	0.84	1.13	1.45
	F300000	11	597	PIN, PIVOT FOR TRIGGER ASSEMBLY, 5/PACK	0.79	1.07	1.37
	F300179		597	REAR SIGHT ASSEMBLY N/S	14.62	19.66	25.20
3	F300042		597	REAR SIGHT BASE	11.85	15.94	20.43
	F300027		597	REAR SIGHT BASE SCREWS, 2/PACK - FLAT O/S	0.79	1.07	1.37
	F28505		597	REAR SIGHT BASE SCREW N/S	0.79	1.07	1.37
3	F300043		597	REAR SIGHT CANTILEVER	0.79	1.07	1.37
	F300161	33	597	REAR TAKEDOWN SCREW 5/32" ALLEN HEAD	0.79	1.07	1.37
5	F305040		597	RECEIVER - CS, BLACK (597LR)	19.70	26.50	33.97
5	F305041		597	RECEIVER - SS, SILVER (LSS)	19.70	26.50	33.97
5	F305042		597	RECEIVER (MAG)	19.70	26.50	33.97
	F97437	24	597	RECEIVER PLUG SCREWS (3), SILVER (LSS) FLAT	0.79	1.07	1.37
	F17034		597	RECEIVER PLUG SCRWS, 3/PACK, BLACK (LR,MAG)	0.79	1.07	1.37
	F300011		597	RIVET, BOLT SPRING	0.79	1.07	1.37
5	F300036		597	SAFETY BUTTON - PART OF FIRE CONTROL	1.35	1.81	2.32
6	F300003		597	SAFETY PLUNGER (THA)	0.79	1.07	1.37
6	F300009		597	SAFETY PLUNGER SPRING (THA)	0.79	1.07	1.37
6	F300017		597	SAFETY SPRING RETAINING PIN (THA)	0.79	1.07	1.37
	F300034		597	SCREW, ELEVATION - REAR SIGHT	2.69	3.61	4.63
	F300161	33	597	SCREW, REAR TAKEDOWN	0.79	1.07	1.37
	F300026		597	SCREW, WINDAGE - REAR SIGHT	0.79	1.07	1.37
6	F300047		597	SEAR (THA)	6.85	9.21	11.81
6	F300008		597	SEAR RETURN SPRING (THA)	0.79	1.07	1.37
	F94996		597	SLING SWIVEL STUDS, (LSS, MAG)	0.79	1.07	1.37
6	F300005		597	SPRING BUSHING, 2PACK (THA)	0.79	1.07	1.37
	F300029		597	SPRING, BOLT HANDLE	0.79	1.07	1.37
	F300124		597	STK ASSEMBLY B & W GRAY LAMINATED (LS MAG)	125.10	168.24	215.69
	F300120	29	597	STK ASSEMBLY BIRCH	54.81	73.71	94.50
3	F305085		597	STK ASSEMBLY CUSTOM TARGET	0.00	0.00	0.00
	F305046		597	STK ASSEMBLY LAMINATED WOOD (LSS)	125.10	168.24	215.69
	F305045		597	STK ASSEMBLY SYNTHETIC (597LR)	28.66	38.54	49.41
	F305047		597	STK ASSEMBLY SYNTHETIC (MAG)	28.66	38.54	49.41
	F305386		597	STK ASSEMBLY BROWN LAM HB			215.00
6	F300458		597	STK ASSEMBLY SYN EARNHARDT #3			100.00
6	F300461		597	STK ASSEMBLY SYN EARNHARDT #8			100.00
	F300162		597	STOCK INSERT FRONT			1.30
	F300163		597	STOCK INSERT REAR			1.30
6	F300041		597	TRIGGER (THA)	5.48	7.37	9.45
	F305055	2	597	TRIGGER HOUSING ASSEMBLY (597LR, LSS)	35.66	47.96	61.49
3	F305057		597	TRIGGER HOUSING ASSEMBLY (CUSTOM LR & MAG)	0.00	0.00	0.00
	F305056		597	TRIGGER HOUSING ASSEMBLY (MAG)	35.66	47.96	61.49
	F300026		597	WINDAGE SCREW - REAR SIGHT	0.79	1.07	1.37

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
5	15412		600	BOLT STOP	2.61	3.51	4.50
	15418		600	REAR SIGHT NUT (XP-100)	2.00	2.69	3.45
3	91043		600	REAR SIGHT SCREW	1.28	1.72	2.20
5	91469		600	TRIGGER ASSEM	46.81	62.95	80.70
	17580		660	CENTER GUARD SCREW	1.28	1.72	2.20
	16023		660	REAR SIGHT BASE SCREW	0.99	1.33	1.70
	1444		700	EMPTY RIFLE BOX (CF & RF)	5.00	5.00	5.00
	1499		700	EMPTY RIFLE BOX (40X-700 SENDERO-VARMINT)	5.00	5.00	5.00
	1460		700	RIFLE HARDCASE OVERWRAP(HCR-1)	2.00	2.00	2.00
	500700		700	ARMORERS TOOL ADD ON	126.00	126.00	126.00
	94612		700	BARREL BAND SAFARI GRADE	25.00	33.62	43.10
	14810		700	BARREL BRACKET BL	5.86	7.88	10.10
	97483		700	BARREL BRACKET SS	7.16	9.63	12.35
1	927360	1	700	BBL ACTION 17 BDL 24" GL BL NON-EMB	0.00	0.00	0.00
1	927342		700	BBL ACTION 22/250 BDL 24" GL BL NON-EMB	357.00	414.12	476.00
1	927340		700	BBL ACTION 222 BDL 24" GL BL NON-EMB	0.00	0.00	0.00
1	927344		700	BBL ACTION 223 BDL 24" GL BL NON-EMB	357.00	414.12	476.00
1	927348		700	BBL ACTION 243 BDL 22" GL BL NON-EMB	0.00	0.00	0.00
1	927350		700	BBL ACTION 25/06 BDL 24" GL BL NON-EMB	357.00	414.12	476.00
1	927374		700	BBL ACTION 270 BDL LH 22" GL BL NON-EMB	0.00	0.00	0.00
1	927302		700	BBL ACTION 270 WIN ADL 22" SAT BL NON-EMB	0.00	0.00	0.00
1	927352		700	BBL ACTION 270 WIN BDL 22" GL BL NON-EMB	357.00	414.12	476.00
1	927304		700	BBL ACTION 30/06 ADL 22" SAT BL NON-EMB	0.00	0.00	0.00
1	927356		700	BBL ACTION 30/06 BDL 22" GL BL NON-EMB	357.00	414.12	476.00
1	927376		700	BBL ACTION 30/06 BDL LH 22" GL BL NON-EMB	377.25	437.61	503.00
1	927364		700	BBL ACTION 300 WIN MAG 24" BDL GL BL NON-EMB	377.25	437.61	503.00
1	927306		700	BBL ACTION 308 ADL 22" SAT BL NON-EMB	0.00	0.00	0.00
1	927358		700	BBL ACTION 308 BDL 22" GL BL NON-EMB	357.00	414.12	476.00
1	927378		700	BBL ACTION 308 BDL LH 22" GL BL NON-EMB	377.25	437.61	503.00
1	927308		700	BBL ACTION 7MM MAG ADL 24" SAT BL NON-EMB	0.00	0.00	0.00
1	927362		700	BBL ACTION 7MM MAG BDL 24" GL BL NON-EMB	377.25	437.61	503.00
1	927380		700	BBL ACTION 7MM MAG BDL LH 24" GL BL NON-EMB	396.75	460.23	529.00
3	33460		700	BBL ASSEM 17 BDL 24" BL	126.50	170.12	218.10
6	107840		700	BBL ASSEM 17 BDL EMB 24" BL	126.50	170.12	218.10
6	106647		700	BBL ASSEM 22/250 26" SAT BL	126.50	170.12	218.10
6	103096		700	BBL ASSEM 22/250 ADL 24" MATTE	126.50	170.12	218.10
6	33450		700	BBL ASSEM 22/250 ADL 24" SAT BL	126.50	170.12	218.10
6	107843		700	BBL ASSEM 22/250 BDL EMB 24" BL	126.50	170.12	218.10
6	33490		700	BBL ASSEM 22/250 BDL LH 24" BL	110.00	147.93	189.65
6	33463		700	BBL ASSEM 22/250 CLASSIC 24" SAT BL	126.50	170.12	218.10
6	105700		700	BBL ASSEM 22/250 SYN M/O BOTTOMLAND	110.00	147.93	189.65
6	106317		700	BBL ASSEM 22/250 VAR FLUTED SS	132.01	177.53	227.60
6	106636		700	BBL ASSEM 22/250 VS 26" MATTE N/S	132.01	177.53	227.60
6	106686		700	BBL ASSEM 22/250 VS FLUTED 26" MATTE	126.50	170.12	218.10
6	108831		700	BBL ASSEM 22/250 VS FLUTED PORT SS	132.01	177.53	227.60
6	108346		700	BBL ASSEM 22/250 VS LH MATTE	132.01	177.53	227.60
6	97767		700	BBL ASSEM 220 SWIFT BDL VAR GL BL	110.00	147.93	189.65
6	97532		700	BBL ASSEM 220 SWIFT BL	126.50	170.12	218.10
6	106316		700	BBL ASSEM 220 SWIFT SS VAR FLUTED	132.01	177.53	227.60
6	106638		700	BBL ASSEM 220 SWIFT VS 26" MATTE SA	132.01	177.53	227.60
6	106645		700	BBL ASSEM 222 26" SAT BL	126.50	170.12	218.10
6	33461		700	BBL ASSEM 222 BL	126.50	170.12	218.10
6	107841		700	BBL ASSEM 222 REM BDL EMB BL	126.50	170.12	218.10
6	108804		700	BBL ASSEM 223 CLASSIC (2001)	126.50	170.12	218.10
6	103100		700	BBL ASSEM 223 ADL 24" MATTE	126.50	170.12	218.10
6	28373		700	BBL ASSEM 223 BL	126.50	170.12	218.10
6	107842		700	BBL ASSEM 223 EMB BL	126.50	170.12	218.10
6	106643		700	BBL ASSEM 223 POL 1/12" TWIST MATTE	120.00	161.38	206.90
6	106654		700	BBL ASSEM 223 POL 1/9" TWIST MATTE	132.01	177.53	227.60
6	105578		700	BBL ASSEM 223 SS BDL	132.01	177.53	227.60
6	106315		700	BBL ASSEM 223 SS VAR FLUTED	132.01	177.53	227.60
6	106646		700	BBL ASSEM 223 VAR 26" (REPL. 33472) SAT BL	126.50	170.12	218.10
6	106652		700	BBL ASSEM 223 VAR BLK 20" MATTE	126.50	170.12	218.10
6	106635		700	BBL ASSEM 223 VS SA 26" MATTE N/S	132.01	177.53	227.60
6	108345		700	BBL ASSEM 223 VS SA LH MATTE	132.01	177.53	227.60
6	106648		700	BBL ASSEM 243 26" SAT BL	126.50	170.12	218.10
6	103109		700	BBL ASSEM 243 ADL 20" W/O SGT MATTE	110.00	147.93	189.65
6	103108		700	BBL ASSEM 243 ADL 20" W/SGTS MATTE	126.50	170.12	218.10
6	103090		700	BBL ASSEM 243 ADL 22" MATTE	126.50	170.12	218.10

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
6	106431		700	BBL ASSEM 243 BDL DM SA BL	126.50	170.12	218.10
6	108137		700	BBL ASSEM 243 BDL SS DM EMB	132.01	177.53	227.60
6	33474		700	BBL ASSEM 243 BDL VAR GL C1133BL	132.01	177.53	227.60
6	33451		700	BBL ASSEM 243 BL	126.50	170.12	218.10
6	33465		700	BBL ASSEM 243 CLASSIC SAT BL	126.50	170.12	218.10
6	107971		700	BBL ASSEM 243 DM BDL EMB BL	126.50	170.12	218.10
6	107844		700	BBL ASSEM 243 EMB BL	126.50	170.12	218.10
6	33492		700	BBL ASSEM 243 LH BL	110.00	147.93	189.65
6	106434		700	BBL ASSEM 243 MTN DM SA SAT BL	110.00	147.93	189.65
6	105579		700	BBL ASSEM 243 SS BDL SA	132.01	177.53	227.60
6	106489		700	BBL ASSEM 243 SS DM	132.01	177.53	227.60
6	106656		700	BBL ASSEM 243 VS SA 26" MATTE	132.01	177.53	227.60
6	106423		700	BBL ASSEM 25/06 BDL DM LA BL	110.00	147.93	189.65
6	33475		700	BBL ASSEM 25/06 BDL VAR BL	132.01	177.53	227.60
6	33456		700	BBL ASSEM 25/06 BL	110.00	147.93	189.65
6	94656		700	BBL ASSEM 25/06 CLASSIC SAT+C1145 BL	110.00	147.93	189.65
6	107974		700	BBL ASSEM 25/06 DM EMB BL	110.00	147.93	189.65
6	107846		700	BBL ASSEM 25/06 EMB BL	126.50	170.12	218.10
6	106692		700	BBL ASSEM 25/06 FLUTED 26" MATTE	120.00	161.38	206.90
6	106436		700	BBL ASSEM 25/06 MTN DM LA SAT+C1150 BL	126.50	170.12	218.10
6	105560		700	BBL ASSEM 25/06 MTN SS	120.00	161.38	206.90
6	105574		700	BBL ASSEM 25/06 SS BDL	120.00	161.38	206.90
6	106484		700	BBL ASSEM 25/06 SS DM	120.00	161.38	206.90
6	108133		700	BBL ASSEM 25/06 SS DM EMB	132.01	177.53	227.60
6	104742		700	BBL ASSEM 25/06 VARM SYN MATTE	110.00	147.93	189.65
6	106642		700	BBL ASSEM 25/06 VS SEND LA 26" MATTE	132.01	177.53	227.60
6	106319		700	BBL ASSEM 25/06 VS SS FLUTED LA	132.01	177.53	227.60
6	28371		700	BBL ASSEM 257 ROBERTS CLASSIC SATIN BL	110.00	147.93	189.65
6	107118		700	BBL ASSEM 260 MTN DM SAT BL	126.50	170.12	218.10
6	108140		700	BBL ASSEM 260 REM SS DM EMB	132.01	177.53	227.60
6	106658		700	BBL ASSEM 260 VLS 26" SAT BL	126.50	170.12	218.10
6	93464		700	BBL ASSEM 264 WIN MAG CLASSIC SAT BL	126.50	170.12	218.10
6	103093		700	BBL ASSEM 270 ADL 22" MATTE	126.50	170.12	218.10
6	33454		700	BBL ASSEM 270 BDL BL	126.50	170.12	218.10
6	106420		700	BBL ASSEM 270 BDL LA DM BL	110.00	147.93	189.65
6	33467		700	BBL ASSEM 270 CLASSIC SAT BL			
6	106467		700	BBL ASSEM 270 DM BL			
6	107975		700	BBL ASSEM 270 DM EMB BL	110.00	147.93	189.65
6	107845		700	BBL ASSEM 270 EMB BL	126.50	170.12	218.10
6	106721		700	BBL ASSEM 270 FLUTED SENDERO 24" MATTE	120.00	161.38	206.90
6	106443		700	BBL ASSEM 270 LH BDL DM LA BL	126.50	170.12	218.10
6	33495		700	BBL ASSEM 270 LH BL	126.50	170.12	218.10
6	103111		700	BBL ASSEM 270 LH MATTE	110.00	147.93	189.65
6	106447		700	BBL ASSEM 270 MTN DM LA EURO SAT BL	110.00	147.93	189.65
6	106437		700	BBL ASSEM 270 MTN DM LA SAT BL	126.50	170.12	218.10
6	100301		700	BBL ASSEM 270 MTN SAT BL	126.50	170.12	218.10
6	105575		700	BBL ASSEM 270 SS BDL	132.01	177.53	227.60
6	106641		700	BBL ASSEM 270 VS SEND LA 26" MATTE	132.01	177.53	227.60
6	108134		700	BBL ASSEM 270 WIN SS DM EMB	132.01	177.53	227.60
6	106421		700	BBL ASSEM 280 BDL LA DM BL	110.00	147.93	189.65
6	104341		700	BBL ASSEM 280 KS	201.70	271.25	347.75
6	103094		700	BBL ASSEM 280 MATTE	126.50	170.12	218.10
6	106448		700	BBL ASSEM 280 MTN DM LA EURO SAT BL	110.00	147.93	189.65
6	106438		700	BBL ASSEM 280 MTN DM LA SAT BL	126.50	170.12	218.10
6	100302		700	BBL ASSEM 280 MTN SATIN BL	126.50	170.12	218.10
6	103104		700	BBL ASSEM 280 REM CLASSIC SAT BL	110.00	147.93	189.65
6	107976		700	BBL ASSEM 280 REM DM EMB BL	110.00	147.93	189.65
6	108135		700	BBL ASSEM 280 REM SS DM EMB BL	132.01	177.53	227.60
6	105576		700	BBL ASSEM 280 SS BDL	132.01	177.53	227.60
6	106486		700	BBL ASSEM 280 SS DM	120.00	161.38	206.90
6	103095		700	BBL ASSEM 30/06 ADL 22" MATTE	126.50	170.12	218.10
6	33455		700	BBL ASSEM 30/06 BDL BL	126.50	170.12	218.10
6	107977		700	BBL ASSEM 30/06 BDL DM EMB BL	126.50	170.12	218.10
6	106422		700	BBL ASSEM 30/06 BDL DM LA BL	126.50	170.12	218.10
6	107847		700	BBL ASSEM 30/06 BDL EMB BL	126.50	170.12	218.10
6	33466		700	BBL ASSEM 30/06 CLASSIC SAT BL	126.50	170.12	218.10
6	106747		700	BBL ASSEM 30/06 FLUTED 24" MATTE			
6	33494		700	BBL ASSEM 30/06 LH BL	126.50	170.12	218.10
6	106444		700	BBL ASSEM 30/06 LH DM LA BL	110.00	147.93	189.65
6	103110		700	BBL ASSEM 30/06 LH MATTE	110.00	147.93	189.65
6	105708		700	BBL ASSEM 30/06 M/O BOTTOMLAND LA	126.50	170.12	218.10

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
6	107115		700	BBL ASSEM 30/06 MTN DM LA EURO SAT BL	110.00	147.93	189.65
6	106440		700	BBL ASSEM 30/06 MTN LA DM SAT BL	126.50	170.12	218.10
6	100300		700	BBL ASSEM 30/06 MTN SAT BL	126.50	170.12	218.10
6	105577		700	BBL ASSEM 30/06 SS BDL	132.01	177.53	227.60
6	106487		700	BBL ASSEM 30/06 SS DM	132.01	177.53	227.60
6	108136		700	BBL ASSEM 30/06 SS DM EMB	132.01	177.53	227.60
6	94764		700	BBL ASSEM 300 SAV BL	110.00	147.93	189.65
6	94387		700	BBL ASSEM 300 WBY CLASSIC SAT BL	126.50	170.12	218.10
6	105708		700	BBL ASSEM 300 WBY MAG M/O BOTTOMLAND LA	110.00	147.93	189.65
6	103097		700	BBL ASSEM 300 WBY MAG MATTE	110.00	147.93	189.65
6	105568		700	BBL ASSEM 300 WBY MAG SS BDL	132.01	177.53	227.60
6	106482		700	BBL ASSEM 300 WBY MAG SS DM	120.00	161.38	206.90
6	108132		700	BBL ASSEM 300 WBY MAG SS DM EMB	132.01	177.53	227.60
6	107687		700	BBL ASSEM 300 WBY MAG SS DM MB	132.01	177.53	227.60
6	108192		700	BBL ASSEM 300 WBY MAG SS DM MB EMB	132.01	177.53	227.60
6	106323		700	BBL ASSEM 300 WBY MAG SS FLUTED	132.01	177.53	227.60
6	103101		700	BBL ASSEM 300 WIN MAG ADL 24" MATTE	126.50	170.12	218.10
6	106427		700	BBL ASSEM 300 WIN MAG BDL DM BL	110.00	147.93	189.65
6	33458		700	BBL ASSEM 300 WIN MAG BL	126.50	170.12	218.10
6	99066		700	BBL ASSEM 300 WIN MAG CLASSIC SAT BL	110.00	147.93	189.65
6	107979		700	BBL ASSEM 300 WIN MAG DM EMB BL	126.50	170.12	218.10
6	107116		700	BBL ASSEM 300 WIN MAG DM POLICE MATTE	132.01	177.53	227.60
6	109820		700	BBL ASSEM 300 WIN MAG POLICE FLOORPLATE	132.01	177.53	227.60
6	107849		700	BBL ASSEM 300 WIN MAG EMB BL	126.50	170.12	218.10
6	106446		700	BBL ASSEM 300 WIN MAG LH DM BL	126.50	170.12	218.10
6	106655		700	BBL ASSEM 300 WIN MAG SEND 26" MATTE	132.01	177.53	227.60
6	105566		700	BBL ASSEM 300 WIN MAG SS	132.01	177.53	227.60
6	106481		700	BBL ASSEM 300 WIN MAG SS DM	132.01	177.53	227.60
6	108131		700	BBL ASSEM 300 WIN MAG SS DM EMB	132.01	177.53	227.60
6	108191		700	BBL ASSEM 300 WIN MAG SS DM MB EMB	132.01	177.53	227.60
6	108293		700	BBL ASSEM 300 WIN MAG SS LH	132.01	177.53	227.60
6	106688		700	BBL ASSEM 300 WIN MAG VAR FL 26" MATTE	132.01	177.53	227.60
6	106640		700	BBL ASSEM 300 WIN MAG VS SEND 26" MATTE	132.01	177.53	227.60
6	106321		700	BBL ASSEM 300 WIN MAG VS SF	132.01	177.53	227.60
6	107686		700	BBL ASSEM 300 WIN MG SS DM MB	132.01	177.53	227.60
6	108800		700	BBL ASSEM 308 ADL 20" W/SGTS MATTE	126.50	170.12	218.10
6	103091		700	BBL ASSEM 308 ADL 22" MATTE	126.50	170.12	218.10
6	106433		700	BBL ASSEM 308 BDL DM SA BL	110.00	147.93	189.65
6	107973		700	BBL ASSEM 308 BDL EMB SA BL	110.00	147.93	189.65
6	33476		700	BBL ASSEM 308 BDL VAR GL BL	110.00	147.93	189.65
6	33453		700	BBL ASSEM 308 BL	126.50	170.12	218.10
6	107117		700	BBL ASSEM 308 DM POLICE MATTE	132.01	177.53	227.60
6	105702		700	BBL ASSEM 308 M/O BOTTOMLAND SA	110.00	147.93	189.65
6	100303		700	BBL ASSEM 308 MTN 22" SAT BL	126.50	170.12	218.10
6	106644		700	BBL ASSEM 308 POL MATTE	132.01	177.53	227.60
6	105582		700	BBL ASSEM 308 SS BDL	132.01	177.53	227.60
6	106491		700	BBL ASSEM 308 SS DM	132.01	177.53	227.60
6	108139		700	BBL ASSEM 308 SS DM EMB	120.00	161.38	206.90
6	106691		700	BBL ASSEM 308 VAR FLUTED 26" MATTE	126.50	170.12	218.10
6	106651		700	BBL ASSEM 308 VLS 26" SAT BL	126.50	170.12	218.10
6	106637		700	BBL ASSEM 308 VS 26" SA MATTE NS	126.50	170.12	218.10
6	104737		700	BBL ASSEM 308 VS MATTE	126.50	170.12	218.10
6	108347		700	BBL ASSEM 308 VS SA LH MATTE	126.50	170.12	218.10
6	108318		700	BBL ASSEM 308 WIN SS VAR FLUTED	132.01	177.53	227.60
6	108516		700	BBL ASSEM 308 WIN POLICE LTR 20"	132.01	177.53	227.60
6	93609		700	BBL ASSEM 338 BDL BL	110.00	147.93	189.65
6	107850		700	BBL ASSEM 338 WIN BDL EMB BL	126.50	170.12	218.10
6	108193		700	BBL ASSEM 338 WIN BDL SS DM MB EMB	132.01	177.53	227.60
6	106714		700	BBL ASSEM 338 WIN FLUTED 26" MATTE	120.00	161.38	206.90
6	106428		700	BBL ASSEM 338 WIN MAG BDL DM BL	126.50	170.12	218.10
6	106689		700	BBL ASSEM 338 WIN MAG FLUTED 26" MATTE	120.00	161.38	206.90
6	33498		700	BBL ASSEM 338 WIN MAG LH BL	110.00	147.93	189.65
6	105567		700	BBL ASSEM 338 WIN MAG SS	132.01	177.53	227.60
6	106483		700	BBL ASSEM 338 WIN MAG SS DM	120.00	161.38	206.90
6	107688		700	BBL ASSEM 338 WIN MAG SS DM MB	120.00	161.38	206.90
6	105556		700	BBL ASSEM 338 ULTRA MAG SS	132.01	177.53	227.60
6	93183		700	BBL ASSEM 350 REM MAG CLASSIC SAT BL	126.50	170.12	218.10
6	105583		700	BBL ASSEM 375 H&H MAG SS	132.01	177.53	227.60
6	98065		700	BBL ASSEM 6.5 X 55 SWEDISH BL	126.50	170.12	218.10
6	106430		700	BBL ASSEM 6MM BDL DM SA BL	126.50	170.12	218.10
6	107970		700	BBL ASSEM 6MM BDL EMB SA BL	110.00	147.93	189.65

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
6	33464		700	BBL ASSEM 6MM CLASSIC SAT BL	126.50	170.12	218.10
6	100307		700	BBL ASSEM 6MM REM MTN 22" SAT BL	110.00	147.93	189.65
6	105580		700	BBL ASSEM 6MM SS BDL	120.00	161.38	206.90
6	106488		700	BBL ASSEM 6MM SS DM	120.00	161.38	206.90
6	33462		700	BBL ASSEM 7MM (280) BL	126.50	170.12	218.10
6	103092		700	BBL ASSEM 7MM MAG ADL 24" MATTE	126.50	170.12	218.10
6	33459		700	BBL ASSEM 7MM MAG BL	126.50	170.12	218.10
6	107978		700	BBL ASSEM 7MM MAG DM EMB BL	126.50	170.12	218.10
6	107685		700	BBL ASSEM 7MM MAG DM SS MB	132.01	177.53	227.60
6	106445		700	BBL ASSEM 7MM MAG LH BDL DM BL	110.00	147.93	189.65
6	33497		700	BBL ASSEM 7MM MAG LH BL	126.50	170.12	218.10
6	103112		700	BBL ASSEM 7MM MAG LH MATTE	110.00	147.93	189.65
6	105564		700	BBL ASSEM 7MM MAG SS	132.01	177.53	227.60
6	106480		700	BBL ASSEM 7MM MAG SS DM	132.01	177.53	227.60
6	108190		700	BBL ASSEM 7MM MAG SS DM MB EMB	132.01	177.53	227.60
6	108292		700	BBL ASSEM 7MM MAG SS LH	132.01	177.53	227.60
6	106639		700	BBL ASSEM 7MM MAG VAR SEND LA 26" MATTE	132.01	177.53	227.60
6	106320		700	BBL ASSEM 7MM MAG VS SF	132.01	177.53	227.60
6	106687		700	BBL ASSEM 7MM MAG VSF SEND 26" MATTE	126.50	170.12	218.10
6	107848		700	BBL ASSEM 7MM REM MAG EMB BL	126.50	170.12	218.10
6	108130		700	BBL ASSEM 7MM REM MAG SS DM EMB	120.00	161.38	206.90
6	106657		700	BBL ASSEM 7MM STW MATTE 26"	132.01	177.53	227.60
6	108194		700	BBL ASSEM 7MM STW SS DM MB	132.01	177.53	227.60
6	106322		700	BBL ASSEM 7MM STW SS FLUTED	132.01	177.53	227.60
6	105565		700	BBL ASSEM 7MM WHBY MAG SS	132.01	177.53	227.60
6	106650		700	BBL ASSEM 7MM/08 26" SAT BL	126.50	170.12	218.10
6	28370		700	BBL ASSEM 7MM/08 BDL BL	126.50	170.12	218.10
6	106432		700	BBL ASSEM 7MM/08 BDL DM SA BL	110.00	147.93	189.65
6	33477		700	BBL ASSEM 7MM/08 BDL VAR GL BL	120.00	161.38	206.90
6	31511		700	BBL ASSEM 7MM/08 CLASSIC SAT BL	110.00	147.93	189.65
6	107972		700	BBL ASSEM 7MM/08 DM EMB BL	126.50	170.12	218.10
6	105703		700	BBL ASSEM 7MM/08 M/O BOTTOMLAND SA	126.50	170.12	218.10
6	100305		700	BBL ASSEM 7MM/08 MTN 22" SAT BL	126.50	170.12	218.10
6	106435		700	BBL ASSEM 7MM/08 MTN DM 22" SAT BL	126.50	170.12	218.10
6	105581		700	BBL ASSEM 7MM/08 SS BDL	120.00	161.38	206.90
6	106490		700	BBL ASSEM 7MM/08 SS DM	120.00	161.38	206.90
6	108138		700	BBL ASSEM 7MM/08 SS DM EMB	120.00	161.38	206.90
6	103103		700	BBL ASSEM 7X64 BRENEKE MATTE	110.00	147.93	189.65
6	100309		700	BBL ASSEM 7X64 BRENNEKE BL	110.00	147.93	189.65
6	106449		700	BBL ASSEM 7X64 BRENNEKE MTN DM LA SAT BL	110.00	147.93	189.65
6	106439		700	BBL ASSEM 7X64 BRENNEKE MTN DM SAT BL	110.00	147.93	189.65
6	34235		700	BBL ASSEM 8MM REM BL	110.00	147.93	189.65
6	28710	2	700	BOLT ASSEM 17-222-223 BDL	74.76	100.54	128.90
6	92895		700	BOLT ASSEM 17-222-223 BDL MAX	74.76	100.54	128.90
6	97379		700	BOLT ASSEM 22/250 & 308 VAR	74.76	100.54	128.90
6	105483		700	BOLT ASSEM 22/250 & 308 VARM LH MAT	74.76	100.54	128.90
6	99347		700	BOLT ASSEM 223 ADL MATTE	74.76	100.54	128.90
6	94366		700	BOLT ASSEM 223 MAX POLICE	74.76	100.54	128.90
6	93783		700	BOLT ASSEM 223 POLICE MATTE	74.76	100.54	128.90
6	97871		700	BOLT ASSEM 223 SS MAX	64.99	87.40	112.05
6	105443		700	BOLT ASSEM 223 SS S/A	74.76	100.54	128.90
6	97378		700	BOLT ASSEM 223 VARM	74.76	100.54	128.90
6	105482		700	BOLT ASSEM 223 VARM LH MATTE	74.76	100.54	128.90
6	105442		700	BOLT ASSEM 243 & 308 SS S/A	74.76	100.54	128.90
6	106061		700	BOLT ASSEM 25/06 & 270 VARM MATTE	74.76	100.54	128.90
6	94370		700	BOLT ASSEM 270-30/06 LH MAX FS	64.99	87.40	112.05
6	94097		700	BOLT ASSEM 30/06 & 270 ADL MATTE	74.76	100.54	128.90
6	28712		700	BOLT ASSEM 30/06 & 270 BDL	74.76	100.54	128.90
6	92897		700	BOLT ASSEM 30/06 & 270 BDL MAX	74.76	100.54	128.90
6	94365		700	BOLT ASSEM 30/06 & 270 FS MAX	74.76	100.54	128.90
6	28755		700	BOLT ASSEM 30/06 & 270 LH	74.76	100.54	128.90
6	92898		700	BOLT ASSEM 30/06 & 270 LH MAX	74.76	100.54	128.90
6	105440		700	BOLT ASSEM 30/06 & 270 SS L/A	74.76	100.54	128.90
6	98080		700	BOLT ASSEM 30/06 LA MTN	64.99	87.40	112.05
6	94099		700	BOLT ASSEM 30/06 LH FS	64.99	87.40	112.05
6	97700		700	BOLT ASSEM 30/06 SS MAX	74.76	100.54	128.90
6	28711		700	BOLT ASSEM 308-242-6MM BDL	74.76	100.54	128.90
6	92896		700	BOLT ASSEM 308-243-6MM BDL MAX	74.76	100.54	128.90
6	97870		700	BOLT ASSEM 308-243-6MM S/A MAX SS	74.76	100.54	128.90
6	28757		700	BOLT ASSEM 308 & 243 LH	64.99	87.40	112.05
6	94369		700	BOLT ASSEM 308 & 243 MAX POLICE	74.76	100.54	128.90

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
6	94098		700	BOLT ASSEM 308 & 243 POLICE MATTE	74.76	100.54	128.90
6	98079		700	BOLT ASSEM 308 & 243 S/A MTN	64.99	87.40	112.05
6	106062		700	BOLT ASSEM 6.5 X 55 SWEDISH COMPLETE	74.76	100.54	128.90
6	33273		700	BOLT ASSEM 7MM MAG BDL	74.76	100.54	128.90
6	28847		700	BOLT ASSEM 7MM MAG BDL MAX	74.76	100.54	128.90
6	94371		700	BOLT ASSEM 7MM MAG FS & AS	74.76	100.54	128.90
6	98884		700	BOLT ASSEM 7MM MAG L/A VARM MATTE	74.76	100.54	128.90
6	33307		700	BOLT ASSEM 7MM MAG LH	74.76	100.54	128.90
6	94101		700	BOLT ASSEM 7MM MAG LH FS	64.99	87.40	112.05
6	94372		700	BOLT ASSEM 7MM MAG LH MAX FS & AS	64.99	87.40	112.05
6	94100		700	BOLT ASSEM 7MM MAG MATT	74.76	100.54	128.90
6	105441		700	BOLT ASSEM 7MM MAG SS	74.76	100.54	128.90
6	97701		700	BOLT ASSEM 7MM MAG SS MAX	74.76	100.54	128.90
6	98871		700	BOLT ASSEM MAG ADL MATTE	64.99	87.40	112.05
	26330		700	BOLT HANDLE - BLUED	15.60	20.98	26.90
	90553		700	BOLT HANDLE LH - BLUED	15.60	20.98	26.90
	97448		700	BOLT HANDLE SS	15.60	20.98	26.90
	17012	3	700	BOLT PLUG - BLUED	10.70	14.39	18.45
	94091		700	BOLT PLUG - MATTE FINISH	8.24	11.08	14.20
	97443		700	BOLT PLUG SS	10.70	14.39	18.45
5	17013	4	700	BOLT STOP BL	2.09	2.81	3.60
5	24475	5	700	BOLT STOP PIN	1.28	1.72	2.20
5	15478		700	BOLT STOP RELEASE - BLUED	1.28	1.72	2.20
5	90555		700	BOLT STOP RELEASE LH - BLUED	1.28	1.72	2.20
5	97491		700	BOLT STOP RELEASE SS	1.28	1.72	2.20
5	90554	6	700	BOLT STOP SPRING LH	1.28	1.72	2.20
5	15224		700	BOLT STOP SPRING RH	1.28	1.72	2.20
5	97444	4	700	BOLT STOP SS	2.99	4.02	5.15
	92796	7	700	BUTT PLATE FRAME	3.85	5.17	6.63
	25410	9	700	BUTT PLATE FRAME SCREW	0.79	1.07	1.37
	92797		700	BUTT PLATE INSERT	1.06	1.42	1.82
	25380		700	BUTT PLATE SCREW (2 NEEDED)	1.28	1.72	2.20
	90571	8	700	BUTT PLATE SPACER	1.80	2.42	3.10
	104250	10	700	CENTER GUARD SCREW ADL N/S - HEX	1.62	2.18	2.80
	105405		700	CENTER GUARD SCREW SS - HEX	1.62	2.18	2.80
	96092		700	CLEANING ROD HANDLE FOR TWS (POLICE)			2.75
	17017	11	700	EJECTOR	2.61	3.51	4.50
	94555	12	700	EJECTOR PIN	1.28	1.72	2.20
	17019	13	700	EJECTOR SPRING	1.28	1.72	2.20
	90906		700	ELEVATION SCREW (HEX)	1.28	1.72	2.20
	97138	14	700	EXTRACTOR 222, 223, 17 CAL HEAVY - RIVETLESS	6.50	8.74	11.20
3	15850		700	EXTRACTOR 222, 223, 17 REM MAG	6.50	8.74	11.20
3	14669		700	EXTRACTOR LA	6.50	8.74	11.20
	97322		700	EXTRACTOR MAG	6.50	8.74	11.20
	27342		700	EXTRACTOR RIVET 222 & 17 CAL	1.28	1.72	2.20
	27340		700	EXTRACTOR RIVET LA BLUED	1.28	1.72	2.20
	27341		700	EXTRACTOR RIVET MAGNUM	1.28	1.72	2.20
	93712		700	EXTRACTOR RIVETLESS LA (HEAVY -ALSO 7400)	2.61	3.51	4.50
	94093	16	700	FIRING PIN ASSEM 243 & 308 MATTE S/A ADL	28.62	38.49	49.35
	94094		700	FIRING PIN ASSEM 300 WIN MATTE L/A MAG	28.62	38.49	49.35
	98082		700	FIRING PIN ASSEM 308 & 243 MTN S/A	28.62	38.49	49.35
	22040		700	FIRING PIN ASSEM L/A BDL - BLUED	28.62	38.49	49.35
	22041		700	FIRING PIN ASSEM S/A BDL - BLUED	28.62	38.49	49.35
	107500		700	FIRING PIN ASSEM SS	28.62	38.49	49.35
	105410		700	FIRING PIN ASSEM SS L/A	28.62	38.49	49.35
	105411		700	FIRING PIN ASSEM SS S/A	28.62	38.49	49.35
	109575		700	FIRING PIN ASSEM L/A BL W/ ISS			55.35
	109576		700	FIRING PIN ASSEM S/A BL W/ ISS			55.35
	109577		700	FIRING PIN ASSEM L/A MATTE W/ ISS			55.35
	109578		700	FIRING PIN ASSEM S/A MATTE W/ ISS			55.35
	109581		700	FIRING PIN ASSEM SS L/A W/ ISS			55.35
	109582		700	FIRING PIN ASSEM SS S/A W/ ISS			55.35
	17022	17	700	FIRING PIN CROSS PIN	1.28	1.72	2.20
	98880		700	FLOOR PLATE INSERT BDL 223	2.61	3.51	4.50
	15291	18	700	FLOOR PLATE LATCH - BLUED	3.60	4.84	6.20
	16451	19	700	FLOOR PLATE LATCH PIN	1.28	1.72	2.20
	97859		700	FLOOR PLATE LATCH PIN SS	1.28	1.72	2.20
	16452	20	700	FLOOR PLATE LATCH SPRING	1.28	1.72	2.20
	97860		700	FLOOR PLATE LATCH SS	3.60	4.84	6.20
	16453	21	700	FLOOR PLATE PIVOT PIN	1.28	1.72	2.20
	33440		700	FORE END TIP BDL	4.23	5.69	7.30
	92754		700	FORE END TIP MTN	4.23	5.69	7.30

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	33445		700	FORE END TIP SPACER BDL	1.28	1.72	2.20
	33446		700	FORE END TIP SPACER VARMINT	1.28	1.72	2.20
	33441		700	FORE END TIP VARMINT	3.25	4.37	5.60
	105403		700	FRONT GUARD SCREW BDL SS - HEX	1.28	1.72	2.20
	15161	23	700	FRONT GUARD SCREW BUSHING	1.71	2.30	2.95
	97484		700	FRONT GUARD SCREW BUSHING SS	1.71	2.30	2.95
	99363		700	FRONT GUARD SCREW L/A ADL SYN - HEX	1.28	1.72	2.20
	104125		700	FRONT GUARD SCREW L/A BDL - HEX	1.28	1.72	2.20
	105401		700	FRONT GUARD SCREW L/A BDL & ADL SS - HEX	1.28	1.72	2.20
	22037		700	FRONT GUARD SCREW S/A	1.51	2.03	2.60
	104129		700	FRONT GUARD SCREW S/A BDL N/S - HEX	1.28	1.72	2.20
	106283		700	FRONT GUARD SCREW S/A BDL SS - HEX	1.28	1.72	2.20
	106291		700	FRONT GUARD SCREW SS FLUTED - HEX	1.28	1.72	2.20
	104133		700	FRONT GURAD SCREW VARM SYN - HEX	1.28	1.72	2.20
	15373	24	700	FRONT SIGHT	4.41	5.93	7.60
	23805		700	FRONT SIGHT 458 WIN MAG	4.41	5.93	7.60
	94095		700	FRONT SIGHT AS MAG	4.41	5.93	7.60
	94084		700	FRONT SIGHT AS MODEL	4.41	5.93	7.60
	14659		700	FRONT SIGHT HIGH	4.41	5.93	7.60
	94090		700	FRONT SIGHT HOOD AS MODEL	2.76	3.71	4.75
	15363	27	700	FRONT SIGHT HOOD BDL	3.60	4.84	6.20
	15719		700	FRONT SIGHT LOW ADL & BDL	4.41	5.93	7.60
	17034	41	700	FRONT SIGHT PLUG SCREW BL (RECEIVER PLUG SCREW)	0.79	1.07	1.37
	97437	41	700	FRONT SIGHT PLUG SCREW SS (RECEIVER PLUG SCREW	0.79	1.07	1.37
	28511	25	700	FRONT SIGHT RAMP	9.11	12.25	15.70
	94096		700	FRONT SIGHT RAMP AS & FS MODEL - MATTE	6.99	9.40	12.05
	15635		700	FRONT SIGHT RAMP BDL - BLUED	9.11	12.25	15.70
	28505	26	700	FRONT SIGHT RAMP SCEW	0.79	1.07	1.37
	15358	29	700	FRONT STOCK SWIVEL SCREW - WOOD	2.09	2.81	3.60
	15331		700	GRIP CAP - STD 700	1.80	2.42	3.10
	97971		700	GRIP CAP - SYN STOCK	1.80	2.42	3.10
	92753		700	GRIP CAP N/S - MTN RIFLE	1.80	2.42	3.10
	25380		700	GRIP CAP SCREW (2 NEEDED)	1.28	1.72	2.20
	90572		700	GRIP CAP SPACER	1.28	1.72	2.20
	106346		700	MAGAZINE ASSEM DM 300 WIN MAG MATTE	25.96	34.91	44.75
	106399		700	MAGAZINE ASSEM DM 308 POLICE MATTE	25.96	34.91	44.75
	106340		700	MAGAZINE ASSEM DM L/A BL	26.99	36.29	46.53
	106347		700	MAGAZINE ASSEM DM L/A BL EMB	35.88	48.25	61.86
	106345		700	MAGAZINE ASSEM DM L/A BL MTN	26.99	36.29	46.53
	106337		700	MAGAZINE ASSEM DM L/A SS	26.99	36.29	46.53
	106341		700	MAGAZINE ASSEM DM MAG BL	26.99	36.29	46.53
	106348		700	MAGAZINE ASSEM DM MAG BL EMB	35.88	48.25	61.86
	106338		700	MAGAZINE ASSEM DM MAG SS	26.99	36.29	46.53
	106400		700	MAGAZINE ASSEM DM S/A BL	26.99	36.29	46.53
	106402		700	MAGAZINE ASSEM DM S/A BL EMB	35.88	48.25	61.86
	106401		700	MAGAZINE ASSEM DM S/A BL MTN	26.99	36.29	46.53
	106396		700	MAGAZINE ASSEM DM S/A SS	26.99	36.29	46.53
	99402	30	700	MAGAZINE BOX S/A ADL	5.22	7.02	9.00
	106605		700	MAGAZINE BOX 223 VARM SYN	5.22	7.02	9.00
	97825		700	MAGAZINE BOX 308 & 243 ADL/BDL SS S/A	5.22	7.02	9.00
	15284		700	MAGAZINE BOX LA ADL & MAG - MATTE	5.57	7.49	9.60
	97445		700	MAGAZINE BOX LA ADL SS	5.57	7.49	9.60
	16430		700	MAGAZINE BOX LA BDL BLUED	5.57	7.49	9.60
	97824		700	MAGAZINE BOX LA BDL SS	5.57	7.49	9.60
	15283		700	MAGAZINE BOX SA ADL BLUED	5.57	7.49	9.60
	16715		700	MAGAZINE BOX SA BDL BLUED	5.57	7.49	9.60
	300248		700	MAGAZINE BOX ULTRA MAG BLUED	4.00	5.38	6.90
	300246		700	MAGAZINE BOX ULTRA MAG SS	4.00	5.38	6.90
	106770		700	MAGAZINE BOX W/SPACER 223 SS BDL	5.57	7.49	9.60
	17975	31	700	MAGAZINE FOLLOWER 222 - S/A	13.01	17.50	22.43
	92508		700	MAGAZINE FOLLOWER 222 223 ADL & BDL S/A	13.01	17.50	22.43
	93353		700	MAGAZINE FOLLOWER 223 MAG POL S/A	10.01	13.46	17.25
	92492		700	MAGAZINE FOLLOWER 30/06 & 270 ADL L/A	13.01	17.50	22.43
	92218		700	MAGAZINE FOLLOWER 30/06 & 270 BDL L/A	13.01	17.50	22.43
	97980		700	MAGAZINE FOLLOWER 30/06 DM BDL	10.01	13.46	17.25
	97982		700	MAGAZINE FOLLOWER 308 & 243 DM BDL	13.01	17.50	22.43
	90982		700	MAGAZINE FOLLOWER 308 & 243 S/A	13.01	17.50	22.43
	93120		700	MAGAZINE FOLLOWER 308 POL	13.01	17.50	22.43
	90952		700	MAGAZINE FOLLOWER 7MM MAG L/A MAG	13.01	17.50	22.43
	15286		700	MAGAZINE SPACER 222 BDL	2.26	3.04	3.90
3	15742		700	MAGAZINE SPACER 222 MAG ADL	1.74	2.34	3.00

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	91133	32	700	MAGAZINE SPRING 17,222,223	3.60	4.84	6.20
	17028		700	MAGAZINE SPRING L/A & MAG ADL	3.60	4.84	6.20
	15677		700	MAGAZINE SPRING L/A & MAG BDL	3.60	4.84	6.20
	99164		700	MAGAZINE SPRING L/A & MAG DM BDL	3.60	4.84	6.20
	17891		700	MAGAZINE SPRING S/A ADL	3.60	4.84	6.20
	15699		700	MAGAZINE SPRING S/A BDL (.22-250 ADL & DM ALSO)	3.60	4.84	6.20
	15940		700	MAGAZINE TAB SCREW BL	1.28	1.72	2.20
	97438		700	MAGAZINE TAB SCREW SS	0.99	1.33	1.70
	17029	33	700	MAIN SPRING L/A	1.97	2.65	3.40
	17058		700	MAIN SPRING S/A	1.97	2.65	3.40
	107625		700	MUZZLE BREAK SS 7MM MAG	55.51	74.65	95.70
	107626		700	MUZZLE BREAK SS .300 WIN MAG, 300 WHBY	55.51	74.65	95.70
	107627		700	MUZZLE BREAK SS .338 MAG	55.51	74.65	95.70
	108091		700	MUZZLE BREAK CAP SS 300WIN & 300WHBY	9.11	12.25	15.70
	108092		700	MUZZLE BREAK CAP SS 338 MAG	9.11	12.25	15.70
	108090		700	MUZZLE BREAK CAP SS 7MM MAG & 7MM WHBY	9.11	12.25	15.70
	106292		700	REAR GUARD SCREW (ALL SS) - HEX	1.28	1.72	2.20
	104126		700	REAR GUARD SCREW NS - HEX	1.28	1.72	2.20
	104134		700	REAR GUARD SCREW VARM SYN - HEX	1.28	1.72	2.20
	18842		700	REAR SCOPE BASE SCREW VARMINT	1.51	2.03	2.60
	18843		700	REAR SCOPE BASE VARMINT	3.89	5.23	6.70
	94333	35	700	REAR SIGHT APERTURE	4.41	5.93	7.60
	103145		700	REAR SIGHT ASSEM	18.21	24.49	31.40
	103146		700	REAR SIGHT ASSEM AS MODEL	18.21	24.49	31.40
	103147		700	REAR SIGHT ASSEM MAG AS	14.01	18.84	24.15
	103148		700	REAR SIGHT ASSEM MAGNUM	18.21	24.49	31.40
	28505	37	700	REAR SIGHT BASE (RAMP) SCREW (2 NEEDED)	0.79	1.07	1.37
	103530		700	REAR SIGHT BASE BLUE	6.64	8.93	11.45
	17034	41	700	REAR SIGHT PLUG SCREW BL (RECEIVER PLUG SCREW)	0.79	1.07	1.37
	97437	41	700	REAR SIGHT PLUG SCREW SS (RECEIVER PLUG SCREW)	0.79	1.07	1.37
	94335	38	700	REAR SIGHT SLIDE	8.79	11.82	15.15
	15358	40	700	REAR STOCK SWIVEL SCREW - WOOD	2.09	2.81	3.60
	97812		700	REAR SWIVEL SCREW - BLUED	2.73	3.67	4.70
	17034	41	700	RECEIVER PLUG SCREW - BLUED	0.79	1.07	1.37
	97437	41	700	RECEIVER PLUG SCREW SS	0.79	1.07	1.37
	91544		700	RECOIL PAD	11.69	15.72	20.15
	94799		700	RECOIL PAD (1" OLD ENGLISH)	8.99	12.09	15.50
	99000		700	RECOIL PAD BLACK THIN (LSS)	11.69	15.72	20.15
	91556		700	RECOIL PAD CLASSIC MAG BROWN	11.69	15.72	20.15
	90949		700	RECOIL PAD MAG BLK	11.69	15.72	20.15
	92762		700	RECOIL PAD MTN RIFLE	8.99	12.09	15.50
	25410		700	RECOIL PAD SCREW	0.79	1.07	1.37
	98008		700	RECOIL PAD SCREW - SYN STOCK	1.28	1.72	2.20
	97814		700	RECOIL PAD SS	8.99	12.09	15.50
	97973		700	RECOIL PAD SYN GUN	11.69	15.72	20.15
	99981		700	RECOIL PAD SYN YOUTH GUN	8.00	10.76	13.80
6	32900		700	SAFETY ASSEM LH	5.22	7.02	9.00
6	92296		700	SAFETY ASSEM LH N/S	4.00	5.38	6.90
6	92297		700	SAFETY ASSEM RH N/S	5.22	7.02	9.00
6	97492		700	SAFETY ASSEM SS	5.22	7.02	9.00
6	98085		700	SAFETY ASSEM W/BOLT LOCK SS	5.22	7.02	9.00
5	23222		700	SAFETY DETENT BALL	1.28	1.72	2.20
5	15368		700	SAFETY DETENT SPRING	1.71	2.30	2.95
5	92546		700	SAFETY DETENT SPRING LH	1.71	2.30	2.95
5	17043		700	SAFETY PIVOT PIN	1.28	1.72	2.20
5	17044		700	SAFETY SNAP WASHER	1.28	1.72	2.20
5	24476	42	700	SEAR PIN	1.28	1.72	2.20
6	15666		700	SEAR SAFETY CAM	2.61	3.51	4.50
6	17047		700	SEAR SPRING	1.28	1.72	2.20
	200292		700	SCOPE RING SET- TASCO (FOR COMBO GUN)			35.00
	96042		700	SCOPE DIAL DUST COVER FOR TWS (POLICE)			8.00
	14694		700	SLING STRAP ASSEM & MTGS COMP	25.00	33.62	43.10
	15376		700	SLING STRAP BRASS FASTENER	0.99	1.33	1.70
	200196		700	STK ASSEM AIR RIFLE	156.60	210.60	270.00
	98910	44	700	STK ASSEM CUSTOM APR	414.96	558.05	715.45
	98529		700	STK ASSEM CUSTOM AWR	229.97	309.27	396.50
	99998		700	STK ASSEM CUSTOM BROWN LAM THUMBHOLE	258.07	347.06	444.95
	97482		700	STK ASSEM CUSTOM LH KEVLAR	220.98	297.18	381.00
	97413		700	STK ASSEM CUSTOM LH KEVLAR SAFARI	249.98	336.18	431.00
	93495		700	STK ASSEM CUSTOM LH MAG KEVLAR	220.98	297.18	381.00
	93494		700	STK ASSEM CUSTOM LH MTN KEVLAR	220.98	297.18	381.00

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	93492		700	STK ASSEM CUSTOM RH MTN KEVLAR	220.98	297.18	381.00
	93493		700	STK ASSEM CUSTOM RH MTN MAG KEVLAR	220.98	297.18	381.00
	94575		700	STK ASSEM CUSTOM SAFARI	272.98	367.11	470.65
	27270		700	STK ASSEM CUSTOM SAFARI	272.98	367.11	470.65
	94527		700	STK ASSEM CUSTOM SAFARI KEVLAR	224.98	302.56	387.90
	106183		700	STK ASSEM L/A ADL SYN	70.76	95.16	122.00
	102066		700	STK ASSEM L/A ADL WALNUT WOOD SATIN	143.26	192.66	247.00
	106170		700	STK ASSEM L/A BDL SYN	70.76	95.16	122.00
	98975		700	STK ASSEM L/A BDL WOOD NO WHITE SPACER HG	139.98	188.25	241.35
	103601		700	STK ASSEM L/A BDL WOOD WITH WHITE SPACER HG	143.26	192.66	247.00
	34594		700	STK ASSEM L/A CLASSIC 35 WHELEN - SATIN	139.98	188.25	241.35
	34591		700	STK ASSEM L/A CLASSIC SATIN WALNUT	143.26	192.66	247.00
	97916		700	STK ASSEM L/A CURLY MAPLE HG	139.98	188.25	241.35
	99342		700	STK ASSEM L/A DM BDL EUROPEAN 99341-SATIN	139.98	188.25	241.35
	103616		700	STK ASSEM L/A DM BDL HG WOOD	143.26	192.66	247.00
	103618		700	STK ASSEM L/A DM LH BDL HG WOOD	143.26	192.66	247.00
	100569		700	STK ASSEM L/A DM MTN EUROPEAN SATIN WOOD	139.98	188.25	241.35
	100567		700	STK ASSEM L/A DM MTN SATIN WOOD	143.26	192.66	247.00
	106177		700	STK ASSEM L/A DM SS SYN	70.76	95.16	122.00
	105784		700	STK ASSEM L/A EUROPEAN SATIN WOOD	139.98	188.25	241.35
	98891		700	STK ASSEM L/A LAM BLACK	143.26	192.66	247.00
	105795		700	STK ASSEM L/A LH (LSS) LAM	143.26	192.66	247.00
	103604		700	STK ASSEM L/A LH BDL HG WOOD	143.26	192.66	247.00
3	98976		700	STK ASSEM L/A LS BDL NO WHITE SPACER	139.98	188.25	241.35
	200361		700	STK ASSEM L/A MTN BROWN LAMINATED	139.98	188.25	241.35
3	100565		700	STK ASSEM L/A MTN SATIN WOOD	143.26	192.66	247.00
	106176		700	STK ASSEM L/A MTN SS ADL WOOD BIRCH	139.98	188.25	241.35
	106180		700	STK ASSEM L/A MTN SYN	70.76	95.16	122.00
3	103607		700	STK ASSEM L/A VARM HG WALNUT	139.98	188.25	241.35
	104711		700	STK ASSEM L/A SENDERO SYN	156.60	210.60	270.00
	102067		700	STK ASSEM MAG L/A ADL HG WOOD--O/S	143.26	192.66	247.00
	106184		700	STK ASSEM MAG L/A MAG ADL BLACK	70.76	95.16	122.00
	103602		700	STK ASSEM MAG L/A BDL HG WOOD WALNUT	143.26	192.66	247.00
	106171		700	STK ASSEM MAG L/A BDL SYN	70.76	95.16	122.00
	34592		700	STK ASSEM MAG L/A CLASSIC SATIN WOOD	143.26	192.66	247.00
	103610		700	STK ASSEM MAG L/A DM BDL HG WOOD	143.26	192.66	247.00
	103613		700	STK ASSEM MAG L/A DM LH BDL HG WOOD	143.26	192.66	247.00
	106178		700	STK ASSEM MAG L/A DM SS SYN	70.76	95.16	122.00
	105785		700	STK ASSEM MAG L/A EUROPEAN SATIN WOOD	139.98	188.25	241.35
	98892		700	STK ASSEM MAG L/A LAM BLK/GRAY	143.26	192.66	247.00
	105792		700	STK ASSEM MAG L/A LAM W/ FLOOR PLATE L/A	139.98	188.25	241.35
	105794		700	STK ASSEM MAG L/A LH LAM	143.26	192.66	247.00
	103605		700	STK ASSEM MAG L/A LH WOOD 93625	143.26	192.66	247.00
	99708		700	STK ASSEM MAG L/A POLICE DM SYN	226.20	304.20	390.00
3	98979		700	STK ASSEM MAG L/A SATIN BDL NO SPACERS WOOD	139.98	188.25	241.35
	99239		700	STK ASSEM MAG L/A VLS	143.26	192.66	247.00
	201309		700	STK ASSEM L/A POLICE			390.00
	102065		700	STK ASSEM S/A ADL SATIN WOOD	143.26	192.66	247.00
	106182		700	STK ASSEM S/A ADL SYN	70.76	95.16	122.00
	106187		700	STK ASSEM S/A ADL YOUTH SYN	69.95	94.07	120.60
	103600		700	STK ASSEM S/A BDL HG WOOD	143.26	192.66	247.00
	103619		700	STK ASSEM S/A BDL LH DM HG	139.98	188.25	241.35
	103603		700	STK ASSEM S/A BDL LH HG WOOD	139.98	188.25	241.35
	106172		700	STK ASSEM S/A BDL SYN	70.76	95.16	122.00
	34590		700	STK ASSEM S/A CLASSIC	143.26	192.66	247.00
	99344		700	STK ASSEM S/A DM BDL EUROPEAN SATIN WOOD	139.98	188.25	241.35
	103617		700	STK ASSEM S/A DM BDL HG WOOD	143.26	192.66	247.00
	100568		700	STK ASSEM S/A DM MTN SATIN WOOD	143.26	192.66	247.00
	106179		700	STK ASSEM S/A DM SS SYN	70.76	95.16	122.00
	105783		700	STK ASSEM S/A EUROPEAN SATIN WOOD	139.98	188.25	241.35
	34593		700	STK ASSEM S/A MAG CLASSIC SATIN WOOD	139.98	188.25	241.35
	200362		700	STK ASSEM S/A MTN BROWN LAMINATED	139.98	188.25	241.35
	100566		700	STK ASSEM S/A MTN SATIN WOOD	143.26	192.66	247.00
	106181		700	STK ASSEM S/A MTN SYN	69.95	94.07	120.60
	201324		700	STK ASSEM S/A POLICE BDL LTR	226.20	304.20	390.00
	200028		700	STK ASSEM S/A POLICE DM LTR	226.20	304.20	390.00
	99359		700	STK ASSEM S/A POLICE DM SYN	226.20	304.20	390.00
	94519		700	STK ASSEM S/A POLICE SYN (FLOOR PLATE)	226.20	304.20	390.00
	99978		700	STK ASSEM S/A VARM BRN LAM HVY BBL N/S	143.26	192.66	247.00
	103615		700	STK ASSEM S/A VARM BRN LAM O/S	143.26	192.66	247.00
	103606		700	STK ASSEM S/A VARM HG WOOD	143.26	192.66	247.00

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	104712		700	STK ASSEM S/A VARM SS SYN	151.96	204.36	262.00
	104710		700	STK ASSEM S/A VARM SYN - MATTE	151.96	204.36	262.00
	99986		700	STK ASSEM S/A VARM SYN LH	145.00	195.00	250.00
	99986		700	STK ASSEM S/A VARM SYN LH	145.00	195.00	250.00
	15358		700	STOCK SWIVEL SCREW - BLUED	2.09	2.81	3.60
	26555		700	SWIVEL ASSEM (2/SET) - BLUED/Q.D.	11.05	14.86	19.05
	97485		700	SWIVEL SCREW SS (WOOD, SYN)	2.09	2.81	3.60
	97744		700	SWIVEL STUD SS (SAFARI, KS)	1.28	1.72	2.20
5	32895	46	700	TRIGGER ASSEM LH BL	41.47	55.77	71.50
5	99861		700	TRIGGER ASSEM LH SS	41.47	55.77	71.50
5	26345		700	TRIGGER ASSEM RH BL	41.47	55.77	71.50
5	97490		700	TRIGGER ASSEM RH SS	41.47	55.77	71.50
6	19461		700	TRIGGER CONNECTOR	1.60	2.15	2.75
6	91128		700	TRIGGER ENGAGE SCREW	0.99	1.33	1.70
	201386		700	TRIGGER GUARD ADL SYN (MATTE)	17.40	23.40	30.00
	97499	47	700	TRIGGER GUARD ADL & ML SS	17.40	23.40	30.00

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	94489		700	TRIGGER GUARD ADL BL	17.40	23.40	30.00
	26371	48	700	TRIGGER GUARD ASSEM L/A BDL BL	45.59	61.31	78.60
	99690		700	TRIGGER GUARD ASSEM L/A BDL BL EMB	45.59	61.31	78.60
	97866		700	TRIGGER GUARD ASSEM L/A BDL SS	45.59	61.31	78.60
	94089		700	TRIGGER GUARD ASSEM L/A MATTE	45.59	61.31	78.60
	26370		700	TRIGGER GUARD ASSEM S/A BDL BL	45.59	61.31	78.60
	99689		700	TRIGGER GUARD ASSEM S/A BDL BL EMB	45.59	61.31	78.60
	97867		700	TRIGGER GUARD ASSEM S/A BDL SS	45.59	61.31	78.60
	94535		700	TRIGGER GUARD ASSEM S/A MATTE	45.59	61.31	78.60
	105835		700	TRIGGER GUARD L/A DM BL	20.82	28.00	35.90
	105837		700	TRIGGER GUARD L/A DM MATTE	20.82	28.00	35.90
	105836		700	TRIGGER GUARD L/A DM SS	20.82	28.00	35.90
	106350		700	TRIGGER GUARD S/A DM BL	20.82	28.00	35.90
	106352		700	TRIGGER GUARD S/A DM MATTE	20.82	28.00	35.90
	106351		700	TRIGGER GUARD S/A DM SS	20.82	28.00	35.90
6	24477		700	TRIGGER PIN	1.28	1.72	2.20
6	15400		700	TRIGGER SPRING	1.28	1.72	2.20
6	15481		700	TRIGGER STOP SCREW	0.99	1.33	1.70
6	17053		700	TRIGGER STOP SCREW	0.99	1.33	1.70
	90904	49	700	WINDAGE SCREW (HEX)	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
6			700ETRO	EMPTY RIFLE BOX			
6	109280	1	700ETRO	BBL ASSEM 22-250 REM	0.00	0.00	0.00
6	109281		700ETRO	BBL ASSEM 220 SWIFT	0.00	0.00	0.00
6	109282		700ETRO	BBL ASSEM 243 WIN	0.00	0.00	0.00
6	97483		700ETRO	BARREL BRACKET	7.16	9.63	12.35
6	300174	2	700ETRO	BATTERY	0.00	0.00	0.00
6	305135	3	700ETRO	BOLT ASSEM			
6	300409		700ETRO	BOLT INSULATIVE SLEEVE	0.00	0.00	0.00
6	200408		700ETRO	BOLT HANDLE	0.00	0.00	0.00
6	305155	4	700ETRO	BOLT PLUG ASSEM	0.00	0.00	0.00
6	97444	5	700ETRO	BOLT STOP	2.99	4.02	5.15
6	24475	6	700ETRO	BOLT STOP PIN	1.28	1.72	2.20
6	15224	7	700ETRO	BOLT STOP SPRING	1.28	1.72	2.20
6	17017	8	700ETRO	EJECTOR	2.61	3.51	4.50
6	94555	9	700ETRO	EJECTOR PIN	1.28	1.72	2.20
6	17019	10	700ETRO	EJECTOR SPRING	1.28	1.72	2.20
6	17011		700ETRO	EJECTOR WASHER	0.00	0.00	0.00
6	93712	11	700ETRO	EXTRACTOR	2.61	3.51	4.50
6	305160	12	700ETRO	FIRING PIN ASSEM	0.00	0.00	0.00
6	300200	13	700ETRO	FIRING PIN CONTACT ASSEM	0.00	0.00	0.00
6	300194		700ETRO	FIRING PIN ADJUSTING SCREW	0.00	0.00	0.00
6	300198	14	700ETRO	FIRING PIN INSULATOR	0.00	0.00	0.00
6	300195		700ETRO	FIRING PIN PLUNGER	0.00	0.00	0.00
6	30198		700ETRO	FIRING PIN PLUNGER RETAINING PIN			
6	300199		700ETRO	FIRING PIN SHOULDER	0.00	0.00	0.00
6	300191		700ETRO	FIRING PIN SPRING	0.00	0.00	0.00
6	104133	19	700ETRO	FRONT GUARD SCREW	1.28	1.72	2.20
6	94536		700ETRO	FLOOR PLATE	0.00	0.00	0.00
6	99812		700ETRO	FLOOR PLATE PIVOT PIN	0.00	0.00	0.00
6	15290	15	700ETRO	FLOOR PLATE LATCH			
6	16451	16	700ETRO	FLOOR PLATE LATCH PIN	1.28	1.72	2.20
6	16452	17	700ETRO	FLOOR PLATE LATCH SPRING	1.28	1.72	2.20
6	300204	20	700ETRO	GROUNDING SCREW	0.00	0.00	0.00
6			700ETRO	KEY			
6	300215		700ETRO	KEY LOCK SWITCH			

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
6	97825	21	700ETRO	MAGAZINE	5.22	7.02	9.00
6	90982	22	700ETRO	MAGAZINE FOLLOWER	13.01	17.50	22.43
6	15699	23	700ETRO	MAGAZINE SPRING	3.60	4.84	6.20
6	104134	24	700ETRO	REAR GUARD SCREW	1.28	1.72	2.20
6	105448		700ETRO	RECEIVER	0.00	0.00	0.00
6	17034	25	700ETRO	RECEIVER PLUG SCREW	0.79	1.07	1.37
6	300222	26	700ETRO	RECOIL PAD ASSEM			
6	300224	27	700ETRO	RECOIL PAD SCREW			
6	300228		700ETRO	SAFETY SWITCH			
6	300443		700ETRO	SAFETY BALL PLUNGER			
6	300219		700ETRO	SAFETY RETAINING SCREW			
6	305175	29	700ETRO	STOCK ASSEMBLY	0.00	0.00	0.00
6	305190		700ETRO	TRIGGER ASSEMBLY	0.00	0.00	0.00
6	305195	31	700ETRO	TRIGGER ASSEM	0.00	0.00	0.00
6	94535	32	700ETRO	TRIGGER GUARD ASSEM	45.59	61.31	78.60
6	305200		700ETRO	TRIGGER HOUSING - WIRED	0.00	0.00	0.00
6	305205		700ETRO	TRIGGER HOUSING ASSEM	0.00	0.00	0.00
6	300242		700ETRO	TRIGGER SWITCH MOUNTING PIN	0.00	0.00	0.00
6	24477		700ETRO	TRIGGER PIN	1.28	1.72	2.20
6	15400		700ETRO	TRIGGER SPRING	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1444		700ML	EMPTY RIFLE BOX (CF & RF)	5.00	5.00	5.00
5	107155	1	700ML	BARREL ASSEMBLY 50 CAL CARBON	126.50	170.12	218.10
5	107156		700ML	BARREL ASSEMBLY 50 CAL CARBON YOUTH	110.00	147.93	189.65
5	107445		700ML	BARREL ASSEMBLY 50 CAL SS	132.01	177.53	227.60
5	107446		700ML	BARREL ASSEMBLY 54 CAL SS	132.01	177.53	227.60
	99160		700ML	BBL BRACKET (RAMROD SUPPORT)	10.41	14.00	17.95
	99285		700ML	BBL BRACKET SCREW (RAMROD SUPPORT SCREW)	0.99	1.33	1.70
	99287	2	700ML	BOLT ASSEMBLY 50 & 54 CAL SS (BODY ONLY)	54.00	72.62	93.10
	99104		700ML	BOLT ASSEMBLY 50 CAL CARBON (BODY ONLY)	54.00	72.62	93.10
	97448		700ML	BOLT HANDLE 50 & 54 CAL SS	15.60	20.98	26.90
	26330		700ML	BOLT HANDLE 50 CAL CARBON	15.60	20.98	26.90
	97443	3	700ML	BOLT PLUG 50 & 54 CAL SS	10.70	14.39	18.45
	17012		700ML	BOLT PLUG 50 CAL CARBON	10.70	14.39	18.45
	99293	4	700ML	BOLT STOP CAM FOLLOWER SCREW 50 & 54 CAL SS	2.09	2.81	3.60
	99286		700ML	BOLT STOP CAM FOLLOWER SCREW 50 CAL CARBON	2.09	2.81	3.60
	99829	6	700ML	BREECH PLUG	5.05	6.79	8.70
	99275		700ML	BREECH PLUG/ NIPPLE WRENCH	5.57	7.49	9.60
	105405	7	700ML	CENTER GUARD SCREW 50 & 54 CAL SS - HEX	1.62	2.18	2.80
	104250		700ML	CENTER GUARD SCREW 50 CAL CARBON - HEX	1.62	2.18	2.80
	99277		700ML	CLEANING JAG 50 CAL CARBON & 50 CAL SS	2.61	3.51	4.50
	99296		700ML	CLEANING JAG 54 CAL SS	2.61	3.51	4.50
	99292		700ML	CLEANING ROD RECEIVER TUBE	2.73	3.67	4.70
	90906	27	700ML	ELEVATION SCREW (HEX)	1.28	1.72	2.20
	107500		700ML	FIRING PIN ASSEMBLY 50 & 54 CAL SS	28.62	38.49	49.35
	107495		700ML	FIRING PIN ASSEMBLY 50 CAL CARBON	28.62	38.49	49.35
	17022	8	700ML	FIRING PIN CROSS PIN	1.28	1.72	2.20
	104129	9	700ML	FRONT GUARD SCREW - HEX	1.28	1.72	2.20
	15161	10	700ML	FRONT GUARD SCREW BUSHING	1.71	2.30	2.95
	28511	12	700ML	FRONT SIGHT RAMP SATIN BL	9.11	12.25	15.70
	28505	13	700ML	FRONT SIGHT RAMP SCREW (2 NEEDED)	0.79	1.07	1.37
	23805	11	700ML	FRONT SIGHT SATIN BL	4.41	5.93	7.60
	99354	14	700ML	FRONT SWIVEL SCREW ML - MATTE	2.26	3.04	3.90
	97971		700ML	GRIP CAP BLACK SYN STOCK	1.80	2.42	3.10
	99107		700ML	HEX KEY	1.28	1.72	2.20
	15411	15	700ML	MAIN SPRING	1.71	2.30	2.95
	99830	16	700ML	NIPPLE N/S	3.25	4.37	5.60
	200189	17	700ML	RAMROD 20" YOUTH (ANODIZED)	4.76	6.40	8.20
	99428		700ML	RAMROD 23" (ANODIZED)	6.21	8.35	10.70
	99281		700ML	RAMROD EXTENSION	4.58	6.16	7.90
	99429		700ML	RAMROD EXTENSION HANDLE	4.23	5.69	7.30
	99086	18	700ML	RAMROD SPRING	1.28	1.72	2.20
	99087	19	700ML	RAMROD SPRING SCREW	1.28	1.72	2.20
	99358	20	700ML	RAMROD SPRING SCREW WASHER	1.28	1.72	2.20
	99160	21	700ML	RAMROD SUPPORT (BBL BRACKET)	10.41	14.00	17.95
	99285	22	700ML	RAMROD SUPPORT SCREW (BBL BRACKET SCREW)	0.99	1.33	1.70
	106292	23	700ML	REAR GUARD SCREW 50 & 54 CAL SS - HEX	1.28	1.72	2.20
	104126		700ML	REAR GUARD SCREW 50 CAL CARBON - HEX	1.28	1.72	2.20
	97681	24	700ML	REAR SIGHT APERTURE	1.89	2.54	3.25
	103148		700ML	REAR SIGHT ASSEMBLY SATIN BL	18.21	24.49	31.40
	103530	25	700ML	REAR SIGHT BASE SATIN BL	6.64	8.93	11.45
	28505	26	700ML	REAR SIGHT BASE SCREW - (2 NEEDED)	0.79	1.07	1.37
	94335	28	700ML	REAR SIGHT SLIDE	8.79	11.82	15.15
	97812	30	700ML	REAR SWIVEL SCREW	2.73	3.67	4.70
	17034	31	700ML	RECEIVER PLUG SCREW - CARBON (4 NEEDED)	0.79	1.07	1.37
	97437		700ML	RECEIVER PLUG SCREW - SS (4 NEEDED)	0.79	1.07	1.37

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	97973	32	700ML	RECOIL PAD - BLACK	11.69	15.72	20.15
	98008	33	700ML	RECOIL PAD SCREW SYN STOCK (2 NEEDED)	1.28	1.72	2.20
6	97492		700ML	SAFETY ASSEMBLY SS (USED FOR ALL ML)	5.22	7.02	9.00
5	23222		700ML	SAFETY DETENT BALL	1.28	1.72	2.20
5	24476		700ML	SEAR PIN/BOLT STOP PIN (2 NEEDED)	1.28	1.72	2.20
6	15666		700ML	SEAR SAFETY CAM	2.61	3.51	4.50
6	17047		700ML	SEAR SPRING	1.28	1.72	2.20
	106185	35	700ML	STOCK ASSEMBLY (BLK SYN)	52.20	70.20	90.00
	106186		700ML	STOCK ASSEMBLY ML MOSSY OAK BREAK-UP CAMO	63.80	85.80	110.00
	106188		700ML	STOCK ASSEMBLY ML YOUTH	50.00	67.24	86.20
	99276		700ML	T-BAR (FOR EXTENSION HANDLE)	1.28	1.72	2.20
5	99294	36	700ML	TRIGGER ASSEMBLY SS (USED FOR ALL ML)	41.47	55.77	71.50
6	91128		700ML	TRIGGER ENGAGEMENT SCREW	0.99	1.33	1.70
	97499	37	700ML	TRIGGER GUARD 50 & 54 CAL SS	17.40	23.40	30.00
	99345		700ML	TRIGGER GUARD 50 CAL CARBON - MATTE	10.41	14.00	17.95
6	24477		700ML	TRIGGER PIN	1.28	1.72	2.20
6	15400		700ML	TRIGGER SPRING	1.28	1.72	2.20
6	15481		700ML	TRIGGER STOP SCREW	0.99	1.33	1.70
	99284		700ML	WEATHER SHROUD	1.28	1.72	2.20
	90904	29	700ML	WINDAGE SCREW (HEX)	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1439		870	EMPTY SHOGUN BOX (870-1100-1187-1196)	5.00	5.00	5.00
	1497		870	EMPTY SHOTGUN BOX (COMBOS)	5.00	5.00	5.00
	1442		870	EMPTY SHOTGUN BOX (POLICE)	5.00	5.00	5.00
	1329		870	SHORT STOCK BOX	3.45	3.45	3.45
	1497		870	SHOTGUN COMBO BOX	5.00	5.00	5.00
	1461		870	SHOTGUN HARDCASE OVERWRAP(HCS-1)	2.00	2.00	2.00
	18849	1	870	ACTION BAR LOCK 12 GA	4.70	6.32	8.10
	14959		870	ACTION BAR LOCK 20-28-410 GA	4.70	6.32	8.10
	97558		870	ACTION BAR LOCK MARINE MAG	3.60	4.84	6.20
	19622	2	870	ACTION BAR LOCK SPRING	1.28	1.72	2.20
	14706		870	ACTION BAR LOCK SPRING 410 GA	1.28	1.72	2.20
	97559		870	ACTION BAR LOCK SPRING MARINE MAG	0.99	1.33	1.70
	99700		870	ACTION BAR LOCK SUPER MAG	4.70	6.32	8.10
	500870		870	ARMORERS TOOL KIT	195.00	195.00	195.00
	90909		870	ASSEM SCREW (FOLDING STK)	2.09	2.81	3.60
	90910		870	ASSEM SCREW WASHER (FOLDING STK)	1.62	2.18	2.80
	23825		870	BARREL GUIDE RING 12 GA	3.51	4.72	6.05
	34635		870	BARREL SUPPORT 12GA	4.00	5.38	6.90
	105887		870	BARREL SUPPORT 20 GA	5.22	7.02	9.00
	924620		870	BBL 12/18 CY EXP MATTE 94952	84.00	97.44	112.00
	97617		870	BBL 12/18 CY PL MARINE MAG	116.25	134.85	155.00
	100922		870	BBL 12/18 CY PL SP 924565	108.00	125.28	144.00
	924515		870	BBL 12/18 IC BLUE BEAD 99335	0.00	0.00	0.00
	250073		870	BBL 12/18 IC PARK BEAD	0.00	0.00	96.40
	250071		870	BBL 12/18 IC RS PK	0.00	0.00	135.00
	250000		870	BBL 12/18 CY PL	84.00	97.44	112.00
9	250075		870	BBL 12/18 IC PK GHOST RING			143.95
3	924567		870	BBL 12/20 CY PL PK 100923	108.00	125.28	144.00
3	100923		870	BBL 12/20 CY PL SP 924567	108.00	125.28	144.00
	250036		870	BBL 12/20 FR CANT N/S DEER BL 106210	198.00	229.68	264.00
	250023		870	BBL 12/20 FR CANT N/S SP DEER MATTE 926229	162.00	187.92	216.00
	924558		870	BBL 12/20 FR RS DEER BL 250035	180.00	208.80	240.00
	250035		870	BBL 12/20 FR RS DEER BL	162.00	187.92	216.00
	250003		870	BBL 12/20 FR RS SP MATTE 250022	138.75	160.95	185.00
	924519		870	BBL 12/20 IC BLUE BEAD SGT 99333	84.00	97.44	112.00
	924521		870	BBL 12/20 IC PARK BEAD 99334	0.00	0.00	0.00
	924562		870	BBL 12/20 IC RS DEER BL 100905	0.00	0.00	0.00
	924622		870	BBL 12/20 IC RS EXP MATTE 100909	93.00	107.88	124.00
	250002		870	BBL 12/20 IC RS EXP MATTE 924622	108.00	125.28	144.00
	924604		870	BBL 12/20 IC RS LH DEER BL 100906	108.00	125.28	144.00
	924596		870	BBL 12/20 IC RS SP DEER MATTE 100907	0.00	0.00	0.00
	103625		870	BBL 12/20 RC RS DEER BL 924545	131.25	152.25	175.00
	924545		870	BBL 12/20 RC RS DEER BL 103625	138.75	160.95	185.00
	924547		870	BBL 12/20 RC RS LH DEER BL 103626	155.25	180.09	207.00
	103626		870	BBL 12/20 RC RS LH DEER BL 924547	143.25	166.17	191.00
	103623		870	BBL 12/20 RC RS SP DEER MATTE 924549	131.25	152.25	175.00
	924549		870	BBL 12/20 RC RS SP DEER MATTE 103623	138.75	160.95	185.00
	926227		870	BBL 12/20 RC SP CANT N/S MATTE 106212	180.00	208.80	240.00
	106212		870	BBL 12/20 RC SP CANT N/S MATTE 926227	165.75	192.27	221.00
	250005		870	BBL 12/21 RC TURKEY MATTE (924615)	131.25	152.25	175.00
	105637		870	BBL 12/21 RC VT MO BR UP TRU GLO SGTS	131.25	152.25	175.00
11	105632		870	BBL 12/21 RC VT MOSSY OAK GREENLEAF	131.25	152.25	175.00
	105636		870	BBL 12/21 RC VT REALTREE ADVANTAGE	131.25	152.25	175.00
	105634		870	BBL 12/21 RC VT REALTREE EXTRA BROWN	131.25	152.25	175.00
	924615		870	BBL 12/21 RC VT TURKEY EXP MATTE 98987	0.00	0.00	0.00
	108695		870	BBL 12/23 RC VT EXP SUPER MAG ADVTG CAMO	108.75	126.15	145.00
11	108700		870	BBL 12/23 RC VT MOSSY OAK BREAK-UP SUPER MAG	131.25	152.25	175.00
	108712		870	BBL 12/23 RC VT MATTE BLK SUPER MAG TURKEY	108.75	126.15	145.00
	101034		870	BBL 12/23 RC VT SF N/S BL	159.75	185.31	213.00
	94037		870	BBL 12/26 RC VT EXP MATTE	144.75	167.91	193.00
	926219		870	BBL 12/26 RC VT LC BLUE 250250	177.00	205.32	236.00
	250250		870	BBL 12/26 RC VT LC BLUE 926219	153.75	178.35	205.00
3	105630		870	BBL 12/26 RC VT MOSSY OAK BOTTOMLAND	153.75	178.35	205.00
	105635		870	BBL 12/26 RC VT MOSSY OAK BREAKUP	153.75	178.35	205.00
11	108699		870	BBL 12/26 RC VT MOSSY OAK BREAK-UP SUPER MAG	153.75	178.35	205.00
	250473		870	BBL 12/26 RC VT EXPRESS MATTE SUPER MAG	161.25	187.05	215.00
3	924612		870	BBL 12/26 RC VT SK BLUE (2 3/4") 93943	173.25	200.97	231.00
3	93943		870	BBL 12/26 RC VT SK BLUE (2 3/4") 924612	159.75	185.31	213.00
	97193		870	BBL 12/26 RC VT SP MATTE (104628)	105.00	121.80	140.00
	924582		870	BBL 12/26 RC VT STD CONTOUR BL 100840	155.25	180.09	207.00

F250013 870 BBL 12/23 FR HB 3016

REM 0241

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	926198		870	BBL 12/28 FULL VT TRAP BL (2 3/4") 94195	150.75	174.87	201.00
	250009		870	BBL 12/28 RC VT EXP MATTE (924585)	144.75	167.91	193.00
	250474		870	BBL 12/28 RC VT EXP SUPER MAG MATTE	125.25	145.29	167.00
	250485		870	BBL 12/28 RC VT EXP SUPER MAG LC WINGMASTER	161.25	187.05	215.00
3	926217		870	BBL 12/28 RC VT LC BL 105261	177.00	205.32	236.00
	250252		870	BBL 12/28 RC VT LC BL 926217	153.75	178.35	205.00
3	926221		870	BBL 12/28 RC VT LC LH BL 105320	0.00	0.00	0.00
3	93861		870	BBL 12/28 RC VT LH BL 924600	172.50	200.10	230.00
	250010		870	BBL 12/28 RC VT LH EXP MATTE	175.50	203.58	234.00
3	105631		870	BBL 12/28 RC VT MOSSY OAK BOTTOMLAND	164.18	190.44	218.90
	926225		870	BBL 12/28 RC VT SP MATTE 97194	155.25	180.09	207.00
	250028		870	BBL 12/28 RC VT SP MATTE 926225	144.75	167.91	193.00
	93435		870	BBL 12/28 RC VT STD CONTOUR BL 9245	144.75	167.91	193.00
	924580		870	BBL 12/28 RC VT STD CONTOUR BL 93435	155.25	180.09	207.00
	924576		870	BBL 12/30 RC VT IVORY BEAD SGT BL 93864	155.25	180.09	207.00
	926215		870	BBL 12/30 RC VT LC BL 105262	177.00	205.32	236.00
	250254		870	BBL 12/30 RC VT LC BL 926215	153.75	178.35	205.00
3	93863		870	BBL 12/30 RC VT LH STD CONTOUR BL 924598	175.50	203.58	234.00
	924590		870	BBL 12/30 RC VT SP MATTE	155.25	180.09	207.00
	250029		870	BBL 12/30 RC VT SP MATTE 924590	131.25	152.25	175.00
	250050		870	BBL 12/30 RC VT STD CONTOUR BL 924	150.75	174.87	201.00
	924614		870	BBL 12/30 RC VT TRAP LFC BL (2 3/4") 102	168.00	194.88	224.00
	102901		870	BBL 12/30 RC VT TRAP LFC BL (2 3/4") 9246	150.75	174.87	201.00
	201278		870	BBL 12/30 RC VT CLASSIC TRAP (2 3/4")	150.00	174.00	200.00
3	106231		870	BBL 20/20 FR CANT N/S BL (2 3/4") 924561	175.50	203.58	234.00
	250301		870	BBL 20/20 FR RS EXP MATTE (2 3/4")	150.75	174.87	201.00
	924530		870	BBL 20/20 IC RS EXP MATTE 102786	0.00	0.00	0.00
3	102786		870	BBL 20/20 IC RS EXP MATTE 924530	102.00	118.32	136.00
3	102785		870	BBL 20/20 IC RS LT BL 924578	102.00	118.32	136.00
	924578		870	BBL 20/20 IC RS LT BL 102785	108.75	126.15	145.00
	250303		870	BBL 20/21 RC VT EXP MATTE IVORY SGT	125.25	145.29	167.00
	250302		870	BBL 20/21 RC VT YOUTH MATTE (97066)	125.25	145.29	167.00
3	101244		870	BBL 20/23 RC VT SF LT N/S BL	150.75	174.87	201.00
	250304		870	BBL 20/26 RC VT EXP MATTE	144.75	167.91	193.00
	101184		870	BBL 20/26 RC VT LT BL 924608	144.75	167.91	193.00
	924608		870	BBL 20/26 RC VT LT BL 101184	155.25	180.09	207.00
	101219		870	BBL 20/26 RC VT SK BL 926330	153.75	178.35	205.00
	101183		870	BBL 20/26 RC VT SKEET BL	153.75	178.35	205.00
	926330		870	BBL 20/26 RC VT SKEET BL 101183	153.75	178.35	205.00
	250305		870	BBL 20/28 RC VT EXP MATTE (97202)	150.00	174.00	200.00
	94419		870	BBL 20/28 RC VT LT BL 924606	144.75	167.91	193.00
	924606		870	BBL 20/28 RC VT LT BL 94419	155.25	180.09	207.00
	97896		870	BBL 28/25 MOD VT EXP MATTE	144.75	167.91	193.00
	109340		870	BBL 28/25 RC VT BL	144.75	167.91	193.00
	101247		870	BBL 410/25 FULL VT BL 926250	144.75	167.91	193.00
	101249		870	BBL 410/25 FULLVT EXP MATTE	108.75	126.15	145.00
	101248		870	BBL 410/25 MOD VT BL	144.75	167.91	193.00
	97631		870	BRACKET SCREW EXTENSION MARINE MAG	2.23	3.00	3.85
	30530	4	870	BREECH BOLT ASSEM 12 GA BLACK	54.00	72.62	93.10
	22860		870	BREECH BOLT ASSEM 12 GA CHROME	54.00	72.62	93.10
	93915		870	BREECH BOLT ASSEM 12 GA EXP MATTE	54.00	72.62	93.10
	108690		870	BREECH BOLT ASSEM 12 GA EXP SPR MAG MATTE	54.00	72.62	93.10
	108691		870	BREECH BOLT ASSEM 12 GA SPR MAG WINGMASTER	54.00	72.62	93.10
	100544		870	BREECH BOLT ASSEM 12 GA FBI PK	45.01	60.53	77.60
3	30950		870	BREECH BOLT ASSEM 12 GA LH BL	54.00	72.62	93.10
	100551		870	BREECH BOLT ASSEM 12 GA LH EXP MATTE	45.01	60.53	77.60
	97595		870	BREECH BOLT ASSEM 12 GA MARINE MAG	54.00	72.62	93.10
	200040		870	BREECH BOLT ASSEM 12 GA N P	45.01	60.53	77.60
	99128		870	BREECH BOLT ASSEM 12 GA SF BL	45.01	60.53	77.60
	32307		870	BREECH BOLT ASSEM 20 GA EXP N/S MATTE	45.01	60.53	77.60
	32308		870	BREECH BOLT ASSEM 20 GA LT N/S NP EMB	54.00	72.62	93.10
3	22862		870	BREECH BOLT ASSEM 20 GA STANDARD BL	45.01	60.53	77.60
	30040		870	BREECH BOLT ASSEM 28 GA BL	45.01	60.53	77.60
	97892		870	BREECH BOLT ASSEM 28 GA EXP MATTE	45.01	60.53	77.60
	30041		870	BREECH BOLT ASSEM 410 GA BL	45.01	60.53	77.60
	97277		870	BREECH BOLT ASSEM 410 GA EXP MATTE	54.00	72.62	93.10
	93277		870	BUTT PLATE FRAME	2.49	3.35	4.30
	93276		870	BUTT PLATE INSERT	1.71	2.30	2.95
	90912		870	BUTT PLATE PIVOT PIN (FOLDING STK)	1.91	2.57	3.30
	15661		870	BUTT PLATE PIVOT PIN RET RING (FOLDING STK)	0.99	1.33	1.70
	25410		870	BUTT PLATE SCREW	0.79	1.07	1.37

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
3	15387		870	BUTT PLATE SPACER			
	90914		870	BUTT PLATE SPRING (FOLDING STK)	2.81	3.78	4.85
	200081		870	CANTILEVER BAR ASSEM N/S MATTE	29.99	40.33	51.70
	98803		870	CANTILEVER BASE N/S (MUST BE WELDED)			16.00
	98928		870	CANTILEVER SCREW N/S (2)	1.28	1.72	2.20
	102191	7	870	CARRIER ASSEM 12 GA EXP SUPER MAG	10.41	14.00	17.95
	102188		870	CARRIER ASSEM 12 GA LH	10.41	14.00	17.95
	102190		870	CARRIER ASSEM 12 GA RH N/S	10.41	14.00	17.95
	30132		870	CARRIER ASSEM 20 GA LT	10.41	14.00	17.95
	30130		870	CARRIER ASSEM 28 GA	8.00	10.76	13.80
	30131		870	CARRIER ASSEM 410 GA	10.41	14.00	17.95
	97560		870	CARRIER ASSEM MARINE MAG	8.00	10.76	13.80
	15480	8	870	CARRIER DOG	3.89	5.23	6.70
	17416	9	870	CARRIER DOG FOLLOWER	1.80	2.42	3.10
	97565		870	CARRIER DOG FOLLOWER MARINE MAG	1.39	1.87	2.40
	17415	10	870	CARRIER DOG FOLLOWER SPRING	1.28	1.72	2.20
	97566		870	CARRIER DOG FOLLOWER SPRING MARINE MAG	1.28	1.72	2.20
	97562		870	CARRIER DOG MARINE MAG	2.99	4.02	5.15
	18781	11	870	CARRIER DOG PIN	1.80	2.42	3.10
	97563		870	CARRIER DOG PIN MARINE MAG	1.39	1.87	2.40
	18760	12	870	CARRIER DOG WASHER	1.28	1.72	2.20
	97564		870	CARRIER DOG WASHER MARINE MAG	0.99	1.33	1.70
	90295	13	870	CARRIER PIVOT TUBE	1.97	2.65	3.40
	97568		870	CARRIER PIVOT TUBE MARINE MAG	1.97	2.65	3.40
	98870		870	CHOKE TUBE 12 GA EXTENDED RIFLED	32.02	43.06	55.20
	103795		870	CHOKE TUBE 12 GA FULL--STEEL OR LEAD	18.11	24.35	31.22
	105360		870	CHOKE TUBE 12 GA FULL EXT SPTG CLAY BL	16.21	21.80	27.95
	102915		870	CHOKE TUBE 12 GA FULL TRAP (TRP BBL ONLY)	17.01	22.87	29.32
	101585		870	CHOKE TUBE 12 GA IMP CYL	10.50	14.12	18.10
	105362		870	CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY BL	16.99	22.85	29.30
	108261		870	CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY NP	17.01	22.87	29.32
	101590		870	CHOKE TUBE 12 GA IMP SKEET	10.50	14.12	18.10
	105363		870	CHOKE TUBE 12 GA IMP SKEET EXT SPTG CLAY BL	17.02	22.89	29.35
	108262		870	CHOKE TUBE 12 GA LT MOD EXT SPTG CLAY NP	17.01	22.87	29.32
	101586		870	CHOKE TUBE 12 GA MOD	10.50	14.12	18.10
	105361		870	CHOKE TUBE 12 GA MOD EXT SPTG CLAY BL	16.99	22.85	29.30
	108263		870	CHOKE TUBE 12 GA MOD EXT SPTG CLAY NP	17.01	22.87	29.32
	94650		870	CHOKE TUBE 12 GA RIFLED N/S FLUSH	21.78	29.29	37.55
	101588		870	CHOKE TUBE 12 GA SKEET	10.50	14.12	18.10
	105364		870	CHOKE TUBE 12 GA SKEET EXT SPTG CLAY BL	16.99	22.85	29.30
	108260		870	CHOKE TUBE 12 GA SKEET EXT SPTG CLAY NP	17.01	22.87	29.32
	102917		870	CHOKE TUBE 12 GA SUPER FULL TRAP (TRP BBL ONLY)	17.01	22.87	29.32
	94516		870	CHOKE TUBE 12 GA TURKEY EXT EXTRA FULL	17.01	22.87	29.32
11	200094		870	CHOKE TUBE 12 GA TURKEY EXT STRAIGHT RIFLED	27.51	37.00	47.43
	105930		870	CHOKE TUBE 12 GA TURKEY EXT SUPER FULL	17.59	23.66	30.33
	94525		870	CHOKE TUBE 12 GA WRENCH	4.81	6.47	8.30
	106930		870	CHOKE TUBE 12 GA WRENCH (SPEED WRENCH)	6.26	8.42	10.80
	102916		870	CHOKE TUBE 12 GA X-FULL TRAP (TRP BBL ONLY)	17.01	22.87	29.32
	101227		870	CHOKE TUBE 20 GA FULL	10.50	14.12	18.10
	101225		870	CHOKE TUBE 20 GA IMP CYL	10.50	14.12	18.10
	108852		870	CHOKE TUBE 20 GA IMP CYL EXT SPTG CLAY BL	17.01	22.87	29.32
	101229		870	CHOKE TUBE 20 GA IMP SKEET	10.01	13.46	17.25
	108851		870	CHOKE TUBE 20 GA LT MOD EXT SPTG CLAY BL	17.01	22.87	29.32
	101226		870	CHOKE TUBE 20 GA MOD	10.50	14.12	18.10
	108850		870	CHOKE TUBE 20 GA MOD EXT SPTG CLAY BL	17.01	22.87	29.32
	101228		870	CHOKE TUBE 20 GA SKEET	10.50	14.12	18.10
	108853		870	CHOKE TUBE 20 GA SKEET EXT SPTG CLAY BL	17.01	22.87	29.32
11	200070		870	CHOKE TUBE 20 GA TURKEY SUPER FULL	17.60	23.67	30.35
	94573		870	CHOKE TUBE 20 GA WRENCH	4.81	6.47	8.30
6	17419		870	CONNECTOR LEFT	1.28	1.72	2.20
6	17420		870	CONNECTOR PIN	1.28	1.72	2.20
6	17551		870	CONNECTOR RIGHT	1.28	1.72	2.20
3	32050	17	870	EJECTOR 12 GA 2 3/4"			
	99698		870	EJECTOR 12 GA EXP SUPER MAG	5.22	7.02	9.00
	99916		870	EJECTOR 12 GA LH	4.00	5.38	6.90
	99539		870	EJECTOR 12 GA MAG	5.22	7.02	9.00
	32051		870	EJECTOR 20 GA LW MAG	5.22	7.02	9.00
	31371		870	EJECTOR 20 GA STANDARD LH	4.00	5.38	6.90
	14280		870	EJECTOR 28 GA	3.89	5.23	6.70
	14452		870	EJECTOR 410 GA	4.00	5.38	6.90
	18647		870	EJECTOR RIVET 20 GA (NEED 2)	1.80	2.42	3.10

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	14721		870	EJECTOR RIVET 28 GA (NEED 2)	1.80	2.42	3.10
	18646	18	870	EJECTOR RIVET FRONT 12 GA	1.80	2.42	3.10
	14678		870	EJECTOR RIVET FRONT 410 GA	1.80	2.42	3.10
	18647	19	870	EJECTOR RIVET REAR 12 GA	1.80	2.42	3.10
	14721		870	EJECTOR RIVET REAR 410 GA	1.80	2.42	3.10
	99705	20	870	EJECTOR SPRING 12 GA EXP SUPER MAG	1.97	2.65	3.40
	14773		870	EJECTOR SPRING 410 GA	1.97	2.65	3.40
	18855		870	EJECTOR SPRING MAG 12-20 GA	1.97	2.65	3.40
	90906		870	ELEVATION SCREW	1.28	1.72	2.20
	16176	21	870	EXTRACTOR 12-16-20 GA	7.48	10.06	12.90
	14681		870	EXTRACTOR 12 GA LH	7.48	10.06	12.90
	14441		870	EXTRACTOR 28 GA	7.48	10.06	12.90
	91222		870	EXTRACTOR 410 GA	7.48	10.06	12.90
	97597		870	EXTRACTOR MARINE MAG	5.74	7.72	9.90
	17432	22	870	EXTRACTOR PLUNGER 12-20-28 GA	1.28	1.72	2.20
	14742		870	EXTRACTOR PLUNGER 410 GA	1.28	1.72	2.20
	97598		870	EXTRACTOR PLUNGER MARINE MAG	0.99	1.33	1.70
	17433	23	870	EXTRACTOR SPRING 12-20-28	1.28	1.72	2.20
	14806		870	EXTRACTOR SPRING 410 GA	1.28	1.72	2.20
	97599		870	EXTRACTOR SPRING MARINE MAG	0.99	1.33	1.70
	17436	24	870	FIRING PIN	3.65	4.91	6.30
	18623	25	870	FIRING PIN RETAINING PIN 12 GA	1.28	1.72	2.20
	14297		870	FIRING PIN RETAINING PIN 20-28-410 GA	1.28	1.72	2.20
	97601		870	FIRING PIN RETAINING PIN MAR MAG	1.31	1.76	2.25
	93505	26	870	FIRING PIN RETRACTOR SPRING 12-20-28-410 GA	1.71	2.30	2.95
	97602		870	FIRING PIN RETRACTOR SPRING MAR MAG	1.71	2.30	2.95
9	93339		870	FLEXI TAB KITS BLACK	35.99	48.40	62.05
9	93340		870	FLEXI TAB KITS CHROME	35.99	48.40	62.05
	108460		870	FORE END 12 GA EXP SUPER MAG ADVTG CAMO SYN	25.52	34.32	44.00
	108461		870	FORE END 12 GA EXP SUPER MAG MOSSY OAK BREAKUP	25.52	34.32	44.00
	108125		870	FORE END 12 GA EXP SUPER MAG SYN BLACK	19.72	26.52	34.00
	200003		870	FORE END 12 GA EXP SUPER MAG EXPRESS WOOD	19.72	26.52	34.00
	201289		870	FORE END 12 GA SUPER MAG WNG MSTR WOOD-HG	30.16	40.56	52.00
	93763		870	FORE END 12 GA EXP WOOD	19.72	26.52	34.00
	99153		870	FORE END 12 GA EXPRESS WALNUT	19.72	26.52	34.00
	105651		870	FORE END 12 GA GREENLEAF SYN	24.01	32.29	41.40
	97177		870	FORE END 12 GA HG CUT WOOD ONLY WING	31.90	42.90	55.00
	105650		870	FORE END 12 GA MOSSY OAK BOTTOMLAND SYN	25.52	34.32	44.00
	105653		870	FORE END 12 GA MOSSY OAK BREAKUP SYN	25.52	34.32	44.00
	93766		870	FORE END 12 GA POLICE WALNUT (SHORT FE)	19.72	26.52	34.00
	105654		870	FORE END 12 GA REALTREE ADVTG EXP SYN	25.52	34.32	44.00
	105652		870	FORE END 12 GA REALTREE XTRA-BROWN SYN	25.52	34.32	44.00
	106560		870	FORE END 12 GA REM POL SYN (SHORT FE)	15.08	20.28	26.00
	92939		870	FORE END 12 GA SATIN CUT WOOD	31.90	42.90	55.00
	92685		870	FORE END 12 GA SF SATIN CUT WOOD	31.90	42.90	55.00
	106070		870	FORE END 12 GA SP SYN BLACK	12.76	17.16	22.00
	105951		870	FORE END 12 GA SPS SYN POLICE	20.88	28.08	36.00
	93856		870	FORE END 12 GA TC SATIN (WOOD ONLY)	61.48	82.68	106.00
	99153		870	FORE END 12 GA WALNUT HG (WOOD ONLY)	29.99	40.33	51.70
	201280		870	FORE END 12 GA CLASSIC TRAP	58.00	78.00	100.00
	200071		870	FORE END 20 GA EXP REALTREE ADVTG CAMO SYN	24.01	32.29	41.40
	200031		870	FORE END 20 GA EXP SYN DAVIS BLACK (SHORT FE)	18.01	24.22	31.05
	99125		870	FORE END 20 GA EXP WALNUT	19.72	26.52	34.00
	97136		870	FORE END 20 GA EXP WOOD	19.72	26.52	34.00
	31599		870	FORE END 20 GA LT HG CUT	31.90	42.90	55.00
	31597		870	FORE END 20 GA SATIN PRESS CUT WOOD	31.90	42.90	55.00
	92686		870	FORE END 20 GA SF SATIN WOOD	31.90	42.90	55.00
	200071		870	FORE END 20 GA EXP ADVTG CAMO SYN	24.01	32.29	41.40
	97887		870	FORE END 28 GA EXP WOOD 97902	19.72	26.52	34.00
	31595		870	FORE END 28 GA SATIN CUT ONLY WOOD	31.90	42.90	55.00
	97288		870	FORE END 410 GA EXP WOOD 97271	19.72	26.52	34.00
	31596		870	FORE END 410 GA SATIN WOOD	31.90	42.90	55.00
	105955	27	870	FORE END ASSEM 12 GA EXP SUPER MAG EXPRESS WO	27.84	37.44	48.00
			870	FORE END ASSEM 12 GA EXP SUP MAG WINGMASTER WOOD			
	105942		870	FORE END ASSEM 12 GA EXP WOOD	27.84	37.44	48.00
	97178		870	FORE END ASSEM 12 GA HG CUT WOOD WING	45.01	60.53	77.60
	105948		870	FORE END ASSEM 12 GA HG WOOD WING	45.01	60.53	77.60
	105659		870	FORE END ASSEM 12 GA REALTREE ADVTG SYN	35.96	48.36	62.00
	105935		870	FORE END ASSEM 12 GA SATIN WOOD	46.40	62.40	80.00
	92685		870	FORE END ASSEM 12 GA SF SATIN WOOD	45.01	60.53	77.60
	34794		870	FORE END ASSEM 20 GA EXP WOOD	27.84	37.44	48.00

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	97212		870	FORE END ASSEM 20 GA H G WOOD WING	46.40	62.40	80.00
	34793		870	FORE END ASSEM 20 GA LT SATIN WOOD WING	46.40	62.40	80.00
	100226		870	FORE END ASSEM 20 GA LT SF SATIN WOOD	45.01	60.53	77.60
	97890		870	FORE END ASSEM 28 GA EXP WOOD	27.00	36.31	46.55
	34792		870	FORE END ASSEM 28 GA SATIN WOOD	45.01	60.53	77.60
	97278		870	FORE END ASSEM 410 GA BIRCH EXP WOOD	27.84	37.44	48.00
	34791		870	FORE END ASSEM 410 GA SATIN WOOD	46.40	62.40	80.00
	29815	28	870	FORE END TUBE ASSEM 28-410 GA	19.49	26.21	33.60
	29816		870	FORE END TUBE ASSEM 20 LT	19.49	26.21	33.60
	102327		870	FORE END TUBE ASSEM EXP SUPER MAG	19.49	26.21	33.60
	98601		870	FORE END TUBE ASSEM KIT 12 GA	26.01	34.98	44.85
	102325		870	FORE END TUBE ASSEM MARINE MAG	14.99	20.16	25.85
	102324		870	FORE END TUBE ASSEM N/S 12 GA	19.49	26.21	33.60
	92687		870	FORE END TUBE ASSEM SF 12 GA	19.49	26.21	33.60
	92688		870	FORE END TUBE ASSEM SF 20 GA	19.49	26.21	33.60
	18634	29	870	FORE END TUBE NUT 12 GA	3.89	5.23	6.70
	15999		870	FORE END TUBE NUT 20 GA LT	3.89	5.23	6.70
	14276		870	FORE END TUBE NUT 28-410 GA	3.89	5.23	6.70
	97605		870	FORE END TUBE NUT MAR MAG	3.89	5.23	6.70
	23805	30	870	FRONT SIGHT (RIFLE SIGHT)	4.41	5.93	7.60
	93155		870	FRONT SIGHT BASE (POLICE) PK	1.97	2.65	3.40
	93164		870	FRONT SIGHT BASE RAMP PK	9.77	13.14	16.85
	98847		870	FRONT SIGHT BEAD TRIJICON POL	54.98	73.94	94.80
	17581		870	FRONT SIGHT BRAZING SHIM	1.28	1.72	2.20
	18918	30	870	FRONT SIGHT IVORY BEAD WING-SP-TRAP	3.89	5.23	6.70
	93272		870	FRONT SIGHT POLICE	1.97	2.65	3.40
	99401		870	FRT SGT BEAD FOR GHOST RING-- POLICE (SCREW IN)	8.00	10.76	13.80
	98843		870	FRONT SIGHT RAMP 12 GA FBI GUN MATTE	7.51	10.10	12.95
	17595		870	FRONT SIGHT RAMP PIN	0.99	1.33	1.70
	93692	30	870	FRONT SIGHT STEEL BEAD STAKED	2.61	3.51	4.50
	18673	30	870	FRONT SIGHT STEEL BEAD THREADED PLAIN BBL	1.97	2.65	3.40
	98846		870	FRONT/REAR SGT APERTURE SET TRIJICON PK	85.00	114.31	146.55
	91668		870	GAS CYLINDER SEAL COMP TRAP	4.15	5.58	7.15
	18771	31	870	GRIP CAP	1.97	2.65	3.40
	92753		870	GRIP CAP 20 GA N/S	1.80	2.42	3.10
	25380	32	870	GRIP CAP SCREW (2)	1.28	1.72	2.20
	91634		870	GRIP CAP SCREW (USE W/ 92186)	1.28	1.72	2.20
	14943		870	GRIP CAP SPACER	1.28	1.72	2.20
	93822		870	GRIP CAP W/ REM GOLD LOGO	1.97	2.65	3.40
	92186		870	GRIP CAP WINGMASTER	1.97	2.65	3.40
	91736	33	870	HAMMER 12 GA (TC TRAP)	6.50	8.74	11.20
	99415		870	HAMMER 12 GA N/S	3.89	5.23	6.70
	91633		870	HAMMER 20-28-410 GA	3.89	5.23	6.70
	97555		870	HAMMER MARINE MAGNUM	2.99	4.02	5.15
	16600	34	870	HAMMER PIN (FOR NON-SYN. TPA)	1.51	2.03	2.60
	97570		870	HAMMER PIN MARINE MAG	1.51	2.03	2.60
	99205		870	HAMMER PIN NS (FOR SYNTHETIC GUNS)	1.51	2.03	2.60
	97571		870	HAMMER PIN WASHER MARINE MAG	1.28	1.72	2.20
	99988		870	HAMMER PIN WASHER 12 GA N/S	1.28	1.72	2.20
	17465	35	870	HAMMER PLUNGER	1.28	1.72	2.20
	97572		870	HAMMER PLUNGER MARINE MAG	1.28	1.72	2.20
	19014	36	870	HAMMER SPRING	1.28	1.72	2.20
	97573		870	HAMMER SPRING MARINE MAG	0.99	1.33	1.70
	98845		870	HAND GUARD FBI MATTE	14.30	19.23	24.65
	99695		870	LOCKING BLOCK 12GA SUPER MAG	8.00	10.76	13.80
	22325	37	870	LOCKING BLOCK ASSEM 12 GA	10.41	14.00	17.95
3	29921		870	LOCKING BLOCK ASSEM 20 GA	8.00	10.76	13.80
	14277		870	LOCKING BLOCK ASSEM OVERSIZE	10.41	14.00	17.95
	24075		870	LOCKING BLOCK ASSEM OVERSIZE 12GA	10.41	14.00	17.95
	15855		870	LOCKING BLOCK RETAINER	1.28	1.72	2.20
	90916		870	LOCKING PLUNGER (FOLDING STK)	4.15	5.58	7.15
	15661		870	LOCKING PLUNGER RET RING (FOLDING STK)	0.99	1.33	1.70
	90917		870	LOCKING PLUNGER SPRING (FOLDING STK)	2.09	2.81	3.60
	25375	39	870	MAGAZINE CAP 12 GA BLUED	7.83	10.53	13.50
	104410		870	MAGAZINE CAP 12 GA EXP	7.83	10.53	13.50
	108100		870	MAGAZINE CAP 12 GA REALTREE ADVANTAGE	6.00	8.07	10.35
	200429		870	MAGAZINE CAP 12 GA W/ DETENTS UNIVERSAL	6.00	8.07	10.35
	15995		870	MAGAZINE CAP 20 GA LT	7.83	10.53	13.50
	14279		870	MAGAZINE CAP 28 & 410 GA MATTE	7.83	10.53	13.50
	17451		870	MAGAZINE CAP DETENT	1.28	1.72	2.20
	16791		870	MAGAZINE CAP DETENT SPRING	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	97630		870	MAGAZINE CAP EXT SWIVEL SPACE PLATE	2.61	3.51	4.50
	102970		870	MAGAZINE CAP SWIVEL ASSEM 12 GA BLUE Q/D	14.01	18.84	24.15
	102976		870	MAGAZINE CAP SWIVEL ASSEM 12 GA EXP MATTE N/S	18.21	24.49	31.40
	105625		870	MAGAZINE CAP SWIVEL ASSEM 12 GA M/O BOTTMLND	16.88	22.70	29.10
	105628		870	MAGAZINE CAP SWIVEL ASSEM 12 GA M/O BREAKUP	16.88	22.70	29.10
	105626		870	MAGAZINE CAP SWIVEL ASSEM 12 GA M/O GRNLEAF	16.88	22.70	29.10
	102979		870	MAGAZINE CAP SWIVEL ASSEM 12 GA MARINE MAG	16.88	22.70	29.10
	102971		870	MAGAZINE CAP SWIVEL ASSEM 12 GA PK W/QD	18.21	24.49	31.40
3	105627		870	MAGAZINE CAP SWIVEL ASSEM 12 GA RTREE X-BRWN	16.88	22.70	29.10
3	102973		870	MAGAZINE CAP SWIVEL ASSEM 20 GA LT BL	18.21	24.49	31.40
3	20152		870	MAGAZINE CAP SWIVEL ASSEM 28 & 410 GA BL	14.01	18.84	24.15
	90354		870	MAGAZINE EXT BRACKET BLUED	11.69	15.72	20.15
	97627		870	MAGAZINE EXT BRACKET MARINE MAG	11.69	15.72	20.15
	92509		870	MAGAZINE EXT BRACKET PK	11.69	15.72	20.15
	93463		870	MAGAZINE EXT BRACKET SCREW EXT KIT	2.23	3.00	3.85
9	32368		870	MAGAZINE EXT KIT 18" BLUE W/SWIVEL	46.01	61.87	79.32
9	32366		870	MAGAZINE EXT KIT 18" BLUED	45.99	61.85	79.30
9	100086		870	MAGAZINE EXT KIT 18" PK	62.99	84.71	108.60
9	32367		870	MAGAZINE EXT KIT 20" BLUE W SWIVEL	45.99	61.85	79.30
9	32365		870	MAGAZINE EXT KIT 20" BLUED	45.99	61.85	79.30
9	100085		870	MAGAZINE EXT KIT 20" PARKERIZED	62.99	84.71	108.60
9	100088		870	MAGAZINE EXT KIT W/SWIVEL 18" PK	62.99	84.71	108.60
9	100087		870	MAGAZINE EXT KIT W/SWIVEL 20" PK	62.99	84.71	108.60
	97626		870	MAGAZINE EXT SWIVEL ASSEM MARINE MAG	16.88	22.70	29.10
	103256		870	MAGAZINE EXT SWIVEL ASSEM MAG BLUE	18.21	24.49	31.40
	103255		870	MAGAZINE EXT SWIVEL ASSEM MAG PARK	18.21	24.49	31.40
9	30991		870	MAGAZINE EXT TUBE 18" BLUED	14.30	19.23	24.65
9	29765		870	MAGAZINE EXT TUBE ASSEM PARK 20"	14.30	19.23	24.65
	14696		870	MAGAZINE EXT TUBE COUPLING BLUED	7.83	10.53	13.50
	14406		870	MAGAZINE EXT TUBE COUPLING PK	7.83	10.53	13.50
9	30990		870	MAGAZINE EXT TUBE ONLY 20"	14.30	19.23	24.65
9	29768		870	MAGAZINE EXT TUBE PARK 18"	14.30	19.23	24.65
	92803	42	870	MAGAZINE FOLLOWER 12 GA	1.80	2.42	3.10
	94742		870	MAGAZINE FOLLOWER 12 GA BLAZE ORANGE	1.80	2.42	3.10
	14962		870	MAGAZINE FOLLOWER 20 GA	1.80	2.42	3.10
	14961		870	MAGAZINE FOLLOWER 28 GA	1.80	2.42	3.10
	14960		870	MAGAZINE FOLLOWER 410 GA	1.80	2.42	3.10
	18097	43	870	MAGAZINE PLUG 12 GA	1.28	1.72	2.20
	99965		870	MAGAZINE PLUG 12 GA SUPER MAG	1.28	1.72	2.20
	90497		870	MAGAZINE PLUG 20-28 GA	1.28	1.72	2.20
	90497		870	MAGAZINE PLUG 28 & 20 GA LT	1.28	1.72	2.20
	14878		870	MAGAZINE PLUG 410 GA	1.28	1.72	2.20
	19479	44	870	MAGAZINE SPRING 12 GA & EXP	1.89	2.54	3.25
	200027		870	MAGAZINE SPRING 12 GA SUPER MAG	1.89	2.54	3.25
	92706		870	MAGAZINE SPRING 12 GA SF	1.89	2.54	3.25
	17496		870	MAGAZINE SPRING 20-28 GA	1.89	2.54	3.25
	14901		870	MAGAZINE SPRING 410 GA	1.89	2.54	3.25
	94645		870	MAGAZINE SPRING EXT	1.89	2.54	3.25
	97634		870	MAGAZINE SPRING EXT MARINE MAG	1.89	2.54	3.25
	97615		870	MAGAZINE SPRING MARINE MAG W/O EXT	1.45	1.95	2.50
	92447		870	MAGAZINE SPRING POLICE (LONG) 12 GA	1.89	2.54	3.25
	97616	45	870	MAGAZINE SPRING RETAINER MARINE MAG	1.45	1.95	2.50
	91657		870	MAGAZINE SPRING RETAINER 12 GA METAL	1.89	2.54	3.25
	93515		870	MAGAZINE SPRING RETAINER 12 GA PLASTIC	1.89	2.54	3.25
	91835		870	MAGAZINE SPRING RETAINER 20 GA (METAL)	1.89	2.54	3.25
	17501		870	MAGAZINE SPRING RETAINER 28-410 GA	1.89	2.54	3.25
	18468		870	MAGAZINE TUBE 12 GA BL	4.99	6.71	8.60
	15996		870	MAGAZINE TUBE 20 GA LT BL	6.50	8.74	11.20
	14283		870	MAGAZINE TUBE 28 GA MATTE	4.99	6.71	8.60
6	21072		870	MAGAZINE TUBE ASSEM 12 GA BL	32.25	43.37	55.60
6	32302		870	MAGAZINE TUBE ASSEM 20 GA BL	32.25	43.37	55.60
	97633		870	MAGAZINE TUBE COUPLING MARINE MAG	8.00	10.76	13.80
	97632		870	MAGAZINE TUBE EXT ASSEM MARINE MAG	24.80	33.35	42.75
	99211		870	MEPROLIGHT NIGHT SIGHTS FRT & REAR	69.02	92.82	119.00
	18052		870	MIDDLE SIGHT METAL (THREADED)	1.28	1.72	2.20
	99834	45a	870	PORT COVER 12 GA SUPER MAG MATTE	2.73	3.67	4.70
	201312		870	PORT COVER 12 GA SUPER MAG WINGMASTER	0.00	0.00	0.00
	99839	45b	870	PORT COVER SPRING 12 GA SUPER MAG	1.28	1.72	2.20
	94416		870	REAR SIGHT APERTURE SP MATTE	4.41	5.93	7.60
	32523		870	REAR SIGHT ASSEM 12 GA W/BASE IN THE BRIGHT	19.49	26.21	33.60
	31455		870	REAR SIGHT ASSEM BLUED LESS BASE	13.02	17.51	22.45

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	103145		870	REAR SIGHT ASSEM COMPLT BLUE (USES SCREWS)	18.21	24.49	31.40
11	99394		870	REAR SIGHT ASSEM GHOST RING MATTE	91.99	123.71	158.60
	32502		870	REAR SIGHT BASE 20 GA	8.00	10.76	13.80
	32501		870	REAR SIGHT BASE IN THE BRIGHT	10.41	14.00	17.95
	16965		870	REAR SIGHT BASE PIN	1.28	1.72	2.20
	94335		870	REAR SIGHT SLIDE MATTE	8.79	11.82	15.15
	25585		870	REAR SIGHT STEP	0.99	1.33	1.70
	16968		870	REAR SIGHT WASHER (2)	1.28	1.72	2.20
	22560		870	REAR SWIVEL ASSEM BL	9.11	12.25	15.70
	33170		870	REAR SWIVEL FOLDING STK BL	13.57	18.25	23.40
1	102569	46	870	REC ASSEM 12 GA DEER RH COMPLETE BL	124.99	168.09	215.50
1	102581		870	REC ASSEM 12 GA EXP LH MATTE	137.49	184.90	237.05
1	102572		870	REC ASSEM 12 GA EXP RH MATTE	137.49	184.90	237.05
1	102582		870	REC ASSEM 12 GA EXP SUPER MAG MATTE	137.49	184.90	237.05
1	201292		870	REC ASSEM 12 GA WINGMASTER SUPER MAG	148.51	199.72	256.05
1	102577		870	REC ASSEM 12 GA FBI COMPLETE MATTE	124.99	168.09	215.50
1	105670		870	REC ASSEM 12 GA M/O BOTTOMLAND COMPLETE	148.51	199.72	256.05
1	105673		870	REC ASSEM 12 GA M/O BREAKUP COMPLETE	148.51	199.72	256.05
1	105671		870	REC ASSEM 12 GA M/O GREENLEAFCOMPLETE	135.00	181.55	232.75
1	31965		870	REC ASSEM 12 GA MAG LH BL	124.99	168.09	215.50
1	97621		870	REC ASSEM 12 GA MARINE MAG	137.49	184.90	237.05
1	200101		870	REC ASSEM 12 GA NWTF M/O BREAK-UP	148.51	199.72	256.05
1	102565		870	REC ASSEM 12 GA POLICE COMPLETE BL	137.49	184.90	237.05
1	102571		870	REC ASSEM 12 GA POLICE PARK	137.49	184.90	237.05
1	105674		870	REC ASSEM 12 GA REALTREE ADVTG EXP COMPLETE	148.51	199.72	256.05
1	105672		870	REC ASSEM 12 GA REALTREE X BROWN COMPLETE	148.51	199.72	256.05
1	100240		870	REC ASSEM 12 GA SF BL	137.49	184.90	237.05
1	102576		870	REC ASSEM 12 GA SP COMPLETE MATTE	137.49	184.90	237.05
1	108680		870	REC ASSEM 12 GA SUPER MAG REALTREE ADVAN.	148.51	199.72	256.05
1	102573		870	REC ASSEM 12 GA TRAP COMPLETE BL	137.49	184.90	237.05
1	102556		870	REC ASSEM 12 GA WING EMB LH COMPLETE BL	137.49	184.90	237.05
1	102579		870	REC ASSEM 12 GA WING RH EMB COMPLETE BL	137.49	184.90	237.05
1	201285		870	REC ASSEM 12 GA CLASSIC TRAP	159.50	214.50	275.00
1	108671		870	REC ASSEM 12 GA SUPER MAG M/O BREAK-UP	164.98	221.87	284.45
1	101238		870	REC ASSEM 20 GA EXP COMPLETE MATTE	137.49	184.90	237.05
1	101235		870	REC ASSEM 20 GA LT COMPLETE BL	137.49	184.90	237.05
1	100241		870	REC ASSEM 20 GA SF BL	124.99	168.09	215.50
1	200023		870	REC ASSEM 20 GA WING EMB BL	124.99	168.09	215.50
1	101236		870	REC ASSEM 28 GA COMPLETE BL	124.99	168.09	215.50
1	97894		870	REC ASSEM 28 GA EXP COMPLETE MATTE	124.99	168.09	215.50
1	200386		870	REC ASSEM 28 GA EXP COMPLETE EMBELLISHED	137.17	184.47	236.50
1	101237		870	REC ASSEM 410 GA COMPLETE BL	124.99	168.09	215.50
1	101239		870	REC ASSEM 410 GA EXP COMPLETE MATTE	137.49	184.90	237.05
	18551	47	870	RECEIVER STUD	1.80	2.42	3.10
	102071	47a	870	RECOIL PAD BLK SOLID EXP	10.41	14.00	17.95
3	99214		870	RECOIL PAD BLK SYN 12 GA DAVIS STOCK	8.00	10.76	13.80
	99981		870	RECOIL PAD BLK SYN 20 GA EXP	8.00	10.76	13.80
	200000		870	RECOIL PAD BLK SYN SUPER MAG	10.41	14.00	17.95
	201376		870	REINFORCEMENT PLATE FOR SUP MAG RECOIL PAD			3.50
	28231		870	RECOIL PAD BLK VENTED (WOOD STK)	10.41	14.00	17.95
3	102070		870	RECOIL PAD BROWN	10.41	14.00	17.95
	92774		870	RECOIL PAD BROWN SOLID NO VENTS	10.41	14.00	17.95
	28230		870	RECOIL PAD BROWN VENTED	10.41	14.00	17.95
	99212		870	RECOIL PAD DAVIS MC	8.00	10.76	13.80
	97973		870	RECOIL PAD EXPRES SYN	11.69	15.72	20.15
	99989	47b	870	RECOIL PAD SCREW 20 GA	0.99	1.33	1.70
	98008		870	RECOIL PAD SCREW SYN STOCK	1.28	1.72	2.20
	25410		870	RECOIL PAD SCREW WOOD	0.79	1.07	1.37
	99213		870	RECOIL PAD SCREWS SYN O/S	1.28	1.72	2.20
	14944		870	RECOIL PAD SPACER	2.09	2.81	3.60
	90924		870	RUBBER PAD (FOLDING STK)	3.51	4.72	6.05
	97575		870	SAFETY DETENT BALL MARINE MAG	0.99	1.33	1.70
	97576		870	SAFETY SPRING MARINE MAG	0.99	1.33	1.70
	97577		870	SAFETY SPRING RETAINING PIN	0.99	1.33	1.70
	25115	48	870	SAFETY SWITCH	1.71	2.30	2.95
	23223	49	870	SAFETY SWITCH DETENT BALL	1.28	1.72	2.20
	97574		870	SAFETY SWITCH MARINE MAG	0.99	1.33	1.70
	17514	50	870	SAFETY SWITCH SPRING	1.28	1.72	2.20
	17515	51	870	SAFETY SWITCH SPRING RETAINING PIN	1.28	1.72	2.20
	91738	52	870	SEAR	5.22	7.02	9.00
	18750		870	SEAR N/S	5.22	7.02	9.00

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	17463	53	870	SEAR PIN	1.28	1.72	2.20
	17518	54	870	SEAR SPRING	1.28	1.72	2.20
	91771		870	SEAR SPRING COMPETITION TRAP	2.61	3.51	4.50
	97642		870	SEAR SPRING HEAVY	2.61	3.51	4.50
	97579		870	SEAR SPRING MARINE MAG	2.00	2.69	3.45
	97613	55	870	SHELL LATCH 12 GA L MARINE MAG	5.51	7.41	9.50
	102310		870	SHELL LATCH 12 GA LEFT	7.16	9.63	12.35
	99972	56	870	SHELL LATCH 12 GA R EXP SUPER MAG	7.16	9.63	12.35
	97614		870	SHELL LATCH 12 GA R MARINE MAG	5.51	7.41	9.50
	102315		870	SHELL LATCH 12 GA RIGHT	7.16	9.63	12.35
	30932		870	SHELL LATCH 20 GA LT LEFT	7.16	9.63	12.35
	20049		870	SHELL LATCH 20 GA LT RIGHT	7.16	9.63	12.35
	30931		870	SHELL LATCH 28 GA LEFT	7.16	9.63	12.35
	31661		870	SHELL LATCH 28 GA RIGHT	7.16	9.63	12.35
	30930		870	SHELL LATCH 410 GA LEFT	7.16	9.63	12.35
	31660		870	SHELL LATCH 410 GA RIGHT	7.16	9.63	12.35
	99696	57	870	SLIDE ASSEM 12 GA EXP SUPER MAG	11.40	15.33	19.65
	92949		870	SLIDE ASSEM 12 GA N/S	11.40	15.33	19.65
	30140		870	SLIDE ASSEM 20-28-410 GA	11.40	15.33	19.65
	97607		870	SLIDE ASSEM MARINE MAG	8.76	11.78	15.10
	25565		870	SLING STRAP ASSEM & MOUNTS	32.48	43.68	56.00
	20070		870	SLING STRAP ASSEM 1 1/4" LEATHER	32.48	43.68	56.00
	97097		870	SLING STRAP ASSEM BLACK	32.48	43.68	56.00
	98844		870	SLING STRAP ASSEM BLK FBI	25.00	33.62	43.10
	105620		870	SLING STRAP ASSEM MOSSY OAK BOTTOMLAND	25.00	33.62	43.10
	105621		870	SLING STRAP ASSEM MOSSY OAK BREAK-UP	32.48	43.68	56.00
	100595		870	SLING STRAP ASSEM (WOODLAND CAMO)	32.48	43.68	56.00
	105622		870	SLING STRAP ASSEM REALTREE X-BROWN	32.48	43.68	56.00
	94056	58	870	STK ASSEM 12 GA DAVIS SPEED FEED SYN	61.48	82.68	106.00
	98861		870	STK ASSEM 12 GA DAVIS YOUTH (FBI) 1" SHORTER	52.20	70.20	90.00
	108115		870	STK ASSEM 12 GA EXP ADVTG CAMO SYN	35.96	48.36	62.00
	93959		870	STK ASSEM 12 GA EXP BIRCH SOLID PAD WOOD	48.72	65.52	84.00
	99154		870	STK ASSEM 12 GA EXP WALNUT WOOD	48.72	65.52	84.00
9	32950		870	STK ASSEM 12 GA FOLDING	114.26	153.66	197.00
	102850		870	STK ASSEM 12 GA HG WOOD WING (ALSO SUPER MAG)	56.84	76.44	98.00
	102852		870	STK ASSEM 12 GA MC CANT SATIN WOOD WING	56.84	76.44	98.00
	97205		870	STK ASSEM 12 GA MC EXP WOOD	48.72	65.52	84.00
	108786		870	STK ASSEM 12 GA MC SYN W/SW HOLE	35.96	48.36	62.00
	102848		870	STK ASSEM 12 GA MC TA SATIN WOOD	113.10	152.10	195.00
3	102911		870	STK ASSEM 12 GA MC TC SATIN WOOD	121.80	163.80	210.00
	97520		870	STK ASSEM 12 GA NWTF HG WALNUT (NOT CAMO)	92.80	124.80	160.00
	93795		870	STK ASSEM 12 GA POLICE WALNUT N/S WOOD	50.46	67.86	87.00
	102845		870	STK ASSEM 12 GA SATIN CUT WOOD WING	56.84	76.44	98.00
	100270		870	STK ASSEM 12 GA SF SATIN CUT WOOD (W/ RECOIL PAD)	67.28	90.48	116.00
	100272		870	STK ASSEM 12 GA SF WOOD (W/ RECOIL PAD)	92.80	124.80	160.00
3	103736		870	STK ASSEM 12 GA SP DEER CANTILEVER WOOD	50.46	67.86	87.00
	94494		870	STK ASSEM 12 GA SP WALNUT VENTED PAD WOOD	50.46	67.86	87.00
	200002		870	STK ASSEM 12 GA SUPER MAG EXP WOOD	50.46	67.86	87.00
	106085		870	STK ASSEM 12 GA SYN -- GRIP CAP NO STUD	35.96	48.36	62.00
	105041		870	STK ASSEM 12 GA SYN MOSSY OAK BOTTOMLAND	37.70	50.70	65.00
	108784		870	STK ASSEM 12 GA SYN MOSSY OAK BR-UP W/ SW HOLE	37.70	50.70	65.00
	105024		870	STK ASSEM 12 GA SYN MOSSY OAK BR-UP W/O SW HOLE	37.70	50.70	65.00
	105042		870	STK ASSEM 12 GA SYN MOSSY OAK GREENLEAF	37.70	50.70	65.00
	99031		870	STK ASSEM 12 GA SYN POL W/STUD NO LOGO	37.70	50.70	65.00
	99374		870	STK ASSEM 12 GA SYN W/LOGO W/ SWIVEL HOLE	37.70	50.70	65.00
3	91687		870	STK ASSEM 12 GA TRP COMPETITION SATIN WOOD	110.20	148.20	190.00
	102847		870	STK ASSEM 12 GA TRP STRGHT COMB SATIN WOOD	113.10	152.10	195.00
	97270		870	STK ASSEM 20-28-410 GA EXP BIRCH	50.46	67.86	87.00
	97135		870	STK ASSEM 20-28-410 GA EXP YOUTH BIRCH	50.46	67.86	87.00
	99082		870	STK ASSEM 20-28-410 GA EXP YOUTH WALNUT	50.46	67.86	87.00
	103275		870	STK ASSEM 20-28-410 GA SATIN CUT WOOD	66.70	89.70	115.00
	97204		870	STK ASSEM 20 GA EXP BIRCH	48.72	65.52	84.00
	108122		870	STK ASSEM 20 GA EXP SYN YOUTH ADVTG CAMO	35.96	48.36	62.00
	103282		870	STK ASSEM 20 GA HG W/RECOIL PAD WOOD WING	58.00	78.00	100.00
	100273		870	STK ASSEM 20 GA LT SF WOOD	92.80	124.80	160.00
	98827		870	STK ASSEM 20 GA M/C CANT WOOD	58.00	78.00	100.00
	100271		870	STK ASSEM 20 GA SF LT WOOD	67.28	90.48	116.00
	99134		870	STK ASSEM 20 GA SYN LT	37.70	50.70	65.00
	19993	59	870	STOCK BEARING PLATE 12 GA	1.28	1.72	2.20
	19621		870	STOCK BEARING PLATE 20-28-410 GA	1.28	1.72	2.20
3	97609		870	STOCK BEARING PLATE MARINE MAG	0.99	1.33	1.70

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
9	90918		870	STOCK BODY (FOLDING STK)	35.00	47.07	60.35
	18571	60	870	STOCK BOLT	1.80	2.42	3.10
	97022		870	STOCK BOLT 10 1/4" LONG (FOR SYN & 11-87 STKS)	1.80	2.42	3.10
	18572	61	870	STOCK BOLT LOCK WASHER	1.28	1.72	2.20
	97611		870	STOCK BOLT LOCK WASHER MARINE MAG	1.28	1.72	2.20
	97610		870	STOCK BOLT MARINE MAG	1.80	2.42	3.10
	18573	62	870	STOCK BOLT WASHER	1.28	1.72	2.20
	97612		870	STOCK BOLT WASHER MARINE MAG	1.28	1.72	2.20
	99064		870	STOCK BOLT WASHER SYN STK	1.28	1.72	2.20
	15358		870	STOCK SWIVEL SCREW	2.09	2.81	3.60
	97624		870	STOCK SWIVEL SCREW SS	0.99	1.33	1.70
	94241		870	STOCK SWIVEL SCREW WASHER	1.28	1.72	2.20
	26555		870	SWIVEL ASSEM (2/SET)	11.05	14.86	19.05
	90923		870	SWIVEL PINS FOLDING STK PK	4.99	6.71	8.60
	26556		870	SWIVEL QD BL 1 1/4 " STRAP	7.48	10.06	12.90
8	96023		870	SWIVEL QD PARK FOR 1" STRAP	5.74	7.72	9.90
	94215		870	SWIVEL RETAINER POLICE	1.80	2.42	3.10

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	90937		870	SWIVEL SCREW (FOLDING STK)	0.99	1.33	1.70
3	33175		870	SWIVELS (FOLDING STK)	7.48	10.06	12.90
5	20610	63	870	TRIGGER ASSEM 12-20-28-410 GA RH BL	8.47	11.39	14.60
	20611		870	TRIGGER ASSEM 12 GA RH GOLD TRIGGER	8.47	11.39	14.60
5	97580		870	TRIGGER ASSEM MARINE MAG	6.00	8.07	10.35
	17533	64	870	TRIGGER PIN	1.28	1.72	2.20
	97585		870	TRIGGER PIN MARINE MAG	0.99	1.33	1.70
	102195		870	TRIGGER PLATE ASSEM 12 GA BL	50.40	67.78	86.90
3	91770		870	TRIGGER PLATE ASSEM 12 GA BL (COMP TRAP)	50.40	67.78	86.90
	109611		870	TRIGGER PLATE ASSEM 12 GA LC RH BL GOLD TRIG.	46.40	62.40	80.00
	109612		870	TRIGGER PLATE ASSEM 12 GA LH GOLD TRIGGER BL	50.40	67.78	86.90
	109607		870	TRIGGER PLATE ASSEM 12 GA LH SAFETY BL	46.40	62.40	80.00
	109608		870	TRIGGER PLATE ASSEM 12 GA RH SAFETY MATTE	46.40	62.40	80.00
	109609		870	TRIGGER PLATE ASSEM 12 GA LH SAFETY MATTE	46.40	62.40	80.00
	102203		870	TRIGGER PLATE ASSEM 12 GA MATTE POL	50.40	67.78	86.90
	102204		870	TRIGGER PLATE ASSEM 12 GA POL BLUE	50.40	67.78	86.90
	109615		870	TRIGGER PLATE ASSEM 12 GA RH EXP MATTE	50.40	67.78	86.90
	109616		870	TRIGGER PLATE ASSEM SUPER MAG - MATTE	46.40	62.40	80.00
	109617		870	TRIGGER PLATE ASSEM SUPER MAG - WINGMASTER	46.40	62.40	80.00
	109665		870	TRIGGER PLATE ASSEM 20 GA RH BL	46.40	62.40	80.00
	97070		870	TRIGGER PLATE ASSEM 20 GA EXP MATTE	50.40	67.78	86.90
	109666		870	TRIGGER PLATE ASSEM 20 GA LT LH SAFETY BL	46.40	62.40	80.00
	29932		870	TRIGGER PLATE ASSEM 20 GA LW RH BL	50.40	67.78	86.90
	97888		870	TRIGGER PLATE ASSEM 28 GA EXP MATTE	50.40	67.78	86.90
	109669		870	TRIGGER PLATE ASSEM 28 GA LH MATTE	46.40	62.40	80.00
	29930		870	TRIGGER PLATE ASSEM 28 GA RH BL	46.40	62.40	80.00
	109671		870	TRIGGER PLATE ASSEM 28 GA RH GOLD TRIGGER BL	46.40	62.40	80.00
	29935		870	TRIGGER PLATE ASSEM 410 GA LH SAFETY BL	41.99	56.47	72.40
	109356		870	TRIGGER PLATE ASSEM 410 GA RH BL	41.99	56.47	72.40
	97283		870	TRIGGER PLATE ASSEM 410 GA RH EXP MATTE	50.40	67.78	86.90
	97557		870	TRIGGER PLATE ASSEM MARINE MAG	50.40	67.78	86.90
	17541	68	870	TRIGGER PLATE PIN BUSHING REAR	1.28	1.72	2.20
	97587		870	TRIGGER PLATE PIN BUSHING REAR	0.99	1.33	1.70
	17539	69	870	TRIGGER PLATE PIN DETENT SPRING FRONT	1.28	1.72	2.20
	97569		870	TRIGGER PLATE PIN DETENT SPRING FRONT	1.28	1.72	2.20
	17540	70	870	TRIGGER PLATE PIN DETENT SPRING REAR	1.28	1.72	2.20
	97588		870	TRIGGER PLATE PIN DETENT SPRING REAR	1.28	1.72	2.20
	20601	66	870	TRIGGER PLATE PIN FRONT	1.28	1.72	2.20
	20602		870	TRIGGER PLATE PIN FRONT 20-28-410 GA	1.28	1.72	2.20
	97589		870	TRIGGER PLATE PIN FRONT MARINE MAGNUM	1.28	1.72	2.20
	20606	67	870	TRIGGER PLATE PIN REAR	1.28	1.72	2.20
	20607		870	TRIGGER PLATE PIN REAR 20-28-410 GA	1.28	1.72	2.20
	97590		870	TRIGGER PLATE PIN REAR MARINE MAGNUM	1.28	1.72	2.20
	97215		870	TRITIUM BEAD SIGHT	35.99	48.40	62.05
3	200065		870	TRU GLO SIGHT SCREW	0.99	1.33	1.70
3	200063		870	TRU GLO SIGHTS (NWTF GUNS)	6.99	9.40	12.05
	201203		870	TRU-GLO SIGHT SET (FOR RIFLE SIGHTS-DOVE TAILS IN)	24.80	33.35	42.75
	200290		870	TRU-GLO SIGHTS (FOR VT--FRONT&REAR- DOUBLE SIDE	17.40	23.40	30.00
	90919		870	TRUNNION (FOLDING STK)	4.99	6.71	8.60
	90920		870	TRUNNION RETAINING RING (FOLDING STK)	1.97	2.65	3.40
	90904		870	WINDAGE SCREW	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1454		90T	EMPTY SHOTGUN BOX (90-T ONLY)	5.00	5.00	5.00
3	103847		90T	ADJ RIB PIVOT			
3	103848		90T	ADJ RIB SCREWS			
3	103820	1	90T	BBL ASSEM 12/32			
3	103821		90T	BBL ASSEM 12/32			
3	103841		90T	BBL ASSEM 12/32 (SUB ASSEMBLY)			
3	103840		90T	BBL ASSEM 12/34 (SUB ASSEMBLY)			
	94668	2	90T	COCKING INSERT	27.29	36.70	47.05
	94670	3	90T	COCKING INSERT LOCATING PIN	2.20	2.96	3.80
	94669	4	90T	COCKING INSERT RETAINING SCREW	2.41	3.24	4.15
	94719	5	90T	COCKING LINK	25.26	33.97	43.55
3	94720	6	90T	COCKING LINK PIVOT PIN			
3	94688	7	90T	COCKING ROD	22.10	29.72	38.10
	94689	8	90T	COCKING ROD BUSHING	9.60	12.91	16.55
	94690	9	90T	COCKING ROD RETAINING SCREW	2.15	2.89	3.70
	94691	10	90T	COCKING ROD RETRACTOR SPRING			
	94664		90T	EJECTOR	65.69	88.34	113.25
	94692	11	90T	EJECTOR COCKING INSERT	50.00	67.24	86.20
	94665	13	90T	EJECTOR PLUNGERS (2 PER SET)	20.01	26.91	34.50
	94671	14	90T	EJECTOR SEAR	16.36	22.00	28.20
3	94672	15	90T	EJECTOR SEAR PIN			
	94690	16	90T	EJECTOR SEAR PIN RETAINING SCREW	2.15	2.89	3.70
	94673	17	90T	EJECTOR SEAR SPRING	2.96	3.98	5.10
	94667	18	90T	EJECTOR SPRINGS (2 PER SET)	4.81	6.47	8.30
	94732	19	90T	EJECTOR STOP INSERT	13.89	18.68	23.95
	94666	20	90T	EJECTOR STOP RETAINING SCREW	5.34	7.18	9.20
	94692		90T	EXTRACTOR COCKING INSERT	50.00	67.24	86.20
	94704		90T	EXTRACTOR COCKING INSERT SCREW	3.39	4.56	5.85
	94694	21	90T	FIRING PIN	21.90	29.45	37.75
	94695	22	90T	FIRING PIN RETAINING PIN	2.20	2.96	3.80
3	94696	23	90T	FIRING PIN RETRACTOR SPRING			
3	103885	28	90T	FORE END 12 GA SEMI FANCY			
	97358		90T	FORE END BUFFER	3.80	5.11	6.55
	94674		90T	FORE END IRON	281.24	378.22	484.90
	94676	24	90T	FORE END IRON ADJUSTING SHOE	17.75	23.87	30.60
3	103890		90T	FORE END IRON ASSEMBLY			
	94675	25	90T	FORE END IRON GUIDE PIN	4.35	5.85	7.50
	94678		90T	FORE END IRON SHOE LOCK WASHER	0.99	1.33	1.70
	94677	26	90T	FORE END IRON SHOE RETAINING SCREW	1.60	2.15	2.75
	103930		90T	FORE END LATCH	15.20	20.44	26.20
	103895		90T	FORE END LATCH ASSEM	91.38	122.89	157.55
	103900		90T	FORE END LATCH BODY	45.36	61.00	78.20
	94683		90T	FORE END LATCH PIN	1.54	2.07	2.65
	94684	27	90T	FORE END LATCH SPRING	5.89	7.92	10.15
	94685		90T	FORE END LATCH SPRING RET SCREW	1.65	2.22	2.85
	94731	29	90T	FORE END SCREW (FOR WOOD)	3.65	4.91	6.30
3	97256	30	90T	FRONT SIGHT			
6	94721		90T	HAMMER	32.54	43.76	56.10
6	94722		90T	HAMMER PIVOT PIN	11.31	15.21	19.50
6	94723		90T	HAMMER PIVOT PIN RETAINERS			
	103874		90T	HIGH RIB ONLY	220.98	297.18	381.00
6	103935		90T	HINGE PIN	22.56	30.34	38.90
	94686	31	90T	LATCH BODY SCREW FRONT	3.74	5.03	6.45
	94687	32	90T	LATCH BODY SCREW (REAR)	3.74	5.03	6.45
6	94698	33	90T	LOCKING BOLT ACTUATOR	14.41	19.38	24.85
6	94693		90T	LOCKING BOLT LEFT HAND	67.25	90.44	115.95
6	94697		90T	LOCKING BOLT RIGHT HAND	67.25	90.44	115.95
	94724	34	90T	MAIN SPRING	4.81	6.47	8.30
	94725	35	90T	MAIN SPRING KEEPER	11.40	15.33	19.65
	94710	36	90T	MAIN SPRING PLUNGER- INERTIA	10.35	13.92	17.85
3	97257	37	90T	MIDDLE SIGHT			
6	94727		90T	OUT OF BATTERY PIN	15.05	20.24	25.95
	94728	38	90T	OUT OF BATTERY RETAINING PIN	1.16	1.56	2.00
	94680	39	90T	OUT OF BATTERY SPRING	1.39	1.87	2.40
3	103945	40	90T	RECEIVER ASSEM			
6	94699		90T	RECEIVER INSERT	37.99	51.09	65.50
6	94700	41	90T	RECEIVER INSERT RETAINING PIN	0.99	1.33	1.70
3	103940		90T	RECEIVER SUB ASSEM			
	104030	42	90T	RECOIL PAD	6.15	8.27	10.60
3	94714		90T	RECOIL PAD SCREW			

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	94711		90T	RETURN PLUNGER AUXILARY SPRING	2.09	2.81	3.60
3	94730		90T	SAFETY PAWL			
6	94735		90T	SAFETY PAWL PIN RETAINERS	0.99	1.33	1.70
6	94734		90T	SAFETY PAWL PIVOT PIN	14.70	19.77	25.35
	103950	43	90T	SAFETY SWITCH	27.49	36.97	47.40
	94701	44	90T	SAFETY SWITCH DETENT BALL	0.99	1.33	1.70
	94702	45	90T	SAFETY SWITCH DETENT BALL SPRING	2.96	3.98	5.10
	94703	46	90T	SAFETY SWITCH RETAINING SPRING	9.74	13.10	16.80
6	94733		90T	SEAR	50.63	68.09	87.30
6	94734		90T	SEAR PIVOT PIN	14.70	19.77	25.35
6	94735		90T	SEAR PIVOT PIN RETAINER	0.99	1.33	1.70
6	94736		90T	SEAR SPRING	2.55	3.43	4.40
6	94737		90T	SEAR SPRING PLUNGER CUP	11.80	15.87	20.35
	103955	47	90T	SIDE PLATE LEFT	27.41	36.86	47.25
	103970	48	90T	SIDE PLATE RIGHT	27.41	36.86	47.25
	104010	49	90T	STK ASSEM	189.98	255.49	327.55
	103990		90T	STK ASSEM SEMI FANCY	184.99	248.78	318.95
	94715	50	90T	STOCK BOLT	7.19	9.67	12.40
	94738	51	90T	STOCK BOLT RETENTION O RING	0.99	1.33	1.70
	94716	52	90T	STOCK BOLT WASHER	1.25	1.68	2.15
3	94705		90T	STOCK PLATE			
	94717	53	90T	STOCK TENSIONERS	6.90	9.28	11.90
	94661	54	90T	STOCK WRENCH	8.85	11.90	15.25
	94718	55	90T	STOCK WRENCH GUIDE	11.14	14.98	19.20
	94712	56	90T	TELETALE ROD	21.29	28.63	36.70
	94679	57	90T	TELETALE ROD PLUNGER	9.66	12.99	16.65
	94670	58	90T	TELETALE ROD PLUNGER RETAINING PIN	2.20	2.96	3.80
	94680	59	90T	TELETALE ROD PLUNGER SPRING	1.39	1.87	2.40
	94713	60	90T	TELETALE ROD RETAINING SCREW	2.20	2.96	3.80
6	103985	61	90T	TOP LEVER	60.76	81.71	104.75
	94695	62	90T	TOP LEVER RETAINING PIN	2.20	2.96	3.80
	94711	63	90T	TOP LEVER RETURN PLUNGER AUXILARY SPRING	2.09	2.81	3.60

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	94708	64	90T	TOP LEVER RETURN PLUNGER	12.78	17.16	22.00
	94709	65	90T	TOP LEVER RETURN PLUNGER SPRING	1.71	2.30	2.95
6	104050		90T	TRIGGER	27.26	36.66	47.00
	104060	67	90T	TRIGGER GUARD	83.64	112.48	144.20
	94704		90T	TRIGGER GUARD SCREW FRONT	3.39	4.56	5.85
6	94739		90T	TRIGGER GUARD SCREW REAR	3.39	4.56	5.85
6	104055		90T	TRIGGER HOUSING ASSEM	116.55	156.74	200.95
6	104065		90T	TRIGGER HOUSING ASSEM	116.55	156.74	200.95
6	104045		90T	TRIGGER HOUSING ASSEM COMPLETE	187.69	252.41	323.60
	94681		90T	TRIGGER HOUSING SCREW	1.10	1.48	1.90
	97164	69	90T	TRIGGER HOUSING WRENCH	8.61	11.58	14.85
6	94740		90T	TRIGGER OUT OF BATTERY SCREW	2.29	3.08	3.95
6	94741		90T	TRIGGER PIVOT PIN	1.36	1.83	2.35
	94707	70	90T	TRIP PIN DETENT RETURN PLUNGER	14.41	19.38	24.85
	94736	71	90T	TRIP PIN RETURN PLUNGER SPRING	2.55	3.43	4.40
	94706	72	90T	TRIP PIN TOP LEVER DETENT	13.46	18.10	23.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1439		1100	EMPTY SHOGUN BOX (870-1100-1187-1196)	5.00	5.00	5.00
	1461		1100	SHOTGUN HARDCASE OVERWRAP(HCS-1)	2.00	2.00	2.00
	33950	1	1100	ACTION BAR ASSEM 12	38.40	51.64	66.20
	33965		1100	ACTION BAR ASSEM 12 LH	38.40	51.64	66.20
	33930		1100	ACTION BAR ASSEM 20 LT	38.40	51.64	66.20
	30010		1100	ACTION BAR ASSEM 28	38.40	51.64	66.20
	30011		1100	ACTION BAR ASSEM 410	38.40	51.64	66.20
	15241	2	1100	ACTION BAR SLEEVE 12 GA	19.49	26.21	33.60
	29676		1100	ACTION BAR SLEEVE 20 GA LT-LW	19.49	26.21	33.60
	14888		1100	ACTION BAR SLEEVE 20 GA LT MAG	14.99	20.16	25.85
	29675		1100	ACTION BAR SLEEVE 28-410 GA	14.99	20.16	25.85
	15252	3	1100	ACTION SPRING	2.09	2.81	3.60
	15171	4	1100	ACTION SPRING FOLLOWER	1.80	2.42	3.10
	90518	5	1100	ACTION SPRING PLUG 12-28-410	2.32	3.12	4.00
	15441	6	1100	ACTION SPRING PLUG PIN A A	1.28	1.72	2.20
	15443	7	1100	ACTION SPRING TUBE	6.21	8.35	10.70
	15442	8	1100	ACTION SPRING TUBE NUT A A	2.99	4.02	5.15
	15499	10	1100	ACTION SPRING TUBE NUT LOCK WASHER	1.28	1.72	2.20
	15498	9	1100	ACTION SPRING TUBE NUT WASHER	1.28	1.72	2.20
	15899	12	1100	BARREL SEAL 12,16 & 20 STD	1.97	2.65	3.40
	14437		1100	BARREL SEAL 20 GA LT	1.97	2.65	3.40
	14462		1100	BARREL SEAL 28 & 410 GA	1.97	2.65	3.40
	15394		1100	BARREL STUD LOCK GUIDE	1.28	1.72	2.20
	15830		1100	BARREL STUD TB (DEFLECTOR BUTTON--TRAP BBL)	1.28	1.72	2.20
	34637		1100	BARREL SUPPORT 12GA	2.87	3.86	4.95
	105687		1100	BARREL SUPPORT 20GA	5.22	7.02	9.00
	30225		1100	BARREL SUPPORT 28GA	2.20	2.96	3.80
	250222	11	1100	BBL 12/21 FR CANT DEER NS BL 106216	200.25	232.29	267.00
	250201		1100	BBL 12/21 FR CANT DEER NS BL 926595	200.25	232.29	267.00
	105747		1100	BBL 12/21 FR RS BL 929570	177.75	206.19	237.00
	250221		1100	BBL 12/21 FR RS DEER BL 105747	164.25	190.53	219.00
	250201		1100	BBL 12/21 FR SP CANT MATTE	200.25	232.29	267.00
	929569		1100	BBL 12/21 IC RS LH DEER BL 101375	144.75	167.91	193.00
	250224		1100	BBL 12/21 RC RS DEER BL 929565	132.75	153.99	177.00
	929565		1100	BBL 12/21 RC RS DEER BL 103639	141.00	163.56	188.00
	250225		1100	BBL 12/21 RC RS LH DEER BL 103641	131.25	152.25	175.00
	103641		1100	BBL 12/21 RC RS LH DEER BL 929567	153.00	177.48	204.00
	250200		1100	BBL 12/21 RC RS SP MATTE 103643	131.25	152.25	175.00
	103643		1100	BBL 12/21 RC RS SP MATTE 929571	138.00	160.08	184.00
	250226		1100	BBL 12/23 RC VT SF N/S BL	153.00	177.48	204.00
	250358		1100	BBL 12/26 RC VT MATTE (SP) 99137	153.00	177.48	204.00
	250228		1100	BBL 12/26 RC VT BL 101779	144.75	167.91	193.00
	250230		1100	BBL 12/26 RC VT SK BL 101755	167.25	194.01	223.00
	101755		1100	BBL 12/26 RC VT SK BL 924490	174.75	202.71	233.00
	250227		1100	BBL 12/26 RC VT STEEL SHOT MAG BL (3") 929509	144.75	167.91	193.00
	250231		1100	BBL 12/28 RC VT BL 101780	144.75	167.91	193.00
	250202		1100	BBL 12/28 RC VT SP MATTE	153.00	177.48	204.00
	109751		1100	BBL 12/28 RC VT LC SPTG	161.25	187.05	215.00
	250236		1100	BBL 12/30 RC VT BL	153.00	177.48	204.00
	924488		1100	BBL 12/30 RC VT BL 93880	156.75	181.83	209.00
	93889		1100	BBL 12/30 RC VT MAG BL 924489	153.00	177.48	204.00
	250235		1100	BBL 12/30 RC VT STEEL SHOT MAG BL (3") 94470	158.25	183.57	211.00
	250239		1100	BBL 12/30 RC VT TRAP BL 101757	174.00	201.84	232.00
	109750		1100	BBL 12/30 RC VT LC CLASSIC TRAP	172.50	200.10	230.00
	250353		1100	BBL 20/20 FR RS MATTE	144.75	167.91	193.00
	924438		1100	BBL 20/21 IC RS DEER BL 101615	116.25	134.85	155.00
	200301		1100	BBL 20/21 RC VT MAG TURKEY MATTE	131.25	152.25	175.00
3	105008		1100	BBL 20/21 RC VT MO BR UP TRU GLO SGTS	131.25	152.25	175.00
	101417		1100	BBL 20/21 RC VT SF BL 924433	153.00	177.48	204.00
	200354		1100	BBL 20/21 RC VT YOUTH MATTE	153.00	177.48	204.00
	97975		1100	BBL 20/23 RC VT SF LT N/S BL	153.00	177.48	204.00
	250358		1100	BBL 20/26 RC VT LT MATTE (24486)	153.00	177.48	204.00
	250362		1100	BBL 20/28 RC VT MAG BL	135.00	156.60	180.00
3	94256		1100	BBL 20/28 RC VT LT BL	144.75	167.91	193.00
	924484		1100	BBL 20/28 RC VT LT BL 94256	156.75	181.83	209.00
3	94260		1100	BBL 20/28 RC VT MAG BL			
	250363		1100	BBL 20/28 RC BL VT SPTG	161.25	187.05	215.00
	250361		1100	BBL 20/28 RC VT LT BL 924484	157.50	182.70	210.00
3	926590		1100	BBL 28/25 IC VT BL 101392	0.00	0.00	0.00
	101392		1100	BBL 28/25 IC VT BL 926590			

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	101398		1100	BBL 28/25 RC VT SC BL	135.00	156.60	180.00
3	926592		1100	BBL 28/25 SK VT BL 101393	153.00	177.48	204.00
	101393		1100	BBL 28/25 SK VT BL 926592	153.00	177.48	204.00
	929580		1100	BBL 410/25 FL VT BL 101394	0.00	0.00	0.00
	101395		1100	BBL 410/25 MOD VT BL	144.75	167.91	193.00
	15827		1100	BOLT RETURN PLUNGER SPRING	1.28	1.72	2.20
	15376		1100	BRASS FASTENER	0.99	1.33	1.70
	101920	13	1100	BREECH BOLT ASSEM 12 GA MAG LH	54.00	72.62	93.10
	101915		1100	BREECH BOLT ASSEM 12 GA SF NP	54.00	72.62	93.10
	99176		1100	BREECH BOLT ASSEM 12 GA SYN MATTE	54.00	72.62	93.10
	92550		1100	BREECH BOLT ASSEM 12GA SF NP	54.00	72.62	93.10
	99079		1100	BREECH BOLT ASSEM 20 GA LT MATT N/S	45.01	60.53	77.60
	92551		1100	BREECH BOLT ASSEM 20 GA SF NP	45.01	60.53	77.60
	93824		1100	BREECH BOLT ASSEM 28 GA SPTG N/S NP	54.00	72.62	93.10
	93825		1100	BREECH BOLT ASSEM 410 GA N/S NP	54.00	72.62	93.10
	91450	14	1100	BREECH BOLT BUFFER	1.28	1.72	2.20
	15243	15	1100	BREECH BOLT RET PLNGR 28 GA	1.28	1.72	2.20
	15711	16	1100	BREECH BOLT RET PLNGR RETAIN RING	1.28	1.72	2.20
	91199		1100	BREECH BOLT RETAINING PLUNGER 12 GA	1.28	1.72	2.20
	93277	18	1100	BUTT PLATE FRAME	2.49	3.35	4.30
	93276	19	1100	BUTT PLATE INSERT	1.71	2.30	2.95
	25410	20	1100	BUTT PLATE SCREW	0.79	1.07	1.37
	14883		1100	BUTT PLATE SCREW EXT LONG 1 1/2" (PHILLIPS HEAD)	1.28	1.72	2.20
3	15387		1100	BUTT PLATE SPACER			
	91536	21	1100	CARRIER 12 GA MAG RH	10.41	14.00	17.95
	29392		1100	CARRIER 20 GA LT	10.41	14.00	17.95
	29391		1100	CARRIER 410 GA	8.00	10.76	13.80
	26878		1100	CARRIER ASSEM 12 GA MAG LH N/S (AND O/S) 26876	16.88	22.70	29.10
	100642		1100	CARRIER ASSEM 12 GA N/S	16.88	22.70	29.10
	30137		1100	CARRIER ASSEM 20 GA LT	16.88	22.70	29.10
	30138		1100	CARRIER ASSEM 20 GA LT MATTE	16.88	22.70	29.10
	30135		1100	CARRIER ASSEM 28 GA	16.88	22.70	29.10
	30136		1100	CARRIER ASSEM 410 GA	16.88	22.70	29.10
	15480	23	1100	CARRIER DOG	3.89	5.23	6.70
	17416	26	1100	CARRIER DOG FOLLOWER	1.80	2.42	3.10
	17415	27	1100	CARRIER DOG FOLLOWER SPRING	1.28	1.72	2.20
	18781	24	1100	CARRIER DOG PIN	1.80	2.42	3.10
	18760	25	1100	CARRIER DOG WASHER	1.28	1.72	2.20
	15257	28	1100	CARRIER LATCH 12-20-28 GA	2.09	2.81	3.60
	14812		1100	CARRIER LATCH 410 GA	2.09	2.81	3.60
	15703	29	1100	CARRIER LATCH FOLLOWER	1.28	1.72	2.20
	16345	30	1100	CARRIER LATCH PIN	1.28	1.72	2.20
	16966	31	1100	CARRIER LATCH SPRING	1.28	1.72	2.20
	90295	32	1100	CARRIER PIVOT TUBE	1.97	2.65	3.40
	16347	33	1100	CARRIER RELEASE 12-20 GA LT	3.25	4.37	5.60
	92876		1100	CARRIER RELEASE 12 GA MATTE	2.49	3.35	4.30
	14842		1100	CARRIER RELEASE 28-410 GA	3.25	4.37	5.60
	16983	34	1100	CARRIER RELEASE PIN	1.28	1.72	2.20
	16327	35	1100	CARRIER RELEASE SPRING	1.71	2.30	2.95
	98870		1100	CHOKE TUBE 12 GA EXTENDED RIFLED	32.02	43.06	55.20
	103795		1100	CHOKE TUBE 12 GA FULL-STEEL OR LEAD	18.11	24.35	31.22
	105360		1100	CHOKE TUBE 12 GA FULL EXT SPTG CLAY BL	16.21	21.80	27.95
	102915		1100	CHOKE TUBE 12 GA FULL TRAP (TRP BBL ONLY)	17.01	22.87	29.32
	101585		1100	CHOKE TUBE 12 GA IMP CYL	10.50	14.12	18.10
	105362		1100	CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY BL	16.99	22.85	29.30
	108261		1100	CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY NP	17.01	22.87	29.32
	101590		1100	CHOKE TUBE 12 GA IMP SKEET	10.50	14.12	18.10
	105363		1100	CHOKE TUBE 12 GA IMP SKEET EXT SPTG CLAY BL	17.02	22.89	29.35
	108262		1100	CHOKE TUBE 12 GA LT MOD EXT SPTG CLAY NP	17.01	22.87	29.32
	101586		1100	CHOKE TUBE 12 GA MOD	10.50	14.12	18.10
	105361		1100	CHOKE TUBE 12 GA MOD EXT SPTG CLAY BL	16.99	22.85	29.30
	108263		1100	CHOKE TUBE 12 GA MOD EXT SPTG CLAY NP	17.01	22.87	29.32
	94650		1100	CHOKE TUBE 12 GA RIFLED N/S FLUSH	21.78	29.29	37.55
	101588		1100	CHOKE TUBE 12 GA SKEET	10.50	14.12	18.10
	105364		1100	CHOKE TUBE 12 GA SKEET EXT SPTG CLAY BL	16.99	22.85	29.30
	108260		1100	CHOKE TUBE 12 GA SKEET EXT SPTG CLAY NP	17.01	22.87	29.32
	102917		1100	CHOKE TUBE 12 GA SUPER FULL TRAP (TRP BBL ONLY)	17.01	22.87	29.32
	94516		1100	CHOKE TUBE 12 GA TURKEY EXT EXTRA FULL	17.01	22.87	29.32
11	200094		1100	CHOKE TUBE 12 GA TURKEY EXT STRAIGHT RIFLED	27.51	37.00	47.43
	105930		1100	CHOKE TUBE 12 GA TURKEY EXT SUPER FULL	17.59	23.66	30.33
	94525		1100	CHOKE TUBE 12 GA WRENCH	4.81	6.47	8.30

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	106930		1100	CHOKE TUBE 12 GA WRENCH (SPEED WRENCH)	6.26	8.42	10.80
	102916		1100	CHOKE TUBE 12 GA X-FULL TRAP (TRP BBL ONLY)	17.01	22.87	29.32
	109735		1100	CHOKE TUBE 12 GA LOW HANDICAP (TRAP-.700)	8.70	11.70	15.00
	109736		1100	CHOKE TUBE 12 GA MID HANDICAP (TRAP-.693)	8.70	11.70	15.00
	109737		1100	CHOKE TUBE 12 GA LONG HANDICAP (TRAP-.686)	8.70	11.70	15.00
	101227		1100	CHOKE TUBE 20 GA FULL	10.50	14.12	18.10
	101225		1100	CHOKE TUBE 20 GA IMP CYL	10.50	14.12	18.10
	108852		1100	CHOKE TUBE 20 GA IMP CYL EXT SPTG CLAY BL	17.01	22.87	29.32
	101229		1100	CHOKE TUBE 20 GA IMP SKEET	10.01	13.46	17.25
	108851		1100	CHOKE TUBE 20 GA LT MOD EXT SPTG CLAY BL	17.01	22.87	29.32
	101226		1100	CHOKE TUBE 20 GA MOD	10.50	14.12	18.10
	108850		1100	CHOKE TUBE 20 GA MOD EXT SPTG CLAY BL	17.01	22.87	29.32
	101222		1100	CHOKE TUBE 20 GA SKEET	10.50	14.12	18.10
	108853		1100	CHOKE TUBE 20 GA SKEET EXT SPTG CLAY BL	17.01	22.87	29.32
11	200070		1100	CHOKE TUBE 20 GA TURKEY SUPER FULL	17.60	23.67	30.35
	94573		1100	CHOKE TUBE 20 GA WRENCH	4.81	6.47	8.30
	109031		1100	CHOKE TUBE 28 GA IC EXT SPTG NP	16.21	21.80	27.95
	109347		1100	CHOKE TUBE 28 GA IMP CYL SPTG.	13.02	17.51	22.45
	109032		1100	CHOKE TUBE 28 GA LT MOD EXT SPTG NP	16.21	21.80	27.95
	99314		1100	CHOKE TUBE 28 GA LT MOD SPTG	12.01	16.15	20.70
	109033		1100	CHOKE TUBE 28 GA MOD EXT SPTG NP	16.21	21.80	27.95
	109345		1100	CHOKE TUBE 28 GA MOD SPTG	13.01	17.50	22.43
	109030		1100	CHOKE TUBE 28 GA SKEET EXT SPTG NP	16.21	21.80	27.95
	99312		1100	CHOKE TUBE 28 GA SKEET SPTG	12.01	16.15	20.70
	99316		1100	CHOKE TUBE 28 GA WRENCH	4.81	6.47	8.30
6	17419	36	1100	CONNECTOR LEFT	1.28	1.72	2.20
6	17420	38	1100	CONNECTOR PIN	1.28	1.72	2.20
6	17551	37	1100	CONNECTOR RIGHT	1.28	1.72	2.20
	92556		1100	DETENT TUBE	0.99	1.33	1.70
	92060	39	1100	DISCONNECTOR 12 GA	5.22	7.02	9.00
	92061		1100	DISCONNECTOR 20-28-410 GA	5.22	7.02	9.00
	15233		1100	EJECTOR 12 GA	3.89	5.23	6.70
	15845		1100	EJECTOR 16 & 20 GA STANDARD	2.99	4.02	5.15
	31241		1100	EJECTOR 20 GA STANDARD LH	2.99	4.02	5.15
5	91119		1100	EJECTOR 20 LW & LT O/S	3.89	5.23	6.70
	14280		1100	EJECTOR 28 GA	3.89	5.23	6.70
	31605		1100	EJECTOR 410 GA	2.99	4.02	5.15
	14721		1100	EJECTOR RIVET 20-28-410	1.80	2.42	3.10
	90906		1100	ELEVATION SCREW	1.28	1.72	2.20
	16176	40	1100	EXTRACTOR 12 GA	7.48	10.06	12.90
	14681		1100	EXTRACTOR 12 GA LH	7.48	10.06	12.90
	93503		1100	EXTRACTOR 12 GA SF	7.48	10.06	12.90
	14441		1100	EXTRACTOR 28 GA	7.48	10.06	12.90
	31731		1100	EXTRACTOR 410 GA	7.48	10.06	12.90
	17432	41	1100	EXTRACTOR PLUNGER	1.28	1.72	2.20
	14742		1100	EXTRACTOR PLUNGER 410 GA	1.28	1.72	2.20
	17433	42	1100	EXTRACTOR SPRING	1.28	1.72	2.20
	26630	43	1100	FEED LATCH 12 GA	7.83	10.53	13.50
	31667		1100	FEED LATCH 20 GA LT	7.83	10.53	13.50
	31666		1100	FEED LATCH 28 GA	7.83	10.53	13.50
	31665		1100	FEED LATCH 410 GA	7.83	10.53	13.50
	17436	44	1100	FIRING PIN	3.65	4.91	6.30
	18623	45	1100	FIRING PIN RETAINING PIN 12 GA	1.28	1.72	2.20
	14297		1100	FIRING PIN RETAINING PIN 20-28-410	1.28	1.72	2.20
	93505	46	1100	FIRING PIN RETRACTOR SPRING	1.71	2.30	2.95
	27706	47	1100	FORE END ASSEM "F" GRADE CUST SHOP WOOD	0.00	0.00	0.00
	92857		1100	FORE END ASSEM 12 GA SF SATIN WOOD	54.52	73.32	94.00
	106090		1100	FORE END ASSEM 12 GA SYN	20.30	27.30	35.00
	201256		1100	FORE END ASSEM 12 GA SPTG, 1100 CLASSIC TRAP	62.06	83.46	107.00
	201280		1100	FORE END ASSEM 12 GA 870 CLASSIC TRAP			
	103291		1100	FORE END ASSEM 20 GA LT HG CUT WOOD	54.52	73.32	94.00
	200019		1100	FORE END ASSEM 20 GA LT HG SPTG WOOD	54.52	73.32	94.00
	103285		1100	FORE END ASSEM 20 GA LT SATIN W/DETWOOD O/S	54.52	73.32	94.00
	100091		1100	FORE END ASSEM 20 GA LT SF SATIN WOOD	54.52	73.32	94.00
	103288		1100	FORE END ASSEM 20 GA LT SK B SATIN WOOD	74.99	100.85	129.30
	103293		1100	FORE END ASSEM 20 GA LT SYN 99133	20.30	27.30	35.00
	200305		1100	FORE END ASSEM 20 GA LT SYN ADVTG CAMO	24.01	32.29	41.40
	200117		1100	FORE END ASSEM 20 GA LT SYN M/O BREAK-UP	25.52	34.32	44.00
	103286		1100	FORE END ASSEM 28 GA SATIN CUT WOOD	52.00	69.93	89.65
	34763		1100	FORE END ASSEM 28 GA SATIN HG-PRESSWOOD	52.00	69.93	89.65
	103294		1100	FORE END ASSEM 28 GA SPTG HG WOOD 101554	54.52	73.32	94.00

F201347 1100 FE Assm Sportsman $92.00

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	34764		1100	FORE END ASSEM 28 GA ST HG CUT WOOD	54.52	73.32	94.00
	103287		1100	FORE END ASSEM 410 GA N/S SATIN CUT WOOD	54.52	73.32	94.00
3	103290		1100	FORE END ASSEM 410 GA SK B GRADE WOOD	76.56	102.96	132.00
	34765		1100	FORE END ASSEM 410 ST HG PRESS WOOD	52.00	69.93	89.65
	92853		1100	FORE END SLEEVE 12 GA SF & SPTG CLAY	2.99	4.02	5.15
	91658	48	1100	FORE END SUPPORT	3.39	4.56	5.85
3	27726		1100	FRONT SIGHT BASE	1.97	2.65	3.40
	18918	49	1100	FRONT SIGHT IVORY BEAD	3.89	5.23	6.70
	93164		1100	FRONT SIGHT RAMP IN THE BRIGHT	9.77	13.14	16.85
	17595		1100	FRONT SIGHT RAMP PIN	0.99	1.33	1.70
	23805		1100	FRONT SIGHT RIFLE SIGHT	4.41	5.93	7.60
	93692	49	1100	FRONT SIGHT SP	2.61	3.51	4.50
3	27867		1100	FRONT SWIVEL ASSEM 28 & 410 GA PK			
	15388		1100	GRIP CAP	1.97	2.65	3.40
3	15757		1100	GRIP CAP SCREW	0.99	1.33	1.70
	15389		1100	GRIP CAP SPACER	1.28	1.72	2.20
	93822		1100	GRIP CAP W/ REM GOLD LOGO	1.97	2.65	3.40
	15249	52	1100	HAMMER 12 GA	2.99	4.02	5.15
	99414		1100	HAMMER 20 GA LT N/S	3.89	5.23	6.70
3	91633		1100	HAMMER 20 LT & 28 GA & 410GA	3.89	5.23	6.70
	16600	53	1100	HAMMER PIN (FOR NON-SYN. TPA)	1.51	2.03	2.60
	15809	54	1100	HAMMER PIN WASHER	1.28	1.72	2.20
	17465	55	1100	HAMMER PLUNGER	1.28	1.72	2.20
	19014	56	1100	HAMMER SPRING	1.28	1.72	2.20
	26635	60	1100	INTERCEPTOR LATCH 12 GA	9.43	12.68	16.25
	26636		1100	INTERCEPTOR LATCH 16GA & 28GA	9.43	12.68	16.25
	91630		1100	INTERCEPTOR LATCH 20 GA LT	9.43	12.68	16.25
	26639		1100	INTERCEPTOR LATCH 410 GA	9.43	12.68	16.25
	15398	58	1100	INTERCEPTOR LATCH RETAINER .025	1.28	1.72	2.20
	15383	59	1100	INTERCEPTOR LATCH SPRING	1.28	1.72	2.20
	15238		1100	INTERCEPTOR LATCH STUD	1.28	1.72	2.20
	26075	61	1100	LINK 12 GA	6.84	9.20	11.80
	14449		1100	LINK 28 & 410 & 20 GA LT	6.84	9.20	11.80
	26640	62	1100	LOCKING BLOCK ASSEM 12 GA A A	10.41	14.00	17.95
	30900		1100	LOCKING BLOCK ASSEM 12 GA LH	10.41	14.00	17.95
	15694		1100	LOCKING BLOCK ASSEM 12 GA OVERSIZED	10.41	14.00	17.95
	91141		1100	LOCKING BLOCK ASSEM 20 GA LT 33840	8.00	10.76	13.80
	29921		1100	LOCKING BLOCK ASSEM 20 GA LW	8.00	10.76	13.80
	29920		1100	LOCKING BLOCK ASSEM 28-410 GA	10.41	14.00	17.95
	14277		1100	LOCKING BLOCK OVERSIZED 28-410 GA	10.41	14.00	17.95
	15855		1100	LOCKING BLOCK RETAINER	1.28	1.72	2.20
	15239	64	1100	MAGAZINE CAP 12 GA BL	7.83	10.53	13.50
	92806		1100	MAGAZINE CAP 12 GA SF BL NO DETENT	7.83	10.53	13.50
	200429		1100	MAGAZINE CAP 12 GA W/ DETENTS UNIVERSAL	6.00	8.07	10.35
	92561		1100	MAGAZINE CAP 20 LT N/S (ALL GUNS)	7.83	10.53	13.50
	94254		1100	MAGAZINE CAP 28 & 410 GA BL N/S	7.83	10.53	13.50
	200111		1100	MAGAZINE CAP ASSEM 20 GA LT M/O BREAK-UP	12.01	16.15	20.70
	92547		1100	MAGAZINE CAP DET SPRING	1.28	1.72	2.20
	91078		1100	MAGAZINE CAP DETENT	1.28	1.72	2.20
	92557		1100	MAGAZINE CAP DETENT 20 GA SF	1.28	1.72	2.20
	15892		1100	MAGAZINE CAP DETENT SPRING	1.28	1.72	2.20
3	15786		1100	MAGAZINE CAP PLUG 12 GA	0.99	1.33	1.70
3	14448		1100	MAGAZINE CAP PLUG 20 GA LW			
	31320		1100	MAGAZINE CAP PLUG 28-410 GA	1.28	1.72	2.20
	103188		1100	MAGAZINE CAP SWIVEL ASSEM 20 GA LT BL	16.88	22.70	29.10
	92803	66	1100	MAGAZINE FOLLOWER 12 GA SF	1.80	2.42	3.10
	14962		1100	MAGAZINE FOLLOWER 20 GA LT	1.80	2.42	3.10
	14961		1100	MAGAZINE FOLLOWER 28 GA	1.80	2.42	3.10
	14960		1100	MAGAZINE FOLLOWER 410 GA	1.80	2.42	3.10
	92558		1100	MAGAZINE PLUG 12 & 20 GA SF	1.28	1.72	2.20
	18097		1100	MAGAZINE PLUG 12 GA	1.28	1.72	2.20
	90497		1100	MAGAZINE PLUG 20-28 GA	1.28	1.72	2.20
	14878		1100	MAGAZINE PLUG 410	1.28	1.72	2.20
	93188	67	1100	MAGAZINE SPRING 12 GA	1.89	2.54	3.25
	92706		1100	MAGAZINE SPRING 12 GA SF	1.89	2.54	3.25
	19479		1100	MAGAZINE SPRING 16-20 GA	1.89	2.54	3.25
	17496		1100	MAGAZINE SPRING 20 GA & 28 GA	1.89	2.54	3.25
	14901		1100	MAGAZINE SPRING 410 GA	1.89	2.54	3.25
	91835	68	1100	MAGAZINE SPRING RET 20 GA LT (METAL)	1.89	2.54	3.25
	17501		1100	MAGAZINE SPRING RET 28-410 GA METAL	1.89	2.54	3.25
	91657		1100	MAGAZINE SPRING RETAINER 12 GA METAL	1.89	2.54	3.25

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	93515		1100	MAGAZINE SPRING RETAINER 12 GA PLASTIC SF	1.89	2.54	3.25
	15247		1100	MAGAZINE TUBE 12 GA BL	7.83	10.53	13.50
	92559		1100	MAGAZINE TUBE 12 GA SF BL	7.83	10.53	13.50
	34125		1100	MAGAZINE TUBE 20 GA LT BL	4.09	5.50	7.05
	92560		1100	MAGAZINE TUBE 20 LT SF BL	6.00	8.07	10.35
	14951		1100	MAGAZINE TUBE 28 & 410 GA BL	6.00	8.07	10.35
5	26210		1100	MAGAZINE TUBE ASSEM 12 GA BL	32.25	43.37	55.60
6	29929		1100	MAGAZINE TUBE ASSEM 410 GA BL	32.25	43.37	55.60
6	20520		1100	MAGAZINE TUBE BRAZING RING	0.99	1.33	1.70
	31610		1100	MAGAZINE TUBE INSERT 28-410GA	3.97	5.34	6.85
	18052	68a	1100	MIDDLE SIGHT SKEET (THREADED)	1.28	1.72	2.20
	92034	69	1100	OPERATING HANDLE 12 GA SP	5.22	7.02	9.00
3	91203		1100	OPERATING HANDLE 12 GA LH			
	99915		1100	OPERATING HANDLE 20 GA LT 28 410 NS	5.22	7.02	9.00
	23222	70	1100	OPERATING HANDLE DETENT BALL	1.28	1.72	2.20
	91200	71	1100	OPERATING HANDLE DETENT SPRING	1.28	1.72	2.20
	15097		1100	OPERATING HANDLE PLUNGER	1.28	1.72	2.20
	15735		1100	OPERATING HANDLE PLUNGER RET 12 GA	1.71	2.30	2.95
	14431		1100	OPERATING HANDLE PLUNGER RET 20-28-410 GA	1.71	2.30	2.95
	16791		1100	OPERATING HANDLE SPRING	1.28	1.72	2.20
	200295	73, 74	1100	PISTON & PISTON SEAL ASSEM W/FLYER (12 GA)	8.24	11.08	14.20
3	15384		1100	PISTON (NOT AVAIL. USE PART #200295)			
	14457	73	1100	PISTON 20 GA LT	5.22	7.02	9.00
	14465		1100	PISTON 28 & 410 GA	5.22	7.02	9.00
3	15385		1100	PISTON SEAL (NOT AVAIL. USE PART #200295)			
	14285	74	1100	PISTON SEAL 20 GA LT	6.50	8.74	11.20
	14466		1100	PISTON SEAL 28 & 410 GA	6.50	8.74	11.20
	94416		1100	REAR SIGHT APERTURE MATTE	4.41	5.93	7.60
	31455		1100	REAR SIGHT ASSEM BLUED W/O BASE	13.02	17.51	22.45
	32523		1100	REAR SIGHT ASSEM COMPLETE IN THE BRIGHT	19.49	26.21	33.60
	32502		1100	REAR SIGHT BASE MATTE	8.00	10.76	13.80
	16965		1100	REAR SIGHT BASE PIN	1.28	1.72	2.20
	28505		1100	REAR SIGHT BASE SCREW	0.79	1.07	1.37
	32503		1100	REAR SIGHT BASE SLUG	10.41	14.00	17.95
	94335		1100	REAR SIGHT SLIDE	8.79	11.82	15.15
	25585		1100	REAR SIGHT STEP	0.99	1.33	1.70
1	30905		1100	REC ASSEM 12 GA LH COMPLETE BL .28931	164.98	221.87	284.45
1	31950		1100	REC ASSEM 12 GA LH MAG BL 28933	164.98	221.87	284.45
1	99148		1100	REC ASSEM 12 GA MATTE SYN 99147	164.98	221.87	284.45
1	100104		1100	REC ASSEM 12 GA SF COMPLETE BL	164.98	221.87	284.45
1	31955		1100	REC ASSEM 12 GA TB LH BL	149.99	201.71	258.60

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
1	201263		1100	REC ASSEM 12 GA CLASSIC TRAP	159.50	214.50	275.00
1	201270		1100	REC ASSEM 12 GA SPTG	164.98	221.87	284.45
1	101515		1100	REC ASSEM 20 GA LT COMPLETE BL	164.98	221.87	284.45
1	101526		1100	REC ASSEM 20 GA LT EMB FIELD BL	149.99	201.71	258.60
1	101527		1100	REC ASSEM 20 GA LT EMB MAG BL	149.99	201.71	258.60
1	94262		1100	REC ASSEM 20 GA LT MAG BL	149.99	201.71	258.60
1	200115		1100	REC ASSEM 20 GA LT MAG M/O BREAK-UP	159.99	215.16	275.85
1	101523		1100	REC ASSEM 20 GA LT MATT SYN 99158	149.99	201.71	258.60
1	101525		1100	REC ASSEM 20 GA LT SPTG BL	159.99	215.16	275.85
1	101517		1100	REC ASSEM 20 GA LT ST COMPLETE BL	149.99	201.71	258.60
1	100101		1100	REC ASSEM 20 GA SF COMPLETE BL	149.99	201.71	258.60
1	99158		1100	REC ASSEM 20 GA SYN GUN MATTE	149.99	201.71	258.60
1	28940		1100	REC ASSEM 28 GA COMPLETE BL	149.99	201.71	258.60
1	101518		1100	REC ASSEM 28 GA FIELD COMPLETE BL	149.99	201.71	258.60
1	101524		1100	REC ASSEM 28 GA SPTG BL 101629	149.99	201.71	258.60
1	101519		1100	REC ASSEM 28 GA ST COMPLETE BL	149.99	201.71	258.60
1	101528		1100	REC ASSEM 410 GA EMB BL	149.99	201.71	258.60
1	101520		1100	REC ASSEM 410 GA FIELD COMPLETE BL	149.99	201.71	258.60
1	101627		1100	REC ASSEM 410 GA ST BL	149.99	201.71	258.60
1	101521		1100	REC ASSEM 410 GA ST COMPLETE BL	149.99	201.71	258.60
	14689		1100	RECEIVER BUFFER 20-28-410 GA	1.28	1.72	2.20
	14902		1100	RECEIVER INSERT 28 & 410 GA	1.28	1.72	2.20
	99309		1100	RECOIL PAD 20-28 GA SPTG BLACK	10.41	14.00	17.95
	25410		1100	RECOIL PAD SCREW (PHILLIPS HEAD)	0.79	1.07	1.37
	14944		1100	RECOIL PAD SPACER	2.09	2.81	3.60
	94628		1100	RECOIL PAD TRAP BROWN	10.41	14.00	17.95
	21388		1100	RECOIL PAD RED (CLASSIC TRAP)	10.41	14.00	17.95
	94555	75a	1100	RETURN PLUNGER RETAINING PIN	1.28	1.72	2.20
	25115	76	1100	SAFETY SWITCH	1.71	2.30	2.95
	23223	77	1100	SAFETY SWITCH DETENT BALL	1.28	1.72	2.20
	17514	78	1100	SAFETY SWITCH SPRING	1.28	1.72	2.20
	17515	79	1100	SAFETY SWITCH SPRING RETAINING PIN	1.28	1.72	2.20
	18750	80	1100	SEAR	5.22	7.02	9.00
	17463	81	1100	SEAR PIN	1.28	1.72	2.20
	17518	82	1100	SEAR SPRING	1.28	1.72	2.20
	91198	83	1100	SLIDE BUFFER	1.28	1.72	2.20
	107270	84	1100	STK ASSEM 12 GA MC SYN	25.52	34.32	44.00
	100272		1100	STK ASSEM 12 GA SF SATIN WOOD (W/ RECOIL PAD)	92.80	124.80	160.00
	94491		1100	STK ASSEM 12 GA SP WALNUT WOOD	56.84	76.44	98.00
	106085		1100	STK ASSEM 12 GA SYN – GRIP CAP NO STUD	35.96	48.36	62.00
	201260		1100	STK ASSEM 12 GA CLASSIC TRAP (ALSO USED ON 870)	113.10	152.10	195.00
	201274		1100	STK ASSEM 12 GA SPTG	113.10	152.10	195.00
	103275		1100	STK ASSEM 20 & 28 & 410 GA SATIN CUT WOOD	66.70	89.70	115.00
	103276		1100	STK ASSEM 20 & 28 & 410 GA SKEET B WOOD	111.36	149.76	192.00
	99308		1100	STK ASSEM 20 & 28 GA SPTG HG WOOD 99329	111.36	149.76	192.00
	200032		1100	STK ASSEM 20 GA LT YOUTH SYN BLK	37.70	50.70	65.00
	108116		1100	STK ASSEM 20 GA LT YOUTH SYN ADVTG CAMO	35.96	48.36	62.00
	108123		1100	STK ASSEM 20 GA LT YOUTH SYN M/O BREAK-UP	37.70	50.70	65.00
	98827		1100	STK ASSEM 20 GA MC SATIN WOOD	58.00	78.00	100.00
	100273		1100	STK ASSEM 20 GA SF SATIN WOOD	92.80	124.80	160.00
	99308		1100	STK ASSEM 28/20 GA SPORTING			
	103278		1100	STK ASSEM 20/28/410 GA. SATIN YOUTH CUT WOOD	58.00	78.00	100.00
	99134		1100	STK ASSEM SYN 20 GA LT	37.70	50.70	65.00
	19993	85	1100	STOCK BEARING PLATE 12 GA	1.28	1.72	2.20
	19621		1100	STOCK BEARING PLATE 20-28-410 GA	1.28	1.72	2.20
	15358		1100	STOCK SWIVEL SCREW	2.09	2.81	3.60
	26555		1100	SWIVEL ASSEM (2/SET)	11.05	14.86	19.05
5	20610	86	1100	TRIGGER ASSEM	8.47	11.39	14.60
	17533	87	1100	TRIGGER PIN	1.28	1.72	2.20
	109636	88	1100	TRIGGER PLATE ASSEM 12 GA LH MATTE	52.00	69.93	89.65
	100632		1100	TRIGGER PLATE ASSEM 12 GA LH SAFETY MATTE	62.41	83.93	107.60
	109642		1100	TRIGGER PLATE ASSEM 12 GA MAG LH SAFETY BL	52.00	69.93	89.65
	34815		1100	TRIGGER PLATE ASSEM 12 GA RH MAG BL	52.00	69.93	89.65
	109635		1100	TRIGGER PLATE ASSEM 12 GA SP MATTE	55.10	74.10	95.00
	109688		1100	TRIGGER PLATE ASSEM 20 GA LT BL	55.10	74.10	95.00
	109686		1100	TRIGGER PLATE ASSEM 20 GA LT LH SAF BL	62.41	83.93	107.60
	99094		1100	TRIGGER PLATE ASSEM 20 GA LT MATTE	52.00	69.93	89.65

F201400 1100 STK ASSEM SPORTSMAN $160.00

F109692 1100 TRIG PL ASSEM RH 410 GA $95.00

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	200015		1100	TRIGGER PLATE ASSEM 20 GA LT SPTG BL	62.41	83.93	107.60
	109690		1100	TRIGGER PLATE ASSEM 28 GA LH SAFETY BL			95.99
	109689		1100	TRIGGER PLATE ASSEM 28 GA RH SAFETY BL	55.10	47.10	95.00
	99310		1100	TRIGGER PLATE ASSEM 28 GA SPTG BL	52.00	69.93	89.65
	31403		1100	TRIGGER PLATE ASSEM 410 GA LH SAFETY BL	62.41	83.93	107.60
	31401		1100	TRIGGER PLATE ASSEM 410 GA RH SAFETY BL	62.41	83.93	107.60
	17541	89	1100	TRIGGER PLATE PIN BUSHING (REAR)	1.28	1.72	2.20
	17539	90	1100	TRIGGER PLATE PIN DETENT SPRING FRONT (2 NEEDED)	1.28	1.72	2.20
	17540	91	1100	TRIGGER PLATE PIN DETENT SPRING REAR	1.28	1.72	2.20
	20601	92	1100	TRIGGER PLATE PIN FRONT 12 GA	1.28	1.72	2.20
	20602		1100	TRIGGER PLATE PIN FRONT 20-28-410 GA	1.28	1.72	2.20
	20606	93	1100	TRIGGER PLATE PIN REAR 12 GA	1.28	1.72	2.20
	20607		1100	TRIGGER PLATE PIN REAR 20-28-410	1.28	1.72	2.20
3	200065		1100	TRUGLO SIGHT SCREW	0.99	1.33	1.70
3	200063		1100	TRUGLO SIGHTS W/3 SCREWS	6.99	9.40	12.05
	90904		1100	WINDAGE SCREW	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1439		1187	EMPTY SHOGUN BOX (870-1100-1187-1196)	5.00	5.00	5.00
	1442		1187	EMPTY SHOTGUN BOX (POLICE)	5.00	5.00	5.00
	1461		1187	SHOTGUN HARDCASE OVERWRAP(HCS-1)	2.00	2.00	2.00
	33950	1	1187	ACTION BAR ASSEM 12 GA (SLEEVE SOLD SEPARATE)	38.40	51.64	66.20
	33965		1187	ACTION BAR ASSEM 12 GA LH (SLEEVE SAME AS RH)	38.40	51.64	66.20
	33930		1187	ACTION BAR ASSEM 20 GA	38.40	51.64	66.20
	15241	2	1187	ACTION BAR SLEEVE 12 GA	19.49	26.21	33.60
	200396		1187	ACTION BAR SLEEVE 20 GA	14.99	20.16	25.85
	15252	3	1187	ACTION SPRING	2.09	2.81	3.60
	15171	4	1187	ACTION SPRING FOLLOWER	1.80	2.42	3.10
	90518	5	1187	ACTION SPRING PLUG	2.32	3.12	4.00
	15441	6	1187	ACTION SPRING PLUG PIN	1.28	1.72	2.20
	15443	7	1187	ACTION SPRING TUBE	6.21	8.35	10.70
	15442	8	1187	ACTION SPRING TUBE NUT	2.99	4.02	5.15
	15499	10	1187	ACTION SPRING TUBE NUT LOCK WASHER	1.28	1.72	2.20
	15498	9	1187	ACTION SPRING TUBE NUT WASHER	1.28	1.72	2.20
	5001187		1187	ARMORERS TOOL ADD ON	86.80	86.80	86.80
	15899	12	1187	BARREL SEAL 12 GA	1.97	2.65	3.40
	14437		1187	BARREL SEAL 20 GA	1.97	2.65	3.40
	200346	12a	1187	BARREL SEAL ACTIVATOR 20 GA	0.99	1.33	1.70
	15830		1187	BARREL STUD TB (TRAP ONLY, DEFLECTR BUTTON)	1.28	1.72	2.20
	15394		1187	BARREL STUD LOCK GUIDE (RECEIVER STUD0	1.28	1.72	2.20
	34637		1187	BARREL SUPPORT 12 GA	2.87	3.86	4.95
	105687		1187	BARREL SUPPORT 20 GA	5.22	7.02	9.00
	250131		1187	BBL 12/18 IC PL PK (104480)	75.00	87.00	100.00
	F		1187	BBL 12/18 IC RS PK POLICE (102739)	123.00	142.68	164.00
	250154	11	1187	BBL 12/21 FR CANT DEER N/S BL 929615	201.75	234.03	269.00
	929615		1187	BBL 12/21 FR CANT DEER N/S BL (250154)	218.25	253.17	291.00
	250103		1187	BBL 12/21 FR CANT SP DEER MATTE 924645	201.00	233.16	268.00
	924645		1187	BBL 12/21 FR CANT SP DEER MATTE (250103)	218.25	253.17	291.00
	250152		1187	BBL 12/21 FR RS DEER BL 929606	164.25	190.53	219.00
	250152		1187	BBL 12/21 FR RS DEER BL	164.25	190.53	219.00
	250102		1187	BBL 12/21 FR RS SP MATTE 929609	164.25	190.53	219.00
	102736		1187	BBL 12/21 IC RS SP PK POLICE	123.00	142.68	164.00
3	105007		1187	BBL 12/21 RC M/O BR UP TRU GLO SGTS NWTF	131.25	152.25	175.00
	250150		1187	BBL 12/21 RC RS DEER BL (929623)	132.75	153.99	177.00
	250151		1187	BBL 12/21 RC RS LH DEER BL (103642)	147.75	171.39	197.00
	250100		1187	BBL 12/21 RC RS SP DEER MATTE 929627	132.75	153.99	177.00
	250100		1187	BBL 12/21 RC RS SP DEER MATTE	132.75	153.99	177.00
	250101		1187	BBL 12/21 RC SP CANT N/S MATTE (106215)	161.25	187.05	215.00
3	105003		1187	BBL 12/21 RC VT MOSSY OAK GREENLEAF	131.25	152.25	175.00
	108725		1187	BBL 12/21 RC VT REALTREE EXTRA BROWN	131.25	152.25	175.00
	250104		1187	BBL 12/21 RC VT TURKEY MATTE	129.75	150.51	173.00
	105106		1187	BBL 12/23 RC VT LC UPLAND SPECIAL	165.00	191.40	220.00
	250155		1187	BBL 12/26 RC VT BL 924646	144.75	167.91	193.00
	105100		1187	BBL 12/26 RC VT LC BL 929604	174.75	202.71	233.00
	250270		1187	BBL 12/26 RC VT LC BL (105100)	153.00	177.48	204.00
3	105181		1187	BBL 12/26 RC VT LC LH BL 929629	168.00	194.88	224.00
	929528		1187	BBL 12/26 RC VT LC SPTG CLAY BL (2 3/4") (10510	180.00	208.80	240.00
3	105104		1187	BBL 12/26 RC VT LC SPTG CLAY BL (2 3/4")	180.00	208.80	240.00
3	105001		1187	BBL 12/26 RC VT MOSSY OAK BOTTOMLAND	153.00	177.48	204.00
	105006		1187	BBL 12/26 RC VT MOSSY OAK BREAK UP	138.75	160.95	185.00
	250156		1187	BBL 12/26 RC VT SK BL (2 3/4")	168.00	194.88	224.00
	924624		1187	BBL 12/26 RC VT SK BL (2 3/4") (101873)	179.25	207.93	239.00
3	101858		1187	BBL 12/26 RC VT SK LH BL (2 3/4")	168.00	194.88	224.00
	250106		1187	BBL 12/26 RC VT SP MATTE	144.75	167.91	193.00
	924640		1187	BBL 12/26 RC VT SP MATTE (97219)	156.75	181.83	209.00
	929619		1187	BBL 12/28 FULL VT TRAP BL (2 3/4") (94245)	153.00	177.48	204.00
	250161		1187	BBL 12/28 RC VT BL	144.75	167.91	193.00
	250271		1187	BBL 12/28 RC VT LC BL 929602	153.00	177.48	204.00
	250272		1187	BBL 12/28 RC VT LC LH BL 9607	168.00	194.88	224.00
	250272		1187	BBL 12/28 RC VT LC LH BL	168.00	194.88	224.00
	105103		1187	BBL 12/28 RC VT LC SPTG CLAY MATTE (2 3/4") 929	168.00	194.88	224.00
	97220		1187	BBL 12/28 RC VT SP MATTE 929611	153.00	177.48	204.00
	929611		1187	BBL 12/28 RC VT SP MATTE (250108)	156.75	181.83	209.00
	250274		1187	BBL 12/28 RC VT SPTG CLAY PORTED (2 3/4")	153.00	177.48	204.00
	929613		1187	BBL 12/30 FULL VT TRAP BL (2 3/4") (94224)	0.00	0.00	0.00
	250168		1187	BBL 12/30 RC VT BL (924642)	153.00	177.48	204.00
	250275		1187	BBL 12/30 RC VT LC BL	168.00	194.88	224.00
	101878		1187	BBL 12/30 RC VT LH TRAP (2 3/4")	168.00	194.88	224.00

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	250109		1187	BBL 12/30 RC VT SP MATTE (97342)	153.00	177.48	204.00
	250276		1187	BBL 12/30 RC VT SPTG CLAY PORTED (2 3/4") (108270	153.00	177.48	204.00
	250169		1187	BBL 12/30 RC VT TRAP BL (2 3/4") (101837)	174.00	201.84	232.00
	250381		1187	BBL 20/23 RC VT UPLAND SPECIAL	172.50	200.10	230.00
	250382		1187	BBL 20/26 RC VT BL	151.50	175.74	202.00
3	109221		1187	BBL 20/26 RC VT BL	144.75	167.91	193.00
	250383		1187	BBL 20/28 RC VT BL	151.50	175.74	202.00
	101915	13	1187	BREECH BOLT ASSEM 12 GA BL	54.00	72.62	93.10
	101918		1187	BREECH BOLT ASSEM 12 GA NP	54.00	72.62	93.10
	101920		1187	BREECH BOLT ASSEM 12 GA	54.00	72.62	93.10
	101917		1187	BREECH BOLT ASSEM 12 GA SP MATTE (FOR SYN GUN)	54.00	72.62	93.10
	200330		1187	BREECH BOLT ASSEM 20 GA	45.01	60.53	77.60
	91450	14	1187	BREECH BOLT BUFFER	1.28	1.72	2.20
	91199	15	1187	BREECH BOLT RETURN PLUNGER 12 GA	1.28	1.72	2.20
	15243		1187	BREECH BOLT RETURN PLUNGER 20 GA	1.28	1.72	2.20
	15711	16	1187	BREECH BOLT RETURN PLUNGER RETAINING RING	1.28	1.72	2.20
	15827		1187	BREECH BOLT RETURN PLUNGER SPRING	1.28	1.72	2.20
	93277		1187	BUTT PLATE FRAME	2.49	3.35	4.30
	93276		1187	BUTT PLATE INSERT	1.71	2.30	2.95
	25410		1187	BUTT PLATE SCREW	0.79	1.07	1.37
	106130		1187	CANTILEVER BAR ASSEM N/S MATTE	35.99	48.40	62.05
3	103555		1187	CANTILEVER O/S SCOPE RINGS BL (FOR 3/4 INCH BASE)	32.48	43.68	56.00
	98928		1187	CANTILEVER SCREW N/S (2-SET)	1.28	1.72	2.20
	94526		1187	CANTILEVER SCREW O/S (4-SET)	2.00	2.69	3.45
	91536	17	1187	CARRIER 12 GA MAG RH	10.41	14.00	17.95
	29392		1187	CARRIER 20 GA	10.41	14.00	17.95
	26878	18	1187	CARRIER ASSEM 12 GA MAG LH	16.88	22.70	29.10
	100642		1187	CARRIER ASSEM 12 GA N/S	16.88	22.70	29.10
	100640		1187	CARRIER ASSEM 12 GA SP MAG MATTE	16.88	22.70	29.10
	30137		1187	CARRIER ASSEM 20 GA	16.88	22.70	29.10
	15480	19	1187	CARRIER DOG (12 & 20)	3.89	5.23	6.70
	17416	22	1187	CARRIER DOG FOLLOWER (12 & 20)	1.80	2.42	3.10
	17415	23	1187	CARRIER DOG FOLLOWER SPRING (12 & 20)	1.28	1.72	2.20
	18781	20	1187	CARRIER DOG PIN (12 & 20)	1.80	2.42	3.10
	18760	21	1187	CARRIER DOG WASHER (12 & 20)	1.28	1.72	2.20
	15257	24	1187	CARRIER LATCH (12 & 20)	2.09	2.81	3.60
	15703		1187	CARRIER LATCH FOLLOWER (12 & 20)	1.28	1.72	2.20
	16345	25	1187	CARRIER LATCH PIN (12 & 20)	1.28	1.72	2.20
	16966	26	1187	CARRIER LATCH SPRING (12 & 20)	1.28	1.72	2.20
	90295	28	1187	CARRIER PIVOT TUBE (12 & 20)	1.97	2.65	3.40
	16347	29	1187	CARRIER RELEASE NP (12 & 20)	3.25	4.37	5.60
	16983	30	1187	CARRIER RELEASE PIN (12 & 20)	1.28	1.72	2.20
	92876		1187	CARRIER RELEASE SP MATTE	2.49	3.35	4.30
	16327	31	1187	CARRIER RELEASE SPRING (12 & 20)	1.71	2.30	2.95
	98870		1187	CHOKE TUBE 12 GA EXTENDED RIFLED	32.02	43.06	55.20
	103795		1187	CHOKE TUBE 12 GA FULL-STEEL OR LEAD	18.11	24.35	31.22
	105360		1187	CHOKE TUBE 12 GA FULL EXT SPTG CLAY BL	16.21	21.80	27.95
	102915		1187	CHOKE TUBE 12 GA FULL TRAP (TRP BBL ONLY)	17.01	22.87	29.32
	101585		1187	CHOKE TUBE 12 GA IMP CYL	10.50	14.12	18.10
	105362		1187	CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY BL	16.99	22.85	29.30
	108261		1187	CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY NP	17.01	22.87	29.32
	101590		1187	CHOKE TUBE 12 GA IMP SKEET	10.50	14.12	18.10
3	105363		1187	CHOKE TUBE 12 GA IMP SKEET EXT SPTG CLAY BL	17.02	22.89	29.35
	108262		1187	CHOKE TUBE 12 GA LT MOD EXT SPTG CLAY NP	17.01	22.87	29.32
	101586		1187	CHOKE TUBE 12 GA MOD	10.50	14.12	18.10
	105361		1187	CHOKE TUBE 12 GA MOD EXT SPTG CLAY BL	16.99	22.85	29.30
	108263		1187	CHOKE TUBE 12 GA MOD EXT SPTG CLAY NP	17.01	22.87	29.32
	94650		1187	CHOKE TUBE 12 GA RIFLED N/S FLUSH	21.78	29.29	37.55
	101588		1187	CHOKE TUBE 12 GA SKEET	10.50	14.12	18.10
	105364		1187	CHOKE TUBE 12 GA SKEET EXT SPTG CLAY BL	16.99	22.85	29.30
	108260		1187	CHOKE TUBE 12 GA SKEET EXT SPTG CLAY NP	17.01	22.87	29.32
	102917		1187	CHOKE TUBE 12 GA SUPER FULL TRAP (TRP BBL ONLY)	17.01	22.87	29.32
	94516		1187	CHOKE TUBE 12 GA TURKEY EXT EXTRA FULL	17.01	22.87	29.32
11	200094		1187	CHOKE TUBE 12 GA TURKEY EXT STRAIGHT RIFLED	27.51	37.00	47.43
	105930		1187	CHOKE TUBE 12 GA TURKEY EXT SUPER FULL	17.59	23.66	30.33
	94525		1187	CHOKE TUBE 12 GA WRENCH	4.81	6.47	8.30
	106930		1187	CHOKE TUBE 12 GA WRENCH (SPEED WRENCH)	6.26	8.42	10.80
	102916		1187	CHOKE TUBE 12 GA X-FULL TRAP (TRP BBL ONLY)	17.01	22.87	29.32
	101227		1187	CHOKE TUBE 20 GA FULL	10.50	14.12	18.10
	101225		1187	CHOKE TUBE 20 GA IMP CYL	10.50	14.12	18.10
	108852		1187	CHOKE TUBE 20 GA IMP CYL EXT SPTG CLAY BL	17.01	22.87	29.32

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	101229		1187	CHOKE TUBE 20 GA IMP SKEET	10.01	13.46	17.25
	108851		1187	CHOKE TUBE 20 GA LT MOD EXT SPTG CLAY BL	17.01	22.87	29.32
	101226		1187	CHOKE TUBE 20 GA MOD	10.50	14.12	18.10
	108850		1187	CHOKE TUBE 20 GA MOD EXT SPTG CLAY BL	17.01	22.87	29.32
	101222		1187	CHOKE TUBE 20 GA SKEET	10.50	14.12	18.10
	108853		1187	CHOKE TUBE 20 GA SKEET EXT SPTG CLAY BL	17.01	22.87	29.32
11	200070		1187	CHOKE TUBE 20 GA TURKEY SUPER FULL	17.60	23.67	30.35
	94573		1187	CHOKE TUBE 20 GA WRENCH	4.81	6.47	8.30
6	17419	32	1187	CONNECTOR LEFT	1.28	1.72	2.20
6	17420	34	1187	CONNECTOR PIN	1.28	1.72	2.20
6	17551	33	1187	CONNECTOR RIGHT	1.28	1.72	2.20
	92060	35	1187	DISCONNECTOR	5.22	7.02	9.00
	92061		1187	DISCONECTOR 20 GA	5.22	7.02	9.00
	90906		1187	ELEVATION SCREW	1.28	1.72	2.20
	93504	36	1187	EXTRACTOR LH NP	7.48	10.06	12.90
	17432	37	1187	EXTRACTOR PLUNGER	1.28	1.72	2.20
	93503		1187	EXTRACTOR RH NP (12-20)	7.48	10.06	12.90
	93622		1187	EXTRACTOR RH SP MATTE	7.48	10.06	12.90
	17433	38	1187	EXTRACTOR SPRING	1.28	1.72	2.20
	26630	39	1187	FEED LATCH 12 GA	7.83	10.53	13.50
	31667		1187	FEED LATCH 20 GA	7.83	10.53	13.50
	17436	40	1187	FIRING PIN	3.65	4.91	6.30
	18623	41	1187	FIRING PIN RETAINING PIN 12 GA	1.28	1.72	2.20
	14297		1187	FIRING PIN RETAINING PIN 20 GA	1.28	1.72	2.20
	93505	42	1187	FIRING PIN RETRACTOR SPRING	1.71	2.30	2.95
	92853		1187	FORE-END SLEEVE (RUBBER @ FRNT OF SPTG FE)	2.99	4.02	5.15
3	98965		1187	FORE END ASSEM 12 GA CURLY MAPLE WOOD	52.00	69.93	89.65
	97176	43	1187	FORE END ASSEM 12 GA HG STANDARD WOOD	53.36	71.76	92.00
	105221		1187	FORE END ASSEM 12 GA LC HG WOOD	53.36	71.76	92.00
	105220		1187	FORE END ASSEM 12 GA LC SATIN WOOD	53.36	71.76	92.00
	105026		1187	FORE END ASSEM 12 GA M/O BOTTMLAND SYN	26.10	35.10	45.00
	105029		1187	FORE END ASSEM 12 GA M/O BREAK-UP SYN	26.10	35.10	45.00
	105027		1187	FORE END ASSEM 12 GA M/O GREELEAF SYN	26.10	35.10	45.00
	106920		1187	FORE END ASSEM 12 GA POLICE SYN BLACK	20.30	27.30	35.00
	105028		1187	FORE END ASSEM 12 GA REALTREE X-BROWN SYN	26.10	35.10	45.00
	101910		1187	FORE END ASSEM 12 GA SATIN STD WOOD	53.36	71.76	92.00
	101911		1187	FORE END ASSEM 12 GA SKEET TRAP WOOD	62.06	83.46	107.00
	94490		1187	FORE END ASSEM 12 GA SP WALNUT WOOD	43.50	58.50	75.00
	105345		1187	FORE END ASSEM 12 GA SPTG CLAY WOOD	62.06	83.46	107.00
	106090		1187	FORE END ASSEM 12 GA SYN BLACK	20.30	27.30	35.00
	105025		1187	FORE END ASSEM 12 GA TREBARK SYN	24.01	32.29	41.40
	109260		1187	FORE END ASSEM 20 GA HG	52.00	69.93	89.65
	91658	44	1187	FORE END SUPPORT 12 GA	3.39	4.56	5.85
	23805		1187	FRONT RIFLE SIGHT (DEER GUN)	4.41	5.93	7.60
	18918		1187	FRONT SIGHT IVORY SCREW IN	3.89	5.23	6.70
	93692		1187	FRONT SIGHT SP IVORY	2.61	3.51	4.50
	93507	45a	1187	GAS CYLINDER COLLAR (12GA)	2.49	3.35	4.30
	93498		1187	GAS CYLINDER SPRING 12 GA	3.65	4.91	6.30
	200323		1187	GAS CYLINDER SPRING 20 GA	3.65	4.91	6.30
	93822	46	1187	GRIP CAP (W/REM GOLD LOGO)	1.97	2.65	3.40
	15249	48	1187	HAMMER	2.99	4.02	5.15
	16600	49	1187	HAMMER PIN (FOR NON-SYN. TPA)	1.51	2.03	2.60
	15809	50	1187	HAMMER PIN WASHER	1.28	1.72	2.20
	17465	51	1187	HAMMER PLUNGER	1.28	1.72	2.20
	19014	52	1187	HAMMER SPRING	1.28	1.72	2.20
	26635	55	1187	INTERCEPTOR LATCH 12 GA	9.43	12.68	16.25
	91630		1187	INTERCEPTOR LATCH 20 GA	9.43	12.68	16.25
	15398	53	1187	INTERCEPTOR LATCH RETAINER .025	1.28	1.72	2.20
	15383		1187	INTERCEPTOR LATCH SPRING	1.28	1.72	2.20
	15238		1187	INTERCEPTOR LATCH STUD	1.28	1.72	2.20
	201207		1187	KEY	1.45	1.95	2.50
	26075	56	1187	LINK 12 GA	6.84	9.20	11.80
	14449		1187	LINK 20 GA	6.84	9.20	11.80
	26640	57	1187	LOCKING BLOCK ASSEM 12 GA	10.41	14.00	17.95
	30900		1187	LOCKING BLOCK ASSEM 12 GA LH	10.41	14.00	17.95
	33840		1187	LOCKING BLOCK ASSEM 20 GA	10.41	14.00	17.95
	15855		1187	LOCKING BLOCK RETAINER	1.28	1.72	2.20
	92806	58	1187	MAGAZINE CAP 12 GA BL NO DETENT	7.83	10.53	13.50
	200429		1187	MAGAZINE CAP 12 GA W/ DETENTS UNIVERSAL	6.00	8.07	10.35
	97298		1187	MAGAZINE CAP 12 GA POLICE PK	7.83	10.53	13.50
	92561		1187	MAGAZINE CAP 20 GA	7.83	10.53	13.50

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	92557		1187	MAGAZINE CAP DETENT	1.28	1.72	2.20
	92547		1187	MAGAZINE CAP DETENT SPRING	1.28	1.72	2.20
	92556		1187	MAGAZINE CAP DETENT TUBE	0.99	1.33	1.70
	103185		1187	MAGAZINE CAP SWIVEL ASSEM BLUED	18.21	24.49	31.40
	104999		1187	MAGAZINE CAP SWIVEL ASSEM M/O BREAK UP	16.88	22.70	29.10
	104997		1187	MAGAZINE CAP SWIVEL ASSEM M/O GREENLEAF	12.99	17.47	22.40
3	103176		1187	MAGAZINE CAP SWIVEL ASSEM POLICE PK	16.88	22.70	29.10
	104996		1187	MAGAZINE CAP SWIVEL ASSEM REALTREE TREBARK	12.99	17.47	22.40
	104998		1187	MAGAZINE CAP SWIVEL ASSEM REALTREE X-BROWN	12.99	17.47	22.40
	103187		1187	MAGAZINE CAP SWIVEL ASSEM SP MATTE	18.21	24.49	31.40
	94960		1187	MAGAZINE EXT BRACKET PK	8.99	12.09	15.50
	103259		1187	MAGAZINE EXT SWIVEL ASSEM PARK FRONT	18.21	24.49	31.40
	92803	60	1187	MAGAZINE FOLLOWER 12 GA N/S PLASTIC	1.80	2.42	3.10
	106595		1187	MAGAZINE FOLLOWER 12 GA O/S ALUMINUM	1.80	2.42	3.10
	14962		1187	MAGAZINE FOLLOWER 20 GA	1.80	2.42	3.10
	18097		1187	MAGAZINE PLUG 12 GA (3 SHOT, 1 IN CHAMBR, 2 IN MAG	1.28	1.72	2.20
	90497		1187	MAGAZINE PLUG 20 GA (3 SHOT, 1 IN CHAMBR, 2 IN MAG	1.28	1.72	2.20
	93188	61	1187	MAGAZINE SPRING 12 GA	1.89	2.54	3.25
	17496		1187	MAGAZINE SPRING 20 GA	1.89	2.54	3.25
	94645		1187	MAGAZINE SPRING EXT (POLICE)	1.89	2.54	3.25
	93515	62	1187	MAGAZINE SPRING RETAINER 12 GA (PLASTIC)	1.89	2.54	3.25
	91835		1187	MAGAZINE SPRING RETAINER 20 GA (PLASTIC)	1.89	2.54	3.25
6	34126		1187	MAGAZINE TUBE ASSEM SS 20GA			44.85
6	101965		1187	MAGAZINE TUBE ASSEM BL 12GA	32.25	43.37	55.60
	101975		1187	MAGAZINE TUBE SS 12GA	26.01	34.98	44.85
	101968		1187	MAGAZINE TUBE SS 12 GA SPORTING CLAYS	19.43	26.13	33.50
	18052	62a	1187	MIDDLE SIGHT, THREADED N/S	1.28	1.72	2.20
	92034	63	1187	OPERATING HANDLE 12 GA (ALSO 1100)	5.22	7.02	9.00
	94488		1187	OPERATING HANDLE 12 GA SPTG CLAY	4.00	5.38	6.90
	99915		1187	OPERATING HANDLE 20 GA	5.22	7.02	9.00
	823222	64	1187	OPERATING HANDLE DETENT BALL	1.28	1.72	2.20
	91200	65	1187	OPERATING HANDLE DETENT SPRING	1.28	1.72	2.20
	15827		1187	OPERATING HANDLE PLUNGER	1.28	1.72	2.20
	14431		1187	OPERATING HANDLE PLUNGER RETAINER	1.71	2.30	2.95
	16791		1187	OPERATING HANDLE SPRING	1.28	1.72	2.20
	200295	66	1187	PISTON & PISTON SEAL ASSEM W/FLYER 12GA	8.24	11.08	14.20
3	15384		1187	PISTON 12 GA (NOT AVAIL. USE PART #200295)			N/A
	14457	67	1187	PISTON 20 GA	5.22	7.02	9.00
3	15385		1187	PISTON SEAL 12 GA (NOT AVAIL USE PART #200295)			N/A
	14285	66	1187	PISTON SEAL 20 GA	6.50	8.74	11.20
	94416		1187	REAR SIGHT APERTURE SP MATTE	4.41	5.93	7.60
	32523		1187	REAR SIGHT ASSEM W/ BASE IN THE BRIGHT	19.49	26.21	33.60
	32503		1187	REAR SIGHT BASE (DEER GUN)	10.41	14.00	17.95
	94335		1187	REAR SIGHT SLIDE	8.79	11.82	15.15
1	102668		1187	REC ASSEM 175TH ANNIVERSARY BL	164.98	221.87	284.45
1	107560	68	1187	REC ASSEM ENHANCEMENT BL	164.98	221.87	284.45
1	102676		1187	REC ASSEM LH PREM COMPLETE BL	164.98	221.87	284.45
1	102688		1187	REC ASSEM LH TRAP COMPLETE BL	164.98	221.87	284.45
1	200082		1187	REC ASSEM M/O BR UP NWTF	159.99	215.16	275.85
1	105049		1187	REC ASSEM M/O BREAK-UP	159.99	215.16	275.85
1	105047		1187	REC ASSEM M/O GREENLEAF 105032	159.99	215.16	275.85
1	107565		1187	REC ASSEM NICKEL PLATED COMP	164.98	221.87	284.45
1	102684		1187	REC ASSEM POLICE COMPLETE PK	164.98	221.87	284.45
1	105045		1187	REC ASSEM REALTREE TREEBARK	159.99	215.16	275.85
1	105048		1187	REC ASSEM REALTREE X-BROWN	159.99	215.16	275.85

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
1	107562		1187	REC ASSEM SK ENHANCEMENT BL	149.99	201.71	258.60
1	102689		1187	REC ASSEM SK LH COMPLETE BL	164.98	221.87	284.45
1	102659		1187	REC ASSEM SP DEER MATTE	149.99	201.71	258.60
1	102687		1187	REC ASSEM SP MAG COMPLETE MATTE	164.98	221.87	284.45
1	107563		1187	REC ASSEM SPTG CLAY ENHANCEMENT BL	164.98	221.87	284.45
1	107566		1187	REC ASSEM SPTG CLAY NICKEL PLATED	164.98	221.87	284.45
1	107561		1187	REC ASSEM TRAP ENHANCEMENT BL	164.98	221.87	284.45
1	109250		1187	REC ASSEM 20GA PREMIER	164.98	221.87	284.45
	14689		1187	RECEIVER BUFFER	1.28	1.72	2.20
	28231	69	1187	RECOIL PAD BLACK VENTED	10.41	14.00	17.95
	92774		1187	RECOIL PAD PREM BROWN SOLID (12-20 GA)	10.41	14.00	17.95
	98008		1187	RECOIL PAD SCREW SYN	1.28	1.72	2.20
	25410		1187	RECOIL PAD SCREW WOOD	0.79	1.07	1.37
	104880		1187	RECOIL PAD SPTG CLAY BLACK	10.41	14.00	17.95
	97973		1187	RECOIL PAD SYN	11.69	15.72	20.15
	94628		1187	RECOIL PAD TRAP CANT BLACK	10.41	14.00	17.95
	94555		1187	RETURN PLUNGER RETAINING PIN	1.28	1.72	2.20
	17676		1187	RETURN PLUNGER RETAINING PIN 20 GA	0.93	1.25	1.60
	25115	72	1187	SAFETY SWITCH	1.71	2.30	2.95
	23223	73	1187	SAFETY SWITCH DETENT BALL	1.28	1.72	2.20
	17514	74	1187	SAFETY SWITCH SPRING	1.28	1.72	2.20
	17515	75	1187	SAFETY SWITCH SPRING RETAINING PIN	1.28	1.72	2.20
	18750	76	1187	SEAR	5.22	7.02	9.00
	17463	77	1187	SEAR PIN	1.28	1.72	2.20
	17518	78	1187	SEAR SPRING	1.28	1.72	2.20
	91198	79	1187	SLIDE BLOCK BUFFER	1.28	1.72	2.20
	97097		1187	SLING STRAP ASSEM BLACK NYLON	32.48	43.68	56.00
3	105620		1187	SLING STRAP ASSEM MOSSY OAK BOTTOMLND	25.00	33.62	43.10
	105621		1187	SLING STRAP ASSEM MOSSY OAK BREAK UP	32.48	43.68	56.00
	100595		1187	SLING STRAP ASSEM (WOODLAND CAMO)	32.48	43.68	56.00
	105622		1187	SLING STRAP ASSEM REALTREE X-BROWN	32.48	43.68	56.00
	98962	80	1187	STK ASSEM 12 GA CURLY MAPLE WOOD	79.98	107.56	137.90
	102850		1187	STK ASSEM 12 GA HG CUT WOOD	56.84	76.44	98.00
	102852		1187	STK ASSEM 12 GA MC DEER CANT PREMIER WOOD	56.84	76.44	98.00
	108786		1187	STK ASSEM 12 GA MC SYN W/SW HOLE	35.96	48.36	62.00
	102848		1187	STK ASSEM 12 GA MC TRAP SATIN WOOD	113.10	152.10	195.00
	102845		1187	STK ASSEM 12 GA SATIN CUT WOOD	56.84	76.44	98.00
	102846		1187	STK ASSEM 12 GA SKEET SATIN WOOD	113.10	152.10	195.00
	94491		1187	STK ASSEM 12 GA SP SATIN WALNUT WOOD	56.84	76.44	98.00
	102853		1187	STK ASSEM 12 GA SPTG CLAY SATIN WOOD	113.10	152.10	195.00
3	105041		1187	STK ASSEM 12 GA SYN MOSSY OAK BOTTOMLAND (105	37.70	50.70	65.00
	108784		1187	STK ASSEM 12 GA SYN MOSSY OAK BR-UP W/ SW HOLE	37.70	50.70	65.00
	105024		1187	STK ASSEM 12 GA SYN MOSSY OAK BR-UP W/O SW HOLE	37.70	50.70	65.00
	105042		1187	STK ASSEM 12 GA SYN MOSSY OAK GREENLEAF	37.70	50.70	65.00
	99031		1187	STK ASSEM 12 GA SYN POLICE W/STUDS N/LOGO	37.70	50.70	65.00
	105023		1187	STK ASSEM 12 GA SYN REALTREE EXTRA BROWN	35.00	47.07	60.35
	99374		1187	STK ASSEM 12 GA SYN W/LOGO W/O SW HOLE	37.70	50.70	65.00
	108785		1187	STK ASSEM 12 GA SYN W/LOGO W/SW HOLE	37.70	50.70	65.00
	102847		1187	STK ASSEM 12 GA TRAP SATIN WOOD	113.10	152.10	195.00
	103282		1187	STK ASSEM 20 GA HG CUT WOOD	58.00	78.00	100.00
	19993	81	1187	STOCK BEARING PLATE 12 GA	1.28	1.72	2.20
	19621		1187	STOCK BEARING PLATE 20 GA	1.28	1.72	2.20
	94241		1187	STOCK SWIVEL SCREW SPACER	1.28	1.72	2.20
	97812		1187	STOCK SWIVEL SCRW (SYN, PRE-DRILLED SLEEVE)	2.73	3.67	4.70
	15358		1187	STOCK SWIVEL SCRW (WOOD & NON-SLEEVE SYN)	2.09	2.81	3.60
	104115		1187	SWIVEL EYE BL	3.25	4.37	5.60
	94766		1187	SWIVEL STUD RETAINER BL	1.28	1.72	2.20
5	20610	82	1187	TRIGGER ASSEM	8.47	11.39	14.60
5	20611		1187	TRIGGER ASSEM BL W/ GOLD TRIGGER (SPTG & 20GA)	8.47	11.39	14.60
	17533	83	1187	TRIGGER PIN	1.28	1.72	2.20
	109642	84	1187	TRIGGER PLATE ASSEM 12 GA LH BL GOLD TRIGGER	62.41	83.93	107.60
	100636		1187	TRIGGER PLATE ASSEM 12 GA LH BL RH SAFETY	52.00	69.93	89.65
	100631		1187	TRIGGER PLATE ASSEM 12 GA LH MATTE	52.00	69.93	89.65
	109640		1187	TRIGGER PLATE ASSEM 12 GA LH SAFETY BL	62.41	83.93	107.60
	109638		1187	TRIGGER PLATE ASSEM 12 GA RH BL (100635)	55.10	74.10	95.00
	109641		1187	TRIGGER PLATE ASSEM 12 GA RH BL GOLD TRIGGER	55.10	74.10	95.00
	100630		1187	TRIGGER PLATE ASSEM 12 GA RH SP MATTE	62.41	83.93	107.60
	109643		1187	TRIGGER PLATE ASSEM 12 GA SPTG CLAY BL	55.10	74.10	95.00
	109607		1187	TRIGGER PLATE ASSEM 12 GA RH LH SAFE MATTE			80.00
	200015		1187	TRIGGER PLATE ASSEM 20 GA BL GOLD TRIGGER	62.41	83.93	107.60
	17541	85	1187	TRIGGER PLATE PIN BUSHING REAR	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	17539	86	1187	TRIGGER PLATE PIN DET SPRING, FRONT (NEED 2)	1.28	1.72	2.20
	17540	87	1187	TRIGGER PLATE PIN DET SPRING, REAR	1.28	1.72	2.20
	20601	88	1187	TRIGGER PLATE PIN FRONT 12 GA	1.28	1.72	2.20
	20602		1187	TRIGGER PLATE PIN FRONT 20 GA	1.28	1.72	2.20
	20606	89	1187	TRIGGER PLATE PIN REAR 12 GA	1.28	1.72	2.20
	20607		1187	TRIGGER PLATE PIN REAR 20 GA	1.28	1.72	2.20
3	200065		1187	TRUGLO SIGHT SCREW	0.99	1.33	1.70
3	200063		1187	TRUGLO SIGHTS (NWTF GUNS)	6.99	9.40	12.05
	201203		1187	TRUGLO SIGHT SET (FOR RIFLE SIGHTS- DOVE TAILS IN)	24.80	33.35	42.75
	200290		1187	TRUGLO SIGHTS (FOR VT– DOUBLE SIDE TAPE)	17.40	23.40	30.00
	90904		1187	WINDAGE SCREW	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	200561		11-87Sup	ACTION BAR ASSEM RH	38.40	51.64	66.20
	200565		11-87Sup	ACTION BAR SLEEVE	19.49	26.21	33.60
	15252		11-87Sup	ACTION SPRING	2.09	2.81	3.60
	200577		11-87Sup	ACTION SPRING FOLLOWER	0.00	0.00	0.00
	90518		11-87Sup	ACTION SPRING PLUG	2.32	3.12	4.00
	15441		11-87Sup	ACTION SPRING PLUG PIN	1.28	1.72	2.20
	200587		11-87Sup	ACTION SPRING TUBE	0.00	0.00	0.00
	15442		11-87Sup	ACTION SPRING TUBE NUT	2.99	4.02	5.15
	15498		11-87Sup	ACTION SPRING TUBE NUT WASHER	1.28	1.72	2.20
	15499		11-87Sup	ACTION SPRING TUBE LOCK WASHER	1.28	1.72	2.20
	15899		11-87Sup	BARREL SEAL	1.97	2.65	3.40
	109440		11-87Sup	BBL 12/26 RC VT MATTE	168.75	195.75	225.00
	109441		11-87Sup	BBL 12/28 RC VT MATTE	168.75	195.75	225.00
	18805		11-87Sup	BARREL SUPPORT	0.00	0.00	0.00
	200567		11-87Sup	BREECH BOLT ASSEM	54.00	72.62	93.10
	200568		11-87Sup	BREECH BOLT BUFFER	0.00	0.00	0.00
	109490		11-87Sup	CARRIER ASSEMBLY	0.00	0.00	21.95
	109495		11-87Sup	CARRIER	0.00	0.00	0.00
	200591		11-87Sup	CARRIER DOG	0.00	0.00	6.70
	17416		11-87Sup	CARRIER DOG FOLLOWER	1.80	2.42	3.10
	201318		11-87Sup	CARRIER DOG FOLLOWER SPRING	1.28	1.72	2.20
	18760		11-87Sup	CARRIER DOG WASHER	1.28	1.72	2.20
	200579		11-87Sup	CARRIER LATCH	2.09	2.81	3.60
	16345		11-87Sup	CARRIER LATCH PIN	1.28	1.72	2.20
	15703		11-87Sup	CARRIER LATCH FOLLOWER	1.28	1.72	2.20
	201393		11-87Sup	CARRIER LATCH SPRING	1.28	1.72	2.20
	91887		11-87Sup	CARRIER PIVOT TUBE ASSEM	0.00	0.00	0.00
	90295		11-87Sup	CARRIER PIVOT TUBE	1.97	2.65	3.40
	16347		11-87Sup	CARRIER RELEASE	3.25	4.37	5.60
	16983		11-87Sup	CARRIER RELEASE PIN	1.28	1.72	2.20
	16327		11-87Sup	CARRIER RELEASE SPRING	1.71	2.30	2.95
	98870		11-87Sup	CHOKE TUBE 12 GA EXTENDED RIFLED	32.02	43.06	55.20
	103795		11-87Sup	CHOKE TUBE 12 GA FULL--STEEL OR LEAD	18.11	24.35	31.22
	105360		11-87Sup	CHOKE TUBE 12 GA FULL EXT SPTG CLAY BL	16.21	21.80	27.95
	101585		11-87Sup	CHOKE TUBE 12 GA IMP CYL	10.50	14.12	18.10
	105362		11-87Sup	CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY BL	16.99	22.85	29.30
	108261		11-87Sup	CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY NP	17.01	22.87	29.32
	101590		11-87Sup	CHOKE TUBE 12 GA IMP SKEET	10.50	14.12	18.10
	105363		11-87Sup	CHOKE TUBE 12 GA IMP SKEET EXT SPTG CLAY BL	17.02	22.89	29.35
	108262		11-87Sup	CHOKE TUBE 12 GA LT MOD EXT SPTG CLAY NP	17.01	22.87	29.32
	101586		11-87Sup	CHOKE TUBE 12 GA MOD	10.50	14.12	18.10
	105361		11-87Sup	CHOKE TUBE 12 GA MOD EXT SPTG CLAY BL	16.99	22.85	29.30
	108263		11-87Sup	CHOKE TUBE 12 GA MOD EXT SPTG CLAY NP	17.01	22.87	29.32
	94650		11-87Sup	CHOKE TUBE 12 GA RIFLED N/S FLUSH	21.78	29.29	37.55
	101588		11-87Sup	CHOKE TUBE 12 GA SKEET	10.50	14.12	18.10
	105364		11-87Sup	CHOKE TUBE 12 GA SKEET EXT SPTG CLAY BL	16.99	22.85	29.30
	108260		11-87Sup	CHOKE TUBE 12 GA SKEET EXT SPTG CLAY NP	17.01	22.87	29.32
	94516		11-87Sup	CHOKE TUBE 12 GA TURKEY EXT EXTRA FULL	17.01	22.87	29.32
11	200094		11-87Sup	CHOKE TUBE 12 GA TURKEY EXT STRAIGHT RIFLED	27.51	37.00	47.43
	105930		11-87Sup	CHOKE TUBE 12 GA TURKEY EXT SUPER FULL	17.59	23.66	30.33
	94525		11-87Sup	CHOKE TUBE 12 GA WRENCH	4.81	6.47	8.30
	106930		11-87Sup	CHOKE TUBE 12 GA WRENCH (SPEED WRENCH)	6.26	8.42	10.80
	17419		11-87Sup	CONNECTOR, LEFT	1.28	1.72	2.20
	17551		11-87Sup	CONNECTOR, RIGHT	1.28	1.72	2.20
	17420		11-87Sup	CONNECTOR PIN	1.28	1.72	2.20
	200596		11-87Sup	DISCONNECTOR	0.00	0.00	9.00
	93622		11-87Sup	EXTRACTOR RH	7.48	10.06	12.90
	17432		11-87Sup	EXTRACTOR PLUNGER	1.28	1.72	2.20
	17433		11-87Sup	EXTRACTOR SPRING	1.28	1.72	2.20
	26630		11-87Sup	FEED LATCH	7.83	10.53	13.50
	200570		11-87Sup	FIRING PIN	0.00	0.00	0.00
	18623		11-87Sup	FIRING PIN RETAINING PIN	1.28	1.72	2.20
	93505		11-87Sup	FIRING PIN RETRACTOR SPRING	1.71	2.30	2.95
	200571		11-87Sup	FORE END ASSEM WALNUT SP	43.50	58.50	75.00
	200564		11-87Sup	FORE END ASSEM SYN BLACK	20.30	27.30	35.00
	91658		11-87Sup	FORE END SUPPORT	3.39	4.56	5.85
	18918		11-87Sup	FRONT SIGHT BRADLEY IVORY BEAD	3.89	5.23	6.70
	93500		11-87Sup	GAS CYLINDER	14.50	19.50	25.00
	93498		11-87Sup	GAS CYLINDER SPRING			
	93822		11-87Sup	GRIP CAP	1.97	2.65	3.40

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	201534		11-87Sup	HAMMER	3.89	5.23	6.70
	16600		11-87Sup	HAMMER PIN	1.51	2.03	2.60
	15809		11-87Sup	HAMMER PIN WASHER	1.28	1.72	2.20
	17465		11-87Sup	HAMMER PLUNGER	1.28	1.72	2.20
	19014		11-87Sup	HAMMER SPRING	1.28	1.72	2.20
	36635		11-87Sup	INTERCEPTOR LATCH			
	15398		11-87Sup	INTERCEPTOR LATCH RETAINER	1.28	1.72	2.20
	15383		11-87Sup	INTERCEPTOR LATCH SPRING	1.28	1.72	2.20
	15238		11-87Sup	INTERCEPTOR LATCH STUD	1.28	1.72	2.20
	201300		11-87Sup	KEY (INTEGRATED SAFETY SYSTEM)	0.00	0.00	0.00
	201299		11-87Sup	KEY COVER	0.00	0.00	0.00
	26075		11-87Sup	LINK	6.84	9.20	11.80
	26640		11-87Sup	LOCKING BLOCK ASSEM	10.41	14.00	17.95
	15855		11-87Sup	LOCKING BLOCK RETAINER	1.28	1.72	2.20
	103187		11-87Sup	MAGAZINE CAP SWIVEL ASSEM SP MATTE	18.21	24.49	31.40
	92803		11-87Sup	MAGAZINE FOLLOWER	1.80	2.42	3.10
	18097		11-87Sup	MAGAZINE PLUG	1.28	1.72	2.20
	93188		11-87Sup	MAGAZINE SPRING	1.89	2.54	3.25
	93515		11-87Sup	MAGAZINE SPRING RETAINER	1.89	2.54	3.25
	101975		11-87Sup	MAGAZINE TUBE	26.01	34.98	44.85
	18052		11-87Sup	MIDDLE SIGHT STEEL	1.28	1.72	2.20
	99914		11-87Sup	OPERATING HANDLE	5.22	7.02	9.00
	23222		11-87Sup	OPERATING HANDLE DETENT BALL	1.28	1.72	2.20
	91200		11-87Sup	OPERATING HANDLE DETENT SPRING	1.28	1.72	2.20
	200295		11-87Sup	PISTON/PISTON SEAL ASSEM	8.24	11.08	14.20
	107568		11-87Sup	RECEIVER ASSEM SP MATTE RH	164.98	221.87	284.45
	28230		11-87Sup	RECOIL PAD- BROWN VENTED (WOOD STOCK)	10.41	14.00	17.95
	97973		11-87Sup	RECOIL PAD- BLACK NO VENTS (SYN STOCK)	11.69	15.72	20.15
	25410		11-87Sup	RECOIL PAD SCREW (WOOD & SYN)	0.79	1.07	1.37
	17676		11-87Sup	RETURN PLUNGER RETAINING PIN	0.93	1.25	1.60
	201212		11-87Sup	SAFETY RH	2.76	3.71	4.75
	201209		11-87Sup	SAFETY DETENT PLUNGER	0.99	1.33	1.70
	201218		11-87Sup	SAFETY DETENT SPRING	0.99	1.33	1.70
	17515		11-87Sup	SAFETY SPRING RETAINING PIN	1.28	1.72	2.20
	18750		11-87Sup	SEAR	5.22	7.02	9.00
	17463		11-87Sup	SEAR PIN	1.28	1.72	2.20
	17518		11-87Sup	SEAR SPRING	1.28	1.72	2.20
	100595		11-87Sup	SLING STRAP ASSEM (WOODLAND CAMO)	32.48	43.68	56.00
	94491		11-87Sup	STOCK ASSEM WALNUT SP	56.84	76.44	98.00

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	99377		11-87Sup	STOCK ASSEM SYNTHETIC SP			
	99374		11-87Sup	STOCK ASSEM SYNTHETIC W/LOGO ON GRIP CAP	37.70	50.70	65.00
	19993		11-87Sup	STOCK BEARING PLATE (USE W/ WOOD STOCK ONLY)	1.28	1.72	2.20
	15358		11-87Sup	STOCK SWIVEL SCREW	2.09	2.81	3.60
	94241		11-87Sup	STOCK SWIVEL SCREW SPACER	1.28	1.72	2.20
	109644		11-87Sup	TRIGGER PLATE ASSEM	55.10	74.10	95.00
	20610		11-87Sup	TRIGGER ASSEM	8.47	11.39	14.60
	17533		11-87Sup	TRIGGER PIN	1.28	1.72	2.20
	20601		11-87Sup	TRIGGER PLATE PIN FRONT	1.28	1.72	2.20
	20606		11-87Sup	TRIGGER PLATE PIN REAR	1.28	1.72	2.20
	17539		11-87Sup	TRIGGER PLATE PIN DETENT SPRING FRONT (2 NEEDED)	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1439		1196	EMPTY SHOGUN BOX (870-1100-1187-1196)	5.00	5.00	5.00
	33950	1	1196	ACTION BAR ASSEM	38.40	51.64	66.20
	99546	2	1196	ACTION BAR SLEEVE	14.99	20.16	25.85
	15252	3	1196	ACTION SPRING	2.09	2.81	3.60
	15171	4	1196	ACTION SPRING FOLLOWER	1.80	2.42	3.10
	90518	5	1196	ACTION SPRING PLUG	2.32	3.12	4.00
	15441	6	1196	ACTION SPRING PLUG PIN	1.28	1.72	2.20
	15443	7	1196	ACTION SPRING TUBE	6.21	8.35	10.70
	15442	8	1196	ACTION SPRING TUBE NUT	2.99	4.02	5.15
	15499	10	1196	ACTION SPRING TUBE NUT LOCK WASHER	1.28	1.72	2.20
	15498	9	1196	ACTION SPRING TUBE NUT WASHER	1.28	1.72	2.20
	108535	11	1196	BBL 12/26 (108400)	144.75	167.91	193.00
	108536		1196	BBL 12/28	111.94	150.54	193.00
	15899	12	1196	BBL SEAL	1.97	2.65	3.40
	101915	13	1196	BREECH BOLT ASSEM	54.00	72.62	93.10
	91450	14	1196	BREECH BOLT BUFFER	1.28	1.72	2.20
	91199	15	1196	BREECH BOLT RETURN PLUNGER	1.28	1.72	2.20
	15711	16	1196	BREECH BOLT RETURN PLUNGER RET. RING	1.28	1.72	2.20
	91536	17	1196	CARRIER	10.41	14.00	17.95
	100642	18	1196	CARRIER ASSEM 12 GA N/S	16.88	22.70	29.10
	15480	19	1196	CARRIER DOG	3.89	5.23	6.70
	17416	22	1196	CARRIER DOG FOLLOWER	1.80	2.42	3.10
	17415	23	1196	CARRIER DOG FOLLOWER SPRING	1.28	1.72	2.20
	18781	20	1196	CARRIER DOG PIN	1.80	2.42	3.10
	18760	21	1196	CARRIER DOG WASHER	1.28	1.72	2.20
	15257	24	1196	CARRIER LATCH	2.09	2.81	3.60
	15703	25	1196	CARRIER LATCH FOLLOWER	1.28	1.72	2.20
	16345	26	1196	CARRIER LATCH PIN	1.28	1.72	2.20
	16966	27	1196	CARRIER LATCH SPRING	1.28	1.72	2.20
	90295	28	1196	CARRIER PIVOT TUBE	1.97	2.65	3.40
	16347	29	1196	CARRIER RELEASE	3.25	4.37	5.60
	16983	30	1196	CARRIER RELEASE PIN	1.28	1.72	2.20
	16327	31	1196	CARRIER RELEASE SPRING	1.71	2.30	2.95
	98870		1196	CHOKE TUBE 12 GA EXTENDED RIFLED	32.02	43.06	55.20
	103795		1196	CHOKE TUBE 12 GA FULL--STEEL OR LEAD	18.11	24.35	31.22
	105360		1196	CHOKE TUBE 12 GA FULL EXT SPTG CLAY BL	16.21	21.80	27.95
	101585		1196	CHOKE TUBE 12 GA IMP CYL	10.50	14.12	18.10
	105362		1196	CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY BL	16.99	22.85	29.30
	108261		1196	CHOKE TUBE 12 GA IMP CYL EXT SPTG CLAY NP	17.01	22.87	29.32
	101590		1196	CHOKE TUBE 12 GA IMP SKEET	10.50	14.12	18.10
	105363		1196	CHOKE TUBE 12 GA IMP SKEET EXT SPTG CLAY BL	17.02	22.89	29.35
	108262		1196	CHOKE TUBE 12 GA LT MOD EXT SPTG CLAY NP	17.01	22.87	29.32
	101586		1196	CHOKE TUBE 12 GA MOD	10.50	14.12	18.10
	105361		1196	CHOKE TUBE 12 GA MOD EXT SPTG CLAY BL	16.99	22.85	29.30
	108263		1196	CHOKE TUBE 12 GA MOD EXT SPTG CLAY NP	17.01	22.87	29.32
	94650		1196	CHOKE TUBE 12 GA RIFLED N/S FLUSH	21.78	29.29	37.55
	101588		1196	CHOKE TUBE 12 GA SKEET	10.50	14.12	18.10
	105364		1196	CHOKE TUBE 12 GA SKEET EXT SPTG CLAY BL	16.99	22.85	29.30
	108260		1196	CHOKE TUBE 12 GA SKEET EXT SPTG CLAY NP	17.01	22.87	29.32
	94516		1196	CHOKE TUBE 12 GA TURKEY EXT EXTRA FULL	17.01	22.87	29.32
11	200094		1196	CHOKE TUBE 12 GA TURKEY EXT STRAIGHT RIFLED	27.51	37.00	47.43
	105930		1196	CHOKE TUBE 12 GA TURKEY EXT SUPER FULL	17.59	23.66	30.33
	94525		1196	CHOKE TUBE 12 GA WRENCH	4.81	6.47	8.30
	106930		1196	CHOKE TUBE 12 GA WRENCH (SPEED WRENCH)	6.26	8.42	10.80
	17419	32	1196	CONNECTOR LEFT	1.28	1.72	2.20
	17420	34	1196	CONNECTOR PIN	1.28	1.72	2.20
	17551	33	1196	CONNECTOR RIGHT	1.28	1.72	2.20
	92060	35	1196	DISCONNECTOR	5.22	7.02	9.00
	93503	36	1196	EXTRACTOR	7.48	10.06	12.90
	17432	37	1196	EXTRACTOR PLUNGER	1.28	1.72	2.20
	17433	38	1196	EXTRACTOR SPRING	1.28	1.72	2.20
	93971	39	1196	FEED LATCH	7.83	10.53	13.50
	17436	40	1196	FIRING PIN	3.65	4.91	6.30
	18623	41	1196	FIRING PIN RETAINING PIN	1.28	1.72	2.20
	93505	42	1196	FIRING PIN RETRACTOR SPRING	1.71	2.30	2.95
	99542	43	1196	FORE END 12 GA SATIN (DOES NOT INCLUDE SLEEVE)	52.20	70.20	90.00
	92853	71	1196	FORE END SLEEVE (RUBBER GROMMET)	2.99	4.02	5.15
	91658	44	1196	FORE END SUPPORT	3.39	4.56	5.85
	18918	45	1196	FRONT SIGHT IVORY BEAD SCREW IN	3.89	5.23	6.70
	93507	45a	1196	GAS CYLINDER COLLAR	2.49	3.35	4.30

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	93822	46	1196	GRIP CAP (W/REM GOLD LOGO)	1.97	2.65	3.40
	15249	48	1196	HAMMER	2.99	4.02	5.15
	16600	49	1196	HAMMER PIN	1.51	2.03	2.60
	15809	50	1196	HAMMER PIN WASHER	1.28	1.72	2.20
	17465	51	1196	HAMMER PLUNGER	1.28	1.72	2.20
	19014	52	1196	HAMMER SPRING	1.28	1.72	2.20
	26635	55	1196	INTERCEPTOR LATCH	9.43	12.68	16.25
	15398	53	1196	INTERCEPTOR LATCH RETAINER	1.28	1.72	2.20
	15383	54	1196	INTERCEPTOR LATCH SPRING	1.28	1.72	2.20
	26075	56	1196	LINK	6.84	9.20	11.80
	26640	57	1196	LOCKING BLOCK ASSEM	10.41	14.00	17.95
	200178	58	1196	MAGAZINE CAP	6.00	8.07	10.35
	92803	60	1196	MAGAZINE FOLLOWER	1.80	2.42	3.10
	92558		1196	MAGAZINE PLUG	1.28	1.72	2.20
	93188	61	1196	MAGAZINE SPRING 12 GA	1.89	2.54	3.25
	93515	62	1196	MAGAZINE SPRING RET (PLASTIC)	1.89	2.54	3.25
6	101965		1196	MAGAZINE TUBE ASSEM 12GA	32.25	43.37	55.60
	18052	62a	1196	MIDDLE SIGHT	1.28	1.72	2.20
	99914	63	1196	OPERATING HANDLE 12GA NICKEL PLATED	5.22	7.02	9.00
	91200	65	1196	OPERATING HANDLE DETENT SPRING	1.28	1.72	2.20
	823222	64	1196	OPERATING HDLE DET BALL	1.28	1.72	2.20
	200295	66, 67	1196	PISTON & PISTON SEAL ASSEM W/FLYER	8.24	11.08	14.20
3	15384		1196	PISTON (NOT AVAIL. USE #200295)			
3	15385		1196	PISTON SEAL (NOT AVAIL. USE #200295)			
1	99536	68	1196	REC ASSEM 12 GA	139.98	188.25	241.35
	92774	69	1196	RECOIL PAD PREM SF SOLID BROWN	10.41	14.00	17.95
	25410	70	1196	RECOIL PAD SCREW (2 NEEDED)	0.79	1.07	1.37
	94555	68a	1196	RETURN PLUNGER RETAINING PIN	1.28	1.72	2.20
	25115	72	1196	SAFETY SWITCH	1.71	2.30	2.95
	23223	73	1196	SAFETY SWITCH DETENT BALL	1.28	1.72	2.20
	17514	74	1196	SAFETY SWITCH SPRING	1.28	1.72	2.20
	17515	75	1196	SAFETY SWITCH SPRING RETAINING PIN	1.28	1.72	2.20
	18750	76	1196	SEAR	5.22	7.02	9.00
	17463	77	1196	SEAR PIN	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	17518	78	1196	SEAR SPRING	1.28	1.72	2.20
	91198	79	1196	SLIDE BLOCK BUFFER	1.28	1.72	2.20
	99543	80	1196	STK ASSEM 12 GA SATIN	63.80	85.80	110.00
	19993	81	1196	STK BEARING PLATE	1.28	1.72	2.20
	17533	83	1196	TRIGGER PIN	1.28	1.72	2.20
	109638	84	1196	TRIGGER PLATE ASSEM 12 GA RH	55.10	74.10	95.00
	17541	85	1196	TRIGGER PLATE PIN BUSHING REAR	1.28	1.72	2.20
	17539	86	1196	TRIGGER PLATE PIN DETENT SPRING FRT (2 NEEDED)	1.28	1.72	2.20
	17540	87	1196	TRIGGER PLATE PIN DETENT SPRING REAR	1.28	1.72	2.20
	20601	88	1196	TRIGGER PLATE PIN FRT	1.28	1.72	2.20
	20606	89	1196	TRIGGER PLATE PIN REAR	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1361		3200	SHOTGUN BOX W/FOAM	5.00	5.00	5.00
	32491	2	3200	BARREL BAND 26 BL	12.01	16.15	20.70
	32492		3200	BARREL BAND 30 BL	12.01	16.15	20.70
	90297	3	3200	BARREL BAND LOCK PIN	1.51	2.03	2.60
6	33018	1	3200	BBL 12/28 SET	700.00	700.00	700.00
6	33031		3200	BBL 12/30 SET TRAP	700.00	700.00	700.00
6	33045		3200	BBL 12/32 SET	700.00	700.00	700.00
6	33740		3200	BBL 20/28 SK	700.00	700.00	700.00
6	33720		3200	BBL ASSEM 12 GA	700.00	700.00	700.00
6	90396	4	3200	BOTTOM TANG	79.98	107.56	137.90
	91115	5	3200	BOTTOM TANG SCREW	2.00	2.69	3.45
	90482	6	3200	BUTT PLATE	3.51	4.72	6.05
3	33240	7	3200	BUTT PLATE SCREW (PHILLIPS HEAD)	1.10	1.48	1.90
6	90335	8	3200	CONNECTOR	13.80	18.56	23.80
	90888	9	3200	DUMMY PINS / CONNECTOR PINS	1.51	2.03	2.60
5	90379	10	3200	EJECTOR 12 GA LEFT (BOTTOM)	41.09	55.26	70.85
5	90378	11	3200	EJECTOR 12 GA RIGHT (TOP)	41.09	55.26	70.85
5	33687		3200	EJECTOR 20 GA LEFT (BOTTOM)	41.09	55.26	70.85
5	33682		3200	EJECTOR 20 GA RIGHT (TOP)			
5	33686		3200	EJECTOR 28 GA LEFT (BOTTOM)	41.09	55.26	70.85
5	33681		3200	EJECTOR 28 GA RIGHT (TOP)	41.09	55.26	70.85
5	33685		3200	EJECTOR 410 GA LEFT (BOTTOM)	41.09	55.26	70.85
6	90392		3200	EJECTOR CAM LEFT	39.44	53.04	68.00
6	90391		3200	EJECTOR CAM REAR	39.44	53.04	68.00
	90360	13	3200	EJECTOR HAMMER LEFT	22.50	30.26	38.80
	90363	14	3200	EJECTOR HAMMER PIN	1.51	2.03	2.60
	90370		3200	EJECTOR HAMMER PIN	1.51	2.03	2.60
	90535	15	3200	EJECTOR HAMMER PIVOT RING	1.51	2.03	2.60
	90361	12	3200	EJECTOR HAMMER RIGHT	17.95	24.14	30.95
	90291	16	3200	EJECTOR HAMMER SPRING	1.51	2.03	2.60
	32400	17	3200	EJECTOR PLUNGER ASSEM	10.01	13.46	17.25
	90359	18	3200	EJECTOR SEAR	1.54	2.07	2.65
	90362		3200	EJECTOR SEAR PIN	1.10	1.48	1.90
	90437	19	3200	EJECTOR SEAR SPRING	1.51	2.03	2.60
	90380	20	3200	EJECTOR STOP PIN	1.10	1.48	1.90
	90498	21	3200	EJECTOR TRIP ROD LEFT	8.00	10.76	13.80
	90499	22	3200	EJECTOR TRIP ROD RIGHT	8.00	10.76	13.80
6	90304	23	3200	FIRING PIN	6.00	8.07	10.35
	90310	24	3200	FIRING PIN HOUSING	21.05	28.31	36.30
	32235	25	3200	FIRING PIN HOUSING ASSEM PIN	2.20	2.96	3.80
	16549		3200	FIRING PIN RETAINING PIN	1.51	2.03	2.60
	90501	26	3200	FIRING PIN RETRACTR	2.20	2.96	3.80
	90549	28	3200	FORE END ADJUSTER PLATE	1.80	2.42	3.10
	90551	29	3200	FORE END ADJUSTER PLATE LOCK NUT	1.51	2.03	2.60
	90550	30	3200	FORE END ADJUSTER PLATE STUD	2.20	2.96	3.80
5	32385	38	3200	FORE END IRON ASSEM	85.00	114.31	146.55
6	97355		3200	FORE END IRON ASSEM COMPLETE			
	90313	31	3200	FORE END LATCH	10.15	13.65	17.50
	90308	32	3200	FORE END LATCH COVER	20.50	27.57	35.35
	13875		3200	FORE END LATCH COVER SHIM (TOP)	1.51	2.03	2.60
3	90890	33	3200	FORE END LATCH FINGER PIECE	1.51	2.03	2.60
	90351	34	3200	FORE END LATCH SPRING	1.80	2.42	3.10
	90538		3200	FORE END PLATE LOCATING SCREW	1.10	1.48	1.90
	91027	35	3200	FORE END SCREW FRONT	1.10	1.48	1.90
	90886	37	3200	FORE END SCREW NUT	1.31	1.76	2.25
	90294	36	3200	FORE END SCREW REAR	1.10	1.48	1.90
	91159	27	3200	FORE END WOOD COMP GRADE SATIN	110.00	147.93	189.65
3	32395		3200	FORE END WOOD FIELD GRADE			
3	90979		3200	FORE END WOOD SPECIAL TRAP B	88.94	119.61	153.35
6	32360	39	3200	FRAME SEAR BLOCK ASSEM			
	93692	40	3200	FRONT SIGHT	2.61	3.51	4.50
	90902		3200	FRONT SIGHT BRADLEY IVORY BEAD	3.45	4.64	5.95
	90481	41	3200	GRIP CAP	1.19	1.60	2.05
	25380		3200	GRIP CAP SCREW	1.28	1.72	2.20
	32476	43	3200	HAMMER ASSEM LEFT (BOTTOM)	23.00	30.93	39.65
	32475	42	3200	HAMMER ASSEM RIGHT (TOP)	23.00	30.93	39.65
	90467	44	3200	HAMMER COCKING CAM	12.01	16.15	20.70
	90401	45	3200	HAMMER COCKING CAM PIN	1.19	1.60	2.05
	90440	47	3200	HAMMER COCKING ROD	8.00	10.76	13.80
	90473	46	3200	HAMMER COCKING SPRING	2.09	2.81	3.60

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	90401	48	3200	HAMMER PIN	1.19	1.60	2.05
6	32391	50	3200	HAMMER PLUNGER ASSEM LEFT W/SPRING	23.49	31.59	40.50
	32390	49	3200	HAMMER PLUNGER ASSEM RIGHT W/SPRING	23.49	31.59	40.50
	90387		3200	HAMMER PLUNGER PIN	2.26	3.04	3.90
	90367		3200	HAMMER PLUNGER ROD	4.50	6.05	7.75
6	33361		3200	HINGE PIN OVERSIZED	10.90	14.66	18.80
6	33362		3200	HINGE PIN SUPER OVERSIZED	10.90	14.66	18.80
6	33360		3200	JOINT PINS	10.90	14.66	18.80
	90358	51	3200	MAIN HAMMER SPRING	2.20	2.96	3.80
	18052		3200	MIDDLE SIGHT SKEET (THREADED)	1.28	1.72	2.20
6	90349	52	3200	REAR CONNECTOR LINK	6.50	8.74	11.20
	25410		3200	RECOIL PAD SCREW	0.79	1.07	1.37
	90972		3200	RECOIL PAD TRAP BLACK	12.09	16.26	20.85
	94628		3200	RECOIL PAD TRAP BROWN	10.41	14.00	17.95
3	32985	53	3200	SAFETY SELECTOR ASSEM TRAP	11.51	15.48	19.85
	90545	54	3200	SAFETY SELECTOR DETENT	1.10	1.48	1.90
	90410	55	3200	SAFETY SELECTOR DETENT SPRING	1.19	1.60	2.05
	90894		3200	SAFETY SELECTOR LEVER	10.50	14.12	18.10
	90564		3200	SAFETY SELECTOR SCREW	1.10	1.48	1.90
	32995		3200	SAFETY SELECTOR SCREW WRENCH	1.39	1.87	2.40
6	90321		3200	SEAR BLOCK	29.09	39.12	50.15
	90322		3200	SEAR BLOCK PIN	1.10	1.48	1.90
6	90333	56	3200	SEAR LEFT (BOTTOM)	17.40	23.40	30.00
	90319	58	3200	SEAR PIN	1.10	1.48	1.90
	90334	57	3200	SEAR RIGHT (TOP)	17.40	23.40	30.00
	90318	59	3200	SEAR SPRING	1.39	1.87	2.40
	91012		3200	SEAR SPRING (SKEET & TRAP)	1.39	1.87	2.40
	90323	60	3200	SEAR SPRING PLUNGER	1.31	1.76	2.25
6	90336	61	3200	SELECTOR BLOCK	9.31	12.52	16.05
	90337	62	3200	SELECTOR BLOCK GUIDE	2.64	3.55	4.55
	33180	63	3200	SELECTOR BLOCK GUIDE PIN	1.10	1.48	1.90
3	32765	64	3200	STK ASSEM FIELD GRADE WOOD	210.48	283.06	362.90
3	33920		3200	STK ASSEM MC TRAP GRADE SATIN WOOD	249.17	335.09	429.60
3	33300		3200	STK ASSEM SKEET A WOOD	215.47	289.77	371.50
3	33925		3200	STK ASSEM SKEET SATIN WOOD	251.92	338.79	434.35
	33220		3200	STK ASSEM SPECIAL TRAP B WOOD	300.88	404.63	518.75
3	33915		3200	STK ASSEM TRAP SATIN WOOD	248.47	334.15	428.40
	18571	65	3200	STOCK BOLT	1.80	2.42	3.10
	18572	66	3200	STOCK BOLT LOCK WASHER	1.28	1.72	2.20
	18573	67	3200	STOCK BOLT WASHER	1.28	1.72	2.20
	90356	68	3200	TANG BLOCK SCREW	1.25	1.68	2.15
	90357	69	3200	TANG BLOCK SLOT NUT	2.64	3.55	4.55
	90385	70	3200	TANG CONNECTING BLOCK	31.99	43.02	55.15
6	91172	71	3200	TANG STRUT	10.50	14.12	18.10
	91173	72	3200	TANG STRUT PIN	1.10	1.48	1.90
	90343	73	3200	TOGGLE BLOCK	11.19	15.05	19.30
	33180	74	3200	TOGGLE BLOCK RETAINING PIN	1.10	1.48	1.90
	90344	75	3200	TOGGLE LINK	8.50	11.43	14.65
	90546	76	3200	TOGGLE LINK SCREW	1.10	1.48	1.90
	90350	77	3200	TOGGLE SLIDE BLOCK	1.39	1.87	2.40
	90345	78	3200	TOGGLE SLIDE BLOCK STUD	1.10	1.48	1.90
6	91046	79	3200	TOP LOCK 1 OF 3,000			
	90298	80	3200	TOP LOCK LATCH	4.50	6.05	7.75
	90293	81	3200	TOP LOCK LATCH PIN	1.10	1.48	1.90
	90320	82	3200	TOP LOCK LATCH SPRING	1.19	1.60	2.05
6	90315	83	3200	TOP LOCK LEVER	22.50	30.26	38.80
	32310	84	3200	TOP LOCK LEVER PLUNGER ASSEM	21.75	29.25	37.50
	90307	85	3200	TOP LOCK LEVER SCREW	1.65	2.22	2.85
	90328	86	3200	TOP LOCK LEVER SPRING	1.19	1.60	2.05
	33286		3200	TOP LOCK SHIM .045			
6	90348	87	3200	TRIGGER	9.74	13.10	16.80
6	97370		3200	TRIGGER ASSEM COMPLETE	74.99	100.85	129.30
	90466	90	3200	TRIGGER CONNECTOR SPRING	1.80	2.42	3.10
	90495	91	3200	TRIGGER CONNECTOR SPRING PIN	1.19	1.60	2.05
	90381	92	3200	TRIGGER GUARD	27.29	36.70	47.05

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	90386	93	3200	TRIGGER GUARD PIN FRT	1.19	1.60	2.05
	90341	94	3200	TRIGGER GUARD PIN REAR	1.51	2.03	2.60
	90399	95	3200	TRIGGER PIN	1.10	1.48	1.90
	90352	96	3200	TRIGGER STOP SCREW	1.51	2.03	2.60
	90353	97	3200	TRIGGER STOP SCREW NUT	1.80	2.42	3.10
3	90309	98	3200	YOKE	1.25	1.68	2.15
	90330	99	3200	YOKE ROD	1.94	2.61	3.35
	90981	100	3200	YOKE ROD BUFFER SPRING	1.19	1.60	2.05
	91026	101	3200	YOKE ROD BUFFER SPRING WASHER	1.10	1.48	1.90
	90331	102	3200	YOKE ROD NUT	1.19	1.60	2.05
	90332	103	3200	YOKE ROD SPRING	1.19	1.60	2.05

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1499		40BR	EMPTY RIFLE BOX (40X-700 SENDERO-VARMINT)	5.00	5.00	5.00
1	925724		40BR	BBL ACTION CUSTOM			
	94486		40BR	STK ASSEM KEVLAR 24" BBL CUSTOM	236.00	317.37	406.89
1	926115		40XB	BBL ACTION CUSTOM	0.00	0.00	0.00
6	93343		40XB	BOLT ASSEM 222 & 223 28710			
	93925		40XB	STK ASSEM KEVLAR CUSTOM SHOP	201.70	271.25	347.75
	30238		40XB	STK ASSEM REPEATER (CUSTOM SHOP)	196.97	264.89	339.60
	30231		40XB	STK ASSEM SINGLE SHOT (CUSTOM SHOP)	181.20	243.69	312.42
	18844		40XB	TELESCOPE BASE FRONT (CUSTOM SHOP)	2.06	2.77	3.55
1	926135		40XC	BBL ACTION CUSTOM	0.00	0.00	0.00
5	91047		40XC	BOLT HANDLE	9.08	12.21	15.65
	94379		40XC	STK ASSEM KEVLAR CUSTOM SHOP	286.78	385.67	494.45
1	925667		40XR	BBL ACTION CUSTOM	0.00	0.00	0.00
	19771		40XR	EXTRACTOR RIGHT	1.16	1.56	2.00
	17573		40XR	EXTRACTOR SPRING	0.70	0.94	1.20
5	22555		40XR	FIRING PIN ASSEM	23.61	31.75	40.70
	94380		40XR	STK ASSEM KEVLAR CUSTOM SHOP	286.78	385.67	494.45

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1444		7400	EMPTY RIFLE BOX (CF & RF)	5.00	5.00	5.00
	1460		7400	RIFLE HARDCASE OVERWRAP(HCR-1)	2.00	2.00	2.00
	91561	1	7400	ACTION BAR ASSEM	51.62	69.42	89.00
	18332	2	7400	ACTION SPRING	1.80	2.42	3.10
	91390	3	7400	ACTION TUBE	3.07	4.13	5.30
	91391	4	7400	ACTION TUBE SUPPORT	1.28	1.72	2.20
	18513	5	7400	ACTION TUBE SUPPORT PIN	1.28	1.72	2.20
6	34295		7400	BARREL LUG	16.01	21.53	27.60
	34325	8	7400	BARREL TAKE DOWN NUT L/A (&Model Four)	2.23	3.00	3.85
	34326		7400	BARREL TAKE DOWN NUT S/A (&Model Four)	2.32	3.12	4.00
6	28689	6	7400	BBL ASSEM 243 WIN BL	107.59	144.69	185.50
6	28690		7400	BBL ASSEM 270 WIN BL	107.59	144.69	185.50
6	99419		7400	BBL ASSEM 280	93.55	125.81	161.30
6	28687		7400	BBL ASSEM 280 REM BL	107.59	144.69	185.50
6	28685		7400	BBL ASSEM 30/06 BL	107.59	144.69	185.50
6	28692		7400	BBL ASSEM 30/06 CARBINE BL	107.59	144.69	185.50
6	108560		7400	BBL ASSEM 30/06 CARBINE MATTE	93.55	125.81	161.30
6	97457		7400	BBL ASSEM 30/06 SP	107.59	144.69	185.50
6	28686		7400	BBL ASSEM 308 WIN BL	107.59	144.69	185.50
	28693		7400	BBL ASSEM 35 WHELEN BL	107.59	144.69	185.50
6	28247		7400	BBL ASSEM 7MM EXP (280)			
	91487		7400	BOLT INSERT CARRIER	0.99	1.33	1.70
6	93713	9	7400	BREECH BOLT (X)	41.47	55.77	71.50
6	93714		7400	BREECH BOLT (Y)	41.47	55.77	71.50
6	93709		7400	BREECH BOLT REG	41.47	55.77	71.50
	92796	10	7400	BUTT PLATE FRAME	3.85	5.17	6.63
	92797		7400	BUTT PLATE INSERT	1.06	1.42	1.82
	25410	11	7400	BUTT PLATE SCREW	0.79	1.07	1.37
	90571		7400	BUTT PLATE SPACER	1.80	2.42	3.10
	19673	13	7400	CAM PIN	1.28	1.72	2.20
	16935		7400	CHAMBER BRUSH	2.09	2.81	3.60
6	17419		7400	CONNECTOR LEFT	1.28	1.72	2.20
6	17420		7400	CONNECTOR PIN	1.28	1.72	2.20
6	17551		7400	CONNECTOR RIGHT	1.28	1.72	2.20
	91431	14	7400	DISCONNECTOR	5.22	7.02	9.00
	19478	15	7400	DISCONNECTOR SPRING	1.28	1.72	2.20
	91409	16	7400	EJECTION PORT COVER	1.28	1.72	2.20
	91405	17	7400	EJECTOR	2.09	2.81	3.60
	18325	18	7400	EJECTOR RETAINING PIN	1.28	1.72	2.20
	91662	19	7400	EJECTOR SPRING	1.28	1.72	2.20
	90906	20	7400	ELEVATION SCREW	1.28	1.72	2.20
	93712	21	7400	EXTRACTOR RIVETLESS (HEAVY)	2.61	3.51	4.50
	91567	22	7400	FIRING PIN	8.15	10.96	14.05
	91661	24	7400	FIRING PIN RETRACTOR SPRING	1.28	1.72	2.20
	91871	28	7400	FORE-END SCREW	1.28	1.72	2.20
	94762	25	7400	FORE END ASSEM HG CUT WOOD	52.20	70.20	90.00
	94396		7400	FORE END ASSEM SATIN CUT WOOD	52.20	70.20	90.00
	200006		7400	FORE END ASSEM SYN	13.34	17.94	23.00
6	201383		7400	FORE END ASSEM BROWN LAMINATED			95.00
	91421		7400	FORE END BUSHING	1.28	1.72	2.20
	14554	26	7400	FORE END CAP	3.07	4.13	5.30
	16987		7400	FORE END SPACER	1.28	1.72	2.20
	15034	29	7400	FORE END SPRING	1.28	1.72	2.20
	92903	27	7400	FORE END TIP SPACER BLACK	1.80	2.42	3.10
	15373	30	7400	FRONT SIGHT BL	4.41	5.93	7.60
	14659		7400	FRONT SIGHT HIGH BL (FOR MC STOCKS)	4.41	5.93	7.60
	14242		7400	FRONT SIGHT PLUG SCREW BL	1.28	1.72	2.20
	28511	32	7400	FRONT SIGHT RAMP BL	9.11	12.25	15.70
	28505	32	7400	FRONT SIGHT RAMP SCREW	0.79	1.07	1.37
	23805		7400	FRONT SIGHT RIFLE SIGHT	4.41	5.93	7.60
	92753	33	7400	GRIP CAP N/S	1.80	2.42	3.10
	15331		7400	GRIP CAP O/S	1.80	2.42	3.10
	90572		7400	GRIP CAP SPACER	1.28	1.72	2.20
	91485	35	7400	HAMMER	3.89	5.23	6.70
	18455	36	7400	HAMMER PIN	1.51	2.03	2.60
	17465	37	7400	HAMMER PLUNGER	1.28	1.72	2.20
	19014	38	7400	HAMMER SPRING	1.28	1.72	2.20
	106846	39	7400	MAG ASSEM BLUE 2-SHOT 30/06 270 35 WHELEN	11.60	15.60	20.00
	106842		7400	MAG ASSEM BLUE 4-SHOT 30/06-270-35 WHELEN	13.95	18.76	24.05
	106843		7400	MAG ASSEM BLUE 4-SHOT 308 243 6MM	13.95	18.76	24.05

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	106850		7400	MAG ASSEM MATTE 4-SHOT 308 & 243	11.60	15.60	20.00
	106845		7400	MAG ASSEM MATTE 4 SHOT 30/06-270-35 WHELEN	11.60	15.60	20.00
	34320	40	7400	MAGAZINE LATCH #0	5.34	7.18	9.20
	34321		7400	MAGAZINE LATCH #1	5.34	7.18	9.20
	34322		7400	MAGAZINE LATCH #2	5.34	7.18	9.20
	34323		7400	MAGAZINE LATCH #3	5.34	7.18	9.20
	91433	41	7400	MAGAZINE LATCH SPRING	1.28	1.72	2.20
	19639		7400	MAGAZINE SPRING	1.97	2.65	3.40
	15000	42	7400	OPERATING HANDLE	6.44	8.66	11.10
	16989	43	7400	OPERATING HANDLE RETAINING PIN	1.28	1.72	2.20
	23223	44	7400	ORIFICE BALL	1.28	1.72	2.20
	91891	45	7400	ORIFICE SCREW	1.28	1.72	2.20
	94333	46	7400	REAR SIGHT APERTURE	4.41	5.93	7.60
	103145		7400	REAR SIGHT ASSEM W/BASE BLUE	18.21	24.49	31.40
	103146		7400	REAR SIGHT ASSEM W/BASE MATTE	18.21	24.49	31.40
	103530	47	7400	REAR SIGHT BASE BLUE	6.64	8.93	11.45
	28505	48	7400	REAR SIGHT BASE SCREW	0.79	1.07	1.37
	14242	51	7400	REAR SIGHT PLUG SCREW BL	1.28	1.72	2.20
	94335	49	7400	REAR SIGHT SLIDE	8.79	11.82	15.15
1	97207	50	7400	REC ASSEM 175 ANNIVERSARY BL	95.00	127.76	163.80
1	91423		7400	REC ASSEM BL	97.76	131.47	168.55
1	99384		7400	REC ASSEM ENHANCEMENT BL	97.76	131.47	168.55
1	97459		7400	REC ASSEM SP MATTE	85.00	114.31	146.55
	91436		7400	RECEIVER INSERT	2.26	3.04	3.90
	14242	51	7400	RECEIVER PLUG SCREW BL	1.28	1.72	2.20
	18551	52	7400	RECEIVER STUD	1.80	2.42	3.10
	28230		7400	RECOIL PAD BROWN VENTED (BUCKMASTER)	10.41	14.00	17.95
	98008		7400	RECOIL PAD SCREW SYN STOCK	1.28	1.72	2.20
	25410		7400	RECOIL PAD SCREW WOOD	0.79	1.07	1.37
	97973		7400	RECOIL PAD SYN GUN	11.69	15.72	20.15
	25115	53	7400	SAFETY SWITCH	1.71	2.30	2.95
	23223	54	7400	SAFETY SWITCH DETENT BALL	1.28	1.72	2.20
	17514	55	7400	SAFETY SWITCH SPRING	1.28	1.72	2.20
	17515	56	7400	SAFETY SWITCH SPRING RETAINING PIN	1.28	1.72	2.20
	18750	57	7400	SEAR	5.22	7.02	9.00
	17463	58	7400	SEAR PIN	1.28	1.72	2.20
	17518	59	7400	SEAR SPRING	1.28	1.72	2.20
	91824		7400	SLING SWIVEL MOUNT ASSEM BL	10.41	14.00	17.95
	98068		7400	SLING SWIVEL MOUNT BL	5.34	7.18	9.20
	94761	60	7400	STK ASSEM HG MC CUT WOOD	62.64	84.24	108.00
	98827		7400	STK ASSEM MC SATIN (BUCKMASTER) WOOD W/ RECOIL	58.00	78.00	100.00
	94398		7400	STK ASSEM MC SATIN CUT N/S WOOD	62.64	84.24	108.00
	200005		7400	STK ASSEM SYN BLACK	34.80	46.80	60.00
6	201374		7400	STK ASSEM BROWN LAMINATED			125.00
	19621	61	7400	STOCK BEARING PLATE	1.28	1.72	2.20
	18571	62	7400	STOCK BOLT (WOOD STOCK)	1.80	2.42	3.10
	94215		7400	STOCK BOLT GUIDE (SYN STOCK)	1.80	2.42	3.10
	18572	63	7400	STOCK BOLT LOCK WASHER	1.28	1.72	2.20
	97022		7400	STOCK BOLT LONG (SYN STOCK)	1.80	2.42	3.10
	18573	64	7400	STOCK BOLT WASHER	1.28	1.72	2.20
	99064		7400	STOCK BOLT WASHER SYN STOCK	1.28	1.72	2.20
	15358		7400	STOCK SWIVEL SCREW	2.09	2.81	3.60
	94241		7400	STOCK SWIVEL SCREW WASHER	1.28	1.72	2.20
	26555		7400	SWIVEL ASSEM (2/SET)	11.05	14.86	19.05
5	20610	65	7400	TRIGGER ASSEM	8.47	11.39	14.60
	17533	66	7400	TRIGGER PIN	1.28	1.72	2.20
	34365		7400	TRIGGER PLATE ASSEM BL RH	46.81	62.95	80.70
	34367		7400	TRIGGER PLATE ASSEM LH GLOSS	46.81	62.95	80.70
	109513		7400	TRIGGER PLATE ASSEM LH SP MATTE	46.81	62.95	80.70
	109511		7400	TRIGGER PLATE ASSEM SP MATTE RH	46.81	62.95	80.70
	109510		7400	TRIGGER PLATE ASSEM RH GLOSS	46.81	62.95	80.70
	90295	68	7400	TRIGGER PLATE PIN BUSHING FRONT	1.97	2.65	3.40
	17541	69	7400	TRIGGER PLATE PIN BUSHING REAR	1.28	1.72	2.20
	17539	70	7400	TRIGGER PLATE PIN DETENT SPRING FRONT	1.28	1.72	2.20
	17540	71	7400	TRIGGER PLATE PIN DETENT SPRING REAR	1.28	1.72	2.20
	20602	72	7400	TRIGGER PLATE PIN FRONT	1.28	1.72	2.20
	20607	73	7400	TRIGGER PLATE PIN REAR	1.28	1.72	2.20
	90904	74	7400	WINDAGE SCREW	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1444		7600	EMPTY RIFLE BOX (CF & RF)	5.00	5.00	5.00
	1460		7600	RIFLE HARDCASE OVERWRAP(HCR-1)	2.00	2.00	2.00
	91560	1	7600	ACTION BAR ASSEM	51.62	69.42	89.00
6	92135		7600	ACTION BAR ASSEM W/BOLT	80.50	108.26	138.80
	91432	2	7600	ACTION BAR LOCK	3.89	5.23	6.70
	19478	3	7600	ACTION BAR LOCK SPRING	1.28	1.72	2.20
	91438	4	7600	ACTION TUBE ASSEM	11.69	15.72	20.15
	15215	5	7600	ACTION TUBE RING	1.80	2.42	3.10
	15900		7600	BARREL BAND	7.74	10.41	13.35
	18602	7	7600	BARREL EXTENSION BOLT	1.54	2.07	2.65
6	28679	6	7600	BBL ASSEM 243	107.59	144.69	185.50
6	28684		7600	BBL ASSEM 25/06	93.55	125.81	161.30
6	97524		7600	BBL ASSEM 25/06	93.55	125.81	161.30
6	28677		7600	BBL ASSEM 270	107.59	144.69	185.50
6	97848		7600	BBL ASSEM 270 SP MATTE	107.59	144.69	185.50
6	28681		7600	BBL ASSEM 280	107.59	144.69	185.50
6	28675		7600	BBL ASSEM 30/06	107.59	144.69	185.50
6	93687		7600	BBL ASSEM 30/06 CARBINE	93.55	125.81	161.30
6	108600		7600	BBL ASSEM 30/06 CARBINE MATTE	93.55	125.81	161.30
6	97847		7600	BBL ASSEM 30/06 SP MATTE	107.59	144.69	185.50
6	28676		7600	BBL ASSEM 308	107.59	144.69	185.50
6	28682		7600	BBL ASSEM 35 WHELEN	107.59	144.69	185.50
6	28683		7600	BBL ASSEM 7MM/08	93.55	125.81	161.30
	91487		7600	BOLT CARRIER INSERT	0.99	1.33	1.70
6	93713	8	7600	BREECH BOLT (X)	41.47	55.77	71.50
6	93714		7600	BREECH BOLT (Y)	41.47	55.77	71.50
6	93709		7600	BREECH BOLT REG	41.47	55.77	71.50
	92796	9	7600	BUTT PLATE FRAME	3.85	5.17	6.63
	92797		7600	BUTT PLATE INSERT	1.06	1.42	1.82
	25410		7600	BUTT PLATE INSERT SCREW	0.79	1.07	1.37
	25410	10	7600	BUTT PLATE SCREW	0.79	1.07	1.37
	90571		7600	BUTT PLATE SPACER	1.80	2.42	3.10
	18384	12	7600	CAM PIN (LARGE)	1.28	1.72	2.20
	19673	13	7600	CAM PIN (SMALL)	1.28	1.72	2.20
6	17419		7600	CONNECTOR LEFT	1.28	1.72	2.20
6	17420		7600	CONNECTOR PIN	1.28	1.72	2.20
6	17551		7600	CONNECTOR RIGHT	1.28	1.72	2.20
	92231		7600	CURVE SPRING WASHER	1.28	1.72	2.20
	91408	15	7600	EJECTION PORT COVER	1.28	1.72	2.20
	91405	16	7600	EJECTOR	2.09	2.81	3.60
	18325	17	7600	EJECTOR RETAINING PIN	1.28	1.72	2.20
	91662	18	7600	EJECTOR SPRING	1.28	1.72	2.20
	90906	14	7600	ELEVATION SCREW	1.28	1.72	2.20
	93712	19	7600	EXTRACTOR RIVETLESS (HEAVY)	2.61	3.51	4.50
	91567	20	7600	FIRING PIN	8.15	10.96	14.05
	16989	21	7600	FIRING PIN RETAINING PIN	1.28	1.72	2.20
	91661	22	7600	FIRING PIN RETRACTOR SPRING	1.28	1.72	2.20
	14558	26	7600	FORE-END TIP	0.99	1.33	1.70
	94763	23	7600	FORE END ASSEM HG CUT N/S WOOD	40.60	54.60	70.00
	200007		7600	FORE END ASSEM SYN.	13.34	17.94	23.00
6	201379		7600	FORE END ASSEM BROWN LAMINATED			75.00
	94397		7600	FORE END SATIN CUT WOOD	40.60	54.60	70.00
	91871	24	7600	FORE END SCREW	1.28	1.72	2.20
3	15013		7600	FORE END TUBE PLUG	2.49	3.35	4.30
	15373	27	7600	FRONT SIGHT BL	4.41	5.93	7.60
	14659		7600	FRONT SIGHT HIGH BL (FOR MC STOCKS)	4.41	5.93	7.60
	14242	44	7600	FRONT SIGHT PLUG SCREW BL	1.28	1.72	2.20
	28511	28	7600	FRONT SIGHT RAMP BL	9.11	12.25	15.70
	28505	29	7600	FRONT SIGHT RAMP SCREW	0.79	1.07	1.37
	92753	30	7600	GRIP CAP N/S	1.80	2.42	3.10
	15331		7600	GRIP CAP O/S	1.80	2.42	3.10
	90572		7600	GRIP CAP SPACER	1.28	1.72	2.20
	91485	32	7600	HAMMER	3.89	5.23	6.70
	18455	33	7600	HAMMER PIN	1.51	2.03	2.60
	17465	34	7600	HAMMER PLUNGER	1.28	1.72	2.20
	19014	35	7600	HAMMER SPRING	1.28	1.72	2.20
	106836	36	7600	MAG ASSEM BLUE 4-SHOT 257 308 6MM 243	12.96	17.43	22.35
	106835		7600	MAG ASSEM BLUE 4-SHOT 30/06 270 35 WHELEN	12.96	17.43	22.35
	106851		7600	MAG ASSEM MATTE 4-SHOT 243 & 308	10.56	14.20	18.20
	106838		7600	MAG ASSEM MATTE 4-SHOT 270 SP	10.56	14.20	18.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	106838		7600	MAG ASSEM MATTE 4-SHOT 30/06 270 35 WHELEN	10.56	14.20	18.20
	34320	37	7600	MAGAZINE LATCH #0	5.34	7.18	9.20
	34321		7600	MAGAZINE LATCH #1	5.34	7.18	9.20
	34322		7600	MAGAZINE LATCH #2	5.34	7.18	9.20
	34323		7600	MAGAZINE LATCH #3	5.34	7.18	9.20
	91433	38	7600	MAGAZINE LATCH SPRING	1.28	1.72	2.20
	19639		7600	MAGAZINE SPRING	1.97	2.65	3.40
	94333	39	7600	REAR SIGHT APERTURE	4.41	5.93	7.60
	103145		7600	REAR SIGHT ASSEM W/BASE BLUE	18.21	24.49	31.40
	103146		7600	REAR SIGHT ASSEM W/BASE MATTE	18.21	24.49	31.40
	103530	40	7600	REAR SIGHT BASE BLUE	6.64	8.93	11.45
	28505	41	7600	REAR SIGHT BASE SCREW	0.79	1.07	1.37
	14242	44	7600	REAR SIGHT PLUG SCREW BL	1.28	1.72	2.20
	94335	42	7600	REAR SIGHT SLIDE	8.79	11.82	15.15
1	97293	43	7600	REC ASSEM 175 ANNIVERSARY BL	95.00	127.76	163.80
1	99387		7600	REC ASSEM ENHANCEMENT BL	97.76	131.47	168.55
1	97840		7600	REC ASSEM SP MATTE	97.76	131.47	168.55
	91436		7600	RECEIVER INSERT	2.26	3.04	3.90
	14242	44	7600	RECEIVER PLUG SCREW BL	1.28	1.72	2.20
	18551	45	7600	RECEIVER STUD	1.80	2.42	3.10
	98008		7600	RECOIL PAD SCREW SYN STOCK	1.28	1.72	2.20
	25410		7600	RECOIL PAD SCREW WOOD	0.79	1.07	1.37
	97973		7600	RECOIL PAD SYN GUN	11.69	15.72	20.15
	25115	46	7600	SAFETY SWITCH	1.71	2.30	2.95
	23223	47	7600	SAFETY SWITCH DETENT BALL	1.28	1.72	2.20
	17514	48	7600	SAFETY SWITCH SPRING	1.28	1.72	2.20
	17515	49	7600	SAFETY SWITCH SPRING RETAINING PIN	1.28	1.72	2.20
	18750	50	7600	SEAR	5.22	7.02	9.00
	17463	51	7600	SEAR PIN	1.28	1.72	2.20
	17518	52	7600	SEAR SPRING	1.28	1.72	2.20
	94761	53	7600	STK ASSEM HG MC CUT WOOD	62.64	84.24	108.00
	98827		7600	STK ASSEM MC SATIN (BUCKMASTER) WOOD W/ RECOIL	58.00	78.00	100.00
	94398		7600	STK ASSEM MC SATIN CUT N/S WOOD	62.64	84.24	108.00
	200005		7600	STK ASSEM SYN	34.80	46.80	60.00
6	201374		7600	STK ASSEM BROWM LAMINATED			125.00
	19621	54	7600	STOCK BEARING PLATE	1.28	1.72	2.20
	18571	55	7600	STOCK BOLT (WOOD STOCK)	1.80	2.42	3.10
	94215		7600	STOCK BOLT GUIDE (SYN STOCK)	1.80	2.42	3.10
	18572	56	7600	STOCK BOLT LOCK WASHER	1.28	1.72	2.20
	97022		7600	STOCK BOLT LONG (SYN STOCK)	1.80	2.42	3.10
	18573	57	7600	STOCK BOLT WASHER	1.28	1.72	2.20
	99064		7600	STOCK BOLT WASHER SYN STOCK	1.28	1.72	2.20
	15358		7600	STOCK SWIVEL SCREW	2.09	2.81	3.60
	94241		7600	STOCK SWIVEL SCREW WASHER	1.28	1.72	2.20
	26555		7600	SWIVEL ASSEM (2/SET)	11.05	14.86	19.05
5	20610	58	7600	TRIGGER ASSEM	8.47	11.39	14.60
	17533	59	7600	TRIGGER PIN	1.28	1.72	2.20
	109520		7600	TRIGGER PLATE ASSEM BL RH	43.50	58.50	75.00
	34377		7600	TRIGGER PLATE ASSEM LH GLOSS	39.01	52.46	67.25
	109523		7600	TRIGGER PLATE ASSEM LH MATTE	46.81	62.95	80.70
	97927		7600	TRIGGER PLATE ASSEM MATTE RH	39.01	52.46	67.25
	34376		7600	TRIGGER PLATE ASSEM SP MATTE	46.81	62.95	80.70
	90295	61	7600	TRIGGER PLATE PIN BUSHING FRONT	1.97	2.65	3.40
	17541	62	7600	TRIGGER PLATE PIN BUSHING REAR	1.28	1.72	2.20
	17539	63	7600	TRIGGER PLATE PIN DETENT SPRING FRONT	1.28	1.72	2.20
	17540	64	7600	TRIGGER PLATE PIN DETENT SPRING REAR	1.28	1.72	2.20
	20602	65	7600	TRIGGER PLATE PIN FRONT	1.28	1.72	2.20
	20607	66	7600	TRIGGER PLATE PIN REAR	1.28	1.72	2.20
	90904	67	7600	WINDAGE SCREW	1.28	1.72	2.20

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	1496		SP10	EMPTY SHOTGUN BOX (SP-10)	5.00	5.00	5.00
	94201	1	SP10	ACTION SPRING	2.09	2.81	3.60
6	94306	2	SP10	ACTION SPRING PLUNGER (USE PART #103425)	8.99	12.09	15.50
	94288	3	SP10	ACTION SPRING TUBE ASSEM	14.96	20.12	25.80
	94172		SP10	ACTION SPRING TUBE BRAZING RING	0.99	1.33	1.70
	94158		SP10	ACTION SPRING TUBE CAP	0.99	1.33	1.70
	200433		SP10	ACTION SPRING TUBE SPACER (FOR SYN STOCK)			3.60
3	94765	4	SP10	BBL 10/22 RC RSS MATTE	204.75	237.51	273.00
3	200108		SP10	BBL 10/23 RC VT M/O BREAK-UP TRU GLO SGTS	204.75	237.51	273.00
	103384		SP10	BBL 10/23 RC VT MOSSY OAK BREAK-UP (103334)	210.00	243.60	280.00
	103330		SP10	BBL 10/26 RC VT MATTE	204.75	237.51	273.00
	927598		SP10	BBL 10/26 RC VT MATTE 103330	218.25	253.17	291.00
	103385		SP10	BBL 10/26 RC VT MOSSY OAK BREAK-UP (103335)	210.00	243.60	280.00
	103331		SP10	BBL 10/30 RC VT MATTE	204.75	237.51	273.00
	927594		SP10	BBL 10/30 RC VT MATTE 103331	218.25	253.17	291.00
6	103456	6	SP10	BOLT ASSEM MATTE BLACK (MOSSY OAK GUN)	91.99	123.71	158.60
6	103455		SP10	BOLT ASSEM NP	91.99	123.71	158.60
	94265	7	SP10	BOLT BUFFER	3.89	5.23	6.70
	94243	8	SP10	BOLT CAM PIN	3.77	5.07	6.50
	103300	9	SP10	CARRIER	50.00	67.24	86.20
	103420	10	SP10	CARRIER ASSEM	69.02	92.82	119.00
	103421	10	SP10	CARRIER ASSEM BLACK	69.02	92.82	119.00
	94300	11	SP10	CARRIER DOG	7.83	10.53	13.50
	94296	12	SP10	CARRIER DOG PIN	1.71	2.30	2.95
	94299	13	SP10	CARRIER DOG SPRING	1.28	1.72	2.20
	103805	14	SP10	CHOKE TUBE 10 GA STEEL IMP MOD/LEAD MOD	23.00	30.93	39.65
	103806		SP10	CHOKE TUBE 10 GA STEEL X-FULL/LEAD FULL	23.00	30.93	39.65
	103780		SP10	CHOKE TUBE 10 GA TURKEY X-FULL LEAD ONLY	23.00	30.93	39.65
	94207		SP10	CHOKE TUBE 10 GA WRENCH	6.00	8.07	10.35
	94144	15	SP10	COLLAR	26.01	34.98	44.85
	94285	16	SP10	COLLAR SCREW (NEED 2)	1.28	1.72	2.20
	94305		SP10	CONNECTOR	0.99	1.33	1.70
	94298		SP10	CONNECTOR PIVOT PIN	0.99	1.33	1.70
	94304	17	SP10	DISCONNECTOR	1.71	2.30	2.95
	94292	18	SP10	DISCONNECTOR SPRING	1.28	1.72	2.20
	94130	19	SP10	EJECTOR	6.00	8.07	10.35
	94127	20	SP10	EXTRACTOR	7.28	9.79	12.55
	94121	21	SP10	EXTRACTOR RETAINER	1.28	1.72	2.20
	94302	22	SP10	FIRING PIN	5.92	7.96	10.20
	94281	23	SP10	FIRING PIN RETAINING PIN	1.28	1.72	2.20
	94351	24	SP10	FIRING PIN SPRING	1.28	1.72	2.20
	103461	26	SP10	FORE END ASSEM 10 GA M/O BOTTOMLAND WOOD	70.01	94.15	120.70
	103462		SP10	FORE END ASSEM 10 GA M/O BREAK-UP WOOD	72.50	97.50	125.00
	103460		SP10	FORE END ASSEM 10 GA SATIN WOOD	55.68	74.88	96.00
	200394		SP10	FORE END ASSEM 10 GA SYN BLACK	43.50	58.50	75.00
3	103326	27	SP10	FORE END NUT ASSEM M/O BOTTOMLAND W/STUD	7.54	10.14	13.00
	103327		SP10	FORE END NUT ASSEM M/O BREAK-UP W/STUD	7.54	10.14	13.00
	103325		SP10	FORE END NUT ASSEM MATTE W/STUD	7.54	10.14	13.00
	94163	28	SP10	FORE END WASHER	1.28	1.72	2.20
	18918	29	SP10	FRONT SIGHT IVORY BEAD	3.89	5.23	6.70
	94187	30	SP10	GAS CYLINDER	28.62	38.49	49.35
	94186	31	SP10	GAS CYLINDER RETAINER	1.28	1.72	2.20
	94153	32	SP10	GAS LUG PIN	1.28	1.72	2.20
	94151	33	SP10	GAS PISTON	66.70	89.70	115.00
	94177	34	SP10	GAS PISTON LOCK WASHER	1.28	1.72	2.20
	94162	35	SP10	GAS PISTON NUT	5.92	7.96	10.20
	94328	36	SP10	HAMMER	6.00	8.07	10.35
	94307	37	SP10	HAMMER PIVOT PIN	1.28	1.72	2.20
	17465	38	SP10	HAMMER PLUNGER	1.28	1.72	2.20
	19014	39	SP10	HAMMER SPRING	1.28	1.72	2.20
	94282	40	SP10	MAGAZINE FOLLOWER	3.97	5.34	6.85
	103295	41	SP10	MAGAZINE FOLLOWER ASSEM	7.74	10.41	13.35
	94283	42	SP10	MAGAZINE FOLLOWER PLUNGER	1.28	1.72	2.20
	18382	44	SP10	MAGAZINE FOLLOWER PLUNGER RET PIN	0.99	1.33	1.70
	17047	43	SP10	MAGAZINE FOLLOWER PLUNGER SPRING	1.28	1.72	2.20
	94204	46	SP10	MAGAZINE SPRING	2.09	2.81	3.60
	94193	45	SP10	MAGAZINE TUBE	20.30	27.30	35.00
	94384		SP10	MAGAZINE TUBE ASSEM	60.00	80.69	103.45
	94287		SP10	MAGAZINE TUBE BRAZING RING	0.99	1.33	1.70
	94191		SP10	MAGAZINE TUBE EXT BOLT	0.99	1.33	1.70

RESTRIC	PART #	VIEW NO.	MODEL	DESCRIPTION	MSP	DEALER	LIST
	94286		SP10	MAGAZINE TUBE EXT BOLT BRAZING RING	0.99	1.33	1.70
	94192		SP10	MAGAZINE TUBE EXTENSION	12.01	16.15	20.70
	94308		SP10	MAGAZINE TUBE SUB ASSEM	45.59	61.31	78.60
	18052	47	SP10	MIDDLE SIGHT (THREADED)	1.28	1.72	2.20
	97805	48	SP10	OPERATING HANDLE MATTE (MOSSY OAK GUN)	9.77	13.14	16.85
	94116		SP10	OPERATING HANDLE NP	9.77	13.14	16.85
1	103436	49	SP10	REC SUB ASSEM M/O BOTTOMLAND	164.98	221.87	284.45
1	103437		SP10	REC SUB ASSEM M/O BREAK-UP	164.98	221.87	284.45
1	103438		SP10	REC SUB ASSEM M/O BREAK-UP (NWTF GUN)	164.98	221.87	284.45
1	103435		SP10	REC SUB ASSEM MATTE	164.98	221.87	284.45
	28230	50	SP10	RECOIL PAD BROWN VENTED	10.41	14.00	17.95
	25410	51	SP10	RECOIL PAD SCREW	0.79	1.07	1.37
	94301	52	SP10	RELEASE LEVER	2.09	2.81	3.60
	94182	53	SP10	RELEASE LEVER SPRING	1.28	1.72	2.20
	25115	54	SP10	SAFETY SWITCH	1.71	2.30	2.95
	23223	55	SP10	SAFETY SWITCH DETENT BALL	1.28	1.72	2.20
	17514	56	SP10	SAFETY SWITCH SPRING	1.28	1.72	2.20
	94294	57	SP10	SAFETY SWITCH SPRING RETAINING PIN	1.28	1.72	2.20
	94350	58	SP10	SEAR	5.10	6.86	8.80
	94295	59	SP10	SEAR PIVOT PIN	0.99	1.33	1.70
	17518	60	SP10	SEAR SPRING	1.28	1.72	2.20
	94297		SP10	SEAR STOP PIN	0.99	1.33	1.70
	97804	61	SP10	SHELL STOP MATTE (MOSSY OAK GUN)	37.21	50.04	64.15
	94326		SP10	SHELL STOP NP	37.21	50.04	64.15
	94129	62	SP10	SHELL STOP PIVOT	1.28	1.72	2.20
	94176	63	SP10	SHELL STOP PIVOT RETAINER	1.28	1.72	2.20
	94200	64	SP10	SHELL STOP SPRING	1.28	1.72	2.20
6	94291	65	SP10	SLIDE	25.00	33.62	43.10
	103425	66	SP10	SLIDE ASSEM	66.70	89.70	115.00
	94189	67	SP10	SLIDE EXTENSION ASSEM	21.46	28.86	37.00
	94180		SP10	SLIDE EXTENSION BRAZING SHIM	0.99	1.33	1.70
	94169	68	SP10	SLIDE EXTENSION BUFFER	2.49	3.35	4.30
	94442		SP10	SLIDE EXTENSION COLLAR	1.74	2.34	3.00
	94443		SP10	SLIDE EXTENSION COLLAR BRAZING RING	0.99	1.33	1.70
	94170		SP10	SLIDE EXTENSION PRONG	7.89	10.61	13.60
6	94303	69	SP10	SLIDE LINK (USE PART #103425)	14.01	18.84	24.15
6	94278	70	SP10	SLIDE LINK PIVOT (2) (USE PART #103425)	0.99	1.33	1.70
	105620		SP10	SLING STRAP ASSEM MOSSY OAK BOTTOMLAND	25.00	33.62	43.10
	105621		SP10	SLING STRAP ASSEM MOSSY OAK BREAK-UP	32.48	43.68	56.00
	100595		SP10	SLING STRAP ASSEM (WOODLAND CAMO)	32.48	43.68	56.00
	103471	72	SP10	STK ASSEM MOSSY OAK BOTTOMLAND WOOD	114.99	154.64	198.25
	103472		SP10	STK ASSEM MOSSY OAK BREAK UP WOOD	116.00	156.00	200.00
	103470		SP10	STK ASSEM SATIN WOOD	82.36	110.76	142.00
	108787		SP10	STK ASSEM SYN BLACK	52.20	70.20	90.00
	94174	73	SP10	STOCK BOLT	1.80	2.42	3.10
	94171	74	SP10	STOCK BOLT LOCK WASHER	1.28	1.72	2.20
	94160	75	SP10	STOCK BOLT WASHER	1.28	1.72	2.20
	15358	76	SP10	STOCK SWIVEL SCREW	2.09	2.81	3.60
	94241	77	SP10	STOCK SWIVEL SCREW SPACER	1.28	1.72	2.20
6	103320		SP10	TRIGGER	1.19	1.60	2.05
6	103410	78	SP10	TRIGGER ASSEM (USE PART #103475)	19.49	26.21	33.60
	94529	79	SP10	TRIGGER PIVOT PIN	1.28	1.72	2.20
	103475	81	SP10	TRIGGER PLATE ASSEM	132.01	177.53	227.60
	103477		SP10	TRIGGER PLATE ASSEM LH SAFETY	132.01	177.53	227.60
	103476		SP10	TRIGGER PLATE ASSEM MOSSY OAK GUN	132.01	177.53	227.60
	109730		SP10	TRIGGER PLATE ASSEM (SS CARRIER)	121.80	163.80	210.00
	94165	83	SP10	TRIGGER PLATE PIN (2)	2.09	2.81	3.60
	94219	82	SP10	TRIGGER PLATE PIN BUSHING (2)	2.09	2.81	3.60
	94229	84	SP10	TRIGGER PLATE PIN DETENT SPRING	1.28	1.72	2.20
3	200065		SP10	TRUGLO SIGHT SCREW	0.99	1.33	1.70
3	200063		SP10	TRUGLO SIGHTS W/3 SCREWS	6.99	9.40	12.05



EXHIBIT
tabbies
7

Petitioner's Exhibit
RA Brands, LLC v. Burns
Cancellation No. 92048334

REM 0023





MODEL 11-87™ SPS™
SUPER MAGNUM™ CAMO

If you could only have one shotgun, few would disagree that the **11-87™ Super Magnum™** should top the list of candidates. It can handle just about any game in any field or flyway. The unmatched versatility of the 11-87 Super Magnum results from the unique metering system of its patented gas-operated action. With standard 2¾" field loads, an integral pressure relief valve remains closed, utilizing all of the shell's pressure to operate the action. When heavier shells are used, the valve opens proportionately to release the unneeded pressure — retaining just the right amount to operate the action. This not only assures reliable handling of all shell lengths, but prevents excessive bolt velocity that could increase wear. It's the same system that hunters have been using for the past thirteen years on the original 11-87 — the softest-shooting, most reliable autoloading shotgun action ever designed. The Model 11-87 Super Magnum is available in a number of versions, ranging from our **Model 11-87 Premier® Super Magnum** with high-gloss walnut stock and polished blue metalwork to fully camouflaged models for the ultimate in waterfowl and turkey hunting. All versions are, of course, furnished with Rem™ Chokes.

SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	11-87™ SP™ Super Magnum™	11-87™ SPS™ Super Magnum™	11-87™ SPS Camo Super Magnum™	11-87 Premier® Super Magnum™
Gauge	12 (3½")	12 (3½")	12 (3½")	12 (3½")
Mag. Capacity	3(3½"), 4(2¾" & 3")	3(3½"), 4(2¾" & 3")	3(3½"), 4(2¾" & 3")	3(3½"), 4(2¾" & 3")
BBL Lengths/ Order No.	28"/25305 26"/25307	28"/25337 26"/25339	28"/25343	28"/25303
Barrel Type	Vent Rib Rem™ Choke[1]	Vent Rib Rem™ Choke[1]	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke
Sights	Twin Bead	Twin Bead	Twin Bead	Twin Bead
Metal Finish	Matte Non-Reflective	Matte Non-Reflective	Mossy Oak® Break-Up® Camo	High Polish Blued
Overall Length	48"(28"BBL) 45¾"(26"BBL)	48"(28"BBL) 45¾"(26"BBL)	48"(28"BBL)	48"(28"BBL)
Length of Pull	14½"	14"	14"	14½"
Drop (Comb)	1½"	1½"	1½"	1½"
Drop (Heel)	2⅛"	2⅛"	2⅛"	2⅛"
Stock Material	American Walnut	Black Synthetic	Camo Synthetic	American Walnut
Stock Finish	Satin	Matte	Matte	Gloss
Avg. Wt. (lbs.)	8¼ lbs. (28"BBL) 8¼ lbs. (26"BBL)	8¼ lbs. (28"BBL) 8¼ lbs. (26"BBL)	8¼ lbs.	8¼ lbs.

[1] NOTE: All Model 11-87™ and Model 11-87™ Super Magnum™ shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes.

[2] WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable.

REM 0024

SPECIAL PURPOSE TURKEY GUNS

SPRING FEVER? MAY WE RECOMMEND SOMETHING IN MAXIMUM STRENGTH?





MODEL 11-87™ SPS-T™ SUPER MAGNUM™ CAMO

MODEL 11-87™ SPS-T™ SUPER MAGNUM™ CAMO TRUGLO® FIBER-OPTIC SIGHTS

When a big tom steps into range, you have one chance to get off the perfect shot. If you miss, he'll be in the next county before you can blink. That's why you need to make that shot count — by carrying a Remington® Special Purpose turkey gun into the field. Based on the legendary **Model 11-87™** and **Model 870™** actions, Remington offers the broadest selection of turkey guns in existence. With the Model 11-87 and Model 11-87 Super Magnum,™ not only do you get the most reliable gas autoloader ever made, you get a gun that can tame the recoil of even the most powerful magnum loads. And the pump-action Model 870s offer the same reliability and durability that millions of hunters have come to rely on. New this year is the **Model 11-87 SPS-T Super Magnum** with 23" vent-rib barrel — an unrivaled combination of reliability and superior knockdown power. It joins the others in our turkey gun line-up, including the **Model 11-87 SPS-T** with 21" barrel and cantilever scope mount; the Model 11-87 SPS-T with 21" barrel and Tru-Glo® fiber-optic sights; the Model 870 SPS-T with 20" barrel and Tru-Glo sights; and the powerful **Model 870 SPS-T Super Magnum** with either 23" barrel and cantilever scope mount or standard 23" vent-rib barrel. All Special Purpose turkey guns feature weather-defying synthetic stocks and are fully camouflaged in Mossy Oak® Break-Up.® For specialized turkey choke tubes, see page 68.

REM 0025



MODEL 870™ SPS-T™ SUPER MAGNUM™ CAMO

MODEL 11-87™
SPS-T™ CAMO
TRUGLO® FIBER-OPTIC
SIGHTS



MODEL 870™
SPS-T™ CAMO
TRUGLO® FIBER-OPTIC SIGHTS



MODEL 870™ SPS-T™
SUPER MAGNUM™ CAMO



MODEL 870™ SPS-T™
SUPER MAGNUM™ CAMO
WITH CANTILEVER

REM 0026

SPECIAL PURPOSE TURKEY / SUPER MAGNUMS SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	870™ SPS-T™ Super Magnum™ Synthetic Camo CL/RC[6]	870™ SPS-T™ Super Magnum Synthetic Camo[5]	11-87™ SPS-T™ Super Magnum™ Synthetic Camo RS/TG	★ 11-87™ SPS-T™ Super Magnum™ Synthetic Camo
Gauge	12 (3½")[1]	12 (3½")[1]	12 (3½")[1]	12 (3½")[1]
Mag. Capacity	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")
BBL Lengths/Order No.	23"/24957[3]	23"/24968	23"/25353[3]	★ 23"/25345
Barrel Type	Cantilever Rem™ Choke[4]	Vent Rib Rem™ Choke	Rem™ Choke	Vent Rib Rem™ Choke
Sights		Twin Bead	Truglo™	Twin Bead
Metal Finish	Mossy Oak™ Break-Up™ Camo	Mossy Oak Break-Up™ Camo	Mossy Oak™ Break-Up™ Camo	Mossy Oak™ Break-Up™ Camo
Overall Length	44½"	44½"	43"	43"
Length of Pull	14"	14"	14"	14"
Drop (Comb)	1½"	1½"	1½"	1½"
Drop (Heel)	1½"	2½"	1½"	2½"
Stock Material	Camo-Covered Synthetic	Camo-Covered Synthetic	Camo-Covered Synthetic	Camo-Covered Synthetic
Stock Finish	Mossy Oak™ Break-Up™ Camo	Mossy Oak Break-Up™ Camo	Mossy Oak™ Break-Up™ Camo	Mossy Oak Break-Up™ Camo
Avg. Wt. (lbs.)	7½	7½	8½	8¼

★ New For 2002

SPECIAL PURPOSE TURKEY SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	11-87™ SPS-T™ Synthetic Camo RS/TG	11-87™ SPS-T™ Synthetic Camo CL/RC	11-87™ SPS-T™ Synthetic Camo	870™ SPS-T™ Synthetic Camo RS/TG
Gauge	12 (3")[1]	12 (3")[1]	12 (3")[1]	12 (3")[1]
Mag. Capacity	4	4	4	4
BBL Lengths/Order No.	21"/25323[3]	21"/25341	21"/29664	20"/24883[3]
Barrel Type	Rem™ Choke[4]	Cantilever Rem™ Choke[4]	Vent Rib Rem™ Choke[4]	Rem™ Choke[4]
Sights	Truglo™	–	Twin Bead	Truglo™
Metal Finish	Mossy Oak™ Break-Up™ Camo	Mossy Oak™ Break-Up™ Camo	Mossy Oak Break-Up™ Camo	Mossy Oak™ Break-Up™ Camo
Overall Length	42½"	42½"	42½"	41½"
Length of Pull	14"	14"	14"	14"
Drop (Comb)	1½"	1½"	1½"	1½"
Drop (Heel)	1½"	2½"	1½"	1½"
Stock Material	Camo-Covered Synthetic	Camo-Covered Synthetic	Camo-Covered Synthetic	Camo-Covered Synthetic
Stock Finish	Mossy Oak™ Break-Up™ Camo	Mossy Oak Break-Up™ Camo	Mossy Oak™ Break-Up™ Camo	Mossy Oak™ Break-Up™ Camo
Avg. Wt. (lbs.)	8	8½	8	7½

[1] All 3" and 3½" chambers handle 2¾" shells.
[2] Note: Model 11-87™ SPS-T and Model 870™ SPS-T Turkey guns supplied with Turkey Super Full choke tube.
[3] Note: 21" Model 11-87™ Turkey and Deer barrels and 23" Model 11-87 Super Magnum barrels are not pressure-compensated. Not for use with target or light field loads.
[4] Note: Model 870™ SPS-T™ Super Magnum™ Camo supplied with Turkey Extra Full and Turkey Super Full choke tubes.
[5] Note: All Model 870™ Super Magnums have 3½" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2¾", 3" and 3½" shells interchangeably.
[6] WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable.



MODEL SP-10™ MAGNUM
MODEL 870™ SPS™ SUPER MAGNUM™ CAMO

REM 0027



MODEL 870™ SPS™
SUPER MAGNUM™ CAMO

MODEL SP-10™
MAGNUM SYNTHETIC
Black Synthetic Stock

MODEL 11-87™ SPS™
SUPER MAGNUM™ CAMO

It's just plain hard to beat our industry-leading lineup of Special Purpose Waterfowl guns. The **11-87™ SPS™ Super Magnum** couples the proven reliability of the Model 11-87 action with the knockdown capability of 3½" magnum payloads. And for ultimate concealment, it's camouflaged in Mossy Oak® Break-Up® from stock to muzzle. Goose and duck hunters are drooling. If you prefer a slide action, you can choose the equally impressive **3½" Model 870™ SPS Super Magnum.** Of course, our perennial favorites still remain, including the sure-functioning, 12-gauge **Model 11-87 SPS** and the awesome, goose-blind-ruling power of the 10-gauge **Model SP-10™ Magnum.**

SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	SP-10™ Magnum Synthetic[2]	SP-10™ Magnum[2]	SP-10™ Magnum Camo[2]	870™ SPS™ Super Mag Camo[3]	11-87™ SPS™	11-87™ SPS™ Camo	11-87™ SP™	11-87 SPS™ Super Mag Camo
Gauge	10	10	10	12 (3½")	12	12	12	12 (3½")
Mag. Capacity	2	2	2	3 (3½") 4 (2¾" & 3")	4	4	4	3 (3½") 4 (2¾" & 3")
Bbl. Lengths/ Order No.	26"/24872	30"/24800 26"/24812	26"/24600	28"/24940 26"/24952	28"/25269 26"/25271	26"/29662	29"/29905 26"/29906	28"/25343
Barrel Type	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke[4]	Vent Rib Rem™ Choke[4]	Vent Rib Rem™ Choke[4]	Vent Rib Rem™ Choke[4]
Sights	Twin Bead	Twin Bead	Twin Bead	Twin Bead	Twin Bead	Twin Bead	Twin Bead	Twin Bead
Metal Finish	Matte Non-Reflective	Matte Non-Reflective	Mossy Oak Break-Up® Camo	Mossy Oak® Break-Up® Camo	Matte Non-Reflective	Mossy Oak Break-Up® Camo	Matte	Mossy Oak Break-Up
Overall Length	47½"	51¼" (30" BBL) 47⅛" (26" BBL)	47½"	48" (28" BBL) 46" (26" BBL)	48¼" (28" BBL) 46" (26" BBL)	46"	48¼" (28" BBL) 46" (26" BBL)	48"
Length of Pull	14"	14"	14"	14"	14"	14"	14"	14
Drop (Comb)	1½"	1⅝"	1½"	1½"	1½"	1½"	1½"	1½"
Drop (Heel)	2½"	2⅝"	2½"	2⅝"	2½"	2⅝"	2½"	2⅝"
Stock Material	Black Synthetic	American Walnut	Camo-Covered Synthetic	Camo-Covered Synthetic	Black Synthetic	Camo-Covered Synthetic	American Walnut	Camo-Covered Synthetic
Stock Finish	Matte	Satin	Mossy Oak Break-Up®	Mossy Oak® Break-Up	Matte	Mossy Oak® Break-Up	Satin	Mossy Oak® Break-Up
Avg. Wt. (lbs.)	10¼	11 (30" BBL) 10¾ (26" BBL)	10¼	7¼ (28" BBL) 7¼ (26" BBL)	8¼ (28" BBL) 8¼ (26" BBL)	8¼	8¼ (28" BBL) 8¼ (26" BBL)	8¼

[1] These Model SP-10™ shotguns supplied with Full and Mod Rem™ Choke tubes.
[2] IMPORTANT NOTE: Critical components – including the barrel, bolt assembly and trigger plate assembly of the Remington Model SP-10™ and other manufacturers' 10-gauge shotguns – are not interchangeable.
[3] NOTE: All Model 870™ Super Magnums have 3½" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2¾", 3" and 3½" shells interchangeably.
[4] All 870, 870 Super Magnum, 11-87 and 11-87 Super Magnum Special Purpose waterfowl shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes.
[5] WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable.



REM 0028



MODEL 870™ EXPRESS®
SUPER MAGNUM™ TURKEY CAMO

MODEL 870™ EXPRESS®
SUPER MAGNUM™ SYNTHETIC

MODEL 870™ EXPRESS®
SUPER MAGNUM™ COMBO

MODEL 870™ SUPER MAGNUM™ DESIGN FEATURES:



MODEL 870™ EXPRESS® SUPER MAGNUM.™ THE ONE GUN THAT CAN DO IT ALL.

Looking for a go-anywhere, do-anything hunting partner that will never let you down? Shake hands with the Remington® **Model 870™ Express® Super Magnum.™** Its 3½" shell capacity delivers the maximum long-range knockdown power and dense patterns to confidently put a bead on the most decoy-shy ducks, geese and gobblers. But because it handles everything from light 2¾" loads to heavy 3½" magnums interchangeably, you've got a shotgun that's unrivaled in versatility. No other pump gun even comes close. You can go from shooting heavy 3½" loads at high-passing waterfowl to shooting light 2¾" loads at fast-darting doves without a hitch. And it does it all with the same action stroke, balance and feel of our original Model 870 (the most popular pump gun in history). Finally, we can't forget to mention what may be the most appealing thing about the Express Super Magnum: It comes at a very affordable price. Many workhorse models are available, including stock choices of flat-finished hardwood, durable black synthetic or popular camo finishes. To get the most versatile of any Model 870 Express Super Magnum, choose the two-barrel Combo. For deer hunting with slugs, you get a 20" fully-rifled barrel with adjustable factory sights and a standard 26" vent-rib Rem® Choke barrel for just about any other shotgunning imaginable.



MODEL 870™ EXPRESS® TURKEY CAMO

MODEL 870™ EXPRESS® TURKEY

MODEL 870™ EXPRESS.®

THE ECONOMICAL, ALL-AMERICAN SLIDE-ACTION.

This is the shotgun that has bagged more game than most guns will ever see. And although it's definitely a no-frills firearm, don't think for a minute that the Express® is anywhere near "cheap." Far from it. Express shotguns feature the same durability and reliability of the legendary Model 870™ Wingmaster. So while you may pay a very economical price for a Model 870 Express, you're not, by any means, getting short-changed. And with a wide number of different versions available, you're sure to find a setup for whatever you hunt, wherever you hunt. **New this year is the addition of a nostalgic 870 Express in classic 16-gauge.**

MODEL 870™ EXPRESS® SUPER MAGNUM™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	870™ Express® Super Magnum™ Synthetic Turkey	870™ Express® Super Magnum™ Turkey Camo	870™ Express® Super Magnum™	870™ Express® Super Magnum™ Synthetic	870™ Express® Super Magnum™ Combo
Gauge	12 (3½")	12 (3½")	12 (3½")	12 (3½")	12 (3½")[1]
Mag. Capacity	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")
BBL Lengths/ Order No.	23"/25106	23"/25104	28"/25100	26"/25102	26" (Vent Rib)/25114 20" (Deer)[1]
Barrel Type	Vent Rib Rem™ Choke (Turkey Extra Full)	Vent Rib Rem™ Choke (Turkey Extra Full)	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Mod.)	Mod. Rem™ Choke (Vent Rib) Fully Rifled (Deer)
Sights	Twin Bead	Twin Bead	Single Bead	Single Bead	Single Bead (Vent Rib) Rifle Sights (Deer)
Metal Finish	Matte Black Non-Reflect.	RealTree® Advantage® Camo	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.
Overall Length	44½"	44½"	48½" (28" BBL)	46" (26" BBL)	46" (Vent Rib) 40½" (Deer)
Length of Pull	14"	14"	14"	14"	14"
Drop (Comb)	1½"	1½"	1½"	1½"	1½"
Drop (Heel)	2½"	2½"	2½"	2½"	2½"
Stock Material	Black Synthetic	Synthetic	Hardwood	Black Synthetic	Hardwood
Stock Finish	Matte	RealTree® Advantage® Camo	Satin	Matte	Satin
Avg. Wt. (lbs.)	7½	7¼	7½	7¼	7¼

[1] Combo Deer barrel has 3" chamber.

MODEL 870™ EXPRESS® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	870™ Express® (12-ga.)	★870™ Express® (16-ga.)	870™ Express® (20-ga.)	★870™ Express® (28-ga.)	★870™ Express® (410 bore)	870™ Express® Synthetic	★870™ Express® Synthetic	870™ Express® Turkey Camo[1]	870™ Express® Turkey
Gauge	12	16	20	28	410 bore	12	16	12	12
Mag. Capacity	4	4	4	4	4	4	4	4	4
BBL Lengths/ Order No.	28"/25568 26"/25569	★28"/25191	26"/25583 26"/25582	★25"/25599	★25"/25601	28"/25587 26"/25589	★28"/25201	21"/25089	21"/25573
Barrel Type/ Order No.	Vent Rib Rem™ Choke (Mod.)	Light Contour Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Mod.)	Vent Rib Fixed Mod. Choke	Vent Rib Fixed Full Choke	Light Contour Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Extra Full)	Vent Rib Rem™ Choke (Extra Full)
Sights	Single Bead	Single Bead	Single Bead	Single Bead	Single Bead	Single Bead	Single Bead	Twin Bead	Twin Bead
Metal Finish	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.
Overall Length	48½" (26" BBL) 46½" (26" BBL)	48"	48½" (28" BBL) 46½" (26" BBL)	45½"	45½"	48" (28" BBL) 46" (26" BBL)	48"	42"	42"
Length of Pull	14"	14"	14"	14"	14"	14"	14"	14"	14"
Drop (Comb)	1½"	1½"	1½"	1½"	1½"	1½"	1½"	1½"	1½"
Drop (Heel)	2½"	2½"	2½"	2½"	2½"	2½"	2½"	2½"	2½"
Stock Material	Hardwood	Hardwood	Hardwood	Hardwood	Hardwood	Black Synthetic	Black Synthetic	Camo-Covered Syn.	Hardwood
Stock Finish	Flat	Flat	Flat	Flat	Flat	Flat	Matte	Advantage® Camo	Flat
Avg. wt. (lbs.)	7½ (28" BBL) 7¼ (26" BBL)	7½	6½ (28" BBL) 6¼ (26" BBL)	6	6	7½ (28" BBL) 7¼ (26" BBL)	7½	7¼	7½

[1] Stock and fore-end in Advantage® camo.

★ New For 2002

Model	870™ Express® Synthetic Fully Rifled Deer Gun	870™ Express® Deer	870™ Express® Left Hand	870™ Express® Combo (12-ga.)	870™ Express® Combo (20-ga.)	870™ Express® Syn 18"	★870™ Express® Youth Synthetic	870™ Express® Youth	870™ Express® Youth Turkey Camo[1]	870™ Express® Youth Deer Gun
Gauge	12	12	12	12	20	12	16	20	20	20
Mag. Capacity	4	4	4	4	4	4	4	4	4	4
BBL Lengths/ Order No.	20"/25097	20"/25565 20"/25575	28"/25577	20" (Vent Rib)/25571 26" (Vent Rib)/25578 20" (Imp. Cyl. Deer or Fully Rifled Deer)	28" (Vent Rib)/25566 26" (Vent Rib)/25587 20" (Imp. Cyl. Deer or Fully Rifled Deer)	18"/25549	★23"/25203	21"/25561	21"/25481	20"/25556
Barrel Type	Fully Rifled	Imp. Cyl. Choke/25565 Fully Rifled/25575	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Mod.) I.C. Deer or Fully Rifled Deer	Vent Rib Rem™ Choke (Mod.) I.C. Deer or Fully Rifled Deer	Cylinder Choke	Light Contour Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Full)	Fully Rifled
Sights	Rifle Sights	Rifle Sights	Single Bead	Single Bead (Vent Rib) Rifle Sights (Deer)	Single Bead (Vent Rib) Rifle Sights (Deer)	Single Bead	Single Bead	Single Bead	Twin Bead	Rifle Sights
Metal Finish	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.
Overall Length	40½"	40½"	48½"	48½", 46½" (Vent Rib) 40½" (Deer BBL)	48½", 46½" (Vent Rib) 40½" (Deer BBL)	38½"	42"	40½"	40½"	39½"
Length of Pull	14"	14"	14"	14"	14"	14"	14"	13"	13"	13"
Drop (Comb)	1½"	1½"	1½"	1½"	1½"	1½"	1½"	1½"	1½"	1½"
Drop (Heel)	1½"	1½"	2½"	2½"	2½"	2½"	2½"	2½"	2½"	2½"
Stock Material	Black Synthetic	Hardwood	Hardwood	Hardwood	Hardwood	Black Synthetic	Black Synthetic	Hardwood	Camo-Covered Syn.	Hardwood
Stock Finish	Matte	Flat	Flat	Flat	Flat	Matte	Matte	Flat	RealTree® Advantage® Camo	Flat
Avg. Wt. (lbs.)	7	7¼	7½	7½ (Vent Rib) 7¼ (Deer BBL)	6½ (Vent Rib) 6¼ (Deer BBL)	7¼	6	6	6	6

[1] Stock and fore-end in Advantage® camo.

★ New For 2002

REM 0029



EXHIBIT
8

Petitioner's Exhibit
RA Brands, LLC v. Burns
Cancellation No. 92048334

MODEL 11-87™ SUPER MAGNUM™

— LEGENDARY —

Remington® Reliability with 3½" Capability.



Above: Model 11-87™ Premier® Super Magnum™



If you could only have one shotgun, few would disagree that the 11-87™ Super Magnum™ tops the list of candidates. It can handle just about any game in any field or flyway. The unmatched versatility of the Model 11-87 Super Magnum results from the unique metering system of its patented gas-operated action. With 2¾" field loads, an integral pressure relief valve remains closed, utilizing all of the shell's pressure to operate the action. When heavier shells are used, the valve opens proportionately to release the unneeded pressure — retaining just the right amount to operate the action. This not only assures reliable handling of all shell sizes, but prevents excessive bolt velocity that could increase wear. It's the same system that hunters have been using for the past thirteen years on the original Model 11-87 — the softest-shooting autoloading shotgun action ever designed. Available in a number of versions, ranging from our Model 11-87 Premier® Super Magnum with high-gloss walnut stock and polished blue metalwork to fully camouflaged models for the ultimate in waterfowl and turkey hunting. All versions are furnished with Rem Chokes. Synthetic and camouflaged versions feature Remington's new high performance R™ recoil pad.

MODEL 11-87™
SUPER MAGNUM FEATURES:

- All of the power of a 3½" 12-gauge shotgun coupled with the soft recoil of the Model 11-87™ gas system.
- Ultra-fast Model 11-87 autoloading action for rapid follow-up shots.
- All of the superior handling and ergonomics of the standard Model 11-87.
- Super Magnum™ is available in special purpose, special purpose synthetic, as well as camouflage and Premier® versions.
- A broad selection of barrel and choke options provide great versatility to match any situation.
- Solid steel receiver for strength and durability.

See page 33 for complete specifications.

REM 0031

SPECIAL PURPOSE TURKEY

— SPRING FEVER? —

May We Suggest
Something in Maximum Strength?



Above: Model 870™ SPS-T™ 20-Gauge Camo

MODEL 11-87™ SPS-T™
SUPER MAGNUM™ CAMO

MODEL 11-87™ SPS-T™
SUPER MAGNUM™ CAMO
TRU-GLO® FIBER-OPTIC SIGHTS



MODEL 870™
SPS-T™ 20-GAUGE CAMO
TRU-GLO® FIBER-OPTIC SIGHTS



No species of game is more wary than the wild turkey. Fortunately, no turkey guns are better made than the ones you see here. What's more, Remington offers the most expansive selection of turkey guns in existence and is constantly innovating. Case in point — this year we offer the Model 870® SPS-T™ 20-gauge. Matched with our 20-gauge Premier® Hevi•Shot® turkey loads this camo-clad beauty is perfect for anyone looking to head into the woods with a lighter load delivering superb handling without sacrificing the magnum power. Add that to a list that includes the Model 11-87® Super Magnum® SPS-T™ camo with 23" barrel and Tru-Glo® fiber-optic rifle sights and the Model 11-87 SPS-T Super Magnum with 23" vent-rib barrel.

NEW 20-GAUGE 870® SPS-T™ WITH TRU-GLO® FIBER-OPTIC SIGHTS

There's more than one way to take a gobbler. The low recoil and light handling 20-gauge shotgun has become a favorite of those on the leading edge of creative turkey hunting. With the advent of the newer 20-gauge magnum turkey loads and the reliability of the time-honored Model 870 action this is an ideal choice for a Spring morning in the woods. An Extended Turkey Super Full choke tube and a weather-defying, ultra-light synthetic stock in Mossy Oak's New Break-Up pattern fitted with Remington's new high-performance R3™ recoil pad completes the package.

MODEL 11-87® SPS-T™:

- Soft recoiling gas operation.
- Comes in both standard 3" 12-gauge and 3½" 12-gauge Super Magnum.
- Full Mossy Oak® Break-Up® camouflage.
- Barrels are Rem® Choked from the factory.
- Supplied with Turkey Super Full choke tube.
- Equipped with sling swivel studs and matching padded camo sling.
- Available in 21" and 23" barrel lengths.
- Cantilever scope rail, twin bead sights and Tru-Glo® fiber-optic rifle sights also available.
- Fitted with Remington's new high-performance R3™ recoil pad.

See page 34 for complete specifications.

MODEL 870® SPS-T™:

- Ultra reliable Model 870® pump action.
- Supplied with Turkey Super Full choke tube.
- Full Mossy Oak Break-Up camouflage.
- Comes in Standard 3" 12-gauge, 3" 12-gauge Super Magnum and new for 2003, 20-gauge Magnum.
- Available in 20" and 23" barrel lengths.
- Cantilever scope rail, youth version, twin bead sights and Tru-Glo® fiber-optic rifle sights are also available.
- Fitted with Remington's new high-performance R3™ recoil pad.

See page 34 for complete specifications.

SPECIAL PURPOSE WATERFOWL

MODEL 870™ SPS™
MODEL 11-87™ SPS™
WATERFOWL SHOTGUNS

- Action is pump-action and autoloading configurations
- Camo versions are fully camouflaged in Mossy Oak® Break-Up®
- 26" and 28" barrels available.
- Comes with sling swivel studs and padded sling.
- Equipped with Improved Cylinder Modified and Full Rem® Chokes
- Fitted with Remington's new high-performance R3™ recoil pad.

MODEL SP-10™ FEATURES:

- America's most popular gas-operated 10-gauge shotgun.
- Awesome 10-gauge power will handle any waterfowl or turkey hunting situation.
- Perfect platform for Remington's new 10-gauge Hev•Shot® waterfowl loads.
- 26" and 30" vent rib barrels.
- Camouflage version is fully covered in Mossy Oak® Break-Up®.
- All come with sling swivels and padded sling.
- Synthetic stock and camo stock versions are equipped with Remington's new high-performance R3™ recoil pad.

See page 34 for complete specifications.

MODEL 870™ SPS™
SUPER MAGNUM™ CAMO



MODEL SP-10™
MAGNUM SYNTHETIC
Black Synthetic Stock

MODEL 11-87™ SPS™
SUPER MAGNUM™ CAMO

It's just plain hard to beat our industry-leading lineup of Special Purpose Waterfowl guns. The 11-87™ SPS™ Super Magnum™ couples the proven reliability of the Model 11-87 action with the knockdown capability of 3½" magnum payloads. And for ultimate concealment, it's camouflaged in Mossy Oak® Break-Up® from stock to muzzle. If you prefer a slide action, you can choose the equally impressive 3½" Model 870™ SPS Super Magnum. Of course, our perennial favorites still remain, including the sure-functioning, 12-gauge Model 11-87 SPS and the goose-blind-ruling power of the 10-gauge Model SP-10™ Magnum.

SHOTGUNS

SPECIAL PURPOSE DEER AND MARINE MAGNUM



MODEL 870™ SPS™
"SUPER SLUG" CANTILEVER DEER GUN
(Scope and rings not included.)



MODEL 11-87™ SPS™
FULLY RIFLED DEER GUN

MODEL 870™
MARINE MAGNUM™

With fully rifled barrels or rifled Rem® chokes, our Special Purpose Deer guns bring rifle-like accuracy to shotgun deer hunting. Choose from three fast-handling Model 11-87™ autoloaders, or our deadly accurate "Super Slug" Model 870™ SPS™ which features a unique, heavy-contour barrel that reduces recoil and dramatically improves accuracy. Other options include cantilever scope mounts and synthetic or walnut stocks. Also see the Universal Scope Mount on page 70.

MODEL 870™ SPS™
MODEL 11-87™ SPS™
DEER SHOTGUNS

- Comes in 3" Magnum 12-gauge.
- Highly accurate slug shotgun platforms both Model 870™ and Model 11-87™.
- Model 11-87 SPS™ comes with 21" fully rifled barrel, either with cantilever scope mount or rifle sights.
- Model 870™ SPS comes with 23" fully rifled barrel with cantilever scope mount.
- Fitted with Remington's new high-performance R3™ recoil pad.

MODEL 870™ MARINE MAGNUM™ FEATURES:

- 18" cylinder bore, bead sight barrel
- Synthetic stock and fore-end
- Fully plated with corrosion-resistant electroless nickel.
- Sling swivel studs.
- 7-shot magazine.
- Fitted with Remington's new high-performance R3™ recoil pad.

See page 34 for complete specifications.

MODEL 870™ EXPRESS™ SUPER MAGNUM™

— THE WORLD'S MOST DEPENDABLE —

Pump Shotgun In Super Magnum™ Strength.

Above: Model 870™ Express™ Super Magnum™ Turkey Camo

Because it handles everything from light 2 3/4" loads to heavy 3 1/2" magnums interchangeably, you've got a shotgun that's unrivaled in versatility. No other pump gun even comes close. You can go from shooting heavy 3 1/2" loads at high-passing waterfowl to shooting light 2 3/4" loads at fast-darting doves without a hitch. And it does it all with the same action stroke, balance and feel of our original Model 870™ (the most popular pump gun in history). Finally, we can't forget to mention what may be the most appealing thing about the Express™ Super Magnum: It comes at a very affordable price. Many workhorse models are available, including stock choices of flat-finished hardwood, durable black synthetic or popular camo finishes. To get the most versatile of any Model 870 Express Super Magnum, choose the two-barrel Combo.



For deer hunting with slugs, you get a 20" fully-rifled barrel with adjustable factory sights and a standard 26" vent-rib Rem™ Choke barrel for just about any other shotgunning imaginable.

MODEL 870™ SUPER MAGNUM™ DESIGN FEATURES:



MODEL 870™ EXPRESS™ SUPER MAGNUM™ FEATURES:

- Will function 2¾", 3" and 3½" shells interchangeably.
- Superior design and inherent strength of America's favorite pump shotgun, the Model 870.™
- Super Magnum™ receiver same size as all 12-gauge Model 870 shotguns for same balance point.
- Innovative bolt design keeps cycle stroke equal for all 3 sizes of 12-gauge shotshells.
- Magazine capacity is three 3½" shells and four 2¾" and 3" shells.
- Available in wood, synthetic and camouflaged versions as well as a combo package, which features both a vent rib and rifle-sighted deer barrel for maximum versatility.
- New for 2003 is the addition of a new high-quality camo pattern, Skyline™ Excel.™

See page 35 for complete specifications.

SHOTGUN SPECIFICATIONS

MODEL 11-87™ SUPER MAGNUM™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	Gauge	Mag. Capacity[1]	BBL Length/ Order No.	Barrel Type	Sights	Metal Finish	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)
11-87™ SP™ Super Magnum	12 (3½")	3 (3½"), 4 (2¾" & 3")	28"/ 25305 26"/ 25307	Vent Rib Rem™ Choke[1,2]	Twin bead	Matte, Non-Reflective	48" 45¾"	14¼"	1½"	2½"	American Walnut	Satin	8¼ 8¼
11-87™ SPS™ Super Magnum	12 (3½")	3(3½"), 4(2¾" & 3")	28"/25337 26"/25339	Vent Rib Rem™ Choke[1,2]	Twin bead	Matte, Non-Reflective	48" 45¾"	14"	1½"	2½"	Black Synthetic	Matte	8¼ 8¼
11-87™ SPS™ Camo Super Magnum	12 (3½")	3(3½"), 4(2¾" & 3")	28"/25343	Vent Rib Rem™ Choke[1,2]	Twin bead	Mossy Oak® Break-Up™ Camo	48"	14"	1½"	2½"	Camo Synthetic	Matte	8¼
11-87™ Premier Super Magnum	12 (3½")	3(3½"), 4(2¾" & 3")	28"/25303	Vent Rib Rem™ Choke[1,2]	Twin bead	High Polish Blued	48"	14¼"	1½"	2½"	American Walnut	Gloss	8¼

[1] NOTE: All Model 11-87™ and Model 11-87™ Super Magnum™ shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes.
[2] WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable.
[3] Some states may require plugs.

MODEL 11-87™ PREMIER® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	Gauge	Mag. Capacity	BBL Length/ Order No.	Barrel Type	Sights	Metal Finish	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)
11-87™ Premier®	12	4	30"/25287 28"/25289 26"/25291	Light Contour Vent Rib Rem™ Choke[2]	Twin bead	High Polish Blued	50½" 48½" 46"	14¼"	1½"	2½"	American Walnut	Gloss	7½ 7¼ 7⅛
11-87™ Premier® (20 gauge)	20	4	28"/29591 26"/29593	Vent Rib Rem™ Choke[2]	Twin bead	High Polish Blued	48½" 46"	14"	1½"	2½"	American Walnut	Gloss	7 6¾
11-87™ Premier® Left Handed	12	4	28"/29909	Light Contour Vent Rib Rem™ Choke[2]	Twin bead	High Polish Blued	48¼"	14¼"	1½"	2½"	American Walnut	Gloss	7½
11-87™ Premier Cantilever Scope Mount Deer Gun	12	4	21"/29831	Fully Rifled	Cantilever Scope Mount	High Polish Blued	41½"	14"	1⅜"	2⅞"	American Walnut	Satin	8
11-87™ Upland Special	12 20	4	23"/25357 23"/25359	Light Contour Vent Rib (12ga.) Rem Choke[2]	Twin bead	High Polish Blued	43½"	14	1½"	2½"	American Walnut	Satin	7¼ 6½

[1] Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads.
[2] NOTE: All Model 11-87™ shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes.

MODEL 1100™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	Gauge	Mag. Capacity	BBL Length/ Order No.	Barrel Type	Sights	Metal Finish	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)
★1100™ 16-Gauge Classic Field	16	4	28"/25257 26"/25253	Vent Rib Rem™ Choke[3]	Twin bead	High Polish Blued	48" 46"	14"	1½"	2½"	Amer. Walnut	Satin	7 7¼
1100™ Synthetic	12 20	4[2]	28"/25369 26"/25371	Vent Rib Rem™ Choke (Mod. Only)	Single bead	Matte Black Non-Reflect.	48" (12-ga.) 46" (20-ga.)	14"	1½"	2½"	Black Synthetic	Matte	7 6¼
1100™ Synthetic Fully Rifled Cantilever Scope Mount / Deer	12	4	21"/25363	Fully Rifled	Cantilever Scope Mount	Matte Black Non-Reflect.	41½"	14"	1½"	1⅞"	Black Synthetic	Matte	7½
1100™ LT-20 Synthetic Fully Rifled, Rifle-Sighted / Deer	20	4	21"/25365	Fully Rifled	Rifle Sights	Matte Black Non-Reflect.	41"	14"	1½"	2½"	Black Synthetic	Matte	7
1100™ LT-20 Youth Synthetic	20	4	21"/25367	Vent Rib Rem™ Choke (Mod. Only)	Single bead	Matte Black Non-Reflect.	40½"	13"	1½"	2½"	Black Synthetic	Matte	6½
★1100™ LT-20 Youth Synthetic Turkey Camo	20 (Magnum)	4	21"/25245	Vent Rib Rem™ Choke (Full Only)	Twin bead	Matte Black Non-Reflect.	40½"	13"	1½"	2½"	Camo-Covered Synthetic	Skyline® Excel® Camo	6¾

[1] 3" Magnum is set up to handle heavy 20-ga. shotshells and will not function satisfactorily with target and field loads.
[2] Add mag capacity w/plug (see Model 870 Wingmaster table)
[3] Classic Field furnished with Improved Cylinder, Modified and Full Rem™ Choke tubes.

★New for 2003

MODEL 870™ WINGMASTER® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	Gauge	Mag. Capacity	BBL Length/ Order No.	Barrel Type	Sights	Metal Finish	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)
Wingmaster® Super Magnum	12 (3½")	3 (3½"), 4 (2¾" & 3")	28"/ 26975	Light Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	48¼"	14¼"	1½"	2½"	Amer. Walnut	Gloss	7½
Wingmaster® 12-gauge	12	4[1]	30"/25053 28"/25055 26"/25057	Light Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	50½" 48¼" 48½"	14¼"	1½"	2½"	Amer. Walnut	Gloss	7¼ 7 6¼
Wingmaster® 16-gauge	16	4[1]	28"/26941 26"/26943	Light Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	48¼" 46½"	14¼"	1½"	2½"	Amer. Walnut	Gloss	7¼ 7
Wingmaster 20-gauge	20	4[1]	28"/25073 26"/25075	Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	48½" 46½"	14"	1½"	2½"	Amer. Walnut	Satin (28") Gloss (26")	6½ 6¼
Wingmaster® 28-gauge	28	4[1]	25"/25227	Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	45½"	14"	1½"	2½"	Amer. Walnut	Satin	6
Wingmaster® .410 Bore	.410 Bore	4[1]	25"/24987	Vent Rib Modified	Twin Bead	High Polish Blued	45½"	14"	1½"	2½"	Amer. Walnut	Satin	6

[1] All Model 870™ Wingmaster® shotguns have 5-shot capacity and come furnished with a 3-shot plug. All 3" and 3½" chambers handle 2¾" shells. Super Magnums have 4-shot capacity when using 3½" shells.

[2] NOTE: All Model 870™ Wingmaster® and Model 870™ Wingmaster® Super Magnum™ shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes.

SHOTGUN SPECIFICATIONS

SPECIAL PURPOSE TURKEY SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

Model	Gauge	Mag. Capacity[1]	BBL Length/ Order No.	Barrel Type	Sights	Metal Finish	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)
870™ SPS-T Super Mag CL/RC[8]	12 (3½")	3(3½") 4(2¾" & 3")	23"/24957[3]	Rem™ Choke[4]	Cantilever Scope Mount	Mossy Oak® Break-Up®	44½"	14"	1½"	1⅞"	Synthetic Camo	Mossy Oak® Break-Up®	7½
870™ SPS-T Super Mag Camo[8]	12 (3½")	3(3½") 4(2¾" & 3")	23"/24968[3]	Vent Rib Rem™ Choke	Twin Bead	Mossy Oak® Break-Up®	44½"	14"	1½"	2½"	Synthetic Camo	Mossy Oak® Break-Up®	7½
11-87™ SPS-T Super Mag Camo RS/TG	12 (3½")[1]	3(3½") 4(2¾" & 3")	23"/25353[3]	Rem™ Choke[5]	Truglo®	Mossy Oak® Break-Up®	43"	14"	1½"	1⅞"	Synthetic Camo	Mossy Oak® Break-Up®	8⅛
11-87™ SPS-T Super Mag Camo	12 (3½")[1]	3(3½") 4(2¾" & 3")	23"/25345[3]	Vent Rib Rem™ Choke[4]	Twin bead	Mossy Oak® Break-Up®	43"	14"	1½"	2½"	Synthetic Camo	Mossy Oak® Break-Up®	8⅛
11-87™ SPS-T Camo RS/TG	12 (3")[1]	4	21"/25323[3]	Rem™ Choke[2,5]	Truglo®	Mossy Oak® Break-Up®	42½"	14"	1½"	1⅞"	Synthetic Camo	Mossy Oak® Break-Up®	8
11-87™ SPS-T Camo CL/RC	12 (3")[1]	4	21"/25341	Rem™ Choke[2,4]	Cantilever Scope Mount	Mossy Oak® Break-Up®	42½"	14"	1½"	2½"	Synthetic Camo	Mossy Oak® Break-Up®	8½
11-87™ SPS-T Camo	12 (3")[1]	4	21"/29664[1]	Vent Rib Rem™ Choke[2,6]	Twin Bead	Mossy Oak® Break-Up®	42½"	14"	1½"	1⅞"	Synthetic Camo	Mossy Oak® Break-Up®	8
870™ SPS-T Camo RS/TG	12 (3")[1]	4	20"/24883[3]	Rem™ Choke[2]	Truglo®	Mossy Oak® Break-Up®	41½"	14"	1½"	1⅞"	Synthetic Camo	Mossy Oak® Break-Up®	7½
★ 870™ SPS-T Camo RS/TG	20 (3")[1]	4	20"/24989[3]	Rem™ Choke[2]	Truglo®	Mossy Oak® New Break-Up®	41"	14"	1½"	1⅞"	Synthetic Camo	Mossy Oak® Break-Up®	6½

★New for 2003

[1] All 3" and 3½" chambers handle 2¾" shells.
[2] Note: Model 11-87™ SPS-T and Model 870™ SPS-T Turkey guns supplied with Turkey Super Full choke tube.
[3] Note: 21" Model 11-87™ Turkey and Deer barrels and 23" Model 11-87 Super Magnum barrels are not pressure-compensated. Not for use with target or light field loads.
[4] Note: Model 870™ SPS-T™ Super Magnum™ Camo supplied with Turkey Extra Full and Turkey Super Full choke tubes.
[5] Note: All Model 870™ Super Magnums have 3½" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2¾", 3" and 3½" shells interchangeably.
[6] WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable.
[7] Some states require plugs.

SPECIAL PURPOSE WATERFOWL SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

Model	Gauge	Mag. Capacity	BBL Length/ Order No.	Barrel Type	Sights	Metal Finish	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)
SP-10 Magnum Synthetic[1]	10	2	26"/24822	Vent Rib Rem™ Choke[1]	Twin Bead	Matte Non Reflect.	47½"	14"	1½"	2½"	Black Synthetic	Matte	10¾
SP-10 Magnum[1]	10	2	30"/24808	Vent Rib Rem™ Choke[1]	Twin Bead	Matte Non Reflect.	51½"	14"	1½"	2½"	Amer. Walnut	Satin	11
SP-10 Magnum Camo[1]	10	2	26"/24809	Vent Rib Rem™ Choke[1]	Twin Bead	Mossy Oak® Break-Up®	47½"	14"	1½"	2½"	Camo Synthetic	Mossy Oak® Break-Up®	10¾
870 SPS Super Mag Camo[3]	12	3(3½") 4(2¾" & 3")	28"/24949 26"/24952	Vent Rib Rem™ Choke[4]	Twin Bead	Mossy Oak® Break-Up®	48" 46"	14"	1½"	2½"	Camo Synthetic	Mossy Oak® Break-Up®	7½ 7½
11-87™ SPS™	12	4	28"/25269 26"/25271	Vent Rib Rem™ Choke[4]	Twin Bead	Matte Non Reflect.	48¾" 46"	14"	1½"	2½"	Black Synthetic	Matte	8⅛ 8⅛
11-87™ SPS™ Camo	12	4	26"/29662	Vent Rib Rem™ Choke[4,5]	Twin Bead	Mossy Oak® Break-Up®	46"	14"	1½"	2½"	Camo Synthetic	Mossy Oak® Break-Up®	8⅛
11-87™ SPS™ Super Mag Camo	12	3(3½") 4(2¾" & 3")	28"/25343	Vent Rib Rem™ Choke[4,5]	Twin Bead	Mossy Oak® Break-Up®	48"	14"	1½"	2½"	Camo Synthetic	Mossy Oak® Break-Up®	8½

[1] These Model SP-10™ shotguns supplied with Full and Mod Rem™ Choke tubes.
[2] IMPORTANT NOTE: Critical components – including the barrel, bolt assembly and trigger plate assembly of the Remington Model SP-10™ and other manufacturers' 10-gauge shotguns – are not interchangeable.
[3] *NOTE: All Model 870™ Super Magnums have 3½" chambers except Deer barrel which has 3" chamber.* Super Magnums can shoot 2¾", 3" and 3½" shells interchangeably.
[4] All 870, 870 Super Magnum, 11-87 and 11-87 Super Magnum Special Purpose waterfowl shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes.
[5] WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable.

SPECIAL PURPOSE DEER/MARINE MAGNUM® SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

Model	Gauge	Mag. Capacity	BBL Length/ Order No.	Barrel Type	Sights	Metal Finish	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)
870™ SPS "Super Slug" Fully Rifled Cantilever Scope Mount Deer Gun	12[1]	4	23"/24946	Fully Rifled Contour	Cantilever Scope Mount	Matte Black Non-Reflect.	43¾"	14"	1½"	1⅞"	Black Synthetic	Matte	8
11-87™ SP Deer Gun	12	4	21"/29837[4,5]	Rem™ Choke Deer[2]	Rifle Sights	Matte Black Non-Reflect.	41½"	14¼"	1½"	2½"	Amer. Walnut	Satin	8
11-87™ SPS Fully Rifled Cantilever Scope Mount Deer Gun	12	4	21"/29819[4,5]	Fully Rifled	Cantilever Scope Mount	Matte Black Non-Reflect.	41½"	14"	1½"	1⅞"	Black Synthetic	Matte	8½
11-87™ SPS Fully Rifled Deer Gun	12	4	21"/29761[4,5]	Fully Rifled	Rifle Sights	Matte Black Non-Reflect.	41½"	14"	1½"	2½"	Black Synthetic	Matte	8
870™ Marine Magnum®	12	6	18"/25012	Cylinder Choke	Single Bead	Electroless Nickel-Plated	38½"	14"	1½"	2½"	Black Synthetic	Matte	7½

[1] NOTE: Model 870™ shotguns with 3" chambers handle 2¾" shells.
[2] Will not accept law enforcement accessories.
[3] Rifle-sighted Rem™ Choke Deer shotguns supplied with a Rifled Choke tube and Improved Cylinder tube.
[4] NOTE: Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads.
[5] WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable.

GENUINE REMINGTON® FACTORY EXTRA SHOTGUN BARRELS

MODEL SP-10™ MAGNUM EXTRA BARRELS - 3½" CHAMBER

Type	Length & Choke	10-ga.
SP™ Magnum, Vent Rib	30" Rem™ Choke	27594
SP™ Magnum, Vent Rib	26" Rem™ Choke	27598

PLEASE NOTE THE FOLLOWING AMMUNITION RECOMMENDATIONS FOR USE WITH THE MODEL 1100™ STEEL SHOT BARREL.

When used with Model 1100™ Magnum shotguns:
- Use 2¾" magnum or 3" magnum steel shotshells.
- Use 2¾" magnum or 3" magnum lead shotshells.

When used with Model 1100™ non-Magnum shotguns:
- Use 2¾" magnum or 3" magnum steel shotshells.
- Use 2¾" magnum lead shotshells. Do not use 3" magnum lead shotshells in non-Magnum Model 1100™ shotguns, as this will cause extra wear and decrease the life of the gun.

MODEL 1100™ EXTRA BARRELS - 2¾" CHAMBERS

Length & Choke	12-ga.	20-ga. LT-20
Field Grade, Cantilever Scope Mount		
21" Fully Rifled	26595	–
Field Grade, Deer, Rifle Sights		
21" Fully Rifled	29570	–
21" Rem™ Choke[2]	29565	–
21" Rem™ Choke (L-H)[2]	29567	–
21" Imp. Cyl.	–	24438
SP™ Deer, Rifle Sights		
21" Rem™ Choke[2]	29571	–
Steel Shot Barrel, Vent-Rib[3] 12-gauge (see ammunition note at left)		
30" Rem™ Choke	29505	–
26" Rem™ Choke	29509	–
Field Grade, Vent Rib		
30" Rem™ Choke	24488	–
28" Rem™ Choke	24464	24484
26" Rem™ Choke	24466	24486
Skeet, Vent Rib (see note at left)		
26" Rem™ Choke	24490	–

NOTE: LT-20, 20-gauge Lightweight barrels (4400 Series) will not fit pre-1977 20-gauge Lightweight or standard 20-gauge Model 1100™ shotguns. (Refer to parts list for pre-1977 barrels.)
[2] Rifle-sighted Rem™ Choke Deer barrels supplied with Rifled and Imp. Cyl. Choke tubes.
[3] Supplied with Full Choke only.

REM™ CHOKES

For a full listing of genuine factory Rem™ Chokes, see chart in Accessories Section, page 70.

SHOTGUN SPECIFICATIONS

MODEL 870™ EXPRESS® SUPER MAGNUM™ SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

Model	Gauge	Mag. Capacity	BBL Length/ Order No.	Barrel Type	Sights	Metal Finish	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)
870™ Express® Super Mag Turkey	12 (3½")	3 (3½") 4 (2¾" & 3")	23"/25106	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Matte Black Non-Reflect.	44½"	14"	1½"	2½"	Black Synthetic	Matte	7½
★ 870™ Express® Super Mag Turkey Camo	12 (3½")	3 (3½") 4 (2¾" & 3")	23"/25105	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Skyline® Excel® Camo	44½"	14"	1½"	2½"	Synthetic	Skyline® Excel® Camo	7¼
870™ Express® Super Mag	12 (3½")	3 (3½") 4 (2¾" & 3")	28"/25100	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect.	48½"	14"	1½"	2½"	Hardwood	Satin	7½
870™ Express® Super Mag Synth.	12 (3½")	3 (3½") 4 (2¾" & 3")	26"/25102	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect.	46"	14"	1½"	2½"	Black Synthetic	Matte	7¼
870™ Express® Super Mag Combo	12 (3½")	3 (3½") 4 (2¾" & 3")	26"/25114-1 20"/25114	Mod. Rem™ Choke (Vent Rib) Fully Rifled (Deer)	Single Bead (Vent Rib) Rifle Sights (Deer)	Matte Black Non-Reflect.	48" (VR) 40½" (Deer)	14"	1½"	2½"	Hardwood	Satin	7¼

[1] Combo Deer barrel has 3" chamber.

★New for 2003

MODEL 870™ EXPRESS® SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

Model	Gauge	Mag. Capacity	BBL Length/ Order No.	Barrel Type	Sights	Metal Finish	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)
870™ Express® 12-Gauge	12	4	28"/25568 26"/25569	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect.	48½" 46½"	14"	1½"	2½"	Hardwood	Flat	7½ 7¼
870™ Express® 16-Gauge	16	4	28"/25191	Light Contour Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect.	48½"	14"	1½"	2½"	Hardwood	Flat	7¼
870™ Express® 20-Gauge	20	4	28"/25583 26"/25582	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect.	48½" 46½"	14"	1½"	2½"	Hardwood	Flat	6½ 6¼
870™ Express® 28-Gauge	28	4	25"/25599	Vent Rib Fixed Mod Choke	Single Bead	Matte Black Non-Reflect	45½"	14"	1½"	2½"	Hardwood	Flat	6
870™ Express® .410 Bore	.410 Bore	4	25"/25601	Vent Rib Fixed Full Choke	Single Bead	Matte Black Non-Reflect	45½"	14"	1½"	2½"	Hardwood	Flat	6
870™ Express® Synthetic	12	4	28"/25587 26"/25589	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect.	48½" 46½"	14"	1½"	2½"	Black Synthetic	Matte	7½ 7¼
870™ Express® Synthetic	16	4	28"/25201	Light Contour Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48½"	14"	1½"	2½"	Black Synthetic	Matte	7¼
★ 870™ Express® Turkey Camo[1]	12	4	21"/25205	Vent Rib Rem™ Choke (Extra Full)	Twin Bead	Matte Black Non-Reflect	42½"	14"	1½"	2½"	Synthetic	Skyline® Excel® Camo	7¼
870™ Express® Turkey	12	4	21"/25573	Vent Rib Rem™ Choke (Extra Full)	Twin Bead	Matte Black Non-Reflect	42½"	14"	1½"	2½"	Hardwood	Flat	7¼
870™ Express® Fully Rifled Deer	12	4	20"/25097	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40½"	14"	1½"	1⅞"	Black Synthetic	Matte	7
870™ Express® Deer	12	4	20"/25565	Fixed Imp. Cyl. Choke	Rifle Sights	Matte Black Non-Reflect	40½"	14"	1½"	1⅞"	Hardwood	Flat	7¼
870™ Express® Deer	12	4	20"/25575	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40½"	14"	1½"	1⅞"	Hardwood	Flat	7¼
870™ Express® Left Hand	12	4	28"/25577	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48½"	14"	1½"	2½"	Black Synthetic	Matte	7¼
870™ Express® Synthetic 18"	12	4	18"/25549	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38½"	14"	1½"	2½"	Black Synthetic	Matte	7¼

[1] Stock and fore-end in Skyline® Excel™ camo.

★New for 2003

MODEL 870™ EXPRESS® COMBO SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

Model	Gauge	Mag. Capacity	BBL Length/Order No.	Barrel Type	Sights	Metal Finish	Overall Length	Length of Pull	Drop (Comb)	Drop (Heel)	Stock Material	Stock Finish	Avg. Wt. (lbs.)
870™ Express® Combo 12-Gauge	12	4	28" (Vent Rib)/20" (Imp. Cyl. Deer)/25571 26" (Vent Rib)/20" (Fully Rifled Deer)/25578	Vent Rib Rem™ Choke (Mod.) LC Deer or Fully Rifled Deer[1]	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect.	48½", 46½" (Vent Rib) 40½" (Deer BBL)	14"	1½"	2½"	Hardwood	Flat	7¼ (Vent Rib) 7¼ (Deer BBL)
870™ Express® Combo 20-Gauge	20	4	28" (Vent Rib)/20" (Imp. Cyl. Deer)/25585 26" (Vent Rib)/20" (Fully Rifled Deer)/25597	Vent Rib Rem™ Choke (Mod.) LC Deer or Fully Rifled Deer[1]	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect.	48½", 46½" (Vent Rib) 40½" (Deer BBL)	14"	1½"	2½"	Hardwood	Flat	6¼ (Vent Rib) 6½ (Deer BBL)

[1] Combo Deer barrel has 3" chamber.

MODEL 870™ EXTRA BARRELS - 3" CHAMBERS

Length & Choke	12-ga.	20-ga.*
Field Grade, Vent Rib, Wingmaster®		
30" Rem™ Choke, Light Contour	26215	–
30" Rem™ Choke	24576	–
28" Rem™ Choke, Light Contour	26217	–
28" Rem™ Choke	24580	24606
26" Rem™ Choke, Light Contour	26219	–
26" Rem™ Choke	24582	24608
Deer Barrel, Super Slug Cantilever Scope Mount, New Contour		
23" Fully Rifled	24551	–
Deer Barrel, Cantilever Scope Mount, Wingmaster®		
20" Fully Rifled	24557	–
Deer Barrel, Rifle Sights		
20" Rem™ Choke[2]	24545	–
20" Rem™ Choke (L-H)[2]	24547	–
20" Fully Rifled	24558	–
20" Imp. Cyl.	–	24578
SP™ Deer Barrel, Cantilever Scope Mount		
20" Fully Rifled	26229	–
20" Fully Rifled Camo †	26203	–
20" Rem™ Choke[1]	26227	–
SP™ Deer, Rifle Sights		
20" Rem™ Choke[2]	24549	–
Express® Deer, Rifle Sights (20"), Imp. Cyl.	24622	–
Express® Deer, Fully Rifled, Rifle Sights (20")[3]	24611	24609
SP™, Vent Rib		
30" Rem™ Choke	24590	–
28" Rem™ Choke	26225	–
28" Rem™ Choke Camo †	26223	–
26" Rem™ Choke	24592	–
Skeet (2¾" chamber), 26" Rem™ Choke	24612	–

Model 870™ extra barrels with 3" chambers used on Super Magnum™ and Magnum receivers will handle both 2¾" and 3" shells only. Use only 2¾" shells when these barrels are used on non-Magnum receivers. *20-gauge 870™ Lightweight barrels will not fit 20-gauge standard 870™ guns.

[1] Cantilever Rem™ Choke Deer barrels supplied with Imp. Cyl. and Extended Rifled Choke tubes.

[2] Rifle-sighted Rem™ Choke Deer barrels supplied with Rifled and Imp. Cyl. Choke tubes.

[3] Express® 20-ga. Fully Rifled Deer barrel has 2¾" chamber. Model 870™ extra barrels with 2¾" chambers will fit both Magnum and 2¾" receivers. Use only 2¾" shells in these barrels.

† Camo Mossy Oak® Break-Up® Pattern.

MODEL 11-87™ EXTRA BARRELS - 3" CHAMBERS

Length & Choke	12-ga.	20-ga.
Deer Barrel[1], Cantilever Scope Mount		
21" Fully Rifled	29615	–
Deer Barrel[1], Rifle Sights		
21" Fully Rifled	29606	29563[3]
21" Rem™ Choke[2]	29623	–
21" Rem™ Choke (L-H)[2]	29625	–
SP™ Deer Barrel, Cantilever Scope Mount		
21" Fully Rifled	24645	–
21" Fully Rifled Camo†	29537	–
21" Rem™ Choke[1]	24647	–
SP™ Deer Barrel, Rifle Sights		
23" Fully Rifled[4]	24629	–
21" Rem™ Choke[2]	29627	–
21" Fully Rifled	29609	–
SP™ Magnum, Vent Rib		
30" Rem™ Choke	24638	–
28" Rem™ Choke	29611	–
28" Rem™ Choke Camo†	29617	–
26" Rem™ Choke	24640	–
Premier,® Vent Rib		
30" Rem™ Choke, Light Contour	29600	–
30" Rem™ Choke	24642	–
28" Rem™ Choke, Light Contour	29602	–
28" Rem™ Choke	24644	–
26" Rem™ Choke, Light Contour	29604	–
26" Rem™ Choke	24646	–
Premier® Target Barrels (2¾" chamber only - see Rem™ Choke target BBL note at left, below)		
26" Rem™ Choke Skeet	24624	–
30" Rem™ Choke Trap	24626	–

Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads.

Fitting Standard Barrels on Light Contour Shotguns – The fore-ends on our Light Contour Model 11-87™ shotguns are shaped to follow the curve of the slimmer-profiled LC barrel, which means that a standard Vent Rib or Deer barrel cannot be fitted to your gun unless you do one of two things: have your LC fore-end wood opened up by a competent gunsmith or stockmaker; or purchase a standard profile fore-end from our Arms Service Division by writing to: Arms Service Division, Remington Arms Co., P.O. Box 700, Madison, NC 27025-0700 or visit our website at: www.remington.com.

[1] Cantilever Rem™ Choke Deer barrels supplied with Imp. Cyl. and Extended Rifled Choke tubes.

[2] Rifle-sighted Rem™ Choke Deer barrels supplied with Rifled and Imp. Cyl. Choke tubes.

[3] 2¾" chamber.

[4] 3½" chamber.

† Camo Mossy Oak® Break-Up® Pattern.

Remington

FIREARMS • AMMUNITION • ACCESSORIES • 2004



EXHIBIT
tabbies
9

Petitioner's Exhibit
RA Brands, LLC v. Burns
Cancellation No. 92048334

REM 0038

MODEL 11-87™ SUPER MAGNUM™

LEGENDARY REMINGTON® RELIABILITY WITH 3½" CAPABILITY.

If you could only have one shotgun, few would disagree that the Model 11-87™ Super Magnum™ tops the list of candidates. It can handle just about any game in any field or flyway. The unmatched versatility of this Model 11-87 Super Magnum results from the unique metering system of its patented gas-operated action.

With 2¾" field loads, an integral pressure relief valve remains closed, utilizing all of the shell's pressure to operate the action. When heavier shells are used, the valve opens proportionately to release the unneeded pressure – retaining just the right amount to operate the action. This not only assures [illegible] handling of all shell sizes, but prevents

MODEL 11-87™ SUPER MAGNUM FEATURES:

- All the power of a 3½" 12-gauge shotgun coupled with the soft recoil of the Model 11-87™ gas system.
- Ultra-fast Model 11-87 autoloading action for rapid follow-up shots.
- All of the superior handling and ergonomics of the standard Model 11-87
- Super Magnum™ is available in special purpose, special purpose synthetic, as well as camouflage and Premier® versions.
- A broad selection of barrel and choke options provide [illegible]

MODEL 11-87™ PREMIER®

EVERY NEW SEASON SHOULD BEGIN WITH A PREMIER.

A beautiful and versatile gun, the Model 11-87™ Premier® is an intimidating performer. Its patented pressure-compensating gas system is a key reason why. When shooting lighter 2¾" field loads, an integral pressure relief valve remains closed, using all of the shell's pressure to operate the action. When shooting heavier 3" loads, the valve opens proportionately to bleed off unneeded pressure.

Naturally, versatility is also a major advantage of the Model 11-87 Premier. The same gun you use one day on the skeet range can be used the next day in the goose blind. Switch shells. Change a Rem™ choke. And you're in business. That's real versatility. Going from great function to great looks, the Model 11-87 Premier's custom-grade finish and finely grained American walnut stock are exactly what makes it so, well, "premier." Finally, you'll find the Model 11-87 Premier in a range of field-proven versions, including the standard 12-gauge and 20 gauge models.

MODEL 11-87™ PREMIER® FEATURES:

- Model 11-87™ gas operation softens recoil.
- The patented pressure-compensating gas relief valve enables dependable operation with lighter 2¾" loads to heavy 3" magnums.
- Stainless steel magazine tube for easy maintenance and smooth operation.
- Nickel-plated piston and piston seal for corrosion resistance.
- Handsome American walnut stock and fore-end with high-gloss finish.
- Easily interchangeable barrels and Remington's Rem™ choke system.



- Available in 12- and 20-gauge, deer gun, upland special and left hand configurations.

For complete model listings and specifications see page 71.

REM 0039



Model 11-87™ Premier®
Super Magnum

Model 11-87™ SPS™
Super Magnum Camo

REM 0040

Model 11-87™ Premier® 20-gauge
Dale Earnhardt Limited Edition

Model 11-87™ Premier®

Model 11-87™ Premier®
Cantilever Scope Mount Deer Gun
(Scope and rings not included.)

DALE EARNHARDT LIMITED EDITION SHOTGUN:

A legendary gun deserves a legendary name. And that's exactly why we're offering the model 20-gauge 11-87 Premier® in the Dale Earnhardt Limited Edition in 2004. A fitting tribute to one of NASCAR's legends, Remington offers this beautifully appointed Model 11-87™ Premier – the second in a four-year series. Its 20-gauge 28-inch light contoured barrel is complimented with an attractive American walnut stock and fore-end. Couple that with a polished blued receiver engraved with Dale's likeness and a 24-karat gold signature and "Seven time Winston Cup Champion" banner, and this firearm is truly one-of-a-kind. More than a great collectible, a portion of the proceeds go to the Dale Earnhardt Foundation, which makes this a very special gun.

SPECIAL PURPOSE TURKEY

SPRING FEVER? MAY WE SUGGEST SOMETHING IN MAXIMUM STRENGTH.

No species of game is more wary than the wild turkey. Fortunately, no turkey guns are better made than the ones you see here. Truth is, Remington® offers the most expansive selection of turkey guns in the industry. That's because we know, for every specific circumstance, there's a specific gun.

Like the Model 870™ SPS-T™ 20-gauge, for example. Matched with our 20-gauge [illegible] this camo-clad beauty is perfect for anyone looking to head into the woods with a lighter load. Unbeatable, superb handling without sacrificing the magnum power. And that [illegible] the Model 11-87™ Super Magnum™ SPS-T™ camo with 23" barrel [illegible] Model 11-87 SPS-T Super Magnum Camo

MODEL 11-87™ SPS-T™ FEATURES:

- Soft recoiling gas operation.
- Comes in both standard 3" 12-gauge and 3½" 12-gauge Super Magnum.™
- Barrels are Rem™ Choked from the factory.
- Supplied with Turkey Super Full Choke Tube.
- Equipped with sling swivel studs and matching padded camo sling.
- Available in 21" and 23" barrel lengths.
- Twin bead sights and Fiber-Optic™ fiber optic rifle sighted barrel [illegible]
- Fitted with [illegible]

SPECIAL PURPOSE WATERFOWL

REM 0041



All models listed above come with the R3™ Recoil Pad.

MODEL 870™ SPS™ & MODEL 11-87™ SPS™ WATERFOWL SHOTGUNS FEATURE:

- Available in both pump action and autoloading configurations.
- [illegible] camouflaged in Mossy Oak® [illegible] Shadowgrass.™
- 26" and 28" barrels available.
- Comes with sling swivel studs and padded sling.
- Equipped with Rem Choke™ tubes, Modified and Full tubes supplied.
- Fitted with Remington's high-performance R3™ recoil pad.

MODEL SP-10™ FEATURES:

- America's most versatile gas-operated 10-gauge shotgun.
- Awesome 3½" magnum power will handle any waterfowl or turkey load you choose.
- Patent pending [illegible] 10-gauge Hevi-Shot® [illegible]
- 26" and 28" barrels available.
- Comes [illegible] camouflaged in Mossy Oak® Break-Up™
- All camo [illegible] sling swivel studs and matching padded sling.
- Synthetic stock and [illegible] versions are equipped with Remington's high-performance R3™ recoil pad.

It's just plain hard to beat our industry-leading lineup of Special Purpose Waterfowl guns. For a well-rounded, feature-packed gun with proven reliability, there's no better choice than the 11-87™ SPS™ Waterfowl. The ultimate in concealment, it's camouflaged in Mossy Oak® New Shadowgrass™ from stock to muzzle. The 11-87 SPS Waterfowl comes equipped with a fiber-optic front sight system and a kit with interchangeable light elements. Also included is Remington's fast-loading carrier for quick reloads when the hunting action takes off. If you prefer a slide action, you can choose the equally impressive Model 870™ SPS Super Magnum. Of course, our perennial favorites still remain, including the sure-functioning 12-gauge Model 11-87 SPS and the powerful 10-gauge Model SP-10™ Magnum.

For complete model listings and specifications see page 72.

MODEL 870™ EXPRESS® SUPER MAGNUM™

UNRIVALED IN HISTORY, DEPENDABILITY AND VERSATILITY – CHAMBERED FOR 2¾" TO 3½" MAGNUMS.

Because it handles everything from light 2¾" loads to heavy 3½" magnums interchangeably, you've got a shotgun that's unrivaled in versatility. No other pump gun even comes close. You can go from shooting heavy 3½" loads at high-passing waterfowl to shooting light 2¾" loads at fast-darting doves without a hitch. And it does it all with the same action stroke, balance and feel of our original Model 870™ (the most popular pump gun in history). Finally, we can't forget to mention what may be the most appealing thing about the Express® Super Magnum®. It comes at a very affordable price. Many workhorse models are available, including stock choices of flat-finished hardwood, durable black synthetic or popular camo finishes. To get the most versatile of any Model 870 Express Super Magnum, choose the two-barrel Combo. For deer hunting with slugs, you get a 20" fully-rifled barrel with adjustable factory sights and a standard 26" vent-rib Rem™ Choke barrel for just about any other shotgunning imaginable.

MODEL 870™ EXPRESS® SUPER MAGNUM™ FEATURES:

- Will function 2¾", 3" and 3½" shells interchangeably.
- Superior design and inherent strength of America's favorite pump shotgun, the Model 870.™
- Super Magnum™ receiver same size as all 12-gauge Model 870™ shotguns for same balance point.
- Innovative bolt design keeps cycle stroke equal for all 3 lengths of 12-gauge shotshells.
- Magazine capacity is three 3½" shells and four 2¾" and 3" shells.
- Available in wood, synthetic and camouflaged versions as well as a combo package, which features both a vent rib and rifle-sighted deer barrel for maximum versatility.

For complete specifications see page 73.

MODEL 870™ EXPRESS®

REM 0042

AMERICA'S FAVORITE PUMP SHOTGUN.

If you could take a look in every duck blind, stop by every pheasant field or check out every tract of timber where deer and turkey are hunted, you'd probably see more Model 870™ Express® pumps than any other shotgun. The standard for over 50 years, and for good reason. Their versatility, reliability and (best of all) affordability, makes them shotguns anyone can own. That's why we call them America's Pump Guns.

MODEL 870™ EXPRESS® SHOTGUNS FEATURE:

- Receiver milled from a solid billet of steel for strength and durability.
- Twin action bars insure smooth, reliable non-binding action.
- Legendary portability and accuracy.
- Five shot shooting capacity.
- Non-glare matte finish.
- Rem™ Choke vent-rib barrel.
- Offered in 12-, 16-, 20-, 28-gauge and .410 bore.







For complete specifications see page 73.



Model 870™ Express® Super Magnum Turkey Camo

Model 870™ Express® Super Magnum Synthetic

Model 870™ Express® Super Magnum Combo

~MODEL 870™ SUPER MAGNUM™ DESIGN FEATURES~

Smooth-through-bolt re-design lessens cycle stroke equal for all barrel sizes of 12-ga. shotshells

Model 870™ Super Magnums will function with 2¾", 3", and 3½" shells interchangeably

Super-Magnum™ receiver is same size as all 12-ga. 870™ shotguns for ready options

Magazine length unchanged for same balance point, capacity is three 3½", and four 2¾" or 3" shells

Twin action bars on the Model 870™ positively eliminate binding or twisting so you get those important extra shots off fast and super smooth.

Model 870™ Express®

Model 870™ Express® Synthetic



Model 870™ Express® Fully Rifled Deer

REM 0043

SHOTGUN SPECIFICATIONS

MODEL 11-87™ SUPER MAGNUM™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY [1]	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
11-87™ SP™ Super Magnum	12 (3 ½")	3 & 4	28"/ 25305 26"/ 25307	Vent Rib Rem™ Choke [1,2]	Twin Bead	Black Matte, Non-Reflective	48" 45 ¾"	14 ¼"	1 ½"	2 ½"	American Walnut	Satin	8 ¼ 8 ⅛
11-87™ SPS™ Super Magnum	12 (3 ½")	3 & 4	28"/ 25337 26"/ 25339	Vent Rib Rem™ Choke [1,2]	Twin Bead	Black Matte Non-Reflective	48" 45 ¾"	14 ¼"	1 ½"	2 ½"	Synthetic	Black Matte	8 ¼ 8 ⅛
11-87™ SPS™ Camo Super Magnum	12 (3 ½")	3 & 4	28"/ 25343	Vent Rib Rem™ Choke [1,2]	Twin Bead	Mossy Oak® Break-Up® Camo	48"	14 ¼"	1 ½"	2 ½"	Synthetic	Mossy Oak® Break-Up® Camo	8 ¼
11-87™ Premier Super Magnum	12 (3 ½")	3 & 4	28"/ 25303	Vent Rib Rem™ Choke [1,2]	Twin Bead	High Polish Blued	48"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	8 ¼

* NOTE: All Model 11-87™ and Model 11-87™ Super Magnum™ shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes. 2 WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable. 3 Some states may require plugs.

MODEL 11-87™ PREMIER® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
11-87™ Premier®	12	4	30"/ 25287 28"/ 25289 26"/ 25291	Light Contour Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	50 ½" 48 ¼" 46"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7 ¾ 7 ¾ 7 ⅝
11-87™ Premier®	20	4	28"/ 29591 26"/ 29593	Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	48 ¼" 46"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7 6 ¾
11-87™ Premier® Left Handed	12	4	28"/ 29909	Light Contour Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	48 ¼"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7 ¾
11-87™ Premier® Dale Earnhardt	20	4	28"/ 29581	Light Contour Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	48 ¾"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7
11-87™ Premier® Cantilever Scope Mount Deer Gun	12	4	21"/ 29831 [1]	Fully Rifled	Cantilever Scope Mount	High Polish Blued	41 ½"	14"	1"	1 ½"	American Walnut	Satin	8
11-87™ Upland Special	12 20	4	23"/ 25357 23"/ 25359	Lt. Contour Vent Rib Rem Choke [2]	Twin Bead	High Polish Blued	43 ½"	14"	1 ½"	2 ½"	American Walnut	Satin	7 ¼ 6 ½

1 Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads.
2 NOTE: All Model 11-87™ shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes.

★ New for 2004

MODEL 1100™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
1100™ Classic Field	16 16 20	4	28"/ 25257 26"/ 25253 ★26"/ 25427	Vent Rib Rem™ Choke	Twin Bead	High Polish Blued	48" 46" 46 ¾"	14"	1 ½"	2 ½"	American Walnut	Satin	7 7 ¼ 7
1100™ Synthetic	12 20	4	28"/ 25369 26"/ 25371	Vent Rib Rem™ Choke (Mod. Only)	Single Bead	Matte Black Non-Reflect	48" (12-ga.) 46" (20-ga.)	14"	1 ½"	2 ½"	Synthetic	Black Matte	7 6 ¾
1100™ Synthetic Fully Rifled Cantilever Scope Mount Deer	12	4	21"/ 25363	Fully Rifled	Cantilever Scope Mount	Matte Black Non-Reflect	41 ½"	14"	1 ½"	2"	Synthetic	Black Matte	7 ½
1100™ LT-20 Synthetic Fully Rifled, Rifle-Sighted Deer	20	4	21"/ 25365	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	41"	14"	1 ½"	2"	Synthetic	Black Matte	7
1100™ LT-20 Youth Synthetic	20	4	21"/ 25367	Vent Rib Rem™ Choke Mod. Only	Single Bead	Matte Black Non-Reflect	40 ½"	13"	1 ½"	2"	Synthetic	Black Matte	6 ½
1100™ LT-20 Youth Synthetic Turkey Camo	20 (Magnum) [1]	4	21"/ 25245	Vent Rib Rem™ Choke (Full Only)	Twin Bead	Matte Black Non-Reflect	40 ½"	13"	1 ½"	2"	Synthetic	Sirsyline™ Excel™ Camo	6 ¾

1 3" Magnum is set up to handle heavy 20-ga. shotshells and will not function satisfactorily with target and field loads. 2 Classic Field furnished with Improved Cylinder, Modified and Full Rem™ Choke tubes.

★ New for 2004

MODEL 870™ WINGMASTER® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
Wingmaster® Super Magnum	12(3 ½")	3 & 4 [1]	28"/ 26975	Light Contour Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	48 ½"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7 ½
Wingmaster®	12	4 [1]	30"/ 25053 28"/ 25055 26"/ 25057	Light Contour Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	50 ½" 48 ½" 46 ½"	14 ¼"	1 ½"	2	American Walnut	Hi-Gloss	7 ⅛ 7 6 ¾
Wingmaster®	16	4 [1]	28"/ 26941 26"/ 26943	Light Contour Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	48 ½" 46 ½"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7 ¼ 7
Wingmaster®	20	4 [1]	28"/ 25073 26"/ 25075	Light Contour Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	48 ½" 46 ½"	14"	1 ½"	2"	American Walnut	Satin, 28" Hi-Gloss 26"	6 ½ 6 ¾
Wingmaster®	28	4 [1]	25"/ 25227	Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	45 ½"	14"	1 ½"	2 ½"	American Walnut	Satin	6
Wingmaster®	.410 Bore	4 [1]	25"/ 24987	Vent Rib Modified	Twin Bead	High Polish Blued	45 ½"	14"	1 ½"	2"	American Walnut	Satin	6

1 All Model 870™ Wingmaster® shotguns have 5-shot capacity and come furnished with a 3-shot plug. All 3" and 3 ½" chambers handle 2 ½" shells. Super Magnums have 4-shot total capacity when using 3 ½" shells.
2 NOTE: All Model 870™ Wingmaster® and Model 870™ Wingmaster® Super Magnum™ shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes.

REM 0044

COMPETITION SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
Model 870™ Classic Trap	12	4	30"/ 24857	Lt. Contour Vent Rib Rem™ Choke [1]	Twin Bead	High Polish Blued	50 ½"	14 ¼"	1 ½"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
Model 1100™ Classic Trap	12	4	30"/ 25333	Lt. Contour Vent Rib Rem™ Choke [1]	Twin Bead	High Polish Blued	50 ½"	14 ¼"	1 ½"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 ¼
Model 1100™ Tournament Skeet	12 20	4	26"/ 25241 ★26"/ 29595	Lt. Contour Vent Rib Rem™ Choke [4]	Twin Bead	High Polish Blued	47"	14 ¼"	1 ½"	2 ½"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
Model 1100™ Sporting 12	12	4	28"/ 25315	Lt. Contour Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	49"	14 ¼"	1 ½"	2 ½"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
Model 1100™ Sporting 20 (LT)	20	4	28"/ 25399	Lt. Contour Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	48 ¾"	14"	1 ½"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	7
Model 1100™ Sporting 410	410 bore	4	27"/ 29549	Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	47 ¾"	14"	1 ½"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 ½
Model 1100™ Sporting 28	28	4	27"/ 29583	Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	47 ¾"	14"	1 ½"	2 ½"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 ½
Model 1100™ Competition Master™	12	8	22"/ 25355	Vent Rib Rem™ Choke [3]	Fiber Optic / Steel Bead	Matte	42 ½"	14"	1 ½"	2 ½"	Gray Synthetic	Matte	8 ¼

These guns are supplied with special Rem™ Chokes, Mid Handicap (.034"), and Long Handicap (.041"). 2 NOTE: 1100 Sporting Shotguns are equipped with four extended Rem Choke tubes (Skeet, Improved Cylinder, Light Modified and Modified.) 3 Improved Cylinder, Modified and Rifle choke tubes supplied. See page 73 for information on extra barrels. 4 Supplied with extended choke tubes – cylinder and skeet improved.

★ New for 2004

SHOTGUN SPECIFICATIONS

MODEL 870™ EXPRESS® SUPER MAGNUM™ SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG.WT. (LBS.)
Express® Mag Turkey	12(3 ½")	3(3 ½") 4(2 ¾" & 3")	23"/ 25106	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Matte Black Non-Reflect	44 ½"	14"	1 ½"	2 ½"	Synthetic	Black Matte	7 ¼
870™ Express® Super Mag Turkey Camo	12(3 ½")	3(3 ½" 4(2 ¾" & 3")	23"/ 25105	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Skyline® Excel® Camo	44 ½"	14"	1 ½"	2 ½"	Synthetic	Skyline® Excel® Camo	7 ¼
870™ Express® Super Mag	12(3 ½")	3(3 ½") 4(2 ¾" & 3"	28"/ 25100	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½"	14"	1 ½"	2 ½"	Hardwood	Flat	7 ½
870™ Express® Super Mag Synth.	12(3 ½")	3(3 ½") 4(2 ¾" & 3")	26"/ 25102	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	46"	14"	1 ½"	2 ½"	Synthetic	Black Matte	7 ¼
870™ Express® Super Mag Combo	12(3 ½")[1]	3(3 ½") 4(2 ¾" & 3")	26"/ 25114 20"/ 25114	Vent Rib Rem™ Choke (Mod) Fully Rifled (Deer)	Single Bead (Vent Rib) Rifle Sights (Deer)	Matte Black Non-Reflect	46" (VR) 40 ½" (Deer)	14"	1 ½"	2 ½"	Hardwood	Flat	7 ¼

1 Combo Deer barrel has 3" chamber.

MODEL 870™ EXPRESS® SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ Express®	12	4	28"/ 25568 26"/ 25569	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 46 ½"	14"	1 ½"	2 ½"	Hardwood	Satin	7 ½ 7 ¼
870™ Express®	16	4	28"/ 25191	Light Contour Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½"	14"	1 ½"	2 ½"	Hardwood	Satin	7 ¼
870™ Express®	20	4	28"/ 25583 26"/ 25582	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 46 ½"	14"	1 ½"	2 ½"	Hardwood	Satin	6 ½ 6 ¼
870™ Express® Youth	20	4	21"/ 25561	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 ½"	13"	1 ½"	2 ¼	Hardwood	Flat	
870™ Express®	28	4	25"/ 25599	Vent Rib Fixed Mod Choke	Single Bead	Matte Black Non-Reflect	45 ½"	14"	1 ½"	2 ½"	Hardwood	Satin	6
870™ Express®	.410 Bore	4	25"/ 25601	Vent Rib Fixed Full Choke	Single Bead	Matte Black Non-Reflect	45 ½"	14"	1 ½"	2 ½"	Hardwood	Satin	6
870™ Express® Synthetic	12	4	28"/ 25587 26"/ 25589	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 46 ½"	14"	1 ½"	2 ½"	Synthetic	Black Matte	7 ½ 7 ¼
870™ Express® Synthetic	16	4	28"/ 25201	Light Contour Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½"	14"	1 ½	2 ½"	Synthetic	Black Matte	7 ¼
870™ Express® Turkey Camo[1]	12	4	21"/ 25205	Vent Rib Rem™ Choke Turkey (Extra Full)	Twin Bead	Matte Black Non-Reflect	42 ½"	14"	1 ½"	2 ½"	Synthetic	Skyline® Excel® Camo	7 ¼
870™ Express® Turkey	12	4	21"/ 25573	Vent Rib Rem™ Choke (Extra Full)	Twin Bead	Matte Black Non-Reflect	42 ½"	14"	1 ½"	2 ½"	Hardwood	Flat	7 ¼
870™ Express® Turkey Youth	20	4	21"/ 25175	Vent Rib Fixed Full Choke	Twin Bead	Matte Black Non-Reflect	40 ½"	13"	1 ½"	2 ¼"	Synthetic	Skyline® Excel® Camo	6
870™ Express® Synthetic Fully Rifled Deer	12	4	20"/ 25097	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 ½"	14"	1 ½"	1 ⅞"	Synthetic	Black Matte	7
870™ Express® Deer	12	4	20"/ 25565	Fixed Imp. Cyl. Choke	Rifle Sights	Matte Black Non-Reflect	40 ½"	14"	1 ½"	1 ⅞"	Hardwood	Flat	7 ¼
870™ Express® Deer Youth	20	4	20"/ 25555	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	39 ½"	13"	1 ½"	2 ¼"	Hardwood	Flat	6
Xpress® Fully Rifled Deer	12	4	20"/ 25575	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 ½"	14"	1 ½"	1 ⅞"	Hardwood	Flat	7 ¼
Express® Left Hand	12	4	28"/ 25577	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½"	14"	1 ½"	2 ½"	Hardwood	Flat	7 ½
870™ Express® Synthetic 18"	12	4	18"/ 25549	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 ½"	14	1 ½"	2 ½"	Synthetic	Black Matte	7 ¼

1 Stock and fore-end in Skyline® Excel™ camo.

MODEL 870™ EXPRESS® COMBO SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ Express® Combo	12	4	28" (Vent Rib)/20" (Imp. Cyl. Deer)/25571 26"(Vent Rib)/20" (Fully Rifled Deer)/25578	Vent Rib Rem™ Choke (Mod.) I.C. Deer or Fully Rifled Deer[1]	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	48 ½", 46 ½" (Vent Rib) 40 ½" (Deer BBL)	14"	1 ½"	2 ½"	Hardwood	Satin	7 ½ (Vent Rib) 7 ¼ (Deer BBL)
870™ Express® Combo	20	4	28" (Vent Rib)/20" (Imp. Cyl. Deer)/25585 26"(Vent Rib)/20" (Fully Rifled Deer)/25597	Vent Rib Rem™ Choke (Mod.) I.C. Deer or Fully Rifled Deer[1]	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	48 ½", 46 ½" (Vent Rib) 40 ½" (Deer BBL)	14"	1 ½"	2 ½"	Hardwood	Satin	6 ½ (Vent Rib) 6 ½ (Deer BBL)

1 Combo Deer barrel has 3" chamber.

MODEL 870™ EXTRA BARRELS • 3" CHAMBERS

LENGTH & CHOKE	12-GA.	16-GA.	20-GA.*
Field Grade, Vent Rib, Wingmaster®			
30" Rem™ Choke, Light Contour	26215	—	—
30" Rem™ Choke	24576	—	—
28" Rem™ Choke, Light Contour	26217	—	—
28" Rem™ Choke	24580	—	24606
26" Rem™ Choke, Light Contour	26219	—	—
26" Rem™ Choke	24582	—	24608
Deer Barrel, Super Slug Cantilever Scope Mount, New Contour			
23" Fully Rifled	24551	—	—
Deer Barrel, Cantilever Scope Mount, Wingmaster®			
20" Fully Rifled	24557	—	—
Deer Barrel, Rifle Sights			
20" Rem™ Choke[2]	24545	24495	—
20" Fully Rifled	24558	—	—
20" Imp. Cyl.	—	—	24578
SP™ Deer Barrel, Cantilever Scope Mount			
20" Fully Rifled	26229	—	—
20" Fully Rifled Camo†	26203	—	—
20" Rem™ Choke[1]	26227	—	—
SP™ Deer, Rifle Sights			
20" Rem™ Choke[2]	24549	—	—
ss® Vent Rib	24589	—	—
ss® Deer, ...e Sights (20"), Imp. Cyl.	24622	—	—
Express® Deer, Fully Rifled, Rifle Sights (20")[3]	24611	—	24609
SP™, Vent Rib			
30" Rem™ Choke	24590	—	-
28" Rem™ Choke	26225	—	—
26" Rem™ Choke	24592	—	—

Model 870™ extra barrels with 3" chambers used on Super Magnum™ and Magnum receivers will handle both 2 ¾" and 3" shells only. Use only 2 ¾" shells when these barrels are used on non-Magnum receivers. *20-gauge 870™ Lightweight barrels will not fit 20-gauge standard 870™ guns.

1 Cantilever Rem™ Choke Deer barrels supplied with Improved Cylinder and Extended Rifled Choke tubes.

2 Rifle-sighted Rem™ Choke Deer barrels supplied with Rifled and Improved Cylinder Choke tubes.

3 Express® 20-ga. Fully Rifled Deer barrel has 2 ¾" chamber. Model 870™ extra barrels with 2 ¾" chambers will fit both Magnum and 2 ½" receivers. Use only 2 ¾" shells in these barrels.

† Camo Mossy Oak® Break-Up® Pattern.

MODEL 11-87® EXTRA BARRELS - 3" CHAMBERS

LENGTH & CHOKE	12-GA.	20-GA.*
Deer Barrel, Cantilever Scope Mount		
21" Fully Rifled	29615	—
Deer Barrel, Rifle Sights		
21" Fully Rifled	29606	29563[3]
21" Rem™ Choke[2]	29623	—
SP™ Deer Barrel, Cantilever Scope Mount		
21" Fully Rifled	24645	—
21" Fully Rifled Camo†	29537	—
21" Rem™ Choke[1]	24647	—
SP™ Deer Barrel, Rifle Sights		
21" Rem™ Choke[2]	29627	—
21" Fully Rifled	29609	—
SP™ Magnum, Vent Rib		
30" Rem™ Choke[4]	24638	—
28" Rem™ Choke[4]	29611	—
26" Rem™ Choke[4]	24640	—
Premier® Vent Rib		
30" Rem™ Choke, Light Contour	29600	—
28" Rem™ Choke, Light Contour	29602	—
28" Rem™ Choke	24644	—
26" Rem™ Choke, Light Contour	29604	—
Premier® Target Barrels (2 ¾" chamber only – see Rem™ Choke target BBL note at left)		
30" Rem™ Choke Trap	24626	—

3 ½" CHAMBERS

SP™ Magnum Deer Barrel, Rifle Sights	
23" Rem™ Fully Rifled w/Rifle Sights	24629

Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads.

Fitting Standard Barrels on Light Contour Shotguns – The fore-ends on our Light Contour Model 11-87™ shotguns are shaped to follow the curve of the slimmer-profiled LC barrel, which means that a standard Vent Rib or Deer barrel cannot be fitted to your gun unless you do one of two things: have your LC fore-end wood opened up by a competent gunsmith or stockmaker; or purchase a standard profile fore-end from our Arms Service Division by writing to: Arms Service Division, Remington Arms Co., P.O. Box 700, Madison, NC 27025-0700 or visit our website at: www.remington.com.

1 Cantilever Rem™ Choke Deer barrels supplied with Improved Cylinder and Extended Rifled Choke tubes.

2 Rifle-sighted Rem™ Choke Deer barrels supplied with Rifled and Improved Cylinder Choke tubes.

3 2 ½" chamber.

4 3 chamber.

† Camo Mossy Oak® Break-Up® Pattern.

Remington®

Petitioner's Exhibit
RA Brands, LLC v. Burns
Cancellation No. 92048334

EXHIBIT
tabbies
10

THE HIGHEST STANDARD IN THE

new for 2005

Look for new products throughout this year's catalog, including the Model 700™ XCR Xtreme Conditions Rifle (shown here)

REM 0046

2005 NEW PRODUCT HIGHLIGHTS

Pages 2-3

MODEL 700™ XCR. The new standard in rugged durability, the Model 700 XCR Xtreme Conditions Rifle is the most corrosion resistant rifle ever made.

Pages 4-5

MODEL XR-100™ RANGEMASTER. Owning a competition-grade target rifle is more affordable than ever thanks to the new Model XR-100 Rangemaster.



R3® RECOIL PADS. Developed by Sims Vibration Laboratories,® makers of LimbSaver™ noise and vibration dampening archery accessories, the R3 recoil pad uses a 3-step process to absorb vibration, redirect energy and compress under recoil. The result is perhaps the most advanced and effective recoil pad on the market today, equating to significantly reduced felt recoil for greater comfort and faster follow-up shots. Look for the R3 logo on featured guns throughout the catalog.



Pages 4-5

MODEL 700™ SPS.™ One of the greatest gun values on the market today, the Model 700 SPS marks the next generation of hard-hitting, fully featured, affordable priced rifles.

Page 20-21

MODEL 11-87™ SPORTSMAN.® Touted as the best autoloader value on the market, the all-new 11-87 Sportsman line of synthetic 2 ¾" and 3" capable autoloading shotguns are reliable, rugged and versatile.



Pages 24-25

Model 870™ SP-T™ Super Magnum™ Thumbhole

TURKEY GUNS. Remington's famous line of Turkey Guns welcomes three new models this year with the additions of the new Model 870™ SP-T™ Super Magnum™ Thumbhole, the Model 11-87™ SPS-T™ Super Magnum™ NWTF Edition, and the Model 870™ Express® Jr. NWTF Edition.

MODEL 11-87™ SPORTSMAN®

AS GOOD AS IT IS TO BE A SPORTSMAN, IT'S EVEN BETTER TO HUNT WITH ONE.

This year, Remington® is proud to introduce an all-new family of synthetic Model 11-87™ autoloading shotguns. It's called the Sportsman® line, and it's quite possibly the best autoloader value on the market. Reliable. Rugged. Durable. The Sportsman line of autoloading shotguns delivers versatility and performance in a wide range of popular 11-87 models.

Touted as the value-priced workhouses of Remington shotguns, Sportsman offerings include 12- and 20-gauge versions, a 12-gauge fully-rifled slug gun, and a first time offering of a 20-gauge youth model with 2 ¾" and 3" capability. The 11-87 Sportsman provides the soft-recoil and superior handling that made the 11-87 famous. The Sportsman is constructed with solid steel receivers and feature smooth actions for reduced wear and quicker follow-up shots. The all-new Model 11-87 Sportsman line of autoloading shotguns – from now on, the word "sportsmanship" may not apply to how you hunt, but what you're hunting with.

MODEL 11-87™ SPORTSMAN® SERIES FEATURES:

- Ergonomically designed for superior handling
- Constructed with solid steel receivers for strength and durability
- Feature smooth operating actions that reduce wear and provide for quick follow-up shots
- Black synthetic stock and fore-end
- Available in 12- and 20-gauge
- Sportsman Youth model is first Model 11-87 youth offering – ever



For complete model listings and specifications see page 83.

REM 0047

MODEL 11-87™ SUPER MAGNUM™

LEGENDARY REMINGTON® RELIABILITY WITH 3½" CAPABILITY.

If you could only have one shotgun, many would agree that the Model 11-87™ Super Magnum™ tops the list of candidates. It can handle just about any game in any field or flyway. The unmatched versatility of the Model 11-87 Super Magnum results from the unique metering system of its patented gas-operated action. And this year, we're featuring a very special NWTF edition.

This Limited Edition Model 11-87™ SPS-T™ Super Magnum comes with a Team NWTF medallion in the stock. For every special edition Model 11-87 sold, a portion of the proceeds will be donated to the National Wild Turkey Federation. Fully covered in Mossy Oak® Obsession,® this Model 11-87 features a TRUGLO® adjustable rifle sighted barrel and Turkey Super Full Rem™ Choke.

MODEL 11-87™ SUPER MAGNUM™ FEATURES:

- All the power of a 3½" 12-gauge shotgun coupled with the soft recoil of the Model 11-87 gas system
- Ultra-fast Model 11-87 autoloading action for rapid follow-up shots
- All of the superior handling and ergonomics of the standard Model 11-87
- A broad selection of barrel and choke options provide great versatility to match any situation
- Solid steel receiver for strength and durability



For complete model listings and specifications see page 83.

SHOTGUNS



Model 11-87™
Sportsman®
Synthetic
12-Gauge

Model 11-87™
Sportsman® Synthetic

Model 11-87™
Sportsman® Synthetic
Fully Rifled Cantilever

Model 11-87™
Sportsman® Synthetic Camo

Model 11-87™ Premier®
Super Magnum™

The Limited Edition Model 11-87™ SPS-T™ Super Magnum™ comes with a Team NWTF medallion in the stock. For every special edition Model 11-87 sold, a portion of the proceeds will be donated to the National Wild Turkey Federation.



Model 11-87® SPS-T™
Super Magnum™
NWTF Edition

new for 2005

Model 11-87™
Special Purpose
Super Magnum™

REM 0048

MODEL 870™ SPECIAL PURPOSE TURKEY

SPRING FEVER? MAY WE SUGGEST SOMETHING IN MAXIMUM STRENGTH.

No species of game is more wary than the wild turkey. Fortunately, no turkey guns are better made than the ones you see here. Truth is, Remington® offers the most expansive selection of turkey guns in the industry. That's because we know, for every specific circumstance, there's a specific gun.

Take the Model 870™ SPS-T™ 20-gauge, for example. Matched with our 20-gauge magnum turkey loads this camo-clad beauty is perfect for anyone looking to head into the woods with a lighter gun delivering superb handling without sacrificing the magnum power.

New for 2005, our Model 870 SP-T™ Super Magnum Thumbhole comes fully covered in Mossy Oak® Obsession® camo. Equipped with our R3® recoil pad and a 23" TRUGLO® adjustable rifle sight barrel, the SP-T Super Magnum Thumbhole model offers superior handling for precise shot placement.

MODEL 870™ SPS-T™ AND SP-T™ FEATURES:

- The Model 870™ SPS-T™ comes in a Mossy Oak® Break-Up® camo
- The Model 870™ SP-T™ Super Magnum™ Thumbhole comes in a Mossy Oak® Obsession® camo
- Ultra reliable Model 870 pump action
- Supplied with Turkey Super Full Choke Tube (0.665")
- Comes in Standard 3" 12-gauge, 3½" 12-gauge Super Magnum™ and 20-gauge Magnum™ (Non-thumbhole model only)
- Twin bead sights or TRUGLO® fiber-optic rifle sighted barrel
- Fitted with Remington's high-performance R3® recoil pad



Model 870™ SP-T™ Super Magnum Thumbhole

For complete model listings and specifications see page 84.

SPECIAL PURPOSE WATERFOWL

REM 0049

ALL ARRIVING FLIGHTS ARE ABOUT TO BE GROUNDED.

The Remington® line of Special Purpose Waterfowl guns – they'll never know what hit 'em. An effective waterfowl gun must be able to resist the elements and continue to work reliably and efficiently. That's why Remington makes a complete line of Special Purpose Shotguns built to handle all types of waterfowl and the environments they live in.

Well rounded, and packed with features, the Model 11-87™ SPS™ Waterfowl is as reliable as they come. Or, if you prefer a pump-action, you might take a look at the equally impressive Model 870™ SPS™ Super Magnum.™ Of course, there's always the perennial favorite, the 12-gauge Model 11-87 SPS and new for 2005, the Mossy Oak® Obsession® 10-gauge Model SP-10™ Magnum.™ To you, these are the ultimate waterfowl guns. To ducks and geese? Air traffic control – with an attitude.

MODEL 870™ SPS™ & MODEL 11-87™ SPS™ WATERFOWL SHOTGUNS FEATURE:

- Available in both pump-action and autoloading configurations
- Camo versions are fully camouflaged in Mossy Oak® Break-Up® or Mossy Oak® New Shadowgrass™
- 26" and 28" barrels available
- Comes with sling swivel studs and padded sling
- Equipped with Improved Cylinder, Modified and Full Rem™ Chokes
- Fitted with Remington's high-performance R3® recoil pad

Model 870™ SPS™ Super Magnum™ Camo



Model 11-87™ SPS™ Waterfowl Camo
12-Gauge



For complete model listings and specifications see page 84.

new for 2005

Model 870™ SP-T™
Super Magnum Thumbhole

Model 870™ SPS-T™
12-Gauge Camo

100 YEARS
1905 2005
Remington

new for 2005

Model SP-10™
Magnum™ Camo

MODEL SP-10™ FEATURES:

- New for 2005, camouflage version is fully covered in Mossy Oak® Obsession®
- America's most popular gas-operated 10-gauge shotgun
- Awesome 10-gauge power will handle any waterfowl or turkey hunting situation
- Perfect platform for Remington's 10-gauge Hevi-Shot® waterfowl loads
- 26" camouflage and 30" satin finish wood, both with vent rib barrels
- All come with sling swivels and matching padded sling
- Camo stock version is equipped with Remington's high-performance R3® recoil pad

Model 11-87™ SPS™
Super Magnum™ Camo

For complete model listings and specifications see page 84.

REM 0050

SPECIAL PURPOSE MARINE MAGNUM®

Perhaps the perfect all-purpose 12-gauge utility shotgun, the Model 870™ Marine Magnum® is built to last. With an electroless nickel plating covering its entire metal surface, including the inside of the barrel and receiver, the Model 870 Marine Magnum resists corrosion in even the harshest environments. Its synthetic stock features generous checkering for easy and secure handling and a high-performance R3® recoil pad for less kick. Comes with 18" cylinder barrel with single-bead front sight,



Model 870™
Marine Magnum®

MODEL 870™ EXPRESS® SUPER MAGNUM™

UNRIVALED IN HISTORY, DEPENDABILITY AND VERSATILITY – CHAMBERED FOR 2¾" TO 3½" MAGNUMS.

Because it handles everything from light 2 ¾" loads to heavy 3 ½" magnums interchangeably, you've got a shotgun that's unrivaled in versatility. No other pump gun even comes close. You can go from shooting heavy 3 ½" loads at high-passing waterfowl to shooting light 2 ¾" loads at fast-darting doves without a hitch. And it does it all with the same action stroke, balance and feel of our original Model 870™ (the most popular pump gun in history). Best of all, it comes at a very affordable price. Stock choices include flat-finished hardwood, durable black synthetic or popular camo finishes. To get the most versatile of any Model 870 Express® Super Magnum,™ choose the two-barrel Combo. For deer hunting with slugs, you get a 20" fully-rifled barrel with adjustable factory sights and a standard 26" vent-rib Rem™ Choke barrel for just about any other shotgunning imaginable. And don't forget, this year we're offering the all new Model 870 Express Super Mag Fall Flight.™ Fully covered in Skyline® Fall Flight camo, this 12-gauge features a 3 ½" chamber, 30" barrel.

MODEL 870™ EXPRESS® SUPER MAGNUM™ FEATURES:

- Will function 2 ¾", 3" and 3 ½" shells interchangeably
- Superior design and inherent strength of America's favorite pump shotgun, the Model 870
- Super Magnum receiver same size as all 12-gauge Model 870 shotguns for same balance point
- Innovative bolt design keeps cycle stroke equal for all 3 lengths of 12-gauge shotshells
- Magazine capacity is three 3½" shells and four 2¾" and 3" shells
- Available in wood, synthetic and camouflaged versions as well as a combo package, which features both a vent rib and rifle-sighted deer barrel for maximum versatility



For complete specifications see page 84.

MODEL 870™ EXPRESS®

AMERICA'S FAVORITE PUMP SHOTGUN.

If you could take a look in every duck blind, stop by every pheasant field or check out every tract of timber where deer and turkey are hunted, you'd probably see more Model 870™ Express® pumps than any other shotgun. The standard for over 50 years, and for good reason. Their versatility, reliability and (best of all) affordability, makes them shotguns anyone can own. That's why we call them America's Pump Guns.

MODEL 870™ EXPRESS® SHOTGUNS FEATURE:

- Receiver milled from a solid billet of steel for strength and durability
- Twin action bars insure smooth, reliable non-binding action
- Legendary pointability and accuracy
- Youth versions available
- Non-glare matte finish
- Rem™ Choke vent rib barrel
- Offered in 12-, 16- and 20-gauge



Model 870™ Express® Turkey Camo

Model 870™ Express® Cantilever Deer Gun
(Scope not included.)



REM 0051

For complete specifications see page 85.



new for 2005

Model 870™ Express® Super Magnum™ Fall Flight™

new for 2005 28" barrel for 2005

Model 870™ Express® Super Magnum™ Combo

~MODEL 870™ SUPER MAGNUM™ DESIGN FEATURES~

Breakthrough bolt-to-design keeps cycle strokes equal for all three sizes of 12-gauge shotshells.

Model 870™ Super Magnums will function with 2¾", 3" and 3½" shells interchangeably.

Super Magnum™ receiver is same size as all 12-gauge 870™ shotguns for similar balance.

Magazine length unchanged for same balance point; capacity is three 3½", and four 2¾" or 3" shells.

Solid-rib design and inherent strength of Model 870 receiver easily accommodates the heavy and longer loads of 3½" shells.



Model 870™ Express®

Twin action bars on the Model 870™ positively eliminate binding or twisting so you get these important extra shots off fast and super smooth.

REM 0052



Model 870™ Express® Synthetic



Model 870™ Express® Fully Rifled Deer

SHOTGUN SPECIFICATIONS

MODEL 11-87™ SUPER MAGNUM™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY [1]	BBL LENGTH/ ORDER NO.	BARREL TYPE [3]	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
11-87™ SP™ Super Magnum	12 (3 ½")	3(3 ½"), 4 (2 ¾" & 3")	28"/ 25305 26"/ 25307	Vent Rib Rem™ Choke [1,2]	Twin Bead	Black Matte Non-Reflective	48" 45 ¾"	14"	1 ½"	2 ½"	American Walnut	Satin	8 ¼ 8 ⅛
11-87™ SPS™ Super Magnum	12 (3 ½")	3(3 ½"), 4(2 ¾" & 3")	28"/ 25337 26"/ 25339	Vent Rib Rem™ Choke [1,2]	Twin Bead	Black Matte Non-Reflective	48" 45 ¾"	14"	1 ½"	2 ½"	Synthetic	Black Matte	8 ¼ 8 ⅛
11-87™ SPS™ Camo Super Magnum	12 (3 ½")	3(3 ½"), 4(2 ¾" & 3")	28"/ 25343	Vent Rib Rem™ Choke [1,2]	Twin Bead	Mossy Oak® Break-Up® Camo	48"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Break-Up® Camo	8 ¼
11-87™ Premier Super Magnum	12 (3 ½")	3(3 ½"), 4(2 ¾" & 3")	28"/ 25303	Vent Rib Rem™ Choke [1,2]	Twin Bead	High Polish Blued	48"	14"	1 ½"	2 ½"	American Walnut	Hi-Gloss	8 ¼

NOTE: Model 11-87™ and Model 11-87™ Super Magnum™ shotguns with a Rem™ Choke vent rib barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes. **2** WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable. **3** Model 11-87™ Super Magnum™ shotguns have 3 ½" chambers and will cycle 2 ¾" 3 dram 1 ⅛ oz. shotshells or heavier, 3" and 3 ½" shotshells.

MODEL 11-87™ PREMIER® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE [3]	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
11-87™ Premier®	12	4	30"/ 25287 28"/ 25289 26"/ 25291	Light Contour Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	50 ½" 48 ¼" 46"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7 ¾ 7 ¾ 7 ⅝
11-87™ Premier®	20	4	28"/ 29591 26"/ 29593	Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	48 ¼" 46"	14"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7 6 ¾
11-87™ Premier® Left Handed	12	4	28"/ 29909	Light Contour Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	48 ¼"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7 ¾
11-87™ Premier® Cantilever Scope Mount Deer Gun	12	4	21"/ 29831 [1]	Fully Rifled	Cantilever Scope Mount	High Polish Blued	41 ½"	14"	1 ⅜"	2 ⅛"	American Walnut	Satin	8
11-87™ Upland Special	12 20	4	23"/ 25357 23"/ 25359	Lt. Contour Vent Rib Rem Choke [2]	Twin Bead	High Polish Blued	43 ½"	14"	1 ½"	2 ½"	American Walnut	Satin	7 ¼ 6 ½

1 Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. **2** NOTE: All Model 11-87™ Premier® and Upland Special shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes. **3** Model 11-87™ Premier® shotguns have 3" chambers and will cycle 2 ¾" and 3" shotshells.

MODEL 11-87™ SPORTSMAN™ MAGNUM SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE [3]	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW 11-87™ Sportsman™ Synthetic	12 12 20 20	4	28"/ 29879 26"/ 29881 28"/ 29827 26"/ 29827	Rem™ Choke Mod [2]	Single Bead	Black	48" 46" 48" 46"	14"	1 ½"	2 ½"	Synthetic	Black Matte	8 ¼ 8 ⅛ 7 ⅞ 7 ¾
11-87™ Sportsman™ Synthetic	12	4	21"/ 29858 [1]	Fully Rifled	Cantilever Scope Mount	Black	41"	14"	1 ½"	1 ⅞"	Monte Carlo Syn.	Black Matte	8 ½
NEW 11-87™ Youth Sportsman™ Synthetic	20	4	21"/ 29891	Rem™ Choke Mod [2]	Single Bead	Black	40 ¼"	13"	1 ½"	2 ⅛"	Synthetic	Black Matte	6 ½

1 Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. **2** NOTE: All Model 11-87™ Sportsman® shotguns with a Rem™ Choke barrel come equipped with Modified Rem™ Choke tubes. **3** Model 11-87™ Sportsman® shotguns have 3" chambers and will cycle 2 ¾" and 3" shotshells.

MODEL 1100™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE [5]	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
1100™ Classic Field	16 16 20	4	28"/ 25257 26"/ 25253 26"/ 25427	Vent Rib Rem™ Choke	Twin Bead	High Polish Blued	48" 46" 46"	14"	1 ½"	2 ½"	American Walnut	Semi-Gloss	8 7 ⅞ 7
Model 1100™ Classic Trap	12	4	30"/ 25333	Lt. Contour Vent Rib Rem™ Choke [1]	Twin Bead	High Polish Blued	50 ½"	14 ½"	1 ⅜6"	2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8 ¼
Model 1100™ Tournament Skeet	12 20	4	26"/ 25241 26"/ 29595	Lt. Contour Vent Rib Rem™ Choke [4]	Twin Bead	High Polish Blued	46 ¾"	14 ⅜6"	1 ½"	2 ⅛"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
Model 1100™ Sporting 12	12	4	28"/ 25315	Lt. Contour Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	49"	14 ⅜6"	1 ½"	2 ⅛"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
Model 1100™ Sporting 20 (LT)	20	4	28"/ 25399	Lt. Contour Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	49"	14"	1 ½"	2 ½"	Semi-Fancy Amer. Walnut	Hi-Gloss	7
Model 1100™ Sporting 410	410 bore (3")	4	27"/ 29549	Vent Rib Rem™ Choke [2,6]	Twin Bead	High Polish Blued	47 ¾"	14"	1 ½"	2 ½"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 ½
Model 1100™ Sporting 28	28	4	27"/ 29583	Vent Rib Rem™ Choke [2]	Twin Bead	High Polish Blued	47 ¾"	14"	1 ½"	2 ½"	Semi-Fancy Amer. Walnut	Hi-Gloss	6 ½

1 These guns are supplied with special Rem™ Chokes, Mid Handicap (.034"), and Long Handicap (.041"). **2** NOTE: Model 1100™ Sporting Shotguns are equipped with four extended Briley Rem™ Choke tubes (Skeet, Improved Cylinder, Light Modified and Modified.) **3** Improved Cylinder, Modified and Rifle choke tubes supplied. See page 73 for information on extra barrels. **4** Supplied with extended Briley Rem™ Choke tubes (Improved Cylinder and Skeet.) **5** Model 1100™ shotguns have 2 ¾" chambers, unless otherwise noted. **6** Model 1100™ Sporting 410 shotguns have 3" chambers and will cycle 2 ½" and 3" shotshells.

REM 0053

MODEL 332™

MODEL	GAUGE	BBL LENGTH/ ORDER NO.	BARREL TYPE [2]	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG.WT. (LBS.)
332™	12	26"/ 25239 28"/ 25237 30"/ 25235	Light Contour, Vent Rib [1] Rem™ Choke	Ivory Bead Front, Steel Middle	High Polished Blued	42 ½" 45" 47 ¼"	14"	1 ⅜6"	2 ⅛"	American Walnut	Hi-Gloss	7 ½ 7 ¾ 8

1 Model 332™ comes equipped with Improved Cylinder, Modified and Full Choke tubes. **2** Model 332™ shotguns have 3" chambers and will handle 2 ¾" and 3" shotshells.

SHOTGUN SPECIFICATIONS

SPECIAL PURPOSE TURKEY SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
SP-T™ Super Mag Camhole	12 (3 ½")[1]	3(3 ½"), 4(2 ¾" & 3")	23"/ 25189	Rem™ Choke[2]	Tru-Glo®	Mossy Oak® Obsession®	44 ½"	14 ½"	1 ⅝"	2 ¾"	Laminate	Mossy Oak® Obsession®	8 ⅛
870™ SPS-T Super Mag Camo[5]	12 (3 ½")[1]	3(3 ½"), 4(2 ¾" & 3")	23"/ 24968[3]	Vent Rib Rem™ Choke[4]	Twin Bead	Mossy Oak® Break-Up® Camo	44 ½"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Break-Up® Camo	7 ¼
870™ SPS-T Camo RS/TG	20 (3")[1]	4	20"/ 24989[3]	Rem™ Choke[2]	Tru-Glo®	Mossy Oak® "New" Break-Up® Camo	41"	14"	1 ½"	1 ⅞"	Synthetic	Mossy Oak® "New" Break-Up® Camo	6 ¼
11-87™ SPS-T™ Super Magnum NWTF	12 (3 ½")[1]	3(3 ½"), 4 (2 ¾" & 3")	23"/ 29896[6]	Rem™ Choke[2,3]	Tru-Glo®	Mossy Oak® Obsession®	43"	14"	1 ½"	2 ½"	Monte Carlo	Mossy Oak® Obsession®	8
SP-10 Camo RC/VT[7]	10	2	26"/ 24828	Vent Rib Rem™ Choke[8]	Twin Bead	Mossy Oak® Obsession®	47 ½"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Obsession®	10 ¾

1 All 3" and 3 ½" chambers handle 2 ¾" shells. **2** Note: Model 11-87™ SPS-T and Model 870™ SPS-T Turkey guns supplied with Turkey Super Full choke tube. **3** Note: 21" Model 11-87™ Turkey and Deer barrels and 23" Model 11-87 Super Magnum barrels are not pressure-compensated. Not for use with target or light field loads. **4** Note: Supplied with Turkey Extra Full and Turkey Super Full choke tubes. **5** Note: All Model 870™ Super Magnums have 3 ½" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2 ¾", 3" and 3 ½" shells interchangeably. **6** WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable. **7** IMPORTANT NOTE: Critical components – including the barrel, bolt assembly and trigger plate assembly of the Remington Model SP-10™ and other manufacturers' 10-gauge shotguns are not interchangeable. **8** Model SP-10™ shotguns supplied with Modified and Full Rem™ Choke tubes.

SPECIAL PURPOSE WATERFOWL SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
SP-10 Magnum[2]	10	2	30"/ 24808	Vent Rib Rem™ Choke[1]	Twin Bead	Matte Black Non Reflect.	51 ½"	14"	1 ½"	2 ½"	American Walnut	Satin	11
870 SPS™ Super Mag Camo[3]	12	3(3 ½") 4(2 ¾" & 3")	28"/ 24949 26"/ 24952	Vent Rib Rem™ Choke[4]	Twin Bead	Mossy Oak® Break-Up® Camo	48" 46"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Break-Up® Camo	7 ½ 7 ¼
11-87™ SPS™ Super Mag Camo[3]	12	3(3 ½") 4(2 ¾" & 3")	28"/ 25343	Vent Rib Rem™ Choke[4,5]	Twin Bead	Mossy Oak® Break-Up® Camo	48"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Break-Up® Camo	8 ¼
11-87™ SPS™ Camo[6]	12	4	26"/ 29662	Vent Rib Rem™ Choke[4,5]	Twin Bead	Mossy Oak® Break-Up® Camo	46"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Break-Up® Camo	8 ⅛
11-87™ SPS™ Waterfowl[6]	12	4	28"/ 29883	Vent Rib Rem™ Choke[4,5]	Hi-Viz®	Mossy Oak® New Shadowgrass™	48 ¼"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® New Shadowgrass™	8 ¼

1 Model SP-10™ shotguns supplied with Full and Mod Rem™ Choke tubes. **2** IMPORTANT NOTE: Critical components – including the barrel, bolt assembly and trigger plate assembly of the Remington Model SP-10™ and other manufacturers' 10-gauge shotguns – are not interchangeable. **3** NOTE: All Model 870™ Super Magnums & 11-87™ Super Magnums have 3 ½" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2 ¾", 3" and 3 ½" shells interchangeably. **4** All Model 870, 870 Super Magnum, 11-87 and 11-87 Super Magnum Special Purpose waterfowl shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes. **5** WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable. **6** Model 11-87™ SPS shotguns have 3" chambers and will cycle 2 ¾" and 3" shotshells.

SPECIAL PURPOSE MARINE MAGNUM® SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG.WT. (LBS.)
870™ Marine Magnum®[1,2]	12[1]	6	18"/ 25012	Cylinder Choke	Single Bead	Electroless Nickel-Plated	38 ½"	14"	1 ½"	2 ½"	Synthetic	Black Matte	7 ½

1 Model 870™ Marine Magnum® shotguns have 3" chambers and will cycle 2 ¾" and 3" shotshells. **2** Will not accept law enforcement accessories.

MODEL 870™ WINGMASTER® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE[3]	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
Wingmaster® Super Magnum	12 (3 ½")	3 (3 ½")[1] 4 (2 ¾" & 3")	28"/ 26921	Light Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	48 ½"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7 ½
Wingmaster® Dale Earnhardt Tribute	12	4[1]	28"/ 26945	Light Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	48 ½"	14"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7
Wingmaster® Classic Trap	12	4[1]	30"/ 24857	Light Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	50 ½"	14 ½"	1 ⁷⁄₁₆"	2"	Semi-Fancy American Walnut	Hi-Gloss	8
Wingmaster®	12	4[1]	30"/ 26925 28"/ 26927 26"/ 26929	Light Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	50 ½" 48 ½" 46 ½"	14 ½"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7 ¼ 7 6 ¾
Wingmaster®	16 (2 ¾")	4	28"/ 26941 26"/ 26943	Light Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	48 ½" 46 ½"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7 ¼ 7
Wingmaster®	20	4[1]	28"/ 26947 26"/ 26949	Light Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	48 ½" 46 ½"	14"	1 ½"	2 ½"	American Walnut	Satin (28") Hi-Gloss (26")	6 ½ 6 ¾
Wingmaster®	28 (2 ¾")	4	25"/ 24983	Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	45 ½"	14"	1 ½"	2 ½"	American Walnut	Satin	6
Wingmaster®	.410 Bore	4[1]	25"/ 24991	Vent Rib Modified	Twin Bead	High Polish Blued	45 ½"	14"	1 ½"	2 ½"	American Walnut	Satin	6
Wingmaster® Jr.	20	4[1]	18 ½"/ 26460	Lt. Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	37 ¼"	12"	1 ½"	2"	American Walnut	Hi-Gloss	6

1 All Model 870™ Wingmaster® shotguns have 3" and 3 ½" chambers and will cycle 2 ¾" shotshells. **2** NOTE: All Model 870™ Wingmaster® and Model 870™ Wingmaster® Super Magnum™ shotguns with a Rem Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes. **3** Model 870™ Wingmaster® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ¾" and 3" shotshells. .410 bore will cycle both 2 ½" and 3" shotshells.

MODEL 870™ EXPRESS® SUPER MAGNUM™ SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE[2]	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG.WT. (LBS.)
870™ Express® Super Mag Fall Flight	12 (3 ½")	3 (3 ½") 4 (2 ¾" & 3")	30"/ 25129	Vent Rib Rem™ Choke (Mod)	Single Bead	Skyline® Fall Flight Camo	50"	14"	1 ½	2 ½"	Synthetic	Skyline® Fall Flight Camo	7 ¾
870™ Express® Super Mag Turkey	12 (3 ½")	3 (3 ½") 4 (2 ¾" & 3")	23"/ 25106	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Matte Black Non-Reflect	44 ½"	14"	1 ½	2 ½"	Synthetic	Black Matte	7 ¼
870™ Express® Super Mag Turkey Camo	12 (3 ½")	3 (3 ½") 4 (2 ¾" & 3")	23"/ 25105	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Skyline® Excel® Camo	44 ½"	14"	1 ½"	2 ½"	Synthetic	Skyline® Excel® Camo	7 ¼
Express® Super Mag	12 (3 ½")	3 (3 ½") 4 (2 ¾" & 3")	28"/ 25100	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48"	14"	1 ½"	2 ½"	Hardwood	Flat	7 ½
870™ Express® Super Mag Synthetic	12 (3 ½")	3 (3 ½") 4 (2 ¾" & 3")	26"/ 25102 28"/ 25103	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	46" 48"	14"	1 ½"	2 ½"	Synthetic	Black Matte	7 ¼
870™ Express® Super Mag Combo	12 (3 ½")[1]	3 (3 ½") 4 (2 ¾" & 3")	26"/ 25114 20"/ 25114	Vent Rib Rem™ Choke (Mod) Fully Rifled (Deer)	Single Bead (Vent Rib) Rifle Sights (Deer)	Matte Black Non-Reflect	46" (VR) 40 ½" (Deer)	14"	1 ½"	2 ½"	Hardwood	Flat	7 ¼

1 Combo Deer barrel has 3" chamber. **2** Model 870™ Express® Super Magnum shotguns have 3 ½" chambers, unless otherwise noted, and will cycle 2 ¾", 3" and 3 ½" shotshells.

REM 0053A

SHOTGUN SPECIFICATIONS

MODEL 870™ EXPRESS® SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE[2]	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
Express®	12	4	28"/ 25568 26"/ 25569	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2" 46 1/2"	14"	1 1/2"	2 1/2"	Hardwood	Satin	7 1/2 7 1/4
870™ Express®	16 (2 3/4")	4	28"/ 25191	Light Contour Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2"	14"	1 1/2"	2 1/2"	Hardwood	Satin	7 1/4
870™ Express®	20	4	28"/ 25583 26"/ 25582	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2" 46 1/2"	14"	1 1/2"	2 1/2"	Hardwood	Satin	6 1/2 6 1/4
870™ Express® Youth	20	4	21"/ 25561	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 1/2"	13"	1 1/2"	2 1/4"	Hardwood	Flat	6 1/2
870™ Express® Synthetic	12	4	28"/ 25587 26"/ 25589	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2" 46 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Black Matte	7 1/2 7 1/4
870™ Express® Synthetic	16 (2 3/4")	4	28"/ 25201	Light Contour Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Black Matte	7 1/4
870™ Express® Synthetic Youth	16 (2 3/4")	4	23"/ 25203	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	39 1/2"	13"	1 1/2"	2 1/4"	Synthetic	Black Matte	6
870™ Express® Turkey Camo[1]	12	4	21"/ 25205	Vent Rib Rem™ Choke Turkey (Extra Full)	Twin Bead	Matte Black Non-Reflect	42 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Skyline® Excel® Camo	7 1/4
870™ Express® Jr. NWTF Jakes Gun	20	4	18 1/4"/ 26470	Vent Rib Rem™ Choke (Full)	Single Bead	Matte Black Non-Reflect	37 1/4"	12"	1 1/2"	2"	Hardwood	Skyline® Excel® Camo	6
870™ Express® Turkey	12	4	21"/ 25573	Vent Rib Rem™ Choke (Extra Full)	Twin Bead	Matte Black Non-Reflect	42 1/2"	14"	1 1/2"	2 1/2"	Hardwood	Flat	7 1/4
870™ Express® Turkey Youth	20	4	21"/ 25175	Vent Rib Rem™ Choke (Full)	Twin Bead	Matte Black Non-Reflect	40 1/2"	13"	1 1/2"	2 1/4"	Synthetic	Skyline® Excel® Camo	6
870™ Express® Synthetic Fully Rifled Deer	12	4	20"/ 25097	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 1/2"	14"	1 1/2"	1 7/8"	Monte Carlo Synthetic	Black Matte	7
870™ Express® Deer	12	4	20"/ 25565	Fixed Imp. Cyl. Choke	Rifle Sights	Matte Black Non-Reflect	40 1/2"	14"	1 1/2"	1 7/8"	Monte Carlo Hardwood	Flat	7 1/4
870™ Express® Deer Youth	20	4	20"/ 25555	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	39 1/2"	13"	1 1/2"	2 1/4"	Hardwood	Flat	6
870™ Express® Fully Rifled Deer	12	4	20"/ 25575	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	40 1/2"	14"	1 1/2"	1 7/8"	Monte Carlo Hardwood	Flat	7 1/4
870™ Express® Synthetic Fully Rifled Cantilever	12 20	4	23"/ 25090 18 1/2"/ 25183	Fully Rifled Heavy Contour	Cantilever Scope Mount	Matte Black Non-Reflect	43 1/4" 38 3/4"	14"	1 1/2"	1 7/8"	Monte Carlo Synthetic	Black Matte	8 7 1/4
870™ Express® Left Hand	12	4	28"/ 25577	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2"	14"	1 1/2"	2 1/2"	Hardwood	Flat	7 1/2
870™ Express® Synthetic	12	4	28"/ 25577	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2"	14"	1 1/2"	2 1/2"	Hardwood	Flat	7 1/2
870™ Express® Synthetic 18"	12	4	18"/ 25549	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Black Matte	7 1/4
870™ Express® Synthetic w/7-Round Magazine	12	7	18"/ 25077	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 1/2"	14"	1 1/2"	2 1/2"	Synthetic	Black Matte	7 1/2

1 Stock and fore-end in Skyline® Excel™ camo. 2 Model 870™ Express® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 3/4" and 3" shotshells.

MODEL 870™ EXPRESS® COMBO SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE[1]	MAG. CAPACITY	BBL LENGTH/ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ Express® Combo	12	4	28"(Vent Rib)/20" (Imp. Cyl. Deer)/25571 26"(Vent Rib)/20" (Fully Rifled Deer)/25578	Vent Rib Rem™ Choke (Mod.) I.C. Deer or Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	48 1/2", 46 1/2" (Vent Rib) 40 1/2" (Deer BBL)	14"	1 1/2"	2 1/2"	Hardwood	Satin	7 1/2 (Vent Rib) 7 1/4 (Deer BBL)
870™ Express® Combo	20	4	28"(Vent Rib)/20" (Imp. Cyl. Deer)/25585 26"(Vent Rib)/20" (Fully Rifled Deer)/25597	Vent Rib Rem™ Choke (Mod.) I.C. Deer or Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	48 1/8", 46 1/2" (Vent Rib) 40 1/2" (Deer BBL)	14"	1 1/2"	2 1/2"	Hardwood	Satin	6 1/2 (Vent Rib) 6 1/2 (Deer BBL)
870™ Express® Syn. Youth Combo	20	4	21" (Vent Rib)/25659 20"(Fully Rifled)/25659	Vent Rib Rem™ Choke (Mod.) Fully Rifled	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	40 1/2" (Vent Rib) 39 1/2" (Deer BBL)	13"	1 1/2"	2 1/4"	Synthetic	Black Matte	6 (Vent Rib) 6 (Deer BBL)

1 Model 870™ Express® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 3/4" and 3" shotshells.

FOR ADDITIONAL INFORMATION, VISIT US AT WWW REMINGTON.COM

32, 300, 332, ADL, Accelerator, AccuTip, BDL, Bandit, BriteBore, Bronze Point, BuckHammer, Bullet, CBEE 22, CDL, Classic, Comfort Tanned, Conquest, Copper-Lokt, Copper Solid, Core-Lokt, Cyclone, D-Series, Deer Hunter, Disintegrator, DriLube, Driving Band, Duplex, ETA, EtronX, Express, Express-Steel, EZ, Fieldmaster, Figure 8, Fireball, Gamemaster, Green Color, Golden, Golden Saber, Grizzly, Gun Club, Hi-Speed, Ideal, Impulse, Kleanbore, Lead-Lokt, LV SF, M-22, M-24, M-28, M-31, M-Series, Managed-Recoil, Marine Magnum, Model Seven, Model 11-87, Model 365, Model 40-X, Model 40-XB, Model 40-XBBR, Model 40-XC, Model 40-XR, Model 40-XRBR, Model 504, Model 504-T, Model 552, Model 572, Model 597, Model 673, Model 700, Model 710, Model 830, Model 870, Model 1100, Model 7400, Model 7600, Model SP-10, Nitro 27, Nitro CLP, Nitro Mag, Nitro-Steel, P-27, P-30, PC-27, Parker, Peters, Pheasant, Power-Lokt, Power Piston, Premier, Quick Look, R, R-P, R3 and R3 logo, R2000 and R2000 logo, Rangemaster, Ready, Rem, Rem Dri 35, Rem DriLube, RemCloth, RemGrip, Rem-Line, Rem-Lite, Rem-Tech, Remington, Remington Fieldmaster, Remington Law Enforcement, Remington Leadless, Remington Racing, Remington Shooting School and Remington Shooting School logo, Remington Targetmaster, Remington Ultra, Rustless, Sendero, ShurShot, Slugger, SP, SPS, SP-T, SPS-T, Spartan Gunworks, Speedmaster, Sportsman, STS, Subsonic, Super Magnum,SWIFT-LOKT, T-10, T-40, T-50, T-60, T-63, Targetmaster, Thunderbolt, TriNyte, True Jr., Ultra Mag, UMC, Unibody, Viper, VLS, Vortex and Vortex logo, VS, VSF, VS SF, Weathermaster, Wetproof, Wingmaster, XR-100, Xtra EZ and Yellow Jacket are trademarks of RA Brands, L.L.C., Madison, NC 27025. Palusol is a trademark of BASF. Bushnell and Sharpshooter are trademarks of Bushnell. Delrin, Kevlar, Teflon and Tyvek are trademarks of DuPont. Sierra Match King is a trademark of Sierra Bullet Co. Swift, A-Frame and Scirocco are trademarks of Swift Bullet Co. Hevi•Shot and "Heavier than Lead" are trademarks of ENVIRON-Metal, Inc. Mossy Oak, Break-Up, New Break-Up, New Shadow Grass and Obsession are trademarks of Haas Outdoors, Inc. V-Max is a trademark of Hornady Manufacturing Company. Advantage, Advantage Max-4 HD, Advantage Timber and Realtree are trademarks of Jordan Outdoor Enterprises, Ltd. Black Out, Capmaster, Cyclone, Wonder Lube and Wonder Wads are trademarks of Ox-Yoke Originals, Inc. Kraton is a trademark of Shell. LimbSaver is a trademark of Steven Sims, Inc. *TRUGLO* is a trademark of Truglo, Inc. Skyline, Excel and Fall Flight are trademarks of Skyline Cover, LLC.

Weights, stock dimensions, checkering pattern and wood grain may vary according to the individual firearm. Remington reserves the right to change or modify its products without notice. Pricing may vary by model, specification, color, size and availability. Follow the safety rules printed in firearms instruction books and on ammunition boxes. If you do not have an instruction book for your Remington firearm, write to Remington Arms Company, Inc., 870 Remington Drive, PO Box 700, Madison, NC 27025, for a free copy or visit our website at www.remington.com/manuals. Please specify the model and serial number. The firearms herein have been photographed with their actions closed to properly showcase their features. In actual practice, any firearm not in use must be left with ammunition removed, action open and safety on. Consumer Information, Arms Service, Parts and Repairs and Custom Shop: (800) 243-9700. Visit us on the web at: www.remington.com.



REM 0054

Petitioner's Exhibit
RA Brands, LLC v. Burns
Cancellation No. 92048334



NEW FOR 2006

Model 870™ Wingmaster®
Dale Earnhardt Edition
20 gauge

Model 870™ Wingmaster® Features:

- *Remarkable reliability and durability*
- *The smoothest pump action shotgun on the market*
- *Superior balance, handling and looks*
- *Points, swings and functions better than anything else in its class*
- *The highly polished and richly blued receiver is milled from a solid billet of steel for the ultimate in rugged dependability*
- *A wide array of barrel and choke options make versatility a Wingmaster® hallmark*
- *Twin action bar for non binding action*
- *Available in standard 12 gauge 3" Super Magnum, 16-, 20-, 28-gauge and 410 bore*

For complete model listings and specifications, see page 88.

DALE EARNHARDT LIMITED-EDITION SHOTGUN. For the fourth and final year, legends merge in Remington® Country. We're proud to unveil the 2006 Dale Earnhardt Limited-Edition Shotgun – a 20-gauge Model 870™ Wingmaster.® Consistent, dominating performance was Earnhardt's hallmark, and it's also what makes the Wingmaster such a fitting tribute to one of NASCAR's greatest. The last edition to this commemorative lineup features a 26" light contour barrel, a richly finished American walnut stock and a polished blued receiver we used as a canvas for some stunningly detailed artwork. It's engraved with Dale's likeness highlighted by a 24-karat gold signature and a "Seven Time Winston Cup Champion" banner. Beauty meets proven function in this fine collector's piece. And a portion of the proceeds from each sale goes to the Dale Earnhardt Foundation.



Model 870™ Wingmaster®
12-gauge



Model 870™ Wingmaster®
410 Bore



NEW FOR 2006

Model 870™
Special Purpose
Thumbhole
Fully Rifled Cantilever

Model 870™ Special Purpose Thumbhole Deer Features:

- *Superior control for rifle-like shot placement*
- *Laminated thumbhole stock design manages heavy recoil*
- *R3® recoil pad further reduces recoil*
- *23" fully rifled cantilever barrel*
- *2¾" or 3" sabot slugs*



Model 870™ SPS-T™
Super Magnum

NEW FOR 2006



Model 870™ SPS™
Super Magnum Camo

NEW FOR 2006



Model 870™ SP-T™
Super Magnum™
Thumbhole

For complete model listings and specifications, see page 88.

MODEL 870™ EXPRESS™



Model 870™ Express™ Super Magnum™



Model 870™ Express™ Super Magnum™ Mossy Oak® Shadowgrass®

NEW FOR 2006

AMERICA'S FAVORITE PUMP SHOTGUN HAS A NEW LOOK. Its solid, ultra-dependable action makes it America's favorite, and the new laminated wood stock places it among the best looking and most weather resistant as well. If you could throw the lid off every duck blind, stop by every pheasant field and check out every tract of timber where deer and turkey are hunted you'd probably see more Model 870™ Express® pumps than any other shotgun. It's been the standard for slide-action performance for more than 50 years. And because it's available in a Super Magnum version that handles everything from light 2 ¾" loads to heavy 3 ½" magnums, it's the standard for versatility as well.

This extensive lineup covers virtually any application in any neck of the woods or wetlands you're hunting – from the vent-rib do-alls to specialized deer, turkey and waterfowl models. You even have an array of stock choices, including the new laminated wood version, durable black synthetic and popular camo finishes.

Its versatility, reliability and, perhaps best of all, affordable pricing, make it a shotgun anyone can own. We're proud to make them, but even prouder of the fact you've made them America's Pump Guns.

TACTICAL SHOTGUNS



REM 0056

YOUR LINEUP OF DEFENSE. Handling speed, reliability and devastating power – everything you demand when the stakes are at their highest. Our rugged new tactical shotguns are built on the legendary Model 870™ and Model 1100™ actions. Based on the same designs law enforcement personnel trust their lives to every day, they excel in close quarters and are the ultimate choice for competition or personal defense. Offered in 12-gauge with R3® recoil pads with patented LimbSaver® technology, durable synthetic stocks, and matte olive drab barrels and receivers.

Model 870 stock choices include the Speedfeed® IV stock or the Knoxx Industries SpecOps™ adjustable length of pull stock with a spring-loaded cam for recoil reduction and fast follow-ups – both feature full pistol grips. Speedfeed IV models come with your choice of an 18" barrel with a two-shot magazine extension or a 20" barrel with a three shot extension. SpecOps version has an 18" barrel. All have fixed improved cylinder chokes.

The Model 1100™ Tactical shotgun is available with a Speedfeed IV pistol grip stock or standard black synthetic stock and forend. Speedfeed IV model has an 18" barrel with a two-shot extension. Standard synthetic stocked version is equipped with a 22" barrel and a four-shot extension, perfect for 3 gun competitions.



Model 870™ Express®

NEW FOR 2006

Wood models now available in all-new laminate

Model 870™ Express® Super Magnum™ Features:

- *Will function 2¾" 3" and 3½" shells interchangeably*
- *Superior design and inherent strength of America's favorite pump shotgun, the Model 870™*
- *Super Magnum receiver same size as all 12 gauge Model 870™ shotguns for same balance point*
- *Innovative bolt design keeps cycle stroke equal for all 3 lengths of 12-gauge shotshells*
- *Magazine capacity is three 3½" shells and four 2¾" and 3" shells*
- *Available in wood laminate, synthetic and camouflaged versions as well as a combo package, which features both a vent rib and rifle-sighted deer barrel for maximum versatility*

For complete model listings and specifications, see page 88-89.

Model 870™ Express® Super Magnum™ Turkey Camo
(Standard version also available)



Model 870™ Express® Super Magnum™ Synthetic
(Standard version also available)



Model 870™ Express® Fully Rifled Cantilever



Model 870™ Express® Cantilever Deer Gun
(Scope not included)



Model 870™ Express® Super Magnum™ Combo

REM 0057



Model 870™ Tactical
with SpecOps™ stock

Tactical Shotgun Features:

- *Optimized for close-quarters handling speed – the ultimate choice for personal protection or competition*
- *Built on pump Model 870 and autoloading Model 1100 actions for superior reliability*
- *12-gauge with matte olive drab receivers & barrels*
- *R3™ recoil pads with patented LimbSaver® Technology to reduce felt recoil*
- *Both actions available with synthetic Speedfeed IV full pistol-grip stock*
- *Model 870 available with a tough, lightweight Knoxx Industries SpecOps™ stock featuring a recoil-absorbing spring-loaded cam and adjustable length of pull (12" to 16")*
- *Fixed chokes – improved cylinder on Model 870 and Model 1100, Rem® Choke on 22" Model 1100*
- *2-, 3- or 4-shot extensions based on barrel length for maximum firepower*



Model 870™ Tactical



Model 870™ Tactical
with SpecOps™ stock



Model 1100™ Tactical

For complete model listings and specifications, see page 88.

MODEL 11-87® SPORTSMAN® MAGNUM SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE[3]	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
11-87™ Sportsman™ Synthetic	12	4	28" 29879 26" 29881 28" 29827 26" 29826	Rem™ Choke Mod[2]	Single Bead	Matte Black, Non-Reflective	48" 46" 49" 46"	14"	1½"	2½"	Synthetic	Black Matte	7½ 7½ 7½ 7½
11-87™ Sportsman™ Synthetic	20	4	28" 29858[1] 26" 29857	Fully Rifled	Cantilever Scope Mount	Matte Black, Non-Reflective	48"	14"	1½"	1⅞"	Synthetic	Black Matte	7½ 7½
11-87™ Youth Sportsman™ Synthetic	20	4	24" 29897	Rem™ Choke Mod[2]	Single Bead	Matte Black, Non-Reflective	44"	13"	1½"	2½"	Synthetic	Black Matte	7

1 Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. 2 NOTE: All Model 11-87™ Sportsman® shotguns with a Rem™ Choke barrel come equipped with Modified Rem™ Choke tubes. 3 Model 11-87™ Sportsman® shotguns have 3" chambers and will cycle 2¾" and 3" shotshells.

MODEL 11-87® SUPER MAGNUM™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY[1]	BBL LENGTH/ ORDER NO.	BARREL TYPE[3]	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
11-87™ SPS™ Super Magnum	12	3(3½"), 4(2¾" & 3")	28" 25337 26" 25339	Vent Rib Rem™ Choke[1,2]	Twin Bead	Matte Black, Non-Reflective	48" 46"	14"	1½"	2½"	Synthetic	Black Matte	8 8
11-87™ SPS™ Camo Super Magnum	12	3(3½"), 4(2¾" & 3")	28" 29513	Vent Rib Rem™ Choke[1,2]	Twin Bead	Mossy Oak® Break-Up®	48"	14"	1½"	2½"	Synthetic	Mossy Oak® Obsession®	8
11-87™ Premier Super Magnum	12	3(3½"), 4(2¾" & 3")	28" 25303	Vent Rib Rem™ Choke[1,2]	Twin Bead	High Polish Blued	48"	14"	1½"	2½"	American Walnut	Hi-Gloss	8

1 NOTE: Model 11-87™ and Model 11-87™ Super Magnum™ shotguns with a Rem™ Choke vent rib barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes. 2 WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable. 3 Model 11-87™ Super Magnum™ shotguns have 3½" chambers and will cycle 2¾" 3 dram 1⅛ oz. shotshells or heavier, 3" and 3½" shotshells.

MODEL 11-87® SPECIAL PURPOSE SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
11-87™ SP™ Thumbhole	12	4	21" 29919	Fully Rifled	Cantilever	Mossy Oak® Obsession®	43"	14"	1½"	2½"	Laminate	Satin	8
11-87™ SP-T™ Super Magnum Thumbhole	12	3(3½")[1] 4(2¾" & 3")	23" 29517	Rem™ Choke[2,3]	Tru-Glo	Mossy Oak® Obsession®	43"	14"	1½"	2½"	Synthetic	Mossy Oak® Obsession®	8
11-87™ SPS-T™ Super Magnum	12	3(3½") 4(2¾" & 3")	23" 29519	Rem™ Choke[2,3]	Twin Bead	Mossy Oak® Obsession®	43"	14"	1½"	2½"	Synthetic	Mossy Oak® Obsession®	8
11-87™ SPS™ Super Mag Camo[3]	12	3(3½") 4(2¾" & 3")	28" 29513	Vent Rib Rem™ Choke[4,5]	Twin Bead	Mossy Oak® Obsession®	48"	14"	1½"	2½"	Synthetic	Mossy Oak Obsession	8¼
11-87™ SPS™ Camo[6]	12	4	26" 29501	Vent Rib Rem™ Choke[4,5]	Twin Bead	Mossy Oak® Obsession®	46"	14"	1½"	2½"	Synthetic	Mossy Oak Obsession	8
11-87™ SPS™ Waterfowl[6]	12	4	28" 29882	Vent Rib Rem™ Choke[4,5]	Hi-Viz®	Mossy Oak® New Shadowgrass™	48¼"	14"	1½"	2½"	Synthetic	Mossy Oak New Shadowgrass	8

1 All 3" and 3½" chambers handle 2¾" shells. 2 Note: Model 11-87™ SPS-T and Model 870™ SPS-T Turkey guns supplied with Turkey Super Full choke tube. 3 NOTE: All Model 870 Super Magnums & 11-87 Super Magnums have 3½" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2¾", 3" and 3½" shells interchangeably. 4 All Model 870, 870 Super Magnum, 11-87 and 11-87 Super Magnum Special Purpose waterfowl shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem Choke tubes. 5 WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable. 6 Model 11-87™ SPS shotguns have 3" chambers and will cycle 2¾" and 3" shotshells.

MODEL SP-10™ MAGNUM AUTOLOADING SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
SP-10™ Magnum[2]	10	2	30" 24808	Vent Rib Rem™ Choke[1]	Twin Bead	Matte Black Non Reflect.	51"	14"	1½"	2½"	American Walnut	Satin	11
SP-10™ Camo RC/VT[3]	10	2	26" 24826	Vent Rib Rem™ Choke[4]	Twin Bead	Mossy Oak® Obsession®	47"	14"	1½"	2½"	Synthetic	Mossy Oak® Obsession®	10

1 Model SP-10™ shotguns supplied with Full and Mod Rem™ Choke tubes. 2 IMPORTANT NOTE: Critical components – including the barrel, bolt assembly and trigger plate assembly of the Remington Model SP-10™ and other manufacturers' 10-gauge shotguns – are not interchangeable. 3 IMPORTANT NOTE: Critical components – including the barrel, bolt assembly and trigger plate assembly of the Remington Model SP-10™ and other manufacturers' 10-gauge shotguns – are not interchangeable. 4 Model SP-10™ shotguns supplied with Rem™ Choke tube.

MODEL 1100® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE[1]	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
1100™ Classic Field	12	4	26" 24407 28" 24408 28" 24409 26" 24525 26" 24526 28" 24487 410[2] 25" 24491	Vent Rib Rem™ Choke	Twin Bead	High Polish Blued	48" 48" 48" 48" 48" 48" 48"	14"	1½"	2½"	American Walnut	Satin	7½ 7½ 7½ 7½ 7½ 7½ 7½

1 Model 1100™ shotguns have 2¾" chambers, unless otherwise noted. 2 Will cycle 2½" and 3" shotshells.

SHOTGUN SPECIFICATIONS

MODEL SPR453™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	CHOKE	RIB	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
SPR 453™	12	4 + 1	26" 89402 28" 89403	SC-4	VT	Matte	47" 45"	14 ½"	1 ½"	2 ½"	Synthetic	Black Matte	8 lbs. 7 lbs. 15 oz.
SPR 453™	12	4 + 1	28" 89432 26" 89434	SC-4	VT	Mossy Oak® New Break-Up®	49" 47" 45"	14 ½"	1 ½"	2 ½"	Synthetic	Mossy Oak® New Break-Up®	8 lbs. 8 lbs. 7 lbs. 15 oz.

VT = Vent Rib SC-4 = CYL, IC, MO, FL (All tubes approved for steel) IC = Improved Cylinder MD = Modified IM = Improved Modified FL = Full

MODEL 870™ WINGMASTER™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE[3]	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
Wingmaster® Super Magnum	12	3 (3 ½")[1] 4 (2 ¾" & 3")	28" 3695	Light Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	48"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	8 lbs.
Wingmaster® Classic Trap	12	4	30" 24857	Light Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	50"	14 ½"	1 7/16"	2"	Semi-Fancy American Walnut	Hi-Gloss	8 lbs.
Wingmaster®	12	4	30" 26925 28" 26927 26" 26929	Light Contour Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	50" 48" 46"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	8 lbs. 6 oz.
Wingmaster®	12 2¾	4	28" 26944 26" 26943	Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	48" 46"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	8 lbs.
Wingmaster®	20	4	28" 26947 26" 26946	Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	48" 46"	14"	1 ½"	2 ½"	American Walnut	Satin (28") Hi-Gloss (26")	6 lbs. 15 oz.
Wingmaster® Dale Earnhardt	20	4	26" 26949	Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	46"	14"	1 ½"	2 ½"	American Walnut	Satin (28") Hi-Gloss (26")	6 ½ lbs.
Wingmaster®	28 & 2¾	4	25" 24953	Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	45"	14"	1 ½"	2 ½"	American Walnut	Satin	6 lbs.
Wingmaster®	.410 Bore	4	25" 24951	Vent Rib Modified	Twin Bead	High Polish Blued	45"	14"	1 ½"	2 ½"	American Walnut	Satin	6 lbs.
Wingmaster® Jr.	20	4	18" 26486	Vent Rib Rem™ Choke[2]	Twin Bead	High Polish Blued	37"	12"	1 ½"	2"	American Walnut	Hi-Gloss	7 lbs.

1 All Model 870™ Wingmaster® shotguns have 3" and 3 ½" chambers and will cycle 2 ¾" shotshells. 2 NOTE: All Model 870™ Wingmaster® and Model 870™ Wingmaster® Super Magnum™ shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes. 3 Model 870™ Wingmaster® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ¾" and 3" shotshells. .410 bore will cycle both 2 ½" and 3" shotshells.

MODEL 870™ SPECIAL PURPOSE SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ SP-T™ Super Mag Thumbhole	12 3-½"[1]	3(3 ½"), 4(2 ¾" & 3")	23" 25139	Rem™ Choke[2]	Tru-Glo®	Mossy Oak® Obsession®	44"	14 ½"	1 ⅝"	2 ¾"	Laminate	Mossy Oak® Obsession®	8 lbs.
870™ SP™ Thumbhole	12 3"[1]	4(2 ¾" & 3")	23" 25005	Fully Rifled	Cantilever Scope	Matte Black, Non-Reflective	44"	14 ½"	1 ⅝"	2 ¾"	Laminate	Satin	8 lbs.
870™ SPS-T Super Mag Camo[5]	12 (3-½")[1]	3(3 ½"), 4(2 ¾" & 3")	23" 25007[3]	Vent Rib Rem™ Choke[4]	Twin Bead	Mossy Oak® Obsession®	44"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Obsession®	8 lbs.

1 All 3" and 3 ½" chambers handle 2 ¾" shells. 2 Note: Model 11-87® SPS-T and Model 870™ SPS-T Turkey guns supplied with Turkey Super Full choke tube. 3 Note: 21" Model 11-87™ Turkey and Deer barrels and 23" Model 11-87 Super Magnum barrels are not pressure-compensated. Not for use with target or light field loads. 4 Note: Supplied with Turkey Extra Full and Turkey Super Full choke tubes. 5 Note: All Model 870™ Super Magnums have 3 ½" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2 ¾", 3" and 3 ½" shells interchangeably.

MODEL 870™ SPECIAL PURPOSE MARINE MAGNUM™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ Marine Magnum®[2]	12[1]	6	18" 25012	Cylinder Choke	Single Bead	Electroless Nickel-Plated	38"	14"	1 ½"	2 ½"	Synthetic	Black Matte	7 ½ lbs.

1 Model 870™ Marine Magnum® shotguns have 3" chambers and will cycle 2 ¾" and 3" shotshells. 2 Will not accept law enforcement accessories.

MODEL 870™ EXPRESS™ SUPER MAGNUM™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE[2]	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ Express® Super Mag	12 (3-½")	3 (3 ½") 4 (2 ¾" & 3")	30" 25215	Vent Rib Rem™ Choke (Mod)	Single Bead	Mossy Oak® Shadowgrass	50"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Shadowgrass	7 ½ lbs.
870™ Express® Super Mag Turkey	12 (3-½")	3 (3 ½") 4 (2 ¾" & 3")	23" 25104	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Matte Black Non-Reflect	44"	14"	1 ½"	2 ½"	Synthetic	Black Matte	7 ½ lbs.
870™ Express® Super Mag Turkey Camo	12 (3-½")	3 (3 ½") 4 (2 ¾" & 3")	23" 25103	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Mossy Oak® Break-Up®	44"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Break-Up®	7 ½ lbs.
870™ Express® Super Mag	12 (3-½")	3 (3 ½") 4 (2 ¾" & 3")	28" 25190	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48"	14"	1 ½"	2 ½"	Laminate	Satin	8 lbs.
870™ Express® Super Mag Synthetic	12 (3-½")	3 (3 ½") 4 (2 ¾" & 3")	26" 25102 28" 25103	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	46" 48"	14"	1 ½"	2 ½"	Synthetic	Black Matte	7 ½ lbs.
870™ Express® Super Mag Combo	12 (3-½")	3 (3 ½") 4 (2 ¾" & 3")	28" 25114 20"	Vent Rib Rem™ Choke (Mod) Fully Rifled (Deer)	Single Bead, Vent. Rib Rifle Sights Deer	Matte Black Non-Reflect	48" VR 40" Deer	14"	1 ½"	2 ½"	Laminate	Satin	8 lbs.

1 Combo Deer barrel has 3" chamber. 2 Model 870™ Express® Super Magnum shotguns have 3 ½" chambers, unless otherwise noted, and will cycle 2 ¾", 3" and 3 ½" shotshells.

Remington®



2007 CATALOG

FIREARMS, AMMUNITION & ACCESSORIES

REM 0060

EXHIBIT
tabbies
12

Petitioner's Exhibit
RA Brands, LLC v. Burns
Cancellation No. 92048334

NEW PRODUCTS



MODEL 700™ CDL™ SF
LIMITED EDITION
(pages 30-31)

NEW FIREARMS

Model 700™ CDL™ SF Limited Edition. It shoots as wicked as it looks. This series started last year with our commemorative 30-06 and heats up for 2007 with our new 17 Remington Fireball – hyper-velocity wonder is tuned to ultimate tack-driving efficiency by our Model 700 action and the stainless, fluted barrel. We've advanced the tradition of the Model 700 Classic. *(pages 30-31)*



PREMIER SIDE-BY-SIDES
The classic quick-handling double you've always dreamed of. And it's a Remington.
(pages 4-5)



MODEL 770™
Ready to hunt. Right out of the box. The newest rifle and scope combo from Remington.
(pages 32-33)

X-Mark Pro™ Trigger. The best bolt actions on the planet get better this year with an improved trigger system, featuring up to a 40% reduced pull weight, zero creep and a breaks-like-glass feel unrivaled by any factory trigger on the market today. *(pages 22-23)*

Look for it on products where you see this icon.

NEW AMMUNITION

Wingmaster HD.™ Denser than lead with near perfect roundness, it's the most devastatingly lethal payload to ever hit fur or feather. Super-tuned shape. Superior softness. Bone-crushing energy. It's Drop-Dead Better™ than any shotshell in the world. *(pages 48-49)*

Premier® AccuTip™ 17 Remington® Fireball. At 4,000 fps, this tiny new cartridge will look plenty big in the eyes of any varmint and predator within 400 yards. Its diminutive powder charge produces very little fouling, almost zero recoil, and just so happens to be the perfect fuse for our explosive 20-grain AccuTip-V. *(page 63)*



MANAGED-RECOIL™
COPPER SOLID™
SABOT SLUGS
(page 55)

300 REMINGTON
ULTRA MAG
POWER LEVEL
(page 59)

CORE-LOKT™ ULTRA
BONDED BULLETS
(page 70)

MORE NEW FIREARMS

PREMIER® OVER/UNDERS *(pages 4-5)*

PREMIER® SIDE-BY-SIDES *(pages 4-5)*

MODEL 11-87™ SPS™ SUPER MAG WATERFOWL *(pages 8-9)*

MODEL SP-10® WATERFOWL *(pages 10-11)*

MODEL 870™ EXPRESS® SUPER MAG WATERFOWL *(pages 12-13)*

MODEL 870™ XCS MARINE MAGNUM *(pages 14-15)*

MODEL 870™ SPS™ SUPER MAG MAX GOBBLER *(pages 14-15)*

TACTICAL SHOTGUNS & RIFLES *(pages 20-21)*

MODEL 700™ CDL™ SF *(pages 24-25)*

MODEL 700™ SPS™ BUCKMASTERS EDITION *(pages 24-25)*

MODEL 700™ ALASKAN Ti *(pages 26-27)*

MODEL 700™ SPS™ VARMINT *(pages 28-29)*

MODEL 700™ VL SS™ THUMBHOLE *(pages 28-29)*

MODEL 770™ *(pages 32-33)*

MODEL SEVEN™ XCR CAMO *(pages 32-33)*

MODEL 750™ SYNTHETIC *(pages 34-35)*

MODEL 7615™ CAMO HUNTER *(pages 34-35)*

MODEL 7615™ RANCH CARBINE *(pages 34-35)*

MODEL 798™ STAINLESS *(pages 36-37)*

GENESIS™ MUZZLELOADERS *(pages 40-41)*

2007 25TH ANNIVERSARY
BULLET® KNIFE *(page 74)*

NEW CUTLERY

From hunter to collector, Remington's 2007 family of cutlery has something for everyone. Make sure you check out our three new collectible knives, new Premier knives and new Big Game Skinner Set. *(pages 72-77)*



TANGO SERIES I FIXED BLADE *(page 72)*

ELITE HUNTER SERIES II
FOLDING KNIFE *(page 73)*

MODEL 11-87™ SPS™ SUPER MAG WATERFOWL
Available in 12 gauge (2 ¾", 3" and 3 ½")

NEW



MODEL 11-87™ SP™ THUMBHOLE
Fully Rifled Cantilever
Available in 12 gauge (2 ¾" and 3")



MODEL 11-87™ SP-T™ SUPER MAG THUMBHOLE
Available in 12 gauge (2 ¾", 3" and 3 ½")

MODEL 11-87™ SPS-T™ SUPER MAGNUM
Available in 12 gauge (2 ¾", 3" and 3 ½")

For complete model listings and specifications, see page 89.

MODEL 11-87 SUPER MAGNUM

FEATURES

- *All the power of a 3½" 12 gauge shotgun coupled with the soft recoil of the Model 11-87 gas system*
- *Ultra-fast Model 11-87 autoloading action for rapid follow-up shots*
- *Superior handling and ergonomics*
- *Solid steel receiver for strength and durability*
- *2¾", 3" and 3½" capability*
- *All models feature Remington R3 recoil pads with LimbSaver® technology*
- *Quick load carrier (Waterfowl model only)*

All SP Turkey models are drilled and tapped for Weaver style scope mounts. Weaver #4 rail not included.

MODEL 11-87™ SPORTSMAN® CAMO
Available in 12 and 20 gauge (2 ¾" and 3")

NEW



MODEL 11-87™ SPORTSMAN® SYNTHETIC
Available in 12 and 20 gauge (2 ¾" and 3")



MODEL 11-87™ SPORTSMAN® Cantilever
Available in 12 and 20 gauge (2 ¾" and 3")



MODEL 11-87™ SPORTSMAN® YOUTH SYNTHETIC
Available in 20 gauge (2 ¾" and 3")

MODEL 11-87 SPORTSMAN

FEATURES

- *Ergonomically designed for superior handling*
- *Constructed with solid steel receivers for strength and durability*
- *Feature smooth-operating actions that reduce wear and provide quick follow-up shots*
- *Black synthetic or Mossy Oak® New Break Up® stock and fore-end*
- *Available in 12 and 20 gauge*
- *Sportsman Youth 20 gauge available*

REM 0062





NEW

MODEL 870™ XCS
MARINE MAGNUM®

MODEL 870™ XCS
MARINE MAGNUM®
Available in 12 gauge (2 ¾" and 3")

For complete model listings and specifications, see page 91.

TriNyte® Corrosion Control System *(Patent pending). Consisting of electroless nickel and proprietary PVD, this armor-tough, multi-layer coating is the world's most effective barrier against rust and abrasion for firearms, yet is only a fraction of a human hair in thickness. The only thing you'll notice is the near invincibility. Available in a variety of finish colors.*

TRINYTE CORROSION CONTROL SYSTEM

FEATURES

- *TriNyte® Corrosion Control System on barrel and receiver creates an armor tough barrier against rust and abrasion*
- *Its Model 870 action is the rugged standard for dependability and smooth operation*
- *18" cylinder bore, bead-sighted barrel*
- *2 shot magazine extension — 7-shot capacity*
- *SpeedFeed™ I stock with shell holder keeps 2-4 extra rounds at your fingertips*
- *Corrosion-resistant trigger group with plated components*
- *Durable synthetic stock and fore-end*
- *Sling swivel studs*
- *R3® recoil pad with LimbSaver® technology*

REM 0063



NEW

apg HD

The new MAX Gobbler™ comes fully decked in the photo realism of new Realtree® APG™ HD.™

MODEL 870™ SPS™ SUPER MAG
MAX GOBBLER™
Available in 12 gauge (2 ¾", 3" and 3 ½")



MODEL 870™ SUPER MAG
SP-T™ THUMBHOLE
Available in 12 gauge (2 ¾", 3" and 3 ½")



MODEL 870™ SPS-T™
SUPER MAG
Available in 12 gauge (2 ¾", 3" and 3 ½")



MODEL 870™ SP™
THUMBHOLE CANTILEVER
Available in 12 gauge (2 ¾" and 3")

MODEL 870™ SPS™
SUPER MAG MAX GOBBLER™

FEATURES

- *Knoxx® SpecOps™ stock provides adjustable LOP and state-of-the-art recoil dampening*
- *Williams® Fire Sights™ fiber optic sight system for fast target acquisition and accuracy*
- *Fitted with Remington's high-performance R3® recoil pad with LimbSaver® technology*
- *New Realtree® APG™ HD™ camo*
- *Drilled and tapped for Weaver-style rail*



The Knoxx® SpecOps™ stock features a recoil-compensation system that dramatically reduces felt recoil and muzzle jump.

For complete model listings and specifications, see page 90

MODEL	GAUGE	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE[3]	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT (LBS.)
[illegible] Sportsman™ Synthetic	[illegible]	4	[illegible]	Vent Rib Rem™ Choke Mod[2]	[illegible] Bead	Matte Black Non-Reflective	[illegible]	14"	1½"	2½"	[illegible]	Matte Black	[illegible]
11-87 Sportsman™ Camo	[illegible]	4	[illegible]	Vent Rib Rem™ Choke Mod[2]	[illegible] Bead	Mossy Oak® New-Breakup	[illegible]	14"	1½"	1⅞"	[illegible]	Mossy Oak® New-Breakup	[illegible]
11-87 Sportsman™ Synthetic Deer	[illegible]	4	[illegible]	Fully Rifled	[illegible] Sights	Matte Black, Non-Reflective	[illegible]	14"	1½"	1⅞"	[illegible]	Matte Black	[illegible]
11-87 Youth Sportsman™ Synthetic	[illegible]	4	[illegible]	Vent Rib Rem™ Choke Mod[2]	[illegible] Bead	Matte Black, Non-Reflective	[illegible]	13"	1½"	2½"	[illegible]	Matte Black	[illegible]

1 A [illegible]1-87 Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. 2 NOTE: All Model 11-87™ Sportsman™ shotguns with a Rem Choke barrel come equipped with Modified Rem Choke tubes.
3 A [illegible]1-87 Sportsman™ shotguns have 3" chambers and will cycle 2¾" and 3" shotshells.

[illegible]	GAUGE	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT (LBS.)
[illegible]87™ SP™ Thumbhole	[illegible]	4	[illegible]	Fully Rifled	[illegible]	Matte Black Non-Reflective	[illegible]	14"	1½"	2½"	[illegible]	Satin	[illegible]
[illegible]87™ SP-T™ Super Magnum Thumbhole	[illegible]	3(3½") 4(2¾" & 3")	[illegible]	Rem™ Choke[2,3]	[illegible] Dot	Mossy Oak® Obsession®	[illegible]	14"	1½"	2½"	[illegible]	Mossy Oak® Obsession®	[illegible]
[illegible]87™ SPS-T™ Super Magnum	[illegible]	3(3½") 4(2¾" & 3")	[illegible]	Rem™ Choke[2,3]	[illegible] Bead	Mossy Oak® Obsession®	[illegible]	14"	1½"	2½"	[illegible]	Mossy Oak® Obsession®	[illegible]
[illegible]87™ SPS™ Super Mag Waterfowl	[illegible]	3(3½") 4(2¾" & 3")	[illegible]	Vent Rib Rem™ Choke[4]	[illegible]	Mossy Oak Duck Blind™	[illegible]	14"	1½"	2½"	[illegible]	Mossy Oak® Duck Blind™	[illegible]
[illegible]87™ SPS™ Super Mag Camo[3]	[illegible]	3(3½") 4(2¾" & 3")	[illegible]	Vent Rib Rem™ Choke[4]	[illegible] Bead	Mossy Oak Obsession®	[illegible]	14"	1½"	2½"	[illegible]	Mossy Oak® Obsession®	[illegible]
[illegible]87™ SPS™ Super Mag	[illegible]	3(3½") 4(2¾" & 3")	[illegible]	Vent Rib Rem™ Choke[1,5]	[illegible] Bead	Matte Black, Non-Reflective	[illegible]	14"	1½"	2½"	[illegible]	Matte Black	[illegible]

NOTE: Model 11-87™ Super Magnum™ shotguns with a Rem Choke vent rib barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes. 2 NOTE: Model 11-87 SPS-T and Model 11-87 SP-T guns supplied with Turkey Super Full choke tube.
NOTE: All 11-87™ Super Magnums have 3½" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2¾", 3" and 3½" shells interchangeably. 4 WARNING: Model 11-87 barrels and Model 11-87 Super Magnum barrels are not interchangeable.

[illegible]	GAUGE	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT (LBS.)
[illegible]P-10™ Magnum[2]	[illegible]	2	[illegible]	Vent Rib Rem™ Choke[1]	[illegible] Bead	Matte Black Non Reflect.	[illegible]	14"	1½"	2½"	[illegible] Walnut	Satin	[illegible]
[illegible]P-10™ Thumbhole Camo[2]	[illegible]	2	[illegible]	Rifle Sight Rem™ Choke[4]	FireSights	Mossy Oak® Obsession®	[illegible]	14 ½"	1⅝"	1¾"	[illegible]	Mossy Oak® Obsession®	[illegible]
[illegible]P-10™ Waterfowl Camo[2]	[illegible]	2	[illegible]	Vent Rib Rem™ Choke[3]	[illegible]	Mossy Oak® Duck Blind™	[illegible]	14"	1½"	2½"	[illegible]	Mossy Oak® Duck Blind™	[illegible]
[illegible]P-10™ Camo RC/VT[2]	[illegible]	2	[illegible]	Vent Rib Rem™ Choke[1]	[illegible] Bead	Mossy Oak® Obsession®	[illegible]	14"	1½"	2½"	[illegible]	Mossy Oak® Obsession®	[illegible]

Model SP-10 shotguns supplied with Full and Mod Rem™ Choke tubes. 2 IMPORTANT NOTE: Critical components – including the barrel, bolt assembly and trigger plate assembly of the Remington Model SP-10 and other manufacturers' 10-gauge shotguns – are not interchangeable.
NOTE: Supplied with (3) Briley Rem™ choke waterfowl tubes – decoying, intermediate and pass shooting (ported) non-toxic approved. 4 NOTE: Supplied with Briley Straight Rifled Turkey Tube.

MODEL	GAUGE/BORE[2]	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT (LBS.)
Wingmaster®	[illegible]	4	[illegible]	Light Contour Vent Rib Rem™ Choke[1]	[illegible] Bead	High Polish Blued	[illegible]	14 ¼"	1½"	2½"	[illegible] Walnut	Hi-Gloss	[illegible]
Wingmaster®	[illegible]	4	[illegible]	Vent Rib Rem™ Choke[1]	[illegible] Bead	High Polish Blued	[illegible]	14"	1½"	2½"	[illegible] Walnut	Satin (28") Hi-Gloss (26")	[illegible]
Wingmaster®	[illegible]	4	[illegible]	Vent Rib Rem™ Choke[1]	[illegible] Bead	High Polish Blued	[illegible]	14"	1½"	2½"	[illegible] Walnut	Satin	[illegible]
Wingmaster®	[illegible]	4	[illegible]	Vent Rib Modified	[illegible] Bead	High Polish Blued	[illegible]	14"	1½"	2½"	[illegible] Walnut	Satin	[illegible]

1 NOTE: All Model 870 Wingmaster® and Model 870 Wingmaster™ Super Magnum shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes.
2 Model 870 Wingmaster™ shotguns have 3" chambers, unless otherwise noted, and will cycle 2¾" and 3" shotshells. 410 bore will cycle both 2½" and 3" shotshells.

REM 0064

[illegible]	GAUGE[2]	MAG. CAPACITY	BBL. LENGTH/ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT (LBS.)
[illegible]press® Deer Combo	[illegible]	4 (2¾" & 3")	[illegible]	Vent Rib Rem™ Choke (Turkey Extra Full) Fully Rifled Deer	[illegible] Bead, Vent Rib [illegible] Sights, Deer BBL	Matte Black Non-Reflect	[illegible] (Vent Rib) [illegible] (Deer BBL)	14"	1½"	2½"	[illegible]	Mossy Oak® Break-Up	[illegible] (Vent Rib) [illegible] (Deer BBL)
[illegible]0™ Express® Combo	[illegible]	4	[illegible] (Vent Rib) [illegible] (Fully Rifled Deer) [illegible] (Vent Rib) [illegible] (Fully Rifled Deer)	Vent Rib Rem™ Choke (Mod.) I.C. Deer or Fully Rifled Deer	[illegible] Bead, Vent Rib [illegible] Sights, Deer BBL	Matte Black Non-Reflect	[illegible] (Vent Rib) [illegible] (Deer BBL)	14"	1½"	2½"	[illegible]	Satin	[illegible] (Vent Rib) [illegible] (Deer BBL)
[illegible]0™ Express® Combo	[illegible]	4	[illegible] (Vent Rib) [illegible] (Fully Rifled Deer) [illegible] (Vent Rib) [illegible] (Fully Rifled Deer)	Vent Rib Rem™ Choke (Mod.) I.C. Deer or Fully Rifled Deer	[illegible] Bead, Vent Rib [illegible] Sights, Deer BBL	Matte Black Non-Reflect	[illegible] (Vent Rib) [illegible] (Deer BBL)	14"	1½"	2½"	[illegible]	Satin	[illegible] (Vent Rib) [illegible] (Deer BBL)
[illegible]™ Express® Syn. Combo	[illegible]	4	[illegible] (Vent Rib) [illegible] (Fully Rifled)	Vent Rib Rem™ Choke (Mod.) Fully Rifled	[illegible] Bead, Vent Rib [illegible] Sights, Deer BBL	Matte Black Non-Reflect	[illegible] (Vent Rib) [illegible] (Deer BBL)	13"	1½"	2¼"	[illegible]	Matte Black	[illegible] (Vent Rib) [illegible] (Deer BBL)

[illegible] 870 Express® shotguns have 3" chambers, unless otherwise noted, and will cycle [illegible] shotshells.

SHOTGUN SPECIFICATIONS

MODEL	GAUGE[1]	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ Express™		4	[illegible]	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	[illegible]	14"	1 ½"	2 ½"	Laminate	Satin	
870™ Express™		4	[illegible]	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	[illegible]	14"	1 ½"	2 ½"	Laminate	Satin	
870™ Express™ Youth		4	[illegible]	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	[illegible]	13"	1 ½"	2 ¼"	Laminate	Satin	
870™ Express® Synthetic		4	[illegible]	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	[illegible]	14"	1 ½"	2 ½"	[illegible]	Matte Black	
870™ Express™ Turkey Camo		4	[illegible]	Vent Rib Rem Choke Turkey (Extra Full)	Twin Bead	Matte Black Non-Reflect	[illegible]	14"	1 ½"	2 ½"	[illegible]	Mossy Oak Break-Up™	
870™ Express® Jr. Jakes Gen		4	[illegible]	Vent Rib Rem™ Choke (Full)	Single Bead	Matte Black Non-Reflect		12"	1 ½"	2"	[illegible]	Mossy Oak Break-Up	
870™ Express® Turkey		4	[illegible]	Vent Rib Rem Choke (Extra Full)	Twin Bead	Matte Black Non-Reflect	[illegible]	14"	1 ½"	2 ½"	Laminate	Satin	
870™ Express® Turkey Youth		4	[illegible]	Vent Rib Rem Choke (Full)	Twin Bead	Matte Black Non-Reflect	[illegible]	13"	1 ½"	2 ¼"	[illegible]	Mossy Oak® Break-Up™	
870™ Express® Synthetic Fully Rifled Deer		4	[illegible]	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	[illegible]	14"	1 ½"	1 ⅞"	Matte Dar [illegible]	Matte Black	
870™ Express® Deer		4	[illegible]	Fixed Imp. Cyl. Choke	Rifle Sights	Matte Black Non-Reflect	[illegible]	14"	1 ½"	1 ⅞"	Matte Dark [illegible]	Satin	
870™ Express® Deer Youth		4	[illegible]	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	[illegible]	13"	1 ½"	2 ¼"	Laminate	Satin	
870™ Express® Fully Rifled Deer		4	[illegible]	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	[illegible]	14"	1 ½"	1 ⅞"	Matte Dar [illegible]	Satin	
870™ Express® Synthetic Fully Rifled Cantilever		4	[illegible]	Fully Rifled Heavy Contour Fully Rifled	Cantilever Scope Mount	Matte Black Non-Reflect	[illegible]	14"	1 ½"	1 ⅞"	Matte Dar [illegible]	Matte Black	
870™ Express® Left Hand		4	[illegible]	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	[illegible]	14"	1 ½"	2 ½"	Laminate	Satin	
870™ Express® Synthetic 18"		4	[illegible]	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	[illegible]	14"	1 ½"	2 ½"	[illegible]	Matte Black	
NEW 870™ Express® Synthetic with 7-Round Capacity[2]		6 6	[illegible]	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	[illegible]	14"	1 ½"	2 ½"	[illegible]	Matte Black	

1 Model 870 Express shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ¾" and 3" shotshells. 2 Supplied with sling swivel studs.

MODEL	GAUGE[2]	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ Express® Super Mag Turkey	[illegible]	3 (3 ½") 4 (2 ¾" & 3")	[illegible]	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Matte Black Non-Reflect	[illegible]	14"	1 ½"	2 ½"	Synthetic	Matte Black	
870™ Express® Super Mag Turkey Camo	[illegible]	3 (3 ½") 4 (2 ¾" & 3")	[illegible]	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Mossy Oak Break-Up	[illegible]	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Break-Up®	
NEW 870™ Express® Super Mag Waterfowl Camo[3]	[illegible]	3 (3 ½") 4 (2 ¾" & 3")	[illegible]	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Mossy Oak® Duck Blind™	[illegible]	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Duck Blind™	
870™ Express® Super Mag	[illegible]	3 (3 ½") 4 (2 ¾" & 3")	[illegible]	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	[illegible]	14"	1 ½"	2 ½"	Laminate	Satin	
870™ Express® Super Mag Synthetic	[illegible]	3 (3 ½") 4 (2 ¾" & 3")	[illegible]	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	[illegible]	14"	1 ½"	2 ½"	Synthetic	Matte Black	
870™ Express® Super Mag Combo	[illegible]	3 (3 ½") 4 (2 ¾" & 3")	[illegible]	Vent Rib Rem™ Choke (Mod) Fully Rifled (Deer)	Single Bead and Rifle Sights Deer	Matte Black Non-Reflect	[illegible]	14"	1 ½"	2 ½"	Laminate	Satin	

1 Combo Deer barrel has 3" chamber. 2 Model 870™ Express™ Super Magnum shotguns have 3 ½" chambers and will cycle 2 ¾", 3" and 3 ½" shotshells. 3 Supplied with sling swivel studs.

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ SP-T™ Super Mag Thumbhole[3]	[illegible]	3 (3 ½"), 4 (2 ¾" & 3")	[illegible]	Rifle Sight Rem™ Choke[2]	Tru-Glo®	Mossy Oak® Obsession	[illegible]	14 ½"	1 ⅝"	2 ¾"	Laminate	Mossy Oak Obsession	
870™ SP™ Thumbhole	[illegible]	4 (2 ¾" & 3")	[illegible]	Fully Rifled	Cantilever Scope	Matte Black, Non-Reflective	[illegible]	14 ½"	1 ⅝"	2 ¾"	Laminate	Satin	
NEW 870™ SPS Super Mag Camo[3] MAX Gobbler™	[illegible]	3 (3 ½"), 4 (2 ¾" & 3")	[illegible]	Rifle Sight Rem™ Choke[2]	Fine Sights	Realtree® APG™ HD™	[illegible]	Adj.	1 ½"	2 ½"	Synthetic	Realtree® APG™ HD™	
870™ SPS-T Super Mag Camo[3]	[illegible]	3 (3 ½"), 4 (2 ¾" & 3")	[illegible]	Vent Rib Rem™ Choke[2]	Twin Bead	Mossy Oak® Obsession™	[illegible]	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Obsession	
870™ Special Purpose Super Mag Synthetic Camo[3]	[illegible]	3 (3 ½"), 4 (2 ¾" & 3")	[illegible]	Vent Rib Rem™ Choke[4]	Twin Bead	Mossy Oak® Obsession	[illegible]	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Obsession™	

1 All 3" and 3 ½" chambers also handle 2 ¾" shells. 2 Note: Supplied with Rem™ Super Full choke tube. 3 Note: All Model 870 Super Magnums have 3 ½" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2 ¾", 3" and 3 ½" shells interchangeably.
4 Note: Supplies with Modified, Improved Cylinder and Full Rem™ Choke tubes.

REM 0065

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ Marine Magnum™[2]	[illegible]	6	[illegible]	Cylinder Choke	Single Bead	Electroless Nickel-Plated	38	14"	1 ½"	2 ½"	Synthetic	Matte Black	

1 Model 870 Marine Magnum shotguns have 3" chambers and will cycle 2 ¾" and 3" shotshells only. 2 Will not accept law enforcement accessories.

Remington®

2008 CATALOG

FIREARMS, AMMUNITION & ACCESSORIES

EXHIBIT
13

Petitioner's Exhibit
RA Brands, LLC v. Burns
Cancellation No. 92048334

MODEL 11-87™
SPORTSMAN®

RUT TO STRUT,
IN EVERY BLIND AND UPLAND FIELD BETWEEN.

No matter the season, our Sportsman® answers the call with the lethal blend of speed, reliability and smooth operation that has made the Model 11-87™ a standout since its introduction. These are workhorse shotguns built to our legendary and uncompromising standards for autoloader performance. This year's expanded lineup includes 12- and 20-gauge field versions, 12- and 20-gauge fully rifled slug guns with cantilever barrels in black and camo, a 20-gauge youth model, as well as specialized options for turkey and waterfowl.

Consider the **Model 11-87 Sportsman ShurShot™ Camo Cantilever** 2008's deer season MVP. Featuring our new ShurShot™ synthetic pistol-grip stock, it launches 2 3/4" or 3" 12-gauge slugs with ambidextrous accuracy. Right- and left-handed shooters alike will marvel at the exceptional comfort, maneuverability and rock-steady hold offered by this new stock design. The new SuperCell™ recoil pad tames hard-hitting slug rounds with unmatched efficiency. Its superior shock absorption, when combined with the soft-shooting Model 11-87 action, facilitates rapid, accurate followup shots and gives you more confidence on your first shot. It's dressed from butt to bore in Realtree Hardwoods® HD™ camo and has a 23" barrel that's quick to point. A built-in cantilever mount makes adding optics a cinch. With its unfailing reliability, superior handling characteristics and breadth of line, the Model 11-87 Sportsman is redefining semi-automatic shotgun performance, year after year, buck after bird.

MODEL 11-87™
SPORTSMAN® SUPER MAGNUM



THE QUICKEST & SMOOTHEST
IN SUPER MAGNUM STRENGTH.

When it's time to reach out and crush a big bird, reach for the awesome speed, bone-crushing power and swift pointing characteristics of our Model 11-87™ Super Magnum. Offered in specialized waterfowl and turkey configurations as well as in a standard black synthetic version with a 28" Rem™ Choke barrel, these shotguns tame the biggest, baddest 3 1/2", 12-gauge rounds with a soft-shooting action and our revolutionary new ultra-shock-dissipating SuperCell™ recoil pad. Along with world-renowned dependability, these shotguns are equipped with a wealth of specialized features for your game of choice.

Our new **Model 11-87 Sportsman Super Magnum Waterfowl** definitely looks the part with full Mossy Oak® Duck Blind™ camo coverage. The 28" Rem Choke barrel features a HiViz® interchangeable sight system for rapid sight acquisition in low-light conditions. And the included Wingmaster HD™ Specialized Waterfowl choke tubes are a lethal ticket when the birds are cupped and committed.

The **Model 11-87 Sportsman Super Magnum ShurShot™ Turkey** is the cutting edge in comfort and precision shot placement. Our new ambidextrous ShurShot synthetic pistol-grip stock provides right- and left-handed shooters alike with a rock-steady hold and awesome maneuverability. Its design also aids in lessening felt recoil. When you combine this attribute with the world-leading recoil-suppressing capability of our new SuperCell recoil pad, you have one soft-shooting machine. The quick-pointing 23" barrel has fully adjustable TruGlo® fiber-optic sights for pinpoint shot placement. We've also included a Wingmaster HD Turkey extended Rem Choke that'll help you flatten gobblers at the farthest reaches of shotgun range.

REM 0067

NEW

MODEL 11-87™ SPORTSMAN® SHURSHOT™ CAMO CANTILEVER

hardwoods hp



MODEL 11-87™ SPORTSMAN® SHURSHOT™ CAMO CANTILEVER
Available in: 12 gauge (2 ¾" and 3")

ShurShot™ Stock

hardwoods hp

NEW

SuperCell™ RECOIL PAD



MODEL 11-87™ SPORTSMAN® CAMO
Available in: 12 and 20 gauge (2 ¾" and 3")

MOSSY OAK BREAKUP



MODEL 11-87™ SPORTSMAN® SYNTHETIC
Available in: 12 and 20 gauge (2 ¾" and 3")



MODEL 11-87™ SPORTSMAN® YOUTH SYNTHETIC
Available in: 20 gauge (2 ¾" and 3")

For complete model listings and specifications, see page 92.

MODEL 11-87™ SPORTSMAN® SHURSHOT™ CAMO CANTILEVER

FEATURES

- *28" fully rifled barrel*
- *Realtree® Hardwoods™ HD™ camo*
- *Synthetic ShurShot™ ambidextrous stock*
- *Molded in rear sling swivel stud and front stud included in magazine cap*
- *Constructed with solid steel receiver for strength and durability*
- *Features smooth operating actions that reduce wear and provide quick follow up shots*

NEW

MODEL 11-87™ SPORTSMAN® SUPER MAG WATERFOWL
Available in: 12 gauge (2 ¾", 3" and 3 ½")

MOSSY OAK DUCK BLIND



MODEL 11-87™ SPORTSMAN® SUPER MAG SYNTHETIC
Available in: 12 gauge (2 ¾", 3" and 3 ½")

NEW

SuperCell™ RECOIL PAD



MODEL 11-87™ SPORTSMAN® SUPER MAG SHURSHOT™ TURKEY
Available in: 12 gauge (2 ¾", 3" and 3 ½")

ShurShot™ Stock

apg hp

NEW

SuperCell™ RECOIL PAD

For complete model listings and specifications, see page 92.

MODEL 11-87™ SPORTSMAN® SUPER MAGNUM WATERFOWL

FEATURES

- *Ergonomically designed for superior handling*
- *Constructed with solid steel receivers for strength and durability*
- *Features smooth operating actions that reduce wear and provide quick follow up shots*
- *Fully covered in Mossy Oak® Duck Blind™*
- *28" Rem® Choke barrel with a set of Wingmaster HD™ Specially Waterfowl choke tubes*
- *HiViz® interchangeable sight system*



A cut, ambidextrous design the ShurShot® pistol grip stock delivers lightweight comfort, steady shooting, and rapid handling for both right- and left-handed shooters.

REM 0068

MODEL 870™
WINGMASTER®

THE MOST POPULAR SHOTGUN IN HISTORY
COMMEMORATES OURS.

SuperCell™ RECOIL PAD

One hundred years as the world's foremost innovator of pump-action shotguns is cause for celebration – and our leader is dressed for the occasion. In the field or in a showcase, the 12-gauge **Model 870™ Wingmaster® "100th Anniversary of Pump Action Shotguns" Commemorative Edition** makes a grand entrance with gold inlays and exquisite fine-line accents on the receiver and a striking, high-gloss walnut stock and fore-end featuring our nostalgic fleur-de-lis checkering. For a century, Remington® pump shotguns have reigned supreme over every other. Now owning a piece of the legend is more attractive than ever.

The original **Model 870™ Wingmaster** is so smooth and reliable that today – more than 57 years after its introduction – it's still the standard by which all pump shotguns are judged. Available in 12 gauge 2 3/4" and 3", 20 and 28 gauge, and .410 bore, it has the ultra-positive chambering and ejection, flawless balance and natural pointing qualities that have made the Model 870 Wingmaster an American icon. The original Model 870 Wingmaster has a custom-quality finish and handsome American walnut woodwork. Our Premier Dealers can step the aesthetic appeal up a notch with a version featuring a high-gloss claro walnut stock and fore-end, as well as a handsome pheasant and duck scene embellishment engraving on the receiver.

MODEL 870™
EXPRESS®



AMERICA'S FAVORITE PUMP SHOTGUN.

REM 0069

Its solid, dependable action makes it America's favorite, and our continual upgrades make it the most advanced, well-rounded family of pump shotguns around. Along with continually evolving designs, this shotgun's superiority is a matter of rugged dependability, great pointing characteristics and versatility. In fact, the Model 870™ has been the standard for slide-action performance for over 57 years.

Our new **Model 870 Express® ShurShot™ Synthetic Turkey** is optimized for big birds with the revolutionary ShurShot synthetic pistol-grip stock. It's contoured to accommodate both right- and left-handed shooters, while offering an incredibly steady-aiming platform that handles like lightning and lessens felt recoil. The 21" barrel adds to its superb maneuverability, and the Turkey Extra Full Rem™ Choke channels maximum payload to the sweet spot. Mossy Oak® Obsession™ coverage on the stock and fore-end keeps you concealed.

With our new **Model 870 Express ShurShot Synthetic Fully Rifled Cantilever,** the buck stops a lot farther out than you ever imagined. It features the incredible stability and comfort of our ambidextrous ShurShot stock and a 23" fully rifled barrel.

The **Model 870 Express Turkey Camo** and the **Model 870 Express Turkey/Deer Combo** utilize our synthetic stocks in Mossy Oak Break-Up.™ Choose the **Model 870 Express Super Magnum** with a 28" barrel and full Mossy Oak Break-Up coverage.



MODEL 870™ EXPRESS® SHURSHOT™ SYNTHETIC CANTILEVER
Available in 12 and 20 gauge (2 3/4" and 3")



MODEL 870™ WINGMASTER®
Available in: 12 and 20 gauge (2 ¾" and 3"), 28 gauge (2 ¾"), and .410 bore (3")



NEW

MODEL 870 WINGMASTER "100TH ANNIVERSARY OF PUMP ACTION SHOTGUNS" EMBELLISHED RECEIVER
Available in: 12 gauge (3")

MODEL 870™ WINGMASTER® with Semi-Fancy Claro Walnut
Available in: 12 and 20 gauge (2 ¾" and 3")

FEATURES

- *Remarkable reliability and durability*
- *The smoothest pump action shotgun on the market*
- *Superior balance, handling and looks*
- *Points, swings and functions better than anything else in the class*
- *The highly polished and richly blued receiver is milled from a solid billet of steel for the ultimate in rugged dependability*
- *A wide array of barrel and choke options make versatility a Wingmaster hallmark*
- *Twin action bar for non-binding action*
- *Available in standard 12 gauge 2 ¾" and 3", 20, 28 gauge and .410 bore*

For complete model listings and specifications, see page 92



MODEL 870™ EXPRESS® SHURSHOT™ SYNTHETIC TURKEY
Available in: 12 gauge (2 ¾" and 3")

NEW



MODEL 870™ EXPRESS®
Available in: 12 and 20 gauge (2 ¾" and 3")



MODEL 870™ EXPRESS® SYNTHETIC
Available in: 12 gauge (2 ¾" and 3")

Also available in Turkey/Deer combo w/Cantilever and Vent Rib barrels



MODEL 870™ EXPRESS® SYNTHETIC with 7-round capacity
Available in: 12 and 20 gauge (2 ¾" and 3")



MODEL 870™ EXPRESS® SUPER MAGNUM™
Available in: 12 gauge (2 ¾", 3" and 3 ½")



MODEL 870™ EXPRESS® TURKEY CAMO
Available in: 12 gauge (2 ¾" and 3")

Also available in Turkey/Deer combo w/Cantilever and Vent Rib barrels

For complete model listings and specifications, see pages 92-93.

MODEL 870™ EXPRESS SHURSHOT™ SYNTHETIC TURKEY

FEATURES

- *12 gauge 23" vent rib head sighted barrel*
- *Standard Express finish on barrel and receiver*
- *Supplied with a Turkey Extra Full Remington Choke*
- *Synthetic stock with integrated sling swivel attachment*
- *Mossy Oak Obsession camo stock and fore-end*
- *Shoots both 2 ¾" and 3" shells*
- *Drilled and tapped receiver for use with Weaver Rail # 4.29M (not included)*
- *New ShurShot™ synthetic pistol grip stock*

REM 0070

From a solid steel block, to rolled, hooping smooth. Every Model 870™ receiver is machined from a single block of solid steel for unmatched strength. Just one of the many reasons it's the most proven, durable, and reliable shotgun action in the world.

MODEL 870™
SPECIAL PURPOSE

SPECIALLY DESIGNED FOR LONGER SHOTS AT BIGGER GAME.

The most dependable slide action of all time in three advanced designs that will go the distance with deadly precision, whether your target is a big red head or the crease behind a buck's shoulder. All feature our new SuperCell™ recoil pad, which dramatically reduces felt recoil through a potent matrix of shock-dissipating cells. The turkey shotguns are fully covered in Realtree® APG™ HD™ camo and deliver 3 ½" Super Magnum™ payloads with lethal authority at the longest ranges. Now featuring our new ShurShot™ synthetic pistol-grip stock, the updated **Model 870™ SPS™ ShurShot Synthetic Turkey** offers both right-and left-handed hunters the pinnacle of lightweight shooting comfort and handling ease. With this stock in your grip, repositioning for the shot is quick and efficient, plus the position of your hand naturally diffuses recoil. The 23" barrel offers awesome maneuverability, while the fully adjustable TruGlo® fiber-optic sights and an extended Wingmaster HD™ Turkey Rem™ Choke maximize pattern placement.

Recoil suppression and adaptability are hallmarks of the **Model 870 Super Magnum MAX Gobbler™** thanks to its Knoxx® SpecOps™ pistol-grip stock. Length of pull is adjustable, so you can customize the fit to your shooting style. This highly advanced stock also incorporates state-of-the-art recoil-dampening technology – with dual shock-absorbing springs – to tame 3 ½" super magnum thunder. Other features include a swift-pointing 23" barrel with bright, fully adjustable Williams® fiber-optic Fire Sights™ for precision, and an included Turkey Super-Full Rem™ Choke.

The **Model 870 SPS ShurShot Synthetic Fully Rifled Cantilever** shotgun puts exceptional accuracy and swift handling characteristics in the hands of left- and right-handed deer hunters. With its cantilever mount, adding optics couldn't be easier, and its fully rifled 23" barrel maximizes reach with today's high-performance slug loads. The stock and fore-end are dressed in Realtree® Hardwoods HD.™
When it's time to add a sling, the swivel studs are built-in for your convenience.

XTREME CONDITIONS
SHOTGUNS



REM 0071

OUR WORKHORSE ACTIONS. NOW RUSTPROOF & WRAPPED IN ARMOR.

The primary design premise of our Model 870™ and Model 11-87™ actions is dependability – add the tremendous corrosion and abrasion resistance of our proprietary TriNyte® Corrosion Control System, and they're virtually invincible. Fact is, these are the most durable, reliable shotguns on land or sea. All have electroless-nickel-coated internals and a plated trigger group for dramatically enhanced resistance to fouling and oxidation. Plus, the same sleek lines and swift pointing characteristics you love about Remington® shotguns.

Built on the most trusted slide action of all time, the **Model 870 XCS Marine Magnum®** is the new standard for all-weather reliability. It has a Black TriNyte coating, a tactical-style SpeedFeed® I stock, 7-round capacity and an 18" cylinder bore. The stock's shell holder keeps up to four extra rounds at your fingertips.

Our Premier Dealers have four Xtreme Conditions Shotguns to choose from. The 12-gauge **Model 870 XCS Super Magnum** and **Model 11-87 XCS Super Magnum** with TriNyte PVD coatings, black synthetic SpeedFeed® I shell-holding stocks. The **Model 870 XCS Super Magnum Waterfowl** and **Model 11-87 XCS Super Magnum Waterfowl** have all the same great features plus Mossy Oak® Duck Blind™ camo stocks and fore-ends.



MODEL 870™ SPS™ SHURSHOT™ SYNTHETIC TURKEY
Available in: 12 gauge (2 ¾", 3" and 3 ½")

apg HD NEW



NEW

MODEL 870™ SPS™ SHURSHOT™ SYNTHETIC CANTILEVER
Available in: 12 gauge (2 ¾" and 3")

apg HD

MODEL 870™ SPS™ SUPER MAG MAX GOBBLER™
Available in: 12 gauge (2 ¾", 3" and 3 ½")

For complete model listings and specifications, see pages 92-93.



The Knoxx® SpecOps™ stock features a recoil-compensation system that dramatically reduces felt recoil and muzzle jump.

MODEL 870™ SPS™ SHURSHOT™ SYNTHETIC TURKEY

FEATURES

- 23" tuflo sighted barrel
- TruGlo fiber optic sights
- Wingmaster HD™ extended Rem Choke (Turkey)
- Receiver drilled and tapped for scope mounts (Weaver Rail #420M)
- Realtree® APG™ HD™ camo
- Black sling included
- Molded in rear sling swivel stud and front stud included in magazine cap
- Featuring Remington's new SuperCell recoil pad technology

A truly ambidextrous design, the ShurShot™ pistol-grip stock delivers lightweight comfort, steady shooting and quick handling for both right- and left-handed shooters.



MODEL 870™ XCS MARINE MAGNUM®
Available in 12 gauge (2 ¾" and 3")



Also available in Mossy Oak® Duck Blind® stock and fore-end

Premier

MODEL 870™ XCS SUPER MAGNUM
Available in: 12 gauge (2 ¾", 3" and 3 ½")



Also available in black synthetic stock and fore-end

Premier

MODEL 11-87™ XCS SUPER MAGNUM WATERFOWL
Available in: 12 gauge (2 ¾", 3" and 3 ½")

For complete model listings and specifications, see pages 92-93.

MODEL 870™ XCS

FEATURES

- TriNyte® Corrosion Control System on barrel and receiver creates an armor-tough barrier against rust and abrasion
- The Model 870™ action is the rugged standard for dependability and smooth operation
- 18" cylinder bore, bead sighted barrel
- 2 shot magazine extension (7 shot capacity)
- Speedfeed™ stock with shell holder keeps 2-4 extra rounds at your fingertips
- Corrosion resistant trigger group with plated components
- Sling swivel studs

TRINYTE CORROSION CONTROL SYSTEM

TriNyte® Corrosion Control System *(Patent pending). Consisting of electroless nickel and proprietary PVD, this armor-tough, multi-layer coating is the world's most effective barrier against rust and abrasion for firearms, yet is only a fraction of a human hair in thickness. The only thing you'll notice is the near invincibility.*

REM 0072

SHOTGUN SPECIFICATIONS

MODEL 11-87 SPORTSMAN 12 GA. SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

	MODEL	GAUGE	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE[3]	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
	11-87™ Sportsman™ Synthetic	12 12 20 20	4	26" 29879 26" 29881 28 29882 28 29883	Vent Rib Rem™ Choke Mod[2]	Single Bead	Matte Black, Non-Reflective	46" 46" 46" 46"	14"	1½"	2½"	Synthetic	Matte Black	7½ 7½ 7 7
	11-87™ Sportsman™ Camo	12 20	4	26" 29884 26" 29617	Vent Rib Rem™ Choke Mod[2]	Single Bead	Mossy Oak® New-Breakup®	46"	14"	1½"	1⅞"	Synthetic	Mossy Oak® New-Breakup	8
NEW	11-87™ Sportsman™ Super Mag	12	4	28" 29634	Rem™ Choke Mod	Twin Bead	Matte Black, NR	48"	14"	1½"	1⅞"	Synthetic	Matte Black	8½
NEW	11-87™ Sportsman™ Super Mag Waterfowl	12	4	28" 29631	Vent Rib Rem™ Choke[4]	HiVis Single Bead	Mossy Oak® Duck Blind®	48"	13¾"	1½"	1⅛"	Synthetic	Mossy Oak® Duck Blind®	8
NEW	11-87™ Sportsman™ Super Mag w/ShurShot™ Stock (Turkey)	12	4	23" 29601	Rifle Sights	Tactile Rifle Sights	Realtree APG™ HD™	42"	13¾"	1½"	2"	Synthetic	Realtree APG™ HD™	8½
NEW	11-87™ Sportsman™ Synthetic w/ShurShot™ Stock	12	4	23" 29602	Fully Rifled	Cantilever Scope Mount	Realtree® Hardwoods™ HD™	43"	13¾"	1½"	2"	Synthetic	Realtree® Hardwoods™ HD™	8
	11-87™ Sportsman™ Synthetic Deer	12 20	4	21" 29852[1] 21" 29871[1]	Fully Rifled	Cantilever Scope Mount	Matte Black, Non-Reflective	41"	14"	1½"	1⅞"	Synthetic	Matte Black	7½ 7
	11-87™ Sportsman™ Youth Synthetic	20	4	21" 29601	Vent Rib Rem™ Choke Mod[2]	Single Bead	Matte Black, Non-Reflective	42"	13"	1½"	2½"	Synthetic	Matte Black	6
P	11-87™ Sportsman™ Youth Camo	20	4	21" 29899	Vent Rib Rem™ Choke Mod[2]	Single Bead	Mossy Oak® New Break-Up®	42"	13"	1½"	2½"	Synthetic	Mossy Oak® New Break-Up	6

1 Model 11-87™ Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. 2 NOTE: All Model 11-87™ Sportsman® shotguns with a Rem™ Choke barrel come equipped with Modified Rem™ Choke tubes.
3 Model 11-87™ Sportsman® shotguns have 3" chambers and will cycle 2¾" and 3" shotshells. 4 Supplied with Specialized Rem™ Choke Waterfowl choke tubes.

MODEL 11-87® SPECIAL PURPOSE SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

	MODEL	GAUGE	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
P	11-87™ XCS Super Magnum SF 1 Stock	12 12	3 (3½")	28" 83620	Rem™ Choke[3]	Twin Bead	Grey TriNyte® (PVD)	48"	13¾"	1½"	2½"	Synthetic	Matte Black	8
P	11-87™ XCS Super Magnum Waterfowl SF 1 Stock	12 12	3 (3½")	28" 83680	Rem™ Choke[3]	Twin Bead Tactile®	Brown TriNyte® (PVD)	48"	13¾"	1½"	2½"	Mossy Oak® Duck Blind®	Mossy Oak® Duck Blind®	8

3 NOTE: All 11-87™ Super Magnums have 3½" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2¾", 3" and 3½" shells interchangeably.

MODEL 870® WINGMASTER™ SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

	MODEL	GAUGE/BORE[2]	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW	Wingmaster® 100th Anniversary	12	4	28" 82087	Light Contour Vent Rib Rem™ Choke[1]	Twin Bead	High Polish Blued	48"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7
P	Wingmaster® Claro Walnut	12 20	4	28" 82000 26"/82001	Light Contour Vent Rib Rem™ Choke[1]	Twin Bead	High Polish Blued	48" 46"	14"	1 ½"	2 ½"	Semi-Fancy Claro Walnut	Hi-Gloss	7½ 6½
	Wingmaster®	12	4	28" 2992 26" 26929	Light Contour Vent Rib Rem™ Choke[1]	Twin Bead	High Polish Blued	48" 46"	14 ¼"	1 ½"	2 ½"	American Walnut	Hi-Gloss	7 6½
	Wingmaster®	20	4	28" 26947 25 26949	Vent Rib Rem™ Choke[1]	Twin Bead	High Polish Blued	48" 46"	14"	1 ½"	2 ½"	American Walnut	Satin (28") Hi-Gloss (26")	6½ 6
	Wingmaster®	28 2¾"	4	25" 24985	Vent Rib Rem™ Choke[1]	Twin Bead	High Polish Blued	48"	14"	1 ½"	2 ½"	American Walnut	Satin	6
	Wingmaster®	410 Bore 3"	4	25" 24991	Vent Rib Modified	Twin Bead	High Polish Blued	48"	14"	1 ½"	2 ½"	American Walnut	Satin	6

1 NOTE: All Model 870™ Wingmaster® and Model 870™ Wingmaster® Super Magnum™ shotguns with a Rem™ Choke barrel come equipped with Improved Cylinder, Modified and Full Rem™ Choke tubes.
2 Model 870™ Wingmaster® shotguns have 3" chambers, unless otherwise noted, and will cycle 2¾" and 3" shotshells. 410 bore will cycle both 2½" and 3" shotshells.

MODEL 870® EXPRESS™ COMBO SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

	MODEL	GAUGE[1]	MAG. CAPACITY	BBL. LENGTH/BARREL NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
	870™ Express® Turkey-Deer Combo	12 (3")	4 (2¾" & 3")	21"(Vent Rib)/25663 21"(Fully Rifled Deer)/25663	Vent Rib Rem™ Choke (Turkey Extra Full) Fully Rifled Deer	Twin Bead (Vent Rib) Cantilever Scope Mount (Deer BBL	Matte Black Non-Reflect	42 ½" (Vent Rib) 43 ½" (Deer BBL	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Break-Up®	7 ½ (Vent Rib) 8 (Deer BBL
P	870™ Express® Combo	12	4	28"(Vent Rib)/23" (Fully Rifled)/81286	Vent Rib Rem™ Choke (Mod.) Fully Rifled Deer Cantilever	Single Bead (Vent Rib) Rifle Sights (Deer BBL	Matte Black Non-Reflect	48 ½" (Deer BBL	14"	1 ½"	2 ½"	Synthetic	Black	7 ½ (Deer BBL
	870™ Express® Combo	12	4	26"(Vent Rib)/23" (Fully Rifled Deer)/25578	Vent Rib Rem™ Choke (Mod.) I.C. Deer or Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL	Matte Black Non-Reflect	48 ½" (Vent Rib	14"	1 ½"	2 ½"	Laminate	Satin	7 ½ (Deer BBL
	870™ Express® Combo	20	4	26"(Vent Rib)/20" (Fully Rifled Deer)/25597	Vent Rib Rem™ Choke (Mod.) I.C. Deer or Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL	Matte Black Non-Reflect	48 ½" (Vent Rib	14"	1 ½"	2 ½"	Laminate	Satin	6 ½ (Deer BBL
	870™ Express® Syn. Youth Combo	20	4	21"(Vent Rib)/25639 20"(Fully Rifled)/25638	Vent Rib Rem™ Choke (Mod.) Fully Rifled	Single Bead (Vent Rib) Rifle Sights (Deer BBL	Matte Black Non-Reflect	40 ½" (Vent Rib 39 ½" (Deer BBL	13"	1 ½"	2 ¼"	Synthetic	Matte Black	6 (Vent Rib 6 (Deer BBL

1 Model 870™ Express® shotguns have 3" chambers, unless otherwise noted, and will cycle 2¾" and 3" shotshells.

MODEL 870® SPECIAL PURPOSE MARINE MAGNUM™ SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ Marine Magnum®[2]	12[1]	6	18"/ 25012	Cylinder Choke	Single Bead	Electroless Nickel-Plated	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7

1 Model 870™ Marine Magnum® shotguns have 3" chambers and will cycle 2¾" and 3" shotshells only. 2 Will not accept law enforcement accessories.

MODEL 870® XCS MARINE MAGNUM™ SHOTGUN DIMENSIONS/AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ XCS Marine Magnum®	12[1]	6	18"/ 81366	Cylinder Choke	Single Bead	Black TriNyte	38 ½"	13¾"	1½"	2½"	Synthetic	Matte Black	

1 Model 870™ XCS Marine Magnum™ shotguns have 3" chambers and will cycle 2¾" and 3" shotshells only.

P Premier Dealer offerings

MODEL 870® EXPRESS® SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE[1]	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870 Express®	12	4	28" / 25562 26" 25569	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 48 ½"	14"	1 ½"	2 ½"	Laminate	Satin	7 ½ 7 ¼
Express® Magnum ShurShot™	12 (3")	4 (2 ¾" & 3")	24" 81114	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Mossy Oak® Obsession®	45 ½	13 ¾"	1 ½"	2"	Synthetic	Mossy Oak® Obsession®	7 ¼
NEW 870 Express® Magnum W... ShurShot™	12	4	28" 81118	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½	13 ¾"	1 ½"	2"	Synthetic	Matte Black	7 ¼
870 Express®	20	4	28" 25583 26" 25582	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 48 ½"	14"	1 ½"	2 ½"	Laminate	Satin	6 ½ 6 ¾
870 Express® Youth	20	4	21" 25601	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 ½"	13"	1 ½"	2 ¼"	Laminate	Satin	6 ¼
870 Express® Synthetic	12	4	22" 25587 26" 25586	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½" 48 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½ 7 ¾
870 Express® Turkey Camo	12	4	24" 25152	Vent Rib Rem™ Choke Turkey (Extra Full)	Twin Bead	Matte Black Non-Reflect	45 ½"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Break-Up®	7 ½
Express® Jr. Jakes Gun	20	4	22" 25442	Vent Rib Rem™ Choke (Full)	Single Bead	Matte Black Non-Reflect	37 ½	12"	1 ½"	2"	Laminate	Mossy Oak® Break-Up®	6
870 Express® Turkey	12	4	24" 25579	Vent Rib Rem™ Choke (Extra Full)	Twin Bead	Matte Black Non-Reflect	45 ½"	14"	1 ½"	2 ½"	Laminate	Satin	7 ½
870 Express® Turkey Youth	20	4	21" 25587	Vent Rib Rem™ Choke (Full)	Twin Bead	Matte Black Non-Reflect	40 ½"	13"	1 ½"	2 ¼"	Synthetic	Mossy Oak® Break-Up®	6
870 Express® Synthetic Fully Rifled Deer	12	4	22" 25097	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	42 ½"	14"	1 ½"	1 ⅞"	Monte Carlo Synthetic	Matte Black	7
870 Express® Deer	12	4	22" 25565	Fixed Imp. Cyl. Choke	Rifle Sights	Matte Black Non-Reflect	42 ½	14"	1 ½"	1 ⅞"	Monte Carlo Laminate	Satin	7 ¼
870 Express® Deer Youth	20	4	20" 25575	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	39 ½	13"	1 ½"	2 ¼"	Laminate	Satin	6
870 Express® Fully Rifled Deer	12	4	22" 25576	Fully Rifled	Rifle Sights	Matte Black Non-Reflect	42 ½	14"	1 ½"	1 ⅞"	Monte Carlo Laminate	Satin	7 ¼
870 Express® Synthetic Fully Rifled Cantilever	12 20	4	23" 25099 23" 25183	Fully Rifled Heavy Contour Fully Rifled	Cantilever Scope Mount	Matte Black Non-Reflect	43 ½ 39 ½	14"	1 ½"	1 ⅞"	Monte Carlo Synthetic	Matte Black	8 7 ¼
870 Express® Left Hand	12	4	28" 25577	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½"	14"	1 ½"	2 ½"	Laminate	Satin	7 ½
870 Express® Synthetic 18"	12	4	18" 25549	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ¼
NEW 870 Express® 2-Shot Extension Pistol Grip Stock & Fore-end	12	6	18" 24625	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	28"	—	—	—	Synthetic	Matte Black	7
NEW 870 Express® Folding Stock with/7-Round Capacity[2]	12	6	18" 81190	Bead Sight Rem Choke[3]	Single Bead	Matte Black Non-Reflect	Adj.	Adj.	1 ½"	2 ½"	Synthetic	Matte Black	7 ¼
870 Express® Synthetic T-Shot w/Knoxx SpecOps Stock	12	6	24" 81180	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	Adj.	Adj.	1 ½"	2 ½"	Synthetic	Matte Black	7 ¼
870 Express® Synthetic with 7-Round Capacity[2]	12 20	6 6	18" 25077 18" 81130	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 ½"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½ 6 ¾

Model 870™ Express® shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ¾" and 3" shotshells. 2 Supplied with sling swivel studs. 3 Supplied with special ported "Tactical" Extended Rem™ choke tube.

MODEL 870® EXPRESS® SUPER MAGNUM™ SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE[2]	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ Express® Super Mag Turkey Camo	12 (3")	3 (3 ½") 4 (2 ¾" & 3")	24" 25131	Vent Rib Rem™ Choke (Turkey Extra Full)	Twin Bead	Mossy Oak® Break-Up®	45 ½"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Break-Up®	7 ¼
NEW 870™ Express® Super Mag Waterfowl Camo[3]	12 (3")	3 (3 ½") 4 (2 ¾" & 3")	28" 81111	Vent Rib Rem™ Choke[4]	Hi-Viz	Mossy Oak® Duck Blind™	48	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Duck Blind™	7 ½
870™ Express® Super Mag Camo	12 (3")	3 (3 ½") 4 (2 ¾" & 3")	26" / 25154	Vent Rib Rem™ Choke[5]	Hi-Viz®	Mossy Oak® Break-Up®	45"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Break-Up®	7 ½
870™ Express® Super Mag	12 (3")	3 (3 ½") 4 (2 ¾" & 3")	28" / 25100	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	48"	14"	1 ½"	2 ½"	Laminate	Satin	7 ½
870™ Express® Super Mag Synthetic	12 (3")	3 (3 ½") 4 (2 ¾" & 3")	26" / 25102 28" / 25103	Vent Rib Rem™ Choke (Mod)	Single Bead	Matte Black Non-Reflect	46" 48"	14"	1 ½"	2 ½"	Synthetic	Matte Black	7 ¼ 7 ½
870™ Express® Super Mag Combo	12 (3")[1]	3 (3 ½") 4 (2 ¾" & 3")	26" / 25114 20" ...	Vent Rib Rem™ Choke (Mod) Fully Rifled (Deer)	Single Bead Twin Bead Rifle Sights (Deer)	Matte Black Non-Reflect	46" (VR) 40" (Deer)	14"	1 ½"	2 ½"	Laminate	Satin	7 ¼

Combo Deer barrel has 3" chamber. 2 Model 870™ Express® Super Magnum shotguns have 3 ½" chambers and will cycle 2 ¾", 3" and 3 ½" shotshells. 3 Supplied with sling swivel studs. 4 Supplied with Rem Choke "Over-Decoys" choke tube. 5 Supplied with Modified Rem Choke tube.

MODEL 870® SPECIAL PURPOSE SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

MODEL	GAUGE	MAG. CAPACITY	BBL. LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
870™ SP-T™ Super Mag Thumbhole[1]	12 (3")[1]	3 (3 ½"), 4 (2 ¾" & 3")	22" / 25189	Rifle Sight Rem™ Choke[2]	TruGlo®	Mossy Oak® Obsession®	44	14 ½"	1 ⅝"	2 ¼"	Laminate	Mossy Oak® Obsession®	8 ¼
NEW 870™ SPS™ Super Mag Turkey ShurShot™ Stock	12 (3")[1]	4 (2 ¾" & 3")	23" 81061	Wingmaster HD Extended Rem™ Choke	TruGlo	Realtree® APG™ HD™	44 ½	13 ¾"	1 ½"	2"	Synthetic	Realtree® APG™ HD™	7 ½
NEW "O" SPS™ Cantilever Synthetic ShurShot™ Stock	12 (3")[1]	4 (2 ¾" & 3")	23" 81100	Fully Rifled Cantilever	Cantilever Scope Mount	Realtree® Hardwoods™ HD™	44 ½"	13 ¾"	1 ½"	2"	Synthetic	Realtree® Hardwoods™ HD™	7 ¼
870™ SPS Super Mag Camo[3] MAX Gobbler™	12 (3")	3 (3 ½"), 4 (2 ¾" & 3")	23" 81060	Rifle Sight Rem™ Choke[2]	Fire Sights	Realtree® APG™ HD™	44 ½"	Adj.	1 ½"	2 ½"	Synthetic	Realtree® APG™ HD™	7 ¼
870™ SPS-T Super Mag Camo[3]	12 (3")[1]	3 (3 ½"), 4 (2 ¾" & 3")	23" / 25007	Vent Rib Rem™ Choke[2]	Twin Bead	Mossy Oak® Obsession®	44 ½"	14"	1 ½"	2 ½"	Synthetic	Mossy Oak® Obsession®	7 ¼
XCS (Xtreme Conditions)	12 (3")	3 (3 ½"), 4 (2 ¾" & 3")	28" 81305	Vent Rib Rem™ Choke[4]	Twin Bead	Matte Black	48 ½	13 ¾"	1 ½"	2 ½"	Synthetic	Matte Black	7 ½
NEW 870™ XCS (Xtreme Conditions) Waterfowl	12 (3")	3 (3 ½"), 4 (2 ¾" & 3")	28" 81310	Vent Rib Rem™ Choke[4]	Twin Bead TruGlo®	Mossy Oak® Duck Blind®	48 ½"	13 ¾"	1 ½"	2 ½"	Synthetic	Mossy Oak® Duck Blind®	7 ½

All 3" and 3 ½" chambers also handle 2 ¾" shells. 2 Note: Supplied with Turkey Super Full choke tube. 3 Note: All Model 870™ Super Magnums have 3 ½" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2 ¾", 3" and 3 ½" shells interchangeably. 4 Note: Supplied with Modified, Improved Cylinder and Full Rem™ Choke Tubes.



REM 0120

EXHIBIT

14

Petitioner's Exhibit
RA Brands, LLC v. Burns
Cancellation No. 92048334

NEW SUPERCELL™ RECOIL REDUCTION:

SO EFFECTIVE, OUR PUMP GUN BEATS THEIR AUTOS.

Ten years of rigorous R&D has produced a recoil pad far superior to anything the world has seen before. So effective in fact, our Model 870 pump shotgun now produces 54% less recoil than competing autoloaders with their factory pads. Welcome the most effective recoil pad on the planet, the 21st Century's most remarkable development in recoil reduction. SuperCell.™

Look for the logo – SuperCell recoil pads are standard equipment on select products for 2009. Also available as an accessory (page 89).

SuperCell™
RECOIL PAD



THE WORLD'S MOST EFFECTIVE RECOIL PAD. This year, the new SuperCell™ recoil pad will single-handedly revolutionize the shooting sports. Its development marks the beginning of a new era in which a pump-action Model 870 produces up to 54% less recoil force than competing autoloaders. Where high-velocity magnum rifles become mild, and introducing new shooters to our sport is smoother and less intimidating. A time of better first shots, and faster second and third shots.

RECOIL'S HOLDING CELL. SuperCell technology is the product of 10 years' rigorous R&D by the top recoil-suppression experts in the industry. Using a complex matrix of millions of SuperCells, this advanced polymer construction harnesses and releases energy over a much longer time period. Rearward force of your gun is reduced from a "kick" to a gentle push and muzzle travel is diminished, resulting in the softest shooting experience possible. All from a pad that's extremely lightweight, durable and enhanced with a smooth surface for rapid gun mounting.

MAKING RECOIL-REDUCTION HISTORY. AGAIN. For more than 200 years, we've pioneered better shooting through improved recoil reduction. Beginning in 1885 with rubber pads, vented pads in 1948, TPE (thermoplastic elastomer) pads in 1987, and now with SuperCell, an entirely new technology that will forever change the way recoil is harnessed. Welcome to the SuperCell era.

Petitioner's Exhibit
RA Brands, LLC v. Burns
Cancellation No. 92048334

EXHIBIT 15

MODEL 870™ WITH SUPERCELL™ VS. MODEL 870 WITH COMPETITORS' PADS.

"Felt recoil" is peak force vs. the amount of time that force is applied to the shoulder. By spreading force over a longer period than any other pad, SuperCell is proven most effective at reducing felt recoil. We fitted the competitors' pads to our Model 870 – SuperCell dominated.



*Products not trademarked under Remington.

OUR PUMP BEATS THEIR SEMI-AUTOS.

By distributing force over a longer time period, SuperCell helped our Model 870 produce up to 54% less recoil than a competitor's autoloading shotgun with factory pad. The Model 11-87 with SuperCell™ was the softest shooting of all shotguns tested.



*Products not trademarked under Remington.

WWW.REMINGTON.COM/SUPERCELL

Log on, watch the video, and see more conclusive proof SuperCell is this century's most remarkable development in recoil reduction.

Highlights of pad comparison.

CUSTOMIZE YOUR COMPACT WITH THE

ADJUSTABLE

LENGTH OF PULL SYSTEM.

NEW

KIT INCLUDES

- Two .10" spacers
- One .10" spacer
- Corresponding screw lengths to accommodate 3 different lengths
- Full ½" of adjustment

ROCK-SOLID STABILITY

AMBIDEXTROUS FREEDOM.

ShurShot Stock

REM 0284

THE NEW MODEL 887™ NITRO MAG.

GOLD STANDARD IN BLACK ARMOR.

REMINGTON® RE-DEFINES PUMP SHOTGUN TECHNOLOGY

Born of the gunmaking expertise that brought you the best-selling, most trusted shotgun of all time – the Model 870™ – the new **Model 887™ Nitro Mag** is an armor-clad warrior here to carry the torch of our great pump-gun legacy through the most extreme conditions on earth. The most durable and reliable shotgun ever built, it has no external surfaces to rust. Our exclusive ArmorLokt™ construction process seals the receiver and barrel in a vault of weather-impervious synthetic armor, so you can wipe it down with your wet dog or a decoy bag at the end of the day. Its overmolded surface is built to withstand abrasion in the trenches, whether that's barbed wire, gnarly thorns or the bottom of a Jon boat. And when it's time for action, our revolutionary new SuperCell™ recoil pad so effectively reduces rearward force that it makes a 3" mag 12 gauge feel like a light field load. This is our softest-shooting pump gun ever. That means enhanced confidence on the first shot and smoother, faster follow-ups.

Remington. M887™ NITROMAG

Because the Model 887 Nitro Mag's design is inspired by the strength and dependability of our Model 870, you can count on it to cycle flawlessly and stand up to abuse like no other. Similar to the Model 870, its receiver is manufactured from solid steel, and the barrel is hammer-forged. Our ArmorLokt process packages it all under a weather-impermeable outer shell. Twin steel action bars ensure smooth, positive chambering and ejection for the long haul. And the sleek receiver design, awesome balance and natural pointing characteristics spell trouble for any bird within reach of its 12-gauge 3 ½" Super Magnum capability. The extremely rugged synthetic stock and fore-end are ergonomically contoured to offer a positive grip and comfortable handling. Swivel studs are built-in.

For 2009, we're offering two versions. The all-black **Model 887 Nitro Mag** has a 28" barrel with a solid rib. It comes with a Modified Rem™ Choke. Our new high-tech waterfowl widowmaker, the **Model 887 Nitro Mag Waterfowl Camo** is dressed from butt to bore in vivid, high-detail Advantage MAX-4 HD™ camouflage. It has a 28" barrel with a solid rib, and comes with an extended Over Decoys Rem Choke that's optimized for non-toxic waterfowl loads. Both versions feature a Hi-Viz™ front sight with interchangeable fiber-optic light tubes to maximize visibility for the conditions.



MODEL 887™ NITRO MAG

FEATURES

- Action design based on the venerable Model 870™ ... ultra smooth and reliable
- Rugged ArmorLokt™ coating totally prevents rust on all exterior surfaces
- New SuperCell™ recoil pad reduces the felt recoil up to 54%
- Our softest shooting gun ever
- Awesome balance and optimum pointing characteristics
- Handles 12 gauge 2 ... ¾ ... loads interchangeably
- Rugged synthetic stock ... with specially contoured ... panels
- 28" barrel with ... and Bi-Ad front sight with interchangeable bead sizes
- Slug ... stud built in
- Includes Modified Rem Choke



ARMORLOKT™ COATING.
All exterior metal surfaces of the Model 887 are locked in a vault of polymer armor that's impervious to moisture and highly resistant to abuse. That means no rust. Ever. This all-weather warrior can take anything you can.

NEW

MODEL 887™ NITRO MAG
Available in: 12 gauge (2 ¾", 3" and 3 ½")



NEW

MODEL 887™ NITRO MAG WATERFOWL
Available in: 12 gauge (2 ¾", 3" and 3 ½")

For complete model listings and specifications, see page 95.

COMPETITION
SHOTGUNS

CONFIDENCE
IS OFFICIALLY TANGIBLE.

No shotguns have won more titles, or are better equipped for the high-volume regimen of today's elite shooters. Prepare to see record scores crushed at a rapid rate by our latest upgrade to the lineup – the new **Model 1100™ Premier Sporting** series. Featuring nickel receivers with intricate fine-line embellishments and gold accents, they're as aesthetically impressive as they are sweet to point and shoot. Gold triggers and a custom Premier Sporting hard case complete the package. The Premier is offered alongside our original **Model 1100 Sporting** shotguns. Both the Model 1100 Sporting and Sporting Premier series offer discriminating shooters 12, 20, 28 and 410 options with semi-fancy American walnut stocks and fore-ends, vent-rib Rem™ Choke barrels and four Briley™ extended chokes as standard equipment.

Our **Model 1100 Competition** is super-tuned for the competitive scene. By overboring the 30" barrel and lengthening the forcing cones, we improved shot-to-shot pattern consistency and made what was one of the softest-recoiling actions in the world even easier on your shoulder. The receiver and all internal parts feature a nickel-Teflon® finish for the smoothest, most reliable cycling ever. It's optimized for 2 ¾" target loads and light field loads. Its optional adjustable comb can be fine-tuned to your shooting preference, and the barrel has a 10mm target-style rib. All these, plus a host of other upgrades, transform an already legendary design into an unstoppable force at the range.

Generations of die-hard competitors have made our **Model 1100 Classic Trap** and famous **Model 870™ Classic Trap** venerable mainstays. From 16s to the very back line, they continue to shoot their way to the top of major events every year.

MODEL 1100™ G3
AUTOLOADER



THE MOST
TRUSTED IN HISTORY,
ENGINEERED FOR THE FUTURE.

Soft recoil, dependability, balanced pointing characteristics – the Model 1100™ G3 is all that made the original Model 1100 America's most trusted semi-auto shotgun, only better.

Available in 12 and 20 gauge, its improved, technologically advanced gas system cycles 2 ¾" and 3" magnum loads with equal efficiency. By coating key internal parts with Teflon,® we've created an action that's easier to clean, smoother and more reliable. The PVD-coated receiver adds durability and a great new look. Felt recoil is reduced and pattern consistency is improved by the overbored barrel.

Then there's Realwood,® our exclusive high-grade walnut construction that meshes genuine American walnut with carbon reinforcements for striking looks that will withstand extreme abuse.

No autoloader has folded more birds or crushed more targets than the venerable Model 1100. We're proud to announce the legacy has advanced – welcome the next generation – the Model 1100 G3.

REM 0287



MODEL 1100™ PREMIER SPORTING SERIES
Available in: 12, 20, 28 gauge (2 ¾"), and 410 bore (3")



MODEL 1100™ SPORTING SERIES
Available in: 12, 20, 28 gauge (2 ¾"), and 410 bore (3")

MODEL 1100™ COMPETITION
with adjustable comb
Available in: 12 gauge (2 ¾")
(Also available in non-adjustable comb model)

MODEL 1100™ CLASSIC TRAP
Available in: 12 gauge (2 ¾")

MODEL 870™ CLASSIC TRAP
Available in: 12 gauge (2 ¾")

For complete model listings and specifications, see page 95.

MODEL 1100 PREMIER SPORTING SERIES

FEATURES

- Nickel plated receiver with engraving
- Vent rib barrel, choked at factory
- Gold trigger and gold engraving on receiver
- Semi-fancy, solid American walnut stock and fore-end
- All models will come packaged in a custom Premier Sporting case
- Twin target style bead sights
- High grade walnut stocks

Illustrates embellished nickel finish of Model 1100 Premier Sporting model

MODEL 1100™ G3
Available in: 12 and 20 gauge (2 ¾" and 3")



MODEL 1100™ G3 *(Left-Hand)*
Available in: 12 gauge (2 ¾" and 3")

Remington® Realwood® Construction. *This Remington-exclusive process bonds two pieces of solid, semi-fancy American walnut with a carbon reinforcement to produce an amazing blend of strength, durability and stunning good looks. No film or coating – just real wood.*

FEATURES

- Advanced one-piece gas-operated action with 2 gas pistons
- Patented gas system with proven Teflon® rings for soft recoil, reliability, recovery, action and action bar speed, minimizing felt recoil and noise
- Full length forend
- Realwood® coated reinforced, top grade American walnut stocks and forends with a matching satin finish
- Stylish new engraving pattern
- 12 gauge models feature extended barrel (3.35" and lengthened forcing cone)
- All models equipped with 4 choke tubes (IC, M, F, Rem Choke® for 12 ga. Rem Choke® for 20 ga.)
- Includes F or RM choke
- Comes with carrying case

MODEL 11-87™
SPORTSMAN®

RUT TO STRUT,
IN EVERY STAND, BLIND AND FIELD BETWEEN.

No matter the season, our Sportsman® answers the call with the lethal blend of speed, reliability and smooth operation that has made the Model 11-87™ a standout since its introduction. These are workhorse shotguns built to our legendary and uncompromising standards for autoloader performance. This year's lineup includes 12- and 20-gauge field versions, 12- and 20-gauge fully rifled slug guns with cantilever barrels in black and camo, a 20-gauge compact model with adjustable length-of-pull system, as well as specialized options for turkey and waterfowl.

Consider the **Model 11-87 Sportsman ShurShot™ Camo Cantilever** 2008's deer season MVP. Featuring our ShurShot™ synthetic pistol-grip stock, it launches 2 3/4" or 3" 12-gauge slugs with ambidextrous accuracy. Right- and left-handed shooters alike will marvel at the exceptional comfort, maneuverability and rock-steady hold offered by this new stock design. The SuperCell™ recoil pad tames hard-hitting slug rounds with unmatched efficiency. Its superior shock absorption, when combined with the soft-shooting Model 11-87 action, facilitates rapid, accurate followup shots and gives you more confidence on your first shot. It's dressed from butt to bore in Realtree Hardwoods® HD™ camo and has a 21" barrel that's quick to point. A built-in cantilever mount makes adding optics a cinch. With its unfailing reliability, superior handling characteristics and breadth of line, the Model 11-87 Sportsman is redefining semi-automatic shotgun performance, year after year, buck after bird.

MODEL 11-87™
SPORTSMAN® SUPER MAGNUM

THE QUICKEST & SMOOTHEST
IN SUPER MAGNUM STRENGTH.

When it's time to reach out and crush a big bird, reach for the awesome speed, bone-crushing power and swift pointing characteristics of our Model 11-87™ Super Magnum. Offered in specialized waterfowl and turkey configurations, as well as in a standard black synthetic version with a 28" Rem™ Choke barrel, these shotguns tame the biggest, baddest 3 1/2", 12-gauge rounds with a soft-shooting action and our revolutionary new ultra-shock-dissipating SuperCell™ recoil pad. Along with world-renowned dependability, these shotguns are equipped with a wealth of specialized features for your game of choice.

Our new **Model 11-87 Sportsman Super Magnum Waterfowl** definitely looks the part with full Mossy Oak® Duck Blind™ camo coverage. The 28" Rem Choke barrel features a HiViz® interchangeable sight system for rapid sight acquisition in low-light conditions. And the included Wingmaster HD™ Specialized Waterfowl choke tubes are a lethal ticket when the birds are cupped and committed.

The **Model 11-87 Sportsman Super Magnum ShurShot™ Turkey** is the cutting edge in comfort and precision shot placement. Our new ambidextrous ShurShot synthetic pistol-grip stock provides right- and left-handed shooters alike with a rock-steady hold and awesome maneuverability. Its design also aids in lessening felt recoil. When you combine this attribute with the world-leading recoil-suppressing capability of our new SuperCell recoil pad, you have one soft-shooting machine. The quick-pointing 23" barrel has fully adjustable TruGlo® fiber-optic sights for pinpoint shot placement. We've also included a Wingmaster HD Turkey extended Rem Choke that'll help you flatten gobblers at the farthest reaches of shotgun range.

REM 0289

MODEL 11-87™ SPORTSMAN® SHURSHOT™ CAMO CANTILEVER

hardwoods



MODEL 11-87™ SPORTSMAN® SHURSHOT™ CAMO CANTILEVER

Available in: 12 gauge (2 ¾" and 3")



MODEL 11-87™ SPORTSMAN® CAMO

Available in: 12 and 20 gauge (2 ¾" and 3")



MODEL 11-87™ SPORTSMAN® SYNTHETIC

Available in: 12 and 20 gauge (2 ¾" and 3")



MODEL 11-87™ SPORTSMAN® COMPACT SYNTHETIC

Available in: 20 gauge (2 ¾" and 3")

Shown with Adjustable Length-of-Pull Kit attached.

For complete model listings and specifications, see page 95.

MODEL 11-87 SPORTSMAN SHURSHOT CAMO CANTILEVER

FEATURES

- Fully rifled barrel
- Realtree Hardwoods HD camo
- Synthetic ShurShot™ anti-scratch stock
- Molded-in rear sling swivel stud and front stud included in magazine cap
- Constructed with solid steel receiver for strength and durability
- Features smooth operating actions for reliable use and provide quick follow-up shots



MODEL 11-87™ SPORTSMAN® SUPER MAG WATERFOWL

Available in: 12 gauge (2 ¾", 3" and 3 ½")



MODEL 11-87™ SPORTSMAN® SUPER MAG SYNTHETIC

Available in: 12 gauge (2 ¾", 3" and 3 ½")



MODEL 11-87™ SPORTSMAN® SUPER MAG SHURSHOT™ TURKEY

Available in: 12 gauge (2 ¾", 3" and 3 ½")

MODEL 11-87 SPORTSMAN SUPER MAGNUM WATERFOWL

FEATURES

- Ergonomically designed to [illegible]
- Constructed with solid steel receiver for strength and durability
- Features smooth operating actions for reliable use and provide quick follow-up shots
- Full, covered [illegible]
- 2¾" Rem Choke barrel [illegible]
- HIVI interchangeable [illegible]

MODEL SP-10™
SPECIAL PURPOSE

A FAMILY OF PERFECT 10s.

For serious extended-range shotgunners, the Model SP-10™ is the ultimate in lethality – from duck blinds to the turkey woods and everywhere in between. Its 3 ½" 10-gauge payloads are significantly superior in patterning efficiency to 12-gauge 3 ½" guns, and even produce less felt recoil. It features a corrosion-resistant gas-operated action in which a small cylinder – not the entire piston – moves, helping dampen rearward force. Ultra-reliable and smooth, it's the only shotgun worthy of the ultimate bird-leveling payload.

Ducks and geese beware: The big gun is now available with the state-of-the-art wetlands concealment – new Mossy Oak® Duck Blind™ camouflage. The **Model SP-10™ Waterfowl** features a 26" Rem™ Choke barrel with a high-visibility fiber-optic sight system, and comes with a full set of three Briley extended specialized waterfowl choke tubes.

Our **Model SP-10 Thumbhole** camo will reach out and bust a tom in grand fashion. Its thumbhole stock, adjustable Williams® fiber-optic Fire Sights™ and handy 23" barrel make it the ultimate gobbler stopper. It's also fully dressed in Mossy Oak® Obsession™ camo.

The **Model SP-10 Magnum Camo** and **Model SP-10 Magnum Satin** come equipped with 26" or 30" vent-rib Rem™ Choke barrels with twin beads and interchangeable Full and Modified Rem chokes. Choose from a Mossy Oak® Obsession or a traditional wood-stocked Satin finish.

TACTICAL
SHOTGUNS

OUR TACTICAL SHOTGUN FAMILY KEEPS GROWING.

Year after year, Remington tactical shotguns are the #1 choice of law enforcement agencies across the country. They are rugged, ultra-dependable and continually evolve as they're called to serve in new, increasingly demanding environments. Built on our legendary pump action that's become the gold standard for high-risk applications, the **Model 870 Express Tactical** with extremely durable "hammered" gun-metal-grey powder-coat finish, has a quick-pointing 18 ½" barrel and includes our extended ported Tactical Rem Choke. It packs a full 7 rounds of 2 ¾" or 3" 12-gauge firepower with the factory-installed 2-shot extension. The **Model 870™ Express® Tactical with XS® Ghost Ring Sights** is optimized for rapid target acquisition and precise shot placement with the XS blade sight and XS Ghost Ring sight rail (fully adjustable for windage and elevation), which accepts optics and sight systems as well. Both models have black synthetic stocks and fore-ends with sling swivel studs. Receivers are drilled and tapped.

The **Model 870™ Tactical Desert Recon** series shotguns are equipped with Tiger Stripe Products® Digital Tiger™ Desert camo stocks and fore-ends, and military-style olive drab powder-coated metalwork. Choose from two different stock designs, 18" or 20" barrels and two- or three-shot magazine-tube extensions. Both come with our special ported Tactical Extended Rem™ Choke tube.

Our all-black **Model 870 SPS Tactical** shotguns are offered with 18" and 20" barrels, three stock options, including a Knoxx® SpecOps™ folding stock with recoil-reducing springs and two- or three-shot magazine-tube extensions. All Model 870 tactical shotguns are chambered for 2 ¾" and 3" 12-gauge rounds. The famous **Model 1100™ Tactical** shotguns come with our standard stock or the Knoxx SpecOps SpeedFeed® IV pistol-grip stock and a choice of 18" or 22" barrels. They're chambered for 2 ¾" 12 gauge.

REM 0291

MODEL SP-10™
THUMBHOLE
Available in: 10 gauge (3 ½")



MODEL SP-10™
MAGNUM CAMO
Available in: 10 gauge (3 ½")



MODEL SP-10™
MAGNUM SATIN
Available in: 10 gauge (3 ½")



MODEL SP-10™
WATERFOWL
Available in: 10 gauge (3 ½")

For complete model listings and specifications, see page 95.

FEATURES

- *America's most popular gas-operated 10-gauge shotgun*
- *Awesome 10-gauge power will handle any waterfowl or turkey hunting situation*
- *Model SP-10 Thumbhole comes with Williams fiber-optic Fire Sights™ on a 23" barrel*
- *Camouflage versions fully covered in Mossy Oak® Obsession™ or Duck Blind™*
- *All come with sling swivels and padded sling*

The thumbhole stock redistributes recoil and gives you a rock solid grip for increased accuracy.



MODEL 870™ EXPRESS® TACTICAL with Ghost Ring Sights
Available in: 12 gauge (2 ¾" and 3")

NEW



NEW

MODEL 870™ EXPRESS® TACTICAL
with Grey Powder Coat Finish
Available in: 12 gauge (2 ¾" and 3")



MODEL 870™ TAC
DESERT RECON
Available in: 12 gauge (2 ¾" and 3")



MODEL 1100™ TAC-4
Available in: 12 gauge (2 ¾")

*The **Tactical Extended Rem Choke** is designed for optimum performance and recoil reduction. It also aids in reducing muzzle rise for consistent shot placement.*

For complete model listings and specifications, see page 96.

MODEL 870™ EXPRESS® TACTICAL
WITH GHOST RING SIGHTS

FEATURES

- *18 ½" tactical barrel with XS™ front blade sight RC Tactical (ext ported tube)*
- *XS Ghost Ring sight Rail (mounts to receiver)*
- *Sight is fully adjustable for windage and elevation*
- *Front blade sight works in conjunction with Ghost Ring to quickly and accurately acquire target*
- *Tactical style fore-end*
- *2-shot magazine extension*
- *Receiver drilled and tapped for scope mounts (XS Picatinney rail with ghost ring included)*

MODEL 870™
WINGMASTER®

AS TIMELESS AND DEPENDABLE
AS YOUR LOVE FOR THE SOUND OF WINGS.

Sure as autumn arrives, the Model 870™ Wingmaster® rises to meet another day in the upland fields and woods of America. The Model 870 is so smooth and reliable that today – nearly 60 years after its introduction – it's still the standard by which all pump shotguns are measured. With a receiver machined from a solid billet of steel, it is the model of enduring strength. True to its original design, the pump glides with silky surety on two twin action bars for the utmost in positive chambering and ejection. These characteristics, along with its flawless balance and natural pointing qualities have made the Model 870 the best-selling, most trusted shotgun of all time – of any action type, from any manufacturer. As the most aesthetically refined representative of our prestigious pump-action family, the Model 870 Wingmaster is a true American icon.

Available in 12 gauge 2 ¾" and 3", 20 and 28 gauge, and .410 bore, it has a custom-quality finish and handsome American walnut woodwork. The receiver and barrel are richly blued and highly polished for classic appeal. We also offer a broad selection of barrel and choke options to fit your application. Our Premier Dealers can step the aesthetic appeal up a notch with a version featuring a high-gloss claro walnut stock and fore-end, as well as a handsome pheasant and duck scene embellishment engraving on the receiver.

MODEL 870™
EXPRESS®

AMERICA'S FAVORITE
PUMP SHOTGUN.

Its solid, dependable action makes it America's favorite, and our continual upgrades make it the most advanced, well-rounded family of pump shotguns around. Along with continually evolving designs, this shotgun's superiority is a matter of rugged dependability, great pointing characteristics and versatility. In fact, the Model 870™ has been the standard for slide-action performance for almost 60 years.

Our new ***Model 870 Express® ShurShot™ Synthetic Turkey*** is optimized for big birds with the revolutionary ShurShot synthetic pistol-grip stock. It's contoured to accommodate both right- and left-handed shooters, while offering an incredibly steady-aiming platform that handles like lightning and lessens felt recoil. The 21" barrel adds to its superb maneuverability, and the Turkey Extra Full Rem™ Choke channels maximum payload to the sweet spot. Mossy Oak® Obsession™ coverage on the stock and fore-end keeps you concealed.

With our **Model 870 Express ShurShot Synthetic Fully Rifled Cantilever,** the buck stops a lot farther out than you ever imagined. It features the incredible stability and comfort of our ambidextrous ShurShot stock and a 23" fully rifled barrel. Now available in 20 gauge.

REM 0293



MODEL 870™
WINGMASTER®



MODEL 870™ WINGMASTER®
Available in: 12 and 20 gauge (2 ¾" and 3"), 28 gauge (2 ¾"), and .410 bore (3")

FEATURES

- *Remarkable reliability and durability*
- *The smoothest pump action shotgun on the market*
- *Superior balance, handling and looks*
- *Points, swings and functions better than anything else in its class*
- *The highly polished and richly blued receiver is milled from a solid billet of steel for the ultimate in rugged dependability*
- *A wide array of barrel and choke options make versatility a Wingmaster™ hallmark*
- *Twin-action bars for non-binding action*
- *Available in standard 12 gauge 2 ¾" and 3", 20, 28 gauge and .410 bore*

For complete model listings and specifications, see page 96.

MODEL 870™ EXPRESS®
SHURSHOT™ SYNTHETIC TURKEY
Available in: 12 gauge (2 ¾" and 3")

MOSSY OAK Obsession



MODEL 870™ EXPRESS®
Available in: 12 and 20 gauge (2 ¾" and 3")



MODEL 870™
EXPRESS® SYNTHETIC
with 7-round capacity
Available in: 12 and 20 gauge (2 ¾" and 3")



MODEL 870™ EXPRESS®
TURKEY CAMO
Available in: 12 gauge (2 ¾" and 3")

NEW *Now available in 20 gauge.*

MODEL 870™ EXPRESS®
SHURSHOT™ SYNTHETIC CANTILEVER
Available in: 12 and 20 gauge (2 ¾" and 3")

ShurShot™ Stock

For complete model listings and specifications, see pages 96-97.

MODEL 870™ EXPRESS®
SHURSHOT™ SYNTHETIC TURKEY

FEATURES

- *12 gauge, 21" vent-rib bead-sighted barrel*
- *Standard Express finish on barrel and receiver*
- *Supplied with a Turkey Extra Full Rem™ Choke*
- *Synthetic stock with integrated sling swivel attachment*
- *Mossy Oak® Obsession™ camo stock and fore-end*
- *Shoots both 2 ¾" and 3" shells*
- *Drilled and tapped receiver for use with Weaver Rail #429M (not included)*
- *New ShurShot™ synthetic pistol grip stock*

From a solid steel block, to roller-bearing smooth. Every Model 870™ receiver is machined from a single block of solid steel for unmatched strength. Just one of the many reasons it's the most proven, popular and reliable shotgun action in the world.

REM 0294

MODEL 870™
SPECIAL PURPOSE





PERFECTING THE ART OF
FLATTENING BIGGER GAME
AT LONGER RANGES.

Introducing the most dependable slide action of all time in three advanced designs that will go the distance with deadly precision, whether your target is the crease behind a buck's shoulder or a big red head. We've built the industry's finest rifled slug guns for years, but our new 12-gauge **Model 870™ SPS™ ShurShot™ Synthetic Super Slug** advances deer-leveling technology to farther reaches and smaller group sizes than ever before possible. Even more so when paired with high-performance ammunition like our Premier AccuTip sabot slugs. Because barrel stability is key to extended-range accuracy, this shotgun's barrel is of extra-heavy, 1" diameter configuration and measures a full 25 ½". It's also pinned to the receiver to control vibration for rifle-like, shot-to-shot consistency. Five longitudinal flutes keep weight and heat buildup to a minimum while bolstering barrel rigidity. Six Parabolic Ultragon™ rifling grooves with a 1-in-35" twist optimize slug flight. But much more than just the ultimate accuracy-enhancing barrel design, this shotgun provides the rock-steady aim and outstanding pointability of our ambidextrous ShurShot pistol-grip synthetic stock. New on the Super Slug stock for 2009, rubberized overmolding at the pistol grip and extended fore-end offer a sure hold in adverse conditions. For unmatched shooting comfort, we added the SuperCell™ recoil pad. The receiver is drilled and tapped, and the included Weaver rail makes adding optics a cinch. Sling swivel studs are built in.

The **Model 870 SPS ShurShot Synthetic Fully Rifled Cantilever** is an outstanding long-range rig with a fully rifled 23" barrel equipped with a cantilever mount. Its Realtree® Hardwoods HD™ ShurShot stock delivers the best in both stability and maneuverability, and has sling swivel studs built-in.

Our **Model 870 SPS ShurShot Synthetic Turkey** is fully covered in Realtree APG™ HD™ camo and delivers 3 ½" Super Magnum™ payloads with lethal authority at the longest ranges. It features our ShurShot™ synthetic pistol-grip stock and 23" barrel for awesome maneuverability. The fully adjustable TruGlo® fiber-optic sights and an extended Wingmaster HD™ Turkey Rem™ Choke maximize pattern placement.

REM 0295



NEW

MODEL 870™ SPS™ SHURSHOT™
SYNTHETIC SUPER SLUG
(Scope and rings not included)

MOSSY OAK. Treestand

SUPER SLUG



MODEL 870™ SPS™
SHURSHOT™ SYNTHETIC
SUPER SLUG
Available in: 12 gauge (2 ¾" and 3")



Four 3-shot groups @ 100 yards with Model 870 Super Slug using Premier® AccuTip Bonded Sabot Slug 12-gauge ammunition.

Extend your range. Elevate your expectations. *No rifled slug gun you've put a shoulder to will boost your confidence in the woods like our new Model 870™ Super Slug, and the proof's on the paper. Test groups with our Premier® AccuTip Sabot Slugs are consistently the tightest of any rifled slug gun we've ever produced. This fall, let Remington® slug shotgun and ammunition technology redefine your lethal range.*



MODEL 870™ SPS™ SHURSHOT™
SYNTHETIC CANTILEVER
Available in: 12 gauge (2 ¾" and 3")

MODEL 870™ SPS™ SHURSHOT™
SYNTHETIC TURKEY
Available in: 12 gauge (2 ¾", 3" and 3 ½")

MODEL 870 SPS
SHURSHOT SYNTHETIC
SUPER SLUG

FEATURES

- *25 ½" extra-heavy, 1" diameter barrel with longitudinal flutes for reduced weight*
- *Barrel is pinned to the receiver for the utmost in shot-to-shot stability*
- *Parabolic Ultragon™ rifling with a 1:35" twist*
- *Built on the famous Model 870 action*
- *Accepts 2 ¾" and 3" 12 gauge slugs*
- *ShurShot pistol-grip stock and fore end with rubberized overmolding at grip areas*
- *SuperCell recoil pad*
- *Drilled and tapped for scope mounts with Weaver rail included*
- *Sling swivel studs built in*