

ESTTA Tracking number: **ESTTA511744**

Filing date: **12/19/2012**

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE TRADEMARK TRIAL AND APPEAL BOARD

Proceeding	77646703
Applicant	Advanced Drainage Systems, Inc.
Correspondence Address	DAVID M KELLY FINNEGAN HENDERSON FARABOW ET AL 901 NEW YORK AVENUE NW WASHINGTON, DC 20001-4432 UNITED STATES docketing@finnegan.com, mindy.dullea@finnegan.com
Submission	Applicant's Request to Extend
Attachments	Blue Strip eot request.pdf (1 page)(48222 bytes)
Filer's Name	David M. Kelly
Filer's e-mail	docketing@finnegan.com,mindy.dullea@finnegan.com
Signature	/David M. Kelly/
Date	12/19/2012

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE TRADEMARK TRIAL AND APPEAL BOARD**

Applicant: Advanced Drainage Systems, Inc.
Serial Number: 77/646,703
Filing Date: January 9, 2009
Mark: Miscellaneous Design (blue stripe)

Examining Atty: Leigh A. Lowry, Esq.
Law Office: 115

COMMISSIONER FOR TRADEMARKS
P.O. Box 1451
Alexandria, Virginia 22313-1451

**REQUEST FOR AN EXTENSION
OF TIME TO FILE APPLICANT'S APPEAL BRIEF**

Pursuant to TBMP § 1203.02, and for good cause shown, Applicant respectfully requests that the Trademark Trial and Appeal Board extend its time to file an appeal brief for sixty (60) days, up to and including **February 25, 2013**.

This request is not filed for purposes of delay. Counsel for Applicant needs time to continue negotiations with Registrant regarding a Letter of Consent. This is Applicant's second request for an extension of time to file its appeal brief.

For the foregoing reasons, Applicant respectfully submits that good cause has been shown and that the extension should be granted.

Respectfully submitted,

ADVANCE DRAINAGE SYSTEMS, INC.

Dated: December 19, 2012

By: 

David M. Kelly
Brian Westley
Finnegan Henderson Farabow
Garrett & Dunner, L.L.P.
901 New York Avenue, NW
Washington, DC 20001
202-408-4000

Attorneys for Applicant