BULKY DOCUMENTS

(exceeds 300 pages)

Proceeding/Serial No: 91123506

Filed: 5-11-07

Title: Pucel Enterprises, Inc.

V S.

Grizzly Industrial, Inc.

Part ____ of ____

Grizzly

STANDING SHOP DESKS



MODEL NO. 1236 with P66

Open, all welded, heavy gauge steel construction - used by foremen, supervisors, time study men, superintendents, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with drawers with and without individual locks, pigeon-hole top, back and side stops, in various combinations in the models listed, or in special combinations to meet individual needs.

Completely assembled, ready for immediate use.

Finish - Shop Green.



MODEL NO. 1236

SPECIFICATIONS

WIDTH:	All Models - 36"	
DEPTH:	All Models - 30"	
OVERALL HEIGHTS:	Front	Back
Basic Unit	43"	48"
With P-36 Unit	43"	53"
With P-66 Unit	43"	57"
SIDE AND BACK STOPS:	3" high at Back, tapers to 1-1/2" at Front.	

SHELF:	34" wide x 12" deep - 8" from floor.
DRAWERS:	Standard Grizzly Drawer Units see Page 8 for specifications.
FINISH:	Shop Green.

Any standard Grizzly Bench Drawer Unit or Bench Cabinet Unit may be used on this Unit.



BASIC UNIT

MODEL NO. 1036 . Shipping Weight 85#. Price $35.20



BASIC UNIT WITH TWO NO. 1416-1 DRAWER UNITS

MODEL NO. 1236 . Shipping Weight 115#. Price $53.90



BASIC UNIT WITH NO. 2024-4 DRAWER UNIT

MODEL NO. 1436 . Shipping Weight 225#. Price $89.20



BASIC UNIT WITH TWO NO. 1424-4 DRAWER UNITS

MODEL NO. 1836 . Shipping Weight 325#. Price $128.30

PIGEON HOLE UNIT

Three 4" x 12" Openings

MODEL NO. P-36 . Shipping Weight 26#. Price $5.20

PIGEON HOLE UNIT

Six 4" x 12" Openings

MODEL NO. P-66 . Shipping Weight 40#. Price $9.90

WORK BENCHES

Grizzly

BACK STOPS - 3" High - 12 Ga. Steel
SIDE STOPS - 3" High at Back, Taper to 1-1/2" at Front

ALL MODELS SHOP GREEN FINISH — 32-1/2" HIGH TO WORK SURFACE (34" Height On Request)

TOP WITH BACK, SIDE STOPS AND DRAWER UNIT — #1424-1

Drawer Size: 14" wide x 23-1/2" deep x 5" high

Model	Size of Top	Shipping Weight	Price
BD -2448	24" x 48"	133	$47.30
BD -2460	24" x 60"	146	52.10
BD -2472	24" x 72"	160	57.60
BD -2496	24" x 96"	206	70.80
BD -2848	28" x 48"	144	49.20
BD -2860	28" x 60"	158	54.00
BD -2872	28" x 72"	174	59.60
BD -2896	28" x 96"	224	73.70
BD -3448	34" x 48"	159	54.00
BD -3460	34" x 60"	175	59.60
BD -3472	34" x 72"	191	63.50
BD -3496	34" x 96"	247	79.00

TOP WITH BACK, SIDE STOPS, STRINGER SHELF AND DRAWER UNIT — #1424-1



Drawer Size: 14" wide x 23-1/2" deep x 5" high

BSD-2448	24" x 48"	151	52.20
BSD-2460	24" x 60"	168	58.30
BSD-2472	24" x 72"	186	64.90
BSD-2496	24" x 96"	240	79.90
BSD-2848	28" x 48"	158	54.00
BSD-2860	28" x 60"	176	60.30
BSD-2872	28" x 72"	196	66.80
BSD 2896	28" x 96"	254	82.80
BSD-3448	34" x 48"	177	60.25
BSD-3460	34" x 60"	197	66.80
BSD-3472	34" x 72"	213	70.85
BSD-3496	34" x 96"	277	88.20

HARD TEMPERED PRESSED WOOD TOPS

Pressed wood top - 1/4" thick - is attached directly over heavy steel top. Attached with countersunk flat head bolts at each corner. Used for working with finished parts, die layout, instrument and electrical work.

ADD THE FOLLOWING PRICES TO STEEL WORK BENCHES OR OTHER GRIZZLY EQUIPMENT

Size	Price
24" x 48"	$4.60
24" x 60"	5.70
24" x 72"	6.90
24" x 96"	9.10

Size	Price
28" x 48"	$ 5.70
28" x 60"	7.15
28" x 72"	8.60
28" x 96"	11.40

Size	Price
34" x 48"	$ 6.80
34" x 60"	8.50
34" x 72"	10.25
34" x 96"	13.65

PORTABLE WORK BENCHES

Portable Steel Work Benches with telescopic handles for maintenance men, inspectors, and others, who move about to have their bench and equipment immediately available.

Any standard GRIZZLY Work Bench can be furnished as a Portable Work Bench. Telescopic handles slide under bench when not in use. Large 4" x 1-1/2" semi-steel rigid wheels for easy moving and for steady bench work. Finish - Shop Green.

Specify "PORTABLE" with your order showing regular number of standard bench. Shipping weight of each unit is increased approximately 20 lbs.

ADD $12.50 TO STANDARD WORK BENCH PRICE

Grizzly

WORK BENCHES

BACK STOPS - 3" High
SIDE STOPS - 3" High at Back, Taper to 1-1/2" at Front

ALL MODELS: SHOP GREEN FINISH — 32-1/2" HIGH TO WORK SURFACE (34" Height Furnished on Request).

	Model	Size of Top	Shipping Weight	Price
FLAT TOP WITH STRINGER AND DRAWER UNIT -- #1424-1  Drawer Size: 14" wide x 23-1/2" deep x 5" high	FD -2448	24" x 48"	132	$46.90
	FD -2460	24" x 60"	145	51.80
	FD -2472	24" x 72"	159	57.30
	FD -2496	24" x 96"	205	70.45
	FD -2848	28" x 48"	143	48.90
	FD -2860	28" x 60"	157	53.70
	FD -2872	28" x 72"	173	59.30
	FD -2896	28" x 96"	223	73.30
	FD -3448	34" x 48"	158	53.70
	FD -3460	34" x 60"	174	59.30
	FD -3472	34" x 72"	189	62.80
	FD -3496	34" x 96"	245	78.30
FLAT TOP WITH STRINGER AND SHELF AND DRAWER UNIT -- #1424-1  Drawer Size: 14" wide x 23-1/2" deep x 5" high	FSD-2448	24" x 48"	150	51.80
	FSD-2460	24" x 60"	167	58.00
	FSD-2472	24" x 72"	185	64.60
	FSD-2496	24" x 96"	239	79.50
	FSD-2848	28" x 48"	157	53.70
	FSD-2860	28" x 60"	175	59.95
	FSD-2872	28" x 72"	195	66.50
	FSD-2896	28" x 96"	253	82.50
	FSD-3448	34" x 48"	176	62.80
	FSD-3460	34" x 60"	196	66.50
	FSD-3472	34" x 72"	211	70.10
	FSD-3496	34" x 96"	275	87.90
TOP WITH BACK, SIDE STOPS AND STRINGER 	B -2448	24" x 48"	108	35.80
	B -2460	24" x 60"	121	40.60
	B -2472	24" x 72"	135	46.10
	B -2496	24" x 96"	181	59.30
	B -2848	28" x 48"	119	37.80
	B -2860	28" x 60"	133	42.60
	B -2872	28" x 72"	149	48.15
	B -2896	28" x 96"	199	62.25
	B -3448	34" x 48"	133	42.60
	B -3460	34" x 60"	149	48.10
	B -3472	34" x 72"	166	52.10
	B -3496	34" x 96"	222	67.60
TOP WITH BACK, SIDE STOPS, STRINGER AND SHELF -- 15-1/4" Deep 	BS -2448	24" x 48"	126	40.70
	BS -2460	24" x 60"	143	46.80
	BS -2472	24" x 72"	161	53.40
	BS -2496	24" x 96"	215	68.40
	BS -2848	28" x 48"	133	42.60
	BS -2860	28" x 60"	151	48.90
	BS -2872	28" x 72"	171	55.40
	BS -2896	28" x 96"	229	71.40
	BS -3448	34" x 48"	151	48.80
	BS -3460	34" x 60"	171	55.40
	BS -3472	34" x 72"	188	59.40
	BS -3496	34" x 96"	252	76.75

BENCH DRAWER UNITS

Grizzly

Drawer units can be fastened to either wood or steel benches, tables, desks or counters.

All welded construction. Padlock attachments for each drawer. Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer. Fingers fit easily into drawer pull. Drawer slides effortlessly on BALL BEARING nylon rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 13-1/2" x 8" in 1416 and 1424 Series; 19-1/2" x 8" x 1" in 2024 Series.



Single Drawer Unit



Two Drawer Unit



Three Drawer Unit

Overall Outside Dimensions

HEIGHT, ALL UNITS: . . . . . One Drawer — 5-3/4"; Two Drawer — 12-1/2"; Three Drawer — 18-1/2"; Four Drawer — 24-1/2".

WIDTH, 1416 & 1424 SERIES: . . . 16-1/4"; 2024 SERIES: — 22-1/4".

DEPTH, 1416 SERIES: . . . . . 16-1/2" 1424 & 2024 SERIES: — 24".

	Individual Drawer Size 14" wide x 16" deep x 5" high			Individual Drawer Size 14" wide x 23-1/2" deep x 5" high			Individual Drawer Size 20" wide x 23-1/2" deep x 5" high		
Unit Description	No.	Shipping Weight	Price	No.	Shipping Weight	Price	No.	Shipping Weight	Price
1 Drawer	1416-1	15	$ 9.35	1424-1	26	$10.90	2024-1	30	$13.00
2 Drawer	1416-2	45	23.65	1424-2	60	28.95	2024-2	74	32.90
3 Drawer	1416-3	66	31.35	1424-3	90	37.75	2024-3	105	43.45
4 Drawer	1416-4	87	39.50	1424-4	120	46.55	2024-4	136	54.00

Approximate Shipping Weights Shown Above Include Attachment Hanger.

Finish: Shop Green

Grizzly HARD MAPLE TOP WORK BENCI

ELECTRONICALLY GLUED

Model W-3072 with SH-72 Bench Shelf

These hard maple Bench or Table Tops are of selected edge-grain Maple strips, accurately chined, glued with radio frequency high pre presses. Outside laminations 1-3/8" wide, c laminations 3/4" wide. Reinforced with conc steel tie rods. Top surface and edges sanded sm Finish clear natural non-toxic lacquer.

Standard GRIZZLY bench legs, stringer, hard maple tops can be assembled into a sturdy bench in minutes. Other standard GRIZZLY cessories (Drawer Units -- Cabinet Units -- Sh -- Back & Side Stops -- Risers) can be quickl tached to adapt a complete Bench to suit your ticular needs. Parts shipped for your assen

Prices shown are for a complete basic bench including bolts, nuts, lag screws and lock washers, r for assembly. For prices of other accessories: Bench Risers, Side and Back Stops and Shelves, B Drawer Units, and Bench Cabinet Units, see pages 25-28.

ALL HARD MAPLE BENCH TOPS — 1-3/4" THICK

ALL MODELS: SHOP GREEN FINISH — OVERALL HEIGHT, INCLUDING TOP OF BENCH - 34-1/4"



TOP, TWO BENCH LEGS AND ONE STRINGER



TOP, THREE BENCH LEGS AND ONE STRINGER

Model	Size of Top	Shipping Weight	Price
W- 2448	24" x 48"	110	$ 51.3
W- 2460	24" x 60"	128	61.9
W- 2472	24" x 72"	143	72.5
W- 3048	30" x 48"	130	62.9
W- 3060	30" x 60"	150	75.4
W- 3072	30" x 72"	168	87.9
W- 3648	36" x 48"	152	73.9
W- 3660	36" x 60"	171	88.9
W- 3672	36" x 72"	193	103.8
W- 2484	24" x 84"	179	87.5
W- 2496	24" x 96"	194	98.0
W-24120	24" x 120"	225	119.3
W-24144	24" x 144"	256	140.5
W- 3084	30" x 84"	210	107.5
W- 3096	30" x 96"	228	115.7
W-30120	30" x 120"	262	146.8
W-30144	30" x 144"	306	174.4
W- 3684	36" x 84"	240	126.5
W- 3696	36" x 96"	262	141.9
W-36120	36" x 120"	307	173.1
W-36144	36" x 144"	352	204.3

WORK BENCH RISERS



The Storage capacity of your Work Bench may be substantially increased without reducing the work are bench by an easily attached Riser. Slides easily between standard Grizzly Side and Back Stops, or attach sides of flat wood or steel top.

SPECIFICATIONS

List No.	Length "L", Inches	Shipping Weight	Price
R-48	48	19	$ 6.95
R-60	60	23	8.40
R-72	72	27	9.35
R-96	96	34	10.95

Cabinet Finish - Shop Green

WORK BENCH ACCESSORIES

Grizzly

SIDE- AND BACK-STOP SETS



Paint Finish – Shop Green. 12 Gauge Steel.
EACH SET CONSISTS OF TWO SIDE STOPS (right and left) AND ONE BACK STOP.

List No.	Dimensions in Inches					Shipping Weight of Sets	Price
	A	B	C	D	E		
2448	5-1/4	24	3-1/2	5-1/4	48	16	$5.60
2460	5-1/4	24	3-1/2	5-1/4	60	18	6.20
2472	5-1/4	24	3-1/2	5-1/4	72	20	6.80
2496	5-1/4	24	3-1/2	5-1/4	96	23	7.70
2848	5-1/4	28	3-1/2	5-1/4	48	18	6.30
2860	5-1/4	28	3-1/2	5-1/4	60	20	6.90
2872	5-1/4	28	3-1/2	5-1/4	72	22	7.50
2896	5-1/4	28	3-1/2	5-1/4	96	27	9.00
3448	5-1/4	34	3-1/2	5-1/4	48	19	6.65
3460	5-1/4	34	3-1/2	5-1/4	60	21	7.25
3472	5-1/4	34	3-1/2	5-1/4	72	24	8.15
3496	5-1/4	34	3-1/2	5-1/4	96	29	9.65

STRINGERS



Paint Finish – Shop Green. 16 gauge one inch channel reinforced construction.

List No.	Dimensions in Inches		Shipping Weight	Price
	F	G		
ST- 36	4-1/4	32	4	$ 2.00
ST- 48	4-1/4	44	6	2.80
ST- 60	4-1/4	56	7-1/2	3.60
ST- 72	4-1/4	68	9	4.40
ST- 84	4-1/4	80	10-1/2	5.20
ST- 96	4-1/4	92	12	6.00
ST-120	4-1/4	116	15	7.60

SHELVES



Paint Finish – Shop Green. 16 gauge one inch channel reinforced construction.

List No.	Dimensions in Inches		Shipping Weight	Price
	H	J		
SH- 36	15-1/4	32	13	$ 5.20
SH- 48	15-1/4	44	18	6.70
SH- 60	15-1/4	56	22	7.90
SH- 72	15-1/4	68	26	9.10
SH- 84	15-1/4	80	30	10.30
SH- 96	15-1/4	92	34	11.50
SH-120	15-1/4	116	42	13.90
SH- 36-F	23-1/2	32	18	6.70
SH- 48-F	23-1/2	44	24	8.50
SH- 60-F	23-1/2	56	30	10.30
SH- 72-F	23-1/2	68	36	12.10
SH- 84-F	23-1/2	80	42	13.90
SH- 96-F	23-1/2	92	48	15.70
SH-120-F	23-1/2	116	60	19.30

Grizzly

ALL PURPOSE HAND TRUCK

For general use in stock, shopping and receiving rooms, and for beverage and deliveries.

All welded tubular frame with tubular curb jumper, rigid axle for strength and bility. Rugged, all edges rounded and smooth for appearance and safety, finis Safety Orange.

Large rubber tired wheels with ball bearings for easy handling, even over curb quiet operation and absorb shock.



Models #60 & #61 — Models #50 & 51

Models #60 & #61
A compact light weight narrow truck.

Models #50 & 51
With extensions at top for handling large cartons, boxes, rolls, cans.

Models #90 & 91
For extra heavy duty work.

Model #89
Smaller rubber tired wheels and enclosed top frame, for light duty use.

Models #90 & 91 — Model #89

Model	Overall Height	Frame Width	Overall Width	Toe Plate	Wheels	Weight	Pri
60	49"	11"	20"	8" x 11"	10 x 2.75 Semi-Pneumatic	31	$24
61	49"	11"	20"	8" x 11"	10 x 3.50 Pneumatic	34	33
50	78"	14"	20"	7" x 14"	10 x 2.75 Semi-Pneumatic	48	29
51	78"	14"	20"	7" x 14"	10 x 3.50 Pneumatic	51	38
90	48"	14"	20"	7" x 14"	10 x 2.75 Semi-Pneumatic	37	23
91	48"	14"	20"	7" x 14"	10 x 3.50 Pneumatic	40	31
89	45-1/2"	14"	18-1/2"	8" x 14"	8 x 1.75 Semi-Pneumatic	27	15

TOTE PAN HAND TRUCK

FOR TRAYS, BOXES, TOOLS, DIES & ORDER PICKING

ALL WELDED CONSTRUCTION

Sits level on 4 wheels for loading and unloading beside machines or ass benches. Can be maneuvered on 2 large semi-pneumatic wheels as a hand or pushed as a cart on 4 wheels. Two swivel casters in front for easy tu

SPECIFICATIONS

SIZE OF TRAY: . . . 12" x 24" — CLEARANCE BETWEEN TRAYS: . . . 12", B
Tray 3-3/4" from floor — HEIGHT OVERALL: . . . 42", 22" from front to back
WHEELS: . . . 8" x 1.75 semi-pneumatic rubber tired
CASTERS: . . . 3" x 1" solid rubber swivels — PAINT FINISH: . . . Shop Gree

MODEL NO. TPH-24 . . . . . SHIPPING WEIGHT 55 . . . . . PRICE $

EZY-DOWN DRUM CRADLES

Grizzly



Give maximum leverage with ease, break the heaviest loaded drums from vertical to horizontal position.

STANDARD UNIT



EBR 18 . . . . . 30" long, 18-1/2" wide, 19" high

EBR-24 . . . . . 30" long, 18-1/2" wide, 25" high

Model EBR-18 Shipping Weight 31# Price Each $19.95
Model EBR-24 Shipping Weight 35# Price Each $23.95

STANDARD UNIT WITH CASTERS



EBR-18C . . . . . 30" long, 18-1/2" wide, 20-1/2" high

EBR-24C . . . . . 30" long, 18-1/2" wide, 26-1/2" high

Model EBR-18C Shipping Weight 34# Price Each $22.95
Model EBR-24C Shipping Weight 37# Price Each $26.95

STANDARD UNIT WITH DRUM ROLLERS



EBR-18R . . . . . 30" long, 18-1/2" wide, 20" high

EBR-24R . . . . . 30" long, 18-1/2" wide, 26" high

Model EBR-18R Shipping Weight 34# Price Each $23.95
Model EBR-24R Shipping Weight 37# Price Each $27.95

Four 2" Semi-Steel rollers for positioning drum and manually rotating for mixture.

STANDARD UNIT WITH CASTERS & ROLLERS



EBR-18CR . . . . . 30" long, 18-1/2" wide, 20-1/2" high

EBR-24CR . . . . . 30" long, 18-1/2" wide, 27-1/2" high

Model EBR-18CR Shipping Weight 36# Price Each $26.95
Model EBR-24CR Shipping Weight 40# Price Each $30.95

Casters — All Models — 2" Semi-Steel — 2 Swivel, 2 Rigid

ONE EZY-DOWN Handle operates many cradles.
CANNOT TWIST in operator's hands, positive control, does not slip.
ONE MAN OPERATION -- Push cradle lip under bottom rim of drum in vertical position. Slide EZY-DOWN Handle into receiver tubes, push down welded grabs over rim of drum. Downward pull on handle toward operator easily breaks and lays cradle with drum horizontally on floor for quick movement to any location.
EZY-DOWN Drum Cradles have all welded tubular frames and channel braces for modern styling and added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use.

EZY-DOWN HANDLE

Cradle and Handle Finish — Safety Orange

Model	Shipping Weight	Price
No. 18 EZY-DOWN Handle — All welded construction — Handle is separate from cradles	12	$9.95



Grizzly

BENCH LEGS



These sturdy all steel legs are designed to withstand severe usage and support weight far in excess of nor mal conditions. Top and cross members permanently welded to legs. Reinforced channel construction - gusset strengthened. Adequate holes provided for attachment of bench top, shelf and stringer. Steel floo pads with holes for attachment to floor.

BL-58 Bench Leg furnished with center upright channel.
Finish - Shop Green. Bench Legs for special requirements on request.

SPECIFICATIONS

List No.	Dimensions in Inches					Shipping Weight Each	Price Each	Price Pair
	A	B	C	D	E			
BL-22	22	32-1/2	15-1/2	18	9-1/2	20	$ 5.80	$11.60
BL-28	28	32-1/2	19-1/2	22	9-1/2	22	6.35	12.70
BL-34	34	32-1/2	23-1/2	26	9-1/2	24	6.90	13.80
BL-46	46	32-1/2	35-1/2	38	9-1/2	28	8.10	16.20
BL-58	58	32-1/2	47-1/2	50	9-1/2	34	10.25	20.50

WORK BENCH CABINET UNITS



No. CU18 unit



No. CU18 unit mounted beside drawer in steel work bench



No. CUK-36 unit

Cabinet storage can be more efficient than drawers for many items, which can be placed neatly and are not subject to being jarred or rolled around as in a drawer.

Heavy gauge steel used throughout with flanged reinforcement.

Use with either wood-top or all metal benche: Quickly fastened to wood top with bolts or la screws. Easily attached to metal top with ma chine bolts and angle iron supports furnished c request. Holes are elongated in tops of unit ar supports for rapid alignment with bolts.

Model No.	Dimensions in Inches				Lock	Shipping Weight	Price
	Length	Height	Depth	Shelf Clearance			
CUK-36	36	19	19	8	Yes	95	$41.20
CU36	36	19	19	8		95	35.70
CUK-18	18	19	19	8	Yes	55	27.90
CU18	18	19	19	8		55	22.40

Finish - Shop Green. Please indicate on order if unit is for installation with steel or wood bench.

BENCH TRAYS



Finish: Shop Green

Easily attaches to front edge of work bench with bolts or wo screws. Wipe small parts - screws, nuts, etc. - off top i tray. Ideal for maintenance and assembly.

Dimensions: 4" wide x 1-1/4" deep, 2" high back

Model	Length	Shipping Weight	Price
TA-48	48	8	$4.00
TA-60	60	10	5.00
TA-72	72	12	6.00

HI-DRUM & CAN DOLLIES

Grizzly



PROVIDE higher elevation for easier flow drainage from drums in vertical position.

DRAINS easier glue, oils, chemicals and other hard-to-flow materials through the drum bottom.

ALL WELDED, rugged, completely assembled, ready for use.

SAVE SPACE - take less area than drums in horizontal position.

SAVE TIME AND MONEY.

USE DOLLIES with GRIZZLY No. 235 Drum Lifter with chain falls, hoist, or fork truck to place drums in vertical position easily, quickly and safely. See Page 17. Finish - Safety Orange.



SPECIFICATIONS

WHEEL SIZE . . . . . 3" x 1-1/4"
CAPACITY ALL MODELS, SEMI-STEEL WHEELS . . . . . 900#
CAPACITY ALL MODELS, SOLID RUBBER SOFT TREAD WHEELS . 700#

Model	Dimensions in Inches			Gallon Drum Size	Shipping Weight	Semi-Steel Wheels	Solid Rubber Wheels
	Bottom	Top	Height				
71	30	24	19-1/2	55	44	$23.95	$25.25
73	21	18	19-1/2	30	38	21.50	22.80

TANK DOLLY

2500 LB. CAPACITY
ALL WELDED CONSTRUCTION



For Wood Crates, Cases, Machinery, Castings. For Palletized Loads.

SPECIFICATIONS

24" Long x 12" Wide x 3-3/4" High
6 Wheels-Balance style for pivoting on center wheels.. Steel Channel Frame-Full crosswise steel Axle-3" x 1-5/16", semi steel wheels. Finish-Safety Orange

MODEL TD-24 . . . . . SHIPPING WEIGHT 60 . . . . . PRICE $39.50

DRUM UP-ENDER



Tilts drums from horizontal to vertical position with ease, speed and safety. Gives maximum leverage for lifting even the heaviest loaded drums.

Will not twist in hands of operator. Drum stops where you want it with no slipping or rolling.

Safe!
Positive Grip!
Easy to Use!

ALL WELDED, RUGGED, TUBULAR MAGNESIUM CONSTRUCTION interlined with steel for added strength.

Safe, non-sparking, explosion proof, for use in the presence of friction flash materials and atmosphere.

NO. 80M DRUM UP-ENDER
(Magnesium)

SHIPPING WEIGHT . . . . . 12 lbs.
PRICE . . . . . $49.50 —
FINISH . . . . . BARE METAL ONLY

ALL-WELDED CONSTRUCTION

Rugged and Compact

NO. 80 DRUM UP-ENDER
(Steel)

SHIPPING WEIGHT . . . . . 12 lbs.
FINISH . . . . . Safety Orange
PRICE $9.95

Grizzly.

DRUM & CAN DOLLIES



MODEL NO. 81



MODEL NO. 82



MODEL NO. 83

Large size easy rolling wheels permit qui safe transportation of even the heaviest load drums. All casters swivel for movement in a direction.

24" diameter holds standard 55 gallon dru or other similar sized containers. 18" diamet for smaller containers, disposal cans or ke Galvanized finish for institutional, food pr cessing and sanitary usages.

Floor clearance 4" on all models. 2" sid on Models No. 82 and 83. All welded rugg construction for years of hard use.

FOR FLOOR LOCK ADD $12.50 TO PRICES

CAPACITY ALL MODELS, SEMI-STEEL WHEELS - 900 LBS.

CAPACITY ALL MODELS, SOLID RUBBER SOFT TREAD WHEELS - 700 LBS.

SPECIFICATIONS

Model No.	Dimensions in Inches			Finish	Shipping Weight	Semi-Steel Wheels Price	Solid Rubber Wheels Price
	O.D.	I.D.	Wheels				
81	24-7/16	24	3 x 1-1/4	Orange	32	$21.70	$23.15
82	30-1/2	24	3 x 1-1/4	Orange	25	19.30	20.70
83	24-1/2	18	3 x 1-1/4	Orange	22	15.65	17.05
81-G	24-7/16	24	3 x 1-1/4	Galvanized	32	27.20	28.65
82-G	30-1/2	24	3 x 1-1/4	Galvanized	25	23.35	24.80
83-G	24-1/2	18	3 x 1-1/4	Galvanized	22	18.60	20.00

ADJUSTABLE DOLLY

FOR ROUND, SQUARE, RECTANGULAR, OVAL OR ANY IRREGULAR SHAPED CONTAINER
CLOSES DOWN TO 23-1/2" -- OPENS TO 36-1/2"



Can be used as a rectangle for tote boxes, skids, pans, furnitur
Used as a dolly for drums, cans, kegs, etc.

Capacity with semi-steel wheels 90
Capacity with solid rubber wheels 70
Wheel Size . . . . . 3" x 1-1/
Finish . . . . . Safety Oran

AVAILABLE IN GALVANIZED AT ADDITIONAL CHARGE

MODEL AD-23-S	SEMI-STEEL WHEELS	SHIPPING WEIGHT 30	PRICE $20.7
MODEL AD-23-R	SOLID RUBBER WHEELS	SHIPPING WEIGHT 28	PRICE $21.0

PORTABLE CABINET WORK BENCHES

Grizzly

HEAVY DUTY



PC-48S with Riser Shelf

All welded, for repairmen, maintenance workers, millwrights, electricians, and other spot workers, providing large storage place for tools and parts, with adequate top work area, back and side stops to prevent tools and parts from falling off top -- all to give more efficient work operation, especially eliminating otherwise necessary trips to another work bench and stock room.



PC-48S

SPECIFICATIONS

Shelf: 24-3/4" x 47-3/4".
Dimensions: Top, 26" x 48", Height, 34" to bench top, 3" back stop; Overall height, 37" (48" overall height with riser); Total overall length, 63"; Vise shelf, 12" x 26" - vise shelf standard on all models.
Caster wheels -- 5" x 1-1/2" for easy rolling -- 2 rigid and 2 ball bearing swivel casters. Additional shelves and drawers designed into units for special requirements.
Finish - Shop Green.

Model	Description	Shipping Weight	Price
PC-48S	Semi-Steel Wheels	250	$124.65
PC-48R	Solid Rubber Hard Tread Wheels	247	128.25
PC-48-SP	Semi-Steel Wheels & Floor Locks	266	145.40
PC-48-RP	Solid Rubber Hard Tread Wheels & Floor Locks	263	150.00
R-48	Steel Bench Riser Shelf (Optional)	20	6.95
	Keyed Handle (Optional)		2.20

LIGHT DUTY



All welded, designed for light duty, particularly in smaller operations.

DIMENSIONS:

TOP . . . . . 21-1/4" x 36".
HEIGHT: . . . . . 34" to Work Surface, 3" Back Stop.
SHELF SIZE: . . . . . 19" x 35-3/4", adjustable on 2" Centers.
FINISH: . . . . . Shop Green.



Model	Caster Description	Shipping Weight	Price
PC-36S	5" x 1-1/4" Semi-Steel, Plain Brg. Wheels	118	$56.40
PC-36R	5" x 1" Solid Rubber, Plain Brg. Wheels	110	49.50
PC-36RH	5" x 1-1/4" Solid Rubber, Plain Brg. Wheels	114	55.70
	Floor Lock (Optional)	5	11.95

EXTRA HEAVY DUTY DIE RACKS SHELVING

To hold heavy loads of jigs, fixtures, dies, and other heavy material. 18" x 42" reinforced 14 gauge shelves, adjustable on 2" centers, with 2" x 1/8" angle posts.

Finish - Shop Green.



Construction of double channel reinforced shelf.



1 unit of shelving assembled

Model	Description Parts	Shipping Weight	Price
DR 1842	Single unit, 5 — 18" x 42" Shelves, 4 posts and bolts	200	$59.50
S-18	Single shelves, 18" x 42", including bolts	35	9.50
P-72	4 posts (as a package) 2" x 2" x 1/8 angle, 72" long	45	12.00

Grizzly DRUM STORAGE RACKS



NO. 85C



NO. 85

2000 LB. CAPACITY



All welded with large sturdy 6" x 2" semi-steel wheels for easy portability or with legs for stationar stallations.

Holds four drums in readily accessible positions. Designed for loading ease with whatever equipmen now have. If your hoist does not travel over rack, the wheel model can be moved under your hoist.

SPECIFICATIONS

ALL MODELS 30" WIDE X 60" LONG x 54" HIGH — FINISH: SAFETY ORANGE

Model No.	Type	Shipping Weight	Price
85	Leg	180	$59.50
85C	Wheel	198	79.50



Holds four or six drums in readily accessible positions. Designed for l ease from front or back. All Welded Construction. Completely Assembl Immediate Use.

Self-Standing units, do not require anchoring to floor. Can be moved wit Trucks fully loaded.

DRAIN HEIGHTS: Bottom row - 18"; Top row - 48".

Also Designed for special requirements.

FINISH: SAFETY ORANGE

Model	Capacity	Overall Size	Shipping Weight	Price
DS-4	4 Drums	60" wide x 36" deep x 46" high	120	$49.5
DS-6	6 Drums	84" wide x 36" deep x 46" high	200	69.5

NO. 235 DRUM LIFTER

Grizzly

PATENTED

2000 LBS. CAPACITY

For Open or Closed Drums

USED WITH

Fork Trucks

Chain Falls

Cranes and Hoists



☆QUICK -- Lifter attached and removed in seconds.

☆SAFE -- Fast turning crank handle to lock Upper Jaw to drum top. Holds drum rigidly even when swaying or when bumped.

☆VERSATILE -- Lifter moves 55 and 30 gallon, and even smaller steel drums with practically no manual labor -- the lifter does the work.

☆LIGHT -- Weighs only 26 pounds. One man can handle with ease.

☆ADJUSTABLE -- Slide Lower Jaw on vertical bar to position below nearest chime of drum. Jaw rests on off-center cam.

☆LIFTS -- Old and new drums, open or closed, battered or lopsided -- all with the same ease and positive safe grip.

☆STACKS -- and tiers drums vertically in close quarters.

☆RUGGED -- All welded construction for years of hard use.

☆FINISH -- Safety Orange.

PRICE -- $49.50
(Shipping Weight -- 32 lbs.)

SLING TYPE DRUM LIFTER

750 LBS. CAPACITY

Lifts drum horizontally and safely. The harder the pull the tighter the grip on the drum. Use it to load your GRIZZLY rack.



All Welded Construction

NO. 84

SHIPPING WEIGHT . . . . . 11 lbs.
FINISH . . . . . Safety Orange
PRICE $10.95

Grizzly

NEW-IMPROVED ROTO-TILT*

PATENTED

One Man Operation

Lifts • Tilts • Dumps • Pours
Steel, Fiber Drums, Barrels, Boxe
Used with Fork Truck, Chain Fall
Cranes, Hoists
1000 Lbs. Capacity



LIFTS

Quick, Safe, Easy to Operate, Saves Time -- Money.



TILTS

POURS bolts, nuts, washers, other parts; powders and other granular material; oils, chemicals and other liquids.



POURS · DUMPS

LIGHT WEIGHT -- one man easily handles and dumps

Push foot plate under drum.

Slide adjustable locking bracket down on top rim of drum.

Lifting trolley locks firmly on any position of arc.

Pouring carboy into pail.

Safety Locking Bracket secures Upper Jaws to Drum Top. Lifting Trolley equipped with Ball Bearings, Serrated Jaws insure positive locking hold. Pours at any point of arc--operator maintains easy and positive control.

NEW-IMPROVED ROTO-TILT

PATENTED

Grizzly

FOR FIBER DRUMS - POURING - DUMPING FIBER DRUMS

Grips firmly fiber drums, safely controls pouring and dumping, increases production. Roto-Tilt works efficiently on light or heavy loads, a distinct advantage in the handling of fiber drums, especially with heavy loads of metal parts for assembly and production lines.

FOR CARBOYS

Holds firmly acid and other carboys, and safely controls pouring into container or production mixture. Ideal for chemical, plating, research laboratories and production operations.





No. 250 ROTO-TILT pouring from fibre container, attached to fork-lift truck.

ROTO-TILTS Designed for Special Requirements



Toe Plate for Holding Steel & Fiber Drums



Toe Plate with Cleats for Carboy



All Welded Construction Designed for Heavy Usage

No. 250 ROTO-TILT with No. 160 Trolley in FULL DUMPING POSITION



SPECIFICATIONS

CAPACITY . . . . . 1000 Lbs. — FINISH . . . . . Safety Orange
No. 160 Trolley with 160 Degree Dumping Angle — Standard Trolley with 130 Degree Dumping Angle

Model No.	Dimensions in Inches A	B	C Max. Min.	D	Drum Size	Shipping Weight	With Standard Trolley Price	With No. 160 Trolley Price
350	59	35	36 - 30	15	55 Gal.	65	$139.50	$159.50
351	53	34	32 - 27-1/2	15	30 Gal.	64	134.50	154.50
352	42	29	21 - 15-1/2	12	15 Gal.	47	129.50	149.50
349	42	29	25 - 22	12	Carboy	55	139.50	——
400	66	35	36 - 30	15	55 Gal.	80	249.50	——

Grizzly

FORK TRUCK CRANE HOOK ATTACHMENT



CAPACITY
6000 LB. AT 36" LENGTH
2000 LBS. AT 60" LENGT.

ALL WELDED CONSTRUCTIO

FITS STANDARD FORK TR

CAN BE ATTACHED AND UNATTACHED IN SEC
ONE MAN



METHOD OF ATTACHMENT

Set unit on floor, brace in upright position against wall, etc. Unit sits on 4 pins. Bottom plate drops to floor which provides an opening for forks. Operator runs forks at floor level between plates and tightens crank handles. Ready for use.

METHOD OF DETACHMENT

Drop forks to floor until unit sits on 4 pins. Loosen crank handles. Back off fork truck.

Finish Safety Orange

MODEL FTC-36 SHIPPING WEIGHT 250 PRICE

FORK SWIVEL HOIST HOOKS

210 – DOUBLE FORK HOOK



(SINGLE) 3000 LBS.
(DOUBLE) 4200 LBS.
WORKING CAPACITY

24 – SINGLE FORK HOOK



All welded construction, fit standard Fork Lift Trucks.

Easy handling by one man, takes only seconds to slide on and tighten into place. Removed just as ea: wrenches required.

No. 210 Double Fork Hook has maximum openings which permit an outside fork spread of 20-3/4".

Fork Swivel Hoist Hooks designed to meet particular needs.

SPECIFICATIONS FINISH: SAFETY C

Description	Model No.	Opening Size for Truck Fork	Shipping Weight	Price
Single Hook	24	2" x 4"	17	$22.
Single Hook	25	2" x 5"	18	23.
Single Hook	26	2" x 6"	19	24.
Double Frame Hook	210	2" x 10"	50	44.



HI-LIFT ROTO-TILT®

PATENTED

ONE MAN

LIFTS—TILTS —DUMPS— ANY HEIGHT CONTROLLED FROM FLOOR

The New No. 400 Roto-Tilt elevates containers for overhead pouring and dumping. The operator controls the pouring at floor level by means of a double chain. The operating distance from the floor is limited only by the length of chain.

Chain supplied with Standard Model is sufficient to operate the tool 10 feet from floor. Additional chain supplied on request.

MODEL 400 55 Gal. Size

$249.50

Shipping Weight 80#

Please deliver to:

A. I. A. FILE NO. 35-1-1

Grizzly®

Catalog No. 164
Effective JAN. 1, 1964

MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT





WOODLING, KROST AND RUST
ATTORNEYS AND COUNSELORS AT LAW
9213 CHILLICOTHE ROAD (STATE ROUTE 306)
KIRTLAND, OHIO 44094
TOLL FREE PH: 866-241-4150 TOLL FREE FAX: 866-241-4043

TO:

2000403
ENTIRE MANUAL



- ☐ METHODS & MATERIAL HANDLING ENG.
- ☐ MAINTENANCE DEPT.
- ☐ PRODUCTION
- ☐ PRODUCT DESIGN
- ☐ EQUIP. BUYER

Additional catalogs sent promptly on request.

RETURN REQUESTED

Pucel Enterprises, Inc., Opposer/Petitioner
vs.
Grizzly Industrial, Inc., Applicant/Respondent
TTAB Consolidated Case No. 123,506; 31984; 32024; 32025
PUCEL'S Exhibit No. 21

A. I. A. FILE NO. 35-1-1

ATTN: PLANT SUPT.

Grizzly EQUIPMENT

Pucel ENTERPRISES, INC.

DESIGNING
ENGINEERING
MANUFACTURING

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 UTah 1-4604

INDEX

Description	Page No.
BENCHES	
Tool Cabinet	21
Tops, Hard Pressed Wood	
BENCHES, WORK	
Cabinet, Base	32
Cabinet, Sliding Door	33
Cabinet, Units	29
Drawer Units	30
Hard Maple Tops	27, 31
Legs	29
Panel End	31
Portable, Heavy Duty	15
Portable, Light Duty	15
Portable with Telescopic Handle	26
Steel Top	24, 25
Accessories — Risers	27
Shelves	28
Side, Back Stops	28
Stringers	28
Trays	29
CABINETS	
Machine Floor	34
Pigeon Hole, Accessory	23
CARTS	
Mij Box	19
Step Ladder Attachment	9
Stock	9
Stock, Five Shelf	10
Stock, Ladder	8
DESKS	
Shop Cabinet	23
Standing Shop	22
DRUM EQUIPMENT	
Adjustable Dolly	38
Cradles	37
Dollies, Drum and Can	38
Dollies, Hi-Drum and Can	39
Dolly Trucks	37
Ezy-Down Cradles	36
Lifter, Vertical	41
Lifter, Horizontal	41
Lifter, Vertical-Horizontal	43
Roto-Tilt, Carboy	44
Roto-Tilt, Hi-Lift	45
Roto-Tilt, Steel, Fiber Drum	44
Storage Racks	40
Up-Ender, Steel	39

Description	Page No.
RACKS	
Vertical Bar	20
STANDS	
Hi-Boy, Utility	19
Machine Cabinet	35
Machine Floor	34
Tool, Extra Heavy Duty	18
Tool, Heavy Duty	18
TABLES	
Hopper	14
Utility	16, 17
Mij	19
TRUCKS	
Beverage	4
Box	12
Cage Stock	13
Cradle	7
Divided Shelf	10
Dolly	11
Dolly Platform	5
Double End, Heavy Duty	6
Drum Dolly	37
Enclosed Shelf	13
Fork Truck Hook Attachments	42
Garment	12
Hand Dump	12
Kik-Out	4
Open Side	11
Packing & Strapping	11
Platform, Steel	5
Shop	8
Shop, Extra Heavy Duty	7
Single End, Heavy Duty	6
Sliding Shelf	13
Stock, Five Shelf, Heavy Duty	10
Tank Dolly	39
Tote-All	14
Tote Pan	14
Two Wheel, Hand	4
Warehouse, Heavy Duty	6
UNITS	
Casters and Wheels	46
Grizzly-Zorber	43
Pigeon Hole Bin	20
Writing Shelf	12

GENERAL TERMS and CONDITIONS

CATALOG PRODUCT NUMBER: When ordering any item, specify the catalog product number as shown to avoid error in processing your order.

PRICES: All prices are established F.O.B., our Factory, Cleveland, Ohio, U.S.A., and subject to change without notice. We reserve the right to invoice at prices in effect at time of shipment. Resale pricing submitted to distributors on request. Prices do not include any applicable taxes, duties or any other governmental charges.

SPECIFICATIONS: Subject to change without notice.

ROUTING SHIPMENTS: Unless a preferred routing is specified on your order, shipment will be made best way (sea, air or rail freight; express; commercial truck or parcel post), transportation collect. Where shipment is prepaid at the purchaser's request, a separate invoice will be issued for such freight charges.

DAMAGED GOODS: Instruct your drayman not to accept any items from the Transportation Company unless they are in perfect condition. If he discovers any damage, the Carrier's Agent must make the proper notation on the receipt.

CONCEALED DAMAGE: Should the damage not be discovered until after the items are unpacked, it should be reported AT ONCE to the Agent, who will make an inspection and grant a "concealed damage" notation. This report must be made to Agent of delivering carrier immediately. Unless this is done, all items replaced or repaired on account of damage shall be at YOUR expense. We cannot be held responsible, for the goods left our plant in perfect condition and so signed for by the Transportation Company.

RETURNED SHIPMENTS: Goods are not to be returned without written permission from our Company. A handling charge shall be made on all goods returned, as well as reconditioning charge if required.

CHANGES AND CANCELLATIONS: Goods designated as "special" are not subject to changes or cancellations as they are manufactured for each individual order.

All prices in this Catalog are subject to change without notice. F. O. B. Factory, Cleveland, Ohio, U.S.A.

Copyright © 1964 Pucel Enterprises Inc.

Printed in U. S. A.

Grizzly®

Photo Index

Cabinets
Pages 21-23



Work Benches
Pages 24-27,31



Stands
Pages 16-19



Machine Stands
Pages 34, 35



Roto-Tilt
Pages 44-45



Fork Attachments
Page 42



Cabinet Trucks
Page 15



Drum Equipment
Pages 36-41, 44



Trucks
Pages 5-13



Cabinet Work Benches
Pages 32-33



Hand Trucks
Page 4



Work Bench Accessories
Pages 28-30

Quality Guarantee

All Grizzly Equipment is fully guaranteed to be manufactured in accordance with commercial standards and specifications shown in our catalog. Equipment is fully inspected before leaving our plant and is guaranteed against defective workmanship for 3 months from date of purchase. However, we cannot be held responsible for abuse by user beyond normal usage.

This is your guarantee of a product of highest quality.

PUCEL ENTERPRISES, INC.
3746 Kelley Avenue • Cleveland 14, Ohio

Designed for years of Rugged Usage

All Welded Construction

Rigid--No rivets or bolts to keep tight.
Wobbles, squeaks and rattles eliminated.

Completely Assembled* Ready for Immediate Use on Delivery. Saves Time -- Money -- No Production Delays.

Compact, Neat Appearance, Well Finished, appropriate for even office or home use.

Highest Quality at lowest possible price.

ALL PURPOSE HAND TRUCKS

For general use in stock, shopping and receiving rooms, and for beverage and other deliveries.

All welded tubular frame with tubular curb jumper, rigid axle for strength and durability. Rugged, all edges rounded and smooth for appearance and safety, finished in Safety Orange.

Large rubber tired wheels with ball bearings for easy handling, even over curbs, give quiet operation and absorb shock.



Models #60 & 61

Models #50 & 51

Models #60 & #61
A compact light weight narrow truck.

Models #50 & 51
With extensions at top for handling large cartons, boxes, rolls, cans.

Models #90 & 91
For extra heavy duty work.

Model #89
Smaller rubber tired wheels and enclosed top frame, for light duty use.



Models #90 & 91



Model #89

PREMIUM BEVERAGE TRUCK

MODELS #30 & #31
PREMIUM BEVERAGE TRUCK

Well balanced with plastic grip handles, pneumatic tires, narrow width and extended large curb jumper for added strength in handle and stops make easier and quicker handling of 6 beverage case loads — up and down stairs.

MODELS #30 & #31

KICK - OUT TRUCK

MODELS #40 & #41

Foot activated Kick-Out Bar to eject loads---Pushes light loads off toe plate or pushes truck away from heavy loads.



MODELS #40 & #41

Model	Overall Height	Frame Width	Overall Width	Toe Plate	Wheels	Weight	Price
30	49"	10"	19"	8" x 11"	10 x 2.75 Semi-Pneumatic	32	$31.00
31	49"	10"	19"	8" x 11"	10 x 3.50 Pneumatic	35	39.50
40	48"	14"	20"	7" x 14"	10 x 2.75 Semi-Pneumatic	42	33.00
41	48"	14"	20"	7" x 14"	10 x 3.50 Pneumatic	40	41.50
60	49"	11"	20"	8" x 11"	10 x 2.75 Semi-Pneumatic	31	24.50
61	49"	11"	20"	8" x 11"	10 x 3.50 Pneumatic	34	33.00
50	78"	14"	20"	7" x 14"	10 x 2.75 Semi-Pneumatic	48	29.50
51	78"	14"	20"	7" x 14"	10 x 3.50 Pneumatic	51	38.50
90	48"	14"	20"	7" x 14"	10 x 2.75 Semi-Pneumatic	37	23.00
91	48"	14"	20"	7" x 14"	10 x 3.50 Pneumatic	40	31.50
89	45-1/2"	14"	18-1/2"	8" x 14"	8 x 1.75 Semi-Pneumatic	27	15.95

DOLLY PLATFORM TRUCKS

1600 LBS. CAPACITY – SEMI-STEEL WHEELS
900 LBS. CAPACITY – SOLID RUBBER WHEELS
LOW DECK – 5-1/8" FROM FLOOR



A low priced truck, designed with a low bed for easy lifting and loading of materials from the floor. Ideal for stores, offices, etc. Heavy 12 gauge steel deck. 2 rigid and 2 ball bearing swivel casters. Removable tubular push handle.

OVERALL HEIGHT – 36" -- FINISH – SHOP GREEN

Model	Dimensions in Inches			Shipping Weight	Price With 4" x 1½" Solid Rubber Wheels	Price With 4" x 1½" Semi-Steel Wheels
	Width		Length			
PTD-30	24	x	30	56	$46.75	$44.00
PTD-36	24	x	36	63	48.95	45.85
PTD-48	24	x	48	72	52.80	49.70
EXTRA HANDLE BARS				10	Includes Sockets	10.75
EXTRA HANDLE SOCKETS				4	Welded on Truck	5.10

STEEL PLATFORM TRUCKS

2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1400 LBS. CAPACITY—SOLID RUBBER WHEELS



Durable free moving platform truck to absorb the roughest usage. Reinforced steel platfrom with removable tubular push handle 36" from floor. Platform 9-3/4" from floor.

2 rigid and 2 ball bearing swivel casters. Other casters quoted on request.

OVERALL HEIGHT – 36" -- FINISH – SHOP GREEN

Model	Dimensions in Inches			Shipping Weight	Price With 6" x 2" Solid Rubber Wheels	Price With 6" x 2" Semi-Steel Wheels
	Width		Length			
PT-2448	24	x	48	110	$65.90	$64.60
PT-2848	28	x	48	118	68.10	66.80
PT-3448	34	x	48	130	73.15	71.90
PT-2460	24	x	60	121	69.40	70.10
PT-2860	28	x	60	131	72.70	71.50
PT-3460	34	x	60	144	78.50	77.30
PT-2472	24	x	72	133	75.90	74.70
PT-2872	28	x	72	144	77.30	76.00
PT-3472	34	x	72	160	81.00	79.80
PT-2496	24	x	96	155	81.25	80.10
PT-2896	28	x	96	170	86.50	85.30
PT-3496	34	x	96	191	91.70	90.50
EXTRA HANDLE BARS				10	Includes Sockets	10.75
EXTRA HANDLE SOCKETS				4	Welded to Truck	5.10

HEAVY DUTY WAREHOUSE TRUCK

5000 LBS. CAPACITY



SOLID STEEL DECK, ALL WELDED CONSTRUCTION

For heavy industrial and warehouse use where severe service is needed. Large deck surface for bulky loads. The platform is 13" above floor. Bar handle of 1" steel pipe is removable. Other wheels and casters on request.

OVERALL HEIGHT — 36" -- FINISH — SHOP GREEN

Model	Dimensions in Inches			Shipping Weight	STANDARD RUNNING GEAR	Price
	Width		Length			
WT-3684	36	x	84	270	2 - Swivel Casters with 6" x 2" semi-steel wheels	$164.95
WT-3696	36	x	96	300	2 - Semi-steel wheels 12" x 2-1/2" on 1" axle	174.60
EXTRA HANDLE BARS				20	Includes Sockets	16.40
EXTRA HANDLE SOCKETS				8	Welded on Truck	6.50

HEAVY DUTY SINGLE END TRUCKS

1600 LBS. CAPACITY—SEMI-STEEL WHEELS
1400 LBS. CAPACITY—SOLID RUBBER WHEELS



All welded for rugged stock and general shop use with 1-3/4" x 3/16" angle posts, tubular push bar at a convenient 36" height from the floor.

Top shelf 22" from floor, tray sides on bottom shelf 2" high with 11-3/8" clearance between shelves, floor clearance 6-1/4". 2 rigid and 2 ball bearing swivel casters. Other casters quoted on request.

OVERALL HEIGHT — 36" -- FINISH — SHOP GREEN

Add $3.00 To The Printed Price For Flat Bottom Shelf

Model	Dimensions in Inches		Shipping Weight	Price With 5" x 1½" Solid Rubber Wheels	Price With 5" x 1⅝" Semi-Steel Wheels
	Width	Length			
TR-30	24	30	110	$56.90	$52.90
TR-36	24	36	120	61.80	57.75
TR-48	24	48	140	69.20	65.10

HEAVY DUTY DOUBLE END TRUCKS

1600 LBS. CAPACITY—SEMI-STEEL WHEELS
1400 LBS. CAPACITY—SOLID RUBBER WHEELS

All welded for widest variety of uses. Protective panel ends above top shelf with 1-3/4" x 3/16" angle posts. Tray sides 2" deep on bottom shelf. Top shelf 22" from floor with 11-3/8" clearance between shelves. 1-1/2" x 1/8" angle used to top ends of panels. Floor clearance 6-1/4". 2 rigid and 2 ball bearing swivel casters. Other casters quoted on request.

OVERALL HEIGHT — 36" -- FINISH — SHOP GREEN

Add $3.00 To The Printed Price For Flat Bottom Shelf

Model	Dimensions in Inches		Shipping Weight	Price With 5" x 1½" Solid Rubber Wheels	Price With 5" x 1⅝" Semi-Steel Wheels
	Width	Length			
TRE-30	24	30	140	$67.80	$63.80
TRE-36	24	36	150	72.10	68.60
TRE-48	24	48	170	80.00	76.00

The above units can be furnished with tray top at no extra cost.

EXTRA HEAVY DUTY SHOP TRUCK

ALL WELDED CONSTRUCTION
4000 LBS. CAPACITY

For moving heavy parts or large tote boxes and shearings to and from presses and other operations. Flat top for easy sliding of large dies, molds and castings on or off of top. Heavy and large structures can be fabricated on truck.

SPECIFICATIONS

Shelves: 12 gauge steel, long edges, double formed into channels
Posts: 2" x 2" x 3/16" angle
Casters: 2 swivel and 2 rigid, 8" x 2-1/2" semi-steel roller bearing wheels
Finish: Shop Green



All Models 36" High 10" Floor Clearance	Model	Dimensions in Inches Width - Length			Shipping Weight	Price
 21" Clearance between shelves	ET-2448-2	24	x	48	220	$104.00
	ET-2460-2	24	x	60	240	111.30
	ET-2472-2	24	x	72	260	118.50
	ET-2496-2	24	x	96	310	133.70
	ET-2848-2	28	x	48	230	109.60
	ET-2860-2	28	x	60	255	117.90
	ET-2872-2	28	x	72	280	126.10
	ET-2896-2	28	x	96	330	142.60
	ET-3448-2	34	x	48	256	119.30
	ET-3460-2	34	x	60	286	129.20
	ET-3472-2	34	x	72	316	139.10
	ET-3496-2	34	x	96	376	158.90
 9-5/8" Clearance between shelves	ET-2448-3	24	x	48	275	120.80
	ET-2460-3	24	x	60	305	131.70
	ET-2472-3	24	x	72	335	142.60
	ET-2496-3	24	x	96	405	165.40
	ET-2848-3	28	x	48	290	128.80
	ET-2860-3	28	x	60	325	141.30
	ET-2872-3	28	x	72	365	153.80
	ET-2896-3	28	x	96	440	178.30
	ET-3448-3	34	x	48	325	141.70
	ET-3460-3	34	x	60	370	156.60
	ET-3472-3	34	x	72	415	171.50
	ET-3496-3	34	x	96	505	191.20

CRADLE TRUCKS

4000 LBS. CAPACITY
ALL WELDED CONSTRUCTION



CRADLE TRUCK

Used for all types of pipe, tubing, bar stocks. Load centers itself for balance. Controlled maneuverability, turns in 36" radius.

SPECIFICATIONS

Length: 60" Cradle Width: 25"
Overal Width: 34" Height: 30"
Casters: Swivels, 8" x 2-1/2" semi-steel, roller bearing wheels.
Center Wheels: 14" x 2-1/2" semi-steel, roller bearing.
Finish: Shop Green

MODEL NO. - CRA-60 Shipping Weight - 350 Price - $197.50

Grizzly®

SHOP TRUCKS

HEAVY DUTY



ALL WELDED CONSTRUCTION

1600 LBS. CAPACITY— SEMI-STEEL WHEELS
1400 LBS. CAPACITY— SOLID RUBBER WHEELS

Used in shop operations with presses, screw machines, piece parts or shop boxes. Flat top for sliding heavy dies or tooling on and off. Tray shelves 2" deep.

All styles 32-1/2" high. Clearance between shelves on 3-shelf model -- 10"; 2-shelf model -- 21-7/8"

Floor Clearance -- 6-1/4".

Sturdy 12-gauge shelves with tubular push handle; 1-3/4" x 3/16" angle posts for added capacity. Extra strong Casters for durability and easy movement. Two of the wheels are swiveled for controlled maneuverability. Finish -- Shop Green.

ADD $3.00 TO THE PRINTED PRICE FOR FLAT BOTTOM SHELF

Model No.	No. of Shelves	Dimensions in Inches Width - Length	Shipping Weight	Price With 5" x 1½" Solid Rubber Wheels	Price With 5" x 1⅜" Semi-Steel Wheels
30 DT-2	2	24 x 30	105	$48.70	$44.90
30 DT-3	3	24 x 30	134	57.50	53.70
36 DT-2	2	24 x 36	115	53.10	49.30
36 DT-3	3	24 x 36	150	63.65	59.85
48 DT-2	2	24 x 48	135	59.75	55.95
48 DT-3	3	24 x 48	180	73.30	69.50

LADDER STOCK CART

With adjustable ladder to give quick, higher standing step for stock clerks and others to place items into and take from inventory and storage areas, and for moving such items to and from job and shipping locations.

All welded steel construction makes sure, safe and easy operation, is more popular with increased use.

SPECIFICATIONS

OVERALL DIMENSIONS: . . . . . 20" wide x 44" long x 48" high
SHELVES: . . . . . 14 gauge steel, Tray Type - 2" deep
CLEARANCE BETWEEN SHELVES: 13"
SIZE OF SHELVES: . . . . . Top - 20" x 32" -- Center - 20" x 36" -- Bottom - 20" x 41"
CASTERS: . . . . . 2 swivel, 2 rigid - 5" x 1-1/4" semi-steel, roller bearing wheels -- capacity per set - 2000#
FINISH: . . . . . Shop Green

Ladder is spring loaded and adjustable.

MODEL NO. - LT-20 Shipping Weight - 150 Price - $79.50

Same Price for Rubber Wheels

STOCK CARTS

Grizzly®

Built for Years of Easy Rolling Service.

Flat Top — SCF-5363

All welded, designed for rugged factory use yet with appearance satisfactory for office and store. Large capacity shelves save time and steps, on the assembly line, in the stock room, the office, in any one of many other operations.

No parts to loosen, rattle or squeak, even the Space Saver handle is welded in place. Hemmed edges on tray shelves protect products and your workers. 2-Ball bearing swivel casters on rear for easy steering, 2-Rigid casters at front. 2-1/2" deep tray shelves for small parts, flush top makes sliding of heavy parts on or off cart with little effort.

Finish: Shop Green. Caster Wheels, Solid Rubber.

Tray Top — SC-5362

Add $3.00 To The Printed Price For Flat Bottom Shelf

Shelves—16 ga. Structural Angle Legs All Trays—2½" Deep	Model	Dimensions in Inches Width - Length	Overall Height	Clearance Shelf	Caster Size	Shipping Weight	Price
All Tray Shelves	SC -3182	18 x 28	34"	25-1/4"	3"	47	$27.85
	SC -5182	18 x 28	36"		5"	50	31.80
	SC -3362	18 x 36	34"		3"	53	30.50
	SC -5362	18 x 36	36"		5"	56	34.45
	SC -5242	24 x 36	36"		5"	66	37.75
All Tray Shelves	SC -3183	18 x 28	34"	11-3/8"	3"	62	34.43
	SC -5183	18 x 28	36"		5"	65	38.40
	SC -3363	18 x 36	34"		3"	70	37.95
	SC -5363	18 x 36	36"		5"	73	41.90
	SC -5243	24 x 36	36"		5"	88	42.70
Flat Surface Top Shelf Tray Bottom Shelf	SCF-3182	18 x 28	34"	25-1/4"	3"	47	27.85
	SCF-5182	18 x 28	36"		5"	50	31.80
	SCF-3362	18 x 36	34"		3"	53	30.50
	SCF-5362	18 x 36	36"		5"	56	34.45
	SCF-5242	24 x 36	36"		5"	66	37.75
Flat Surface Top Shelf Tray Center and Bottom Shelves	SCF-3183	18 x 28	34"	11-3/8"	3"	62	34.45
	SCF-5183	18 x 28	36"		5"	65	38.40
	SCF-3363	18 x 36	34"		3"	70	37.95
	SCF-5363	18 x 36	36"		5"	73	41.90
	SCF-5243	24 x 36	36"		5"	88	42.70

STEP LADDER

ATTACHMENT

FOR GRIZZLY STOCK CARTS
MAKES YOUR CART MORE VERSATILE
SIMPLE INSTALLATION
BOLTS TO LEGS AT SWIVEL CASTER END
LADDER IS SPRING LOADED AND ADJUSTABLE

Ladders ordered with Stock Carts will be welded at no extra cost.

Finish: Shop Green — 48" High Overall

MODEL NO. - SL-18	Used on 18" Wide Carts	SHIPPING WT. - 40#	PRICE - $27.50
MODEL NO. - SL-24	Used on 24" Wide Carts	SHIPPING WT. - 45#	PRICE - $29.50

FIVE SHELF STOCK CARTS

300 LBS. CAPACITY



Large volume capacity stock cart for filling orders and other purposes. All welded construction with 1-1/2" x 1/8" angle posts, and push handle located 39-1/2" high for balanced handling, adds 3" to overall length of cart.

4 Top trays, with 2-1/2" sides, can be reversed at no extra cost. 2 rigid and 2 swivel casters.

Weight capacity of the carts can be more than doubled with heavier duty casters, prices on request.

Overall Height with Semi-Steel Casters . . .58-1/2"
Overall Height with Rubber Casters . . . . .58-1/4"
Shelf Clearance . . . . . 10" Floor Clearance . . 5-3/4"
Finish. . . . . Shop Green

Add $3.00 To The Printed Price For Flat Bottom Shelf

Model	Dimensions in Inches		Shipping Weight	Price With 5" x 1" Solid Rubber Wheels	Price With 5" x 1¼" Semi-Steel Wheels
	Width	Length			
L-1828	18"	28"	105	$53.30	$58.20
L-1836	18"	36"	119	66.90	71.70
L-2436	24"	36"	144	71.40	76.10

FIVE SHELF HEAVY DUTY TRUCKS

3000 LBS. CAPACITY



For large and heavy stock orders, for shop, tool-room and production line. All welded with 1-3/4" x 3/16" angle posts, top trays of 12 gauge steel, can be reversed at no extra cost.

Tubular push handle at right height for easy maneuvering adds but 3" to overall length.

2 swivel and 2 rigid casters. Other casters priced on request.

Overall Height . . . . 65-3/4"
Shelf Clearance . . . . . 12"
Floor Clearance . . . . 7-3/4"
Finish. . . . . Shop Green

Add $3.00 To The Printed Price For Flat Bottom Shelf

Model	Dimensions in Inches		Shipping Weight	Price With 6" x 2" Rubber Wheels	Price With 6" x 2" Semi-Steel Wheels
	Width	Length			
H-2430	24"	30"	219	$ 89.55	$ 88.30
H-2436	24"	36"	247	100.50	99.30
H-2448	24"	48"	299	118.85	113.50

DIVIDED SHELF TRUCK

800 LBS. CAPACITY



Large variety of uses - in warehouses, factories, and offices. For order filling, stock picking, parts routing. Five shelf surfaces on each side. Double shelves pitched to slope toward center to prevent material from falling off of truck while in motion. Material can be slid on and off with ease.

SPECIFICATIONS

42" Long 22" Wide 55-3/4" High Overall
Solid divider thru center, shelves 11" deep and slope 2" to center, 12" clearance from bottom to first shelf, other shelves have 8" clearance.
Casters: 2 rigid, 2 swivels, 5" x 1-1/4" rubber wheels.
Finish: Shop Green All Welded Construction

MODEL NO. - DV-2242 Shipping Weight - 200 Price - $107.15

OPEN SIDE TRUCK

800 LBS. CAPACITY

ALL WELDED CONSTRUCTION

For factory, hospital and office use. Used as a book cart, stock picker's truck, linen truck, or office record truck.

SPECIFICATIONS

Overall Dimensions: 18-1/2" wide x 45" long x 50" high
Shelves: 18" x 39", 18 gauge steel, flat surface
Casters: 4 swivels, 5" x 1-1/2" solid rubber, ball bearing wheels
Push Handles: Tubular, one at each end
Finish: Shop Green

MODEL NO. - OST-39 | Shipping Weight - 110 | Price - $69.50

STEEL DOLLIES

1200 LBS. CAPACITY—SEMI-STEEL WHEELS
800 LBS. CAPACITY—SOLID RUBBER WHEELS



Rugged, all welded 12 gauge steel dollies castered for easy movement.

Sides 2" deep, floor clearance 5", with 2 rigid and 2 ball bearing swivel casters. Top reversed on request at no extra cost.

Other dollies and wheels on request.

Finish - Shop Green.

Model	Dimensions in Inches		Shipping Weight	Price With 4" x 1½" Rubber Wheels	Price With 4" x 1½" Semi-Steel Wheels
	Width	Length			
D-30	24	30	44	$33.05	$30.25
D-36	24	36	49	34.70	31.90
D-48	24	48	60	38.20	35.40

PACKING & STRAPPING TRUCK

1200 LBS. CAPACITY—SEMI-STEEL WHEELS
800 LBS. CAPACITY—SOLID RUBBER WHEELS
ALL WELDED CONSTRUCTION



ADJUSTABLE TOP LOADING RACKS





Speeds up shipping room operations, designed to pass steel strapping or rope under cartons or bundles which can be lifted off unit with sling, fork truck, etc. Adjustable top loading racks can be positioned anywhere along the length of base, and locked in place by screw knobs, (one on each side). The base is a tray 2" deep and can be used for storage of strapping material. The top loading racks have hinged lids. When down they provide a flat surface (6-1/2" x 23-1/2") used for cartons, boxes, crates, etc. When opened at 180 degrees they expose a cradle rest used for tubing, pipe, rounds and irregular shapes and the covers can be used for storage trays.

SPECIFICATIONS

Overall Height: 16-1/2"; 9" clearance between load and bottom
Cradle: 23-1/2" long x 6-1/2" wide
Finish: Shop Green

Model	Size	Maximum Opening Between Racks	Shipping Weight	Price With 4 x 1½" Solid Rubber Wheels	Price With 4" x 1½" Semi-Steel Wheels
PST-30	24" x 30"	13"	104	$72.55	$69.75
PST-36	24" x 36"	23"	110	74.20	71.40
PST-48	24" x 48"	35"	120	77.70	74.90

BOX TRUCKS



THE GRIZZLY BOX TRUCK is designed for the handling of packaged goods in department stores, warehouses and line operations.

Widely used for the disposal of waste materials.

All welded, rugged construction. Box is constructed of heavy gauge steel, top edges hemmed around band iron.

The truck is tilt type mounted on two central rigid casters and one swivel caster at the center of each end. Turns within half of its length.

Equipped with 5" x 1-1/4" solid rubber, soft tread casters. Other Casters furnished on request.

Finish -- Shop Green.

Model	Box Size Width - Depth - Length	Height OA	Shipping Weight	Price
BT-36	24" x 24" x 36"	30"	95	$46.75
BT-48	24" x 24" x 48"	30"	115	54.45

HAND DUMP TRUCK



All welded, heavy gauge steel, rugged leakproof construction, 8" from Bottom, designed especially for carrying and dumping parts, metal chips and waste material into pits and containers by forward lift. Front slanted for easy dumping. Casters — 2 rigid, front, and 1 swivel, rear, make easy manueverability into and out of close, narrow quarters.

Handy in machine shops, screw machine operations, production and assembly lines.

SPECIFICATIONS

FINISH: . . . . . Shop Green --- TOP: . . . . . 42" long x 24" wide -- BOTTOM: . . . . . 29" long x 24" wide
BOX: . . . . . 18" deep -- 23" high ---------- HANDLE: . . . . . 36" from floor
CASTERS: . . . . . 2 rigid, 1 swivel ball bearing - 4" x 1-1/2" - semi-steel wheels

MODEL HDT-42 . . . . . SHIPPING WEIGHT 120# . . . . . PRICE $55.80

Special Dump Trucks Designed on Request

GARMENT TRUCK



Used in garment factories, department stores, laundries, cleaners, motels, hotels. Handy for order filling. Light weight, easy to maneuver.

SPECIFICATIONS

Overall Length: 74" Width: 20-1/2" Height: 66"
Frame: 1-1/16" Tubular Steel Finish: Gray

ALL WELDED CONSTRUCTION

MODEL NO. GT-72-1 with 5" x 1" solid rubber wheels . . . . . SHIPPING WEIGHT 50# . . . . . PRICE $42.80
MODEL NO. GT-72-2 with 5" x 1-1/4" solid rubber wheels . . . . . SHIPPING WEIGHT 55# . . . . . PRICE $51.50

WRITING SHELF ATTACHMENT



FOR STOCK CARTS AND SHOP TRUCKS. Clamps on any type of tray shelf at least 1-1/2" deep. Writing surface is 13" x 18" — 10" high at center. Paint Finish: Shop Green. Used for Order Fillers, Stock Pickers and Inventory Control.

MODEL NO. WS-24 SHIPPING WEIGHT 12# PRICE $ 9.95

SLIDING SHELF TRUCK

Grizzly

1600 LBS. CAPACITY–SEMI-STEEL WHEELS

1400 LBS. CAPACITY–SOLID RUBBER WHEELS

LARGE VOLUME CAPACITY TRUCK
REMOVABLE SHELVES

Ruggedly built of all steel welded construction. Ready for use. All corners and all edges are round for safe handling without damage to other equipment.
See Thru design for visual load inspection.
For large or heavy stock orders and other purposes.
Shelves are easily removed by sliding out of channels permitting truck to be used for large bulky materials.

18" Clearance Between Shelves Prices Include Two (2) Shelves,
Extra Shelves Priced On Request Paint Finish: Gray Enamel

Model	Dimensions in Inches				Shipping Wt.	Price With 5" x 1½" Rubber Wheels	Price With 5" x 1½" Semi-Steel Wheels
	Length	Width	Height	Shelf Size			
SS-48	56"	37"	66"	36" x 48"	266#	$114.45	$112.30
SS-60	68"	37"	66"	36" x 60"	298#	124.05	121.90
SS-72	72"	37"	66"	36" x 72"	330#	133.65	131.50



ENCLOSED SHELF TRUCK

800 LBS. CAPACITY

For Warehouses, Factories and Offices---
For order picking, stock filling, parts routing. Five shelf surfaces slope 1" to the back to prevent material from falling off of truck while in motion.
Material can be slid on and off with ease.

SPECIFICATIONS

Overall Dimensions: 16" wide x 45" long x 62" high
Shelves: 16" x 44" ----20 Ga. steel
Casters: 2 swivel, 2 rigids, 5" x 1-1/4" solid rubber wheels
Finish: Shop Green All Welded Construction

MODEL NO. EST-44	SHIPPING WEIGHT 110#	PRICE $69.50

CAGE STOCK TRUCK

800 LBS. CAPACITY

For variety of uses, on the assembly line, in the stock room and many other operations.
See-thru design for visual load inspection.
Used for drying purposes, paper truck, etc.

SPECIFICATIONS

Overall Dimensions: 24-1/2" wide x 42" long x 62" high
Shelves: 24" x 36" ---16 Ga. steel
Casters: 2 swivel, 2 rigids, 5" x 1-1/4" solid rubber wheels
Paint Finish: Shop Green

MODEL NO. CST-24	SHIPPING WEIGHT 135#	PRICE $67.00
Additional Shelves (Optional)	SHIPPING WEIGHT 24#	PRICE $ 6.95

Shelves are furnished with welded clips that rest on Band Iron strips

TOTE-ALL HAND TRUCK

COMBINATION 4/WHEEL CART OR
2/WHEEL HAND TRUCK

Ideal for Luggage, Packages, Small Boxes, Tanks. Instrument Carrier — Testing Machines Vacuum Cleaning Tanks — Paint Spray Units —

SPECIFICATIONS

Inside Dimensions of Bottom: 24" wide, 16-1/2" deep. Sides: 28" high, 23-1/2" deep, front to back. 30" wide overall, 41-1/2" high overall. Wheels: 8"x1.75 Semi-Pneumatic rubber tired. Casters: 3"x1" solid rubber swivels. ALL WELDED CONSTRUCTION. Finish — Shop Green.

MODEL NO. TA-24 — SHIPPING WEIGHT 52# — PRICE $42.50

TOTE PAN HAND TRUCK

FOR TRAYS, BOXES, TOOLS, DIES & ORDER PICKING

ALL WELDED CONSTRUCTION



Sits level on 4 wheels for loading and unloading beside machines or assembly benches. Can be maneuvered on 2 large semi-pneumatic wheels as a hand truck or pushed as a cart on 4 wheels. Two swivel casters in front for easy turning.

SPECIFICATIONS

SIZE OF TRAY: . . . 12" x 24" -- CLEARANCE BETWEEN TRAYS: . . . 12", Bottom Tray 3-3/4" from floor -- HEIGHT OVERALL: . . . 42", 22" from front to back wheel WHEELS: . . . 8" x 1.75 semi-pneumatic rubber tired CASTERS: . . . 3" x 1" solid rubber swivels --- PAINT FINISH: . . . Shop Green

MODEL NO. TPH-24 . . . . . SHIPPING WEIGHT 55# . . . . . PRICE $39.50

HOPPER TABLES



All welded construction, used beside machines for holding tote box on the sloping lipped top shelf filled with parts, which operator feeds into the machine operation, the machined parts are dropped into the chute opening into the tote box on the bottom shelf. Tote box filled with machined parts is then transferred to the next operation. These operations are repeated on the production line resulting in quicker and lower production costs with less fatigue on the workers. Hopper Tables are especially used on small parts production and assembly.



SPECIFICATIONS

WIDTH:	14-1/4"
LENGTH:	29-1/4"
HEIGHT:	Back - 36" -- Front - 30" with 1" Stop
CHUTE OPENING:	6" x 12"
BOTTOM SHELF CLEARANCE FROM FLOOR:	6-1/2"
CLEARANCE BETWEEN BOTTOM SHELF AND CHUTE:	12"
FINISH:	Shop Green

Model	Description	Shipping Weight	Price
TH-14	With Pads	37	$14.90
TH-14C	With 2-1/2" Pressed Steel Swivel Casters	40	19.80

PORTABLE CABINET WORK BENCHES

Grizzly

HEAVY DUTY



PC-48S with Riser Vise Shelf

All welded, for repairmen, maintenance workers, millwrights, electricians, and other spot workers, providing large storage place for tools and parts, with adequate top work area, back and side stops to prevent tools and parts from falling off top -- all to give more efficient work operation, especially eliminating otherwise necessary trips to another work bench and stock room.



PC-48S

SPECIFICATIONS

Shelf: 24-3/4" x 47-3/4".

Dimensions: Top, 26" x 48", Height, 34" to bench top, 3" back stop; Overall height, 37" (48" overall height with riser); Total overall length, 63"; Vise shelf, 12" x 26" - vise shelf standard on all models.

Caster wheels -- 5" x 1-1/2" for easy rolling -- 2 rigid and 2 ball bearing swivel casters. Additional shelves and drawers designed into units for special requirements.

Finish - Shop Green.

Model	Description	Shipping Weight	Price
PC-48S	Semi-Steel Wheels	250	$124.65
PC-48R	Solid Rubber Hard Tread Wheels	247	128.25
PC 48-SP	Semi-Steel Wheels & Floor Locks	266	145.40
PC 48-RP	Solid Rubber Hard Tread Wheels & Floor Locks	263	150.00
R 48	Steel Bench Riser Shelf (Optional)	20	6.95
	Keyed Handle (Optional)		2.20
	Additional Shelf (Optional)	26	10.40

LIGHT DUTY



All welded, designed for light duty, particularly in smaller operations.

DIMENSIONS:

TOP . . . . . 21-1/4" x 36".
HEIGHT:. . . . . 34" to Work Surface, 3" Back Stop.
SHELF SIZE:. . . . . 19" x 35-3/4", adjustable on 2" Centers.
FINISH: . . . . . Shop Green.



Model	Caster Description	Shipping Weight	Price
PC-36S	5" x 1-1/4" Semi-Steel, Plain Brg. Wheels	118	$56.40
PC-36R	5" x 1" Solid Rubber, Plain Brg. Wheels	110	49.50
PC-36RH	5" x 1-1/4" Solid Rubber, Plain Brg. Wheels	114	55.70
	Floor Lock (Optional)	5	12.50
	Additional Shelf (Optional)	16	6.40

PDC SERIES

EQUIPPED WITH FOUR LARGE DRAWERS, FRICTION SLIDE GUIDES, INSIDE DIMENSIONS --20" WIDE X 18" LONG X 4" DEEP

INSIDE CABINET SIZE: 10-1/2" WIDE X 20" DEEP X 25" HIGH

TOP . . . . . 21-1/4" x 36"
HEIGHT . . . . . 34" TO WORK SURFACE, 3" BACK STOP
FINISH. . . . . SHOP GREEN

Model	Caster Description	Shipping Wt.	Price
PDC-36S	5" x 1-1/4" Semi-Steel, Plain Brg. Wheels	188	$96.90
PDC-36R	5" x 1" Solid Rubber, Plain Brg. Wheels	180	90.00
PDC-36H	5" x 1-1/4" Solid Rubber, Plain Brg. Wheels	184	96.20
	Floor Lock (Optional)	5	12.50

UTILITY TABLES

All welded construction, handle heavy loads of tools, parts and other items for production workers, machine operators, and repairmen on assembly lines beside machines, in garages, shops and warehouses.



SDC

LC3

SPECIFICATIONS

SHELVES: . . . . . S Models ----- 16 Gauge
H-L-K Models - 14 Gauge
ANGLE LEGS: . . . S Models ----- 1-1/4" x 1/8"
H-L-K Models - 1-1/2" x 1/8"
DRAWER SIZE (ID): . 14" wide x 16" deep x 5" high

ALL MODELS CAN BE FURNISHED WITH 5" DIAMETER, SOLID RUBBER, BALL BEARING SWIVEL CASTERS -- Use Price of Caster Models, PLUS . . . $7.60.
Add $1.30 to price for 2-1/2" Solid Rubber Wheels

	31" High Overall Floor Pads Welded to Legs				34" High Overall With Casters 4 Swivels 2½" Dia. Pressed Steel Wheels		
	Size	Model	Shipping Weight	Price	Model	Shipping Weight	Price
 WITH TOP AND BOTTOM SHELVES	19 x 25	ST	32	$11.95	SC	35	$16.85
	23 x 24	HT	43	13.85	HC	46	18.75
	20 x 28	LT	44	14.05	LC	47	18.95
	24 x 36	KT	60	17.00	KC	63	21.90
 WITH TOP, BOTTOM AND CENTER SHELVES	19 x 25	S3	42	15.35	SC3	45	20.25
	23 x 24	H3	57	17.85	HC3	60	22.75
	20 x 28	L3	59	18.45	LC3	62	23.45
	24 x 36	K3	83	23.90	KC3	86	28.80
 WITH TOP, BOTTOM AND CENTER SHELVES AND #1416-1 DRAWER	19 x 25	SD3	57	24.70	SD3C	60	29.60
	23 x 24	HD3	69	27.20	HD3C	72	32.10
	20 x 28	LD3	71	27.80	LD3C	74	32.70
	24 x 36	KD3	95	33.25	KD3C	98	38.15

UTILITY TABLES

Grizzly®

Back and side stops on shelves prevent parts and other items from rolling off. Drop fronts for sliding items on and off, and for easy cleaning. Steel pads on legs avoid floor marks. Sturdy, deep drawers furnished with attachment for padlock.

Swiveled castered models for movement of parts and tools from machine to machine.

Finish - Shop Green

Utility Table with 5" Casters



H3D

SPECIFICATIONS

SHELVES: . . . . . S Models ----- 16 Gauge
H-L-K Models - 14 Gauge
ANGLE LEGS: . . . S Models ----- 1-1/4" x 1/8"
H-L-K Models - 1-1/2" x 1/8"
DRAWER SIZE (ID): . 14" wide x 16" deep x 5" high

ALL MODELS CAN BE FURNISHED WITH 5" DIAMETER, SOLID RUBBER, BALL BEARING SWIVEL CASTERS -- Use Price of Caster Models, PLUS . . . $7.60
Add $1.30 to price for 2-1/2" Solid Rubber Wheels

	31" High Overall Floor Pads Welded to Legs				34" High Overall With Casters 4 Swivels 2½" Dia. Pressed Steel Wheels		
	Size	Model	Shipping Weight	Price	Model	Shipping Weight	Price
 WITH TOP AND BOTTOM SHELVES AND #1416-1 DRAWER	19 x 25	SD	47	$21.30	SDC	50	$26.20
	23 x 24	HD	58	23.20	HDC	61	28.10
	20 x 28	LD	59	24.40	LDC	62	29.30
	24 x 36	KD	75	26.35	KDC	78	31.25
 WITH TOP AND BOTTOM SHELVES AND #1416-2 DRAWER UNIT	19 x 25	S2D	77	35.60	S2DC	80	40.50
	23 x 24	H2D	88	37.50	H2DC	91	42.40
	20 x 28	L2D	89	37.70	L2DC	92	42.60
	24 x 36	K2D	105	40.65	K2DC	108	45.55
WITH TOP AND BOTTOM SHELVES AND #1416-3 DRAWER UNIT	19 x 25	S3D	98	43.30	S3DC	101	48.20
	23 x 24	H3D	109	45.20	H3DC	112	50.10
	20 x 28	L3D	110	45.40	L3DC	113	50.30
	24 x 36	K3D	126	48.35	K3DC	129	53.25

HEAVY DUTY TOOL STANDS

2000 LBS. CAPACITY
ALL WELDED CONSTRUCTION

NO. 30-

Heavy Duty Tool Stands have a broad usage in many industries where heavier than average weights are a daily occurrence. Flat top for sliding heavy dies, tooling or shop boxes on and off. Used by machine operators as a service table.

Floor clearance - 6-9/16".

Pads on bottom of legs protect floors.

Finished in Shop Green.

·RAY SHELVES - 2" DEEP -- SHELVES CAN BE REVERSED AT NO EXTRA COST.

ALL MODELS: .32-1/2" High Overall SHELVES: . . .12 Gauge Steel LEGS: . . . . .1-3/4" x 3/16" Angle Iron	Model	Dimensions in Inches Width - Length	Shipping Weight	Price
 TOP AND BOTTOM SHELVES Shelf Clearance - 22 inches	30-2	24 x 30	83	$30.10
	36-2	24 x 36	95	34.45
	48-2	24 x 48	116	42.10
 TOP, BOTTOM AND CENTER SHELVES Shelf Clearance - 9-5/8 Inches	30-3	24 x 30	112	38.90
	36-3	24 x 36	130	45.10
	48-3	24 x 48	161	55.70

EXTRA HEAVY DUTY TOOL STANDS

4000 LB. CAPACITY



For handling long lengths of sheet metal. Placed beside shears, brakes, presses. Used as a feeder table. Layout table for plates, large dies, molds.

FOR EXTREME HEAVY LOAD REQUIREMENTS

ALL WELDED CONSTRUCTION ---------- ALL SHELVES FLAT SURFACES ---------- PAINT: SHOP GREEN

ALL MODELS: .36" High SHELVES: . . .12 Gauge Steel LEGS: . . . . .2" x 2" x 3/16" Angle	Model	Dimensions in Inches Width - Length	Shipping Weight	Price
 Clearance from floor to bottom shelf . . . . . 8" Clearance between shelves. . 23-1/2"	HS-2448-2	24 x 48	135	$ 45.00
	HS-2460-2	24 x 60	155	51.00
	HS-2472-2	24 x 72	175	57.00
	HS-2496-2	24 x 96	215	72.40
	HS-2848-2	28 x 48	145	48.90
	HS-2860-2	28 x 60	170	55.80
	HS-2872-2	28 x 72	195	62.40
	HS-2896-2	28 x 96	245	80.20
	HS-3448-2	34 x 48	165	54.90
	HS-3460-2	34 x 60	190	62.70
	HS-3472-2	34 x 72	240	71.70
	HS-3496-2	34 x 96	280	91.00
 Clearance from floor to bottom shelf . . . . . 8" Clearance between shelves. . 10-5/8"	HS-2448-3	24 x 48	185	60.30
	HS-2460-3	24 x 60	215	69.30
	HS-2472-3	24 x 72	245	78.00
	HS-2496-3	24 x 96	305	100.00
	HS-2848-3	28 x 48	205	66.30
	HS-2860-3	28 x 60	240	76.50
	HS-2872-3	28 x 72	275	86.00
	HS-2896-3	28 x 96	350	111.70
	HS-3448-3	34 x 48	230	75.30
	HS-3460-3	34 x 60	280	89.40
	HS-3472-3	34 x 72	335	100.20
	HS-3496-3	34 x 96	405	128.20

"MIJ" TABLE

FOR FASTER PRODUCTION LINE NEEDS

Grizzly®



TC-213

Rugged - Compact - High Quality at Low Cost

All welded construction, used as a durable service table for handling parts during production, beside Drill Presses, Punch Presses, Lathes, Automatics and other machines. Holds tote boxes at the right height for rapid handling, less fatigue for operator. Casters move table to tote pan, little effort required to place pan on table and move to next operation.

Back and side stops on shelves, drop front on all shelves.

Finished in Shop Green.

Add $1.30 to Price for 2-1/2" Solid Rubber Wheels

ALL MODELS: . 13" wide x 23" long SHELVES: . . . 16 Gauge Steel LEGS: . . . . . Structural Angle		Models With Floor Pads Welded to Legs					Caster Models 2½" Pressed Steel Wheels		
		Model	Height of Top Shelf	Shelf Clearance	Shipping Weight	Price	Model	Shipping Weight	Price
	TOP AND BOTTOM SHELVES	T -213	23"	16"	24	$ 8.75	TC -213	25	$13.65
		TE-213	30"	21"	27	9.85	TEC-213	28	$14.75
	TOP, BOTTOM AND CENTER SHELVES	T -313	23"	7-1/2"	29	10.95	TC -313	30	$15.85
		TE-313	30"	10"	32	12.05	TEC-313	33	$16.95

"MIJ" BOX-CARTS



B213

Combines a Tote Box with a highly manuverable cart. For stocking assembly lines and machines, moving work parts in warehouses and stock rooms, collecting and moving items in tool cribs and shipping rooms.

Easily turned in even narrow aisles, speeds up jobs, reduces work fatigue by eliminating manual lifting of heavy shop boxes and places parts at a normal work elevation.

BC213

SPECIFICATIONS

OVERALL DIMENSIONS: . . . . . 13" wide x 23" long x 31" high
BOX:. . . . . 6" deep
CLEARANCE BETWEEN BOX AND SHELF: . . . . . 17"
BOTTOM SHELF: . . . . . 8" from Floor
FINISH: . . . . . Shop Green

MODEL B-213 . . . Shipping Weight 28# . . . . . Price $12.95
With Floor Pads

MODEL BC-213 . . Shipping Weight 29# . . . . . Price $17.50
With 2-1/2" Pressed Steel Casters

"HI-BOY" UTILITY STAND



Both Models 28-1/2" wide; 20-1/2" deep, 43" overall height; 42" height of table top. Side and Back Stops 1" high on all shelves.
Drawer I.D. 14" x 16" x 5", with padlock attachment.

400 LBS. PER SHELF
COMBINATION TABLE AND STORAGE RACK
TOP AND HEIGHT JUST RIGHT FOR STAND-UP WORKING SURFACE

Hi-Boy Tables are designed and built to carry heavy loads of parts, tools and production items. Used as service tables for machine operators, repairmen, production workers, and on assembly lines. Ideal for many uses in garages, small shops and warehouses. Provide excellent storage for dies, tools and testing instruments; convenient to presses and other machines.

Back and side stops on shelves prevent roll-off of parts. Drop fronts for sliding items on and off and for easy cleaning. Steel pads on legs avoid floor marks. All welded construction - no assembly required by users. Ready for immediate use.

Drawer slides effortlessly on ball bearing rollers. Positive stop can be released for drawer removal. Sliding tray 13-1/2" x 8" x 1" holds small items within easy reach.

MODEL NO. 28 - THREE SHELVES	SHIPPING WEIGHT 74#	PRICE $26.00
MODEL NO. 28D - THREE SHELVES AND DRAWER	SHIPPING WEIGHT 82#	PRICE $34.50

Grizzly®

PIGEON HOLE BIN UNITS

All welded, rigid units, completely assembled ready for use.

Used for parts inventory and control in factories, stores and warehouses.

Firmly attached label holders also used as stops, holding loose parts from falling out of openings. With the unit placed so the label holders are at the top, parts and other material can easily be slid out of openings.

Units have modular lengths, are interchangeable, can be set in combinations in racks; or tiered, one on the other to any height, with units bolted together for firmer attachment.



MODEL NO. 7242



MODEL NO. 4021



MODEL NO. 2421



MODEL NO. 4242

Model	No. Compartments	Height	Width	Depth	Compartment Size	Size Label Holder	Shipping Weight	Price Each
7242	72	42"	35-1/2"	11-7/8"	4-1/2" wide 4-1/2" high	1"	97	$59.50
4242	42	42"	35-1/2"	11-7/8"	5-5/8" wide 6" high	2"	95	59.50
2421	24	21"	35-1/2"	11-7/8"	5-5/8" wide 5-1/4" high	2"	40	35.00
4021	40	21"	35-5/8"	11-7/8"	4-1/4" wide 4-1/4" high	1"	55	39.50

VERTICAL BAR RACK



Provides most efficient storage in limited areas and near jobs for tubing, pipe, rods, bars and like shapes, with 4 tray type shelves for short pieces.

All arc-welded - 1-1/2" x 1/8" angle and 16 gauge tray-shelves.

84" high, 36" wide, 24" bottom, depth of shelves - bottom 6", top 6-3/8", second 10", third 14". 4 sturdy arms extend 8" beyond each shelf for separation of stock.

Approximate shipping weight - 110 lbs. Finish - Shop Green.

MODEL NO. VB 3684 | SHIPPING WEIGHT 110# | PRICE $43.95

TOOL CABINET BENCHES

Grizzly®

All Welded Completely Assembled Ready for use



C-1848-K



C-1848-K



C-1824

Heavy duty benches provide solid working surface plus closed door storage for tool rooms, shop, garages, shipping and stock operations, and are rigid for bench type machines.

Benches with GRIZZLY drawers and casters quoted on request.

ADDITIONAL SHELF (Optional)

Shelf Size	Shipping Weight	Price
18" x 23-3/4"	11	$ 4.40
18" x 47-3/4"	20	8.00
24" x 35-3/4"	19	7.60
24" x 47-3/4"	25	10.00

Any Standard Grizzly Bench Drawer Unit may be installed in these Cabinets. See page 30 .

SPECIFICATIONS

TOP: . . . . . 12 Gauge Steel with Back Stops 3" high with Side Stops that taper to 1-1/2" in front. Overall Height 37".
SIDE LEG PANELS: . 14 Gauge Steel.---------- SHELVES: . . . . . .16 Gauge Steel.
DOORS: . . . . . 18 Gauge Steel.---------- FINISH: . . . . . Shop Green.

Model	Height	Width	Depth	Shelf Size	No. of Shelves	No. of Doors	Shipping Weight	Price
C-1824	34"	24"	19"	18" x 23-3/4"	2	1	112	$33.60
C-1824-K	Cylinder Lock in Door Handle (2 Keys)							36.90
C-1848	34"	48"	19"	18" x 47-3/4"	1	2	166	54.70
C-1848-K	Cylinder Lock in Door Handle (2 Keys)							58.00
C-2436	34"	36"	25"	24" x 35-3/4"	1	2	160	49.10
C-2436-K	Cylinder Lock in Door Handle (2 Keys)							52.40
C-2448	34"	48"	25"	24" x 47-3/4"	1	2	190	65.60
C-2448-K	Cylinder Lock in Door Handle (2 Keys)							68.90

STANDING SHOP DESK

Open, all welded, heavy gauge steel construction - used by foremen, supervisors, time study men, superintendents, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with drawers with and without individual locks, pigeon-hole top, back and side stops, in various combinations in the models listed, or in special combinations to meet individual needs.

Completely assembled, ready for immediate use.

Finish - Shop Green.



MODEL NO. 1236 with P66
(Pigeon Hole Unit Optional Extra)



MODEL NO. 1236

SPECIFICATIONS

WIDTH:	All Models - 36"		SHELF:	34" wide x 12" deep - 8" from floor.
DEPTH:	All Models - 30"		DRAWERS:	Standard Grizzly Drawer Units, see Page 8 for specifications.
OVERALL HEIGHTS:	Front	Back	FINISH:	Shop Green.
Basic Unit	43"	48"		
With P-36 Unit	43"	53"		
With P-66 Unit	43"	57"		
SIDE AND BACK STOPS:	3" high at Back, tapers to 1-1/2" at Front.			Any standard Grizzly Bench Drawer Unit or Bench Cabinet Unit may be used on this Unit.



BASIC UNIT

MODEL NO. 1036 . Shipping Weight 85#. Price $38.70



BASIC UNIT WITH TWO NO. 1416-1 DRAWER UNITS

MODEL NO. 1236 . Shipping Weight 115#. Price $57.40



BASIC UNIT WITH NO. 2024-4 DRAWER UNIT

MODEL NO. 1436 . Shipping Weight 225#. Price $92.70



BASIC UNIT WITH TWO NO. 1424-4 DRAWER UNITS

MODEL NO. 1836 . Shipping Weight 325#. Price $131.80



PIGEON HOLE UNIT

Three 4" x 12" Openings

MODEL NO. P-36 . Shipping Weight 26# . Price $5.70



PIGEON HOLE UNIT

Six 4" x 12" Openings

MODEL NO. P-66 . Shipping Weight 40# . Price $10.80

SHOP CABINET DESKS



NO. 2036

Enclosed, all welded, extra heavy gauge steel construction - used by superintendents, foremen, supervisors, time study men, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with doors, drawers, with or without individual locks, pigeon-hole top, or in special combinations on request to meet particular needs. Shelves adjustable in 2" centers.

Completely assembled, ready for use.

Finish - Shop Green.



NO. 3236
(With No. P-36 Unit)
(Pigeon Hole Unit Optional Extra)

SPECIFICATIONS

WIDTH:	All Models - 36"	
DEPTH:	All Models - 30"	
OVERALL HEIGHTS:	Front	Back
Basic Unit	43"	48"
With P-36 Unit	43"	53"
With P-66 Unit	43"	57"
DRAWERS:	GRIZZLY 1416-1 - ID - 14" wide x 16" deep x 5" high. Any GRIZZLY Standard Bench Drawer can be used with this Unit. See Page 30.	
SIDE AND BACK STOPS:	3" high at back, tapers to 1-1/2" at Front.	
SHELF SIZE:	28-3/4" x 35-7/8"	
SHELF CLEARANCES:		
3 Shelf Unit	Floor to Bottom Shelf	7"
	Bottom Shelf to Center Shelf	11-3/4"
	Center Shelf to Top Shelf	8"
	Top Shelf to Desk Top	12"
2 Shelf Unit	Floor to Bottom Shelf	7"
	Bottom Shelf to Top Shelf	19-3/4"
	Top Shelf to Desk Top	12"



NO. 3036
(With No. P-36 Unit)
(Pigeon Hole Unit Optional Extra)



NO. P-36 UNIT



NO. P-66 UNIT

Model	No. of Shelves	No. of Drawers	Shipping Weight	Price
2036	2		184	$75.55
2136	2	1	202	82.20
2236	2	2	219	88.85
3036	3		205	82.20
3136	3	1	222	88.85
3236	3	2	240	95.50
P-36	Pigeon Hole Unit 3 - 4" x 12" openings x 9" deep		15	5.70
P-66	Pigeon Hole Unit 6 - 4" x 12" openings x 9" deep		24	10.80
	Cylinder Lock for Drawers			3.00
	Cylinder Lock in Door Handle			3.00

WORK BENCHES



BSD-2872

ALL WELDED CONSTRUCTION

Reinforced plate steel tops. Reinforced channel stringers on all models. Shelving of channel reinforced construction to hold heavy loads and avoid sagging. Legs are channel formed with gussets for additional strength.

All welded construction -- no bolts, rivets or other parts that have to be continually tightened.

COMPLETELY ASSEMBLED READY FOR USE



SPECIFICATIONS

TOPS	12 Gauge Steel
BACK AND SIDE STOPS	12 Gauge Steel
LEGS	12 Gauge Steel
STRINGERS	16 Gauge Steel
SHELVES	16 Gauge Steel

LEGS SET IN 2" FROM END OF TOP



All 8 Ft. Models have 3 Bench Legs Drawer as shown

ALL MODELS: SHOP GREEN FINISH -- 32-1/2" HIGH TO WORK SURFACE (34" Height Furnished on Request).

	Model	Size of Top	Shipping Weight	Price
FLAT TOP WITH STRINGER 	F -2448	24" x 48"	107	$38.90
	F -2460	24" x 60"	120	44.30
	F -2472	24" x 72"	134	50.30
	F -2496	24" x 96"	180	64.75
	F -2848	28" x 48"	118	41.10
	F -2860	28" x 60"	132	46.50
	F -2872	28" x 72"	148	52.50
	F -2896	28" x 96"	198	68.10
	F -3448	34" x 48"	132	46.50
	F -3460	34" x 60"	148	52.50
	F -3472	34" x 72"	164	56.50
	F -3496	34" x 96"	220	73.40
FLAT TOP WITH STRINGER AND SHELF -- 15-1/4" Deep 	FS -2448	24" x 48"	125	44.30
	FS -2460	24" x 60"	142	51.15
	FS -2472	24" x 72"	160	58.40
	FS -2496	24" x 96"	214	74.80
	FS -2848	28" x 48"	132	46.50
	FS -2860	28" x 60"	150	53.35
	FS -2872	28" x 72"	170	60.60
	FS -2896	28" x 96"	229	78.10
	FS -3448	34" x 48"	150	53.35
	FS -3460	34" x 60"	170	60.60
	FS -3472	34" x 72"	186	64.40
	FS -3496	34" x 96"	250	83.60

WORK BENCHES

Grizzly®

BACK STOPS - 3" High
SIDE STOPS - 3" High at Back, Taper to 1-1/2" at Front

ALL MODELS: SHOP GREEN FINISH -- 32-1/2" HIGH TO WORK SURFACE (34" Height Furnished on Request).

	Model	Size of Top	Shipping Weight	Price
FLAT TOP WITH STRINGER AND DRAWER UNIT -- #1424-1  Drawer Size: 14" wide x 23-1/2" deep x 5" high	FD -2448	24" x 48"	132	$51.50
	FD -2460	24" x 60"	145	56.90
	FD -2472	24" x 72"	159	63.00
	FD -2496	24" x 96"	205	77.45
	FD -2848	28" x 48"	143	53.70
	FD -2860	28" x 60"	157	59.00
	FD -2872	28" x 72"	173	65.20
	FD -2896	28" x 96"	223	80.60
	FD -3448	34" x 48"	158	59.00
	FD -3460	34" x 60"	174	65.20
	FD -3472	34" x 72"	189	69.00
	FD -3496	34" x 96"	245	86.10
FLAT TOP WITH STRINGER AND SHELF AND DRAWER UNIT -- #1424-1  Drawer Size: 14" wide x 23-1/2" deep x 5" high	FSD-2448	24" x 48"	150	56.90
	FSD-2460	24" x 60"	167	63.80
	FSD-2472	24" x 72"	185	71.00
	FSD-2496	24" x 96"	239	87.40
	FSD-2848	28" x 48"	157	59.00
	FSD-2860	28" x 60"	175	65.85
	FSD-2872	28" x 72"	195	73.10
	FSD-2896	28" x 96"	253	90.75
	FSD-3448	34" x 48"	176	69.00
	FSD-3460	34" x 60"	196	73.10
	FSD-3472	34" x 72"	211	77.10
	FSD-3496	34" x 96"	275	96.60
TOP WITH BACK, SIDE STOPS AND STRINGER 	B -2448	24" x 48"	108	39.30
	B -2460	24" x 60"	121	44.60
	B -2472	24" x 72"	135	50.70
	B -2496	24" x 96"	181	65.20
	B -2848	28" x 48"	119	41.50
	B -2860	28" x 60"	133	46.80
	B -2872	28" x 72"	149	52.95
	B -2896	28" x 96"	199	68.45
	B -3448	34" x 48"	133	46.80
	B -3460	34" x 60"	149	52.90
	B -3472	34" x 72"	166	57.30
	B -3496	34" x 96"	222	74.30
TOP WITH BACK, SIDE STOPS, STRINGER AND SHELF -- 15-1/4" Deep 	BS -2448	24" x 48"	126	44.70
	BS -2460	24" x 60"	143	51.40
	BS -2472	24" x 72"	161	58.70
	BS -2496	24" x 96"	215	75.20
	BS -2848	28" x 48"	133	46.80
	BS -2860	28" x 60"	151	53.70
	BS -2872	28" x 72"	171	60.90
	BS -2896	28" x 96"	229	78.50
	BS -3448	34" x 48"	151	53.60
	BS -3460	34" x 60"	171	60.90
	BS -3472	34" x 72"	188	65.30
	BS -3496	34" x 96"	252	84.35

WORK BENCHES

BACK STOPS - 3" High - 12 Ga. Steel
SIDE STOPS - 3" High at Back, Taper to 1-1/2" at Front

ALL MODELS SHOP GREEN FINISH --- 32-1/2" HIGH TO WORK SURFACE (34" Height On Request)

TOP WITH BACK, SIDE STOPS AND DRAWER UNIT -- #1424-1



Drawer Size: 14" wide x 23-1/2" deep x 5" high

Model	Size of Top	Shipping Weight	Price
BD -2448	24" x 48"	133	$52.00
BD -2460	24" x 60"	146	57.30
BD -2472	24" x 72"	160	63.30
BD -2496	24" x 96"	206	77.80
BD -2848	28" x 48"	144	54.10
BD -2860	28" x 60"	158	59.40
BD -2872	28" x 72"	174	65.50
BD -2896	28" x 96"	224	81.00
BD -3448	34" x 48"	159	59.40
BD -3460	34" x 60"	175	65.50
BD -3472	34" x 72"	191	69.85
BD -3496	34" x 96"	247	86.90

TOP WITH BACK, SIDE STOPS, STRINGER SHELF AND DRAWER UNIT -- #1424-1



Drawer Size: 14" wide x 23-1/2" deep x 5" high

Model	Size of Top	Shipping Weight	Price
BSD-2448	24" x 48"	151	57.40
BSD-2460	24" x 60"	168	64.10
BSD-2472	24" x 72"	186	71.30
BSD-2496	24" x 96"	240	87.80
BSD-2848	28" x 48"	158	59.40
BSD-2860	28" x 60"	176	66.30
BSD-2872	28" x 72"	196	73.40
BSD 2896	28" x 96"	254	91.00
BSD-3448	34" x 48"	177	66.25
BSD-3460	34" x 60"	197	73.40
BSD-3472	34" x 72"	213	77.85
BSD-3496	34" x 96"	277	97.00

HARD TEMPERED PRESSED WOOD TOPS

Pressed wood top - 1/4" thick - is attached directly over heavy steel top. Attached with countersunk flat head bolts at each corner. Used for working with finished parts, die layout, instrument and electrical work.

ADD THE FOLLOWING PRICES TO STEEL WORK BENCHES OR OTHER GRIZZLY EQUIPMENT

Size	Price
24" x 48"	$4.60
24" x 60"	5.70
24" x 72"	6.90
24" x 96"	9.10

Size	Price
28" x 48"	$ 5.70
28" x 60"	7.15
28" x 72"	8.60
28" x 96"	11.40

Size	Price
34" x 48"	$ 6.80
34" x 60"	8.50
34" x 72"	10.25
34" x 96"	13.65

PORTABLE WORK BENCHES



Portable Steel Work Benches with telescopic handles for maintenance men, inspectors, and others, who move about to have their bench and equipment immediately available.

Any standard GRIZZLY Work Bench can be furnished as a Portable Work Bench. Telescopic handles slide under bench when not in use. Large 4" x 1-1/2' semi-steel rigid wheels for easy moving and for steady bench work.

Specify "PORTABLE" with your order showing regular number of standard bench. Shipping weight of each unit is increased approximately 20 lb Finish - Shop Green.

Add $13.75 to Standard Work Bench Price

HARD MAPLE TOP WORK BENCH

Grizzly®

ELECTRONICALLY GLUED

These hard maple Bench or Table Tops are made of selected edge grain Maple strips, accurately machined, glued with radio frequency high pressure presses. Outside laminations 1-3/8" wide, center laminations 3/4" wide. Reinforced with concealed steel tie rods. Top surface and edges sanded smooth. Finish clear natural non-toxic lacquer.

Standard GRIZZLY bench legs, stringer, and hard maple tops can be assembled into a sturdy work bench in minutes. Other standard GRIZZLY accessories (Drawer Units -- Cabinet Units -- Shelves -- Back & Side Stops -- Risers) can be quickly attached to adapt a complete Bench to suit your particular needs. Parts shipped for your assembly.



Model #W-3072 with #SH-72 Bench Shelf

Prices shown are for a complete basic bench including bolts, nuts, lag screws and lock washers, K. D. ready for assembly. For prices of other accessories: Bench Risers, Side and Back Stops and Shelves, Bench Drawer Units, and Bench Cabinet Units, See Pages 26-30.

ALL HARD MAPLE BENCH TOPS -- 1-3/4" THICK

ALL MODELS: SHOP GREEN FINISH -- OVERALL HEIGHT, INCLUDING TOP OF BENCH - 34-1/4"



TOP, TWO BENCH LEGS AND ONE STRINGER



TOP, THREE BENCH LEGS AND ONE STRINGER

Model	Size of Top	Shipping Weight	Price
W- 2448	24" x 48"	110	$ 53.85
W- 2460	24" x 60"	128	65.00
W- 2472	24" x 72"	143	76.15
W- 3048	30" x 48"	130	66.10
W- 3060	30" x 60"	150	79.20
W- 3072	30" x 72"	168	92.30
W- 3648	36" x 48"	152	77.65
W- 3660	36" x 60"	171	93.45
W- 3672	36" x 72"	193	109.00
W- 2484	24" x 84"	179	91.90
W- 2496	24" x 96"	194	102.95
W-24120	24" x 120"	225	125.15
W-24144	24" x 144"	256	147.55
W- 3084	30" x 84"	210	112.85
W- 3096	30" x 96"	228	121.40
W-30120	30" x 120"	262	154.10
W-30144	30" x 144"	306	183.10
W- 3684	36" x 84"	240	132.80
W- 3696	36" x 96"	262	149.00
W-36120	36" x 120"	307	181.75
W-36144	36" x 144"	352	214.50

WORK BENCH RISERS





The Storage capacity of your Work Bench may be substantially increased without reducing the work area on bench by an easily attached Riser. Slides easily between standard Grizzly Side and Back Stops, or attaches to sides of flat wood or steel top.

SPECIFICATIONS			
List No.	Length "L", Inches	Shipping Weight	Price
R-48	48	19	$ 7.65
R-60	60	23	9.20
R-72	72	27	10.25
R-96	96	34	11.95

Cabinet Finish - Shop Green

WORK BENCH ACCESSORIES

SIDE- AND BACK-STOP SETS



Paint Finish - Shop Green. 12 Gauge Steel.
EACH SET CONSISTS OF TWO SIDE STOPS (right and left) AND ONE BACK STOP.

List No.	Dimensions in Inches					Shipping Weight of Sets	Price
	A	B	C	D	E		
2448	5-1/4	24	3-1/2	5-1/4	48	16	$ 6.10
2460	5-1/4	24	3-1/2	5-1/4	60	18	6.80
2472	5-1/4	24	3-1/2	5-1/4	72	20	7.50
2496	5-1/4	24	3-1/2	5-1/4	96	23	8.45
2848	5-1/4	28	3-1/2	5-1/4	48	18	6.90
2860	5-1/4	28	3-1/2	5-1/4	60	20	7.55
2872	5-1/4	28	3-1/2	5-1/4	72	22	8.25
2896	5-1/4	28	3-1/2	5-1/4	96	27	9.90
3448	5-1/4	34	3-1/2	5-1/4	48	19	7.30
3460	5-1/4	34	3-1/2	5-1/4	60	21	7.95
3472	5-1/4	34	3-1/2	5-1/4	72	24	8.95
3496	5-1/4	34	3-1/2	5-1/4	96	29	10.60

STRINGERS



Paint Finish - Shop Green. 16 gauge one inch channel reinforced construction.

List No.	Dimensions in Inches		Shipping Weight	Price
	F	G		
ST- 36	4-1/4	32	4	$ 2.20
ST- 48	4-1/4	44	6	3.05
ST- 60	4-1/4	56	7-1/2	3.95
ST- 72	4-1/4	68	9	4.80
ST- 84	4-1/4	80	10-1/2	5.70
ST- 96	4-1/4	92	12	6.60
ST-120	4-1/4	116	15	8.35

SHELVES



Paint Finish - Shop Green. 16 gauge one inch channel reinforced construction.

List No.	Dimensions in Inches		Shipping Weight	Price
	H	J		
SH- 36	15-1/4	32	13	$ 5.70
SH- 48	15-1/4	44	18	7.30
SH- 60	15-1/4	56	22	8.60
SH- 72	15-1/4	68	26	10.00
SH- 84	15-1/4	80	30	11.30
SH- 96	15-1/4	92	34	12.60
SH-120	15-1/4	116	42	15.30
SH- 36-F	23-1/2	32	18	7.30
SH- 48-F	23-1/2	44	24	9.30
SH- 60-F	23-1/2	56	30	11.30
SH- 72-F	23-1/2	68	36	13.30
SH- 84-F	23-1/2	80	42	15.30
SH- 96-F	23-1/2	92	48	17.20
SH-120-F	23-1/2	116	60	21.20

BENCH LEGS





These sturdy all steel legs are designed to withstand severe usage and support weight far in excess of normal conditions. Top and cross members permanently welded to legs. Reinforced channel construction -- gusset strengthened. Adequate holes provided for attachment of bench top, shelf and stringer. Steel floor pads with holes for attachment to floor.

BL-58 Bench Leg furnished with center upright channel.

Finish - Shop Green. Bench Legs for special requirements on request.

SPECIFICATIONS

List No.	Dimensions in Inches					Shipping Weight Each	Price Each	Price Pair
	A	B	C	D	E			
BL-22	22	32-1/2	15-1/2	18	9-1/2	20	$ 6.30	$12.60
BL-28	28	32-1/2	19-1/2	22	9-1/2	22	6.95	13.90
BL-34	34	32-1/2	23-1/2	26	9-1/2	24	7.60	15.20
BL-46	46	32-1/2	35-1/2	38	9-1/2	28	8.90	17.80
BL-58	58	32-1/2	47-1/2	50	9-1/2	34	11.25	22.50

WORK BENCH CABINET UNITS



No. CU18 unit



No. CU18 unit mounted beside drawer in steel work bench



No. CUK-36 unit

Cabinet storage can be more efficient than drawers for many items, which can be placed neatly and are not subject to being jarred or rolled around as in a drawer.

Heavy gauge steel used throughout with flanged reinforcement.

Use with either wood top or all metal benches. Quickly fastened to wood top with bolts or lag screws. Easily attached to metal top with machine bolts and angle iron supports furnished on request. Holes are elongated in tops of unit and supports for rapid alignment with bolts.

Model No.	Dimensions in Inches				Lock	Shipping Weight	Price Each
	Length	Height	Depth	Shelf Clearance			
CUK-36	36	19	19	8	Yes	95	$45.20
CU36	36	19	19	8		95	39.20
CUK-18	18	19	19	8	Yes	55	30.60
CU18	18	19	19	8		55	24.60

Finish - Shop Green. Please indicate on order if unit is for installation with steel or wood bench.

BENCH TRAY



Easily attaches to front edge of work bench with bolts or wood screws. Wipe small parts - screws, nuts, etc. - off top into tray. Ideal for maintenance and assembly.

Dimensions: 4" wide x 1-1/4" deep, 2" high back

Model	Length	Shipping Weight	Price
TA-48	48	8	$4.00
TA-60	60	10	5.00
TA-72	72	12	6.00

BENCH DRAWER UNITS

Drawer units can be fastened to either wood or steel benches, tables, desks or counters.

All welded construction. Padlock attachments for each drawer. Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer. Fingers fit easily into drawer pull. Drawer slides effortlessly on BALL BEARING nylon rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 13-1/2" x 8" in 1416 and 1424 Series; 19-1/2" x 8" x 1" in 2024 Series.



Single Drawer Unit



Two Drawer Unit



Three Drawer Unit

Overall Outside Dimensions

HEIGHT, ALL UNITS: . . . . . One Drawer — 5-3/4"; Two Drawer — 12-1/2"; Three Drawer — 18-1/2"; Four Drawer — 24-1/2".

WIDTH, 1416 & 1424 SERIES: . . . 16-1/4"; 2024 SERIES: — 22-1/4".

DEPTH, 1416 SERIES: . . . . . 16-1/2" 1424 & 2024 SERIES: — 24".

	Individual Drawer Size 14" wide x 16" deep x 5" high			Individual Drawer Size 14" wide x 23-1/2" deep x 5" high			Individual Drawer Size 20" wide x 23-1/2" deep x 5" high		
Unit Description	No.	Shipping Weight	Price	No.	Shipping Weight	Price	No.	Shipping Weight	Price
1 Drawer	1416-1	15	$ 9.35	1424-1	26	$10.90	2024-1	30	$13.00
2 Drawer	1416-2	45	23.65	1424-2	60	28.95	2024-2	74	32.90
3 Drawer	1416-3	66	31.35	1424-3	90	37.75	2024-3	105	43.45
4 Drawer	1416-4	87	39.50	1424-4	120	46.55	2024-4	136	54.00

Approximate Shipping Weights Shown Above Include Attachment Hanger.
Finish: Shop Green

PANEL-END WORK BENCHES

STEEL TOP

ALL PURPOSE BENCH - FORMED PEDESTAL LEGS - MODERN



MP-2860



MP-2860 with #1416-1 Drawer Unit

New closed-end styling for modern appearance and construction. All welded, heavy gauge steel construction. Completely assembled for immediate use. Full shelf in each model designed for heavy duty, 8" from floor. Drawer Units, Side & Back Stops furnished on request.

BENCH TOP 32-1/2 INCHES FROM FLOOR -- GRAY ENAMEL FINISH

Model	Dimensions in Inches (Width x Length)			Shipping Weight	Price Each
	Top	Base	Shelf		
MP-2848	28 x 48	22 x 40	20 x 39	131	$49.50
MP-2860	28 x 60	22 x 52	20 x 51	146	54.50
MP-2872	28 x 72	22 x 64	20 x 63	165	59.50

HARD MAPLE TOP



MODEL NO. WP-3060



Tops: 1-3/4" thick, electronically glued, edge grain. Outside laminations: 1-3/8" wide, center 3/4" wide. Finish: Clear natural non-toxic lacquer.

Model	Dimensions in Inches (Width x Length)			Shipping Weight	Price
	Top	Base	Shelf		
WP-3048	30 x 48	22 x 40	20 x 39	142	$ 82.60
WP-3060	30 x 60	22 x 52	20 x 51	168	98.30
WP-3072	30 x 72	22 x 64	20 x 63	190	112.50

CABINET BASE WORK BENCHES

Grizzly®

With door and four drawer units form the overall base, in multiple or single bench runs in various combinations, with steel or electronically glued laminated maple wood tops for standard and particular requirements. Cabinet bench tops can be furnished with side and back stops, and risers (See pages 25 - 28). Laminated tops also furnished in 1-1/4, 1-5/8, 2, 2-1/4, and 3 inch thicknesses.



MODEL - CDB-3072-W

ALL MODELS: 34" HIGH OVERALL WITH NO. 6 BASE -- WOOD TOP - NATURAL FINISH -- METAL FINISH - SHOP GREEN

WITH STEEL TOPS	MODEL	Size of Top	Bases, 16" wide 21" deep	Shipping Weight	Price
	CB -2860-S	28" x 60"	Cabinets	205	$ 83.60
	CB -2872-S	28" x 72"	Cabinets	230	87.50
	DB -2860-S	28" x 60"	Drawers	300	131.40
	DB -2872-S	28" x 72"	Drawers	320	135.30
	CDB-2860-S	28" x 60"	Cabinets, Drawers	240	107.50
	CDB-2872-S	28" x 72"	Cabinets, Drawers	275	111.40
WITH HARD MAPLE BENCH TOPS — 1 3/4" Thick					
	CB -3060-W	30" x 60"	Cabinets	210	111.70
	CB -3072-W	30" x 72"	Cabinets	235	121.70
	DB -3060-W	30" x 60"	Drawers	305	159.50
	DB -3072-W	30" x 72"	Drawers	325	169.50
	CDB-3060-W	30" x 60"	Cabinets, Drawers	245	139.50
	CDB-3072-W	30" x 72"	Cabinets, Drawers	280	149.50

DOOR CABINET
26" High

Shelf adj. in 2" centers.
One shelf with unit.

MODEL #BC-1 Shipping Wgt. - 55#. .$24.70
With Keyed Handle 27.70
Extra Shelf 3.50
Base Not Included

DRAWER CABINET
26" High



Individual drawer size: 14" wide x 20-1/2" deep x 5" high

Sliding tray in each Drawer holds small items within easy reach.
Tray size: 13-1/2" x 8"

MODEL #DC-1 Shipping Wgt. - 100#. $48.60
Cabinet with Cylinder Lock. . . 60.60
Base Not Included

BASE
6-1/4" High



NO. 6 BASE
Shipping Weight . . . . . 8#
Price Each $5.90

CABINET WORK BENCHES
(with Sliding Doors)

Grizzly®



All welded, heavy gauge steel construction, with steel or wood tops, with and without sliding doors. Sliding doors are factory installed, equipped with cylinder lock and 2 keys, and doors are not sold separately. Shelves adjustable on 2" centers. Completely assembled, ready for immediate use.

Laminated wood tops also furnished in thicknesses of 1-1/2", 1-5/8", 2", 2-1/4" and 3". Side and back stops, bench risers and drawers can be added, see pages 28-30. Finish - Shop Green.

ALL MODELS: 34" HIGH OVERALL

WITH STEEL TOPS 12 Gauge	Model	Size of Top	Base, 25" Deep	Shipping Weight	Price
	CS-2860	28" x 60"	Basic Unit	204	$ 61.90
	CS-2872	28" x 72"	Basic Unit	234	69.50
	CS-2860-S	28" x 60"	Basic Unit with Shelf	239	70.90
	CS-2872-S	28" x 72"	Basic Unit with Shelf	274	80.00
	CS-2860-D	28" x 60"	Basic Unit with Sliding Doors	248	91.90
	CS-2872-D	28" x 72"	Basic Unit with Sliding Doors	286	102.10
	CS-2860-SD	28" x 60"	Basic Unit with Shelf & Sliding Doors	283	100.90
	CS-2872-SD	28" x 72"	Basic Unit with Shelf & Sliding Doors	326	112.60
WITH HARD MAPLE BENCH TOPS — 1 3/4" Thick			**Overhang on Front, 5"**	NATURAL WOOD FINISH	
	CW-3060	30" x 60"	Basic Unit	220	97.50
	CW-3072	30" x 72"	Basic Unit	254	111.65
	CW-3060-S	30" x 60"	Basic Unit with Shelf	255	106.50
	CW-3072-S	30" x 72"	Basic Unit with Shelf	295	122.15
	CW-3060-D	30" x 60"	Basic Unit with Sliding Doors	264	127.50
	CW-3072-D	30" x 72"	Basic Unit with Sliding Doors	306	144.25
	CW-3060-SD	30" x 60"	Basic Unit with Shelf & Sliding Doors	300	136.50
	CW-3072-SD	30" x 72"	Basic Unit with Shelf & Sliding Doors	346	154.75
Extra Shelves	S-60	60" long x 22" wide		35	9.00
	S-72	72" long x 22" wide		40	10.50

MACHINE FLOOR CABINETS

FOR BASE CABINET USE WITH BENCH TYPE MACHINES



CT-3635 With
NO. 1015 Shelves

Rugged, all welded cabinets with 1-1/8" coolant tops with 1/2" pipe connection.

Attractive gray enamel finish, black drawers with chrome handles.

A model for every purpose, floor lugs to secure base to floor. Removable side shelves as accessory to hold tote pans and other production items.

Drawer size and model - GRIZZLY 1416-1 (14" wide ID x 16" long ID x 5" deep ID). All drawers equipped with stops, ball bearing nylon rollers and 1" deep tool tray.

Models, enclosed with back and door, are without shelves. Shelves furnished on request.

No. 1015 . . . . Removable Side Shelf (Shelf Surface - 10" x 15") . . . . Shipping Weight 10# . . . . . Price $4.30



MODEL NO. CT-2830
20" wide
28" long
30" high

MODEL NO. CT-2835
20" wide
28" long
35" high

Model No. CT-2830 . Shipping Weight 90# . Price $45.60
Model No. CT-2835 . Shipping Weight 96# . Price $51.35



MODEL NO. CT-3630
20" wide
36" long
30" high

MODEL NO. CT-3635
20" wide
36" long
35" high

Model No. CT-3630 . Shipping Weight 100#. Price $51.35
Model No. CT-3635 . Shipping Weight 106#. Price $57.15



MODEL NO. CF-2830
20" wide
28" long
30" high

MODEL NO. CF-2835
20" wide
28" long
35" high

MODEL NO. CF-3630
20" wide
36" long
30" high

MODEL NO. CF-3635
20" wide
36" long
35" high

Model No. CF-2830 . Shipping Weight 80# . Price $39.85
Model No. CF-2835 . Shipping Weight 86# . Price $47.40
Model No. CF-3630 . Shipping Weight 90# . Price $47.45
Model No. CF-3635 . Shipping Weight 96# . Price $53.10



MODEL NO. CM-2830
20" wide
28" long
30" high

MODEL NO. CM-2835
20" wide
28" long
35" high

MODEL NO. CM-3630
20" wide
36" long
30" high

MODEL NO. CM-3635
20" wide
36" long
35" high

Model No. CM-2830 . Shipping Weight 95#. Price $59.55
Model No. CM-2835 . Shipping Weight 105#. Price $64.80
Model No. CM-3630 . Shipping Weight 115#. Price $65.35
Model No. CM-3635 . Shipping Weight 125#. Price $71.10

MACHINE CABINET STANDS

All welded for mounting Lathes, Grinders, Drill Presses, Tapping Machines, and for Work Bench Uses. CT Models are with Coolant Top with 1/2" pipe connection, DFT Models are with drop front, used for assembly and production work.

Designed for strength and appearance, finished in durable gray enamel, with black drawers and cabinet units, with chrome handles.

GRIZZLY 1416-1 drawer - 14" wide ID x 16" long ID x 5" deep ID, with stops, ball bearing nylon rollers and tool tray 1" deep (See Page 28). See Page 27 for CU-18 Work Bench Cabinet Unit details. Convenient shelf - 15-3/4" x 36".



MODEL CT-60

Coolant Top, Tray - 1-1/8" deep with 1/2" pipe tee.

22" wide
60" long
32" high

SHIPPING WEIGHT 198#

PRICE $94.50



MODEL NO. DFT-60

Drop Front Top.
Back and Side Stops - 1-1/8" high.

22" wide
60" long
32" high

SHIPPING WEIGHT 198#

PRICE $89.25



MODEL CT-60-C

With Cabinet Unit No. CU-18 and one drawer.

22" wide
60" long
32" high

SHIPPING WEIGHT 238#

PRICE $105.00



MODEL DFT-60C

With Cabinet Unit No.CU-18 and one drawer.

22" wide
60" long
32" high

SHIPPING WEIGHT 238#

PRICE $99.75



NO. 59 - MOTOR MOUNT BRACKET

Top Surface - 10" x 11-5/8"

Ten round holes for mounting and adjustment.

SHIPPING WEIGHT 10#

PRICE $6.00

NO. 60 - BRIDGE MOTOR MOUNT



The design of a few Machines, when placed on a machine cabinet, requires this additional mount for ease in aligning motor. Quickly attached.

SHIPPING WEIGHT 9#

PRICE $3.80

ALL EZY-DOWN DRUM CRADLES



Give maximum leverage with ease, break the heaviest loaded drums from vertical to horizontal position.

STANDARD UNIT



EBR 18 . . . . . 30" long, 18-1/2" wide, 19" high

EBR-24 . . . . . 30" long, 18-1/2" wide, 25" high

Model EBR-18	Shipping Weight 31#	Price $19.95
Model EBR-24	Shipping Weight 35#	Price $23.95

STANDARD UNIT WITH CASTERS



EBR-18C . . . . . 30" long, 18-1/2" wide, 20-1/2" high

EBR-24C . . . . . 30" long, 18-1/2" wide, 26-1/2" high

Model EBR-18C	Shipping Weight 34#	Price $22.95
Model EBR-24C	Shipping Weight 37#	Price $26.95

STANDARD UNIT WITH DRUM ROLLERS



EBR-18R . . . . . 30" long, 18-1/2" wide, 20" high

EBR-24R . . . . . 30" long, 18-1/2" wide, 26" high

Model EBR-18R	Shipping Weight 34#	Price $23.95
Model EBR-24R	Shipping Weight 37#	Price $27.95

Four 2" Semi-Steel rollers for positioning drum and manually rotating for mixture.

STANDARD UNIT WITH CASTERS & ROLLERS



EBR-18CR. . . . . 30" long, 18-1/2" wide, 20-1/2" high

EBR-24CR. . . . . 30" long, 18-1/2" wide, 27-1/2" high

Model EBR-18CR	Shipping Weight 36#	Price $26.95
Model EBR-24CR	Shipping Weight 40#	Price $30.95

Casters — All Models — 2" Semi-Steel - 2 Swivel, 3" Semi-Steel Wheels

ONE EZY-DOWN Handle operates many cradles.

CANNOT TWIST in operator's hands, positive control, does not slip.

ONE MAN OPERATION -- Push cradle lip under bottom rim of drum in vertical position. Slide EZY-DOWN Handle into receiver tubes, push down welded grabs over rim of drum. Downward pull on handle toward operator easily breaks and lays cradle with drum horizontally on floor for quick movement to any location.

EZY-DOWN Drum Cradles have all welded tubular frames and channel braces for modern styling and added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use.



EZY-DOWN HANDLE

Cradle and Handle Finish — Safety Orange

Model	Shipping Weight	Price
No. 18 EZY-DOWN Handle — All welded construction — Handle is separate from cradles	12#	$9.95



DRUM CRADLES

All Welded Tubular Frames. Channel Braces give modern styling plus added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready For Immediate Use.

AVAILABLE IN 30 GALLON SIZE
Use prices of 55 Gallon Drum Cradles

Dimensions of 30 Gallon Drum Cradle
28" long x 18" wide



Finish – Safety Orange

STANDARD UNIT



BR-18 — 30" long
18-1/2" wide
19" high

BR-24 — 30" long
18-1/2" wide
25" high

Model BR-18 . . Shipping Weight 26# . . . . . Price $14.95
Model BR-24 . . Shipping Weight 30# . . . . . Price $18.95

STANDARD UNIT WITH CASTERS



BR-18C — 30" long
18-1/2" wide
20-1/2" high

BR-24C — 30" long
18-1/2" wide
26-1/2" high

Model BR-18C . . Shipping Weight 29# . . . . Price $17.95
Model BR-24C . . Shipping Weight 33# . . . . Price $21.95

STANDARD UNIT WITH DRUM ROLLERS



BR-18R — 30" long
18-1/2" wide
20" high

BR-24R — 30" long
18-1/2" wide
26" high

Model BR-18R . . Shipping Weight 29# . . . . Price $18.95
Model BR-24R . . Shipping Weight 33# . . . . Price $22.95

Four 2" Semi-Steel rollers for positioning drum and manually rotating for mixture.

STANDARD UNIT WITH CASTERS & ROLLERS



BR-18CR — 30" long
18-1/2" wide
20-1/2" high

BR-24CR — 30" long
18-1/2" wide
27-1/2" high

Model BR-18CR . . Shipping Weight 31# . . . . Price $21.95
Model BR-24CR . . Shipping Weight 35# . . . . Price $25.95

Casters -- All Models -- 2"Semi-Steel -- 2 Swivels and 3"Semi-Steel Wheels

DRUM DOLLY TRUCKS

For transporting 55 gallon drum or other container for lubrication, solvents, coolants, painting or cleaning units, used in production, maintenance and service operations. Bracket on handle for cable or hose. Accessory Box welded to handle for storage of tools and parts. All Welded Construction.

SPECIFICATIONS

OVERALL DIMENSIONS: . . . 25" wide x 25" deep
PLATFORM: . . . . . 5-1/8" from floor
HANDLE: . . . . . 41" from floor
SIZE OF ACCESSORY BOX: . 12" deep x 6" wide x 21" long
FINISH: . . . . . Safety Orange



DT-25-R

Model	Caster Description	Shipping Weight	Price
DT-25-S	5" x 1-1/2" Semi-Steel Wheel	63	$45.40
DT-25-R	4" x 1-5/16" Solid Rubber, Soft Tread	60	49.50

DRUM & CAN DOLLIES

Grizzly®





MODEL NO. 81



MODEL NO. 82



MODEL NO. 83

Large size easy rolling wheels permit quick, safe transportation of even the heaviest loaded drums. All casters swivel for movement in any direction.

24" diameter holds standard 55 gallon drums or other similar sized containers. 18" diameter for smaller containers, disposal cans or kegs. Galvanized finish for institutional, food processing and sanitary usages.

Floor clearance 4" on all models. 2" sides on Models No. 82 and 83. All welded rugged construction for years of hard use.

FOR FLOOR LOCK ADD $12.50 TO PRICES

CAPACITY ALL MODELS, SEMI-STEEL WHEELS - 900 LBS.
CAPACITY ALL MODELS, SOLID RUBBER SOFT TREAD WHEELS - 700 LBS.

SPECIFICATIONS

Model No.	Dimensions in Inches			Finish	Shipping Weight	Semi-Steel Wheels Price	Solid Rubber Wheels Price
	O.D.	I.D.	Wheels				
81	24-7/16	24	3 x 1-1/4	Orange	32	$21.70	$23.15
82	30-1/2	24	3 x 1-1/4	Orange	25	19.30	20.70
83	24-1/2	18	3 x 1-1/4	Orange	22	15.65	17.05
81-G	24-7/16	24	3 x 1-1/4	Galvanized	32	27.20	28.65
82-G	30-1/2	24	3 x 1-1/4	Galvanized	25	23.35	24.80
83-G	24-1/2	18	3 x 1-1/4	Galvanized	22	18.60	20.00

ADJUSTABLE DOLLY

FOR ROUND, SQUARE, RECTANGULAR, OVAL OR ANY IRREGULAR SHAPED CONTAINER
CLOSES DOWN TO 23-1/2" -- OPENS TO 36-1/2"

Can be used as a rectangle for tote boxes, skids, pans, furniture.
Used as a dolly for drums, cans, kegs, etc.

Capacity with semi-steel wheels . . . . . 900#
Capacity with solid rubber wheels . . . . . 700#
Wheel Size . . . . . 3" x 1-1/4"
Finish . . . . . Safety Orange

AVAILABLE IN GALVANIZED AT ADDITIONAL CHARGE

MODEL AD-23-S	SEMI-STEEL WHEELS	SHIPPING WEIGHT 30#	PRICE $20.70
MODEL AD-23-R	SOLID RUBBER WHEELS.	SHIPPING WEIGHT 28#	PRICE $21.00

HI-DRUM & CAN DOLLIES

Grizzly®

PROVIDE higher elevation for easier flow drainage from drums in vertical position.

DRAINS easier glue, oils, chemicals and other hard-to-flow materials through the drum bottom.



ALL WELDED, rugged, completely assembled, ready for use.

SAVE SPACE - take less area than drums in horizontal position.

SAVE TIME AND MONEY.

USE DOLLIES with GRIZZLY No. 235 Drum Lifter with chain falls, hoist, or fork truck to place drums in vertical position easily, quickly and safely. See Page 41. Finish - Safety Orange.



SPECIFICATIONS

WHEEL SIZE: . . . . . 3" x 1-1/4"
CAPACITY ALL MODELS, SEMI-STEEL WHEELS . . . . . 900#
CAPACITY ALL MODELS, SOLID RUBBER SOFT TREAD WHEELS . 700#

Model	Dimensions in Inches			Gallon Drum Size	Shipping Weight	Semi-Steel Wheels	Solid Rubber Wheels
	Bottom	Top	Height				
71	30	24	19-1/2	55	44	$23.95	$25.25
73	21	18	19-1/2	30	38	21.50	22.80

TANK DOLLY

2500 LB. CAPACITY
ALL WELDED CONSTRUCTION



For Wood Crates, Cases, Machinery, Castings. For Palletized Loads

SPECIFICATIONS

24" Long x 12" Wide x 3-3/4" High
6 Wheels-Balance style for pivoting on center wheels. Steel Channel Frame-Full crosswise steel Axle-3" x 1-5/16", semi steel wheels. Finish-Safety Orange

MODEL TD-24 . . . . . SHIPPING WEIGHT 60 . . . . . PRICE $39.50

DRUM UP-ENDER

Safe!
Positive Grip!
Easy to Use!



Tilts drums from horizontal to vertical position with ease, speed and safety. Gives maximum leverage for lifting even the heaviest loaded drums.

Will not twist in hands of operator. Drum stops where you want it with no slipping or rolling.

ALL-WELDED CONSTRUCTION

Rugged and Compact

NO. 80 DRUM UP-ENDER
(Steel)

SHIPPING WEIGHT . . . . . 12 lbs.
FINISH . . . . . Safety Orange
PRICE $10.95

DRUM STORAGE RACKS

Grizzly®



NO. 85C



NO. 85



2000 LB. CAPACITY



All welded with large sturdy 6" x 2" semi-steel wheels for easy portability or with legs for stationary installations.

Holds four drums in readily accessible positions. Designed for loading ease with whatever equipment you now have. If your hoist does not travel over rack, the wheel model can be moved under your hoist.

SPECIFICATIONS

ALL MODELS 30" WIDE X 60" LONG x 54" HIGH -- FINISH: SAFETY ORANGE

Model No.	Type	Shipping Weight	Price
85	Leg	180	$65.45
85C	Wheel	198	87.45



Holds four or six drums in readily accessible positions. Designed for loading ease from front or back. All Welded Construction. Completely Assembled for Immediate Use.

Self-Standing units, do not require anchoring to floor. Can be moved with Fork Trucks fully loaded.

DRAIN HEIGHTS: Bottom row - 18"; Top row - 48".

Also Designed for special requirements.

FINISH: SAFETY ORANGE

Model	Capacity	Overall Size	Shipping Weight	Price
DS-4	4 Drums	60" wide x 36" deep x 46" high	120	$49.50
DS-6	6 Drums	84" wide x 36" deep x 46" high	200	69.50

NO. 235 DRUM LIFTER

PATENTED

Grizzly®



2000 LBS. CAPACITY

For Open or Closed Drums

USED WITH

Fork Trucks

Chain Falls

Cranes and Hoists



☆QUICK -- Lifter attached and removed in seconds.

☆SAFE -- Fast turning crank handle to lock Upper Jaw to drum top. Holds drum rigidly even when swaying or when bumped.

☆VERSATILE -- Lifter moves 55 and 30 gallon, and even smaller steel drums with practically no manual labor -- the lifter does the work.

☆LIGHT -- Weighs only 32 pounds. One man can handle with ease.

☆ADJUSTABLE -- Slide Lower Jaw on vertical bar to position below nearest chime of drum. Jaw rests on off-center cam.

☆LIFTS -- Old and new drums, open or closed, battered or lopsided -- all with the same ease and positive safe grip.

☆STACKS -- and tiers drums vertically in close quarters.

☆RUGGED -- All welded construction for years of hard use.

☆FINISH -- Safety Orange.

PRICE, —$49.50

(Shipping Weight — 32 lbs.)

SLING TYPE DRUM LIFTER

750 LBS. CAPACITY



Lifts drum horizontally and safely. The harder the pull the tighter the grip on the drum. Use it to load your GRIZZLY rack.



All Welded Construction

NO. 84

SHIPPING WEIGHT . . . . . 11 lbs.

FINISH . . . . . Safety Orange

PRICE $11.95

FORK TRUCK CRANE HOOK ATTACHMENT



CAPACITY

4000 LB. AT 36" LENGTH
2000 LBS. AT 60" LENGTH

ALL WELDED CONSTRUCTION

FITS STANDARD FORK TRUCKS

CAN BE ATTACHED AND UNATTACHED IN SECONDS BY ONE MAN



METHOD OF ATTACHMENT

Set unit on floor, brace in upright position against wall, etc. Unit sits on 4 pins. Bottom plate drops to floor which provides an opening for forks. Operator runs forks at floor level between plates and tightens crank handles. Ready for use.

METHOD OF DETACHMENT

Drop forks to floor until unit sits on 4 pins. Loosen crank handles. Back off fork truck.

Finish . . . . . Safety Orange

MODEL FTC-36 . . . . . SHIPPING WEIGHT 250 . . . . . PRICE $149.50

FORK SWIVEL HOIST HOOKS

No. 210 – DOUBLE FORK HOOK



(SINGLE) 3000 LBS.
(DOUBLE) 4200 LBS.
WORKING CAPACITY

No. 24 – SINGLE FORK HOOK



All welded construction, fit standard Fork Lift Trucks.

Easy handling by one man, takes only seconds to slide on and tighten into place. Removed just as easily, no wrenches required.

No. 210 Double Fork Hook has maximum openings which permit an outside fork spread of 20-3/4".

Fork Swivel Hoist Hooks designed to meet particular needs.

SPECIFICATIONS FINISH: SAFETY ORANGE

Description	Model No.	Opening Size for Truck Fork	Shipping Weight	Price
Single Hook	24	2" x 4"	17	$22.50
Single Hook	25	2" x 5"	18	23.50
Single Hook	26	2" x 6"	19	24.50
Double Frame Hook	210	2" x 10"	50	44.50

V-H DRUM LIFTER

Grizzly®

1000 LBS. CAPACITY

LIFTS VERTICAL — HORIZONTAL — AT ANY ANGLE



Vertical

Horizontal

Any Angle



Lifts from Any angle. Load can be balanced. Easily adapted to lift objects of all shapes or lengths. Automatic upsetting of container by adjusting sliding hoist collar.



Easily, Quickly, Safely Attached
Holds Rigidly – Even When Load Sways
Positive Grip – Cannot Slide – Holds Load
Locks in Desired Position



SPECIFICATIONS

FITS CONTAINERS 40" HIGH -- FINISH: . . . Safety Orange -- CAPACITY: . . . 1000 LBS.
ADJUSTMENT BETWEEN JAWS: . . . 12" minimum to 40" maximum -- OVERALL LENGTH: . . . 43" -- WIDTH: . . . 4"

MODEL NO. VH-100 . . . . . SHIPPING WEIGHT 27 . . . . . .PRICE $79.50

GRIZZLY-ZORBER

HOIST SPRING BALANCER & SHOCK ABSORBER

ELIMINATES PULLING SHOCK OR JAR--GRADUATES THE STRAIN



Lifting and transporting fragile equipment



Centering in lathe.



Lifting and transporting castings

USED WITH HOISTS, CRANE, CHAIN FALLS, FORK TRUCKS

To distribute the strain of resistance offered by the load when it is started, obstructed or stopped.

Will yield slightly under a slight pull and continue under greater pull; the resistance increases in proportion to the increased strain.

Will absorb all primary and rebound shocks transmitted by slack in the hoisting cable.

FINISH: SAFETY ORANGE

MODEL NO. GS-100 . . . . . SHIPPING WEIGHT 18 . . . . . PRICE $69.50
Activates at 25 lbs. pressure--Closes to max. range at 500 lbs.

MODEL NO. GS-200 . . . . . SHIPPING WEIGHT 20 . . . . . PRICE $79.50
Activates at 200 lbs. pressure--Closes to max. range at 4000 lbs.

SPECIAL SIZES AND CAPACITIES FURNISHED ON REQUEST.

Grizzly®

NEW-IMPROVED ROTO-TILT* PATENTED

Lifts • Tilts • Dumps • Pours

Steel, Fiber Drums, Barrels, Boxes

Used with Fork Truck, Chain Falls Cranes, Hoists

1000 Lbs. Capacity

Quick•Safe•Easy to Operate•Saves Time & Money



LIFTS



TILTS



POURS·DUMPS

CARBOYS

One Man Operation

FOR FIBER DRUMS-POURING-DUMPING FIBER DRUMS

Grips firmly fiber drums, safely controls pouring and dumping, increases production. Roto-Tilt works efficiently on light or heavy loads, a distinct advantage in the handling of fiber drums, especially with heavy loads of metal parts for assembly and production lines.

Holds firmly acid and other carboys, and safely controls pouring into container or production mixture. Ideal for chemical, plating, research laboratories and production operations.



No. 350 ROTO-TILT
with No. 160 Trolley in
FULL DUMPING POSITION

LIGHT WEIGHT -- one man easily handles and dumps

Push foot plate under drum.

Slide adjustable locking bracket down on top rim of drum.



Lifting trolley locks firmly on any position of arc.

Pouring carboy into pail.

Safety Locking Bracket secures Upper Jaws to Drum Top. Lifting Trolley equipped with Ball Bearings, Serrated Jaws insure positive locking hold. Pours at any point of arc--operator maintains easy and positive control.

NEW-IMPROVED ROTO-TILT PATENTED

Grizzly®



Toe Plate for Holding Steel & Fiber Drums



Toe Plate with Cleats for Carboy



All Welded Construction Designed for Heavy Usage

ROTO-TILTS Designed for Special Requirements

SPECIFICATIONS

CAPACITY . . . . . 1000 Lbs. -- FINISH . . . . . Safety Orange
No. 160 Trolley with 160 Degree Dumping Angle -- Standard Trolley with 130 Degree Dumping Angle

Model No.	Dimensions in Inches				Drum Size	Shipping Weight	With Standard Trolley Price	With No. 160 Trolley Price
	A	B	C Max. Min.	D				
350	59	35	36 - 30	15	55 Gal.	65	$139.50	$159.50
351	53	34	32 - 27-1/2	15	30 Gal.	64	134.50	154.50
352	42	29	21 - 15-1/2	12	15 Gal.	47	129.50	149.50
349	42	29	25 - 22	12	Carboy	55	139.50	------
400	66	35	36 - 30	15	55 Gal.	80	249.50	------

HI-LIFT ROTO-TILT PATENTED

LIFTS – TILTS – DUMPS – POURS AT ANY HEIGHT CONTROLLED FROM FLOOR





DOES THE WORK

One man operates easily even with the heaviest loads

QUICK
•
SAFE
•
SAVES TIME & MONEY

EASY TO OPERATE



The New No. 400 Roto-Tilt elevates containers for overhead pouring and dumping. The operator controls the pouring at floor level by means of a double chain. The operating distance from the floor is limited only by the length of chain.

Chain supplied with Standard Model is sufficient to operate the tool 10 feet from floor. Additional chain $1.00 per foot height.

CASTERS FOR GRIZZLY EQUIPMENT

UTILITY TABLES PAGE 16, 17: HOPPER TABLES PAGE 14: MIJ TABLES PAGE 19: MIJ BOX CARTS PAGE 19:

SWIVEL	NO. W-5511	2-1/2" x 13/16"	Pressed Steel Wheel	$ 4.30 per set
SWIVEL	NO. W-4511	2-1/2" x 13/16"	Solid Soft Rubber Wheel	$ 4.55 per set
SWIVEL	NO. EW-4522	5" x 1"	Solid Soft Rubber Wheel	$14.70 per set

(Set consist of 4 casters)

TOTE PAN HAND TRUCK PAGE 14: TOTE-ALL HAND TRUCK PAGE 14: STOCK CARTS PAGE 9: FIVE SHELF STOCK CART PAGE 10: BOX TRUCKS PAGE 12: GARMENT TRUCKS PAGE 12: LIGHT DUTY PORTABLE CABINET WORK BENCH PAGE 15:, ENCLOSED SHELF TRUCK PAGE 13: CAGE STOCK TRUCK PAGE 13:

SWIVEL	NO. 6131	3" x 13/16"	Solid Soft Rubber Wheel	$ 2.50	each
RIGID	NO. 6331	3" x 13/16"	Solid Soft Rubber Wheel	$ 1.70	each
SWIVEL	NO. 6151	5" x 1"	Solid Soft Rubber Wheel	$ 3.65	each
RIGID	NO. 6351	5" x 1"	Solid Soft Rubber Wheel	$ 3.05	each
SWIVEL	NO. 9151	5" x 1-1/4"	Solid Soft Rubber Wheel	$ 5.80	each
RIGID	NO. 9351	5" x 1-1/4"	Solid Soft Rubber Wheel	$ 4.60	each

DRUM & CAN DOLLIES PAGE 38: ADJUSTABLE DOLLIES PAGE 38: HI-DRUM & CAN DOLLIES PAGE 39:

SWIVEL	NO. 21-3-IW	3" x 1-1/4"	Semi-steel, Plain Brg. Wheel	$ 1.95	each
RIGID	NO. 31-3-IW	3" x 1-1/4"	Semi-steel, Plain Brg. Wheel	$ 1.65	each
SWIVEL	NO. 21-3-HR	3" x 1-1/4"	Solid Hard Rubber, Self Lub. Brg.	$ 2.45	each
RIGID	NO. 31-3-HR	3" x 1-1/4"	Solid Hard Rubber, Self Lub. Brg.	$ 2.05	each

DOLLY PLATFORM TRUCKS PAGE 5: STEEL DOLLIES PAGE 11: PACKING & STRAPPING TRUCKS PAGE 11: PORTABLE WORK BENCH PAGE 26: HAND DUMP TRUCKS PAGE 12:

SWIVEL	NO. 21-4-IW	4" x 1-1/2"	Semi-steel, Plain Brg. Wheel	$ 3.40	each
RIGID	NO. 31-4-IW	4" x 1-1/2"	Semi-steel, Plain Brg. Wheel	$ 2.60	each
SWIVEL	NO. 21-4-HR	4" x 1-1/2"	Solid Hard Rubber Wheel, Self Lub. Brg.	$ 4.40	each
RIGID	NO. 31-4-HR	4" x 1-1/2"	Solid Hard Rubber Wheel, Self Lub. Brg.	$ 3.60	each

HEAVY DUTY SINGLE END TRUCKS PAGE 6: HEAVY DUTY DOUBLE END TRUCKS PAGE 6: SHOP TRUCKS PAGE 8: FIVE SHELF HEAVY DUTY TRUCKS PAGE 10: PORTABLE CABINET WORK BENCHES PAGE 15: DRUM DOLLY TRUCKS PAGE 37: SLIDING SHELF TRUCK PAGE 13:

SWIVEL	NO. 21-5-IW	5" x 1-5/8"	Semi-Steel, Plain Brg. Wheels	$ 7.40	each
RIGID	NO. 31-5-IW	5" x 1-5/8"	Semi-Steel, Plain Brg. Wheels	$ 4.60	each
SWIVEL	NO. 21-5-HR	5" x 1-1/2"	Solid Hard Rubber, Self Lub. Brg.	$ 8.75	each
RIGID	NO. 31-5-HR	5" x 1-1/2"	Solid Hard Rubber, Self Lub. Brg.	$ 5.85	each

STEEL PLATFORM TRUCKS PAGE 5: DRUM STORAGE RACKS PAGE 40:

SWIVEL	NO. 21-6-IW	6" x 2"	Semi-steel, Plain Brg. Wheel	$ 8.50	each
RIGID	NO. 31-6-IW	6" x 2"	Semi-steel, Plain Brg. Wheel	$ 5.30	each
SWIVEL	NO. 21-6-HR	6" x 2"	Solid Hard Rubber, Self Lub. Brg.	$10.80	each
RIGID	NO. 31-6-HR	6" x 2"	Solid Hard Rubber, Self Lub. Brg.	$ 7.50	each

CRADLE TRUCK PAGE 7: EXTRA HEAVY DUTY SHOP TRUCKS PAGE 7:

SWIVEL	NO. 24-85-IW	8" x 2-1/2"	Semi-steel, Plain Brg. Wheel	$18.00	each
RIGID	NO. 34-85-IW	8" x 2-1/2"	Semi-steel, Plain Brg. Wheel	$14.00	each

WHEEL ONLY FOR ALL PURPOSE HAND TRUCKS PAGE 4:

NO. 175	8" x 1.75	Semi-Pneumatic Wheel	1/2" Axle	$ 2.75	each
NO. 275	10" x 2.75	Semi-Pneumatic Wheel	5/8" Axle	$ 6.95	each
NO. 350	10" x 3.50	Full Pneumatic Wheel	5/8" Axle	$14.95	each

SPECIALS
Designed to your Needs



COMPLETE LINE OF CASTERS AND WHEELS CARRIED IN STOCK TO MEET YOUR REQUIREMENTS

We design and engineer casters and wheels into GRIZZLY standard and special units in sizes up to 12" in diameter and rated up to 7-1/2 tons per wheel. Prices furnished on request.

SPECIAL EQUIPMENT

SPECIAL EQUIPMENT DESIGNED TO YOUR NEEDS

WE SPECIALIZE IN MATERIAL HANDLING, DRUM AND SHOP EQUIPMENT OF ORIGINAL DESIGN AND MAINTAIN AN ENGINEERING DEPARTMENT FOR THE EXCLUSIVE USE OF OUR CUSTOMERS.

CONSULT US ON YOUR SPECIAL DESIGN PROBLEMS--WE WILL SUBMIT A DESIGN AND QUOTATION FOR YOUR APPROVAL.

WE HAVE MANUFACTURED HUNDREDS OF SPECIAL ITEMS. OUR FILES CONTAIN MANY DRAWINGS AND PHOTOS OF UNUSUAL EQUIPMENT WHICH WE DO NOT CATALOG, BUT MAY HELP SOLVE YOUR PROBLEMS.

TRAY TRUCK



INSTRUMENT TRUCK



WORK BENCH



HOSE TREE TRUCK



PACKING BENCH



DRAWER COUNTER



PARTS HOPPER 2 OPENINGS



GLASS VEE TRUCK

WHEN REQUESTING A QUOTATION ON SPECIAL FABRICATION, PLEASE FOLLOW THIS OUTLINE:

1. GENERAL DESCRIPTION:
   Truck, Work Bench, Stand, Dolly, Lifts, Carts, etc.

2. QUANTITY:
   Determines price.

3. GENERAL DESIGN:
   Type of shelf; flat or tray; Type of top, Handle, etc.

4. METAL PARTS:
   Size of angle iron, channel, bar, tubing, sheet steel.

5. DIMENSIONS:
   Indicate inside or outside dimensions; width, length, height.

6. PAINT FINISH:
   Standard Colors: Shop Green, Gray or Orange.

7. CAPACITY:
   Load-Pounds: Entire unit, per caster, per shelf.

8. SPECIAL DESIGN FEATURES:
   Your own ideas of how unit should be constructed.

A. I. A. FILE NO. 35-1-1

Grizzly®

Catalog No. 767 Effective - July 1 - 1967

MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT

DISTRIBUTED BY

Pucel Enterprises, Inc., Opposer/Petitioner
vs.
Grizzly Industrial, Inc., Applicant/Respondent
TTAB Consolidated Case No. 123,506; 31984; 32024; 32025
PUCEL'S Exhibit No. 22

MANUFACTURED BY

Grizzly® EQUIPMENT

Simon PRODUCTS

ucel ENTERPRISES, INC.

DESIGNING
ENGINEERING
DEVELOPMENT
MANUFACTURING

CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 UTah 1-4604

Grizzly® Photo Index

ALL EQUIPMENT SHOWN IN THIS CATALOG, EXCEPT CASTERS AND WHEELS, ARE DESIGNED, ENGINEERED, DEVELOPED AND MANUFACTURED BY AND IN THE CLEVELAND PLANT OF PUCEL ENTERPRISES, INC.

- ★ All Welded Construction.
- ★ Designed for years of Rugged Usage.
- ★ Rigid — No rivets or bolts to keep tight. Wobbles, squeaks and rattles eliminated.
- ★ Completely Assembled — Ready for Immediate Use on Delivery. Saves Time — Money — No Production Delays.
- ★ Compact, Neat Appearance, Well Finished, appropriate for even office or home use.
- ★ Highest Quality at lowest possible price.



Work Benches
Pages 38-39-40-41

Cabinets
Pages 32-37

Stands
Pages 24-28

Roto-Tilt
Pages 58-59-60



Machine Stands
Pages 34-35

Quality Guarantee

All Grizzly Equipment is fully guaranteed to be manufactured in accordance with commercial standards and specifications shown in our catalog. Equipment is fully inspected before leaving our plant and is guaranteed against defective workmanship for 3 months from date of purchase. However, we cannot be held responsible for abuse by user beyond normal usage.

This is your guarantee of a product of highest quality.

PUCEL ENTERPRISES, INC.
3746 Kelley Avenue • Cleveland, Ohio 44414

Cabinet Trucks
Pages 30-31



Drum Equipment
Pages 50-55



Fork Attachments
Page 56



Trucks
Pages 5-23



Work Bench Accessories
Pages 42-45



Cabinet Work Benches
Pages 46-47

Hand Trucks
Page 4

© COPYRIGHT 1967
PUCEL ENTERPRISES, INC.

INDEX

Description	Page No.
BENCHES	
Tool Cabinet	33
Tops, Hard Pressed Wood	40
BENCHES, WORK	
Arc Welding	49
Cabinet, Base	46
Cabinet, Sliding Door	47
Cabinet, Units	43
Drawer Units	44-45
Gas Welding	49
Hard Maple Tops	41-48
Legs	43
Panel End	48
Portable, Heavy Duty	30
Portable, Light Duty	31
Portable with Telescopic Handle	40
Steel Top	38-39-40
Accessories - Risers	42
Shelves	42
Side, Back Stops	42
Stringers	42
CABINETS Machine Floor	34-35
Pigeon Hole, Accessory	36
Portable Door	45
Portable Drawer	45
Tool Drawer Cabinet	32
Shop Cabinet	37
DESKS Standing Shop	36
Tray Stock	10
3/Sided Stock	14
CARTS Hi-Ladder Stock	19
Mij Box	27
Step Ladder Attachment	18
Stock	11
Stock, Five Shelf	12
Stock, Ladder	19
DRUM EQUIPMENT	
Adjustable Dolly	52
Cradles	50-51
Dollies, Drum and Can	52-53
Dollies, Hi-Drum and Can	53
Dolly Trucks	51
Ezy-Down Cradles	50
Lifter, Vertical	55
Lifter, Horizontal	55
Lifter, Vertical-Horizontal	57
Roto-Tilt, Carboy	58
Roto-Tilt, Hi-Lift	59-60
Roto-Tilt, Steel, Fiber Drum	58
Storage Racks	54
Up-Ender, Steel	53
RACKS	
Extra Heavy Duty Die Rack	29
Vertical Bar	61

Description	Page No.
STANDS	
Hi-Boy, Utility	27
Machine Cabinet	35
Machine Floor	34
Tool, Extra Heavy Duty	28
Tool, Heavy Duty	28
TABLES	
Half Shelf Utility	26
Hopper	26
Mij	27
Utility	24-25
TRUCKS	
Beverage	4
Box	22
Cage Stock	15
Cradle	7
Divided Shelf	16
Dolly	13
Dolly Platform	6
Drum Dolly	51
Enclosed Shelf	16
Fork Truck Hook Attachment	56
Garment	17
Garment & Package	17
Hand Dump	23
Kik-Out	4
Ladder shelf	20
Open Side	17
Packing & Strapping	20
Platform Ladder	18
Platform, Steel	5
Roll-Over Box	22
Roll-Over Dump	23
Shop	8
Shop, Extra Heavy Duty	7
Shop Tray	10
3/Sided Platform	14
Single End, Heavy Duty	6
Sliding Shelf	15
Slat Top	9
Stock, Five Shelf, Heavy Duty	12
Tank Dolly	53
Tote-All	21
Tote Pan	21
Two Wheel, Hand	4
Warehouse, Heavy Duty	5
UNITS	
Casters and Wheels	62
Caster Corner Shoes	29
Grizzly-Zorber	57
Pigeon Hole Bin	61
Rack-U-Frames	32

GENERAL TERMS and CONDITIONS

CATALOG PRODUCT NUMBER: When ordering any item, specify the catalog product number as shown to avoid error in processing your order.

PRICES: All prices are established F.O.B. our Factory, Cleveland, Ohio, U.S.A., and subject to change without notice. We reserve the right to invoice at prices in effect at time of shipment. Resale pricing submitted to distributors on request. Prices do not include any applicable taxes, duties or any other governmental charges.

SPECIFICATIONS: Subject to change without notice.

ROUTING SHIPMENTS: Unless a preferred routing is specified on your order, shipment will be made best way (sea, air or rail freight, express; commercial truck, parcel post, united parcel, or other way), transportation collect. Where shipment is prepaid at the purchaser's request, a separate invoice will be issued for such freight charges.

DAMAGED GOODS: Instruct your dryman not to accept any items from the Transportation Company unless they are in perfect condition. If he discovers any damage, the Carrier's Agent must make the proper notation on the receipt. THE CONSIGNEE MUST MAKE APPLICATION DIRECTLY TO THE CARRIER FOR ADJUSTMENT FOR ANY DAMAGED GOODS, WHETHER CONCEALED OR OTHERWISE.

CONCEALED DAMAGE: Should the damage not be discovered until after the items are unpacked, it should be reported AT ONCE to the Agent, who will make an inspection and grant a "concealed damage" notation. This report must be made to Agent of delivering carrier immediately. Unless this is done, all items replaced or repaired on account of damage shall be at YOUR expense. We cannot be held responsible, for the goods left our plant in perfect condition and so signed for by the Transportation Company.

RETURNED SHIPMENTS: Goods are not to be returned without written permission from our Company. A handling charge shall be made on all goods returned, as well as reconditioning charge if required, as determined by the Company.

CHANGES AND CANCELLATIONS: Goods designated as "special" are not subject to changes or cancellations as they are manufactured for each individual order.

All prices in this Catalog are subject to change without notice. F.O.B. Factory, Cleveland, Ohio, U.S.A.

Printed in U.S.A.

ALL PURPOSE HAND TRUCKS

For general use in stock, shipping and receiving rooms, and for beverage and other deliveries.

All welded tubular frame with tubular curb jumper, rigid axle for strength and durability. Rugged, all edges rounded and smooth for appearance and safety, finished in Safety Orange.

Large rubber tired wheels with ball bearings for easy handling, even over curbs, give quiet operation and absorb shock.



MODELS #60 & #61
A compact lightweight narrow truck.

MODELS #50 & 51
With extension at top for handling large cartons, boxes, rolls, cans.

MODELS #90 & #91
For extra heavy duty work.

MODEL #89
Smaller rubber tired wheels and enclosed top frame, for light duty use.





Premium Beverage Truck

MODELS #30 & #31 PREMIUM BEVERAGE TRUCK

Well balanced with plastic grip handles, pneumatic tires, narrow width and extended large curb jumper for added strength in handle and stops make easier and quicker handling of 6 beverage case loads — up and down stairs.



Kick-Out Truck

MODELS #40 & #41

Foot activated Kick-Out Bar to eject loads — Pushes light loads off toe plate or pushes truck away from heavy loads.

Model	Overall Height	Frame Width	Overall Width	Toe Plate	Wheels	Weight	Price
30	49"	10"	19"	8"x11"	10x2.75 Semi-Pneumatic	32	$33.00
31	49"	10"	19"	8"x11"	10x3.50 Pneumatic	35	42.50
40	48"	14"	20"	7"x14"	10x2.75 Semi-Pneumatic	42	36.00
41	48"	14"	20"	7"x14"	10x3.50 Pneumatic	40	41.50
60	49"	11"	20"	8"x11"	10x2.75 Semi-Pneumatic	31	24.50
61	49"	11"	20"	8"x11"	10x3.50 Pneumatic	34	37.80
50	78"	14"	20"	7"x14"	10x2.75 Semi-Pneumatic	48	32.50
51	78"	14"	20"	7"x14"	10x3.50 Pneumatic	51	45.00
90	48"	14"	20"	7"x14"	10x2.75 Semi-Pneumatic	37	25.30
91	48"	14"	20"	7"x14"	10x3.50 Pneumatic	40	34.65
89	45½"	14"	18½"	8"x14"	8x1.75 Semi-Pneumatic	27	17.95

Grizzly®



2000 LBS. CAPACITY - SEMI-STEEL WHEELS

STEEL PLATFORM TRUCKS

1400 LBS. CAPACITY -

SOLID HARD RUBBER WHEELS

ALL WELDED CONSTRUCTION

Durable free moving platform truck to absorb the roughest usage. Reinforced steel platform with removable tubular push handle 36" from floor. Platform 9¾" from floor.

2 rigid and 2 ball bearing swivel casters. Other casters quoted on request.

HANDLE OVERALL HEIGHT — 36"
FINISH — SHOP GREEN, GRAY ON REQUEST

MODEL	DIMENSIONS IN INCHES Width		Length	SHIPPING WEIGHT	PRICE WITH 6" x 2" - Solid Hard Rubber Wheels	PRICE WITH 6" x 2" Semi-Steel Wheels
PT-2448	24	x	48	110	$72.45	$71.15
PT-2848	28	x	48	118	74.90	73.60
PT-3448	34	x	48	130	80.45	79.15
PT-2460	24	x	60	121	77.10	75.80
PT-2860	28	x	60	131	80.00	78.70
PT-3460	34	x	60	144	86.35	85.05
PT-2472	24	x	72	133	83.50	82.20
PT-2872	28	x	72	144	85.00	83.70
PT-3472	34	x	72	160	89.10	87.80
PT-2496	24	x	96	155	89.35	88.05
PT-2896	28	x	96	170	95.15	93.85
PT-3496	34	x	96	191	100.80	99.50
EXTRA HANDLE BARS				10	Includes Sockets	12.50
EXTRA HANDLE SOCKETS				4	Welded to Truck	6.10

Grizzly®

HEAVY DUTY WAREHOUSE TRUCK



5000 LBS. CAPACITY

SOLID STEEL DECK ALL WELDED CONSTRUCTION

For heavy industrial and warehouse use where severe service is needed. Large deck surface for bulky loads. The platform is 13" above floor. Bar handle of 1" steel pipe is removable. Other wheels and casters on request.

HANDLE OVERALL HEIGHT - 36" FINISH - SHOP GREEN - GRAY ON REQUEST

Model	Dimensions in Inches Width		Length	Shipping Weight	Standard Running Gear	Price
WT-3684	36	x	84	270	2 - Swivel Casters with 6" x 2" semi-steel wheels 2 - Semi-steel wheels 12" x 2½" on 1" axle	$164.95
WT-3696	36	x	96	300		174.60
EXTRA HANDLE BARS				20	Includes Sockets	16.40
EXTRA HANDLE SOCKETS				8	Welded on Truck	6.50



DOLLY PLATFORM TRUCKS

ALL WELDED CONSTRUCTION

1600 LBS CAPACITY - SEMI-STEEL WHEELS
900 LBS CAPACITY - SOLID HARD RUBBER WHEELS
LOW DECK - 5⅛" FROM FLOOR

A low priced truck, designed with a low bed for easy lifting and loading of materials from the floor. Ideal for stores, offices, etc. Heavy 12 gauge steel deck. 2 rigid and 2 ball bearing swivel casters. Removable tubular push handle.

HANDLE OVERALL HEIGHT — 36"
FINISH — SHOP GREEN, GRAY ON REQUEST

MODEL	DIMENSIONS IN INCHES WIDTH	LENGTH	SHIPPING WEIGHT	PRICE WITH 4" x 1½" Solid Hard Rubber Wheels	PRICE WITH 4" x 1½" SEMI-STEEL WHEELS
18-PTD-30	18	30	50	$48.20	$45.30
18-PTD-36	18	36	57	50.65	47.75
18-PTD-48	18	48	68	54.80	51.90
18-PTD-60	18	60	80	59.60	56.70
24-PTD-30	24	30	56	51.40	48.50
24-PTD-36	24	36	63	53.85	50.95
24-PTD-48	24	48	74	58.00	55.10
24-PTD-60	24	60	85	62.80	59.90
Extra Handle Bars			10	Includes Sockets	12.00
Extra Handle Sockets			4	Welded on Truck	6.00
Platform can be reversed at no charge, with 2" deep flanges up on all sides.					



HEAVY DUTY SINGLE END TRUCKS

1600 LBS. CAPACITY — SEMI-STEEL WHEELS
1400 LBS. CAPACITY — SOLID HARD RUBBER WHEELS

All welded for rugged stock and general shop use with 1¾" x 3/16" angle posts, tubular push bar at a convenient 36" height from the floor.

Top shelf 22" from floor, tray sides on bottom shelf 2" high with 11⅜" clearance between shelves, floor clearance 6¼". 2 rigid and 2 ball bearing swivel casters. Other casters quoted on request.

HANDLE OVERALL HEIGHT - 36" — FINISH - SHOP GREEN - GRAY ON REQUEST

Model	Dimensions in Inches Width	Length	Shipping Weight	Price With 5" x 1½" Solid Hard Rubber Wheels	Price With 5" x 1⅜" Semi-Steel Wheels
18-TR-30	18	30	98	$49.30	$47.70
18-TR-36	18	36	106	52.75	51.15
18-TR-48	18	48	122	58.10	56.50
18-TR-60	18	60	140	65.30	63.70
24-TR-30	24	30	110	54.10	52.50
24-TR-36	24	36	120	58.75	57.15
24-TR-48	24	48	140	65.70	64.10
24-TR-60	24	60	160	73.70	72.10
30-TR-30	30	30	125	58.90	57.30
30-TR-36	30	36	135	64.75	63.15
30-TR-48	30	48	160	73.30	71.70
30-TR-60	30	60	185	82.10	80.50
ADD $3.00 to the Printed Price for FLAT BOTTOM SHELF					

EXTRA HEAVY DUTY SHOP TRUCK — ALL WELDED CONSTRUCTION — 4000 LBS. CAPACITY

For moving heavy parts or large tote boxes and shearings to and from presses and other operations. Flat top for easy sliding of large dies, molds and castings on or off of top. Heavy and large structures can be fabricated on truck.



SPECIFICATIONS

Shelves: 12 gauge steel, long edges, double formed into channels
Posts: 2" x 2" x 3/16" angle
Casters: 2 swivel and 2 rigid, 8" x 2½" semi-steel roller bearing wheels
Finish: Shop Green — Gray on Request

ADD $25.70 TO PRICE FOR:
8" x 2-1/2" High Capacity, Vulcanized Rubber Tired Wheels.
ADD $20.00 TO PRICE FOR TRUCK FLOOR LOCK.

★ **All Models 36" High 10" Floor Clearance**



21" clearance between shelves ☆



9⅝" clearance between shelves ☆

Model	Dimensions in Inches Width		Length	Shipping Weight	Price
ET-2448-2	24	x	48	220	$104.00
ET-2460-2	24	x	60	240	111.30
ET-2472-2	24	x	72	260	118.50
ET-2496-2	24	x	96	310	133.70
ET-2848-2	28	x	48	230	109.60
ET-2860-2	28	x	60	255	117.90
ET-2872-2	28	x	72	280	126.10
ET-2896-2	28	x	96	330	142.60
ET-3448-2	34	x	48	256	119.30
ET-3460-2	34	x	60	286	129.20
ET-3472-2	34	x	72	316	139.10
ET-3496-2	34	x	96	376	158.90
ET-2448-3	24	x	48	275	120.80
ET-2460-3	24	x	60	305	131.70
ET-2472-3	24	x	72	335	142.60
ET-2496-3	24	x	96	405	165.40
ET-2848-3	28	x	48	290	128.80
ET-2860-3	28	x	60	325	141.30
ET-2872-3	28	x	72	365	153.80
ET-2896-3	28	x	96	440	178.30
ET-3448-3	34	x	48	325	141.70
ET-3460-3	34	x	60	370	156.60
ET-3472-3	34	x	72	415	171.50
ET-3496-3	34	x	96	505	191.20

CRADLE TRUCKS — 4000 LBS. CAPACITY — ALL WELDED CONSTRUCTION



Cradle Truck

Used for all types of pipe, tubing, bar stocks. Load centers itself for balance. Controlled maneuverability, turns in 36" radius.

SPECIFICATIONS

Length: 60" Cradle Width: 25"
Overall Width: 34" Height: 30"
Casters: Swivels, 8" x 2½" semi-steel, roller bearing wheels.
Center Wheels: 14" x 2½" semi-steel, roller bearing.
Finish: Orange

MODEL NO. - CRA-60 SHIPPING WEIGHT - 350 LBS. PRICE - $197.50

Grizzly®

SHOP TRUCKS



HEAVY DUTY

ALL WELDED CONSTRUCTION

1400 LBS. CAPACITY – SOLID HARD RUBBER WHEELS

1600 LBS. CAPACITY – SEMI-STEEL WHEELS

GRIZZLY Drawer Units Page 44 can be added.

ADD COST OF DRAWER TO TRUCK

Grizzly®

Model No. 30-DT-3

Used in shop operations with presses, screw machines, piece parts or shop boxes. Flat top for sliding heavy dies or tooling on and off. Tray shelves 2" deep.

All styles 32½" high. Clearance between shelves on 3-shelf model - 10⅛"; 2-shelf model - 22¼".

Floor Clearance - 6¼".

Sturdy 12-gauge shelves with tubular push handle; 1¾" x 3/16" angle posts for added capacity. Extra strong Casters for durability and easy movement. Two of the wheels are swiveled for controlled maneuverabilty.

Finish - Shop Green, Gray on Request.

Model No.	No. of Shelves	Dimensions in Inches Width Length	Shipping Weight	Price With 5" x 1¼" Solid Hard Rubber Wheels	Price With 5" x 1¼" Semi-Steel Wheels
1830-DT-2	2	18" x 30"	93	$46.30	$44.70
2430-DT-2		24" x 30"	105	51.10	49.50
3030-DT-2		30" x 30"	118	55.90	54.30
1830-DT-3	3	18" x 30"	116	52.60	51.00
2430-DT-3		24" x 30"	134	59.80	58.20
3030-DT-3		30" x 30"	152	67.00	65.40
1836-DT-2	2	18" x 36"	100	49.75	48.15
2436-DT-2		24" x 36"	115	55.75	54.15
3036-DT-2		30" x 36"	130	61.75	60.15
1836-DT-3	3	18" x 36"	128	58.30	56.70
2436-DT-3		24" x 36"	150	67.30	65.70
3036-DT-3		30" x 36"	172	76.10	74.50
1848-DT-2	2	18" x 48"	115	55.10	53.50
2448-DT-2		24" x 48"	135	62.70	61.10
3048-DT-2		30" x 48"	154	70.30	68.70
1848-DT-3	3	18" x 48"	162	65.75	64.15
2448-DT-3		24" x 48"	180	77.95	76.35
3048-DT-3		30" x 48"	210	88.15	86.55
1860-DT-2	2	18" x 60"	135	82.30	80.70
2460-DT-2		24" x 60"	155	90.70	89.10
3060-DT-2		30" x 60"	174	99.10	97.50
1860-DT-3	3	18" x 60"	180	96.55	94.95
2460-DT-3		24" x 60"	210	108.95	107.35
3060-DT-3		30" x 60"	240	120.85	119.25

NOTE: FOR TRUCK CLOSE-OUT, ADD $3.00

ADD $3.00 TO THE PRINTED PRICE FOR FLAT BOTTOM SHELF

Heavy Duty SLAT-TOP SHOP TRUCK



Model S-30-DT-3

•

ALL WELDED CONSTRUCTION

•

1600 LBS CAPACITY
Semi-Steel Wheels

•

1400 LBS. CAPACITY
Solid Hard Rubber Wheels

•

FOR DIES, CASTINGS, MACHINE PARTS, SHOP BOXES, CARTONS, WOOD CRATES, BUNDLES AND OTHER OBJECTS

Used in shop operations with Presses, Screw Machines and other equipment. Items can be lifted off truck with Slings, Hooks and Grabs.

Ideal for Shipping Departments, Slat Top designed to pass steel strapping or rope thru openings of top, around cartons, boxes, bundles or other items.

Dies, castings, steel plates and other flat objects easily moved, slid and set down on the top with safety without damage to fingers and hands.

SPECIFICATIONS

TOP 12 ga. steel, formed double channels, 3" wide, 1½" deep, spaced 1¼" apart. All Models 32½" high - Clearance between shelves on 3-shelf models 10⅛", 2-shelf models 22¼", floor clearance. - 6¼" Tubular Push Handle, 1¾" x 3/16" angle iron posts. - 2 swivel casters and 2 rigid casters. - Paint Finish: Shop Green, Gray on Request.

Model No.	No. of Shelves	Dimensions in Inches Width — Length	Shipping Weight	Price Rubber Wheels	Price Steel Wheels
S-30-DT-2	2	24" x 30"	117	$59.90	$58.30
S-30-DT-3	3	24" x 30"	146	68.60	67.00
S-36-DT-2	2	24" x 36"	132	64.55	62.95
S-36-DT-3	3	24" x 36"	167	76.10	74.50
S-48-DT-2	2	24" x 48"	150	71.50	69.90
S-48-DT-3	3	24" x 48"	196	85.75	84.15

ADD $3.00 TO THE PRINTED PRICE FOR FLAT BOTTOM SHELF
ADD $14.50 TO THE PRINTED PRICE FOR TRUCK FLOOR LOCK

Grizzly®

SHOP TRAY TRUCKS

Grizzly

HEAVY DUTY
ALL WELDED CONSTRUCTION

1400 LBS. CAPACITY - SOLID HARD RUBBER WHEEL

1600 LBS. CAPACITY - SEMI-STEEL WHEELS

Used in shop operations with presses, screw machines, assembly. Handles large bulky parts, castings, large stampings and heavy materials.

SPECIFICATIONS

ALL MODELS: 36" HIGH OVERALL
TOP TRAY: 12" Deep - 12 Gauge steel with 1" hemmed edges.
BOTTOM TRAY: 2" Deep - 12 Gauge steel.
Clearance between Top and Bottom Trays - 17 ¼".
LEGS: 1 ¾" x 3/16" Angle Iron
TUBULAR PUSH BAR CASTERS: 2 swivel, 2 rigid
Floor Clearance: 6 ¼"
PAINT FINISH: Shop Green, Gray on Request.

ADD $3.00 TO THE PRINTED PRICE FOR FLAT BOTTOM SHELF

Model No.	Width - Length	Wt.	Solid Hard Rubber Wheels 5" x 1-1/2"	Semi-Steel Wheels 5" x 1-5/8"
TT-1830	18" x 30"	130#	$63.60	$62.00
TT-2430	24" x 30"	148#	70.80	69.20
TT-3030	30" x 30"	166#	78.00	76.40
TT-1836	18" x 36"	143#	68.80	67.20
TT-2436	24" x 36"	161#	76.00	74.40
TT-3036	30" x 36"	179#	83.20	81.60
TT-1848	18" x 48"	170#	78.40	76.80
TT-2448	24" x 48"	184#	88.00	86.40
TT-3048	30" x 48"	208#	97.60	96.00
TT-1860	18" x 60"	194#	88.00	86.40
TT-2460	24" x 60"	220#	97.60	96.00
TT-3060	30" x 60"	244#	107.20	105.60

TRAY STOCK CARTS

MEDIUM DUTY
ALL WELDED CONSTRUCTION –

600 LBS. CAPACITY - RUBBER WHEELS
1000 LBS. CAPACITY - STEEL WHEELS



Stock picking truck for large parts, bulky items, deep box can be used for many purposes, mail cart, etc.

SPECIFICATIONS

ALL MODELS: 36" HIGH OVERALL
TOP TRAY: 12" deep - 16 Gauge steel with ½" hemmed edges.
BOTTOM TRAY: 2½" deep - 16 Gauge steel with ½" hemmed edges.
LEGS: 1½" x 1½" x ⅛" Angle Iron
Clearance between top and bottom trays - 18".
TUBULAR PUSH BAR CASTERS: 2 swivel, 2 rigid
Floor Clearance: 5¾"
PAINT FINISH: Shop Green, Gray on Request.

ADD $3.00 TO THE PRINTED PRICE FOR FLAT BOTTOM SHELF

Model No.	Width - Length	Wt.	Soft Rubber Wheels 5" x 1¼"	Semi-Steel Wheels 5" x 1¼"
TSC-1828	18" x 28"	75#	$45.75	$50.45
TSC-1836	18" x 36"	85#	51.75	56.45
TSC-2436	24" x 36"	95#	57.75	62.45

STOCK CARTS

MEDIUM DUTY

Built for Years of Easy Rolling Service.

All welded, designed for rugged factory use yet with appearance satisfactory for office and store. Large capacity shelves save time and steps, on the assembly line, in the stock room, the office, in any one of many other operations.

No parts to loosen, rattle or squeak, even the Space Saver handle is welded in place. Hemmed edges on tray shelves protect products and your workers. 2 Ball-bearing swivel casters on rear for easy steering, 2 Rigid casters at front. 2½" deep tray shelves for small parts, flush top makes sliding of heavy parts on or off cart with little effort.

FINISH ..... Shop Green, Gray on Request
CASTER WHEELS: 3" ..... Solid Rubber Soft Tread
5" ..... 5" x 1⅛" Rubber Tired Disc Wheels, Soft Tread

Flat Top - SCF-5363

Tray Top - SC-5362

Grizzly®

Shelves — 16 ga. Structural Angle Legs All Trays — 2½" Deep	Model	Dimensions in Inches Width - Length	Overall Height	Clearance Shelf	Caster Size	Shipping Weight	Price
 All Tray Shelves	SC -3182	18" x 28"	34"	25¼"	3"	47	$ 30.60
	SC -5182	18" x 28"	36"		5"	50	34.95
	SC -3362	18" x 36"	34"		3"	53	33.50
	SC -5362	18" x 36"	36"		5"	56	37.80
	SC -5242	24" x 36"	36"		5"	66	41.50
All Tray Shelves	SC -3183	18" x 28"	34"	11⅜"	3"	62	37.80
	SC -5183	18" x 28"	36"		5"	65	42.20
	SC -3363	18" x 36"	34"		3"	70	41.70
	SC -5363	18" x 36"	36"		5"	73	46.00
	SC -5243	24" x 36"	36"		5"	88	50.70
Flat Surface Top Shelf Tray Bottom Shelf	SCF-3182	18" x 28"	34"	25¼"	3"	47	30.60
	SCF-5182	18" x 28"	36"		5"	50	34.95
	SCF-3362	18" x 36"	34"		3"	53	33.50
	SCF-5362	18" x 36"	36"		5"	56	37.80
	SCF-5242	24" x 36"	36"		5"	66	41.50
 Flat Surface Top Shelf Tray Center and Bottom Shelves	SCF-3183	18" x 28"	34"	11⅜"	3"	62	37.80
	SCF-5183	18" x 28"	36"		5"	65	42.20
	SCF-3363	18" x 36"	34"		3"	70	41.70
	SCF-5363	18" x 36"	36"		5"	73	46.00
	SCF-5243	24" x 36"	36"		5"	88	50.70

ADD $3.00 TO THE PRINTED PRICE FOR FLAT BOTTOM SHELF

FIVE SHELF STOCK CARTS — 800 LBS. CAPACITY



Large volume capacity stock cart for filling orders and other purposes. All welded construction with 1½" x ⅛" angle posts, and push handle located 39½" high for balanced handling adds 3" to overall length of cart.

4 Top trays, with 2½" sides, can be reversed at no extra cost. 2 rigid and 2 swivel casters.

Weight capacity of the carts can be more than doubled with heavier duty casters, prices on request.

SPECIFICATIONS

Overall Height with Semi-Steel Casters		58½"
Overall Height with Rubber Casters		58¼"
Shelf Clearance 10"	Floor Clearance	5¾"
Finish		Shop Green, Gray on Request

Add $3.00 to the Printed Price for Flat Bottom Shelf

Model	Dimensions in Inches		Shipping Weight	Price With 5" x 1¼" Soft Rubber Wheels	Price With 5" x 1¼" Semi-Steel Wheels
	Width	Length			
L-1828	18"	28"	105	$58.60	$65.30
L-1836	18"	36"	119	73.60	80.30
L-2436	24"	36"	144	75.50	82.20

FIVE SHELF HEAVY DUTY TRUCKS — 3000 LBS. CAPACITY

Grizzly®



For large and heavy stock orders, for shop, tool-room and production line. All welded with 1¾" x 3/16" angle posts, top trays of 12 gauge steel, can be reversed at no extra cost.

Tubular push handle at right height for easy maneuvering adds but 3" overall length.

2 swivel and 2 rigid casters. Other casters priced on request.

SPECIFICATIONS

Overall Height	65¼"
Shelf Clearance	12"
Floor Clearance	7¼"
Finish	Shop Green, Gray on Request

Add $3.00 to the Printed Price for Flat Bottom Shelf

Model	Dimensions in Inches		Shipping Weight	Price With 6" x 2" Hard Rubber Wheels	Price With 6" x 2" Semi-Steel Wheels
	Width	Length			
H-1830	18	30	189	$ 82.50	$ 80.70
H-2430	24	30	219	94.50	92.70
H-3030	30	30	249	106.50	104.70
H-1836	18	36	212	91.50	89.70
H-2436	24	36	247	105.50	103.70
H-3036	30	36	287	119.50	117.70
H-1848	18	48	249	104.80	103.60
H-2448	24	48	299	124.80	123.00
H-3048	30	48	349	144.80	143.00
H-1860	18	60	289	118.10	116.30
H-2460	24	60	349	144.10	142.30
H-3060	30	60	413	170.10	168.30

PORTABLE MARKING TABLE



Model No. MT-2460

ALL WELDED CONSTRUCTION

CAPACITY 800 LBS.

Designed for rugged factory use yet with appearance for office and store. Flat surface for layouts, marking and sorting merchandise.

Light duty truck for industrial use, order filling, warehouse, beside assembly operations.

Top and bottom shelves are reinforced with channels.

SPECIFICATIONS

OVERALL HEIGHT 30"	Clearance between Shelves: 21"
SHELVES	16 Ga. Steel with 20 Ga. Channels
LEGS	1½" x 1½" x ⅛" Angle Iron
PAINT FINISH	Shop Green, Gray on Request
CASTERS	All Swivels

(Other casters on request)

Model No.	No. of Shelves	Dimension in inches Width - Length	Shipping Wt.	Price With 5" x 1¼" Soft Rubber Wheels	Price With 5" x 1¼" Semi-Steel Wheels
MT-2448-2	2	24" x 48"	100#	$58.80	$65.80
MT-2448-3	3	24" x 48"	132#	71.60	78.60
MT-2460-2	2	24" x 60"	115#	62.70	69.70
MT-2460-3	3	24" x 60"	155#	78.70	85.70
MT-3048-2	2	30" x 48"	112#	64.80	71.80
MT-3048-3	3	30" x 48"	150#	80.20	87.20
MT-3060-2	2	30" x 60"	130#	70.20	77.20
MT-3060-3	3	30" x 60"	175#	88.60	95.60



STEEL DOLLIES — Grizzly®

1200 LBS. CAPACITY — SEMI-STEEL WHEELS

800 LBS. CAPACITY — SOLID HARD RUBBER WHEELS

Rugged, all welded 12 gauge steel dollies castered for easy movement.

Sides 2" deep, floor clearance 5", with 2 rigid and 2 ball bearing swivel casters. Top reversed on request at no extra cost.

Other dollies and wheels on request.

FINISH: SHOP GREEN, GRAY ON REQUEST.

Model	Dimensions in Inches Width	Length	Shipping Weight	Price With 4" x 1½" Hard Rubber Wheels	Price With 4" x 1½" Semi-Steel Wheels
18-D-30	18	30	40#	$32.65	$29.75
18-D-36	18	36	44#	34.25	31.35
18-D-48	18	48	52#	37.45	34.55
18-D-60	18	60	60#	40.65	37.75
24-D-30	24	30	45#	35.05	32.15
24-D-36	24	36	50#	37.45	34.55
24-D-48	24	48	60#	41.85	38.95
24-D-60	24	60	72#	46.25	43.35



HEAVY DUTY
1600 LBS. CAPACITY - SEMI-STEEL WHEELS
1000 LB. CAPACITY - SOLID HARD RUBBER WHEELS

Ruggedly built of all steel welded construction. All corners and edges are round for safe handling without damage to other equipment. See Thru design for visual load inspection. Increases load capacity over platform trucks. Used in shipping and receiving rooms.

Casters - 2 swivel and 2 rigid.

SPECIFICATIONS

ALL MODELS:	60" HIGH OVERALL
FLOOR TO DECK:	9¾"
DECK TO TOP FRAME:	50½"
Reinforced 12 Gauge Steel platform	
FRAME:	1½" x 3/16" Angle Iron
GRID:	¼" x 1" Band Iron
TUBULAR PUSH HANDLE	
PAINT FINISH:	Shop Green, Gray on Request

Model No.	Dimensions in inches Width - Length	Shipping Wt.	Price With 6" x 2" Hard Rubber Wheels	Price With 6" x 2" Semi-Steel Wheels
3ST-2448	24" x 48"	185#	$ 93.60	$ 92.30
3ST-2460	24" x 60"	200#	100.80	99.50
3ST-2472	24" x 72"	220#	108.80	107.50
3ST-2848	28" x 48"	200#	100.40	99.10
3ST-2860	28" x 60"	235#	113.60	112.30
3ST-2872	28" x 72"	260#	122.80	121.50
3ST-3448	34" x 48"	215#	109.20	107.90
3ST-3460	34" x 60"	260#	123.20	121.90
3ST-3472	34" x 72"	290#	136.00	134.70

3 SIDED STOCK CART



MEDIUM DUTY
1000 LBS. CAPACITY - SEMI-STEEL WHEELS
800 LBS. CAPACITY - SOLID HARD RUBBER WHEELS

For variety of uses in factories, warehouses, offices, etc. See Thru design for visual load inspection. Used for drying purposes, paper truck, etc. *ALL WELDED CONSTRUCTION*

Casters - 2 swivel and 2 rigid.

SPECIFICATIONS

ALL MODELS:	60" High Overall
BOTTOM DECK:	12 Gauge Steel
Posts;	1½" x ⅛" Angle Iron
VERTICAL RODS:	⅜" Diameter
DECK HEIGHT:	7" from floor
TUBULAR PUSH BAR	
PAINT FINISH:	Shop Green, Gray on Request.

Model No.	Dimensions in inches Width - Length	Shipping Wt.	Price With 4" x 1½" Solid Hard Rubber Wheels	Price With 4" x 1½" Semi-Steel Wheels
3SC-30	24" x 30"	105#	$69.50	$66.60
3SC-36	24" x 36"	115#	77.50	74.60
3SC-48	24" x 48"	135#	85.50	82.60
3SC-60	24" x 60"	155#	93.50	90.60

SLIDING SHELF TRUCK

LARGE VOLUME CAPACITY TRUCK — REMOVABLE SHELVES

Ruggedly built of all steel welded construction. Ready for use. All corners and all edges are round for safe handling without damage to other equipment.

See Thru design for visual load inspection.

For large or heavy stock orders and other purposes.

Shelves are easily removed by sliding out of channels permitting truck to be used for large bulky materials.



18" Clearance Between Shelves
Extra Shelves Priced on Request

Prices include Two (2) Shelves,
Paint Finish: Shop Green,
Gray on Request

Model	Dimensions in Inches				Shipping Weight	Price With 5" x 1½" Hard Rubber Wheels	Price With 5" x 1½" Semi-Steel Wheels
	Length	Width	Height	Shelf Size			
SS-48	56"	37"	66"	36" x 48"	266 lbs.	$114.45	$112.30
SS-60	68"	37"	66"	36" x 60"	298 lbs.	124.05	121.90
SS-72	72"	37"	66"	36" x 72"	330 lbs.	133.65	131.50

CAGE STOCK TRUCK

ALL WELDED CONSTRUCTION
800 LBS. CAPACITY

For variety of uses, on the assembly line, in the stock room and many other operations.

See-thru design for visual load inspection.

Used for drying purposes, paper truck, etc.

SPECIFICATIONS

Overall Dimensions ..... 24½" wide x 42" long x 62" high
Shelves ..... 24" x 36" — 16 Ga. steel
Casters ..2 swivel, 2 rigids, 5" x 1¼" solid rubber wheels
Paint Finish ..... Shop Green, Gray on Request

FOR HEAVY DUTY CASTERS

5" x 1½" Solid Rubber, Hard Tread Wheels
ADD $10.15 to the Price.

★ **Shelves are furnished with welded clips that rest on Band Iron strips**

Grizzly®

MODEL NO. CST-24	SHIPPING WEIGHT 135 LBS.	PRICE $73.00
Additional Shelves (Optional)	SHIPPING WEIGHT 24 LBS.	PRICE $ 7.95

DIVIDED SHELF TRUCK



800 LBS. CAPACITY

Large variety of uses — in warehouses, factories, and offices. For order filling, stock picking, parts routing. Five shelf surfaces on each side. Double shelves pitched to slope toward center to prevent material from falling off of truck while in motion. Material can be slid on and off with ease.

SPECIFICATIONS

42" Long 22" Wide 55-3/4" High Overall
Solid divider thru center, shelves 11" deep and slope 2" to center, 12" clearance from bottom to first shelf, other shelves have 8" clearance.
Casters: 2 rigid, 2 swivels, 5" x 1-1/4" soft rubber wheels.
Finish: Shop Green, Gray on Request All Welded Construction

MODEL NO. - DV-2242	**Shipping Weight - 200 lbs.**	**Price - $112.80**

FOR HEAVY DUTY CASTERS: 5" x 1½" Solid Rubber, Hard Tread Wheels
ADD $10.15 to the Price.

ENCLOSED SHELF TRUCK



800 LBS. CAPACITY

For Warehouses, Factories and Offices —
For order picking, stock filling, parts routing. Five shelf surfaces slope 1" to the back to prevent material from falling off of truck while in motion.
Material can be slid on and off with ease.

SPECIFICATIONS

Overall Dimensions: 16" wide x 45" long x 62" high
Shelves: 16" x 44" - 20 Ga. steel
10" Clearance between Shelves
Casters: 2 swivel, 2 rigids, 5" x 1-1/4" solid soft rubber wheels
Shop Green, Gray on Request All Welded Construction

MODEL NO. EST-44	**Shipping Weight - 110 lbs.**	**Price - $76.40**

FOR HEAVY DUTY CASTERS: 5" x 1½" Solid Rubber, Hard Tread Wheels
ADD $10.15 to the Price.

Grizzly®

OPEN SIDE TRUCK



800 LBS. CAPACITY

ALL WELDED CONSTRUCTION

For factory, hospital and office use. Used as a book cart, stock picker's truck, linen truck, or office record truck.

SPECIFICATIONS

OVERALL DIMENSIONS:
18¼" wide x 45" long x 50" high
SHELVES:
18" x 39", 18 gauge steel, flat surface
CLEARANCE BETWEEN SHELVES: 15"
CASTERS:
4 swivels, 5" x 1¼" solid rubber, ball bearing wheels
PUSH HANDLES: Tubular, one at each end
FINISH: Shop Green, Gray on Request

MODEL NO. OST-39 — Shipping Weight 110 Lbs. — PRICE $76.40

GARMENT & PACKAGE TRUCK

TWO PURPOSE TRUCK

For hanging garments and handling boxed goods, separately or in combination.



SPECIFICATIONS

OVERALL LENGTH: 48" ... WIDTH: 20" ... HEIGHT: 72"
BOTTOM SHELF: 10" from floor ... TOP SHELF: 52" from floor
HANGING BAR: 36" to bottom deck ... CASTERS: 2 rigid in center, swivels at each end. 5" x 1½" solid rubber roller bearing wheels.
PAINT FINISH: Gray ... ALL WELDED CONSTRUCTION

MODEL NO. GP-48 — Shipping Weight 175 Lbs. — PRICE $99.50

GARMENT TRUCK

Used in garment factories, department stores, laundries, cleaners, motels, hotels. Handy for order filling. Light weight, easy to maneuver.



SPECIFICATIONS

OVERALL LENGTH: 74" ... WIDTH: 20½" ... HEIGHT: 66"
FRAME: 1¼" Tubular Steel ... FINISH: Gray

ALL WELDED CONSTRUCTION

MODEL NO. GT-72-1 with 5" x 1" solid rubber wheels ... SHIPPING WEIGHT 50 LBS. ... PRICE $42.80
MODEL NO. GT-72-2 with 5" x 1¼" solid rubber wheels ... SHIPPING WEIGHT 55 LBS. ... PRICE 51.50

PLATFORM LADDER TRUCKS



CAPACITY - 2000 LBS.

COMBINATION TRUCK OF MANY USES

This truck can be used for heavy stock picking such as large cartons, bulk goods, and light large objects.

Also can be used for maintenance work.

Permits work up to 10 feet high.

With adjustable ladder to give quick, higher standing step for stock clerks and others to place items into and take from inventory and storage areas, and for moving such items to and from job and shipping locations.

Ladder automatically slides to floor when operator places his weight on first step locking both ladder and truck firmly to the floor, when weight is removed the ladder retracts allowing truck to be easily moved.

All Welded Construction makes sure, safe and easy operation.

Furnished with a 9" x 12½" Clip Board mounted on a swivel joint. Can be rotated in a circle and written on from any angle.

SPECIFICATIONS

Height of Deck from floor - 17"

Top of deck to Frame Shelf - 33"
Size of Frame Shelf - 5" x 24"

Spring loaded Ladder
2 swivel and 2 rigid casters

Height of Top Step on ladder from floor - 48"

Height overall to Ladder top - 78"

Paint Finish: Shop Green, Gray on Request.

Model No.	Size of Deck	Length Overall	Weight	Price with 8" x 1½" rubber tired ball bearing wheels	Price with 8" x 1¾" semi-steel roller bearing wheels
PLT-48	24" x 48"	54"	210 lbs.	$125.50	$119.50
PLT-60	24" x 60"	66"	225 lbs.	129.50	123.50

Grizzly®

STEP LADDER



Attachment

FOR GRIZZLY STOCK CARTS AND SHOP TRUCKS

Makes Your Cart More Versatile

SIMPLE INSTALLATION

Bolts to Legs at Swivel Caster End

Ladder is Spring Loaded and Adjustable

Ladders ordered with Stock Carts and Shop Truck will be welded at no extra cost.

3 STEPS - SPACING ADJUSTABLE ON 2 STEPS
48" HIGH OVERALL

Finish: Shop Green, Gray on Request

MODEL NO. - SL-18	Used on 18" Wide Carts	SHIPPING WEIGHT - 40 Lbs.	PRICE - $27.50
MODEL NO. - SL-24	Used on 24" Wide Carts	SHIPPING WEIGHT - 45 Lbs.	PRICE - $29.50

HI-LADDER STOCK CART — ALL WELDED CONSTRUCTION



Permits work up to 10 feet high.

This truck can be used for working high stockroom shelves and bins.

With adjustable ladder to give quick, higher standing step for stock clerks and others to place items into and take from inventory and storage areas, and for moving such items to and from job and shipping locations.

Ladder automatically slides to floor when operator places his weight on first step locking both ladder and truck firmly to the floor, when weight is removed the ladder retracts allowing truck to be easily moved.

ADD $3.00 TO THE PRINTED PRICE FOR FLAT BOTTOM SHELF.

SPECIFICATIONS

OVERALL DIMENSIONS	20" wide x 44" long x 78" high
TOP OF CART	38 ¼" from Floor
SHELVES	14-Gauge steel, Tray Type - 2" deep
CLEARANCE BETWEEN SHELVES	13"
SIZE OF SHELVES	Top - 20" x 32". - Center - 20" x 36". - Bottom - 20" x 41"
LADDER	Spring loaded and adjustable
CASTERS	2 swivel, 2 Rigids, 5" x 1¼" Wheels
PAINT FINISH	Shop Green, Gray on Request

MODEL NO. LT-20-78R	With Rubber Wheels	Shipping Weight 130 Lbs.	PRICE $107.40
MODEL NO. LT-20-78S	With Steel Wheels	Shipping Weight 135 Lbs.	PRICE $102.50

LADDER STOCK CART

With adjustable ladder to give quick, higher standing step for stock clerks and others to place items into and take from inventory and storage areas, and for moving such items to and from job and shipping locations.

All welded steel contruction makes sure, safe and easy operation, is more popular with increased use.

Top and center Shelves can be reversed at no charge.

SPECIFICATIONS

OVERALL DIMENSIONS	20" wide x 44" long x 48" high
TOP OF CART	38 ¼" from Floor
SHELVES	14 gauge steel, Tray Type - 2" deep
CLEARANCE BETWEEN SHELVES	13"
SIZE OF SHELVES	Top - 20" x 32— Center - 20" x 36" - Bottom - 20" x 41"
FINISH	Shop Green, Gray on Request

Ladder is spring loaded and adjustable.

ADD $3.00 to the printed price FOR FLAT BOTTOM SHELF

Model	Casters	Capacity	Shipping Wt.	Price
LT-20-S	5" x 1⅝" Semi-steel Wheels	2000 Lbs.	155 Lbs.	$87.50
LT-20-R	5" x 1½" Solid Hard Rubber Wheels	1800 Lbs.	150 Lbs.	$93.50
FOR TRUCK FLOOR LOCK ADD $14.50 TO PRICE				

Grizzly®

LADDER SHELF TRUCK



ALL WELDED CONSTRUCTION

Open Sided Truck with adjustable Ladder to give quick, higher standing step for stockmen and others to place items into and take from inventory and storage areas.

More economical and efficient handling of open stock, packaged goods or small parts.

Easy to work with in narrow aisles, elevators, and other confined areas.

Casters are mounted in a diamond pattern for maneuverability. Turns in half of its length.

Casters may be mounted on corners per request.

SPECIFICATIONS

OVERALL DIMENSIONS:
21¼" wide x 60½" long x 60" high to ladder
SIZE OF SHELVES:
21" wide x 48⅞" long — Flat Surface
Clearance between shelves 14"
LADDER IS SPRING LOADED AND ADJUSTABLE
PAINT FINISH: SHOP GREEN OR GRAY

Model	Casters	Capacity	Shipping Wt.	Price
LT-21-RT	5" x 1¼" Rubber Tired Wheels Soft Tread, ball bearings	800 Lbs.	170 Lbs.	$129.50
LT-21-R	5" x 1½" Solid Hard Rubber Wheels	1800 Lbs.	180 Lbs.	138.25
LT-21-S	5" x 1⅝" Semi-steel Wheels	2000 Lbs.	185 Lbs.	131.65

PACKING & STRAPPING TRUCK







1200 LBS. CAPACITY — SEMI-STEEL WHEELS
800 LBS. CAPACITY — SOLID RUBBER WHEELS

ALL WELDED CONSTRUCTION

Speeds up shipping room operations, designed to pass steel strapping or rope under cartons or bundles which can be lifted off unit with sling, fork truck, etc. Adjustable top loading racks can be positioned anywhere along the length of base, and locked in place by screw knobs, (one on each side). The base is a tray 2" deep and can be used for storage of strapping material. The top loading racks have hinged lids. When down they provide a flat surface (6½" x 23½") used for cartons, boxes, crates, etc. When opened at 180 degrees they expose a cradle rest used for tubing, pipe, rounds and irregular shapes and the covers can be used for storage trays.

SPECIFICATIONS

Overall Height: 16½"; 9" clearance between load and bottom
Cradle: 23½" long x 6½" wide
Finish: Shop Green, Gray on Request

Model	Size	Max. Opening Between Racks	Shipping Weight	Price With 4" x 1½" Solid Rubber Wheels	Price With 4" x 1½" Semi-Steel Wheels
PST-30	24" x 30"	13"	104 lbs.	$72.55	$69.75
PST-36	24" x 36"	23"	110 lbs.	74.20	71.40
PST-48	24" x 48"	35"	120 lbs.	77.70	74.90

Grizzly®

TOTE-ALL HAND TRUCK — COMBINATION 4 WHEEL CART OR 2 WHEEL HAND TRUCK

Ideal for Luggage, Packages, Small Boxes, Tanks. Instrument Carrier — Testing Machines — Vacuum Cleaning Tanks — Paint Spray Units



SPECIFICATIONS

Inside Dimensions of Bottom: 24" wide, 16½" deep. — Sides: 28" high, 23½" deep, front to back. 30" wide overall, 41½" high overall. — Wheels: 8" x 1.75 Semi-Pneumatic rubber tired. — Casters: 3" x 1" solid rubber swivels. ALL WELDED CONSTRUCTION — Finish: Orange.

MODEL NO. TA-24	SHIPPING WEIGHT 52 LBS.	PRICE $46.50

TOTE PAN HAND TRUCK — ALL WELDED CONSTRUCTION

FOR TRAYS, BOXES, TOOLS, DIES & ORDER PICKING

Sits level on 4 wheels for loading and unloading beside machines or assembly benches. Can be maneuvered on 2 large semi-pneumatic wheels as a hand truck or pushed as a cart on 4 wheels. Two swivel casters in front for easy turning.



SPECIFICATIONS

SIZE OF TRAY: 12" x 24" — CLEARANCE BETWEEN TRAYS: 12", Bottom Tray 3¾ from floor. — HEIGHT OVERALL: 42", 22" from front to back wheel. — WHEELS: 8" x 1.75 semi-pneumatic rubber tired. — CASTERS: 3" x 1" solid rubber swivels. — PAINT FINISH: Shop Green, Gray on Request.

MODEL NO. TPH-24	SHIPPING WEIGHT 55 LBS.	PRICE $42.50

Grizzly®

ROLL-OVER BOX TRUCK

ALL WELDED CONSTRUCTION

Quick – Safe – Easy



★ ONE MAN OPERATION

★ MAKES CLEAN-OUT EASY



Gives maximum leverage with ease, turns over load from horizontal to vertical position.

Remains Upright so that Material can be removed.

SPECIFICATIONS

BOX: 14 Gauge steel with top edges hemmed over band iron.

Truck is TILT TYPE MOUNTED on two rigid casters and one swivel caster at the center of each end, turns within half of its length. Other casters furnished on request.

Paint Finish .....Shop Green, Gray on Request

Model	Box Size Width - Depth - Length	Height OA	Shipping Weight	Price with 5" x 1¼" Soft Rubber Wheels	Price with 5" x 1¼" Semi-Steel Wheels
ROBT-36	24" x 24" x 36"	30"	120 Lbs.	$67.45	$72.15
ROBT-48	24" x 24" x 48"	30"	140 Lbs.	76.25	81.55

BOX TRUCKS



The GRIZZLY BOX TRUCK is designed for the handling of packaged goods in department stores, warehouses and line operations.

Widely used for the disposal of waste materials.

All welded, rugged construction. Box is constructed of heavy gauge steel, top edges hemmed around band iron.

The truck is **tilt type mounted** on two center rigid casters and one swivel caster at the center of each end .Turns within half of its length.

BOX: 14 Gauge steel with top edges hemmed over band iron. Other Casters furnished on request.

Finish — Shop Green, Gray on Request.

Grizzly®

Model	Box Size Width - Depth - Length	Height OA	Shipping Weight	Price with 5" x 1¼" Soft Rubber Wheels	Price with 5" x 1¼" Semi-Steel Wheels
BT-36	24" x 24" x 36"	30"	95 Lbs.	$52.50	$57.20
BT-48	24" x 24" x 48"	30"	115 Lbs.	61.90	66.60

ROLL OVER DUMP TRUCK — All Steel Construction

Quick – Safe – Easy

ONE MAN OPERATION **MAKE DUMPING EASY**



Gives maximum leverage with ease, turns over load from horizontal to vertical position.

REMAINS UPRIGHT SO THAT MATERIAL CAN BE REMOVED.



Upright Position

SPECIFICATIONS	TOP ..... 42" long x 24" wide BOTTOM ..... 29" long x 24" wide BOX ..... 18" deep FLOOR TO TOP OF BOX ..... 23" OVERALL HEIGHT ..... 36" Top of Handle	2 Rigid Casters 1 Swivel Caster 4" x 1½" semi-steel wheel Paint: Shop Green or Gray

MODEL NO. RODT-42 — SHIPPING WEIGHT 130 LBS. — PRICE $76.20

HAND DUMP TRUCK



All welded, heavy gauge steel, rugged leakproof construction, 8" from Bottom, designed especially for carrying and dumping parts, metal chips and waste material into pits and containers by forward lift. Front slanted for easy dumping. Casters — 2 rigid, front, and 1 swivel, rear, make easy maneuverability into and out of close, narrow quarters.

Handy in machine shops, screw machine operations, production and assembly lines.

SPECIFICATIONS

FINISH: Shop Green, Gray on Request. TOP: 42" long x 24" wide. BOTTOM: 29" long x 24" wide
BOX: 18" deep Capacity 10½ cu. ft. HANDLE: 36" from floor
FLOOR TO TOP OF BOX - 23"
CASTERS ..... 2 rigid, 1 swivel ball bearing — 4" x 1½" — semi-steel wheels

MODEL HDT-42 — SHIPPING WEIGHT 120 LBs. — PRICE $62.50

Grizzly®

Special Dump Trucks Designed on Request

UTILITY TABLES



All welded construction, handle heavy loads of tools, parts and other items for production workers, machine operators, and repairmen on assembly lines beside machines, in garages, shops and warehouses.

★ **SPECIFICATIONS**

SHELVES ..... S Models: 16 Gauge — H-L-K Models: 14 Gauge
ANGLE LEGS ..... S Models: 1¼" x ⅛" — H-L-K Models: 1½" x ⅛"
DRAWER SIZE (ID) ..... 14" wide x 16" deep x 5" high

ALL MODELS CAN BE FURNISHED WITH 5" DIAMETER, SOLID RUBBER, BALL BEARING SWIVEL CASTERS — Use Price of Caster Models, PLUS . . . $8.50
Add $1.30 to price for 2½" Solid Rubber Wheels
Add $3.00 per drawer for cylinder lock - keyed un-alike.

Grizzly®



With Top and Bottom Shelves



With Top, Bottom and Center Shelves



With Top, Bottom and Center Shelves and No.1416-1 Drawer

31" High Overall Floor Pads Welded to Legs				34" High Overall With Casters 4 Swivels 2½" Dia. Pressed Steel Wheels		
Size	Model	Shipping Weight	Price	Model	Shipping Weight	Price
19 x 25	ST	32	$13.15	SC	35	$18.45
23 x 24	HT	43	15.20	HC	46	20.50
20 x 28	LT	44	15.45	LC	47	20.75
24 x 36	KT	60	18.70	KC	63	24.00
19 x 25	S3	42	16.85	SC3	45	22.15
23 x 24	H3	57	19.60	HC3	60	24.90
20 x 28	L3	59	20.25	LC3	62	25.50
24 x 36	K3	83	26.20	KC3	86	31.50
19 x 25	SD3	57	27.10	SD3C	60	32.40
23 x 24	HD3	69	29.90	HD3C	72	35.20
20 x 28	LD3	71	30.50	LD3C	74	35.80
24 x 36	KD3	95	36.55	KD3C	98	41.80

UTILITY TABLES



Utility Table with 5" Casters

H3D

Back and side stops on shelves prevent parts and other items from rolling off. Drop fronts for sliding items on and off, and for easy cleaning. Steel pads on legs avoid floor marks. Sturdy, deep drawers furnished with attachment for padlock.

Swiveled castered models for movement of parts and tools from machine to machine.

Finish — Shop Green, Gray on Request.

★ SPECIFICATIONS

SHELVES	S Models: 16 Gauge	H, L, K Models: 14 Gauge
ANGLE LEGS	S Models: 1¼" x ¼"	H, L, K Models: 1½" x ¼"
DRAWER SIZE (ID)	14" wide x 16" deep x 6" high	

ALL MODELS CAN BE FURNISHED WITH 5" DIAMETER, SOLID RUBBER, BALL BEARING SWIVEL CASTERS — Use Price of Caster Models, PLUS . . . $8.50

Add $1.30 to price for 2½" Solid Rubber Wheels



	31" High Overall Floor Pads Welded to Legs				34" High Overall With Casters 4 Swivels 2½" Dia. Pressed Steel Wheels		
	Size	Model	Shipping Weight	Price	Model	Shipping Weight	Price
With Top and Bottom Shelves and #1416-1 Drawer	19 x 25	SD	47	$23.40	SDC	50	$28.70
	23 x 24	HD	58	25.50	HDC	61	30.80
	20 x 28	LD	59	26.80	LDC	62	32.10
	24 x 36	KD	75	28.95	KDC	78	34.25
With Top and Bottom Shelves and #1416-2 Drawer Unit	19 x 25	S2D	77	39.10	S2DC	80	44.40
	23 x 24	H2D	88	41.20	H2DC	91	46.50
	20 x 28	L2D	89	41.40	L2DC	92	46.70
	24 x 36	K2D	105	44.65	K2DC	108	49.95
With Top and Bottom Shelves and #1416-3 Drawer Unit	19 x 25	S3D	98	47.60	S3DC	101	52.90
	23 x 24	H3D	109	49.70	H3DC	112	55.00
	20 x 28	L3D	110	49.90	L3DC	113	55.20
	24 x 36	K3D	126	53.15	K3DC	129	58.45

Grizzly®

HAF-SHELF UTILITY TABLES

SC-8

All welded construction, Haf-Shelf Tables are the same premium quality as carried in our regular GRIZZLY Utility Table Line (Pages 24 and 25) with the added convenience of an extra Shelf.

"Haf-Shelf" will hold a tool box, tools, parts or other items within easy reach and still allow free access to the top full shelf — another "plus" feature in the GRIZZLY Line.

SPECIFICATIONS

DIMENSIONS OF HAF-SHELF: . . .	8" deep, full width of table — 11" clearance from top of table
HEIGHT (with and without casters): .	Overall including Haf-Shelf—42"—30" from floor to top of table
FINISH:	Shop Green Gray on Req.



HC3-8

ADD THE FOLLOWING PRICES TO THE PRICE OF STANDARD UTILITY TABLES AS SHOWN ON PAGES NO. 24 AND NO. 25 FOR THE ADDITION OF HAF-SHELVES.

Model	Dimensions in Inches	Price
"S" Models	Table Size 19 x 25	$4.85
"H" Models	Table Size 23 x 24	5.00
"L" Models	Table Size 20 x 28	5.60
"K" Models	Table Size 24 x 36	6.60

HOPPER TABLES



All welded construction, used beside machines for holding tote box on the sloping lipped top shelf filled with parts, which operator feeds into the machine operation, the machined parts are dropped into the chute opening into the tote box on the bottom shelf. Tote box filled with machined parts is then transferred to the next operation. These operations are repeated on the production line resulting in quicker and lower production costs with less fatigue on the workers. Hopper Tables are especially used on small parts production and assembly.



SPECIFICATIONS

WIDTH:	14-1/4"
LENGTH:	29-1/4"
HEIGHT:	Back-36"--Front-30" with 1" Stop
CHUTE OPENING:	6" x 12"
BOTTOM SHELF CLEARANCE FROM FLOOR:	6-1/2"
CLEARANCE BETWEEN BOTTOM SHELF AND CHUTE . .	12"
FINISH:	Shop Green Gray on Req.

Model	Description	Shipping Weight	Price
TH-14	With Pads	37	$16.40
TH-14C	With 2-1/2" Pressed Steel Swivel Casters	40	21.70

Grizzly®

"MIJ" TABLE



TC-213

FOR FASTER PRODUCTION LINE NEEDS

Rugged — Compact — High Quality at Low Cost

All welded construction, used as a durable service table for handling parts during production, beside Drill Presses, Punch Presses, Lathes, Automatics and other machines. Holds tote boxes at the right height for rapid handling, less fatigue for operator. Casters move table to tote pan, little effort required to place pan on table and move to next operation.

Back and side stops on shelves, drop front on all shelves.

Finished in Shop Green, Gray on Request.

ADD $1.30 TO PRICE FOR 2½" SOLID SOFT RUBBER WHEELS

ALL MODELS: 13" wide x 23" long
SHELVES: 16 Gauge Steel
LEGS: Structural Angle



	Models With Floor Pads Welded to Legs					Caster Models 2½" Pressed Steel Wheels		
	Model	Height of Top Shelf	Shelf Clearance	Shipping Weight	Price	Model	Shipping Weight	Price
Top and Bottom Shelves	T -213	23"	16"	24	$ 9.95	TC -213	25	$15.25
	TE-213	30"	21"	27	11.50	TEC-213	28	16.80
Top, Bottom and Center Shelves	T -313	23"	7½"	29	12.95	TC -313	30	18.25
	TE-313	30"	10"	32	14.00	TEC-313	33	19.30

"MIJ" BOX-CARTS



B-213

Combines a Tote Box with a highly maneuverable cart. For stocking assembly lines and machines, moving work parts in warehouses and stock rooms, collecting and moving items in tool cribs and shipping rooms. *ALL WELDED CONSTRUCTION*

Easily turned in even narrow aisles, speeds up jobs, reduces work fatigue by eliminating manual lifting of heavy shop boxes and places parts at a normal work elevation.



BC-213

SPECIFICATIONS

OVERALL DIMENSIONS	13" wide x 23" long x 31" high
BOX	6" deep
CLEARANCE BETWEEN BOX AND SHELF	17"
BOTTOM SHELF	8" from Floor
FINISH	Shop Green, Gray on Request

MODEL B-213 Shipping Weight 28 lbs. Price $14.25
With Floor Pads

MODEL BC-213 Shipping Weight 29 lbs. Price $19.50
With 2½" Pressed Steel Casters

"HI-BOY" UTILITY STAND

Grizzly®



400 LBS. PER SHELF

COMBINATION TABLE AND STORAGE RACK

Top and Height Just Right For Stand-Up Working Surface

Hi-Boy Tables are designed and built to carry loads of parts, tools and production items. Used as service tables for machine operators, repairmen, production workers; and on assembly lines. Ideal for many uses in garages, small shops and warehouses. Provide excellent storage for dies, tools and testing instruments; convenient to presses and other machines.

Back and side stops on shelves prevent roll-off of parts. Drop fronts for sliding items on or off and for easy cleaning. Steel pads on legs avoid floor marks. All welded construction — no assembly required by users. Ready for immediate use.

Drawer slides effortlessly on ball bearing rollers. Positive stop can be released for drawer removal. Sliding tray 13½" x 8" x 1" holds small items within easy reach. Shop Green, Gray on Request

Both Models 28½" wide; 20½" deep, 43" overall height; 42" height of table top. Side and Back Stops 1" high on all shelves.

Drawer I.D. 14" x 16" x 5", with padlock attachment.

MODEL NO. 28 — THREE SHELVES	SHIPPING WEIGHT 74 LBS.	PRICE $29.60
MODEL NO. 28D — THREE SHELVES AND DRAWER	SHIPPING WEIGHT 82 LBS.	PRICE $39.85

HEAVY DUTY TOOL STANDS

2000 LBS. CAPACITY
ALL WELDED CONSTRUCTION

No. 30-3

Heavy Duty Tool Stands have a broad usage in many industries where heavier than average weights are a daily occurrence. Flat top for sliding heavy dies, tooling or shop boxes on and off. Used by machine operators as a service table.

Floor clearance 6¼".
Pads on bottom of legs protect floors.
Finished in Shop Green, Gray on Request.

TRAY SHELVES - 2" DEEP — SHELVES CAN BE REVERSED AT NO EXTRA COST.

ALL MODELS 32½" High Overall
SHELVES 12 Gauge Steel
LEGS 1¾" x 3/16" Angle Iron



TOP AND BOTTOM SHELVES
Shelf Clearance 22¼ inches



TOP, BOTTOM and CENTER SHELVES
Shelf Clearance 10⅛ inches

Model	Dimensions in inches Width - Length	Shipping Wt.	Price
1830-2	18" x 30"	62#	$26.00
1836-2	18" x 36"	70#	30.80
1848-2	18" x 48"	85#	36.80
1860-2	18" x 60"	104#	42.80
2430-2	24" x 30"	83#	33.10
2436-2	24" x 36"	95#	37.85
2448-2	24" x 48"	116#	46.30
2460-2	24" x 60"	136#	54.75
1830-3	18" x 30"	85#	35.20
1836-3	18" x 36"	98#	41.60
1848-3	18" x 48"	120#	50.80
1860-3	18" x 60"	148#	60.40
2430-3	24" x 30"	112#	42.70
2436-3	24" x 36"	130#	49.60
2448-3	24" x 48"	162#	61.20
2460-3	24" x 60"	192#	72.80

EXTRA HEAVY DUTY TOOL STANDS

5,000 LBS. CAPACITY



For handling long lengths of sheet metal. Placed beside shears, brakes, presses. Used as a feeder table. Layout table for plates, large dies, molds.

FOR EXTREME HEAVY LOAD REQUIREMENTS

ALL WELDED CONSTRUCTION • ALL SHELVES FLAT SURFACES
PAINT: SHOP GREEN, GRAY ON REQUEST

ALL MODELS ..... 36" High
SHELVES ..... 12 Gauge Steel
LEGS ..... 2" x 2" x 3/16" Angle



Clearance from floor to bottom shelf ..... 8"
Clearance between shelves ..... 23½"

Model	Dimensions in Inches Width - Length	Shipping Weight	Price
HS-2448-2	24" x 48"	135	$ 45.00
HS-2460-2	24" x 60"	155	51.00
HS-2472-2	24" x 72"	175	57.00
HS-2496-2	24" x 96"	215	72.40
HS-2848-2	28" x 48"	145	48.90
HS-2860-2	28" x 60"	170	55.80
HS-2872-2	28" x 72"	195	62.40
HS-2896-2	28" x 96"	245	80.20
HS-3448-2	34" x 48"	165	54.90
HS-3460-2	34" x 60"	190	62.70
HS-3472-2	34" x 72"	240	71.70
HS-3496-2	34" x 96"	280	91.00



Clearance from floor to bottom shelf ..... 8"
Clearance between shelves ..... 10⅝"

HS-2448-3	24" x 48"	185	$ 60.30
HS-2460-3	24" x 60"	215	69.30
HS-2472-3	24" x 72"	245	78.00
HS-2496-3	24" x 96"	305	100.00
HS-2848-3	28" x 48"	205	66.30
HS-2860-3	28" x 60"	240	76.50
HS-2872-3	28" x 72"	275	86.00
HS-2896-3	28" x 96"	350	111.70
HS-3448-3	34" x 48"	230	75.30
HS-3460-3	34" x 60"	280	89.40
HS-3472-3	34" x 72"	335	100.20
HS-3496-3	34" x 96"	405	128.20

Grizzly®

CASTER CORNER SHOES

ALL WELDED CONSTRUCTION



PALLET



SET OF 4



CRATE



CABINET

Ideal for making wood pallets or boxes portable at low cost.

Shoes slide under corners. May be bolted, screwed or nailed on permanently.

For moving heavy wood crates, boxes, cases, machinery, pallets, cabinets, benches and other uses.



MACHINE

SPECIFICATIONS

12 Gauge Steel — Size is 8" x 8" — 5¾" high overall — Flange 2" — 3⅞" high to platform — 7/16" holes for mounting.
PAINT FINISH ..... Shop Green, Gray on Request

Model	Capacity per Set	Shipping Weight	Casters	Price per Set
CS-3S	1200 Lbs.	17 Lbs.	3"x1¼" Semi-steel Wheels	$17.40
CS-3R	1000 Lbs.	15 Lbs.	3"x1¼" Solid Hard Rubber Wheels	$18.00

EXTRA HEAVY DUTY SHELF DIE RACKS



An extremely rugged Rack to hold heavy loads of Jigs, Fixtures, Dies, and other heavy material.

May be erected as individual units or in rows.

Extra shelves may be added.

Bolted construction. Shipped complete with assembly hardware.



Construction of double channel reinforced shelf.

SPECIFICATIONS

SHELVES ..... Reinforced 14 Gauge steel with formed hat channel thru center
POSTS ..... 2" x 2" x ⅛" Angle Iron
"X" BRACES ..... 1" x ⅛" Band Iron
PAINT FINISH ..... Shop Green, Gray on Request

Model	Description - Parts	Shipping Weight	Price
DR-1842	Complete Unit: 5 — 18" x 42" Shelves 4 Posts — X Braces and Bolts	170 lbs.	$63.50
DR-2448	Complete Unit: 5 — 24" x 48 Shelves 4 Posts — X Braces and Bolts	230 lbs.	84.00
S-18	Single Shelf — 18" x 42", including bolts	26 lbs.	9.50
S-24	Single Shelf — 24" x 48", including bolts	38 lbs.	13.50
P-72	4 Posts (as a package) 72" long	45 lbs.	12.00

Grizzly®

PORTABLE CABINET WORK BENCHES



PC-48S
with Riser
Vise Shelf



PC-48S

HEAVY DUTY . . . All welded, for repairmen, maintenance workers, millwrights, electricians, and other spot workers, providing large storage place for tools and parts, with adequate top work area, back and side stops to prevent tools and parts from falling off top — all to give more efficient work operation, especially eliminating otherwise necessary trips to another work bench and stock room.

SPECIFICATIONS

Dimensions: Caster wheels: 34 1/2" overall height, 2 tool drawers, 1 Additional drawer
Size of Top: 26 x 48. Height: 34 rubber tread, 35 1/8" hard tread. Overall height with shelf
Total overall length 43". Vise shelf: 12 x 26. Vise shelf standard on all models
Shelf: 23 x 47 1/2
Designed and built to special requirements
Finish: Shop Green, Gray on Request

MODEL	DESCRIPTION	SHIPPING WT.	PRICE
PC-48S	Semi-Steel Wheels	250	$137.10
PC-48R	Solid Rubber Hard Tread Wheels	247	141.00
R-48	Steel Bench Riser Shelf (Optional)	20	8.40
	Keyed Handle (Optional) (2 keys)		3.00
	Additional Shelf (Optional)	26	11.40
	Floor Truck Lock	5	14.50

All welded construction, for Setup men, repairmen, maintenance workers, millwrights, electricians, and other spot workers.

Drawer with Tool Tray, large compartment for storing bulky items. Two intermediate shelves for storage. Top heavy 12 Ga. steel, strong enough to mount a Vise.

SPECIFICATIONS

SIZE OF TOP: 24 x 36. OVERALL HEIGHT: 34. DRAWER: 3 - 19 1/2 x 14 x 16 1/2 and 3 deep. SHELVES: 2 each 3 wide x 14 deep. STORAGE: INSIDE: 17 wide x 28 deep x 34 high. CASTERS: 5 - 1 1/2 x 2 swivel and rigid. PAINT: Shop Green, Gray on Request



Model
BP-36S



With Floor Lock

MODEL	DESCRIPTION	SHIPPING WT.	PRICE
BP-36-S	Semi-Steel Wheels	220 lbs.	$129.50
BP-36-R	Solid Rubber Hard Tread Wheels	215 lbs.	136.10
	FLOOR TRUCK LOCK (Optional)	5 lbs.	14.50
	KEYED HANDLE (2 Keys)		3.00
	FOR 3/16" STEEL PLATE TOP ADD $14.70 TO THE PRICE	250 lbs.	

Grizzly®

PORTABLE CABINET WORK BENCHES



LIGHT DUTY

All welded, designed for light duty, particularly in smaller operations.

DIMENSIONS:

TOP: 21-1/4" x 36"
HEIGHT: 34" to Work Surface, 3" Back Stop
SHELF SIZE: 19" x 35 3/4" adjustable on 2" Centers
FINISH: Shop Green, Gray on Reg.



Model	Caster Description	Shipping Wt.	Price
PC-36S	5" x 1-1/4" Semi-Steel, Plain Brg. Wheels	118	$69.00
PC-36RH	5" x 1-1/4" Solid Rubber, Soft Plain Brg. Wheels	114	62.00
	Floor Lock (Optional)	5	14.50
	Additional Shelf (Optional)	16	6.40
	Cylinder Lock which locks both Doors (2 Keys)		6.00



PDC SERIES

Equipped with four large drawers, finish slide guides. Inside dimensions: 20" wide x 18" long x 4" deep.
Inside Cabinet Size: 10-3/2" wide x 20" deep x 25" high.

DIMENSIONS:

TOP: 21-1/4" x 36"
HEIGHT: 34" to Work Surface, 3" Back Stop
FINISH: Shop Green, Gray on Reg.



Model	Caster Description	Shipping Wt.	Price
PDC-36S	5" x 1-1/4" Semi-Steel, Plain Brg. Wheels	188	$112.80
PDC-36H	5" x 1-1/4" Solid Rubber, Soft Plain Brg. Wheels	184	105.80
	Floor Lock (Optional)	5	14.50
	Cylinder Locks fitted to all Drawers (Keyed Un-alike)		12.00
	Keyed Handle		5.00

Grizzly®



TOOL DRAWER CABINET

TIME SAVER — COMPACT STORAGE **LOCAL AREA TOOL STORAGE**

SAVES MANY STEPS TO AND FROM MACHINE OPERATION OR JOB SITE

Can be placed in various areas or departments in plant for easy location of tools, individual belongings, etc.

For Machine Operators, repairmen, maintenance workers, millwrights, electricians and other spot workers, providing large storage drawers for tools and parts, etc.

ELIMINATES OTHERWISE NECESSARY TRIPS TO OTHER PLANT AREAS.

Model No. TDC-40

SPECIFICATIONS

CABINET SIZE	40" wide x 27½" deep x 46" high
INDIVIDUAL DRAWER SIZE	15¾" i.d. x 12" deep i.d. x 27" long i.d.
TOOL TRAY SIZE	10" wide x 15¾" long x 3" deep

Padlock attachments for each drawer.
Drawer slides on ball bearing steel rollers.
ALL WELDED CONSTRUCTION.
Paint Finish . . . . . Shop Green, Gray on Request



TOOL TRAY IN DRAWER

Tool Troy facilitates carrying of a variety of tools to the job or machine, is constructed of 16-gauge steel with full length handle.

MODEL NO. TDC-40 **Shipping** Weight 430 Lbs. PRICE $279.50 Each

RACK-U-FRAMES



EASY TO STORE WHEN NOT IN USE - Can be used on platform trucks, skids, and flats.

STORAGE RACK SYSTEM

For bar shapes, structurals, angles, tubing, pipe, aluminum shapes, plastics.



Single units - Permits the user complete flexibility of storage to meet his special storage needs.

Increase load capacity by stacking frames at closer intervals.

Formed heavy gauge steel, with all joints completely arc welded. Special notching and forming on bottom channel to insure safe inter-locking. Stops welded on ends prevents uprights from spreading.

SPECIFICATIONS

Grizzly®

OUTSIDE DIMENSIONS: 25" wide - 17½" high - 5" wide bottom channel
INSIDE DIMENSIONS: Top 23" wide, Bottom 17" wide, Uprights 15½" high

MODEL NO. RUF-25 Shipping weight per unit-25# **PRICE $9.95 each**

Paint Finish: Orange

★ TOOL CABINET BENCHES

All Welded – Completely Assembled – Ready for Use ★



C-1824



C-1848-K

Benches with GRIZZLY drawers and casters quoted on request.

Heavy duty benches provide solid working surface plus closed door storage for tool rooms, shop, garages, shipping and stock operations, and are rigid for bench type machines.

ADDITIONAL SHELF (Optional)

Shelf Size	Shipping Weight	Price
18" x 23¾"	11 lbs.	$ 4.80
18" x 47¾"	20 lbs.	8.80
24" x 35¾"	19 lbs.	8.30
24" x 47¾"	25 lbs.	11.00



C-1848-K

Any Standard Grizzly Bench Drawer Unit may by installed in these Cabinets. See page 44.

SPECIFICATIONS

TOP ..... 12 Gauge Steel with Back Stops 3" high with Side Stops that taper to 1½" in front. Overall Height 37"
SIDE LEG PANELS ..... 14 Gauge Steel
DOORS ..... 18 Gauge Steel
SHELVES ..... 16 Gauge Steel
FINISH ..... Shop Green, Gray on Request

Model	Height	Width	Depth	Shelf Size	No. of Shelves	No. of Doors	Shipping Weight	Price
C-1824	34"	24"	19"	18" x 23¾"	2	1	112	$36.90
C-1824-K	Cylinder Lock in Door Handle (2 Keys)							40.20
C-1848	34"	48"	19"	18" x 47¾"	1	2	166	60.10
C-1848-K	Cylinder Lock in Door Handle (2 Keys)							63.40
C-2436	34"	36"	25"	24" x 35¾"	1	2	160	54.00
C-2436-K	Cylinder Lock in Door Handle (2 Keys)							57.30
C-2448	34"	48"	25"	24" x 47¾"	1	2	190	72.10
C-2448-K	Cylinder Lock in Door Handle (2 Keys)							75.40

Grizzly®

MACHINE FLOOR CABINETS

FOR BASE CABINET USE WITH BENCH TYPE MACHINES

Rugged, all welded cabinets with 1⅛" coolant tops with ½" pipe connection.

Attractive gray enamel finish.

A model for every purpose, floor lugs to secure base to floor. Removable side shelves as accessory to hold tote pans and other production items.

Drawer size and model – GRIZZLY 1416-1 (14" wide ID x 16" long ID x 5" deep ID). All drawers equipped with stops, ball bearing nylon rollers and 1" deep tool tray.

Models, enclosed with back and door, are without shelves. Shelves furnished on request.

No. 1015 . . . Removable Side Shelf (Shelf Surface - 10" x 15")

Shipping Weight 10 lbs. . . . Price $5.30



CT-3635 With No. 1015 Shelves



MODEL #CT-2830
20" wide
28" long
30" high

MODEL #CT-2835
20" wide
28" long
35" high

Model No. CT-2830 Shipping Weight 90 lbs. Price $50.10
Model No. CT-2835 Shipping Weight 96 lbs. Price $56.45



MODEL #CT-3630
20" wide
36" long
30" high

MODEL #CT-3635
20" wide
36" long
35" high

Model No. CT-3630 Shipping Wt. 100 lbs. Price $56.45
Model No. CT-3635 Shipping Wt. 106 lbs. Price $62.85

MODEL #CF-2830
20" wide
28" long
30" high

MODEL #CF-2835
20" wide
28" long
35" high

MODEL #CF-3630
20" wide
36" long
30" high

MODEL #CF-3635
20" wide
36" long
35" high



Model No. CF-2830 Shipping Weight 80 lbs. Price $43.80
Model No. CF-2835 Shipping Weight 86 lbs. Price $52.10
Model No. CF-3630 Shipping Weight 90 lbs. Price $52.15
Model No. CF-3635 Shipping Weight 96 lbs. Price $58.40



MODEL #CM-2830
20" wide
28" long
30" high

MODEL #CM-2835
20" wide
28" long
35" high

MODEL #CM-3630
20" wide
36" long
30" high

MODEL #CM-3635
20" wide
36" long
35" high

Model No. CM-2830 Shipping Wt. 95 lbs. Price $65.50
Model No. CM-2835 Shipping Wt. 105 lbs. Price $71.25
Model No. CM-3630 Shipping Wt. 115 lbs. Price $71.85
Model No. CM-3635 Shipping Wt. 125 lbs. Price $78.20

Grizzly®

MACHINE CABINET STANDS

All welded for mounting Lathes, Grinders, Drill Presses, Tapping Machines, and for Work Bench Uses. CT Models are with Coolant Top with ½" pipe connection, DFT Models are with drop front, used for assembly and production work.

Designed for strength and appearance, finished in durable gray enamel.

GRIZZLY 1416 -- 1 drawer — 14" wide ID x 16" long ID x 5" deep ID, with stops, ball bearing nylon rollers and tool tray 1" deep (See Page 44). See Page 43 for CU-18 Work Bench Cabinet Unit details. Convenient shelf — 15¾" x 36".



MODEL DFT-60-C



MODEL CT-60-C

MODEL DFT-60C With Cabinet Unit No. CU-18 and one drawer. 22" wide, 60" long, 32" high. Shipping Weight 238 lbs. PRICE $109.75

MODEL CT-60-C With Cabinet Unit No. CU-18 and one drawer. 22" wide, 60" long, 32" high. Shipping Weight 238 lbs. PRICE $115.50

MODEL CT-60 Coolant Top, Tray—1⅛" deep with ½" pipe tee. 22" wide, 60" long, 32" high. Shiping Weight 198 lbs. PRICE $103.95

MODEL NO. DFT-60 Drop Front Top. Back and Side Stops—⅛" high. 22" wide, 60" long, 32" high. Shipping Weight 198 lbs. PRICE $98.15



MODEL CT-60



MODEL NO. DFT-60

NO. 59 MOTOR MOUNT BRACKET



NO. 60 BRIDGE MOTOR MOUNT

NO. 59 MOTOR MOUNT BRACKET Top Surface 10" x 11⅝". Ten round holes for mounting and adjustment. Shipping Weight 10 lbs. PRICE $7.00

NO. 60 BRIDGE MOTOR MOUNT The design of a few Machines, when placed on a machine cabinet, requires this additional mount for ease in aligning motor. Quickly attached. Shipping Weight 9 lbs. PRICE $4.80

Grizzly®

STANDING SHOP DESK



MODEL NO. 1236 with P66
(Pigeon Hole Unit Optional Extra)

Open, all welded, heavy gauge steel construction — used by foremen, supervisors, time study men, superintendents, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with drawers with and without individual locks, pigeon-hole top, back and side stops, in various combinations in the models listed, or in special combinations to meet individual needs.

Completely assembled, ready for immediate use.

FINISH . Shop Green, Gray on Request



MODEL NO. 1236

SPECIFICATIONS

WIDTH	All Models — 36"	
DEPTH	All Models — 30"	
OVERALL HEIGHTS	Front	Back
Basic Unit	43"	48"
With P-36 Unit	43"	53"
With P-66 Unit	43"	57"
SIDE AND BACK STOPS	3" high at Back, tapers to 1½" at Front.	

SHELF . . . 34" wide x 12" deep - 8" from floor
DRAWERS . . . Standard Grizzly Drawer Units, see Page 8 for specifications.
FINISH . . . Shop Green, Gray on Request

Any standard Grizzly Bench Drawer Unit or Bench Cabinet Unit may be used on this Unit.



BASIC UNIT

◀ Model No. 1036

Shipping Weight 85 lbs.

PRICE $42.50



BASIC UNIT
With No. 2024-4
Drawer Unit

Model No. 1436 ▶

Shipping Weight 225 lbs.

PRICE $101.90



PIGEON HOLE UNIT

Three 4" x 12" Openings

Model No. P-36

Shipping Weight 26 lbs. PRICE $6.70



BASIC UNIT
With Two No. 1416-1
Drawer Units

◀ Model No. 1236

Shipping Weight 115 lbs.

PRICE $63.10



BASIC UNIT
With Two No. 1424-4
Drawer Units

Model No. 1836 ▶

Shipping Weight 325 lbs.

PRICE $144.95



PIGEON HOLE UNIT

Six 4" x 12" Openings

Model No. P-66

Shipping Weight 40 lbs. PRICE $12.50

Grizzly®

SHOP CABINET DESKS



No. 2036



No. 3236
(With No. P-36 Unit)
(Pigeon Hole Unit Optional Extra)

Enclosed, all welded, extra heavy gauge steel construction — used by superintendents, foremen, supervisors, time study men, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with doors, drawers, with or without individual locks, pigeon-hole top, or in special combinations on request to meet particular needs.

Completely assembled, ready for use.
Finish — Shop Green, Gray on Request.



No. 3036
(With No. P-36 Unit)
(Pigeon Hole Unit Optional Extra)

SPECIFICATIONS

WIDTH ..... All Models 36"
DEPTH ..... All Models 30"
OVERALL HEIGHTS ..... Front Back
Basic Unit ..... 43" 48"
With P-36 Unit ..... 43" 53"
With P-66 Unit ..... 43" 57"
DRAWERS GRIZZLY 1416-1 - ID - 14" wide x 16" deep x 5" high. Any GRIZZLY Standard Bench Drawer can be used with this Unit. See Page 44
SIDE AND BACK STOPS 3" high at back, tapers to 1½" at Front.
SHELF SIZE ..... 28¾" x 35⅞"
SHELF CLEARANCES
3 Shelf Unit Floor to Bottom Shelf ..... 7"
Bottom Shelf to Center Shelf ..... 11¾"
Center Shelf to Top Shelf ..... 8"
Top Shelf to Desk Top ..... 12"
2 Shelf Unit Floor to Bottom Shelf ..... 7"
Bottom Shelf to Top Shelf ..... 19¾"
Top Shelf to Desk Top ..... 12"



No. P-36 Unit



No. P-66 Unit

Model	No. of Shelves	No. of Drawers	Shipping Weight	Price
2036	2		184	$ 83.00
2136	2	1	202	90.40
2236	2	2	219	97.65
3036	3		205	90.40
3136	3	1	222	97.65
3236	3	2	240	105.00
P-36	Pigeon Hole Unit 3 — 4" x 12" openings x 9" deep		15	6.70
P-66	Pigeon Hole Unit 6 — 4" x 12" openings x 9" deep		24	12.50
	Cylinder Lock for Drawers			3.00
	Cylinder Lock in Door Handle			3.00

LOCKS - KEYED UN-ALIKE

Grizzly®

WORK BENCHES — ALL WELDED CONSTRUCTION



BSD-2872



Reinforced plate steel tops. Reinforced channel stringers on all models. Shelving of channel reinforced construction to hold heavy loads and avoid sagging. Legs are channel formed with gussets for additional strength.

All welded construction — no bolts, rivets or other parts that have to be continually tightened.

COMPLETELY ASSEMBLED — READY FOR USE

SPECIFICATIONS	
TOPS	12 Gauge Steel
BACK AND SIDE STOPS	12 Gauge Steel
LEGS	12 Gauge Steel
STRINGERS	16 Gauge Steel
SHELVES	16 Gauge Steel



All 8 Ft. Models have 3 Bench Legs Drawer as shown

LEGS SET IN 2" FROM END OF TOP

ALL MODELS: FINISH — SHOP GREEN, GRAY ON REQUEST

32½" HIGH TO WORK SURFACE (34" Height Furnished on Request)



FLAT TOP WITH STRINGER



FLAT TOP WITH STRINGER AND SHELF - 15¼" deep

Model	Size of Top	Shipping Weight	Price
F-2448	24" x 48"	107	$42.70
F-2460	24" x 60"	120	48.70
F-2472	24" x 72"	134	55.30
F-2496	24" x 96"	180	69.00
F-2848	28" x 48"	118	45.20
F-2860	28" x 60"	132	51.00
F-2872	28" x 72"	148	57.70
F-2896	28" x 96"	198	74.90
F-3448	34" x 48"	132	51.00
F-3460	34" x 60"	148	57.70
F-3472	34" x 72"	164	62.10
F-3496	34" x 96"	220	80.70
FS-2448	24" x 48"	125	$50.00
FS-2460	24" x 60"	142	57.30
FS-2472	24" x 72"	160	65.30
FS-2496	24" x 96"	214	81.60
FS-2848	28" x 48"	132	52.50
FS-2860	28" x 60"	150	59.60
FS-2872	28" x 72"	170	67.70
FS-2896	28" x 96"	229	87.50
FS-3448	34" x 48"	150	58.30
FS-3460	34" x 60"	170	66.30
FS-3472	34" x 72"	186	72.10
FS-3496	34" x 96"	250	93.30

Grizzly®

BACK STOPS — 3" High
SIDE STOPS — 3" High at Back, Taper to 1½" at Front

WORK BENCHES

Model	Size of Top	Shipping Weight	Price
FD-2448	24" x 48"	132	$54.70
FD-2460	24" x 60"	145	60.70
FD-2472	24" x 72"	159	67.30
FD-2496	24" x 96"	205	81.00
FD-2848	28" x 48"	143	57.20
FD-2860	28" x 60"	157	63.00
FD-2872	28" x 72"	173	69.70
FD-2896	28" x 96"	223	86.90
FD-3448	34" x 48"	158	63.00
FD-3460	34" x 60"	174	69.70
FD-3472	34" x 72"	189	74.10
FD-3496	34" x 96"	245	92.70
FSD-2448	24" x 48"	150	$62.00
FSD-2460	24" x 60"	167	69.80
FSD-2472	24" x 72"	185	77.60
FSD-2496	24" x 96"	239	93.80
FSD-2848	28" x 48"	157	64.50
FSD-2860	28" x 60"	175	71.60
FSD-2872	28" x 72"	195	79.70
FSD-2896	28" x 96"	253	99.50
FSD-3448	34" x 48"	176	70.30
FSD-3460	34" x 60"	196	78.30
FSD-3472	34" x 72"	211	84.10
FSD-3496	34" x 96"	275	105.80
B-2448	24" x 48"	108	$43.20
B-2460	24" x 60"	124	49.00
B-2472	24" x 72"	135	55.00
B-2496	24" x 96"	181	71.70
B-2848	28" x 48"	119	45.60
B-2860	28" x 60"	133	51.40
B-2872	28" x 72"	149	58.15
B-2896	28" x 96"	189	75.25
B-3448	34" x 48"	133	51.40
B-3460	34" x 60"	149	58.10
B-3472	34" x 72"	166	63.00
B-3496	34" x 96"	222	81.70
BS-2448	24" x 48"	126	$50.60
BS-2460	24" x 60"	143	57.60
BS-2472	24" x 72"	161	65.00
BS-2496	24" x 96"	215	84.30
BS-2848	28" x 48"	133	52.90
BS-2860	28" x 60"	151	60.00
BS-2872	28" x 72"	171	68.15
BS-2896	28" x 96"	229	87.85
BS-3448	34" x 48"	151	58.70
BS-3460	34" x 60"	171	66.70
BS-3472	34" x 72"	188	73.00
BS-3496	34" x 96"	252	94.30

FLAT TOP WITH STRINGER AND DRAWER UNIT - No. 1424-1



Drawer Size: 14" wide x 23½" deep x 5" high

FLAT TOP WITH STRINGER AND SHELF AND DRAWER UNIT No. 1424-1



Drawer Size: 14" wide x 23½" deep x 5" high

TOP WITH BACK, SIDE STOPS AND STRINGER



TOP WITH BACK, SIDE STOPS, STRINGER AND SHELF - 13½" deep



Add $3.00 Per Drawer for Cylinder Lock

ALL MODELS: FINISH — SHOP GREEN, GRAY ON REQUEST — 32½" HIGH TO WORK SURFACE

(34" Height Furnished on Request)

Grizzly®

WORK BENCHES

BACK STOPS — 3" High — 12 Ga. Steel
SIDE STOPS — 3" High at Back, Taper to 1½" at Front

ALL MODELS SHOP GREEN FINISH, GRAY ON REQUEST — 32½" HIGH TO WORK SURFACE (34" Height On Request)

TOP WITH BACK, SIDE STOPS AND DRAWER UNIT — No. 1424-1



Drawer Size:
14" wide x 23½" deep x 5" high

Model	Size of Top	Shipping Weight	Price
BD-2448	24" x 48"	133	$55.20
BD-2460	24" x 60"	146	61.00
BD-2472	24" x 72"	160	67.00
BD-2496	24" x 96"	206	83.70
BD-2848	28" x 48"	144	57.60
BD-2860	28" x 60"	158	63.40
BD-2872	28" x 72"	174	70.15
BD-2896	28" x 96"	224	84.25
BD-3448	34" x 48"	159	63.40
BD-3460	34" x 60"	175	70.10
BD-3472	34" x 72"	191	75.00
BD-3496	34" x 96"	247	93.70

TOP WITH BACK, SIDE STOPS, STRINGER SHELF AND DRAWER UNIT — No. 1424-1



Drawer Size:
14" wide x 23½" deep x 5" high

BSD-2448	24" x 48"	151	$62.50
BSD-2460	24" x 60"	168	69.60
BSD-2472	24" x 72"	186	75.00
BSD-2496	24" x 96"	240	96.30
BSD-2848	28" x 48"	158	64.90
BSD-2860	28" x 60"	176	72.00
BSD-2872	28" x 72"	196	80.15
BSD-2896	28" x 96"	254	99.85
BSD-3448	34" x 48"	177	70.70
BSD-3460	34" x 60"	197	78.70
BSD-3472	34" x 72"	213	85.00
BSD-3496	34" x 96"	277	106.30

Add $3.00 Per Drawer for Cylinder Lock

HARD TEMPERED PRESSED WOOD TOPS

Pressed wood top — ¼" thick — is attached directly over heavy steel top. Attached with countersunk flat head bolts at each corner. Used for working with finished parts, die layout, instrument and electrical work.

ADD THE FOLLOWING PRICES TO STEEL WORK BENCHES OR OTHER GRIZZLY EQUIPMENT

Size	Price
24" x 48"	$5.00
24" x 60"	6.25
24" x 72"	7.50
24" x 96"	10.00

Size	Price
28" x 48"	$ 6.20
28" x 60"	7.85
28" x 72"	9.40
28" x 96"	12.50

Size	Price
34" x 48"	$ 7.45
34" x 60"	9.35
34" x 72"	11.25
34" x 96"	14.95

PORTABLE WORK BENCHES

Portable Steel Work Benches with telescopic handles for maintenance men, inspectors, and others, who move about to have their bench and equipment immediately available.

Any standard GRIZZLY Work Bench can be furnished as a Portable Work Bench. Telescopic handles slide under bench when not in use. Large 4" x 1½" semi-steel rigid wheels for easy moving and for steady bench work.

Specify "PORTABLE" with your order showing regular number of standard bench. Shipping weight of each unit is increased approximately 20 lbs.

Add $15.75 to Standard Work Bench Price



FINISH — Shop Green, Gray on Request.

ELECTRONICALLY GLUED

HARD MAPLE TOP WORK BENCH

These hard maple Bench or Table Tops are made of selected edge grain Maple strips, accurately machined, glued with radio frequency high pressure presses. Outside laminations 1⅜" wide, center laminations ¾" wide. Reinforced with concealed steel tie rods. Top surface and edges sanded smooth. Finish clear natural non-toxic lacquer.

Standard GRIZZLY bench legs, stringer, and hard maple tops can be assembled into a sturdy work bench in minutes. Other standard GRIZZLY accessories (Drawer Units – Cabinet Units – Shelves – Back & Side Stops – Risers) can be quickly attached to adapt a complete Bench to suit your particular needs. Parts shipped for your assembly.

ALL HARD MAPLE BENCH TOPS – 1¾" THICK

OVERALL HEIGHT, INCLUDING TOP OF BENCH – 34¼"

ALL MODELS: FINISH – SHOP GREEN, GRAY ON REQUEST



Model No. W-3072 with No. SH-72 Bench Shelf

Prices shown are for a complete basic bench including bolts, nuts, lag screws and lock washers, K. D. ready for assembly. For prices of other accessories: Bench Risers, Side and Back Stops and Shelves, Bench Drawer Units, and Bench Cabinet Units, See Pages 42-43-44.



TOP, TWO BENCH LEGS AND ONE STRINGER



TOP, THREE BENCH LEGS AND ONE STRINGER

Model	Size of Top	Shipping Weight	Price
W-2448	24" x 48"	110	$56.70
W-2460	24" x 60"	128	67.55
W-2472	24" x 72"	143	78.40
W-3048	30" x 48"	130	67.85
W-3060	30" x 60"	150	81.25
W-3072	30" x 72"	168	94.55
W-3648	36" x 48"	152	79.05
W-3660	36" x 60"	171	94.90
W-3672	36" x 72"	193	110.65
W- 2484	24"x 84"	179	$ 96.15
W- 2496	24"x 96"	194	107.00
W-24120	24"x120"	225	128.70
W-24144	24"x144"	256	149.85
W- 3084	30"x 84"	210	115.40
W- 3096	30"x 96"	228	128.75
W-30120	30"x120"	262	155.40
W-30144	30"x144"	306	186.10
W- 3684	36"x 84"	240	135.10
W- 3696	36"x 96"	262	150.90
W-36120	36"x120"	307	182.50
W-36144	36"x144"	352	216.50



WORK BENCH RISERS



The Storage capacity of your Work Bench may be substantially increased without reducing the work area on bench by an easily attached Riser. Slides easily between standard Grizzly Side and Back Stops, or attaches to sides of flat wood or steel top.

SPECIFICATIONS			
List. No.	Length "L", Inches	Shipping Weight	Price
R-48	48	19	$ 8.40
R-60	60	23	10.10
R-72	72	27	11.25
R-96	96	34	13.15
CABINET FINISH – SHOP GREEN, GRAY ON REQUEST			

Grizzly®

Side- and Back-Stop Sets





Paint Finish — Shop Green, Gray on Request. 12 Gauge Steel.
EACH SET CONSISTS OF TWO SIDE STOPS (right and left) AND ONE BACK STOP.

List No.	Dimensions in Inches A	B	C	D	E	Shipping Weight of Sets	Price
2448	5¼	24	3½	5¼	48	16	$ 6.10
2460	5¼	24	3½	5¼	60	18	6.80
2472	5¼	24	3½	5¼	72	20	7.50
2496	5¼	24	3½	5¼	96	23	8.45
2848	5¼	28	3½	5¼	48	18	6.90
2860	5¼	28	3½	5¼	60	20	7.55
2872	5¼	28	3½	5¼	72	22	8.25
2896	5¼	28	3½	5¼	96	27	9.90
3448	5¼	34	3½	5¼	48	19	7.30
3460	5¼	34	3½	5¼	60	21	7.95
3472	5¼	34	3½	5¼	72	24	8.95
3496	5¼	34	3½	5¼	96	29	10.60

Stringers





Paint Finish - Shop Green, Gray on Request. 16 gauge one inch channel reinforced construction.

List No.	Dimensions in Inches F	G	Shipping Weight	Price
ST-36	4¼	32	4	$2.20
ST-48	4¼	44	6	3.05
ST-60	4¼	56	7½	3.95
ST-72	4¼	68	9	4.80
ST-84	4¼	80	10½	5.70
ST-96	4¼	92	12	6.60
ST-120	4¼	116	15	8.35

Shelves





Paint Finish — Shop Green, Gray on Request. 16 gauge one inch channel reinforced construction.

List No.	Dimensions in Inches H	J	Shipping Weight	Price
SH- 36	15¼	32	13	$ 5.70
SH- 48	15¼	44	18	7.30
SH- 60	15¼	56	22	8.60
SH- 72	15¼	68	26	10.00
SH- 84	15¼	80	30	11.30
SH- 96	15¼	92	34	12.60
SH-120	15¼	116	42	15.30
SH- 36-F	23½	32	18	7.30
SH- 48-F	23½	44	24	9.30
SH- 60-F	23½	56	30	11.30
SH- 72-F	23½	68	36	13.30
SH- 84-F	23½	80	42	15.30
SH- 96-F	23½	92	48	17.20
SH-120-F	23½	116	60	21.20

Grizzly®

BENCH LEGS



These sturdy all steel legs are designed to withstand severe usage and support weight far in excess of normal conditions. Top and cross members permanently welded to legs. Reinforced channel construction — gusset strengthened. Adequate holes provided for attachment of bench top, shelf and stringer. Steel floor pads with holes for attachments to floor.

BL-58 Bench Leg furnished with center upright channel.

Finish — Shop Green, Gray on Request. Bench Legs for special requirements on request.

SPECIFICATIONS

List No.	Dimensions in Inches A	B	C	D	E	Shipping Wt. Each	Price Each	Price Pair
BL-22	22	32½	15½	18	9½	20	$ 6.90	$13.80
BL-28	28	32½	19½	22	9½	22	7.50	15.00
BL-34	34	32½	23½	26	9½	24	8.30	16.60
BL-46	46	32½	35½	38	9½	28	9.70	19.40
BL-58	58	32½	47½	50	9½	34	12.35	24.70

WORK BENCH CABINET UNITS

Grizzly®



No. CU18 Unit



No. CU18 Unit mounted beside drawer in steel work bench



No. CUK-36 Unit

Cabinet storage can be more efficient than drawers for many items, which can be placed neatly and are not subject to being jarred or rolled around as in a drawer.

Heavy gauge steel used throughout with flanged reinforcement. All Welded Construction

Use with either wood top or all metal benches. Quickly fastened to wood top with bolts or lag screws. Easily attached to metal top with machine bolts and angle iron supports furnished on request. Holes are elongated in tops of unit and supports for rapid alignment with bolts.

Model No.	Dimensions in Inches Length	Height	Depth	Shelf Clearance	Lock	Shipping Weight	Price Each
CUK-36	36	19	19	8	Yes	95	$46.10
CU-36	36	19	19	8		95	43.10
CUK-18	18	19	19	8	Yes	55	30.00
CU-18	18	19	19	8		55	27.00

Finish — Shop Green, Gray on Request. Please indicate on order if unit is for installation with steel or wood bench.

BENCH DRAWER UNITS



Single Drawer Unit

Drawer units can be fastened to either wood or steel benches, tables, desks or counters.

All welded construction. Padlock attachments for each drawer. Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer. Fingers fit easily into drawer pull. Drawer slides effortlessly on BALL BEARING nylon rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 13½" x 8" in 1416 and 1424 Series; 19½" x 8" x 1" in 2024 Series.

CYLINDER LOCKS MUST BE INSTALLED AT FACTORY



Two Drawer Unit



Three Drawer Unit

OVERALL OUTSIDE DIMENSIONS

HEIGHT, ALL UNITS	One Drawer — 5¾"; Two Drawer — 12½"; Three Drawer — 18½"; Four Drawer — 24½"
WIDTH	1416 & 1424 SERIES: 16¼" ..... 2024 SERIES: 22¼"
DEPTH	1416 SERIES: 16½" ..... 1424 & 2024 Series: 24"

	Individual Drawer Size 14" wide x 16" deep x 5" high			Individual Drawer Size 14" wide x 23-1/2" deep x 5" high			Individual Drawer Size 20" wide x 23-1/2" deep x 5" high		
Unit Description	No.	Ship'g Wt.	Price	No.	Ship'g Wt.	Price	No.	Ship'g Wt.	Price
1 Drawer	1416-1	15	$ 10.25	1424-1	26	$12.00	2024-1	30	$14.00
2 Drawer	1416-2	45	26.00	1424-2	60	31.75	2024-2	74	36.00
3 Drawer	1416-3	66	34.45	1424-3	90	41.50	2024-3	105	47.00
4 Drawer	1416-4	87	43.00	1424-4	120	51.00	2024-4	136	59.00

Grizzly®

Add $3.00 per Drawer for Cylinder Lock, Keyed Un-alike
Extra charge for locks keyed alike.

Approximate Shipping Weights Shown Above Include Attachment Hanger.

FINISH: SHOP GREEN, GRAY ON REQUEST

HEAVY DUTY DRAWER UNIT

USE WHERE SEVERE SERVICE IS NEEDED



14 GA. STEEL DRAWER
12 GA. STEEL HANGER

ALL STEEL BALL BEARING ROLLERS

All welded construction. Handles heavy loads of tools, parts and other items.

Drawers can be attached to work benches, tables, desks or counters.

Padlock tab on drawer. Stop prevents drawer from pulling out of slides. Fingers fit easily into pull. Drawer slides effortlessly on Ball Bearing rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 19½" x 8" x 1".

Model No. H-2024-1

SPECIFICATIONS

Inside dimensions of drawer	14" wide x 23½ long x 5" deep
Hanger size overall dimensions	22½" wide x 24" long
Paint Finish	Shop Green, Gray on Request

MODEL NO. H-2024-1 SHIPPING WEIGHT 40 LBS. PRICE $18.95

Add $3.00 for Cylinder Lock (2 Keys) Must be installed in factory.

PORTABLE DRAWER CABINETS

ALL WELDED CONSTRUCTION. Padlock attachments on each Drawer. Drawers slide on Ball bearing nylon rollers.
Cabinet Size: 16" wide x 21" long.
Drawer Size: Inside Dimensions, 12" wide x 18" long x 5" deep.
Tool Tray in each Drawer: 8" x 11½" x 1" deep.
Paint Finish: Shop Green, Gray on Request.



Model	Height	Casters — All Swivel	Weight	Price
DC-1C3	30"	3"x1 3/16" Soft Rubber Tread	95 lbs.	$63.20
DC-1C5	32"	5"x1¼" Soft Rubber Tread	100 lbs.	73.40
Cylinder Locks fitted to all Drawers Keyed Un-alike ADD				12.00

Extra charge for locks keyed alike.

PORTABLE DOOR CABINETS



Light Duty Portable Cabinets for General Use.
Used for Gum Tape Machines in shipping rooms, Electronic Instruments, Business Machines in offices, such as Postage, copying, etc.
Used in plants besides machine operations.
Cabinet Size: 16" wide x 21" long.
One Shelf furnished with unit, adjustable on 2" centers.
Paint Finish: Shop Green, Gray on Request.

ALL WELDED CONSTRUCTION

Grizzly®

Model	Height	Casters — All Swivel	Weight	Price
BC-1C3	30"	3"x1 3/16" Soft Rubber Tread	45 lbs.	$36.90
BC-1C5	32"	5"x1¼" Soft Rubber Tread	50 lbs.	47.10
	Keyed Handle			3.00
	Extra Shelf.			4.00

CABINET BASE WORK BENCHES



Model - CDB-3072-W

With door and four drawer units form the overall base, in multiple or single bench runs in various combinations, with steel or electronically glued laminated maple wood tops for standard and particular requirements. Cabinet bench tops can be furnished with side and back stops, and risers (See pages 41, 42). Laminated tops also furnished in 1¼, 1⅝, 2, 2¼, and 3 inch thicknesses.

ALL MODELS: 34" HIGH OVERALL
WITH NO. 6 BASE
WOOD TOP — NATURAL FINISH
METAL FINISH
SHOP GREEN, GRAY ON REQUEST

WITH STEEL TOPS	Model	Size of Top	Bases, 16" wide 21" deep	Shipping Weight	Price
	CB-2860-S	28" x 60"	Cabinets	205	$ 88.40
	CB-2872-S	28" x 72"	Cabinets	230	92.30
	DB-2860-S	28" x 60"	Drawers	300	141.00
	DB-2872-S	28" x 72"	Drawers	320	144.90
	CDB-2860-S	28" x 60"	Cabinets, Drawers	240	114.70
	CDB-2872-S	28" x 72"	Cabinets, Drawers	275	118.60
WITH HARD MAPLE BENCH TOPS — 1¾" Thick					
	CB-3060-W	30" x 60"	Cabinets	210	122.80
	CB-3072-W	30" x 72"	Cabinets	235	133.80
	DB-3060-W	30" x 60"	Drawers	305	175.40
	DB-3072-W	30" x 72"	Drawers	325	186.90
	CDB-3060-W	30" x 60"	Cabinets, Drawers	245	153.40
	CDB-3072-W	30" x 72"	Cabinets, Drawers	280	164.40

ALL WELDED CONSTRUCTION



DOOR CABINET

26" High

Shelf adjustable in 2" centers.

One shelf with unit.

Model No. BC-1
Shipping Weight 55 lbs. $27.10
With Keyed Handle 30.10
Extra Shelf 4.00
Base Not Included



DRAWER CABINET
26" High
Individual drawer size: 14" wide x 20½" deep x 5" high.
Sliding tray in each Drawer holds small items within easy reach.
Tray size: 13½" x 8"

Model No. DC-1
Shipping Weight 100 lbs. $53.40
Cabinet with Cylinder Lock 65.40
Base Not Included
Keyed Un-alike
Extra charge for locks keyed alike.

BASE

6¼" High



No. 6 Base
Shipping Weight .. 8 lbs.
Price Each $5.90

Grizzly®

CABINET WORK BENCHES (with Sliding Doors)

All welded, heavy gauge steel construction, with steel or wood tops, with and without sliding doors. Sliding doors are factory installed, equipped with cylinder lock and 2 keys, and doors are not sold separately. Shelves adjustable on 2" centers. Completely assembled, ready for immediate use.

Laminated wood tops also furnished in thicknesses of 1½", 1⅝", 2", 2¼" and 3". Side and back stops, bench risers and drawers can be added, see pages 42-45.



FINISH — SHOP GREEN, GRAY ON REQUEST.

All Models: 34" High Overall

WITH STEEL TOPS 12 Gauge	Model	Size of Top	Base, 25" Deep	Shipping Weight	Price
	CS-2860	28" x 60"	Basic Unit	204	$ 68.00
	CS-2872	28" x 72"	Basic Unit	234	76.40
	CS-2860-S	28" x 60"	Basic Unit with Shelf	239	78.50
	CS-2872-S	28" x 72"	Basic Unit with Shelf	274	88.40
	CS-2860-D	28" x 60"	Basic Unit with Sliding Doors	248	98.00
	CS-2872-D	28" x 72"	Basic Unit with Sliding Doors	286	109.00
	CS-2860-SD	28" x 60"	Basic Unit with Shelf & Sliding Doors	283	108.50
	CS-2872-SD	28" x 72"	Basic Unit with Shelf & Sliding Doors	326	121.00
WITH HARD MAPLE BENCH TOPS — 1¾" Thick Overhang on Front, 5"					NATURAL WOOD FINISH
	CW-3060	30" x 60"	Basic Unit	220	107.90
	CW-3072	30" x 72"	Basic Unit	254	124.80
	CW-3060-S	30" x 60"	Basic Unit with Shelf	255	118.40
	CW-3072-S	30" x 72"	Basic Unit with Shelf	295	136.80
	CW-3060-D	30" x 60"	Basic Unit with Sliding Doors	264	137.90
	CW-3072-D	30" x 72"	Basic Unit with Sliding Doors	306	157.40
	CW-3060-SD	30" x 60"	Basic Unit with Shelf & Sliding Doors	300	148.40
	CW-3072-SD	30" x 72"	Basic Unit with Shelf & Sliding Doors	346	169.40
Extra Shelves ☆	S-60 ☆	60" long x 22" wide		35	10.50
	S-72 ☆	72" long x 22" wide		40	12.00

Grizzly®

STEEL TOP PANEL-END WORK BENCHES



MP-2860 with No. 1416-1 Drawer Unit

New closed-end styling for modern appearance and construction. All welded, heavy gauge steel construction. Completely assembled for immediate use. Full shelf in each model designed for heavy duty, 8" from floor. Drawer Units, Side & Back Stops. See pages 42-44.

ALL PURPOSE BENCH — FORMED PEDESTAL LEGS — MODERN



MP-2860

BENCH TOP 32½" FROM FLOOR — FINISH: SHOP GREEN, GRAY ON REQUEST

Model	Dimensions in Inches (Width x Length)			Shipping Weight	Price Each
	Top	Base	Shelf		
MP-2848	28 x 48	22 x 40	20 x 39	131	$52.40
MP-2860	28 x 60	22 x 52	20 x 51	146	58.40
MP-2872	28 x 72	22 x 64	20 x 63	165	66.00

HARD MAPLE TOP



Model No. WP-3060



Tops: 1¾" thick, electronically glued, edge grain. Outside laminations: 1⅜" wide, center ¾" wide.
Finish: Clear natural non-toxic lacquer.

Model	Dimensions in Inches (Width x Length)			Shipping Weight	Price
	Top	Base	Shelf		
WP-3048	30 x 48	22 x 40	20 x 39	142	$ 86.70
WP-3060	30 x 60	22 x 52	20 x 51	168	103.20
WP-3072	30 x 72	22 x 64	20 x 63	190	118.10

Grizzly®

GAS WELDING BENCH



Model GW-3636

A sturdy Gas Welding Bench for extra strength and durability. The top is constructed of 12 gauge steel, will hold 32 fire bricks (not furnished).

Excellent regidity with heavy double formed 14 gauge steel legs. Shelf, 16 gauge steel divided into three equal sections for rod storage.

Shipped knocked down, ready for assembly.

Drawer can be ordered separately.

OVERALL DIMENSIONS		36" wide x 36" deep x 34" high
PAINT FINISH		Shop Green, Gray on Request
MODEL NO. GW-3636	Shipping Weight 95 lbs.	PRICE $51.90
MODEL NO. 1416 - 1 Drawer Unit	Shipping Weight 15 lbs.	PRICE $10.25

ARC WELDING BENCH



Model AW-3636
with No. 1416-1 Drawer Unit
optional.

All steel Arc Welding Bench built for rugged service. The top is solid 12 gauge steel with 3 flanges up and front flange down.
Legs are double formed and embossed 14 gauge steel. Shelf is divided into 3 equal sections, for storage of rods.

OVERALL DIMENSIONS		36" wide x 36" deep x 34" high
PAINT FINISH		Shop Green, Gray on Request
MODEL NO. AW-3636	Shipping Weight 125 lbs.	PRICE $57.90
MODEL NO. 1416 - 1 Drawer Unit	Shipping Weight 15 lbs.	PRICE $10.25

ARC WELDING BENCH WITH SHIELDS

All steel Arc Welding Bench built for rugged service. The top is solid 12 gauge steel with 3 flanges up and front flange down. Legs are double formed and embossed 14 gauge steel. Shelf is divided into 3 equal sections, for storage of rods.

A sturdy 20 gauge steel shield easily snaps on top flange with no bolting required.

With the "See-Thru" welding shield, eliminates the danger of eye flashburn while watching instructor demonstrate. May be observed by several people simultaneously through the smoked plastic windows without glasses or hand shields.

Also furnished with Solid Shields.

Shipping knocked-down, ready for assembly.



Model AW-3636-WS

OVERALL DIMENSIONS		36" wide x 36" deep x 68" high
PAINT FINISH		Shop Green, Gray on Request
DRAWER 1416-1		Furnished with unit
MODEL NO. AW-3636-WS	With See-Thru Shields Shipping Weight 180 lbs.	PRICE $114.90
MODEL NO. AW-3636-S	With Solid Shields Shipping Weight 175 lbs.	PRICE $92.00

Grizzly®

ALL EZY-DOWN DRUM CRADLES

Give maximum leverage with ease, break the heaviest loaded drums from vertical to horizontal position.



STANDARD UNIT



EBR-18	30" long 18½" wide 19" high
EBR-24	30" long 18½" wide 25" high

Model EBR-18 Shipping Weight 31 lbs. Price $19.95
Model EBR-24 Shipping Weight 35 lbs. Price $23.95

STANDARD UNIT WITH CASTERS



EBR-18C	30" long 18½" wide 20½" high
EBR-24C	30" long 18½" wide 26½" high

Model EBR-18C Shipping Weight 34 lbs. Price $23.95
Model EBR-24C Shipping Weight 37 lbs. Price $27.95

STANDARD UNIT WITH DRUM ROLLERS



EBR 18R	30" long 18½" wide 20" high
EBR-24R	30" long 18½" wide 26" high

Model EBR-18R Shipping Weight 34 lbs. Price $23.95
Model EBR-24R Shipping Weight 37 lbs. Price $27.95

Four 2" Semi-Steel rollers for positioning drum and manually rotating for mixture.

STANDARD UNIT WITH CASTERS & ROLLERS



EBR-18CR	30" long 18½" wide 20½" high
EBR-24CR	30" long 18½" wide 27½" high

Model EBR-18CR Shipping Weight 36 lbs. Price $27.95
Model EBR-24CR Shipping Weight 40 lbs. Price $31.95

Casters: All Models — 2" Semi Steel - 2 Swivel
3" Semi-Steel Wheels

EZY-DOWN HANDLE
Cradle and Handle Finish
Safety Orange

ONE EZY-DOWN Handle operates many cradles.
CANNOT TWIST in operator's hands, positive control, does not slip.

ONE MAN OPERATION — Push cradle lip under bottom rim of drum in vertical position. Slide EZY-DOWN Handle into receiver tubes, push down welded grabs over rim of drum. Downward pull on handle toward operator easily breaks and lays cradle with drum horizontally on floor for quick movement to any location.

EZY-DOWN Drum Cradles have all welded tubular frames and channel braces for modern styling and added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use.

Model	Shipping Weight	Price
No. 18 EZY-DOWN Handle — All welded construction — Handle is separate from cradles	12 lbs.	$9.95

Grizzly®

All Welded Tubular Frames. Channel Braces give modern styling plus added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use.

Available in 30 Gallon Size
Use prices of 55 Gallon Drum Cradles

Dimensions of 30 Gallon Drum Cradle
28" long x 18" wide



Finish: Safety Orange



STANDARD UNIT

BR-18 — 30" long
18½" wide
19" high

BR-24 — 30" long
18½" wide
25" high

Model BR-18 .... Shipping Weight 26 lbs. ... Price $14.95
Model BR-24 .. Shipping Weight 30 lbs. .. Price $18.95



STANDARD UNIT WITH CASTERS

BR-18C — 30" long
18½" wide
20½" high

BR-24C — 30" long
18½" wide
26½" high

Model BR-18C .Shipping Weight 29 lbs. ...Price $18.95
Model BR-24C.. .Shipping Weight 33 lbs... Price 22.95



STANDARD UNIT
WITH DRUM ROLLERS

BR-18R — 30" long
18½" wide
20" high

BR-24R — 30" long
18½" wide
26" high

Model BR-18R....Shipping Weight 29 lbs... Price $18.95
Model BR-24R....Shipping Weight 33 lbs.. ..Price $22.95

Four 2" Semi-steel rollers for positioning drum and manually rotating for mixture.



STANDARD UNIT
WITH CASTERS & ROLLERS

BR-18CR - 30" long
18½" wide
20½" high

BR-24CR - 30" long
18½" wide
27½" high

Model BR-18CR....Shipping Weight 31 lbs.....Price $22.95
Model BR-24CR....Shipping Weight 35 lbs.....Price 26.95

CASTERS: All Models — 2" Semi-Steel — 2 Swivels and 3" Semi-Steel Wheels

For transporting 55 gallon drum or other container for lubrication, solvents, coolants, painting or cleaning units, used in production, maintenance and service operations. Bracket on handle for cable or hose. Accessory Box welded to handle for storage of tools and parts. All Welded Construction.

SPECIFICATIONS

OVERALL DIMENSIONS .....25" wide x 25" deep
PLATFORM .....5¼" from floor
HANDLE .....41" from floor
SIZE OF ACCESSORY BOX 12" deep x 6" wide x 21" long
FINISH .....Safety Orange



DRUM DOLLY TRUCKS

◀ DT-25-R

Grizzly®

Model	Caster Description	Shipping Weight	Price
DT-25-S	5" x 1½" Semi-Steel Wheel	63	$49.50
DT-25-R	4" x 1 5/16" Solid Rubber, Soft Tread	60	54.50

CAPACITY ALL MODELS - SEMI-STEEL WHEELS 1200 LBS.
CAPACITY ALL MODELS - SOLID HARD RUBBER WHEELS 1000 LBS.

DRUM & CAN DOLLIES



MODEL 75 & 76





MODEL 83 WITH FLOOR LOCK

Large size easy rolling wheels permit quick, safe transportation of even the heaviest loaded drums. All casters swivel for movement in any direction.

24" diameter holds standard 55 gallon drums or other similar sized containers. 19" diameter for smaller containers, disposal cans or kegs. Galvanized finish for institutional, food processing and sanitary usages.

Floor clearance 4" on all models. 2" sides on Models 82 and 83. All welded rugged construction for years of hard use.

SPECIFICATIONS

MODEL NO.	DIMENSIONS IN INCHES			FINISH	SHIPPING WEIGHT	SEMI-STEEL WHEELS PRICE	SOLID HARD RUBBER WHEELS PRICE
	O.D.	I.D.	WHEELS				
81	24 7/16	24	3x1¼	Orange	32	$23.10	$24.40
82	30½	24	3x1¼	Orange	25	20.70	22.00
83	24½	19	3x1¼	Orange	22	17.05	18.35
81-G	24 7/16	24	3x1¼	Galvanized	32	28.60	29.95
82-G	30½	24	3x1¼	Galvanized	25	24.75	26.10
83-G	24½	19	3x1¼	Galvanized	22	20.00	21.30
75	24½	24	3x1¼	Orange	19	15.90	17.25
76	19½	19	3x1¼	Orange	15	15.65	17.00
FOR FLOOR LOCK ADD $14.50 TO PRICES							

FOR ROUND, SQUARE, RECTANGULAR, OVAL OR ANY IRREGULAR SHAPED CONTAINER

ADJUSTABLE DOLLY

CLOSES DOWN TO 23½" — OPENS TO 36½"

Can be used as a rectangle for tote boxes, skids, pans, furniture.
Used as a dolly for drums, cans, kegs, etc.

Capacity with semi-steel wheels ..... 1200 lbs.
Capacity with solid hard rubber wheels ..... 1000 lbs.
Wheel Size ..... 3" x 1¼"
Finish ..... Safety Orange



AVAILABLE IN GALVANIZED AT ADDITIONAL CHARGE

Grizzly®

MODEL AD-23-S	SEMI-STEEL WHEELS	SHIPPING WEIGHT 30 lbs.	PRICE $22.10
MODEL AD-23-R	SOLID HARD RUBBER WHEELS	SHIPPING WEIGHT 28 lbs.	PRICE $23.40

HI-DRUM & CAN DOLLIES



PROVIDE higher elevation for easier flow drainage from drums in vertical position.

DRAINS easier glue, oils, chemicals and other hard-to-flow materials through the drum bottom.

ALL WELDED, rugged, completely assembled, ready for use.

SAVE SPACE -- take less area than drums in horizontal position.

SAVE TIME AND MONEY.

USE DOLLIES with GRIZZLY No. 235 Drum Lifter with chain falls, hoist, or fork truck to place drums in vertical position easily, quickly and safely.

FINISH — SAFETY ORANGE.



SPECIFICATIONS

WHEEL SIZE ..... 3" x 1¼"
CAPACITY ALL MODELS, SEMI-STEEL WHEELS ..... 900 Lbs.
CAPACITY ALL MODELS, SOLID HARD RUBBER TREAD WHEELS ..... 700 Lbs.

Model	Dimensions in Inches			Gallon Drum Size	Shipping Weight	Semi-Steel Wheels	Solid Rubber Wheels
	Bottom	Top	Height				
71	30	24	19½	55	44	$26.30	$27.60
73	21	19	19½	30	38	23.65	24.95



TANK DOLLY

2500 LB. CAPACITY — ALL WELDED CONSTRUCTION

For Wood Crates, Cases, Machinery, Castings. For Palletized Loads.

SPECIFICATIONS

24" long x 12" wide x 3¾" high
6 Wheels-Balance style for pivoting on center wheels. Steel Channel Frame — Full crosswise steel Axle — 3" x 1 3/16", semi-steel wheels. FINISH—SAFETY ORANGE.

MODEL TD 24 ..... SHIPPING WEIGHT 60 LBS. ..... PRICE $39.50

DRUM UP-ENDER



Safe! Positive Grip! Easy to Use!

Tilts drums from horizontal to vertical position with ease, speed and safety. Gives maximum leverage for lifting even the heaviest loaded drums.

Will not twist in hands of operator. Drum stops where you want it with no slipping or rolling.

ALL-WELDED CONSTRUCTION
Rugged and Compact
No. 80 Drum Up-Ender
(Steel)

SHIPPING WEIGHT ..... 12 lbs.
FINISH ..... Safety Orange
PRICE $10.95

Grizzly®

DRUM STORAGE RACKS



No. 85C



No. 85

2000 LB. CAPACITY



All welded with large sturdy 6" x 2" semi-steel wheels for easy portability or with legs for stationary installations.

Holds four drums in readily accessible positions. Designed for loading ease with whatever equipment you now have. If your hoist does not travel over rack, the wheel model can be moved under your hoist.

SPECIFICATIONS

ALL MODELS 30" Wide x 60" LONG x 54" HIGH — FINISH: SAFETY ORANGE

Model No.	Type	Shipping Weight	Price
85	Leg	180	$71.95
85C	Casters	198	93.95



FINISH:
SAFETY ORANGE

Holds four or six drums in readily accessible positions. Designed for loading ease from front or back. All Welded Construction. Completely Assembled for Immediate Use.

Self-Standing units, do not require anchoring to floor. Can be moved with Fork Trucks fully loaded.

DRAIN HEIGHTS: Bottom row — 18"; Top row — 48".

Also Designed for special requirements.

Grizzly®

Model	Capacity	Overall Size	Shipping Weight	Price
DS-4	4 Drums	60" wide x 36" deep x 46" high	120	$52.50
DS-6	6 Drums	84" wide x 36" deep x 46" high	200	76.50

PATENTED NO. 235 DRUM LIFTER

2000 LBS. CAPACITY

FOR OPEN
or
CLOSED DRUMS

USED WITH
Fork Trucks
Chain Falls
Cranes and Hoists



★ QUICK — Lifter attached and removed in seconds.

★ SAFE — Fast turning crank handle to lock Upper Jaw to drum top. Holds drum rigidly even when swaying or when bumped.

★ VERSATILE — Lifter moves 55 and 30 gallon, and even smaller steel drums with practically no manual labor — the lifter does the work.

★ LIGHT — Weighs only 32 pounds. One man can handle with ease.

★ ADJUSTABLE — Slide Lower Jaw on vertical bar to position below nearest chime of drum. Jaw rests on off-center cam.

★ LIFTS — Old and new drums, open or closed, battered or lopsided — all with the same ease and positive safe grip.

★ STACKS — and tiers drums vertically in close quarters.

★ RUGGED — All welded construction for years of hard use.

★ FINISH — Safety Orange.

SHIPPING WEIGHT 32 LBS. — PRICE $52.50

1700 LBS. CAPACITY SLING TYRE DRUM LIFTER





Lifts drum horizontally and safely. The harder the pull the tighter the grip on the drum. Use it to load your GRIZZLY rack. — See Page 54.

ALL WELDED CONSTRUCTION

No. 84

SHIPPING WEIGHT .....11 lbs.
FINISH .....Safety Orange
PRICE $12.95

Grizzly®

FORK TRUCK CRANE HOOK ATTACHMENT



★ MODEL FTC-36

CAPACITY
4000 Lbs. at 36" Length
2000 Lbs. at 60" Length

ALL WELDED CONSTRUCTION

FITS STANDARD FORK TRUCKS

CAN BE ATTACHED AND UNATTACHED IN SECONDS BY ONE MAN

Method of Attachment

Set unit on floor, brace in upright position against wall, etc. Unit sits on 4 pins. Bottom plate drops to floor which provides an opening for forks. Operator runs forks at floor level between plates and tightens crank handles. Ready for use.

Method of Detachment

Drop forks to floor until unit sits on 4 pins. Loosen crank handles. Back off fork truck.

FINISH . . SAFETY ORANGE

SHIPPING WEIGHT 250 LBS. . . . . PRICE $149.50

FORK SWIVEL HOIST HOOKS



★ No. 210 — Double Fork Hook

(SINGLE) 3000 LBS.
(DOUBLE) 4200 LBS.
WORKING CAPACITY



★ No. 24 — Single Fork Hook

All welded construction, fit standard Fork Lift Trucks.
Easy handling by one man, takes only seconds to slide on and tighten into place. Removed just as easily, no wrenches required.

No. 210 Double Fork Hook has maximum openings which permit an outside fork spread of 20¾".
Fork Swivel Hoist Hooks designed to meet particular needs.

SPECIFICATIONS FINISH: SAFETY ORANGE

Description	Model No.	Opening Size for Truck Fork	Shipping Weight	Price
Single Hook	24	2" x 4"	17	$22.50
Single Hook	25	2" x 5"	18	23.50
Single Hook	26	2" x 6"	19	24.50
Double Frame Hook	210	2" x 10"	50	44.50
Safety Latch for Hook				3.00

Grizzly®

1000 LBS. CAPACITY — V-H DRUM LIFTER

LIFTS VERTICAL – HORIZONTAL – AT ANY ANGLE

Vertical



Horizontal



Any Angle



Lifts from any angle. Load can be balanced. Easily adapted to lift objects of all shapes or lengths. Automatic upsetting of container by adjusting sliding hoist collar.



Easily, Quickly, Safely Attached

Holds Rigidly - Even When Load Sways

Positive Grip - Cannot Slide — Holds Load

Locks in Desired Position



SPECIFICATIONS

FITS CONTAINERS 40" HIGH — FINISH: . . .Safety Orange — CAPACITY: . . . 1000 LBS.
ADJUSTMENT BETWEEN JAWS : . . . 12" minimum to 40" maximum — OVERALL LENGTH: . . . 43" — WIDTH: . . . 4"

MODEL NO. VH-100 ..... SHIPPING WEIGHT 27 LBS ..... PRICE $79.50

HOIST SPRING BALANCER & SHOCK ABSORBER — GRIZZLY-ZORBER

★ **Eliminates Pulling Shock or Jar — Graduates the Strain**

USED WITH HOISTS, CRANE, CHAIN FALLS, FORK TRUCKS



Lifting and transporting fragile equipment



Centering in lathe

Lifting and transporting castings



To distribute the strain of resistance offered by the load when it is started, obstructed or stopped.

Will yield slightly under a slight pull and continue under greater pull; the resistance increases in proportion to the increased strain.

Will absorb all primary and rebound shocks transmitted by slack in the hoisting cable.

FINISH: SAFETY ORANGE

MODEL NO. GS-100 ..... SHIPPING WEIGHT 18 LBS. ..... PRICE $69.50
Activates at 25 lbs. pressure—Closes to max. range at 500 lbs.

MODEL NO. GS-200 ..... SHIPPING WEIGHT 20 LBS. ..... PRICE $79.50
Activates at 200 lbs. pressure—Closes to max. range at 4000 lbs.

SPECIAL SIZES AND CAPACITIES FURNISHED ON REQUEST.

Grizzly®

NEW IMPROVED ROTO-TILT PATENTED LIFTS • TILTS • DUMPS • POURS

Steel, Fiber Drums, Barrels, Boxes • Used with Fork Truck, Chain Falls Cranes, Hoists • 1000 Lbs. Capacity

QUICK • SAFE • EASY TO OPERATE • SAVES TIME AND MONEY



LIFTS

LIGHT WEIGHT
one man
easily handles
and dumps



TILTS

POURS • DUMPS



CARBOYS

ONE MAN OPERATION

FOR FIBER DRUMS-POURING-DUMPING FIBER DRUMS

Grips firmly fiber drums, safely controls pouring and dumping, increases production. Roto-Tilt works efficiently on light or heavy loads, a distinct advantage in the handling of fiber drums, especially with heavy loads of metal parts for assembly and production lines.

◀ Holds firmly acid and other carboys, and safely controls pouring into container or production mixture. Ideal for chemical, plating, research laboratories and production operations.

LIGHT WEIGHT — one man easily handles and dumps.



No. 350 ROTO-TILT
with No. 160 Trolley in
FULL DUMPING POSITION

Push foot plate under drum.

Slide adjustable locking bracket down on top rim of drum.



Lifting trolley locks firmly on any position of arc.

Pouring carboy into pail.

Grizzly®

Safety Locking Bracket secures Upper Jaws to Drum Top. Lifting Trolley equipped with Ball Bearings, Serrated Jaws insure positive locking hold. Pours at any point of arc — operator maintains easy and positive control.

• PATENTED NEW-IMPROVED ROTO-TILT



Toe Plate with Cleats for Carboy

Toe Plate for Holding Steel & Fiber Drums

All Welded Construction Designed for Heavy Usage

ROTO-TILTS Designed for Special Requirements



SPECIFICATIONS

CAPACITY ..... 1000 Lbs. -- FINISH .....Safety Orange

No. 160 Trolley with 160° Dumping Angle -- Standard Trolley with 130° Dumping Angle

Model No.	Dimensions in Inches A	B	C. Max. Min.	D	Drum Size	Shipping Weight	With Standard Trolley Price	With No. 160 Trolley Price
350	59	35	36-30	15	55 Gal.	65	$139.50	$159.50
351	53	34	32-27½	15	30 Gal.	64	134.50	154.50
352	42	29	21-15½	12	15 Gal.	47	129.50	149.50
349	42	29	25-22	12	Carboy	55	139.50	——
400	66	35	36-30	15	55 Gal.	80	249.50	——

LIFTS • TILTS • DUMPS • POURS AT ANY HEIGHT

PATENTED HI-LIFT ROTO-TILT





• CONTROLLED FROM FLOOR

QUICK
SAFE
EASY TO OPERATE

SAVES TIME and MONEY

DOES THE WORK
One man operates easily even with the heaviest loads

Roller Chain Rides on Drive Sprocket

Recommended for Light Loads



The No. 400 Roto-Tilt elevates containers for overhead pouring and dumping. The operator controls the pouring at floor level by means of a double chain. The operating distance from the floor is limited only by the length of chain.

Chain supplied with Standard Model is sufficient to operate the tool 10 feet from floor. Additional chain supplied on request.

MODEL No. 400 - 55 Gal. Size - Shipping Wt. 80 lbs. - PRICE $249.50

ADDITIONAL CHAIN $1.00 PER FOOT HEIGHT

Grizzly®

NEW – IMPROVED . . . No. 500 Hi-Lift Roto-Tilt ★★★★★

LIFTS — TILTS — DUMPS — POURS AT ANY HEIGHT

CONTROLLED FROM FLOOR

★

QUICK

•

SAFE

•

SAVES TIME & MONEY

•

EASY TO OPERATE



▲ Chain straddles drum while in air. Prevents spinning on hook, enables operator to guide pouring.





▲ **DOES THE WORK**
One man operates easily even with the heaviest loads

▲ The new No. 500 Roto-Tilt elevates containers for overhead pouring and dumping. The operator controls the pouring at floor level by means of a double chain. The operating distance from the floor is limited only by the length of chain.

▲ Worm Gear Drive holds pouring load in any position — Reduction 6 to 1.

SPECIFICATIONS

OVERALL DIMENSIONS	From Lifting Loop to Toe Plate	62" high
	From Front to Back	35" deep
	Width at widest point	10"
CONTAINER CLAMPING RANGE	30" min. to 36" max. for 55 Gal. Drums	
DUMPING ANGLE	130 degrees	
CAPACITY	1000 lbs.	
PAINT FINISH	SAFETY ORANGE	SHIPPING WEIGHT 98 LBS.

MODEL NO. 500 — PRICE $289.50

Chain supplied with standard Model is sufficient to operate the tool 10 feet from floor.

ADDITIONAL CHAIN $1.00 PER FOOT HEIGHT.

Grizzly®

PIGEON HOLE BIN UNITS

All Welded, Rigid Units, Completely Assembled Ready For Use.

Used for parts inventory and control in factories, stores and warehouses.

Firmly attached label holders also used as stops, holding loose parts from falling out of openings. With the unit placed so the label holders are at the top, parts and other material can easily be slid out of openings.

Units have modular lengths, are interchangeable, can be set in combinations in racks; or tiered, one on the other to any height, with units bolted together for firmer attachment.



Model No. 7242



Model No. 2421

Model No. 4242





Model No. 4021

PAINT FINISH — SHOP GREEN, GRAY ON REQUEST.

Model	No. Compartments	Height	Width	Depth	Compartment Size	Size Label Holder	Shipping Weight	Price Each
7242	72	42"	35½"	11⅞"	4½" wide 4½" high	1"	97	$59.50
4242	42	42"	35½"	11⅞"	5⅝" wide 6" high	2"	95	59.50
2421	24	21"	35½"	11⅞"	5⅝" wide 5¼" high	2"	40	35.00
4021	40	21"	35⅝"	11⅞"	4¼" wide 4¼" high	1"	55	39.50

VERTICAL BAR RACK



Provides most efficient storage in limited areas and near jobs for tubing, pipe, rods, bars and like shapes, with 4 tray type shelves for short pieces.

All arc-welded — 1½" x ⅛" angle and 16 gauge tray-shelves.

84" high, 36" wide, 24" bottom, depth of shelves — bottom 6", top 6⅜", second 10", third 14". 4 sturdy arms extend 8" beyond each shelf for separation of stock.

Approximate shipping weight — 110 lbs.

FINISH — SHOP GREEN, GRAY ON REQUEST.

Grizzly®

MODEL NO. VB 3684 SHIPPING WEIGHT 110 LBS. PRICE $49.50

CASTERS FOR GRIZZLY EQUIPMENT

UTILITY TABLES, HOPPER TABLES, MIL TABLES, MIL BOX CARTS

SWIVEL NO. W-5511	2½" x 9/16"	Pressed Steel Wheel	$ 4.30 per set
SWIVEL NO. W-4511	2½" x 11/16"	Solid Soft Rubber Wheel	$ 4.55 per set
SWIVEL NO. EW-4522	5" x 1"	Solid Soft Rubber Wheel	$14.70 per set

(Set consists of 4 casters)

TOTE PAN HAND TRUCK, TOTE ALL HAND TRUCK, STOCK CARTS, FIVE SHELF STOCK CART, BOX TRUCKS, GARMENT TRUCKS, LIGHT DUTY PORTABLE CABINET WORK BENCH, ENCLOSED SHELF TRUCK, CAGE STOCK TRUCK, PORTABLE MARKING TABLES, PORTABLE DRAWER CABINET, PORTABLE DOOR CABINET, TRAY STOCK CART

SWIVEL NO. 6131	3" x 11/16"	Solid Soft Rubber Wheel	$ 2.00 each
RIGID NO. 6331	3" x 11/16"	Solid Soft Rubber Wheel	$ 1.70 each
SWIVEL NO. 6151	5" x 1"	Solid Soft Rubber Wheel	$ 2.90 each
RIGID NO. 6351	5" x 1"	Solid Soft Rubber Wheel	$ 2.70 each
SWIVEL NO. 9151	5" x 1¼"	Solid Soft Rubber Wheel	$ 4.50 each
RIGID NO. 9351	5" x 1¼"	Solid Soft Rubber Wheel	$ 3.80 each

CASTER CORNER SHOES, DRUM & CAN DOLLIES, ADJUSTABLE DOLLIES, HI-DRUM & CAN DOLLIES

SWIVEL NO. 21-3 IW	3" x 1¼"	Semi-steel, Plain Brg. Wheel	$ 1.95 each
RIGID NO. 21-3 IW	3" x 1¼"	Semi-steel, Plain Brg. Wheel	$ 1.65 each
SWIVEL NO. 21-3 HR	3" x 1¼"	Solid Hard Rubber, Self Lub. Brg.	$ 2.45 each
RIGID NO. 31-3 HR	3" x 1¼"	Solid Hard Rubber, Self Lub. Brg.	$ 2.05 each

ROLL OVER DUMP TRUCKS, DOLLY PLATFORM TRUCKS, STEEL DOLLIES, PACKING & STRAPPING TRUCKS, PORTABLE WORK BENCH, HAND DUMP TRUCKS, 3 SIDED STOCK CART

SWIVEL NO. 21-4 IW	4" x 1½"	Semi-Steel, Plain Brg. Wheel	$ 3.40 each
RIGID NO. 31-4 IW	4" x 1½"	Semi-steel, Plain Brg. Wheel	$ 2.60 each
SWIVEL NO. 21-4 HR	4" x 1½"	Solid Hard Rubber, Self Lub. Brg.	$ 4.20 each
RIGID NO. 31-4 HR	4" x 1½"	Solid Hard Rubber, Self Lub. Brg.	$ 3.60 each

SLAT TOP SHOP TRUCK, GARMENT & PACKAGE TRUCK, PORTABLE CABINET WORK BENCHES, HEAVY DUTY SINGLE END TRUCKS, HEAVY DUTY DOUBLE END TRUCKS, SHOP TRUCKS, FIVE SHELF HEAVY DUTY TRUCKS, PORTABLE CABINET WORK BENCHES, DRUM DOLLY TRUCKS, SLIDING SHELF TRUCK, ROLL OVER BOX TRUCK, SHOP TRAY TRUCK

SWIVEL NO. 21-5 IW	5" x 1¼"	Semi-Steel, Plain Brg. Wheel	$ 7.40 each
RIGID NO. 31-5 IW	5" x 1¼"	Semi-Steel, Plain Brg. Wheel	$ 6.30 each
SWIVEL NO. 21-5 HR	5" x 1¼"	Solid Hard Rubber, Self Lub. Brg.	$ 8.70 each
RIGID NO. 31-5 HR	5" x 1¼"	Solid Hard Rubber, Self Lub. Brg.	$ 7.90 each

STEEL PLATFORM TRUCKS, DRUM STORAGE RACKS, 3 SIDED PLATFORM TRUCKS

SWIVEL NO. 21-6 IW	6" x 2"	Semi-steel, Plain Brg. Wheel	$ 8.60 each
RIGID NO. 31-6 IW	6" x 2"	Semi-steel, Plain Brg. Wheel	$ 7.40 each
SWIVEL NO. 21-6 HR	6" x 2"	Solid Hard Rubber, Self Lub. Brg.	$10.80 each
RIGID NO. 31-6 HR	6" x 2"	Solid Hard Rubber, Self Lub. Brg.	$ 9.50 each

CRADLE TRUCK, EXTRA HEAVY DUTY SHOP TRUCKS

SWIVEL NO. 21-8 IW	8" x 2½"	Semi-steel, Plain Brg. Wheel	$16.00 each
RIGID NO. 31-8 IW	8" x 2½"	Semi-steel, Plain Brg. Wheel	$13.00 each

WHEEL ONLY FOR ALL PURPOSE HAND TRUCKS

NO. 175	8" x 1.75	Semi-Pneumatic Wheel	$ 7.75 each
NO. 275	10" x 2.75	Semi-Pneumatic Wheel	$ 9.25 each
NO. 350	10" x 3.50	Full Pneumatic Wheel	$14.95 each

SPECIALS

Designed to your Needs



Lubricating Truck



Console
Test Cabinet



Piston Flow Rack

Stainless Steel
Clean-Room Truck

COMPLETE LINE OF CASTERS AND WHEELS CARRIED IN STOCK TO MEET YOUR REQUIREMENTS

We design and engineer casters and wheels into GRIZZLY standard and special units in sizes up to 12" in diameter and rated up to 7½ tons per wheel. Prices furnished on request.



Engine Dolly



Lubricating Truck



LADDER SHELF
TRUCK



Steel Mill Crane Truck



Towline Bin Truck



Explosion Proof
Test Cabinet



Tray Truck



Rotating Chip Truck

SPECIAL EQUIPMENT

We specialize in Material Handling, Drum and Shop Equipment of original design and maintain an Engineering Department for the exclusive use of our customers.

Consult us on your Special Design Problems — we will submit a design and quotation for your approval.

We have manufactured hundreds of special items. Our files contain many drawings and photos of unusual equipment which we do not catalog, but may help to solve your problems.

When requesting a quotation on Special Fabrication, please follow this outline:

1 GENERAL DESCRIPTION:
Truck, Work Bench, Stand, Dolly, Lifts, Carts, etc.

2 QUANTITY:
Determines price.

3 GENERAL DESIGN:
Type of shelf; flat or tray; Type of top, Handle, etc.

4 METAL PARTS:
Size of angle iron, channel, bar, tubing, sheet steel.

5 DIMENSIONS:
Indicate inside or outside dimensions, width, length, height.

6 PAINT FINISH:
Standard Colors: Shop Green, Gray or Orange.

7 CAPACITY:
Load-Pounds: Entire unit, per caster, per shelf.

8 SPECIAL DESIGN FEATURES:
Your own ideas of how unit should be constructed.


COMPOSING BENCH


HOSE TREE TRUCK

INSTRUMENT TRUCK


WASTE TRUCK


PORTABLE TOOL CABINET


TOWLINE TRUCK


TRAY TRUCK


PARTS HOPPER 2 OPENINGS

TILTING CONVEYOR STAND

ucel ENTERPRISES, INC.

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 UTah 1-4604

PLEASE ROUTE TO

- ☐ GEN. FOREMAN
- ☐ METHODS & MATERIAL HANDLING ENG.
- ☐ MAINTENANCE DEPT.
- ☐ PRODUCTION
- ☐ PRODUCT DESIGN
- ☐ EQUIP. BUYER

Additional catalogs sent promptly on request.

ATTN: PLANT SUPT.

Grizzly®

material handling and industrial

Catalog No. 170 Effective Jan. 1, 1976











Pucel Enterprises, Inc., Opposer/Petitioner
vs.
Grizzly Industrial, Inc., Applicant/Respondent
TTAB Consolidated Case No. 123,506; 31984; 32024; 32025
PUCEL'S Exhibit No. 23

-4043

7000402
ENTIRE MANUAL

MANUFACTURED BY

Grizzly® EQUIPMENT

Sunset PRODUCTS

Pucel ENTERPRISES, INC.

DESIGNING
ENGINEERING
DEVELOPMENT
MANUFACTURING

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE (216) Utah 1-4604

an open letter

To: Our Customers and Friends

The GRIZZLY Equipment items shown in this catalog are typical of the many items we manufacture.

In addition, GRIZZLY Equipment is designed, engineered, developed and manufactured to satisfy special and other standard needs. (See back inside and outside covers on SPECIALS.)

We are constantly on the move improving present equipment and products, and researching and developing new equipment and products to meet current and changing market requirements.

GRIZZLY Equipment performance is best testified by the daily receipt of repeat orders from small and large customers for more than twenty (20) years.

We gratefully appreciate the pleasant relationship we enjoy with our customers and would regularly like to hear from them — complaints as well as suggestions — for we always strive to maintain and improve GRIZZLY high quality standards, workmanship and service. May we hear from you?

Respectfully,

Edward L. Pucel
President

William F. Schmidt
Vice President — Sales
Engineering & Research

Grizzly® highest quality at lowest cost

ALL GRIZZLY EQUIPMENT SHOWN IN THIS CATALOG IS EXCLUSIVELY DESIGNED, ENGINEERED, DEVELOPED AND MANUFACTURED BY

FEATURES:

- All Welded Construction.
- Designed for Years of Rugged Usage.
- Rigid — No Rivets or Bolts. Wobbles, Squeaks & Rattles Eliminated.
- Completely Assembled. Ready for Immediate Use on Delivery. Saves Time — Money. No Production Delays.
- Compact — Neat Appearance. Well Finished.

The relatively small additional transportation cost due to some GRIZZLY bulkier assembled units is profitably offset by substantial labor costs otherwise required by customer assembly.

In addition, GRIZZLY gives immediate use on delivery — saves time — and saving time means saving money.

GRIZZLY renders long term satisfactory service. You can have continued confidence in GRIZZLY.

Grizzly® photo index



Work Benches
Pgs. 36, 37, 38, 39



Roto-Tilts
Pgs. 62, 63, 64



Port Cabinet Work Bench Trucks
Pgs. 34, 35



Trucks
Pgs. 8-21



Cabinet Work Benches
Pgs. 44-45



Fork Attachments
Pg. 58



Shop Cabinets
Pgs. 48-49



Work Bench Accessories
Pgs. 40, 41, 42, 43



EZA Port Hyd Floor Lifter
Pg. 59



Machine Stands
Pgs. 50, 51







Grizzly®

EQUIPMENT	Page No.
BENCHES	
Arc Welding	47
Arc Welding, w/Shields	47
Gas Welding	47
Moulding	60
Moulding Unit, w/Doors	60
Tool Cabinet	33
BENCHES, WORK	36 thru 39
Accessories	40
Cabinet Base	44
Cabinet, Sliding Door	45
Cabinet Unit	41
Drawers	42 & 43
Drawers, Extra Heavy Duty	43
Hard Maple Top	39 & 46
Legs	41
Panel-End, Hard Maple Top	46
Panel-End, Steel Top	46
Portable	38
Portable, Cabinet	34 & 35
Risers	39
CABINETS	
Machine Floor	50
Portable Door	43
Portable Drawer	43
Tool Drawer	32
CARTS	
Hand, Tote-All	29
Stock	22
Stock, Five Shelf	21
Stock, Hi-Ladder	23
Stock, Ladder	23
Stock, Step Ladder Attachment	24
Stock, 3/Sided	17
Stock, Tray	13
CASTERS, GRIZZLY EQUIPMENT	66
DESKS	
Shop Cabinet	49
Standing Shop	48
DOLLIES	
Steel	30
Tank	61
DRUM	
Can Dollies	54
Drum Cradles	53
Cradles, Ezy-Down	52
Dolly, Adjustable	54
Dolly, Truck	53
Hi-Drum & Can Dollies	55
Hydraulic Floor Lifter	59
Lifter, Sling Type	57
Lifter, Vertical	57

	Page No.
Lifter, VH, Vertical-Horizontal	60
Roto-Tilt, Hi-Lift	63 & 64
Roto-Tilt, New Improved	62 & 63
Storage Racks	56
Up-Ender	55
HOOKS, FORK, SWIVEL HOIST	58
LIFTER, FLOOR PORTABLE HYDRAULIC	59
RACKS	
Die, Shelf Extra Heavy Duty	31
Rack-U-Frames	65
Vertical Bar	31
SHOES, CASTER CORNER	61
STANDS	
Machine Cabinet	51
Tool, Extra Heavy Duty	25
Tool, Heavy Duty	25
TABLES	
Hopper	28
"MIJ"	29
MIJ Box	29
Portable Marking	30
Utility	26 & 27
Utility, Haf-Shelf	28
TRUCKS	
Box	14
Box, Roll-Over	14
Cradle	12
Divided Shelf	18
Dolly Platform	8
Double End, Extra Heavy Duty	11
Drum Dolly	53
Dump, Roll-Over	15
Enclosed Shelf	18
Five Shelf, Heavy Duty	21
Fork, Crane Hook Attachment	58
Fork, Swivel Hoist Hook Attachment	58
Garment	24
Hand Dump	15
Hand, Tote-All	20
Hand, Tote Pan	20
Hand, Two-Wheel	7
Open Side	19
Packing & Strapping	19
Platform — Laminated Maple	9
Platform Steel	8
Platform 3/Sided	17
Portable Drawer & Cabinet	32
Shop	10
Shop, Extra Heavy Duty	12
Shop Tray	13
Single End, Heavy Duty	11
Sliding Shelf	16
Stock Cage	16

Grizzly®

EQUIPMENT SALES GENERAL TERMS & CONDITIONS

1. **CATALOG PRODUCT NUMBER:** When ordering any item, specify the catalog product number as well as the title of the equipment as shown to avoid error in processing your order.
2. **PRICES:** All prices are established F.O.B., our Factory, Cleveland, Ohio, U.S.A., and subject to change without notice. We reserve the right to invoice at prices in effect at time of shipment. Resale pricing submitted to distributors on request. Prices do not include any applicable taxes, duties or any other governmental charges.
3. **SPECIFICATIONS:** Subject to change without notice.
4. **ROUTING SHIPMENTS:** Unless a preferred routing is specified on your order, shipment will be made best way (sea, air or rail freight; express; commercial truck, parcel post, united parcel, or other way), transportation collect. Where shipment is prepaid at the purchaser's request, a separate invoice will be issued for such freight charges.
5. **INSPECTION:** All items are thoroughly inspected prior to shipment. Title passes to consignee at time shipment leaves our dock and carrier is agent of consignee.
6. **PACKAGING:** All items are packaged for domestic shipment. Special crating or crating for maritime shipment is not included and must be added. Contact us for special handling requirements.
7. **DAMAGED GOODS:** Instruct your drayman not to accept any items from the Transportation Company unless they are in perfect condition. If he discovers any damage, the Carrier's Agent must make the proper notation on the receipt. THE CONSIGNEE MUST MAKE APPLICATION DIRECTLY TO THE CARRIER FOR ADJUSTMENT FOR ANY DAMAGED GOODS, WHETHER CONCEALED OR OTHERWISE.
8. **CONCEALED DAMAGE:** Should the damage not be discovered until after the items are unpacked, it should be reported AT ONCE to the Agent, who will make an inspection and grant a "concealed damage" notation. This report must be made to Agent of delivering carrier immediately. Unless this is done, all items replaced or repaired on account of damage shall be at YOUR expense. We cannot be held responsible, for the goods left our plant in perfect condition and so signed for by the Transportation Company.
9. **RETURNED SHIPMENTS:** Goods are not to be returned without written permission from our Company. A handling charge shall be made on all goods returned, as well as reconditioning charge if required, as determined by the Company.
10. **CHANGES AND CANCELLATIONS:** Goods designated as "special" are not subject to changes or cancellations as they are manufactured for each individual order.
11. All prices in this Catalog are subject to change without notice. F.O.B. Factory, Cleveland, Ohio, U.S.A.

Quality Guarantee

All Grizzly Equipment is fully guaranteed to be manufactured in accordance with commercial standards and specifications shown in our catalog. Equipment is fully inspected before leaving our plant and is guaranteed against defective workmanship for 3 months from date of purchase. However, we cannot be held responsible for abuse by user beyond normal usage.

This is your guarantee of a product of highest quality.

MANUFACTURED BY

Grizzly® EQUIPMENT

Sianor® PRODUCTS

Pucel ENTERPRISES, INC.

DESIGNING
ENGINEERING
DEVELOPMENT
MANUFACTURING

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE (216) UTah 1-4604

ALL PURPOSE HAND TRUCKS

For general use in stock, shipping and receiving rooms, and for beverage and other deliveries.

All welded tubular frame with tubular curb jumper, rigid axle for strength and durability. Rugged, all edges rounded and smooth for appearance and safety, finished in Safety Orange.

Large rubber tired wheels with ball bearings for easy handling, even over curbs, give quiet operation and absorb shock.



MODEL #89
Smaller rubber tired wheels and enclosed top frame, for light duty use.

MODELS #90 & #91
For extra heavy duty work.





Models #30 & #31

Premium Beverage Truck

MODELS #30 & #31 PREMIUM BEVERAGE TRUCK

Well balanced with plastic grip handles, pneumatic tires, narrow width and extended large curb jumper for added strength in handle and stops make easier and quicker handling of 6 beverage case loads — up and down stairs.

Models #40 & #41



Kick-Out Truck

MODELS #40 & #41

Foot activated Kick-Out Bar to eject loads — Pushes light loads off toe plate or pushes truck away from heavy loads.

Model	Overall Height	Frame Width	Overall Width	Toe Plate	Wheels	Weight	Price
30	49"	10"	19"	8"x11"	10x2.75 Semi-Pneumatic	32	$36.00
31	49"	10"	19"	8"x11"	10x3.50 Pneumatic	35	46.50
40	48"	14"	20"	7"x14"	10x2.75 Semi-Pneumatic	42	40.00
41	48"	14"	20"	7"x14"	10x3.50 Pneumatic	45	45.50
90	48"	14"	20"	7"x14"	10x2.75 Semi-Pneumatic	37	27.00
91	48"	14"	20"	7"x14"	10x3.50 Pneumatic	40	37.00
89	45½"	14"	18½"	8"x14"	8x1.75 Semi-Pneumatic	27	18.00

CAPACITIES:

Model No.	LBS.	Model No.	LBS.	Model No.	LBS.
30	400	40	400	90	400
31	300	41	300	91	300
				89	200

Grizzly®

2000 LBS CAPACITY - SEMI-STEEL WHEELS

STEEL PLATFORM TRUCKS



1400 LBS. CAPACITY -

SOLID HARD RUBBER WHEELS

ALL WELDED CONSTRUCTION

Durable free moving platform truck to absorb the roughest usage. Reinforced steel platform with removable tubular push handle 36" from floor. Platform 9¾" from floor.

2 rigid and 2 ball bearing swivel casters. Othe casters quoted on request.

HANDLE OVERALL HEIGHT — 36"
FINISH — SHOP GREEN, GRAY ON REQUEST

Grizzly®

MODEL	DIMENSIONS IN INCHES Width		Length	SHIPPING WEIGHT	PRICE WITH 6" x 2" - Solid Hard Rubber Wheels	PRICE WITH 6" x 2" Semi-Steel Whee
PT-2448	24	x	48	110	$74.60	$73.30
PT-2848	28	x	48	118	77.20	75.80
PT-3448	34	x	48	130	82.80	81.55
PT-2460	24	x	60	121	79.40	78.10
PT-2860	28	x	60	131	82.40	81.10
PT-3460	34	x	60	144	88.95	87.60
PT-2472	24	x	72	133	86.00	84.70
PT-2872	28	x	72	144	87.55	86.25
PT-3472	34	x	72	160	91.70	90.45
PT-2496	24	x	96	155	92.05	90.70
PT-2896	28	x	96	170	98.00	96.70
PT-3496	34	x	96	191	103.80	102.50
EXTRA HANDLE BARS				10	Includes Sockets	12.90
EXTRA HANDLE SOCKETS				4	Welded to Truck	6.30



DOLLY PLATFORM TRUCKS

ALL WELDED CONSTRUCTION
REMOVABLE TUBULAR HANDLE
1600 LBS CAPACITY - SEMI-STEEL WHEELS
900 LBS CAPACITY - SOLID HARD RUBBER WHEE
LOW DECK - 5⅛" FROM FLOOR

HANDLE OVERALL HEIGHT — 36"
FINISH — SHOP GREEN, GRAY ON REQUE

MODEL	DIMENSIONS IN INCHES WIDTH LENGTH	SHIPPING WEIGHT	PRICE WITH 4" x 1½" Solid Hard Rubber Wheels	PRICE WITH 4" x 1½" SEMI-STEEL WHEELS
18-PTD-30	18 x 30	50	$48.20	$45.30
18-PTD-36	18 x 36	57	50.65	47.75
18-PTD-48	18 x 48	68	54.80	51.90
18-PTD-60	18 x 60	80	59.60	56.70
24-PTD-30	24 x 30	56	51.40	48.50
24-PTD-36	24 x 36	63	53.85	50.95
24-PTD-48	24 x 48	74	58.00	55.10
24-PTD-60	24 x 60	85	62.80	59.90
Extra Handle Bars		10	Includes Sockets	12.90
Extra Handle Sockets		4	Welded on Truck	6.30
Platform can be reversed at no charge, with 2" deep flanges up on all sides.				

Grizzly®



WPT-2448-RW
W/O Frame



WPT-RE-2448-RW
W/Frame

laminated maple platform truck

(for heavy duty use)

Capacity: 1400 lbs. w/ Soft Rubber Thread Casters
2000 lbs. w/ Semi-Steel Casters

With 1 ½" thick Laminated Maple Deck, thoroughly seasoned and precision dried in electronically controlled kilns.

Laminations are placed on edge and bound into a single, warp resistant, self supporting platform. No soft core.

All models have a 10" deck height — 36" overall height with removable tubular handle.

Deck bottom reinforced with 2 - 5 ½" x 1" Maple Battens for caster attachment.

Casters: 6" x 2" Soft Rubber Thread Wheels
6" x 2" Semi-Steel Wheels.
2 Swivel and 2 Rigid — Double ball bearing Plate
Self lube bearing wheels

WPT-RE series have angle frame for side protection.
Size angle — 1 ½" x 1 ½" x ⅛".
WPT Series have no frame.

Finish: Platform — Clear Lacquered Maple
Steel Work — Shop Green

LAMINATED MAPLE PLATFORM TRUCK

Model	Size — Inches W x L	Shipping Wgt. — Lbs.	w/ Steel Frame		w/o Steel Frame	
			Steel Wheel	Rubber Wheel	Steel Wheel	Rubber Wheel
WPT-2448-SW	24 x 48	117			$ 98.00	
WPT-2448-RW	24 x 48	113				$100.00
WPT-RE-2448-SW	24 x 48	127	$106.00			
WPT-RE-2448-RW	24 x 48	123		$109.00		
WPT-2460-SW	24 x 60	126			104.00	
WPT-2460-RW	24 x 60	122				106.00
WPT-RE-2460-SW	24 x 60	136	113.00			
WPT-RE-2460-RW	24 x 60	132		116.00		
WPT-3448-SW	34 x 48	137			110.00	
WPT-3448-RW	34 x 48	133				112.00
WPT-RE-3448-SW	34 x 48	147	119.00			
WPT-RE-3448-RW	34 x 48	143		122.00		
WPT-3460-SW	34 x 60	155			120.00	
WPT-3460-RW	34 x 60	151				122.00
WPT-RE-3460-SW	34 x 60	175	126.00			
WPT-RE-3460-RW	34 x 60	171		129.00		
Extra Handles & Sockets			24" W — $9.85 ea.; 34" W — $10.20 ea.			



HEAVY DUTY SINGLE END TRUCKS

Grizzly®

1600 LBS. CAPACITY — SEMI-STEEL WHEELS
1400 LBS. CAPACITY — SOLID HARD RUBBER WHEELS

All welded for rugged stock and general shop use with 1¾" x 3/16" angle posts, tubular push bar at a convenient 36" height from the floor.

Top shelf 22" from floor, tray sides on bottom shelf 2" high with 11⅜" clearance between shelves, floor clearance 6¼". 2 rigid and 2 swivel casters. Other casters quoted on request.

HANDLE OVERALL HEIGHT - 36" — FINISH - SHOP GREEN - GRAY ON REQUEST

Model	Dimensions in Inches		Shipping Weight	Price With 5" x 1½" Solid Hard Rubber Wheels	Price With 5" x 1⅝" Semi-Steel Wheels
	Width	Length			
18-TR-30	18	30	98	$51.75	$50.00
18-TR-36	18	36	106	55.40	53.70
18-TR-48	18	48	122	61.00	59.30
18-TR-60	18	60	140	68.60	66.90
24-TR-30	24	30	110	56.80	55.10
24-TR-36	24	36	120	61.70	60.00
24-TR-48	24	48	140	69.00	67.30
24-TR-60	24	60	160	77.40	75.70
30-TR-30	30	30	125	61.85	60.20
30-TR-36	30	36	135	68.00	66.30
30-TR-48	30	48	160	77.00	75.30
30-TR-60	30	60	185	86.20	84.50
ADD $3.00 to the Printed Price for FLAT BOTTOM SHELF					

HEAVY DUTY DOUBLE END TRUCKS



1600 LBS. CAPACITY — SEMI-STEEL WHEELS
1400 LBS. CAPACITY — SOLID HARD RUBBER WHEELS

All welded for widest variety of uses.
with 1¾" x 3/16" angle posts. Tray sides 2" deep on bottom shelf. Top shelf 22" from floor with 11⅜" clearance between shelves.
Floor clearance 6¼". 2 rigid and 2 ball bearing swivel casters.
Other casters quoted on request.

OVERALL HEIGHT - 36" — FINISH - SHOP GREEN - GRAY ON REQUEST

Model	Dimensions in Inches		Shipping Weight	Price With 5" x 1½" Solid Hard Rubber Wheels	Price With 5" x 1⅝" Semi-Steel Wheels
	Width	Length			
18-TRE-30	18	30	107	$56.90	$54.30
18-TRE-36	18	36	115	59.60	57.90
18-TRE-48	18	48	131	65.20	63.50
18-TRE-60	18	60	149	72.70	71.00
24-TRE-30	24	30	120	61.50	59.85
24-TRE-36	24	36	130	66.40	64.75
24-TRE-48	24	48	150	73.70	72.00
24-TRE-60	24	60	170	82.10	80.40
30-TRE-30	30	30	136	67.10	65.40
30-TRE-36	30	36	146	73.25	71.50
30-TRE-48	30	48	171	82.20	80.50
30-TRE-60	30	60	196	91.45	89.80
ADD $3.00 to the Printed Price for FLAT BOTTOM SHELF					

EXTRA HEAVY DUTY SHOP TRUCK

ALL WELDED CONSTRUCTION — 4000 LBS. CAPACITY

For moving heavy parts or large tote boxes and shearings to and from presses and other operations. Flat top for easy sliding of large dies, molds and castings on or off of top. Heavy and large structures can be fabricated on truck.



SPECIFICATIONS

Shelves: 12 gauge steel, long edges, double formed into channels
Posts: 2" x 2" x 3/16" angle
Casters: 2 swivel and 2 rigid, 8" x 2½" semi-steel roller bearing wheels
Finish: Shop Green — Gray on Request

ADD $25.70 TO PRICE FOR:
8" x 2-1/2" High Capacity, Vulcanized Rubber Tired Wheels.
ADD $20.00 TO PRICE FOR TRUCK FLOOR LOCK.

★ All Models 36" High
10" Floor Clearance



21" clearance between shelves ☆



9⅝" clearance between shelves ☆

Model	Dimensions in Inches Width		Length	Shipping Weight	Price
ET-2448-2	24	x	48	220	$104.00
ET-2460-2	24	x	60	240	111.30
ET-2472-2	24	x	72	260	118.50
ET-2496-2	24	x	96	310	133.70
ET-2848-2	28	x	48	230	109.60
ET-2860-2	28	x	60	255	117.90
ET-2872-2	28	x	72	280	126.10
ET-2896-2	28	x	96	330	142.60
ET-3448-2	34	x	48	256	119.30
ET-3460-2	34	x	60	286	129.20
ET-3472-2	34	x	72	316	139.10
ET-3496-2	34	x	96	376	158.90
ET-2448-3	24	x	48	275	120.80
ET-2460-3	24	x	60	305	131.70
ET-2472-3	24	x	72	335	142.60
ET-2496-3	24	x	96	405	165.40
ET-2848-3	28	x	48	290	128.80
ET-2860-3	28	x	60	325	141.30
ET-2872-3	28	x	72	365	153.80
ET-2896-3	28	x	96	440	178.30
ET-3448-3	34	x	48	325	141.70
ET-3460-3	34	x	60	370	156.60
ET-3472-3	34	x	72	415	171.50
ET-3496-3	34	x	96	505	191.20

CRADLE TRUCKS

4000 LBS. CAPACITY — ALL WELDED CONSTRUCTION



Cradle Truck

Used for all types of pipe, tubing, bar stocks. Load centers itself for balance. Controlled maneuverability, turns in 36" radius.

SPECIFICATIONS

Length: 60" Cradle Width: 25"
Overall Width: 34" Height: 30"
Casters: Swivels, 8" x 2½" semi-steel, roller bearing wheels.
Center Wheels: 14" x 2½" semi-steel, roller bearing.
Finish: Orange

MODEL NO. - CRA-60 SHIPPING WEIGHT - 350 LBS. PRICE - $204.50

Grizzly®

ROLL-OVER BOX TRUCK

ALL WELDED CONSTRUCTION

Quick – Safe – Easy



★ ONE MAN OPERATION

★ MAKES CLEAN-OUT EASY



Gives maximum leverage with ease, turns over load from horizontal to vertical position.

Remains Upright so that Material can be removed.

SPECIFICATIONS

BOX: 14 Gauge steel with top edges hemmed over band iron.

Truck is TILT TYPE MOUNTED on two rigid casters and one swivel caster at the center of each end, turns within half of its length. Other casters furnished on request.

Paint Finish .....Shop Green, Gray on Request

Model	Box Size Width - Depth - Length	Height OA	Shipping Weight	Price with 5" x 1¼" Soft Rubber Wheels	Price with 5" x 1¼" Semi-Steel Wheels
ROBT-36	24" x 24" x 36"	30"	120 Lbs.	$73.60	$72.15
ROBT-48	24" x 24" x 48"	30"	140 Lbs.	83.00	81.55

BOX TRUCKS



The GRIZZLY BOX TRUCK is designed for the handling of packaged goods in department stores, warehouses and line operations.

Widely used for the disposal of waste materials.

All welded, rugged construction. Box is constructed of heavy gauge steel, top edges hemmed around band iron.

The truck is tilt type mounted on two center rigid casters and one swivel caster at the center of each end .Turns within half of its length.

BOX: 14 Gauge steel with top edges hemmed over band iron. Other Casters furnished on request.

Finish — Shop Green, Gray on Request.

Grizzly®

Model	Box Size Width - Depth - Length	Height OA	Shipping Weight	Price with 5" x 1¼" Soft Rubber Wheels	Price with 5" x 1¼" Semi-Steel Wheels
BT-36	24" x 24" x 36"	30"	95 Lbs.	$58.65	$57.20
BT-48	24" x 24" x 48"	30"	115 Lbs.	68.05	66.60

ROLL-OVER DUMP TRUCK

ALL WELDED CONSTRUCTION

Quick – Safe – Easy

ONE MAN OPERATION **MAKE DUMPING EASY**



Gives maximum leverage with ease, turns over load from horizontal to vertical position.

REMAINS UPRIGHT SO THAT MATERIAL CAN BE REMOVED.



Upright Position

SPECIFICATIONS	TOP ..... 42" long x 24" wide BOTTOM ..... 29" long x 24" wide BOX ..... 18" deep FLOOR TO TOP OF BOX ..... 23" OVERALL HEIGHT ..... 36" Top of Handle	2 Rigid Casters 1 Swivel Caster 4" x 1½" semi-steel wheel Paint: Shop Green or Gray

MODEL NO. RODT-42 — SHIPPING WEIGHT 130 LBS. — PRICE $76.20

HAND DUMP TRUCK



All welded, heavy gauge steel, rugged leakproof construction, 8" from Bottom, designed especially for carrying and dumping parts, metal chips and waste material into pits and containers by forward lift. Front slanted for easy dumping. Casters — 2 rigid, front, and 1 swivel, rear, make easy maneuverability into and out of close, narrow quarters.

Handy in machine shops, screw machine operations, production and assembly lines.

SPECIFICATIONS

FINISH: Shop Green, Gray on Request. TOP: 42" long x 24" wide. BOTTOM: 29" long x 24" wide
BOX: 18" deep Capacity 10½ cu. ft. HANDLE: 36" from floor
FLOOR TO TOP OF BOX - 23"
CASTERS ..... 2 rigid, 1 swivel — 4" x 1½" — semi-steel wheels

MODEL HDT-42 — SHIPPING WEIGHT 120 LBs. — PRICE $62.50

Special Dump Trucks Designed on Request

Grizzly®

2000 LBS. CAPACITY - SEMI-STEEL WHEELS
1400 LBS. CAPACITY — SOLID HARD RUBBER WHEELS

SLIDING SHELF TRUCK

LARGE VOLUME CAPACITY TRUCK — REMOVABLE SHELVES



Ruggedly built of all steel welded construction. Ready for use. All corners and all edges are round for safe handling without damage to other equipment.

See Thru design for visual load inspection.

For large or heavy stock orders and other purposes.

Shelves are easily removed by sliding out of channels permitting truck to be used for large bulky materials.

Easy rolling with 6" casters — 2 rigid and 2 swivel.

18" Clearance Between Shelves
Extra Shelves Priced on Request

Prices include Two (2) Shelves,
Paint Finish: Shop Green,
Gray on Request

Model	Dimensions in Inches				Shipping Weight	Price With 6" x 2" Hard Rubber Wheels	Price With 6" x 2" Semi-Steel Wheels
	Length	Width	Height	Shelf Size			
SS-48	56"	37"	66"	36" x 48"	266 lbs.	$126.20	$124.00
SS-60	68"	37"	66"	36" x 60"	298 lbs.	136.25	134.00
SS-72	72"	37"	66"	36" x 72"	330 lbs.	146.40	144.10

CAGE STOCK TRUCK

ALL WELDED CONSTRUCTION
800 LBS. CAPACITY

For variety of uses, on the assembly line, in the stock room and many other operations.

See-thru design for visual load inspection.

Used for drying purposes, paper truck, etc.

SPECIFICATIONS

Overall Dimensions .....24½" wide x 42" long x 62" high
Shelves ..... 24" x 36" — 16 Ga. steel
Casters ..2 swivel, 2 rigids, 5" x 1¼" solid rubber wheels
Paint Finish ..... Shop Green, Gray on Request

FOR HEAVY DUTY CASTERS

5" x 1½" Solid Rubber, Hard Tread Wheels
ADD $10.15 to the Price.

★ **Shelves are furnished with welded clips that rest on Band Iron strips**

Grizzly®

MODEL NO. CST-24	SHIPPING WEIGHT 135 LBS.	$76.65
Additional Shelves (Optional)	SHIPPING WEIGHT 24 LBS.	8.40

3/SIDED PLATFORM TRUCKS



HEAVY DUTY
2000 LBS. CAPACITY - SEMI-STEEL WHEELS
1400 LB. CAPACITY - SOLID HARD RUBBER WHEELS

Ruggedly built of all steel welded construction. All corners and edges are round for safe handling without damage to other equipment. See Thru design for visual load inspection. Increases load capacity over platform trucks. Used in shipping and receiving rooms.

8" Casters - 2 swivel and 2 rigid.

SPECIFICATIONS

ALL MODELS:	62½" HIGH OVERALL
FLOOR TO DECK:	12"
DECK TO TOP FRAME:	50½"
Reinforced 12 Gauge Steel platform	
FRAME:	1½" x 3/16" Angle Iron
GRID:	⅛" x 1" Band Iron
TUBULAR PUSH HANDLE	
PAINT FINISH:	Shop Green, Gray on Request

Model No.	Dimensions in inches Width - Length	Shipping Wt.	Price With 8" x 2" Hard Rubber Wheels	Price With 8" x 2" Semi-Steel Wheels
3ST-2448	24" x 48"	185#	$109.30	$108.00
3ST-2460	24" x 60"	200#	116.90	115.50
3ST-2472	24" x 72"	220#	125.30	123.90
3ST-2848	28" x 48"	200#	116.45	115.10
3ST-2860	28" x 60"	235#	130.30	119.00
3ST-2872	28" x 72"	260#	140.00	128.60
3ST-3448	34" x 48"	215#	125.70	124.30
3ST-3460	34" x 60"	260#	140.40	139.00
3ST-3472	34" x 72"	290#	153.80	152.50

3/SIDED STOCK CART



MEDIUM DUTY
1000 LBS. CAPACITY - SEMI-STEEL WHEELS
800 LBS. CAPACITY - SOLID HARD RUBBER WHEELS

For variety of uses in factories, warehouses, offices, etc. See Thru design for visual load inspection. Used for drying purposes, paper truck, etc. *ALL WELDED CONSTRUCTION*

Casters - 2 swivel and 2 rigid.

SPECIFICATIONS

ALL MODELS:	60" High Overall
BOTTOM DECK:	12 Gauge Steel
Posts;	1½" x ⅛" Angle Iron
VERTICAL RODS:	⅜" Diameter
DECK HEIGHT:	7" from floor
TUBULAR PUSH BAR	
PAINT FINISH:	Shop Green, Gray on Request.

Model No.	Dimensions in inches Width - Length	Shipping Wt.	Price With 4" x 1½" Solid Hard Rubber Wheels	Price With 4" x 1½" Semi-Steel Wheels
3SC-30	24" x 30"	105#	$73.00	$70.00
3SC-36	24" x 36"	115#	81.40	78.40
3SC-48	24" x 48"	135#	89.80	86.80
3SC-60	24" x 60"	155#	98.20	95.20

DIVIDED SHELF TRUCK



800 LBS. CAPACITY

Large variety of uses — in warehouses, factories, and offices. For order filling, stock picking, parts routing. Five shelf surfaces on each side. Double shelves pitched to slope toward center to prevent material from falling off of truck while in motion. Material can be slid on and off with ease.

SPECIFICATIONS

42" Long 22" Wide 55-3/4" High Overall
Solid divider thru center, shelves 11" deep and slope 2" to center, 12" clearance from bottom to first shelf, other shelves have 8" clearance.
Casters: 2 rigid, 2 swivels, 5" x 1-1/4" soft rubber wheels.
FINISH: Shop Green, Gray on Request All Welded Construction

MODEL NO. - DV-2242	Shipping Weight - 200 lbs.	Price - $112.80

FOR HEAVY DUTY CASTERS: 5" x 1½" Solid Rubber, Hard Tread Wheels
ADD $10.15 to the Price.

ENCLOSED SHELF TRUCK



800 LBS. CAPACITY

For Warehouses, Factories and Offices —
For order picking, stock filling, parts routing. Five shelf surfaces slope 1" to the back to prevent material from falling off of truck while in motion.
Material can be slid on and off with ease.

SPECIFICATIONS

Overall Dimensions: 16" wide x 45" long x 62" high
Shelves: 16" x 44" - 20 Ga. steel
10" Clearance between Shelves
Casters: 2 swivel, 2 rigids, 5" x 1-1/4" solid soft rubber wheels
FINISH: Shop Green, Gray on Request All Welded Construction

MODEL NO. EST-44	Shipping Weight - 110 lbs.	Price - $76.40

FOR HEAVY DUTY CASTERS: 5" x 1½" Solid Rubber, Hard Tread Wheels
ADD $10.15 to the Price.

Grizzly®

OPEN SIDE TRUCK



800 LBS. CAPACITY

ALL WELDED CONSTRUCTION

For factory, hospital and office use. Used as a book cart; stock picker's truck, linen truck, or office record truck.

SPECIFICATIONS

OVERALL DIMENSIONS:
18½" wide x 45" long x 50" high
SHELVES:
18" x 39", 18 gauge steel, flat surface
CLEARANCE BETWEEN SHELVES: 15"
CASTERS:
4 swivels, 5" x 1¼" solid rubber wheels
PUSH HANDLES: Tubular, one at each end
FINISH: Shop Green, Gray on Request

MODEL NO. OST-39 | Shipping Weight 110 Lbs. | PRICE $76.40

PACKING & STRAPPING TRUCK







1200 LBS. CAPACITY — SEMI-STEEL WHEELS
800 LBS. CAPACITY — SOLID RUBBER WHEELS

ALL WELDED CONSTRUCTION

Speeds up shipping room operations, designed to pass steel strapping or rope under cartons or bundles which can be lifted off unit with sling, fork truck, etc. Adjustable top loading racks can be positioned anywhere along the length of base, and locked in place by screw knobs, (one on each side). The base is a tray 2" deep and can be used for storage of strapping material. The top loading racks have hinged lids. When down they provide a flat surface (6½" x 23½") used for cartons, boxes, crates, etc. When opened at 180 degrees they expose a cradle rest used for tubing, pipe, rounds and irregular shapes and the covers can be used for storage trays.

SPECIFICATIONS

Overall Height: 16½"; 9" clearance between load and bottom
Cradle: 23½" long x 6½" wide
Finish: Shop Green, Gray on Request

Model	Size	Max. Opening Between Racks	Shipping Weight	Price With 4" x 1½" Solid Rubber Wheels	Price With 4" x 1½" Semi-Steel Wheels
PST-30	24" x 30"	13"	104 lbs.	$76.20	$73.30
PST-36	24" x 36"	23"	110 lbs.	78.00	75.00
PST-48	24" x 48"	35"	120 lbs.	81.60	78.65

TOTE-ALL HAND TRUCK

COMBINATION 4-WHEEL CART OR 2-WHEEL HAND TRUCK

Ideal for Luggage, Packages, Small Boxes, Tanks. Instrument Carrier — Testing Machines — Vacuum Cleaning Tanks — Paint Spray Units



SPECIFICATIONS

Inside Dimensions of Bottom: 24" wide, 16" deep. — Sides: 28" high, 23½" deep, front to back. 30" wide overall, 41½" high overall. — Wheels: 8" x 1.75 Semi-Pneumatic rubber tired. — Casters: 3" x 1¼" solid rubber swivels. ALL WELDED CONSTRUCTION. — Finish: Orange.

MODEL NO. TA-24 | SHIPPING WEIGHT 52 LBS. | PRICE $46.50

TOTE PAN HAND TRUCK

ALL WELDED CONSTRUCTION

FOR TRAYS, BOXES, TOOLS, DIES & ORDER PICKING

Sits level on 4 wheels for loading and unloading beside machines or assembly benches. Can be maneuvered on 2 large semi-pneumatic wheels as a hand truck or pushed as a cart on 4 wheels. Two swivel casters in front for easy turning.



SPECIFICATIONS

SIZE OF TRAY: 12" x 24" — CLEARANCE BETWEEN TRAYS: 12", Bottom Tray 3¾" from floor. — HEIGHT OVERALL: 42", 22" from front to back wheel. — WHEELS: 8" x 1.75 semi-pneumatic rubber tired. — CASTERS: 3" x 1¼" solid rubber swivels. — PAINT FINISH: Shop Green, Gray on Request.

MODEL NO. TPH-24 | SHIPPING WEIGHT 55 LBS. | PRICE $42.50

Grizzly®

FIVE SHELF STOCK CARTS — 800 LBS. CAPACITY



Large volume capacity stock cart for filling orders and other purposes. All welded construction with 1½" x ⅛" angle posts, and push handle located 39½" high for balanced handling, adds 3" to overall length of cart.

All trays, with 2½" sides, can be reversed at no extra cost. 2 rigid and 2 swivel casters.

Weight capacity of the carts can be more than doubled with heavier duty casters, prices on request.

SPECIFICATIONS

Overall Height with Semi-Steel Casters ..... 58½"
Overall Height with Rubber Casters ..... 58¼"
Shelf Clearance 10" ..... Floor Clearance ..... 5¾"
Finish ..... Shop Green, Gray on Request

Add $3.00 to the Printed Price for Flat Bottom Shelf

Model	Dimensions in Inches		Shipping Weight	Price With 5" x 1¼" Soft Rubber Wheels	Price With 5" x 1¼" Semi-Steel Wheels
	Width	Length			
L-1828	18"	28"	105	$66.75	$65.30
L-1836	18"	36"	119	81.75	80.30
L-2436	24"	36"	144	83.65	82.20

FIVE SHELF HEAVY DUTY TRUCKS — 3000 LBS. CAPACITY

Grizzly®



For large and heavy stock orders, for shop, tool-room and production line. All welded with 1¾" x 3/16" angle posts, top trays of 12 gauge steel, can be reversed at no extra cost.

Tubular push handle at right height for easy maneuvering adds but 3" to overall length.

2 swivel and 2 rigid casters. Other casters priced on request.

SPECIFICATIONS

Overall Height ..... 68"
Shelf Clearance ..... 12"
Floor Clearance 9½
Finish ..... Shop Green, Gray on Request

Add $3.00 to the Printed Price for Flat Bottom Shelf

Model	Dimensions in Inches		Shipping Weight	Price With 8" x 2" Hard Rubber Wheels	Price With 8" x 2" Semi-Steel Wheels
	Width	Length			
H-1830	18	30	189	$ 93.50	$ 91.70
H-2430	24	30	219	105.50	103.70
H-3030	30	30	249	117.50	115.70
H-1836	18	36	212	112.50	110.70
H-2436	24	36	247	116.50	114.70
H-3036	30	36	287	130.50	128.70
H-1848	18	48	249	115.80	114.60
H-2448	24	48	299	135.80	134.00
H-3048	30	48	349	155.80	154.00
H-1860	18	60	289	129.10	127.30
H-2460	24	60	349	155.10	153.30
H-3060	30	60	413	181.10	179.30

STOCK CARTS

MEDIUM DUTY

Built for Years of Easy Rolling Service.

All welded, designed for rugged factory use yet with appearance satisfactory for office and store. Large capacity shelves save time and steps, on the assembly line, in the stock room, the office, in any one of many other operations.

No parts to loosen, rattle or squeak, even the Space Saver handle is welded in place. Hemmed edges on tray shelves protect products and your workers. 2 Ball-bearing swivel casters on rear for easy steering, 2 Rigid casters at front. 2½" deep tray shelves for small parts, flush top makes sliding of heavy parts on or off cart with little effort.

FINISH ..... Shop Green, Gray on Request

CASTER WHEELS: 3" or 5" ..... Solid Rubber Soft Tread

Flat Top - SCF-5363

Tray Top - SC-5362

Grizzly®

Shelves — 16 ga. Structural Angle Legs. All Trays — 2½" Deep	Model	Dimensions in Inches Width - Length	Overall Height	Clearance Shelf	Caster Size	Shipping Weight	Price
All Tray Shelves	SC -3182	18" x 28"	34"	25¼"	3"	47	$ 30.60
	SC -5182	18" x 28"	36"		5"	50	34.95
	SC -3362	18" x 36"	34"		3"	53	33.50
	SC -5362	18" x 36"	36"		5"	56	37.80
	SC -5242	24" x 36"	36"		5"	66	41.50
All Tray Shelves	SC -3183	18" x 28"	34"	11⅜"	3"	62	37.80
	SC -5183	18" x 28"	36"		5"	65	42.20
	SC -3363	18" x 36"	34"		3"	70	41.70
	SC -5363	18" x 36"	36"		5"	73	46.00
	SC -5243	24" x 36"	36"		5"	88	50.70
Flat Surface Top Shelf Tray Bottom Shelf	SCF-3182	18" x 28"	34"	25¼"	3"	47	30.60
	SCF-5182	18" x 28"	36"		5"	50	34.95
	SCF-3362	18" x 36"	34"		3"	53	33.50
	SCF-5362	18" x 36"	36"		5"	56	37.80
	SCF-5242	24" x 36"	36"		5"	66	41.50
 Flat Surface Top Shelf Tray Center and Bottom Shelves	SCF-3183	18" x 28"	34"	11⅜"	3"	62	37.80
	SCF-5183	18" x 28"	36"		5"	65	42.20
	SCF-3363	18" x 36"	34"		3"	70	41.70
	SCF-5363	18" x 36"	36"		5"	73	46.00
	SCF-5243	24" x 36"	36"		5"	88	50.70

ADD $3.00 TO THE PRINTED PRICE FOR FLAT BOTTOM SHELF

HI-LADDER STOCK CART

ALL WELDED CONSTRUCTION



Permits work up to 10 feet high.

This truck can be used for working high stockroom shelves and bins.

With adjustable ladder to give quick, higher standing step for stock clerks and others to place items into and take from inventory and storage areas, and for moving such items to and from job and shipping locations.

Ladder automatically slides to floor when operator places his weight on first step locking both ladder and truck firmly to the floor, when weight is removed the ladder retracts allowing truck to be easily moved.

ADD $3.00 TO THE PRINTED PRICE FOR FLAT BOTTOM SHELF.

SPECIFICATIONS

OVERALL DIMENSIONS	20" wide x 44" long x 78" high
TOP OF CART	38 ¼" from Floor
SHELVES	14-Gauge steel, Tray Type - 2" deep
CLEARANCE BETWEEN SHELVES	13"
SIZE OF SHELVES	Top - 20" x 32". - Center - 20" x 36". - Bottom - 20" x 41"
LADDER	Spring loaded and adjustable
CASTERS	2 Swivel, 2 Rigids
PAINT FINISH	Shop Green, Gray on Request

MODEL NO. LT-20-78R	With Rubber Wheels	Shipping Weight 169 Lbs.	PRICE $107.40
MODEL NO. LT-20-78S	With Steel Wheels	Shipping Weight 174 Lbs.	PRICE $102.50

LADDER STOCK CART



With adjustable ladder to give quick, higher standing step for stock clerks and others to place items into and take from inventory and storage areas, and for moving such items to and from job and shipping locations.

All welded steel contruction makes sure, safe and easy operation, is more popular with increased use.

Top and center Shelves can be reversed at no charge.

SPECIFICATIONS

OVERALL DIMENSIONS	20" wide x 44" long x 48" high
TOP OF CART	38 ¼" from Floor
SHELVES	14 gauge steel, Tray Type - 2" deep
CLEARANCE BETWEEN SHELVES	13"
SIZE OF SHELVES	Top - 20" x 32— Center - 20" x 36" - Bottom - 20" x 41"
FINISH	Shop Green, Gray on Request

Ladder is spring loaded and adjustable.

ADD $3.00 to the printed price FOR FLAT BOTTOM SHELF

Model	Casters	Capacity	Shipping Wt.	Price
LT-20-S	5" x 1⅝" Semi-steel Wheels	2000 Lbs.	155 Lbs.	$87.50
LT-20-R	5" x 1½" Solid Hard Rubber Wheels	1800 Lbs.	150 Lbs.	$93.50
FOR TRUCK FLOOR LOCK ADD $14.50 TO PRICE				

Grizzly®

STEP LADDER ATTACHMENT



STEP LADDER

Attachment

FOR GRIZZLY STOCK CARTS AND SHOP TRUCKS

Makes Your Cart More Versatile

SIMPLE INSTALLATION

Bolts to Legs at Swivel Caster End

Ladder is Spring Loaded and Adjustable

Ladders ordered with Stock Carts and Shop Truck will be welded at no extra cost.

3 STEPS - SPACING ADJUSTABLE ON 2 STEPS
48" HIGH OVERALL

Finish: Shop Green, Gray on Request

MODEL NO. - SL-18	Used on 18" Wide Carts	SHIPPING WEIGHT - 40 Lbs.	PRICE - $27.50
MODEL NO. - SL-24	Used on 24" Wide Carts	SHIPPING WEIGHT - 45 Lbs.	PRICE - $29.50

Grizzly®

GARMENT TRUCK

Used in garment factories, department stores, laundries, cleaners, motels, hotels. Handy for order filling. Light weight, easy to maneuver.



SPECIFICATIONS

OVERALL LENGTH: 74" ..... WIDTH: 20½" ..... HEIGHT: 66"
FRAME: 1 1/16" Tubular Steel ..... FINISH: Gray
5" x 1 ¼" swivel solid rubber casters

ALL WELDED CONSTRUCTION

Model GT-72 Garment Truck — Shipping Wgt. 55 Lbs. — Price $51.50

HEAVY DUTY TOOL STANDS

2000 LBS. CAPACITY
ALL WELDED CONSTRUCTION

No. 30-3

Heavy Duty Tool Stands have a broad usage in many industries where heavier than average weights are a daily occurrence. Flat top for sliding heavy dies, tooling or shop boxes on and off. Used by machine operators as a service table.
Floor clearance 6¼".
Pads on bottom of legs protect floors.
Finished in Shop Green, Gray on Request.

TRAY SHELVES - 2" DEEP – SHELVES CAN BE REVERSED AT NO EXTRA COST.

ALL MODELS .....32½" High Overall
SHELVES .....12 Gauge Steel
LEGS .....1¾" x 3/16" Angle Iron



TOP AND BOTTOM SHELVES
Shelf Clearance 22¼ inches



TOP, BOTTOM and CENTER SHELVES
Shelf Clearance 10⅛ inches

Model	Dimensions in inches Width - Length	Shipping Wt.	Price
1830-2	18" x 30"	62#	$26.00
1836-2	18" x 36"	70#	30.80
1848-2	18" x 48"	85#	36.80
1860-2	18" x 60"	104#	42.80
2430-2	24" x 30"	83#	33.10
2436-2	24" x 36"	95#	37.85
2448-2	24" x 48"	116#	46.30
2460-2	24" x 60"	136#	54.75
1830-3	18" x 30"	85#	35.20
1836-3	18" x 36"	98#	41.60
1848-3	18" x 48"	120#	50.80
1860-3	18" x 60"	148#	60.40
2430-3	24" x 30"	112#	42.70
2436-3	24" x 36"	130#	49.60
2448-3	24" x 48"	162#	61.20
2460-3	24" x 60"	192#	72.80

EXTRA HEAVY DUTY TOOL STANDS

4000 LBS. CAPACITY



For handling long lengths of sheet metal. Placed beside shears, brakes, presses. Used as a feeder table. Layout table for plates, large dies, molds.

FOR EXTREME HEAVY LOAD REQUIREMENTS

ALL WELDED CONSTRUCTION • ALL SHELVES FLAT SURFACES
PAINT: SHOP GREEN, GRAY ON REQUEST

ALL MODELS .....36" High
SHELVES .....12 Gauge Steel
LEGS .....2" x 2" x 3/16" Angle



Clearance from floor to bottom shelf .....8"
Clearance between shelves .....23½"

Model	Dimensions in Inches Width - Length	Shipping Weight	Price
HS-2448-2	24" x 48"	135	$ 45.00
HS-2460-2	24" x 60"	155	51.00
HS-2472-2	24" x 72"	175	57.00
HS-2496-2	24" x 96"	215	72.40
HS-2848-2	28" x 48"	145	48.90
HS-2860-2	28" x 60"	170	55.80
HS-2872-2	28" x 72"	195	62.40
HS-2896-2	28" x 96"	245	80.20
HS-3448-2	34" x 48"	165	54.90
HS-3460-2	34" x 60"	190	62.70
HS-3472-2	34" x 72"	240	71.70
HS-3496-2	34" x 96"	280	91.00



Clearance from floor to bottom shelf .....8"
Clearance between shelves .....10⅝"

HS-2448-3	24" x 48"	185	$ 60.30
HS-2460-3	24" x 60"	215	69.30
HS-2472-3	24" x 72"	245	78.00
HS-2496-3	24" x 96"	305	100.00
HS-2848-3	28" x 48"	205	66.30
HS-2860-3	28" x 60"	240	76.50
HS-2872-3	28" x 72"	275	86.00
HS-2896-3	28" x 96"	350	111.70
HS-3448-3	34" x 48"	230	75.30
HS-3460-3	34" x 60"	280	89.40
HS-3472-3	34" x 72"	335	100.20
HS-3496-3	34" x 96"	405	128.20

Grizzly®

UTILITY TABLES



All welded construction, handle heavy loads of tools, parts and other items for production workers, machine operators, and repairmen on assembly lines beside machines, in garages, shops and warehouses.

★ **SPECIFICATIONS**

SHELVES ..... S Models: 16 Gauge — H-L-K Models: 14 Gauge
ANGLE LEGS ..... S Models: 1¼" x ⅛" — H-L-K Models: 1½" x ⅛"
DRAWER SIZE (ID) ..... 14" wide x 16" deep x 5" high

ALL MODELS CAN BE FURNISHED WITH 5" DIAMETER, SOLID RUBBER, BALL BEARING SWIVEL CASTERS — Use Price of Caster Models, PLUS . . . $8.50
Add $1.30 to price for 2½" Solid Rubber Wheels
Add $3.00 per drawer for cylinder lock - keyed un-alike.

Grizzly®



	31" High Overall Floor Pads Welded to Legs				34" High Overall With Casters 4 Swivels 2½" Dia. Pressed Steel Wheels		
	Size	Model	Shipping Weight	Price	Model	Shipping Weight	Price
With Top and Bottom Shelves	19 x 25	ST	32	$13.15	SC	35	$18.45
	23 x 24	HT	43	15.20	HC	46	20.50
	20 x 28	LT	44	15.45	LC	47	20.75
	24 x 36	KT	60	18.70	KC	63	24.00
With Top, Bottom and Center Shelves	19 x 25	S3	42	16.85	SC3	45	22.15
	23 x 24	H3	57	19.60	HC3	60	24.90
	20 x 28	L3	59	20.25	LC3	62	25.50
	24 x 36	K3	83	26.20	KC3	86	31.50
With Top, Bottom and Center Shelves and No.1416-1 Drawer	19 x 25	SD3	57	27.10	SD3C	60	32.40
	23 x 24	HD3	69	29.90	HD3C	72	35.20
	20 x 28	LD3	71	30.50	LD3C	74	35.80
	24 x 36	KD3	95	36.55	KD3C	98	41.80

UTILITY TABLES



Utility Table with 5" Casters



H3D

Back and side stops on shelves prevent parts and other items from rolling off. Drop fronts for sliding items on and off, and for easy cleaning. Steel pads on legs avoid floor marks. Sturdy, deep drawers furnished with attachment for padlock.

Swiveled castered models for movement of parts and tools from machine to machine.

Finish — Shop Green, Gray on Request.

★ **SPECIFICATIONS**

SHELVES ..... S Models: 16 Gauge — H-L-K Models: 14 Gauge
ANGLE LEGS ..... S Models: 1¼" x ⅛" — H-L-K Models: 1½" x ⅛"
DRAWER SIZE (ID) ..... 14" wide x 16" deep x 5" high

ALL MODELS CAN BE FURNISHED WITH 5" DIAMETER, SOLID RUBBER, BALL BEARING SWIVEL CASTERS — Use Price of Caster Models, PLUS . . . $8.50

Add $1.30 to price for 2½" Solid Rubber Wheels



	31" High Overall Floor Pads Welded to Legs				34" High Overall With Casters 4 Swivels 2½" Dia. Pressed Steel Wheels		
	Size	Model	Shipping Weight	Price	Model	Shipping Weight	Price
With Top and Bottom Shelves and #1416-1 Drawer	19 x 25	SD	47	$23.40	SDC	50	$28.70
	23 x 24	HD	58	25.50	HDC	61	30.80
	20 x 28	LD	59	26.80	LDC	62	32.10
	24 x 36	KD	75	28.95	KDC	78	34.25
With Top and Bottom Shelves and #1416-2 Drawer Unit	19 x 25	S2D	77	39.10	S2DC	80	44.40
	23 x 24	H2D	88	41.20	H2DC	91	46.50
	20 x 28	L2D	89	41.40	L2DC	92	46.70
	24 x 36	K2D	105	44.65	K2DC	108	49.95
With Top and Bottom Shelves and #1416-3 Drawer Unit	19 x 25	S3D	98	47.60	S3DC	101	52.90
	23 x 24	H3D	109	49.70	H3DC	112	55.00
	20 x 28	L3D	110	49.90	L3DC	113	55.20
	24 x 36	K3D	126	53.15	K3DC	129	58.45

Grizzly®

HAF-SHELF UTILITY TABLES



SC-8

All welded construction, Haf-Shelf Tables are the same premium quality as carried in our regular GRIZZLY Utility Table Line (Pages 24 and 25) with the added convenience of an extra Shelf.

"Haf-Shelf" will hold a tool box, tools, parts or other items within easy reach and still allow free access to the top full shelf — another "plus" feature in the GRIZZLY Line.



HC3-8

SPECIFICATIONS

DIMENSIONS OF HAF-SHELF: . . .	8" deep, full width of table — 11" clearance from top of table
HEIGHT (with and without casters): .	Overall including Haf-Shelf—42"—30" from floor to top of table
FINISH:	Shop Green, Gray on Request.

ADD THE FOLLOWING PRICES TO THE PRICE OF STANDARD UTILITY TABLES AS SHOWN ON PAGES NO. 26 AND NO. 27 FOR THE ADDITION OF HAF-SHELVES.

Model	Dimensions in Inches	Price
"S" Models	Table Size 19 x 25	$5.10
"H" Models	Table Size 23 x 24	5.25
"L" Models	Table Size 20 x 28	5.90
"K" Models	Table Size 24 x 36	7.00

HOPPER TABLES



All welded construction, used beside machines for holding tote box on the sloping lipped top shelf filled with parts, which operator feeds into the machine operation, the machined parts are dropped into the chute opening into the tote box on the bottom shelf. Tote box filled with machined parts is then transferred to the next operation. These operations are repeated on the production line resulting in quicker and lower production costs with less fatigue on the workers. Hopper Tables are especially used on small parts production and assembly.



SPECIFICATIONS

WIDTH:	14-1/4"
LENGTH:	29-1/4"
HEIGHT:	Back-36"--Front-30" with 1" Stop
CHUTE OPENING:	6" x 12"
BOTTOM SHELF CLEARANCE FROM FLOOR:	6-1/2"
CLEARANCE BETWEEN BOTTOM SHELF AND CHUTE . .	12"
FINISH:	Shop Green Gray on Req.

Model	Description	Shipping Weight	Price
TH-14	With Pads	37	$17.30
TH-14C	With 2-1/2" Pressed Steel Swivel Casters	40	22.80

Grizzly®

Grizzly



TC-213

"MIJ" table for faster production line needs

Rugged — Compact — High Quality at Low Cost

All welded construction, used as a durable service table for handling parts during production, beside Drill Presses, Punch Presses, Lathes, Automatics and other machines. Holds tote boxes at the right height for rapid handling, less fatigue for operator. Casters move table to tote pan, little effort required to place pan on table and move to next operation.

Back and side stops on shelves, drop front on all shelves.
Finished in Shop Green, Gray on Request.
ADD $1.30 TO PRICE FOR 2½" SOLID SOFT RUBBER WHEELS

ALL MODELS: 13" wide x 23" long
SHELVES: .....16 Gauge Steel
LEGS: .....Structural Angle



Top and Bottom Shelves

Top, Bottom and Center Shelves

Models With Floor Pads Welded to Legs					Caster Models 2½" Pressed Steel Wheels		
Model	Height of Top Shelf	Shelf Clearance	Shipping Weight	Price	Model	Shipping Weight	Price
T -213	23"	16"	24	$ 9.95	TC -213	25	$15.25
TE-213	30"	21"	27	11.50	TEC-213	28	16.80
T -313	23"	7½"	29	12.95	TC -313	30	18.25
TE-313	30"	10"	32	14.00	TEC-313	33	19.30



B-213

"MIJ" box-carts

Combines a Tote Box with a highly maneuverable cart. For stocking assembly lines and machines, moving work parts in warehouses and stock rooms, collecting and moving items in tool cribs and shipping rooms. *ALL WELDED CONSTRUCTION*
Easily turned in even narrow aisles, speeds up jobs, reduces work fatigue by eliminating manual lifting of heavy shop boxes and places parts at a normal work elevation.



BC-213

SPECIFICATIONS

OVERALL DIMENSIONS .....13" wide x 23" long x 31" high
BOX .....6" deep
CLEARANCE BETWEEN BOX AND SHELF .....17"
BOTTOM SHELF .....8" from Floor
FINISH .....Shop Green, Gray on Request

MODEL B-213	Shipping Weight 28 lbs. With Floor Pads — Price $14.70	MODEL BC-213 Shipping Weight 29 lbs. With 2½" Pressed Steel Casters — Price $20.10

TOTE-ALL hand cart



Capacity: 800# W/Rubber Wheels 1000# W/Semi-Steel Wheels

All welded, rugged construction for general maintenance uses—carrying parts and tools—with padlock attachment and convenient tow handle. Used especially for servicing production machines requiring testing and other measuring instruments.

Casters: Easy to roll with 5" x 1¼" solid rubber or semi-steel wheels — 2 rigid and 2 swivel.

SPECIFICATIONS

Top — 15" x 28"; Cart height — 20½" Overall.
Top and bottom tray — 1" deep.
Angle post: 1½" x 1½" x ⅛" with structural tubing tow handle.
Drawer: 14¾" deep, 21" wide, 6" high.
Finish: Shop Green — Gray on request.

TOTE-All Hand Cart			
Model	Description	Shipping Wgt.	Price
SER-101 SW	w/Semi-Steel Wheels	60	$62.00
SER-101 RW	w/Solid Rubber Wheels	56	64.00

PORTABLE MARKING TABLE



Model No. MT-2460

ALL WELDED CONSTRUCTION

CAPACITY 800 LBS.

Designed for rugged factory use yet with appearance for office and store. Flat surface for layouts, marking and sorting merchandise.

Light duty truck for industrial use, order filling, warehouse, beside assembly operations.

Top and bottom shelves are reinforced with channels.

SPECIFICATIONS

OVERALL HEIGHT 30" ..... Clearance between Shelves: 21"
SHELVES ..... 16 Ga. Steel with 20 Ga. Channels
LEGS ..... 1½" x 1½" x ⅛" Angle Iron
PAINT FINISH ..... Shop Green, Gray on Request
CASTERS ..... All Swivels

(Other casters on request)

Model No.	No. of Shelves	Dimension in inches Width - Length	Shipping Wt.	Price With 5" x 1¼" Soft Rubber Wheels	Price With 5" x 1¼" Semi-Steel Wheels
MT-2448-2	2	24" x 48"	100#	$67.25	$65.80
MT-2448-3	3	24" x 48"	132#	80.05	78.60
MT-2460-2	2	24" x 60"	115#	71.15	69.70
MT-2460-3	3	24" x 60"	155#	87.15	85.70
MT-3048-2	2	30" x 48"	112#	73.25	71.80
MT-3048-3	3	30" x 48"	150#	88.65	87.20
MT-3060-2	2	30" x 60"	130#	78.65	77.20
MT-3060-3	3	30" x 60"	175#	97.05	95.60

STEEL DOLLIES

Grizzly®

1200 LBS. CAPACITY — SEMI-STEEL WHEELS

800 LBS. CAPACITY — SOLID HARD RUBBER WHEELS

Rugged, all welded 12 gauge steel dollies castered for easy movement.
Sides 2" deep, floor clearance 5", with 2 rigid and 2 swivel casters. Top reversed on request at no extra cost.

Other dollies and wheels on request.
FINISH: SHOP GREEN, GRAY ON REQUEST.

Model	Dimensions in Inches Width	Length	Shipping Weight	Price With 4" x 1½" Hard Rubber Wheels	Price With 4" x 1½" Semi-Steel Wheels
18-D-30	18	30	40#	$32.65	$29.75
18-D-36	18	36	44#	34.25	31.35
18-D-48	18	48	52#	37.45	34.55
18-D-60	18	60	60#	40.65	37.75
24-D-30	24	30	45#	35.05	32.15
24-D-36	24	36	50#	37.45	34.55
24-D-48	24	48	60#	41.85	38.95
24-D-60	24	60	72#	46.25	43.35

EXTRA HEAVY DUTY SHELF DIE RACKS



An extremely rugged Rack to hold heavy loads of Jigs, Fixtures, Dies, and other heavy material.

May be erected as individual units or in rows.

Extra shelves may be added.

Bolted construction. Shipped complete with assembly hardware.

Construction of double channel reinforced shelf.

SPECIFICATIONS

SHELVES .....Reinforced 14 Gauge steel with formed hat channel thru center
POSTS .....2" x 2" x ⅛" Angle Iron
"X" BRACES .....1" x ⅛" Band Iron
PAINT FINISH .....Shop Green, Gray on Request

Model	Description - Parts	Shipping Weight	Price
DR-1842	Complete Unit: 5 — 18" x 42" Shelves 4 Posts — X Braces and Bolts	170 lbs.	$66.70
DR-2448	Complete Unit: 5 — 24" x 48 Shelves 4 Posts — X Braces and Bolts	230 lbs.	88.20
S-18	Single Shelf — 18" x 42", including bolts	26 lbs.	10.00
S-24	Single Shelf — 24" x 48", including bolts	38 lbs.	14.20
P-72	4 Posts (as a package) 72" long	45 lbs.	12.60



VERTICAL BAR RACK

Provides most efficient storage in limited areas and near jobs for tubing, pipe, rods, bars and like shapes, with 4 tray type shelves for short pieces.

All arc-welded — 1½" x ⅛" angle and 16 gauge tray-shelves.

84" high, 36" wide, 24" bottom, depth of shelves — bottom 6", top 6⅜", second 10", third 14". 4 sturdy arms extend 8" beyond each shelf for separation of stock.

Approximate shipping weight — 110 lbs.

FINISH — SHOP GREEN, GRAY ON REQUEST.

Grizzly®

MODEL NO. VB 3684 SHIPPING WEIGHT 110 LBS. PRICE $52.50

6 Drawer Unit



Model No. TDC-40

tool drawer cabinet

TIME SAVER —
COMPACT STORAGE
LOCAL AREA
TOOL STORAGE

SAVES MANY STEPS TO AND FROM MACHINE OPERATION OR JOB SITE

Can be placed in various areas or departments in plant for easy location of tools, individual belongings, etc.

For Machine Operators, repairmen, maintenance workers, millwrights, electricians and other spot workers, providing large storage drawers for tools and parts, etc.

ELIMINATES OTHERWISE NECESSARY TRIPS TO OTHER PLANT AREAS.

SPECIFICATIONS

CABINET SIZE .....40" wide x 27 ½" deep x 46" high
INDIVIDUAL DRAWER SIZE..15 ¾" i.d. x 12" deep i.d. x 27" long i.d.
TOOL TRAY SIZE .....10" wide x 15 ¾" long x 3" deep
Padlock attachments for each drawer.
Drawer slides on ball bearing steel rollers.
ALL WELDED CONSTRUCTION.
Paint Finish .....Shop Green, Gray on Request



tool tray in drawer

Tool Tray facilitates carrying of a variety of tools to the job or machine, is constructed of 16-gauge steel with full length handle.

MODEL NO. TDC-40 Shipping Weight 430 Lbs.

PRICE $295.00 Each

portable drawer and cabinet truck



For the Repairman who maintains equipment and machinery utilizing smaller parts and accessories.

All welded, rugged construction equipped with 5" x 1 ¼" casters — 2 rigid and 2 swivel. Easy to roll.

Specifications:
Top: 20" x 24"; Height to Top Surface — Overall 34";
Top, back and side stops — ½" high;
Space inside cabinet 13" high, 22" wide, 20" deep.
Drawers: 20" wide, 24" deep, 5" high.
Hinge plate type locking attachment locks drawers and cabinet door for security.
Finish: Shop Green — Gray on request.

PORTABLE DRAWER & CABINET TRUCK			
Model	Description	Shipping Wgt.	Price
PUB-24SW	w/Semi-Steel Wheels	138	$ 98.00
PUB-24RW	w/Solid Rubber Hard Thread Wheels	134	102.00

★ TOOL CABINET BENCHES

All Welded – Completely Assembled – Ready for Use ★



C-1824



C-1848-K



C-1848-K

Benches with GRIZZLY drawers and casters quoted on request.

Heavy duty benches provide solid working surface plus closed door storage for tool rooms, shop, garages, shipping and stock operations, and are rigid for bench type machines.

ADDITIONAL SHELF (Optional)

Shelf Size	Shipping Weight	Price
18" x 23¾"	11 lbs.	$ 4.80
18" x 47¾"	20 lbs.	8.80
24" x 35¾"	19 lbs.	8.30
24" x 47¾"	25 lbs.	11.00

Standard Grizzly Bench Drawer Unit may by installed in Cabinets. See page 42.

SPECIFICATIONS

TOP ..... 12 Gauge Steel with Back Stops 3" high with Side Stops that taper to 1½" in front. Overall Height 37"
SIDE LEG PANELS ..... 14 Gauge Steel
DOORS ..... 18 Gauge Steel
SHELVES ..... 16 Gauge Steel
FINISH ..... Shop Green, Gray on Request

Model	Height	Width	Depth	Shelf Size	No. of Shelves	No. of Doors	Shipping Weight	Price
C-1824	34"	24"	19"	18" x 23¾"	2	1	112	$38.00
C-1824-K	Cylinder Lock in Door Handle (2 Keys)							41.45
C-1848	34"	48"	19"	18" x 47¾"	1	2	166	61.90
C-1848-K	Cylinder Lock in Door Handle (2 Keys)							65.30
C-2436	34"	36"	25"	24" x 35¾"	1	2	160	55.65
C-2436-K	Cylinder Lock in Door Handle (2 Keys)							59.10
C-2448	34"	48"	25"	24" x 47¾"	1	2	190	74.30
C-2448-K	Cylinder Lock in Door Handle (2 Keys)							77.70

Grizzly®

PORTABLE CABINET WORK BENCHES



PC-48S
with Riser
Vise Shelf



PC-48S

HEAVY DUTY . . . All welded, for repairmen, maintenance workers, millwrights, electricians, and other spot workers, providing large storage place for tools and parts, with adequate top work area, back and side stops to prevent tools and parts from falling off top — all to give more efficient work operation, especially eliminating otherwise necessary trips to another work bench and stock room.

SPECIFICATIONS

Dimensions: Caster wheels—5"x1½" for easy rolling—2 rigid and 2 swivel casters. Additional shelves and drawers designed into units for special requirements.
Size of Top, 26" x 48", Height, 34" to bench top, 3" back stop; Overall height, 37" (48" overall height with riser). Total overall length, 63"; Vise shelf, 12" x 26" — vise shelf standard on all models.
Shelf: 24¾" x 47¾".
Finish: Shop Green, Gray on Request.

MODEL	DESCRIPTION	SHIPPING WT.	PRICE
PC-48S	Semi-Steel Wheels	250	$137.10
PC-48R	Solid Rubber Hard Tread Wheels	247	141.00
R-48	Steel Bench Riser Shelf (Optional)	20	8.40
	Keyed Handle (Optional) (2 keys)		3.00
	Additional Shelf (Optional)	26	11.40
	Floor Truck Lock	5	14.50



Model
BP-36R

All welded construction, for Setup men, repairmen, maintenance workers, millwrights, electricians, and other spot workers.

Drawer with Tool Tray, large compartment for storing bulky items. Two intermediate shelves for storage. Top heavy 12 Ga. steel, strong enough to mount a Vise.

SPECIFICATIONS

SIZE OF TOP: 24" x 36". OVERALL HEIGHT: 34". DRAWER: (#1416-1) 14" wide x 16" long x 5" deep: SHELVES: 2 each 18" wide by 23" deep. STORAGE CABINET: 17"wide x 23" deep x 24" high. CASTERS: 5" x 1½" Swivel and Rigid. PAINT: Shop Green, Gray on Request.

MODEL	DESCRIPTION	SHIPPING WT.	PRICE
BP-36-S	Semi-Steel Wheels	220 lbs.	$129.50
BP-36-R	Solid Rubber Hard Tread Wheels	215 lbs.	136.10
	FLOOR TRUCK LOCK (Optional)	5 lbs.	14.50
	KEYED HANDLE (2 Keys)		3.00
	FOR 3/16" STEEL PLATE TOP ADD $14.70 TO THE PRICE	250 lbs.	



With Floor Lock

Grizzly®

PORTABLE CABINET WORK BENCHES



LIGHT DUTY

All welded, designed for light duty, particularly in smaller operations.

DIMENSIONS:

TOP: . . . . . 21-1/4" x 36".
HEIGHT: . . . 34" to Work Surface, 3" Back Stop.
SHELF SIZE: . . 19" x 35-3/4", adjustable on 2" Centers.
FINISH: . . . Shop Green. Gray on Req.



Model	Caster Description	Shipping Wt.	Price
PC-36S	5" x 1-1/4" Semi-Steel, Plain Brg. Wheels	118	$69.00
PC-36R	5" x 1-1/4" Solid Rubber, Soft Plain Brg. Wheels	114	70.45
	Floor Lock (Optional)	5	14.50
	Additional Shelf (Optional)	16	6.40
	Cylinder Lock which locks both Doors (2 Keys)		6.00

PDC SERIES

Equipped with four large drawers, friction slide guides, inside dimensions -- 20" wide x 18" long x 4" deep.
Inside Cabinet Size: 10-1/2" wide x 20" deep x 25" high.

DIMENSIONS

TOP: . . . . . 21-1/4" x 36".
HEIGHT: . . . 34" to Work Surface, 3" Back Stop.
FINISH: . . . Shop Green. Gray on Req.

Model	Caster Description	Shipping Wt.	Price
PDC-36S	5" x 1-1/4" Semi-Steel, Plain Brg. Wheels	188	$112.80
PDC-36R	5" x 1-1/4" Solid Rubber, Soft Plain Brg. Wheels	184	114.25
	Floor Lock (Optional)	5	14.50
	Cylinder Locks fitted to all Drawers (Keyed Un-alike)		12.00
	Keyed Handle		5.00

WORK BENCHES

ALL WELDED CONSTRUCTION



BS-2872



Reinforced plate steel tops. Reinforced channel stringers on all models. Shelving of channel reinforced construction to hold heavy loads and avoid sagging. Legs are channel formed with gussets for additional strength.

All welded construction — no bolts, rivets or other parts that have to be continually tightened.

COMPLETELY ASSEMBLED — READY FOR USE

SPECIFICATIONS	
TOPS	12 Gauge Steel
BACK AND SIDE STOPS	12 Gauge Steel
LEGS	12 Gauge Steel
STRINGERS	16 Gauge Steel
SHELVES	16 Gauge Steel

LEGS SET IN 2" FROM END OF TOP

ALL MODELS: FINISH — SHOP GREEN, GRAY ON REQUEST

32½" HIGH TO WORK SURFACE (34" Height Furnished on Request)



All 8 Ft. Models have 3 Bench Legs Drawer as shown



FLAT TOP WITH STRINGER



FLAT TOP WITH STRINGER AND SHELF - 15¼" deep

Model	Size of Top	Shipping Weight	Price
F-2448	24" x 48"	107	$44.70
F-2460	24" x 60"	120	50.70
F-2472	24" x 72"	134	57.30
F-2496	24" x 96"	180	71.00
F-2848	28" x 48"	118	47.20
F-2860	28" x 60"	132	53.00
F-2872	28" x 72"	148	59.70
F-2896	28" x 96"	198	76.90
F-3448	34" x 48"	132	53.00
F-3460	34" x 60"	148	59.70
F-3472	34" x 72"	164	64.10
F-3496	34" x 96"	220	82.70
FS-2448	24" x 48"	125	$52.00
FS-2460	24" x 60"	142	59.30
FS-2472	24" x 72"	160	67.30
FS-2496	24" x 96"	214	83.60
FS-2848	28" x 48"	132	54.50
FS-2860	28" x 60"	150	61.60
FS-2872	28" x 72"	170	69.70
FS-2896	28" x 96"	229	89.50
FS-3448	34" x 48"	150	60.30
FS-3460	34" x 60"	170	68.30
FS-3472	34" x 72"	186	74.10
FS-3496	34" x 96"	250	95.30

Grizzly®

BACK STOPS — 3" High
SIDE STOPS — 3" High at Back, Taper to 1½" at Front

WORK BENCHES

Model	Size of Top	Shipping Weight	Price
FD-2448	24" x 48"	132	$56.70
FD-2460	24" x 60"	145	62.70
FD-2472	24" x 72"	159	69.30
FD-2496	24" x 96"	205	83.00
FD-2848	28" x 48"	143	59.20
FD-2860	28" x 60"	157	65.00
FD-2872	28" x 72"	173	71.70
FD-2896	28" x 96"	223	88.90
FD-3448	34" x 48"	158	65.00
FD-3460	34" x 60"	174	71.70
FD-3472	34" x 72"	189	76.10
FD-3496	34" x 96"	245	94.70
FSD-2448	24" x 48"	150	$64.00
FSD-2460	24" x 60"	167	71.30
FSD-2472	24" x 72"	185	79.30
FSD-2496	24" x 96"	239	95.30
FSD-2848	28" x 48"	157	66.50
FSD-2860	28" x 60"	175	73.60
FSD-2872	28" x 72"	195	81.70
FSD-2896	28" x 96"	253	101.50
FSD-3448	34" x 48"	176	72.30
FSD-3460	34" x 60"	196	80.30
FSD-3472	34" x 72"	211	86.10
FSD-3496	34" x 96"	275	107.30
B-2448	24" x 48"	108	$45.20
B-2460	24" x 60"	121	51.00
B-2472	24" x 72"	135	57.00
B-2496	24" x 96"	181	73.70
B-2848	28" x 48"	119	47.60
B-2860	28" x 60"	133	53.40
B-2872	28" x 72"	149	60.15
B-2896	28" x 96"	199	77.25
B-3448	34" x 48"	133	53.40
B-3460	34" x 60"	149	60.10
B-3472	34" x 72"	166	65.00
B-3496	34" x 96"	222	83.70
BS-2448	24" x 48"	126	$52.50
BS-2460	24" x 60"	143	59.60
BS-2472	24" x 72"	161	67.00
BS-2496	24" x 96"	215	86.30
BS-2848	28" x 48"	133	54.90
BS-2860	28" x 60"	151	62.00
BS-2872	28" x 72"	171	70.15
BS-2896	28" x 96"	229	89.85
BS-3448	34" x 48"	151	60.70
BS-3460	34" x 60"	171	68.70
BS-3472	34" x 72"	188	75.00
BS-3496	34" x 96"	252	96.30

FLAT TOP WITH STRINGER AND DRAWER UNIT - No. 1424-1



Drawer Size: 14" wide x 23½" deep x 5" high

FLAT TOP WITH STRINGER AND SHELF AND DRAWER UNIT No. 1424-1



Drawer Size:
14" wide x 23½" deep x 5" high

TOP WITH BACK, SIDE STOPS AND STRINGER



TOP WITH BACK, SIDE STOPS, STRINGER AND SHELF - 15¼" deep



Add $3.00 Per Drawer for Cylinder Lock

ALL MODELS: FINISH — SHOP GREEN, GRAY ON REQUEST — 32½" HIGH TO WORK SURFACE

(34" Height Furnished on Request)

Grizzly®

WORK BENCHES

BACK STOPS — 3" High — 12 Ga. Steel
SIDE STOPS — 3" High at Back, Taper to 1½" at Front

ALL MODELS SHOP GREEN FINISH, GRAY ON REQUEST — 32½" HIGH TO WORK SURFACE (34" Height On Request)

TOP WITH BACK, SIDE STOPS AND DRAWER UNIT — No. 1424-1



Drawer Size:
14" wide x 23½" deep x 5" high

Model	Size of Top	Shipping Weight	Price
BD-2448	24" x 48"	133	$57.20
BD-2460	24" x 60"	146	63.00
BD-2472	24" x 72"	160	69.00
BD-2496	24" x 96"	206	85.70
BD-2848	28" x 48"	144	59.60
BD-2860	28" x 60"	158	65.40
BD-2872	28" x 72"	174	72.15
BD-2896	28" x 96"	224	86.25
BD-3448	34" x 48"	159	65.40
BD-3460	34" x 60"	175	72.10
BD-3472	34" x 72"	191	77.00
BD-3496	34" x 96"	247	95.70

TOP WITH BACK, SIDE STOPS, STRINGER SHELF AND DRAWER UNIT — No. 1424-1



Drawer Size:
14" wide x 23½" deep x 5" high

BSD-2448	24" x 48"	151	$64.50
BSD-2460	24" x 60"	168	71.60
BSD-2472	24" x 72"	186	77.00
BSD-2496	24" x 96"	240	98.30
BSD-2848	28" x 48"	158	66.90
BSD-2860	28" x 60"	176	74.00
BSD-2872	28" x 72"	196	82.15
BSD-2896	28" x 96"	254	101.85
BSD-3448	34" x 48"	177	72.70
BSD-3460	34" x 60"	197	80.70
BSD-3472	34" x 72"	213	87.00
BSD-3496	34" x 96"	277	108.30

Add $3.00 Per Drawer for Cylinder Lock



HARD TEMPERED PRESSED WOOD TOPS

Pressed wood top — ¼" thick — is attached directly over heavy steel top. Attached with countersunk flat head bolts at each corner. Used for working with finished parts, die layout, instrument and electrical work.

ADD THE FOLLOWING PRICES TO STEEL WORK BENCHES OR OTHER GRIZZLY EQUIPMENT

Size	Price
24" x 48"	$5.00
24" x 60"	6.25
24" x 72"	7.50
24" x 96"	10.00

Size	Price
28" x 48"	$ 6.20
28" x 60"	7.85
28" x 72"	9.40
28" x 96"	12.50

Size	Price
34" x 48"	$ 7.45
34" x 60"	9.35
34" x 72"	11.25
34" x 96"	14.95

PORTABLE WORK BENCHES

Portable Steel Work Benches with telescopic handles for maintenance men, inspectors, and others, who move about to have their bench and equipment immediately available.

Any standard GRIZZLY Work Bench can be furnished as a Portable Work Bench. Telescopic handles slide under bench when not in use. Large 4" x 1½" semi-steel rigid wheels for easy moving and for steady bench work.

For such handles and wheels add $16.00 to Standard Work Bench Price.

Specify "PORTABLE" with your order showing regular number of standard bench. Shipping weight of each unit is increased approximately 20 lbs.



FINISH — Shop Green, Gray on Request.

Grizzly®

ELECTRONICALLY GLUED

HARD MAPLE TOP WORK BENCH

These hard maple Bench or Table Tops are made of selected edge grain Maple strips, accurately machined, glued with radio frequency high pressure presses. Outside laminations 1⅜" wide, center laminations ¾" wide. Reinforced with concealed steel tie rods. Top surface and edges sanded smooth. Finish clear natural non-toxic lacquer.

Standard GRIZZLY bench legs, stringer, and hard maple tops can be assembled into a sturdy work bench in minutes. Other standard GRIZZLY accessories (Drawer Units — Cabinet Units — Shelves — Back & Side Stops — Risers) can be quickly attached to adapt a complete Bench to suit your particular needs. Parts shipped for your assembly.

ALL HARD MAPLE BENCH TOPS — 1¾" THICK

OVERALL HEIGHT, INCLUDING TOP OF BENCH — 34¼"

ALL MODELS: FINISH — SHOP GREEN, GRAY ON REQUEST



Model No. W-3072 with No. SH-72 Bench Shelf

Prices shown are for a complete basic bench including bolts, nuts, lag screws and lock washers, K. D. ready for assembly. For prices of other accessories: Bench Risers, Side and Back Stops and Shelves, Bench Drawer Units, and Bench Cabinet Units, See Pages 40, 41 and 42.



TOP, TWO BENCH LEGS AND ONE STRINGER



TOP, THREE BENCH LEGS AND ONE STRINGER

Model	Size of Top	Shipping Weight	Price
W-2448	24" x 48"	110	$56.70
W-2460	24" x 60"	128	67.55
W-2472	24" x 72"	143	78.40
W-3048	30" x 48"	130	67.85
W-3060	30" x 60"	150	81.25
W-3072	30" x 72"	168	94.55
W-3648	36" x 48"	152	79.05
W-3660	36" x 60"	171	94.90
W-3672	36" x 72"	193	110.65
W- 2484	24"x 84"	179	$ 96.15
W- 2496	24"x 96"	194	107.00
W-24120	24"x120"	225	128.70
W-24144	24"x144"	256	149.85
W- 3084	30"x 84"	210	115.40
W- 3096	30"x 96"	228	128.75
W-30120	30"x120"	262	155.40
W-30144	30"x144"	306	186.10
W- 3684	36"x 84"	240	135.10
W- 3696	36"x 96"	262	150.90
W-36120	36"x120"	307	182.50
W-36144	36"x144"	352	216.50



WORK BENCH RISERS

The Storage capacity of your Work Bench may be substantially increased without reducing the work area on bench by an easily attached Riser. Slides easily between standard Grizzly Side and Back Stops, or attaches to sides of flat wood or steel top.

SPECIFICATIONS			
List No.	Length "L", Inches	Shipping Weight	Price
R-48	48	19	$ 8.40
R-60	60	23	10.10
R-72	72	27	11.25
R-96	96	34	13.15
CABINET FINISH — SHOP GREEN, GRAY ON REQUEST			

Grizzly®

Side- and Back-Stop Sets





Paint Finish — Shop Green, Gray on Request. 12 Gauge Steel.
EACH SET CONSISTS OF TWO SIDE STOPS (right and left) AND ONE BACK STOP.

List No.	Dimensions in Inches					Shipping Weight of Sets	Price
	A	B	C	D	E		
2448	5¼	24	3½	5¼	48	16	$ 6.10
2460	5¼	24	3½	5¼	60	18	6.80
2472	5¼	24	3½	5¼	72	20	7.50
2496	5¼	24	3½	5¼	96	23	8.45
2848	5¼	28	3½	5¼	48	18	6.90
2860	5¼	28	3½	5¼	60	20	7.55
2872	5¼	28	3½	5¼	72	22	8.25
2896	5¼	28	3½	5¼	96	27	9.90
3448	5¼	34	3½	5¼	48	19	7.30
3460	5¼	34	3½	5¼	60	21	7.95
3472	5¼	34	3½	5¼	72	24	8.95
3496	5¼	34	3½	5¼	96	29	10.60

Stringers





Paint Finish - Shop Green, Gray on Request. 16 gauge one inch channel reinforced construction.

List No.	Dimensions in Inches		Shipping Weight	Price
	F	G		
ST-36	4¼	32	4	$2.20
ST-48	4¼	44	6	3.05
ST-60	4¼	56	7½	3.95
ST-72	4¼	68	9	4.80
ST-84	4¼	80	10½	5.70
ST-96	4¼	92	12	6.60
ST-120	4¼	116	15	8.35

Shelves





Paint Finish — Shop Green, Gray on Request. 16 gauge one inch channel reinforced construction.

List No.	Dimensions in Inches		Shipping Weight	Price
	H	J		
SH- 36	15¼	32	13	$ 5.70
SH- 48	15¼	44	18	7.30
SH- 60	15¼	56	22	8.60
SH- 72	15¼	68	26	10.00
SH- 84	15¼	80	30	11.30
SH- 96	15¼	92	34	12.60
SH-120	15¼	116	42	15.30
SH- 36-F	23½	32	18	7.30
SH- 48-F	23½	44	24	9.30
SH- 60-F	23½	56	30	11.30
SH- 72-F	23½	68	36	13.30
SH- 84-F	23½	80	42	15.30
SH- 96-F	23½	92	48	17.20
SH-120-F	23½	116	60	21.20

Grizzly®

BENCH LEGS





These sturdy all steel legs are designed to withstand severe usage and support weight far in excess of normal conditions. Top and cross members permanently welded to legs. Reinforced channel construction — gusset strengthened. Adequate holes provided for attachment of bench top, shelf and stringer. Steel floor pads with holes for attachments to floor.

BL-58 Bench Leg furnished with center upright channel.

Finish — Shop Green, Gray on Request. Bench Legs for special requirements on request.

SPECIFICATIONS

List No.	Dimensions in Inches A	B	C	D	E	Shipping Wt. Each	Price Each	Price Pair
BL-22	22	32½	15½	18	9½	20	$ 6.90	$13.80
BL-28	28	32½	19½	22	9½	22	7.50	15.00
BL-34	34	32½	23½	26	9½	24	8.30	16.60
BL-46	46	32½	35½	38	9½	28	9.70	19.40
BL-58	58	32½	47½	50	9½	34	12.35	24.70

WORK BENCH CABINET UNITS

Grizzly®



No. CU18 Unit



No. CU18 Unit mounted



No. CUK-36 Unit

Cabinet storage can be more efficient than drawers for many items, which can be placed neatly and are not subject to being jarred or rolled around as in a drawer.

Heavy gauge steel used throughout with flanged reinforcement. All Welded Construction

Use with either wood top or all metal benches. Quickly fastened to wood top with bolts or lag screws. Easily attached to metal top with machine bolts and angle iron supports furnished on request. Holes are elongated in tops of unit and supports for rapid alignment with bolts.

Model No.	Dimensions in Inches Length	Height	Depth	Shelf Clearance	Lock	Shipping Weight	Price Each
CUK-36	36	19	19	8	Yes	95	$46.10
CU-36	36	19	19	8		95	43.10
CUK-18	18	19	19	8	Yes	55	30.00
CU-18	18	19	19	8		55	27.00

Finish — Shop Green, Gray on Request. Please indicate on order if unit is for installation with steel or wood bench.

BENCH DRAWER UNITS



Single Drawer Unit

Drawer units can be fastened to either wood or steel benches, tables, desks or counters.

All welded construction. Padlock attachments for each drawer. Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer. Fingers fit easily into drawer pull. Drawer slides effortlessly on BALL BEARING nylon rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 13½" x 8" in 1416 and 1424 Series; 19½" x 8" x 1" in 2024 Series.

CYLINDER LOCKS MUST BE INSTALLED AT FACTORY



Two Drawer Unit



Three Drawer Unit

OVERALL OUTSIDE DIMENSIONS

HEIGHT, ALL UNITS	One Drawer — 5¾"; Two Drawer — 12½"; Three Drawer — 18½"; Four Drawer — 24½"	
WIDTH	1416 & 1424 SERIES: 16¼"	2024 SERIES: 22¼"
DEPTH	1416 SERIES: 16½"	1424 & 2024 Series: 24"

	Individual Drawer Size 14" wide x 16" deep x 5" high			Individual Drawer Size 14" wide x 23-1/2" deep x 5" high			Individual Drawer Size 20" wide x 23-1/2" deep x 5" high		
Unit Description	No.	Ship'g Wt.	Price	No.	Ship'g Wt.	Price	No.	Ship'g Wt.	Price
1 Drawer	1416-1	15	$ 10.25	1424-1	26	$12.00	2024-1	30	$14.00
2 Drawer	1416-2	45	26.00	1424-2	60	31.75	2024-2	74	36.00
3 Drawer	1416-3	66	34.45	1424-3	90	41.50	2024-3	105	47.00
4 Drawer	1416-4	87	43.00	1424-4	120	51.00	2024-4	136	59.00

Grizzly®

Add $3.00 per Drawer for Cylinder Lock, Keyed Un-alike
Extra charge for locks keyed alike.

Approximate Shipping Weights Shown Above Include Attachment Hanger.

FINISH: SHOP GREEN, GRAY ON REQUEST

HEAVY DUTY DRAWER UNIT

USE WHERE SEVERE SERVICE IS NEEDED



Model No. H-2024-1

14 GA. STEEL DRAWER
12 GA. STEEL HANGER

ALL STEEL BALL BEARING ROLLERS

All welded construction. Handles heavy loads of tools, parts and other items.

Drawers can be attached to work benches, tables, desks or counters.

Padlock tab on drawer. Stop prevents drawer from pulling out of slides. Fingers fit easily into pull. Drawer slides effortlessly on Ball Bearing rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 19½" x 8" x 1".

SPECIFICATIONS

Inside dimensions of drawer	14" wide x 23½ long x 5" deep
Hanger size overall dimensions	22½" wide x 24" long
Paint Finish	Shop Green, Gray on Request

MODEL NO. H-2024-1	SHIPPING WEIGHT 40 LBS.	PRICE $18.95

Add $3.00 for Cylinder Lock (2 Keys) Must be installed in factory.

PORTABLE DRAWER CABINETS

ALL WELDED CONSTRUCTION. Padlock attachments on each Drawer.

Drawers slide on Ball bearing nylon rollers.
Cabinet Size: 16" wide x 21" long.
Drawer Size: Inside Dimensions, 14" wide x 20½" long x 5" deep.
Tool Tray in each Drawer: 8" x 11½" x 1" deep.
Paint Finish: Shop Green, Gray on Request.



Model	Height	Casters — All Swivel	Weight	Price
DC-1C3	30"	3"x1 13/16" Soft Rubber Tread	95 lbs.	$63.20
DC-1C5	32"	5"x1¼" Soft Rubber Tread	100 lbs.	73.40
Cylinder Locks fitted to all Drawers Keyed Un-alike ADD				12.00

Extra charge for locks keyed alike.

PORTABLE DOOR CABINETS



Light Duty Portable Cabinets,for General Use.

Used for Gum Tape Machines in shipping rooms, Electronic Instruments, Business Machines in offices, such as Postage, copying, etc.

Used in plants besides machine operations.

Cabinet Size: 16" wide x 21" long.

One Shelf furnished with unit, adjustable on 2" centers.

Paint Finish: Shop Green, Gray on Request.

ALL WELDED CONSTRUCTION

Grizzly®

Model	Height	Casters — All Swivel	Weight	Price
BC-1C3	30"	3"x1 13/16" Soft Rubber Tread	45 lbs.	$36.90
BC-1C5	32"	5"x1¼" Soft Rubber Tread	50 lbs.	47.10
	Keyed Handle			3.00
	Extra Shelf			4.00

CABINET BASE WORK BENCHES



Model - CDB-3072-W

With door and four drawer units form the overall base, in multiple or single bench runs in various combinations, with steel or electronically glued laminated maple wood tops for standard and particular requirements. Cabinet bench tops can be furnished with side and back stops, and risers (See pages 41, 42). Laminated tops also furnished in 1¼, 1⅝, 2, 2¼, and 3 inch thicknesses.

ALL MODELS: 34" HIGH OVERALL
WITH NO. 6 BASE
WOOD TOP — NATURAL FINISH
METAL FINISH
SHOP GREEN, GRAY ON REQUEST

WITH STEEL TOPS	Model	Size of Top	Bases, 16" wide 21" deep	Shipping Weight	Price
	CB-2860-S	28" x 60"	Cabinets	205	$ 91.05
	CB-2872-S	28" x 72"	Cabinets	230	95.10
	DB-2860-S	28" x 60"	Drawers	300	145.25
	DB-2872-S	28" x 72"	Drawers	320	149.25
	CDB-2860-S	28" x 60"	Cabinets, Drawers	240	118.20
	CDB-2872-S	28" x 72"	Cabinets, Drawers	275	122.20
WITH HARD MAPLE BENCH TOPS — 1¾" Thick					
	CB-3060-W	30" x 60"	Cabinets	210	$126.50
	CB-3072-W	30" x 72"	Cabinets	235	137.85
	DB-3060-W	30" x 60"	Drawers	305	180.70
	DB-3072-W	30" x 72"	Drawers	325	192.55
	CDB-3060-W	30" x 60"	Cabinets, Drawers	245	158.00
	CDB-3072-W	30" x 72"	Cabinets, Drawers	280	169.35

ALL WELDED CONSTRUCTION



DOOR CABINET

26" High

Shelf adjustable in 2" centers.

One shelf with unit.

Model No. BC-1
Shipping Weight 55 lbs. ... $27.95
With Keyed Handle 31.00
Extra Shelf 4.15
Base Not Included



DRAWER CABINET
26" High
Individual drawer size: 14" wide x 20½" deep x 5" high.
Sliding tray in each Drawer holds small items within easy reach.
Tray size: 13½" x 8"

Model No. DC-1
Shipping Weight 100 lbs. $55.00
Cabinet with Cylinder Lock 67.40
Base Not Included
Keyed Un-alike
Extra charge for locks keyed alike.

BASE

6¼" High



No. 6 Base
Shipping Weight ..... 8 lbs
Price Each $6.1

Grizzly®

CABINET WORK BENCHES (with Sliding Doors)

All welded, heavy gauge steel construction, with steel or wood tops, with and without sliding doors. Sliding doors are factory installed, equipped with cylinder lock and 2 keys, and doors are not sold separately. Shelves adjustable on 2" centers. Completely assembled, ready for immediate use.

Laminated wood tops also furnished in thicknesses of 1½", 1⅝", 2", 2¼" and 3". Side and back stops, bench risers and drawers can be added, see pages 39, 40 and 42.

FINISH — SHOP GREEN, GRAY ON REQUEST.



All Models: 34" High Overall

WITH STEEL TOPS 12 Gauge	Model	Size of Top	Base, 25" Deep	Shipping Weight	Price
	CS-2860	28" x 60"	Basic Unit	204	$ 70.05
	CS-2872	28" x 72"	Basic Unit	234	78.70
	CS-2860-S	28" x 60"	Basic Unit with Shelf	239	80.90
	CS-2872-S	28" x 72"	Basic Unit with Shelf	274	91.05
	CS-2860-D	28" x 60"	Basic Unit with Sliding Doors	248	100.95
	CS-2872-D	28" x 72"	Basic Unit with Sliding Doors	286	112.30
	CS-2860-SD	28" x 60"	Basic Unit with Shelf & Sliding Doors	283	111.80
	CS-2872-SD	28" x 72"	Basic Unit with Shelf & Sliding Doors	326	124.65
WITH HARD MAPLE BENCH TOPS — 1¾" Thick Overhang on Front, 5"					NATURAL WOOD FINISH
	CW-3060	30" x 60"	Basic Unit	220	$111.15
	CW-3072	30" x 72"	Basic Unit	254	128.55
	CW-3060-S	30" x 60"	Basic Unit with Shelf	255	121.95
	CW-3072-S	30" x 72"	Basic Unit with Shelf	295	140.90
	CW-3060-D	30" x 60"	Basic Unit with Sliding Doors	264	142.05
	CW-3072-D	30" x 72"	Basic Unit with Sliding Doors	306	162.15
	CW-3060-SD	30" x 60"	Basic Unit with Shelf & Sliding Doors	300	152.85
	CW-3072-SD	30" x 72"	Basic Unit with Shelf & Sliding Doors	346	174.50
Extra Shelves ☆	S-60 ☆	60" long x 22" wide		35	10.85
	S-72 ☆	72" long x 22" wide		40	12.40

Grizzly®

STEEL TOP — PANEL-END WORK BENCHES

ALL PURPOSE BENCH — FORMED PEDESTAL LEGS — MODERN

Grizzly®



MP-2860

New closed-end styling for modern appearance and construction. All welded, heavy gauge steel construction. Completely assembled for immediate use. For shelf in each model designed for heavy duty, 8" from Drawer Units, Side and Back Stops. Stops. See pages 40 and 42.

BENCH TOP 32½" FROM FLOOR — FINISH: SHOP GREEN, GRAY ON REQUEST

Model	Dimensions in Inches (Width x Length)			Shipping Weight	Price Each
	Top	Base	Shelf		
MP-2848	28 x 48	22 x 40	20 x 39	131	$55.05
MP-2860	28 x 60	22 x 52	20 x 51	146	61.35
MP-2872	28 x 72	22 x 64	20 x 63	165	69.30

HARD MAPLE TOP — PANEL-END WORK BENCHES

Modern-Formed Pedestal Legs.



Model No. WP-3060



Tops: 1¾" thick, electronically glued, edge grain. Outside laminations: 1⅜" wide, center ¾" wide.
Finish: Clear natural non-toxic lacquer.

Grizzly®

Model	Dimensions in Inches (Width x Length)			Shipping Weight	Price
	Top	Base	Shelf		
WP-3048	30 x 48	22 x 40	20 x 39	142	$ 91.05
WP-3060	30 x 60	22 x 52	20 x 51	168	108.40
WP-3072	30 x 72	22 x 64	20 x 63	190	124.00

GAS WELDING BENCH



Model GW-3636

A sturdy Gas Welding Bench for extra strength and durability. The top is constructed of 12 gauge steel, will hold 32 fire bricks (not furnished).

Excellent regidity with heavy double formed 14 gauge steel legs. Shelf, 16 gauge steel divided into three equal sections for rod storage.

Shipped knocked down, ready for assembly.

Drawer can be ordered separately.

OVERALL DIMENSIONS		36" wide x 36" deep x 34" high
PAINT FINISH		Shop Green, Gray on Request
MODEL NO. GW-3636	Shipping Weight 95 lbs.	PRICE $51.90
MODEL NO. 1416 - 1 Drawer Unit (PG. 42)	Shipping Weight 15 lbs.	PRICE $10.25

ARC WELDING BENCH



Model AW-3636

All steel Arc Welding Bench built for rugged service. The top is solid 12 gauge steel with 3 flanges up and front flange down.
Legs are double formed and embossed 14 gauge steel. Shelf is divided into 3 equal sections, for storage of rods.
Drawer can be ordered separately.

OVERALL DIMENSIONS		36" wide x 36" deep x 34" high
PAINT FINISH		Shop Green, Gray on Request
MODEL NO. AW-3636	Shipping Weight 125 lbs.	PRICE $57.90
MODEL NO. 1416 - 1 Drawer Unit (PG. 42)	Shipping Weight 15 lbs.	PRICE $10.25

ARC WELDING BENCH WITH SHIELDS

All steel Arc Welding Bench built for rugged service. The top is solid 12 gauge steel with 3 flanges up and front flange down. Legs are double formed and embossed 14 gauge steel. Shelf is divided into 3 equal sections, for storage of rods.

A sturdy 20 gauge steel shield easily snaps on top flange with no bolting required.

With the "See-Thru" welding shield, eliminates the danger of eye flashburn while watching instructor demonstrate. May be observed by several people simultaneously through the smoked plastic windows without glasses or hand shields.

Also furnished with Solid Shields.

Shipping knocked-down, ready for assembly.



Model AW-3636-WS

OVERALL DIMENSIONS		36" wide x 36" deep x 68" high
PAINT FINISH		Shop Green, Gray on Request
DRAWER 1416-1 Pg. 42		Furnished with unit
MODEL NO. AW-3636-WS	With See-Thru Shields Shipping Weight 180 lbs.	PRICE $114.90
MODEL NO. AW-3636-S	With Solid Shields Shipping Weight 175 lbs.	PRICE $92.00

Grizzly®

STANDING SHOP DESK



MODEL NO. 1236 with P66
(Pigeon Hole Unit Optional Extra)

Open, all welded, heavy gauge steel construction — used by foremen, supervisors, time study men, superintendents, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with drawers with and without individual locks, pigeon-hole top, back and side stops, in various combinations in the models listed, or in special combinations to meet individual needs.

Completely assembled, ready for immediate use.

FINISH ..... Shop Green, Gray on Request



MODEL NO. 1236

SPECIFICATIONS

WIDTH	All Models — 36"	
DEPTH	All Models — 30"	
OVERALL HEIGHTS	Front	Back
Basic Unit	43"	48"
With P-36 Unit	43"	53"
With P-66 Unit	43"	57"
SIDE AND BACK STOPS	3" high at Back, tapers to 1½" at Front.	

SHELF ..... 34" wide x 12" deep - 8" from floor
DRAWERS ..... Standard Grizzly Drawer Units, see Page 42 for specifications.
FINISH ..... Shop Green, Gray on Request

Any standard Grizzly Bench Drawer Unit or Bench Cabinet Unit may be used on this Unit.



BASIC UNIT
◀ Model No. 1036
Shipping Weight 85 lbs.
PRICE $42.50



BASIC UNIT
With No. 2024-4
Drawer Unit (Pg. 42)
Model No. 1436 ▶
Shipping Weight 225 lbs.
PRICE $101.90



PIGEON HOLE UNIT
Three 4" x 12" Openings
Model No. P-36
Shipping Weight 15 lbs. PRICE $6.70



BASIC UNIT
With Two No. 1416-1
Drawer Units (Pg. 42)
◀ Model No. 1236
Shipping Weight 115 lbs.
PRICE $63.10



BASIC UNIT
With Two No. 1424-4
Drawer Units (Pg. 42)
Model No. 1836 ▶
Shipping Weight 325 lbs.
PRICE $144.95



PIGEON HOLE UNIT
Six 4" x 12" Openings
Model No. P-66
Shipping Weight 24 lbs. PRICE $12.50

Grizzly®

SHOP CABINET DESKS



No. 2036



No. 3236
(With No. P-36 Unit)
(Pigeon Hole Unit Optional Extra)

Enclosed, all welded, extra heavy gauge steel construction — used by superintendents, foremen, supervisors, time study men, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with doors, drawers, with or without individual locks, pigeon-hole top, or in special combinations on request to meet particular needs.

Completely assembled, ready for use.
Finish — Shop Green, Gray on Request.



No. 3036
(With No. P-36 Unit)
(Pigeon Hole Unit Optional Extra)

SPECIFICATIONS

WIDTH ..... All Models 36"
DEPTH ..... All Models 30"
OVERALL HEIGHTS ..... Front Back
Basic Unit ..... 43" 48"
With P-36 Unit ..... 43" 53"
With P-66 Unit ..... 43" 57"
DRAWERS ..... GRIZZLY 1416-1 - ID - 14" wide x 16" deep x 5" high. Any GRIZZLY Standard Bench Drawer can be used with this Unit. See Page 42.
SIDE AND BACK STOPS 3" high at back, tapers to 1½" at Front.
SHELF SIZE ..... 28¾" x 35⅞"
SHELF CLEARANCES
3 Shelf Unit Floor to Bottom Shelf ..... 7"
Bottom Shelf to Center Shelf ..... 11¾"
Center Shelf to Top Shelf ..... 8"
Top Shelf to Desk Top ..... 12"
2 Shelf Unit Floor to Bottom Shelf ..... 7"
Bottom Shelf to Top Shelf ..... 19¾"
Top Shelf to Desk Top ..... 12"



No. P-36 Unit



No. P-66 Unit

Model	No. of Shelves	No. of Drawers	Shipping Weight	Price
2036	2		184	$ 83.00
2136	2	1	202	90.40
2236	2	2	219	97.65
3036	3		205	90.40
3136	3	1	222	97.65
3236	3	2	240	105.00
P-36	Pigeon Hole Unit 3 — 4" x 12" openings x 9" deep		15	6.70
P-66	Pigeon Hole Unit 6 — 4" x 12" openings x 9" deep		24	12.50
	Cylinder Lock for Drawers			3.00
	Cylinder Lock in Door Handle			3.00

LOCKS - KEYED UN-ALIKE

Grizzly®

MACHINE FLOOR CABINETS

FOR BASE CABINET USE WITH BENCH TYPE MACHINES

Rugged, all welded cabinets with 1⅛" coolant tops with ½" pipe connection.

Attractive gray enamel finish.

A model for every purpose, floor lugs to secure base to floor. Removable side shelves as accessory to hold tote pans and other production items.

Drawer size and model — GRIZZLY 1416-1 (14" wide ID x 16" long ID x 5" deep ID). All drawers equipped with stops, ball bearing nylon rollers and 1" deep tool tray. (Pg. 42)

Models, enclosed with back and door, are without shelves. Shelves furnished on request.

No. 1015 . . . Removable Side Shelf (Shelf Surface - 10" x 15")

Shipping Weight 10 lbs. . . . Price $5.30



CT-3635 With No. 1015 Shelves



MODEL #CT-2830
20" wide
28" long
30" high

MODEL #CT-2835
20" wide
28" long
35" high

Model No. CT-2830 Shipping Weight 90 lbs. Price $50.10
Model No. CT-2835 Shipping Weight 96 lbs. Price $56.45



MODEL #CT-3630
20" wide
36" long
30" high

MODEL #CT-3635
20" wide
36" long
35" high

Model No. CT-3630 Shipping Wt. 100 lbs. Price $56.45
Model No. CT-3635 Shipping Wt. 106 lbs. Price $62.85

MODEL #CF-2830
20" wide
28" long
30" high

MODEL #CF-2835
20" wide
28" long
35" high

MODEL #CF-3630
20" wide
36" long
30" high

MODEL #CF-3635
20" wide
36" long
35" high



Model No. CF-2830 Shipping Weight 80 lbs. Price $43.80
Model No. CF-2835 Shipping Weight 86 lbs. Price $52.10
Model No. CF-3630 Shipping Weight 90 lbs. Price $52.15
Model No. CF-3635 Shipping Weight 96 lbs. Price $58.40



MODEL #CM-2830
20" wide
28" long
30" high

MODEL #CM-2835
20" wide
28" long
35" high

MODEL #CM-3630
20" wide
36" long
30" high

MODEL #CM-3635
20" wide
36" long
35" high

Model No. CM-2830 Shipping Wt. 95 lbs. Price $65.50
Model No. CM-2835 Shipping Wt. 105 lbs. Price $71.25
Model No. CM-3630 Shipping Wt. 115 lbs. Price $71.85
Model No. CM-3635 Shipping Wt. 125 lbs. Price $78.20

Grizzly®

Grizzly® MACHINE CABINET STANDS

All welded for mounting Lathes, Grinders, Drill Presses, Tapping Machines, and for Work Bench Uses. CT Models are with Coolant Top with ½" pipe connection, DFT Models are with drop front, used for assembly and production work.

Designed for strength and appearance, finished in durable gray enamel.

GRIZZLY 1416 — 1 drawer — 14" wide ID x 16" long ID x 5" deep ID, with stops, ball bearing nylon rollers and tool tray 1" deep (See Page 42). See Page 41 for CU-18 Work Bench Cabinet Unit details. Convenient shelf — 15¾" x 36".



MODEL DFT-60-C With Cabinet Unit No. CU-18 and one drawer. 22" wide, 60" long, 32" high. Shipping Weight 238 lbs. PRICE $109.75



MODEL CT-60-C With Cabinet Unit No. CU-18 and one drawer. 22" wide, 60" long, 32" high. Shipping Weight 238 lbs. PRICE $115.50



MODEL CT-60 Coolant Top, Tray — 1⅛" deep with ½" pipe tee. 22" wide, 60" long, 32" high. Shipping Weight 198 lbs. PRICE $103.95



MODEL NO. DFT-60 Drop Front Top. Back and Side Stops — 1⅛" high. 22" wide, 60" long, 32" high. Shipping Weight 198 lbs. PRICE $98.15



NO. 59 MOTOR MOUNT BRACKET

NO. 59 MOTOR MOUNT BRACKET Top Surface 10" x 11⅝". Ten round holes for mounting and adjustment. Shipping Weight 10 lbs. PRICE $7.00

NEW EZY-DOWN DRUM CRADLES w/ LARGE CASTERS AND ROLLERS

Give maximum leverage with ease, break the heaviest loaded drums from vertical to horizontal position.



STANDARD UNIT



EBR-18 ..... 30" long, 18½" wide, 19" high

EBR-24 ..... 30" long, 18½" wide, 25" high

Model EBR-18 Shipping Weight 31 lbs. Price $19.95
Model EBR-24 Shipping Weight 35 lbs. Price $23.95

STANDARD UNIT WITH CASTERS



EBR-18C ..... 30" long, 18½" wide, 20½" high

EBR-24C ..... 30" long, 18½" wide, 26½" high

Model EBR-18C Shipping Weight 34 lbs. Price $27.25
Model EBR-24C Shipping Weight 37 lbs. Price $31.25

STANDARD UNIT WITH DRUM ROLLERS



EBR 18R ..... 30" long, 18½" wide, 20" high

EBR-24R ..... 30" long, 18½" wide, 26" high

Model EBR-18R Shipping Weight 34 lbs. Price $23.95
Model EBR-24R Shipping Weight 37 lbs. Price $27.95

Four 2" Semi-Steel rollers for positioning drum and manually rotating for mixture.

STANDARD UNIT WITH CASTERS & ROLLERS



EBR-18CR ..... 30" long, 18½" wide, 20½" high

EBR-24CR ..... 30" long, 18½" wide, 27½" high

Model EBR-18CR Shipping Weight 36 lbs. Price $31.25
Model EBR-24CR Shipping Weight 40 lbs. Price $35.25

CASTERS: All Models — 3" Semi-Steel — 2 Swivels and 4" Semi-Steel Wheels



EZY-DOWN HANDLE
Cradle and Handle Finish Safety Orange

ONE EZY-DOWN Handle operates many cradles.
CANNOT TWIST in operator's hands, positive control, does not slip.

ONE MAN OPERATION — Push cradle lip under bottom rim of drum in vertical position. Slide EZY-DOWN Handle into receiver tubes, push down welded grabs over rim of drum. Downward pull on handle toward operator easily breaks and lays cradle with drum horizontally on floor for quick movement to any location.

EZY-DOWN Drum Cradles have all welded tubular frames and channel braces for modern styling and added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use.

Model	Shipping Weight	Price
No. 18 EZY-DOWN Handle — All welded construction — Handle is separate from cradles	12 lbs.	$9.95

Grizzly®





NEW DRUM CRADLES w/LARGE CASTERS AND ROLLERS

All Welded Tubular Frames. Channel Braces give modern styling plus added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use.

Available in 30 Gallon Size
Use prices of 55 Gallon Drum Cradles

Dimensions of 30 Gallon Drum Cradle
28" long x 18" wide



Finish: Safety Orange



STANDARD UNIT

BR-18 — 30" long
18½" wide
19" high
BR-24 — 30" long
18½" wide
25" high

Model BR-18 .... Shipping Weight 26 lbs. .... Price $14.95
Model BR-24 .... Shipping Weight 30 lbs. .... Price $18.95



STANDARD UNIT WITH CASTERS

BR-18C — 30" long
18½" wide
20½" high
BR-24C — 30" long
18½" wide
26½" high

Model BR-18C....Shipping Weight 29 lbs.....Price $22.25
Model BR-24C....Shipping Weight 33 lbs.....Price $26.25



STANDARD UNIT WITH DRUM ROLLERS

BR-18R — 30" long
18½" wide
20" high
BR-24R — 30" long
18½" wide
26" high

Model BR-18R....Shipping Weight 29 lbs.....Price $18.95
Model BR-24R....Shipping Weight 33 lbs.....Price $22.95
Four 2" Semi-steel rollers for positioning drum and manually rotating for mixture.



STANDARD UNIT WITH CASTERS & ROLLERS

BR-18CR - 30" long
18½" wide
20½" high
BR-24CR - 30" long
18½" wide
27½" high

Model BR-18CR....Shipping Weight 31 lbs.....Price $26.25
Model BR-24CR....Shipping Weight 35 lbs.....Price $30.25
CASTERS: All Models — 3" Semi-Steel — 2 Swivels and 4" Semi-Steel Wheels

For transporting 55 gallon drum or other container for lubrication, solvents, coolants, painting or cleaning units, used in production, maintenance and service operations. Bracket on handle for cable or hose. Accessory Box welded to handle for storage of tools and parts. All Welded Construction.

SPECIFICATIONS

OVERALL DIMENSIONS .....25" wide x 25" deep
PLATFORM .....5⅛" from floor
HANDLE .....41" from floor
SIZE OF ACCESSORY BOX 12" deep x 6" wide x 21" long
FINISH .....Safety Orange
CASTERS .....2 Swivel — 2 Rigid



DRUM DOLLY TRUCKS

◀ DT-25-R

Grizzly®

Model	Caster Description	Shipping Weight	Price
DT-25-S	5" x 1½" Semi-Steel Wheel	63	$52.00
DT-25-R	5x1½" Solid Rubber, Soft Tread	60	57.25

CAPACITY ALL MODELS — SEMI-STEEL WHEELS .....1200 LBS.
CAPACITY ALL MODELS — SOLID HARD RUBBER WHEELS .....1000 LBS.

DRUM & CAN DOLLIES



MODEL 75 & 76





MODEL 83 WITH FLOOR LOCK

Large size easy rolling wheels permit quick, safe transportation of even the heaviest loaded drums. All casters swivel for movement in any direction.

24" diameter holds standard 55 gallon drums or other similar sized containers. 19" diameter for smaller containers, disposal cans or kegs. Galvanized finish for institutional, food processing and sanitary usages.

Floor clearance 4" on all models. 2" sides on Models 82 and 83. All welded rugged construction for years of hard use.

SPECIFICATIONS

MODEL NO.	DIMENSIONS IN INCHES			FINISH	SHIPPING WEIGHT	SEMI-STEEL WHEELS PRICE	SOLID HARD RUBBER WHEELS PRICE
	O.D.	I.D.	WHEELS				
81	24 7/16	24	3x1¼	Orange	32	$23.10	$24.40
82	30½	24	3x1¼	Orange	25	20.70	22.00
83	24½	19	3x1¼	Orange	22	17.05	18.35
81-G	24 7/16	24	3x1¼	Galvanized	32	28.60	29.95
82-G	30½	24	3x1¼	Galvanized	25	24.75	26.10
83-G	24½	19	3x1¼	Galvanized	22	20.00	21.30
75	24½	24	3x1¼	Orange	19	15.90	17.25
76	19½	19	3x1¼	Orange	15	15.65	17.00
FOR FLOOR LOCK ADD $14.50 TO PRICES							

FOR ROUND, SQUARE, RECTANGULAR, OVAL OR ANY IRREGULAR SHAPED CONTAINER

ADJUSTABLE DOLLY

CLOSES DOWN TO 23½" — OPENS TO 36½"

Can be used as a rectangle for tote boxes, skids, pans, furniture.
Used as a dolly for drums, cans, kegs, etc.
Capacity with semi-steel wheels .....1200 lbs.
Capacity with solid hard rubber wheels .....1000 lbs.
Wheel Size .....3" x 1¼"
Finish .....Safety Orange



AVAILABLE IN GALVANIZED AT ADDITIONAL CHARGE

MODEL AD-23-S	SEMI-STEEL WHEELS	SHIPPING WEIGHT 30 lbs.	PRICE $22.10
MODEL AD-23-R	SOLID HARD RUBBER WHEELS	SHIPPING WEIGHT 28 lbs.	PRICE $23.40

HI-DRUM & CAN DOLLIES



PROVIDE higher elevation for easier flow drainage from drums in vertical position.

DRAINS easier glue, oils, chemicals and other hard-to-flow materials through the drum bottom.

ALL WELDED, rugged, completely assembled, ready for use.

SAVE SPACE — take less area than drums in horizontal position.



SAVE TIME AND MONEY.

USE DOLLIES with GRIZZLY No. 235 Drum Lifter with chain falls, hoist, or fork truck to place drums in vertical position easily, quickly and safely. See page 57.

FINISH — SAFETY ORANGE.

SPECIFICATIONS

WHEEL SIZE ..... 3" x 1¼"
CAPACITY ALL MODELS, SEMI-STEEL WHEELS ..... 900 Lbs.
CAPACITY ALL MODELS, SOLID HARD RUBBER TREAD WHEELS ..... 700 Lbs.

Model	Dimensions in Inches			Gallon Drum Size	Shipping Weight	Semi-Steel Wheels	Solid Rubber Wheels
	Bottom	Top	Height				
71	30	24	19½	55	44	$26.30	$27.60
73	21	19	19½	30	38	23.65	24.95

DRUM UP-ENDER



Safe! Positive Grip! Easy to Use!

Tilts drums from horizontal to vertical position with ease, speed and safety. Gives maximum leverage for lifting even the heaviest loaded drums.

Will not twist in hands of operator. Drum stops where you want it with no slipping or rolling.

ALL-WELDED CONSTRUCTION
Rugged and Compact
No. 80 Drum Up-Ender
(Steel)

SHIPPING WEIGHT ..... 12 lbs.
FINISH ..... Safety Orange
PRICE $10.95

Grizzly®

DRUM STORAGE RACKS



No. 85C



No. 85



2000 LB. CAPACITY



All welded with large sturdy 6" x 2" semi-steel wheels for easy portability or with legs for stationary installations.

Holds four drums in readily accessible positions. Designed for loading ease with whatever equipment you now have. If your hoist does not travel over rack, the wheel model can be moved under your hoist.

SPECIFICATIONS

ALL MODELS 30" Wide x 60" LONG x 54" HIGH — FINISH: SAFETY ORANGE

Model No.	Type	Shipping Weight	Price
85	Leg	180	$74.15
85C	Casters	198	96.80



FINISH:
SAFETY ORANGE

Holds four or six drums in readily accessible positions. Designed for loading ease from front or back. All Welded Construction. Completely Assembled for Immediate Use.

Self-Standing units, do not require anchoring to floor. Can be moved with Fork Trucks fully loaded.

DRAIN HEIGHTS: Bottom row — 18"; Top row — 48".

Also Designed for special requirements.

Grizzly®

Model	Capacity	Overall Size	Shipping Weight	Price
DS-4	4 Drums	60" wide x 36" deep x 46" high	120	$54.10
DS-6	6 Drums	84" wide x 36" deep x 46" high	200	78.80

PATENTED

NO. 235 VERTICAL DRUM LIFTER



2000 LBS. CAPACITY

FOR OPEN
or
CLOSED DRUMS

USED WITH
Fork Trucks
Chain Falls
Cranes and Hoists



★ QUICK — Lifter attached and removed in seconds.

★ SAFE — Fast turning crank handle to lock Upper Jaw to drum top. Holds drum rigidly even when swaying or when bumped.

★ VERSATILE — Lifter moves 55 and 30 gallon, and even smaller steel drums with practically no manual labor — the lifter does the work.

★ LIGHT — Weighs only 32 pounds. One man can handle with ease.

★ ADJUSTABLE — Slide Lower Jaw on vertical bar to position below nearest chime of drum. Jaw rests on off-center cam.

★ LIFTS — Old and new drums, open or closed, battered or lopsided — all with the same ease and positive safe grip.

★ STACKS — and tiers drums vertically in close quarters.

★ RUGGED — All welded construction for years of hard use.

★ FINISH — Safety Orange.

SHIPPING WEIGHT 32 LBS. — PRICE $55.00



750 LBS. CAPACITY

SLING TYPE DRUM LIFTER



Lifts drum horizontally and safely. The harder the pull the tighter the grip on the drum. Use it to load your GRIZZLY rack. — See Page 54.

ALL WELDED CONSTRUCTION

No. 84

SHIPPING WEIGHT	11 lbs.
FINISH	Safety Orange
PRICE	$12.95

Grizzly®

Grizzly®

LIFTS VERTICAL • HORIZONTAL • AT ANY ANGLE



Vertical



Horizontal



Any Angle



Lifts from any angle. Load can be balanced. Easily adapted to lift objects of all shapes or lengths. Automatic upsetting of container by adjusting sliding hoist collar.



Easily, Quickly, Safely Attached
Holds Rigidly - Even When Load Sways
Positive Grip - Cannot Slide — Holds Load
Locks in Desired Position



SPECIFICATIONS

FITS CONTAINERS 40" HIGH — FINISH: . . . Safety Orange — CAPACITY: . . . 1000 LBS.
ADJUSTMENT BETWEEN JAWS: . . . 12" minimum to 40" maximum — OVERALL LENGTH: . . . 43" — WIDTH: . . . 4".

MODEL NO. VH-100 ..... SHIPPING WEIGHT 27 LBS. ..... PRICE $79.50

MOLDING BENCH



All welded rugged construction, designed for manual training programs. Reinforced opening supports shaker bars and rough usage. Completely assembled — ready for immediate use.

OVERALL DIMENSIONS:

23 ½" wide, 60" long, 31 ¾" high.
Shelf — 15 ¼" x 56".

INSIDE DIMENSIONS:

18" wide, 46" long, 18" deep.

		Shipping Wgt.	Price
No. 700	Molding Bench	218#	$90.00

Finish: Shop Green, Gray on Request.

MOLDING BENCH INSERT



All welded rugged construction, designed to fit into a receiving unit of appropriate height for convenient use.

Four reinforced openings support shaker bars and rough usage. A set of hinged doors covers two openings. Completely assembled — ready for immediate use.

OUTSIDE DIMENSIONS:

30" wide, 60" long, 15" high.

INSERT DIMENSIONS:

26" wide, 56" long, 15" high.

		Shipping Wgt.	Price
No. 701	Molding Bench Insert	181#	$100.00

Finish: Shop Green, Gray on Request.

CASTER CORNER SHOES

ALL WELDED CONSTRUCTION



PALLET



SET OF 4



CRATE



CABINET

Ideal for making wood pallets or boxes portable at low cost.

Shoes slide under corners. May be bolted, screwed or nailed on permanently.

For moving heavy wood crates, boxes, cases, machinery, pallets, cabinets, benches and other uses.



MACHINE

SPECIFICATIONS

12 Gauge Steel — Size is 8" x 8" — 5¾" high overall — Flange 2" — 3⅞" high to platform — 7/16" holes for mounting.
PAINT FINISH .....Shop Green, Gray on Request

Model	Capacity per Set	Shipping Weight	Casters	Price per Set
CS-3S	1200 Lbs.	17 Lbs.	3"x1¼" Semi-steel Wheels	$17.40
CS-3R	1000 Lbs.	15 Lbs.	3"x1¼" Solid Hard Rubber Wheels	$18.00

TANK DOLLY

Grizzly®

2500 LB. CAPACITY — ALL WELDED CONSTRUCTION

For Wood Crates, Cases, Machinery, Castings. For Palletized Loads.



SPECIFICATIONS

24" long x 12" wide x 3¾" high

6 Wheels-Balance style for pivoting on center wheels. Steel Channel Frame — Full crosswise steel Axle — 3" x 1 3/16", semi-steel wheels. FINISH—SAFETY ORANGE.

MODEL TD 24 ..... SHIPPING WEIGHT 60 LBS. ..... PRICE $43.45

NEW-IMPROVED ROTO-TILT PATENTED LIFTS • TILTS • DUMPS • POURS

Steel, Fiber Drums, Barrels, Boxes • Used with Fork Truck, Chain Falls Cranes, Hoists • 1000 Lbs. Capacity

QUICK • SAFE • EASY TO OPERATE • SAVES TIME AND MONEY



LIFTS

LIGHT WEIGHT
one man easily handles and dumps



TILTS

POURS • DUMPS





CARBOYS

ONE MAN OPERATION

FOR FIBER DRUMS-POURING-DUMPING FIBER DRUMS

Grips firmly fiber drums, safely controls pouring and dumping, increases production. Roto-Tilt works efficiently on light or heavy loads, a distinct advantage in the handling of fiber drums, especially with heavy loads of metal parts for assembly and production lines.

◀ Holds firmly acid and other carboys, and safely controls pouring into container or production mixture. Ideal for chemical, plating, research laboratories and production operations.

LIGHT WEIGHT — one man easily handles and dumps.



No. 350 ROTO-TILT
with No. 160 Trolley in
FULL DUMPING POSITION

Push foot plate under drum.

Slide adjustable locking bracket down on top rim of drum.



Lifting trolley locks firmly on any position of arc.

Pouring carboy into pail.

Grizzly®

Safety Locking Bracket secures Upper Jaws to Drum Top. Lifting Trolley equipped with Ball Bearings, Serrated Jaws insure positive locking hold. Pours at any point of arc — operator maintains easy and positive control.

• PATENTED NEW-IMPROVED ROTO-TILT





Toe Plate with Cleats for Carboy

Toe Plate for Holding Steel & Fiber Drums

All Welded Construction Designed for Heavy Usage

ROTO-TILTS Designed for Special Requirements



SPECIFICATIONS

CAPACITY .....1000 Lbs. – FINISH .....Safety Orange
No. 160 Trolley with 160° Dumping Angle – Standard Trolley with 130° Dumping Angle

Model No.	Dimensions in Inches A	B	C. Max. Min.	D	Drum Size	Shipping Weight	With Standard Trolley Price	With No. 160 Trolley Price
350	59	35	36-30	15	55 Gal.	65	$139.50	$159.50
351	53	34	32-27½	15	30 Gal.	64	134.50	154.50
352	42	29	21-15½	12	15 Gal.	47	129.50	149.50
349	42	29	25-22	12	Carboy	55	139.50	—
400	66	35	36-30	15	55 Gal.	80	249.50	—

LIFTS • TILTS • DUMPS • POURS AT ANY HEIGHT

PATENTED HI-LIFT ROTO-TILT





• CONTROLLED FROM FLOOR

QUICK
SAFE
EASY TO OPERATE

SAVES TIME and MONEY

DOES THE WORK
One man operates easily even with the heaviest loads

Roller Chain Rides on Drive Sprocket

Recommended for Light Loads



The No. 400 Roto-Tilt elevates containers for overhead pouring and dumping. The operator controls the pouring at floor level by means of a double chain. The operating distance from the floor is limited only by the length of chain.

Chain supplied with Standard Model is sufficient to operate the tool 10 feet from floor. Additional chain supplied on request.

MODEL No. 400 - 55 Gal. Size - Shipping Wt. 80 lbs. - PRICE $249.50

ADDITIONAL CHAIN $1.00 PER FOOT HEIGHT

Grizzly®

NEW — IMPROVED . . . No. 500 Hi-Lift Roto-Tilt

LIFTS — TILTS — DUMPS — POURS AT ANY HEIGHT
CONTROLLED FROM FLOOR

★

QUICK
•
SAFE
•
SAVES TIME & MONEY
•
EASY TO OPERATE



▲ Chain straddles drum while in air. Prevents spinning on hook, enables operator to guide pouring.





▲ **DOES THE WORK**
One man operates easily even with the heaviest loads



▲ The new No. 500 Roto-Tilt elevates containers for overhead pouring and dumping. The operator controls the pouring at floor level by means of a double chain. The operating distance from the floor is limited only by the length of chain.

▲ Worm Gear Drive holds pouring load in any position — Reduction 6 to 1.

SPECIFICATIONS

OVERALL DIMENSIONS	From Lifting Loop to Toe Plate	62" high
	From Front to Back	35" deep
	Width at widest point	10"
CONTAINER CLAMPING RANGE	30" min. to 36" max. for 55 Gal. Drums	
DUMPING ANGLE	130 degrees	
CAPACITY	1000 lbs.	
PAINT FINISH	SAFETY ORANGE	SHIPPING WEIGHT 98 LBS.

MODEL NO. 500 — PRICE $289.50

Chain supplied with standard Model is sufficient to operate the tool 10 feet from floor.
ADDITIONAL CHAIN $1.00 PER FOOT HEIGHT.

Grizzly®

Grizzly®

portable RACK-U-FRAME®

(Patent Applied For)

Arc Welded Construction — Completely Assembled
Ready for Immediate and Temporary Uses
Only 25 Pounds — One Man Operation — Quick

SAVES TIME — FLOOR SPACE — MONEY

- Streamlined Design — Smooth Finish
- Rugged Steel Construction
- Durable — Built for Heavy Uses



- Formed for Strength and Stacking Tiers
- Carrying Handle for Strength and Convenience
- Stops Prevent Upright Spread

Stacked as Much as 4 High into the GRIZZLY Flexible Storage Rack System for Mill Shapes — Channels, Angles, Flats, Rounds, Pipe, Tubing . . . For Material Transport on Trucks, Skids, Pallets, for Inventory and at Work Stations.



2 Stacked High Carrying Tubing on 6 Foot Lengths — 4000 Pounds.

CARRY HEAVY LOADS EVENLY DISTRIBUTED

4 Stacked High Carrying Channel and Tubing on 20 Foot Lengths — 20,000 Pounds.



Easily Disassembled — Stored in Little Space Until Next Use.

3 Stacked High Carrying Channel on 20 Foot Lengths — 15,000 Pounds.



Quick Storage at Lowest Cost.

1 Stack High Carrying Tubing on 6 Foot Lengths — 1000 Pounds.

OUTSIDE DIMENSIONS
(A) 25" Wide
(B) 17½" High
(C) 5" Wide Bottom Channel
INSIDE DIMENSIONS
(D) 17" Wide Bottom
(E) 23" Wide Top
(F) 15½" High Upright



GRIZZLY No. RUF-251
NEW Improved Portable Rack-U-Frame ....$11.95 Each
- **Shipping Wgt. — 25 Pounds; Paint Finish — Orange**

CASTERS FOR GRIZZLY EQUIPMENT



UTILITY TABLES, HOPPER TABLES, MIJ TABLES, MIJ BOX CARTS

SWIVEL NO.	W-5511	2½" x 1 3/16"	Pressed Steel Wheel ..... $ 4.30 per set
SWIVEL NO.	W-4511	2½" x 1 3/16"	Solid Soft Rubber Wheel ..... $ 4.55 per set
SWIVEL NO.	EW-4522	5" x 1"	Solid Soft Rubber Wheel ..... $14.70 per set

(Set consists of 4 casters)

TOTE PAN HAND TRUCK, TOTE-ALL HAND TRUCK, STOCK CARTS, FIVE SHELF STOCK CART, BOX TRUCKS, GARMENT TRUCKS, LIGHT DUTY PORTABLE CABINET WORK BENCH, ENCLOSED SHELF TRUCK, CAGE STOCK TRUCK, PORTABLE MARKING TABLES, PORTABLE DRAWER CABINET, PORTABLE DOOR CABINET, TRAY STOCK CART, TOTE-ALL HAND CART, PORTABLE DRAWER AND CABINET TRUCK.

SWIVEL NO.	EP-4520	3" x 1 3/16"	Solid Soft Rubber Wheel ..... $ 2.00 each
RIGID NO.	RP-4520	3" x 1 3/16"	Solid Soft Rubber Wheel ..... $ 1.70 each
SWIVEL NO.	EP-4522	5" x 1"	Solid Soft Rubber Wheel ..... $ 2.90 each
RIGID NO.	RP-4522	5" x 1"	Solid Soft Rubber Wheel ..... $ 2.70 each
SWIVEL NO.	50-50-X	5" x 1¼"	Solid Soft Rubber Wheel ..... $ 4.50 each
RIGID NO.	51-50-X	5" x 1¼"	Solid Soft Rubber Wheel ..... $ 3.80 each

CASTER CORNER SHOES, DRUM & CAN DOLLIES, ADJUSTABLE DOLLIES, HI-DRUM & CAN DOLLIES.

SWIVEL NO.	108-3	3" x 1¼"	Semi-steel, Plain Brg. Wheel ..... $ 1.95 each
RIGID NO.	508-3	3" x 1¼"	Semi-steel, Plain Brg. Wheel ..... $ 1.65 each
SWIVEL NO.	127-3	3" x 1¼"	Solid Hard Rubber, Self Lub. Brg. ..... $ 2.45 each
RIGID NO.	527-3	3" x 1¼"	Solid Hard Rubber, Self Lub. Brg. ..... $ 2.05 each

ROLL OVER DUMP TRUCKS, DOLLY PLATFORM TRUCKS, STEEL DOLLIES, PACKING & STRAPPING TRUCKS, PORTABLE WORK BENCH, HAND DUMP TRUCKS, 3/SIDED STOCK CART.

SWIVEL NO.	760-4-PS	4" x 1½"	Semi-steel, Plain Brg. Wheel ..... $ 3.40 each
RIGID NO.	761-4-PS	4" x 1½"	Semi-steel, Plain Brg. Wheel ..... $ 2.60 each
SWIVEL NO.	760-4-OH	4" x 1½"	Solid Hard Rubber Wheel, Self Lub. Brg. ..... $ 4.40 each
RIGID NO.	761-4-OH	4" x 1½"	Solid Hard Rubber Wheel, Self Lub. Brg. ..... $ 3.60 each

PORTABLE CABINET WORK BENCHES, HEAVY DUTY SINGLE END TRUCKS, HEAVY DUTY DOUBLE END TRUCKS, SHOP TRUCKS, PORTABLE CABINET WORK BENCHES, DRUM DOLLY TRUCKS, ROLL-OVER BOX TRUCK, SHOP TRAY TRUCK.

SWIVEL NO.	70-5-PS	5" x 1⅝"	Semi-steel, Plain Brg. Wheels ..... $ 7.40 each
RIGID NO.	71-5-PS	5" x 1⅝"	Semi-steel, Plain Brg. Wheels ..... $ 4.60 each
SWIVEL NO.	70-5-OH	5" x 1½"	Solid Hard Rubber, Self Lub. Brg. ..... $ 8.75 each
RIGID NO.	71-5-OH	5" x 1½"	Solid Hard Rubber, Self Lub. Brg. ..... $ 5.85 each

WOOD & STEEL PLATFORM TRUCKS, DRUM STORAGE RACKS, SLIDING SHELF TRUCKS.

SWIVEL NO.	21-6-IW	6" x 2"	Semi-steel, Plain Brg. Wheel ..... $ 8.50 each
RIGID NO.	31-6-IW	6" x 2"	Semi-steel, Plain Brg. Wheel ..... $ 5.30 each
SWIVEL NO.	21-6-HR	6" x 2"	Solid Hard Rubber, Self Lub. Brg. ..... $10.80 each
RIGID NO.	31-6-HR	6" x 2"	Solid Hard Rubber, Self Lub. Brg. ..... $ 7.50 each

5 SHELF HEAVY DUTY TRUCKS, 3/SIDED PLATFORM TRUCKS, EZA PORTABLE HYDRAULIC FLOOR LIFTER.

SWIVEL	NO. 100-8-PS	8" x 2"	Semi-Steel, Plain Brg. Wheels ..... $12.90 each
RIGID	NO. 101-8-PS	8" x 2"	Semi-Steel, Plain Brg. Wheels ..... 10.40 each
SWIVEL	NO. 100-8-UC	8" x 2"	Moldon Rubber, Roller Brg. Wheels ..... 15.50 each
RIGID	NO. 101-8-UC	8" x 2"	Moldon Rubber, Roller Brg. Wheels ..... 12.10 each

CRADLE TRUCK, EXTRA HEAVY DUTY SHOP TRUCKS.

SWIVEL NO.	24-85-IW	8" x 2½"	Semi-steel, Plain Brg. Wheel ..... $18.00 each
RIGID NO.	34-85-IW	8" x 2½"	Semi-steel, Plain Brg. Wheel ..... $14.00 each



WHEEL ONLY FOR ALL PURPOSE HAND TRUCKS.

NO. 175	8" x 1.75	Semi-Penumatic Wheel	½" Axle	$ 2.75 each
NO. 275	10" x 2.75	Semi-Penumatic Wheel	⅝" Axle	$ 6.95 each
NO. 350	10" x 3.50	Full Pneumatic Wheel	⅝" Axle	$14.95 each

SPECIALS

Designed to your Needs



COMPLETE LINE OF CASTERS AND WHEELS CARRIED IN STOCK TO MEET YOUR REQUIREMENTS

We design and engineer casters and wheels into OR-22 standard and special units in sizes up to 12" in diameter and rated up to 7½ tons per wheel. Prices furnished on request.

LADDER SHELF TRUCK

Grizzly® SPECIALS...

We specialize in Material Handling, Drum, Shop and Industrial Equipment of original design and maintain an Engineering Department for the exclusive use of our customers.

Few of the thousands of Specials we manufactured are noted in the photos on this page. Send us your requirements so we may submit design and quotation for your approval.

Please send as much of the basic information as you can in accordance with the suggested outline below to help us to expeditiously handle your request.

SUGGESTED OUTLINE

1. **GENERAL DESCRIPTION:** Truck, Work Bench, Stand, Dolly, Lift, Carts, etc.
2. **QUANTITY:** Could substantially determine outline.
3. **GENERAL DESIGN:** Type of shelf, tilt or tray; Type of top, handle, etc.
4. **METAL PARTS:** Size of angle iron, channel bar, tubing, sheet steel.
5. **DIMENSIONS:** Indicate inside or outside dimensions; width, length, height.
6. **PAINT FINISH:** Standard Colors: Shop Green, Gray or Orange.
7. **CAPACITY:** Load-Pounds: Entire unit, per caster, per shelf.
8. **SPECIAL DESIGN FEATURES:** Your own ideas of how unit should be constructed.



TRAY TRUCK



HOSE TREE TRUCK



PARTS HOPPER — 2 OPENINGS

TILTING CONVEYOR STAND



INSTRUMENT TRUCK

TOWLINE TRUCK

Pucel ENTERPRISES, INC.

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 UTah 1-4604

PLEASE ROUTE TO

- ☐ GEN. FOREMAN
- ☐ METHODS & MATERIAL HANDLING ENG.
- ☐ MAINTENANCE DEPT.
- ☐ PRODUCTION
- ☐ PRODUCT DESIGN
- ☐ EQUIP. BUYER

Additional catalogs sent promptly on request

ATTN: PLANT SUPT.

Pucel Enterprises, Inc., Opposer/Petitioner
vs.
Grizzly Industrial, Inc., Applicant/Respondent
TTAB Consolidated Case No. 123,506; 31984; 32024; 32025
PUCEL'S Exhibit No. 24

TOLL FRE

TO:

LU00401
ENTIRE
MANUAL



Copyright ©1976 Pucel Enterprises, Inc.

Grizzly®

IN OUR 27th ANNIVERSARY YEAR SINCE 1949

MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT

Highest Quality at Low Cost

* The GRIZZLY Equipment items shown in this catalog are typical of the many items we manufacture.
* In addition, we design, engineer, develop and manufacture GRIZZLY and other equipment to satisfy special and other standard needs.
* GRIZZLY equipment is arc welded construction, designed for rugged and long time use; completely assembled, ready for immediate use, no loose parts, no assembly required by the customer—all adds up to increased productivity. These GRIZZLY advantages more than offset additional transportation cost.*
* We are ever striving to maintain an effective competitive position considering our GRIZZLY High Quality Standards and Workmanship.
* We are constantly on the move improving present equipment and products, researching and developing new items to meet current and changing market requirements.
* GRIZZLY Equipment performance is best testified by the daily receipt of repeat orders from small and large customers for more than 26 years.
* We gratefully appreciate the pleasant relationship we enjoy with our customers and would regularly like to hear from you—complaints as well as suggestions—for we always strive to maintain and improve good customer relations. May we hear from you?

Respectfully,

Edward L. Pucel

Edward L. Pucel
President

*A few catalog items are KD.

Grizzly® GUARANTEE

Quality Guarantee

All Grizzly Equipment is fully guaranteed to be manufactured in accordance with commercial standards and specifications shown in our catalog. Equipment is fully inspected before leaving our plant and is guaranteed against defective workmanship for 3 months from date of purchase. However, we cannot be held responsible for abuse by user beyond normal usage. This is your guarantee of a product of highest quality.

Grizzly®
EVER ON THE MOVE

GRIZZLY renders long term satisfactory service.
You can have continued confidence in GRIZZLY.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

Grizzly®

ALPHABETICAL INDEX

EQUIPMENT — Page No.

BENCHES
Arc Welding 23
Arc Welding, w/Shields 23
Gas Welding 23
Molding 23
Molding, Insert 23
Tool Cabinet 12

BENCHES, WORK
Accessories 15
Cabinet Base 16
Cabinet, w/Sliding Door 17
Cabinet Unit 15
Drawer Units 16
Drawer Unit, Heavy 16
Hard Maple Tops 15
Heavy Duty 1
Legs 15
Medium Duty 14
Panel-End, Hard Maple Top 17
Panel-End, Steel Top 17
Portable, Cabinet 13
Risers 14
Tops, Hard Maple 15
Tops, Pressed Wood 14

CABINETS
Base 16
Door 16
Drawer 16
Machine Floor 18
Portable Door 16
Portable Drawer 16
Storage, Extra Heavy Duty 6
Tool Drawer 19

CARTS
Hand, Tote-All 9
Mij Box 11
Stock 10
Stock, Five Shelf 10
Stock, Hi-Ladder 10
Stock, Ladder 10
Stock, 3/Sided 7
Stock, Tray 9

CASTERS, GRIZZLY EQUIPMENT Inside Back Cover

CHOCKS, WHEEL 19

DESKS
Shop Cabinet 18
Standing Shop 17

DOLLIES
Steel, w/Removable Handle 11

DRUM
Cradles 20
Cradles, Ezy-Down 20
Dollies, Can 20
Dollies, Hi-Drum & Can 21
Dolly, Adjustable 20
Lifter, Horizontal Sling Type 21
Lifter, Vertical 21
Lifter, VH—Vertical-Horizontal 21
Lifters, Dumpers, Roto-Tilt 22
Storage Racks 21
Up-Ender 21
Unit, Vertical Stacking, Portable 22

HANDLE, JACK 6

HOOKS, FORK, SWIVEL HOIST 22

Page No.

HOOK, FORK CRANE, ATTACHMENT 22

PIGEON HOLE BIN UNITS 19

RACKS
Die, Shelf, Extra Heavy Duty 23
Rack-U-Frame, Portable 24
Rack-U-Frame, Portable, Twin Modules 24
Vertical Bar 23

SHOES, CASTER CORNER 23

SPECIALS Inside Back Cover—Outside Back Cover

STANDS
Machine Cabinet 18
Tool, Extra Heavy Duty 11
Tool, Heavy Duty 11

STATION, BATTERY CHARGING & TESTING 6

TABLES
Hopper 11
Lift Top, Hydraulic 9
Marking, Portable 11
Mij 11
Utility 12
Utility, Half-Shelf 12

TRUCKS
Battery Transport 6
Beverage, Premium, 2 Wheel 5
Box 7
Box, w/Lid 7
Box, Roll-Over 7
Cradle 4
Double End, Heavy Duty 3
Drawer, Cabinet, Portable 6
Drum Dolly 20
Five Shelf, Heavy Duty 10
Garment 8
Hand Dump 7
Hand Dump, Roll-Over 7
Hand, Tote-All 9
Hand, Tote Pan 9
Hand, 2 Wheel, All Purpose 5
Low Drum 20
Lumber Servicing 10
Packing & Strapping 8
Platform, Dolly 3
Platform, Laminated Maple 3
Platform, Semi-Live 6
Platform, Steel 3
Platform, 3/Sided 7
Sheet & Panel 6
Shelf, Divided 8
Shelf, Enclosed 8
Shelf, Sliding 7
Shop, Extra Heavy Duty 4
Shop, Heavy Duty 4
Shop, Slat-Top, Heavy Duty 4
Shop, Step Ladder Attachment 4
Side, Open 8
Single End, Heavy Duty 3
Stock, Cage 7
Stock, Sheet-Bar 4
Tray, Shop 9
Warehouse, Heavy Duty 3

NUMERICAL INDEX

Page No.

AD-23-S, AD-23-R 20
AW-3636, AW-3636-S, AW-3636-WS 23
B-213, BC-213 11
B-2448 TO B-34120 14
BC-1, BC-1C3, BC-1C5 16
BCS 6
BD-2448 TO BD-34120 14
BL-22, BL-28, BL-34, BL-46, BL-58 15
BP-36S, BP-36R 13
BR-18, BR-18C, BR-18-R, BR-18CR 20
BS-2448 TO BS-34120 14
BSD-2448 TO BSD-34120 14
BT-2436, BT-3036, BT-2448, BT-3048 7
BTT 6
C-1824 TO C-2448-K 12
CB-2860-S TO CDB-3072-W 16
CF-2830, CF-2835, CF-3630, CF-3635 18
CM-2830, CM-2835, CM-3630, CM-3635 18
CRA-60, CRA-96 4
CS-2860 TO CW-3072-SD 17
CS-35, CS-3R 23
CST-24 7
CT-2830, CT-2835, CT-3630, CT-3635 18
CT-60 18
CU-18, CU-36, CUK-18, CUK-36 15
DC-1, DC-1C3, DC-1C5 16
DFT-60, DFT-60C 18
DR-1842, DR-2448 23
DS-4, DS-6 21
DT-25-S, DT-25-R 20
DV-2242 8
EBR-18, EBR-18C, EBR-18R, EBR-18CR 20
EST-44 8
ET-2448-2 TO ET-3472-3 4
F-2448 TO F-34120 14
FD-2448 TO FD-34120 14
FS-2448 TO FS-34120 14
FSD-2448 TO FSD-34120 14
FTC-36 22
GT-72, GT-72-SD 8
GW-2448 TO GW-36144 15
GW-3636 23
H-1830 TO H-3060 10
H-2024-1 16
HDSC-3648-2, HDSC-3660-3, HDSC-3672-4 6
HDT-42, HDT-60 7
HLTT-36-1, HLTT-36-2 9
HS-2448-2 TO HS-3472-3 11
KD-3048, KD-3060, KD-3072 14
L-1828, L-1836, L-2436, L-2448 10
LBR-909 20
LBT-2436, LBT-3036, LBT-2448, LBT-3048 7
LT-20-R, LT-20-S, LT-20-78R, LT-20-78S 10
MP-2848, MP-2860, MP-2872 17
MT-2448-2 TO MT-3060-3 11
OFB-60, OFB-84 4
OST-39 8
PC-36S, PC-36R, PC-48S, PC-48R 13

Page No.

PDC-36S, PDC-36R 13
PST-30, PST-36, PST-48 8
PT-2448 TO PT-3496 3
PUB-24SW, PUB-24RW 6
R-36, R-48, R-60, R-72, R-96 14
ROBT-36, ROBT-48 7
RODT-42, RODT-60 7
RUF-251, RUF-244, RUF-262, RUF-263, RUF-264 24
S, H, L, K 12
S-30-DT-3 TO S-48-DT-3 4
SC-3182 TO SCF-5243 10
SER-101SW, SER-101RW 9
SH-36 TO SH-120 15
SL-18, SL-24 4
SLPT-2448 TO SLPT-3660 6
SPT-2842 6
SS-48, SS-60, SS-72 7
ST TO K3DC 12
ST-36 TO ST-120 15
T-213 TO TEC-313 11
TA-24 9
TDC-30, TDC-60 19
TH-14, TH-14C 11
TPH-24 9
TSC-1828-6 TO TSC-2436-12 9
TT-1830-6 TO TT-3048-12 9
VB-3684 23
VDU-10 22
VH-100 21
W-2448 TO W-36144 15
WC-909 19
WP-3048, WP-3060, WP-3072 17
WPT-2448-SW TO WPT-RE-3460-RW 3
WT-3684, WT-3696 3
YZ-75, YZ-100 10
3SC-30, 3SC-36, 3SC-48, 3SC-60 7
3ST-2448 TO 3ST-3472 7
6 16
15 6
18-D-30 TO 24-D-60 11
18-PTD-30 TO 24-PTD-60 3
18-TR-30 TO 30-TR-60 3
18-TRE-30 TO 30-TRE-60 3
24, 25, 26, 210 22
59 18
71, 73 21
75 TO 83-GS 20
80 21
84 21
85, 85C 21
89, 90, 91, 92, 93, 96, 98, 100, 150 5
235 21
300, 311 5
350, 351, 500 22
700 23
701 23
1036, 1236, 1436, 1836 17
1416-1 TO 2024-4 16
1830-2 TO 2460-3 11
1830-DT-2 TO 3060-DT-3 4
2036, 2136, 2236, 3036, 3136, 3236 18
2421, 4021, 4242, 7242 19
2448 TO 3496 15

Grizzly®

IN OUR 27TH ANNIVERSARY YEAR SINCE 1949

SALES—TERMS AND CONDITIONS

1) **ORDERING:** All orders, including phone orders, must be confirmed in writing.
Your written purchase order should specify each item by number, description, and finish color.

2) **PRICES:** All prices are F.O.B. OUR PLANT, CLEVELAND, OHIO; and subject to change without notice; and do not include any applicable taxes, duties, or any other governmental charges.
We reserve the right to invoice at the prices prevailing at the time of shipment.

3) **SPECIFICATIONS:** Specifications are subject to change without notice.

4) **ROUTING:** Shipment will be made the best way—air, truck, rail, transportation collect; united parcel or parcel post prepaid, collect.
When shipment is prepaid at the customer's request a separate invoice will be submitted, which must be paid within 10 days of invoice date; except however, united parcel and parcel post charges will be noted on the invoice.

5) **PACKAGING:** All items are packaged for domestic shipment. Additional charge will be made for special packaging.

6) **DAMAGED GOODS:** When damage is noted on delivery, the carrier agent is to make the damage notation on your delivery receipt. DO NOT SIGN THE DELIVERY RECEIPT UNLESS THIS IS DONE. The consignee must make claim directly and promptly to the carrier for any damage. When damage is not discovered until all of the items are unpacked request must be promptly submitted to the carrier for concealed damage inspection and adjustment. All items are thoroughly inspected prior to our shipment. Title passes to consignee at the time shipment leaves our dock and the carrier is an agent of consignee.

7) **RETURNED GOODS:** All items returned without our written permission will be refused. Request for return of goods must be made within 10 days of the receipt of goods. A 15% handling and reconditioning charge will be made on authorized returned items. Goods must be returned prepaid at customer's expense. Special items, or modified catalog items, are not returnable.

8) **CHANGES AND CANCELLATIONS:** Items designated as special or modified catalog items are not subject to change or cancellation as they are manufactured for each individual order.

9) **CORRECTIONS:** Stenographic, clerical errors, and any other errors, are subject to correction.

10) **DELAYS:** All orders, contracts and agreements are made subject to delays contingent upon accidents, strikes, embargoes, or any other causes beyond our control.

11) **TERMS:** All prices ore **NET**—30 days from date of invoice. A 1% cash discount is allowed if payment is made within 10 days from date of invoice.

Open account can be established with an acceptable Dun and Bradstreet rating. Firms listed and not rated, or not listed, are requested to submit 3 major trade references and 1 banking reference with their order to facilitate prompt handling.

C.O.D. orders are not acceptable.

Minimum orders: $30.00 **NET**, plus shipping charges.

12) These said "Sales- Terms and Conditions" apply to all of the equipment and related matters in this catalog, and are subject to the pricing as contained in the current Price List No. 3, and subsequent Price Lists as issued from time to time, which may be issued without notice.

Effective April 1, 1976

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

STEEL PLATFORM TRUCKS

2500 LBS. CAPACITY—SEMI-STEEL CASTERS
2200 LBS. CAPACITY—HARD RUBBER CASTERS

Grizzly®



PT-2860

ALL WELDED CONSTRUCTION

Durable free moving platform truck to absorb the roughest usage. Reinforced steel platform with removable tubular push handle 36" from floor. Platform 9 ¾" from floor.

Casters: 2 swivel and 2 rigid 6" x 2"

Finish: Green Enamel

Model	W	L	Ship. Wt.
PT-2448	24"	48"	110
PT-2848	28"	48"	118
PT-3448	34"	48"	130
PT-2460	24"	60"	121
PT-2860	28"	60"	131
PT-3460	34"	60"	144
PT-2472	24"	72"	133

Model	W	L	Ship. Wt.
PT-2872	28"	72"	144
PT-3472	34"	72"	160
PT-2496	24"	96"	155
PT-2896	28"	96"	170
PT-3496	34"	96"	191
Extra Handle Bars Includes Sockets			10
Extra Handle Sockets Welded on Truck			4

DOLLY PLATFORM TRUCKS

Platform can be reversed at no charge, with 2" deep flanges up on all sides.



24-PTD-60

ALL WELDED CONSTRUCTION
REMOVABLE TUBULAR HANDLE
1500 LBS CAPACITY—SEMI-STEEL WHEELS
1500 LBS CAPACITY—HARD RUBBER WHEELS
LOW DECK—5 ½" FROM FLOOR
Handle Overall Height—36"
Finish: Green Enamel
Casters: 2 swivel and 2 rigid 4" x 1 ½"

Model	W	L	Ship. Wt.
18-PTD-30	18"	30"	50
18-PTD-36	18"	36"	57
18-PTD-48	18"	48"	68
18-PTD-60	18"	60"	80
24-PTD-30	24"	30"	56

Model	W	L	Ship. Wt.
24-PTD-36	24"	36"	63
24-PTD-48	24"	48"	74
24-PTD-60	24"	60"	85
Extra Handle Bars Includes Sockets			10
Extra Handle Sockets Welded on Truck			4

HEAVY DUTY SINGLE END TRUCKS

2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS



24-TR-30

All welded for rugged stock and general shop use with 1-3/4" x 3/16" angle posts, tubular push bar at a convenient 36" height from the floor.

Top shelf 22" from floor, tray sides on bottom shelf 2" high with 11-3/8" clearance between shelves, floor clearance 6-1/4". 2 swivel and 2 rigid casters.

Casters: Semi-Steel Wheels 5" x 1 ⅜"
Hard Rubber Wheels 5" x 1 ½"

Overall Height—36"
Finish: Green Enamel
On Request—Truck Floor Lock
—Flat Bottom Shelf

Model	W	L	Ship. Wt.
18-TR-30	18"	30"	98
18-TR-36	18"	36"	106
18-TR-48	18"	48"	122
18-TR-60	18"	60"	140
24-TR-30	24"	30"	110
24-TR-36	24"	36"	120

Model	W	L	Ship. Wt.
24-TR-48	24"	48"	140
24-TR-60	24"	60"	160
30-TR-30	30"	30"	125
30-TR-36	30"	36"	135
30-TR-48	30"	48"	160
30-TR-60	30"	60"	185

LAMINATED MAPLE PLATFORM TRUCKS

2500 LBS. CAPACITY—SEMI-STEEL CASTERS
1400 LBS. CAPACITY—SOFT RUBBER CASTERS



WPT-RE-2448-RW

With 1 ½" thick Laminated Maple Deck, thoroughly seasoned and precision dried in electronically controlled kilns.

Laminations are placed on edge and bound into a single, warp resistant, self supporting platform. No soft core.

All models have a 10" deck height—36" overall height with removable tubular handle.

Deck bottom reinforced with 2—6" x 1" Maple Battens for caster attachment.

Casters: 6" x 2" Soft Rubber Thread Wheels
6" x 2" Semi-Steel Wheels.
2 Swivel and 2 Rigid
Self lube bearing wheels

WPT-RE series have angle frame for side protection.
Size angle—1 ½" x 1 ½" x ⅛"
WPT Series have no frame.

Finish: Platform—Clear Lacquered; Steel Work—Green Enamel

Model	W	L	Ship. Wt.	w/Steel Frame Steel Wheel	w/Steel Frame Rubber Wheel	w/o Steel Frame Steel Wheel	w/o Steel Frame Rubber Wheel
WPT-2448-SW	24"	48"	117			X	
WPT-2448-RW	24"	48"	113				X
WPT-RE-2448-SW	24"	48"	127	X			
WPT-RE-2448-RW	24"	48"	123		X		
WPT-2460-SW	24"	60"	126			X	
WPT-2460-RW	24"	60"	122				X
WPT-RE-2460-SW	24"	60"	136	X			
WPT-RE-2460-RW	24"	60"	132		X		
WPT-3448-SW	34"	48"	137			X	
WPT-3448-RW	34"	48"	133				X
WPT-RE-3448-SW	34"	48"	147	X			
WPT-RE-3448-RW	34"	48"	143		X		
WPT-3460-SW	34"	60"	155			X	
WPT-3460-RW	34"	60"	151				X
WPT-RE-3460-SW	34"	60"	175	X			
WPT-RE-3460-RW	34"	60"	171		X		
Extra Handles & Sockets							

HEAVY DUTY WAREHOUSE TRUCKS

6000 LBS. CAPACITY

SOLID STEEL DECK
ALL WELDED

For heavy industrial and warehouse use where severe service is needed. Large deck surface for bulky loads. The platform is 13" above floor. Removable 1 ¼" tubular handle. Other wheels and casters on request.



WT-3696

Handle Overall Height—36" **Finish: Green Enamel**

Model	W	L	Ship. Wt.	Standard Running Gear
WT-3684	36"	84"	270	2—Swivel Casters with 6" x 2" semi-steel wheels 2—Semi-steel wheels 12" x 2½" on 1" axle
WT-3696	36"	96"	300	
Extra Handle Bars			20	Includes Sockets
Extra Handle Sockets			8	Welded on Truck

HEAVY DUTY DOUBLE END TRUCKS

2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS

All welded for widest variety of uses with 1-3/4" x 3/16" angle posts. Tray sides 2" deep on bottom shelf. Top shelf 22" from floor with 11-3/8" clearance between shelves. Floor clearance 6-1/4". 2 rigid and 2 swivel casters.

24-TRE-36

Overall Height—36" **Finish: Green Enamel**
Casters: Semi-Steel Wheels 5" x 1⅜"
Hard Rubber Wheels 5" x 1 ½"
On Request—Truck Floor Lock—Flat Bottom Shelf

Model	W	L	Ship. Wt.
18-TRE-30	18"	30"	107
18-TRE-36	18"	36"	115
18-TRE-48	18"	48"	131
18-TRE-60	18"	60"	149
24-TRE-30	24"	30"	120
24-TRE-36	24"	36"	130

Model	W	L	Ship. Wt.
24-TRE-48	24"	48"	150
24-TRE-60	24"	60"	170
30-TRE-30	30"	30"	136
30-TRE-36	30"	36"	146
30-TRE-48	30"	48"	171
30-TRE-60	30"	60"	196

SHOP TRUCKS—HEAVY DUTY

Used in shop operations with presses, screw machines, piece parts or shop boxes. Flat top for sliding heavy dies or tooling on and off. Tray shelves 2" deep.

All sizes 32 ½" high. Clearance between shelves on 3-shelf model—10 ⅛"; 2-shelf model—22 ¼".
Floor Clearance—6 ¼".

Sturdy 12-gauge shelves with tubular push handle; 1-3/4" x 3/16" angle posts for added capacity. Extra strong Casters for durability and easy movement. Two swivel and two rigid casters for controlled maneuverability.

Finish: Green Enamel

2436-DT-3

HEAVY DUTY
ALL WELDED CONSTRUCTION

2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS

GRIZZLY Drawer Units can be added.
See Page 16.

Casters: Semi-Steel Wheels 5" x 1⅜"
Hard Rubber Wheels 5" x 1½"

On Request—Truck Floor Lock—Flat Bottom Shelf

Model	Shelves	W	L	Ship. Wt.
1830-DT-2	2	18"	30"	93
2430-DT-2		24"	30"	105
3030-DT-2		30"	30"	118
1830-DT-3	3	18"	30"	116
2430-DT-3		24"	30"	134
3030-DT-3		30"	30"	152
1836-DT-2	2	18"	36"	100
2436-DT-2		24"	36"	115
3036-DT-2		30"	36"	130
1836-DT-3	3	18"	36"	128
2436-DT-3		24"	36"	150
3036-DT-3		30"	36"	172

Model	Shelves	W	L	Ship. Wt.
1848-DT-2	2	18"	48"	116
2448-DT-2		24"	48"	135
3048-DT-2		30"	48"	154
1848-DT-3	3	18"	48"	152
2448-DT-3		24"	48"	180
3048-DT-3		30"	48"	210
1860-DT-2	2	18"	60"	135
2460-DT-2		24"	60"	155
3060-DT-2		30"	60"	177
1860-DT-3	3	18"	60"	180
2460-DT-3		24"	60"	210
3060-DT-3		30"	60"	242

EXTRA HEAVY DUTY SHOP TRUCKS

5000 LBS. CAPACITY—SEMI-STEEL WHEELS
4000 LBS. CAPACITY—HI-CAP RUBBER WHEELS
ALL WELDED CONSTRUCTION

For moving heavy parts or large tote boxes and shearings to and from presses and other operations. Flat top for easy sliding of large dies, molds and castings on or off top. Heavy and large structures can be fabricated on truck. With tubular push handle.



ET-2460-2

Shelves: 12 gauge steel, Posts: 2" x 2" x 3/16" angle

All Casters: 2 swivel and 2 rigid, 8" x 2-1/2" roller bearing wheels

On Request—Truck Floor Lock . Finish: Green Enamel

All Models 36" High
10" Floor Clearance



21" clearance between shelves



9⅝" clearance between shelves

Model	W	L	Ship. Wt.
ET-2448-2	24"	48"	220
ET-2460-2	24"	60"	240
ET-2472-2	24"	72"	260
ET-2848-2	28"	48"	230
ET-2860-2	28"	60"	255
ET-2872-2	28"	72"	280
ET-3448-2	34"	48"	256
ET-3460-2	34"	60"	286
ET-3472-2	34"	72"	316
ET-2448-3	24"	48"	275
ET-2460-3	24"	60"	305
ET-2472-3	24"	72"	335
ET-2848-3	28"	48"	290
ET-2860-3	28"	60"	325
ET-2872-3	28"	72"	365
ET-3448-3	34"	48"	325
ET-3460-3	34"	60"	370
ET-3472-3	34"	72"	415

HEAVY DUTY SLAT-TOP SHOP TRUCKS

ALL WELDED CONSTRUCTION
2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS

Model	Shelves	W	L	Ship. Wt.
S-30-DT-2	2	24"	30"	117
S-30-DT-3	3	24"	30"	146
S-36-DT-2	2	24"	36"	132
S-36-DT-3	3	24"	36"	167
S-48-DT-2	2	24"	48"	150
S-48-DT-3	3	24"	48"	196

S-30-DT-3

Used in shop operations, with presses, screw machines, shipping, and other equipment—items easily lifted off truck with slings and grabs.

Easily slides heavy dies on and off top with safety to fingers and hands.

TOP—12 ga. steel, formed double channels, 3" wide, 1-1/2" deep, spaced 1-1/2" apart. All Models 32-1/2" high—Clearance between shelves on 3-shelf models 10-1/8", 2-shelf models 22-1/4", floor clearance—6-1/4" Tubular Push Handle, 1-3/4" x 3/16" angle iron posts—

Casters: 2 swivel 2 rigid
Semi-Steel Wheels . 5" x 1⅜"
Hard Rubber Wheels 5" x 1½"

On Request—Truck Floor Lock—Flat Bottom Shelf
Finish—Green Enamel

STEP LADDER ATTACHMENT

FOR SHOP TRUCKS

Makes your Unit More Versatile

SIMPLE INSTALLATION—Bolts to Legs at Swivel Caster End.
Ladder is Spring Loaded and Adjustable.

3 STEPS—SPACING ADJUSTABLE ON 2—4" STEPS. 62" O.A.H.

SL-18	For 18" Wide Unit	Ship. Wt. 40 Lbs.
SL-24	For 24" Wide Unit	Ship. Wt. 45 Lbs.

Finish: Green Enamel

SL-24

CRADLE TRUCKS

ALL WELDED CONSTRUCTION
8000 LBS. CAPACITY

Used for all types of pipe, tubing, bar stocks. Load centers itself for balance. Controlled maneuverability, turns in 36" radius. Cradles permit easy loading and unloading with fork lift or sling.

Length—CRA-60 = 60"; CRA-96 = 96"
Remainder of Specifications apply to CRA-60 and CRA-96.
Cradle Width 23 ½", Overall Width 32", Height 37 ½", Depth 15"
Casters: Swivels, 8" x 2 ½", Semi-Steel, Roller Bearing Wheels.
Center Wheels: 14" x 2 ½" Semi-Steel, Roller Bearing Wheels
Casters: Swivels, 10" x 2 ½", Hi-Cap Rubber Wheels
Center Wheels: 16" x 3" Hi-Cap Rubber Wheels

CRA-60 Ship. Wt. 350 Lbs.
CRA-96 Ship. Wt. 384 Lbs.
Finish: Orange Enamel



CRA-60

SHEET-BAR STOCK TRUCKS

All Welded Construction; for sheet steel, plate, bar stock, pipe, tubing, conduit, angle, channel and other long mill shapes. Can be loaded and unloaded by fork lift, overhead crane and hoist.

ID = 30" W; OD: 33" W x 60" L as for OFB-60
ID = 30" W; OD = 33" W x 84" L for OFB-84. (The remainder of specifications apply to OFB-60 and OFB-84).
Casters:—2—8" x 2 ½" Swivel semi-steel, roller bearing.
Center Wheels: 2—14" x 2 ½", semi-steel, roller bearing.
Casters:—2—10" x 2 ½" Hi-Cap Rubber Wheels
Center Wheels: 2—16" x 3" Hi-Cap Rubber Wheels
Finish: Orange Enamel

OFB-60



CAPACITY 8000 LBS.

OFB-60 Ship. Wt. 270 Lbs.
OFB-84 Ship. Wt. 294 Lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly

ALL PURPOSE HAND TRUCKS

All welded tubular balanced construction with curb jumper, rugged, all edges rounded smooth for appearance and safety, ball bearing rubber wheels, absorb shock, provide easy handling and quiet operation, with plastic handles for firmer grip. Finish: Orange Enamel

For: general use in stock rooms, shipping, receiving, warehouse and dock operations. Balanced—load exerted on the axle, bearings and wheels, and off operator's arms and shoulders.

89 MEDIUM DUTY



90-91 HEAVY DUTY

92-93 HEAVY DUTY W/CONTINUOUS HANDLE



96 CYLINDER TANK UNIT W/HOLD CHAIN

98 EXTRA HEAVY DUTY



100 BARREL DRUM UNIT



150 W/LARGE TOE PLATE—FOR BREAD—PASTRY TRAYS

Model	Overall Height	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship. Wt.
89	45½"	14"	20"	7"x14"	250	8x1.75 Semi-Pneu	27
90	48"	14"	20"	7"x14"	650	10x2.75 Semi-Pneu	37
91	48"	14"	20"	7"x14"	500	410x3.50—4—2 Ply Pneu	40
92	48"	14"	20"	7"x14"	650	10x2.75 Semi-Pneu	30
93	48"	14"	20"	7"x14"	500	410x3.50—4—2 Ply Pneu	42
96	45"	27"	32½"	13"x25"	650	10x2.75 Semi-Pneu	52
98	43"	18"	18"	8½"x18"	800	8x2 Moldon	55
100	42"	19"	20"	5"x19"	800	8x2 Moldon	58
150	58"	12"	21"	21"x17½"	800	8x2 Moldon	75

NEW IMPROVED PREMIUM BEVERAGE TRUCK 300 and 311







ALL WELDED tubular balanced construction, easy to push, even under the heaviest loads; keeps the load on the axle, bearings and wheels, and off operator's arms and shoulders.

ESPECIALLY designed rugged for the Route Man for easy pushing loads over floors, pavement, sidewalks, over curbs, up and down stairs;

MOVING cases of small and large cans, bottles, containers—pop, beer, milk and other beverages;

STACKING HOLDER permits firm hold on as many as 6 cases high; ⅜" floating axle absorbs moving load shock;

REAR LIPPED CHISELED TOE PLATE gives added strength and adequate load bearing area;

NARROW TUBULAR FRAME, only 9½" wide, with plastic handles for firmer grip, easy to maneuver in confined aisles and other areas.

ALL EDGES ROUNDED SMOOTH for neat appearance—and safety—Finish: Orange Enamel.

Model	Axle Lgth.	Ht. W/Case Hndl. Ext.	Ht. W/O Case Hndl. Ext.	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship. Wt.
300	14½"	53½"	46½"	9½"	15¼"	8½"x10"	650	10x2.75 Semi-Pneu	36
311	17"	53½"	46½"	9½"	18"	8½"x10"	500	410x3.50—4—2 Ply Pneu	35

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly

BATTERY TRANSPORT TRUCK

2500 LBS. CAPACITY
Casters: 6" Plastic Roller Bearing Wheels

Heavy Duty All Welded Construction, easily pushed to and from battery charging and testing stations, fork lift trucks, and other equipment.

Conveyor rollers permit easy pushing of battery to and from charging stations, and servicing equipment.

Length—58"; o.a. width—33 ½"; conveyor roller width—15"; fixed end and side stops; tubular push handle; removable tubular gate; floor to top of conveyor rollers—7".

Trucks refined to your specifications are designed and priced on request.

Finish: Green Enamel
Model BTT—Ship. Wt. 295 Lbs.



BTT

BATTERY CHARGING AND TESTING STATION



BCS

Heavy Duty All Welded Construction with 2" x 2" x 3/16" Angle framing; upper back section with heavy 12 ga. steel shelf—10" x 48" with 1" rear lip; for working tools and testing equipment.

Lower Section for charging and testing: 18"H, 22"W, 48"L with Hard Maple Wood Top with clear acid resistant finish; 2" x 4" x 1/4" steel pads with 3/8" round holes for floor fastening. Overall Depth: from front to back of rear section—32".

Special Stations refined to your specifications are designed and priced on request.

Model BSC—Ship. Wt. 119 Lbs. **Finish: Green Enamel**

SEMI-LIVE PLATFORM TRUCKS

2500 LBS. CAPACITY
Casters: 8" x 2" Molden Rubber Roller Bearing Wheels
Platform 12" from floor

Model	Platform W	Platform L	Ship. Wt.
SLPT-2448	24"	48"	90
SLPT-2460	24"	60"	106
SLPT-3048	30"	48"	100
SLPT-3060	30"	60"	114
SLPT-3648	36"	48"	112
SLPT-3660	36"	60"	127

All Welded Construction—Rugged—12 Ga. Reinforced Steel Deck—

For temporary storage of materials, parts, or finished goods. Low number of jack handles can service and transport a number of these mobile platforms in plants, warehouses, freight terminals, and in other operations. Finish: Green Enamel

Jack Handle engages and disengages platform. Trucks easily maneuverable, stack in small space when out of use.

JACK HANDLE

Casters: 8" x 2" Molden Rubber Roller Bearing Wheels
54 ½" Long
No. 15—Ship. Wt. 35 Lbs.



SLPT-3660
W/Optional Jack Handle

EXTRA HEAVY DUTY STORAGE CABINETS

RUGGED—ALL WELDED CONSTRUCTION

All Models have 1 Fixed Center Shelf. All Other Shelves Adjustable on 2" Centers. Shelf Size—18" w x 35¾"l.

Cabinets built for years of rugged use. Units have 16 Ga. Reinforced Shelves and Bottom, Sides—12 Ga., Doors 18 Ga. with 20 Ga. Reinforcing Channel. Used for storage of tools, small dies, etc. All Models furnished with Plain Handle, Keyed Handle available at additional charge. Units shipped completely assembled and ready for use.



HDSC-3672-4

Finish: Green Enamel

Model	D	W	H	Shelves	Ship. Wt.
HDSC-3648-2	19"	36"	48"	2—1 Fixed, 1 Adjustable	205
HDSC-3660-3	19"	36"	60"	3—1 Fixed, 2 Adjustable	250
HDSC-3672-4	19"	36"	72"	4—1 Fixed, 3 Adjustable	300
Additional Shelves Available 18"D x 35¾"L					20

SHEET AND PANEL TRUCK

2000 LBS. CAPACITY
Casters: All Swivel 6" x 2" Hard Rubber Wheels



SPT-2842

All welded rugged construction—Used for transporting panel units, partition sections, masonite, formica, building and other long type materials, to and from work stations, in the plant, and on the construction job. End stop on the length of the deck keeps material from sliding off truck.

Finish: Green Enamel
Model SPT-2842 **28"W—42"L—49"O.A.H.** **Ship. Wt.—105 Lbs.**

PORTABLE DRAWER AND CABINET TRUCK

For the Repairman who maintains equipment and machinery utilizing smaller parts and accessories.

All welded, rugged construction equipped with 5" x 1¼" casters—2 rigid and 2 swivel. Easy to roll.

Top: 20" x 24"; Height to Top Surface—
Overall 34";
Top, back and side stops—½" high;
Space inside cabinet 13"H, 22"W, 20"D.
Drawers: 20"W, 19"D, 5"H.

PUB-24RW

Finish: Green Enamel

PUB-24SW	w/Semi-Steel Wheels	138 Ship. Wt.
PUB-24RW	w/Soft Rubber Wheels	134 Ship. Wt.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

SLIDING SHELF TRUCKS

SS-72

2400 LBS. CAPACITY—SEMI-STEEL WHEELS
2000 LBS. CAPACITY—HARD RUBBER WHEELS
LARGE VOLUME CAPACITY TRUCK
REMOVABLE SHELVES

Ruggedly built of all steel welded construction. Ready for use.
All corners and all edges are round for safe handling without damage to other equipment.
See Thru design for visual load inspection.
For large or heavy stock orders and other purposes.
Shelves are easily removed by sliding out of channels permitting truck to be used for large bulky materials.

Easy rolling with 6" x 2" Casters —2 rigid and 2 swivel.

18" Clearance Between Shelves — Prices include Two (2) Shelves,
Extra Shelves Priced on Request — Finish: Green Enamel
Shelves slope 2" to back

Model	L	W	H	Shelf Size	Ship. Wt.
SS-48	56"	37"	66"	36" x 48"	266 lbs.
SS-60	68"	37"	66"	36" x 60"	298 lbs.
SS-72	72"	37"	66"	36" x 72"	330 lbs.

CAGE STOCK TRUCK

CST-24

800 LBS. CAPACITY
ALL WELDED CONSTRUCTION

For variety of uses, on the assembly line, in the stock room and many other operations.
See-thru design for visual load inspection.
Used for drying purposes, paper stock, etc.

Overall Dimensions ..... 24½"W x 42"L x 62"H
Shelves ..... 24" x 36"—14 Ga. steel
Casters ..... 2 swivel, 2 rigid 5" x 1¼" Soft rubber wheels
Finish: ..... Green Enamel

★ **Shelves are furnished with welded clips that rest on Band Iron strips**

CST-24—Ship. Wt. 135 Lbs. Additional Shelves (Optional)—Ship. Wt. 24 Lbs.

BOX TRUCKS
ROLL-OVER BOX TRUCKS



BT-2436



ROBT-36

LBT-2436

ALL WELDED CONSTRUCTION

1000 LBS. CAPACITY—SEMI-STEEL WHEELS
800 LBS. CAPACITY—SOFT RUBBER WHEELS

GRIZZLY Box Truck and Roll-Over Box Truck are used for handling packaged goods, in department stores and warehouses, line operations, disposal of waste materials, and for general purposes.

Rugged construction, heavy 14 gauge steel, tilt type mounted on 2 center rigid casters and 1 swivel caster at the center of each end. Turns within half of its length. Leakproof.

ROBT series—Roll-Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—remains upright, material easily removed—one man operation.

LBT models have hinged lids with handle and padlock hasp.
Finish: Green Enamel — Casters: Semi-Steel, 5" x 1⅜"
Hard Rubber, 5" x 1½"

BOX TRUCKS

Models With Lid	Ship. Wt.	Models W/O Lids	Ship. Wt.	W	D	L	O.A.H.
LBT-2436	115	BT-2436	95	24"	24"	36"	30"
LBT-3036	135	BT-3036	110	30"	24"	36"	30"
LBT-2448	140	BT-2448	115	24"	24"	48"	30"
LBT-3048	165	BT-3048	136	30"	24"	48"	30"

ROLL-OVER BOX TRUCKS

Model	W	D	L	O.A.H.	Ship. Wt.
ROBT-36	24"	24"	36"	30"	120 Lbs.
ROBT-48	24"	24	48"	30"	140 Lbs.

3/SIDED PLATFORM TRUCKS



3ST-2848

HEAVY DUTY
3000 LBS. CAPACITY—SEMI-STEEL WHEELS
2000 LBS. CAPACITY—MOLD ON RUBBER WHEELS

Ruggedly built of all steel welded construction. All corners and edges are round for safe handling without damage to other equipment. See Thru design for visual load inspection. Increases load capacity over platform trucks. Used in shipping and receiving rooms.

ALL MODELS: 60" O.A.H. — FINISH: Green Enamel
FLOOR TO DECK: 12" — CASTERS: 2 swivel 2 rigid 8" x 2"
DECK TO TOP FRAME: 48"
Reinforced 12 Gauge Steel platform
FRAME: 1-1/2" x 3/16" Angle Iron
Sides and Back 3/4" Flattened Expanded Metal 16 Gauge Steel
TUBULAR PUSH HANDLE

Model	W	L	Ship. Wt.
3ST-2448	24"	48"	185
3ST-2460	24"	60"	200
3ST-2472	24"	72"	220
3ST-2848	28"	48"	200
3ST-2860	28"	60"	235

Model	W	L	Ship. Wt.
3ST-2872	28"	72"	260
3ST-3448	34"	48"	215
3ST-3460	34"	60"	260
3ST-3472	34"	72"	290

3/SIDED STOCK CARTS

MEDIUM DUTY
1500 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS

For variety of uses in factories, warehouses, offices, etc. See Thru design for visual load inspection. Used for drying purposes, paper truck, etc. *ALL WELDED CONSTRUCTION*

3SC-30

ALL MODELS: 60" O.A.H.
BOTTOM DECK: 12 Gauge Steel
POSTS: 1½" x ⅛" Angle Iron
VERTICAL RODS: ⅜" Diameter
DECK HEIGHT: 7" from floor
TUBULAR PUSH BAR
FINISH: Green Enamel
CASTERS: 2 swivel 2 rigid 4" x 1½"

Model	W	L	Ship. Wt.
3SC-30	24"	30"	105
3SC-36	24"	36"	115
3SC-48	24"	48"	135
3SC-60	24"	60"	155

HAND DUMP TRUCKS—ROLL-OVER DUMP TRUCKS

1500 LBS. CAPACITY



HDT-42

RODT-42

ALL WELDED, heavy gauge steel, rugged, leakproof, 5" from floor, for carrying and dumping parts, metal chips, and waste material into pits and containers. Front slanted for easy dumping. Casters: 2 rigid, front, and 1 swivel, rear, 4" x 1½" semi-steel wheels, easily moved into and out of close, narrow quarters.

Handy in machine shops, screw machine operations, production and assembly lines.

RODT unit—Roll Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—remains upright, material easily removed—ONE MAN OPERATION.

RODT-42—Roll-Over Dump Truck — Ship. Wt. 130 Lbs.
(RODT-42 has the same dimensions as HDT-42 with exception of roll-over feature.)
RODT-60—Roll-Over Dump Truck — Ship. Wt. 178 Lbs.
(RODT-60 has the same dimensions as HDT-60 with exception of roll-over feature.)
Finish: Green Enamel

Hand Dump Trucks =	HDT-42	HDT-60
Top	24"W x 42"L	24"W x 60"L
Bottom	24"W x 29"L	24"W x 47"L
Box Depth	18"	18"
Floor to Top of Box	23"	23"
Handle From Floor	36"	36"
Ship. Wt.	120 Lbs.	168 Lbs.

DIVIDED SHELF TRUCK

1400 LBS. CAPACITY—HARD RUBBER WHEELS
ALL WELDED CONSTRUCTION

Large variety of uses—in warehouses, factories, and offices. For order filling, stock picking, parts routing. Five shelf surfaces on each side. Double shelves pitched to slope toward center to prevent material from falling off of truck while in motion. Material can be slid on and off with ease.

DV-2242
42"L—22"W—55¾"O.A.H.
Solid divider thru center, shelves 11" deep and slope 2" to center, 12" clearance from bottom to first shelf, other shelves have 8" clearance.
Casters: 2 Swivel 2 Rigid, 5" x 1½"
Finish: Green Enamel
Ship. Wt.—200 Lbs.

Grizzly®



DV-2242

OST-39

OPEN SIDE TRUCK

800 LBS. CAPACITY—SOFT RUBBER WHEELS
ALL WELDED CONSTRUCTION

For factory, hospital and office use. Used as a book cart, stock picker's truck, linen truck, or office record truck.

OST-39
Overall Dimensions: 18½"W x 45"L x 50"H
Shelves: 18" x 39", 18 gauge steel, flat surface
Optional: Tray Shelves 1¼" deep, same price
Clearance Between Shelves: 15"
Casters: 4 swivels, 5" x 1¼"
Push Handles: Tubular, one at each end
Finish: Green Enamel
Ship. Wt. 110 Lbs.



EST-44

ENCLOSED SHELF TRUCK

800 LBS. CAPACITY—
SOFT RUBBER WHEELS
ALL WELDED CONSTRUCTION

For Warehouses, Factories and Offices—
For order picking, stock filling, parts routing. Five shelf surfaces slope 1" to the back to prevent material from falling off of truck while in motion.
Material can be slid on and off with ease.

EST-44
Overall Dimensions: 16"W x 45"L x 62"H
Shelves: 16" x 44"—20 Ga. steel
10" Clearance between Shelves
Casters: 2 swivel, 2 rigid 5" x 1¼"
Finish: Green Enamel
Ship. Wt.—110 Lbs.



GT-72 Garment Truck—
Ship. Wt. 55 Lbs.



GT-72-SD Garment Truck—
Ship. Wt. 70 Lbs.

GARMENT TRUCKS

500 LBS. CAPACITY—
SOFT RUBBER WHEELS

ALL WELDED CONSTRUCTION

Used in garment factories, department stores, laundries, cleaners, motels, hotels. Handy for order filling. Light weight, easy to maneuver.

Dimensions the same for both GT-72 and GT-72-SD

74"L—20-1/2"W—66"H
Frame: 1-1/16" Tubular Steel
Casters: 4 swivels, 5" x 1-1/4"
Finish: Green Enamel

PACKING & STRAPPING TRUCKS

1500 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS



PST-48





ALL WELDED CONSTRUCTION

Speeds up shipping room operations, designed to pass steel strapping or rope under cartons or bundles which can be lifted off unit with sling, fork truck, etc. Adjustable top loading racks can be positioned anywhere along the length of base, and locked in place by screw knobs, (one on each side). The base is a tray 2" deep and can be used for storage of strapping material. The top loading racks have hinged lids. When down they provide a flat surface (6½" x 23½") used for cartons, boxes, crates, etc. When opened at 180 degrees they expose a cradle rest used for tubing, pipe, rounds and irregular shapes and the covers can be used for storage trays.

O.A.H.: 16½"; 9" clearance between load and bottom.
Cradle: 23½"L x 6½"W
Finish: Green Enamel
Casters: 4" x 1½"—2 Swivel—2 Rigid.

Model	W	L	Max. Opening Between Racks	Ship. Wt.
PST-30	24"	30"	13"	104
PST-36	24"	36"	23"	110
PST-48	24"	48"	35"	120

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

HYDRAULIC LIFT TOP TABLES

- All Arc Welded—Rugged—Portable
- Foot Operated—
- Easily adjusted to and from working height.
- For moving dies, tools and parts to and from working station—production & maintenance.
- Heavy reinforced steel top, telescoped tubular uprights travel within heavy tubular walls to and from working height.
- Heavy duty swivel casters and rigid casters provide easy movement, with foot operated floor lock firmly holds the table as required.



HLTT-36-1
CAPACITY 1000 LBS.



HLTT-36-2
CAPACITY 2000 LBS.

Model HLTT-36-1 Top ..... 20"W—36"L
Swivel casters ..... 5" x 1⅜" semi-steel, plain bearing wheels
Foot operated floor lock between swivel casters at one end.
Raised Top Height ..... 43" from Floor
Top Height ..... 31" from Floor
Top travel ..... 12"
FINISH: Orange Enamel—Ship. Wt. ..... 260 Lbs.
Model HLTT-36-2 Top ..... 30"W—48"L
Swivel casters ..... 5" x 1⅜" semi-steel, plain bearing wheels
Foot operated floor lock between swivel casters at one end.
Raised Top Height ..... 43" from Floor
Top Height ..... 31" from Floor
Top travel ..... 12"
FINISH: Orange Enamel—Ship. Wt. ..... 360 Lbs.

TOTE-ALL HAND TRUCK

ALL WELDED CONSTRUCTION
COMBINATION 4-WHEEL CART OR 2-WHEEL HAND TRUCK
375 LBS. CAPACITY

IDEAL FOR:

- LUGGAGE
- PACKAGES
- SMALL BOXES
- TANKS
- INSTRUMENT CARRIER
- TESTING MACHINES
- VACUUM CLEANING TANKS
- PAINT SPRAY UNITS

I.D. Bottom: 24"W, 16"D.—Sides: 28"H, 23½"D, front to back. 30"W, 4½"H.—Wheels: 8" x 1.75 Semi-Pneumatic rubber tired.—Casters: 3" x 1¼" Hard rubber swivels.—Finish: Green Enamel.

Model TA-24 Ship. Wt. 52 Lbs.

TOTE PAN HAND TRUCK

ALL WELDED CONSTRUCTION
375 LBS. CAPACITY

FOR: **TRAYS, BOXES, TOOLS, DIES & ORDER PICKING**



Sits level on 4 wheels for loading and unloading beside machines or assembly benches. Can be maneuvered on 2 large semi-pneumatic wheels as a hand truck or pushed as a cart on 4 wheels. Two swivel casters in front for each turning.

TRAY: 12"D—24"L.—CLEARANCE BETWEEN TRAYS: 12", Bottom Tray 3¼" from floor.—O.A.H.—42", 22" from front to back wheel.—WHEELS: 8" x 1.75 semi-pneumatic rubber tired.—CASTERS: 3" x 1¼" Hard rubber swivels.—FINISH: Green Enamel.

Model TPH-24 Ship. Wt. 55 Lbs.

TOTE-ALL HAND CART



SER-101-RW

Capacity: 1000 Lbs.—Semi-Steel Wheels 800 Lbs.—Soft Rubber Wheels

All welded, rugged construction for general maintenance uses—carrying parts and tools—with padlock attachment and convenient tow handle. Used especially for servicing production machines requiring testing and other measuring instruments.

Casters: Easy to roll with 5" x 1¼" soft rubber or semi-steel wheels—2 rigid and 2 swivel.

Top—15"W—28"L, Cart height—20½"O.A.H.
Top and Bottom tray—1" deep.
Legs: 1½" x 1½" x ⅛" Angle Iron
Drawer: 14¾"D—21"W—6"H.
Finish: Green Enamel

SER-101-SW	w/Semi-Steel Wheels	60 Ship. Wt.
SER-101-RW	w/Soft Rubber Wheels	56 Ship. Wt.

SHOP TRAY TRUCKS

HEAVY DUTY ALL WELDED CONSTRUCTION

2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS

Used in shop operations with presses, screw machines, assembly. Handles large bulky parts, castings, large stampings and heavy materials.

ALL MODELS: 36" O. A. H.
TOP TRAY: 6" or 12" Deep—12 Gauge steel with 1" hemmed edges.
BOTTOM TRAY: 2" Deep—12 Gauge steel.
Clearance between Top and Bottom Trays—17-3/4".
LEGS: 1-3/4" x 3/16" Angle Iron
TUBULAR PUSH BAR: Floor Clearace: 6-1/4"
CASTERS: 2 swivel 2 rigid
Semi-Steel Wheels 5" x 1-5/8"
Hard Rubber Wheels 5" x 1-1/2"

On Request—Truck Floor Lock—Flat Bottom Shelf

Finish: Green Enamel

W	L	Top Box Depth = 6"	Ship. Wt.	Top Box Depth = 12"	Ship. Wt.
18	30	TT-1830-6	114	TT-1830-12	130
24	30	TT-2430-6	128	TT-2430-12	148
24	36	TT-2436-6	140	TT-2436-12	161
30	36	TT-3036-6	151	TT-3036-12	179
24	48	TT-2448-6	158	TT-2448-12	184
30	48	TT-3048-6	180	TT-3048-12	208

TT-2436-12

TRAY STOCK CARTS

MEDIUM DUTY
ALL WELDED CONSTRUCTION
1100 LBS. CAPACITY—SEMI-STEEL WHEELS
800 LBS. CAPACITY—SOFT RUBBER WHEELS

Stock picking truck for large parts, bulky items, deep box can be used for many purposes, mail cart, etc.

ALL MODELS: 36" O.A.H.
TOP TRAY: 6" or 12" deep—16 Gauge steel with ½" hemmed edges.
BOTTOM TRAY: 2½" deep—16 Gauge steel with ½" hemmed edges.
LEGS: 1½" x 1½" x ⅛" Angle Iron
Clearance between top and bottom trays—18".
TUBULAR PUSH BAR Floor Clearance: 6" Finish: Green Enamel
CASTERS: 2 swivel 2 rigid
Semi-Steel Wheels 5" x 1¼"
Soft Rubber Wheels 5" x 1¼"

On Request—Truck Floor Lock—Flat Bottom Shelf

TSC-2436-12

W	L	Top Box Depth = 6"	Ship. Wt.	Top Box Depth = 12"	Ship. Wt.
18	28	TSC-1828-6	67	TSC-1828-12	75
18	36	TSC-1836-6	74	TSC-1836-12	85
24	36	TSC-2436-6	83	TSC-2436-12	95

STOCK CARTS

MEDIUM DUTY
500 LBS. CAPACITY—
5" SOFT RUBBER WHEELS
360 LBS. CAPACITY—
3" SOFT RUBBER WHEELS

SC-5362

SCF-5363

All welded, designed for rugged factory use yet with appearance satisfactory for office and store. Large capacity shelves save time and steps, on the assembly line, in the stock room, the office, in any one of many other operations.

Built for Years of Easy Rolling Service.

FINISH: Green Enamel
CASTERS: 2 swivel 2 rigid
Soft Rubber Plain Bearing Wheels—5" x 1"
Soft Rubber Ball Bearing Wheels—5" x 1"
Soft Rubber Plain Bearing Wheels—3" x 13/16"

On Request—Flat Bottom Shelf

Shelves—16 ga. Angle Legs All Trays—2½" Deep	Model	W	L	O.A.H.	Shelf Clearance	Casters	Ship. Wt.
All Tray Shelves	SC -3182	18"	28"	34"	25¼"	3"	47
	SC -5182	18"	28"	36"		5"	50
	SC -3362	18"	36"	34"		3"	53
	SC -5362	18"	36"	36"		5"	56
	SC -5242	24"	36"	36"		5"	66
All Tray Shelves	SC -3183	18"	28"	34"	11⅜"	3"	62
	SC -5183	18"	28"	36"		5"	65
	SC -3363	18"	36"	34"		3"	70
	SC -5363	18"	36"	36"		5"	73
	SC -5243	24"	36"	36"		5"	88
Flat Surface Top Shelf Tray Bottom Shelf	SCF-3182	18"	28"	34"	25¼"	3"	47
	SCF-5182	18"	28"	36"		5"	50
	SCF-3362	18"	36"	34"		3"	53
	SCF-5362	18"	36"	36"		5"	56
	SCF-5242	24"	36"	36"		5"	66
Flat Surface Top Shelf Tray Center and Bottom Shelves	SCF-3183	18"	28"	34"	11⅜"	3"	62
	SCF-5183	18"	28"	36"		5"	65
	SCF-3363	18"	36"	34"		3"	70
	SCF-5363	18"	36"	36"		5"	73
	SCF-5243	24"	36"	36"		5"	88

HI-LADDER STOCK CARTS-LADDER STOCK CARTS

ALL WELDED CONSTRUCTION
2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS



Permits work up to 10 feet high. This truck can be used for working high stockroom shelves and bins.

HI-LADDER
LT-20-78R

LADDER
LT-20-R

With adjustable ladder to give quick, higher standing step for stock clerks and others to place items into and take from inventory and storage areas, and for moving such items to and from job and shipping locations.

Ladder automatically slides to floor when operator places his weight on first step locking both ladder and truck firmly to the floor, when weight is removed the ladder retracts allowing truck to be easily moved.

Specifications: Same for LT-20-78 and LT-20 Models with exception of O.A.H.
TOP OF CART ..... 38¼" from Floor
SHELVES ..... 14-Gauge steel, Tray Type—2" deep
CLEARANCE BETWEEN SHELVES ..... 13"
SIZE OF SHELVES .. Top—20"x32".—Center—20"x36".—Bottom—20"x41"
LADDER ..... Spring loaded and adjustable. STEPS: 6" wide
FINISH ..... Green Enamel
CASTERS: 2 Swivel, 2 Rigid
S= Semi-Steel Wheels 5" x 1⅜"
R= Hard Rubber Wheels 5" x 1½"
On Request—Truck Floor Lock—Flat Bottom Shelf
Top and center shelves reversed at no charge

HI-LADDER STOCK CARTS OA-20"W x 44"L x 78"H

LT-20-78R	169 Ship. Wt.
LT-20-78S	174 Ship. Wt.

LADDER STOCK CARTS OA-20"W x 44"L x 62"H

LT-20-R	150 Ship. Wt.
LT-20-S	155 Ship. Wt.

FIVE SHELF STOCK CARTS

1000 LBS. CAPACITY—
SEMI-STEEL CASTERS
800 LBS. CAPACITY—
SOFT RUBBER CASTERS

Large volume capacity stock cart for filling orders and other purposes. All welded construction with 1½" x ⅛" angle posts, and push handle located 39½" high for balanced handling, adds 3" to overall length of cart.

Top trays, with 2½" sides, can be reversed at no extra cost.

L-1836

O.A.H. with Semi-Steel Casters ..... 58½"
O.A.H. with Soft Rubber Casters ..... 58¼"
Shelf Clearance ..... 10" Floor Clearance ..... 6"
Finish ..... Green Enamel
Casters: 2 swivel 2 rigid
Semi-Steel Wheels 5" x 1¼"
Soft Rubber Wheels 5" x 1¼"
On Request—Truck Floor Lock—Flat Bottom Shelf

Model	W	L	Ship. Wt.
L-1828	18"	28"	105
L-1836	18"	36"	119

Model	W	L	Ship. Wt.
L-2436	24"	36"	144
L-2448	24"	48"	181

FIVE SHELF HEAVY DUTY TRUCKS

3000 LBS. CAPACITY—SEMI-STEEL CASTERS
2000 LBS. CAPACITY—MOLDON RUBBER CASTERS

For large and heavy stock orders, shop, tool-room and production line. All welded with 1-3/4" x 3/16" angle posts, top trays of 12 gauge steel, can be reversed at no extra cost.

Tubular push handle for easy maneuvering adds 3" to overall length.

Overall Height ..... 68"
Shelf Clearance ..... 12"
Floor Clearance ..... 9½"
Finish ..... Green Enamel
Casters: 2 swivel 2 rigid
Semi-Steel Wheels 8" x 2"
Moldon Rubber Wheels 8" x 2"
On Request—Truck Floor Lock—Flat Bottom Shelf

Model	W	L	Ship. Wt.
H-1830	18"	30"	189
H-2430	24"	30"	219
H-1836	18"	36"	212
H-2436	24"	36"	247
H-3036	30"	36"	287
H-2448	24"	48"	299
H-3048	30"	48"	349
H-2460	24"	60"	355
H-3060	30"	60"	413



H-2436

LUMBER SERVICING TRUCKS

1200 LBS. CAPACITY—ALL WELDED CONSTRUCTION

For convenient movement of bulky and other items for customer service, maintenance and repair including bulky panels, masonite, plywood, lumber, trim, hardware, gardening tools and landscaping materials.

Casters: 6" x 2" Soft Rubber Wheels = 2 swivel, 2 rigid.

YZ-75 for shorter items.
W = 26": Depth = 24": H = 39"
Floor Clearance = 7½"
Finish: Green Enamel
Ship. Wt. = 72 Lbs.



YZ-100 for longer bulkier items.
Width = 24": Base Length = 42":
Overall Length = 65": Ht. = 44¾"
Floor Clearance = 8¾"
Sheet Holder adjustable to 60" overall height.
Finish: Green Enamel
Ship. Wt. = 145 Lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

PORTABLE MARKING TABLES

ALL WELDED CONSTRUCTION
CAPACITY 1000 LBS.—SEMI-STEEL WHEELS
CAPACITY 800 LBS.—SOFT RUBBER WHEELS

Model	Shelves	W	L	Ship. Wt.
MT-2448-2	2	24"	48"	100
MT-2448-3	3	24"	48"	132
MT-2460-2	2	24"	60"	115
MT-2460-3	3	24"	60"	155
MT-3048-2	2	30"	48"	112
MT-3048-3	3	30"	48"	150
MT-3060-2	2	30"	60"	130
MT-3060-3	3	30"	60"	175

Designed for rugged factory use yet with appearance for office and store. Flat surface for layouts, marking and sorting merchandise.

Light duty truck for industrial use, order filling, warehouse, beside assembly operations.

Top and bottom shelves are reinforced with channels.



MT-2460-2

30"O.A.H.—Clearance between Shelves: 21", SHELVES—16 Ga. Steel with 20 Ga. Channels, LEGS—1 ½" x 1 ½" x ⅛" Angle Iron, CASTERS—5" x 1 ¼" .....All Swivels; FINISH: Green Enamel.

STEEL DOLLIES

WITH REMOVABLE HANDLE
1500 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS

Rugged, all welded 12 gauge steel dollies castered for easy movement. Sides 2" deep, floor clearance 5", with 4" x 1 ½" casters. 2 swivel and 2 rigid. Removable Handle—½" rod—36 ½" long.

Top reversed on request at no extra cost.
Finish: Green Enamel

Model	W	L	Ship. Wt.
18-D-30	18"	30"	40
18-D-36	18"	36"	44
18-D-48	18"	48"	52
18-D-60	18"	60"	60
24-D-30	24"	30"	45
24-D-36	24"	36"	50
24-D-48	24"	48"	60
24-D-60	24"	60"	72
Removable Handle Furnished with unit			3



18-D-30

2448-3

HEAVY DUTY TOOL STANDS

2000 LBS. CAPACITY—
ALL WELDED CONSTRUCTION

Heavy Duty Tool Stands have a broad usage in many industries where heavier than average weights are a daily occurrence. Flat top for sliding heavy dies, tooling or shop boxes on and off. Used by machine operators as a service table.

Floor clearance 6 ¼".
Pads on bottom of legs protect floors.
Finish: Green Enamel

ALL MODELS ..... 32-1/2" O.A.H.
SHELVES ..... 12 Gauge Steel
LEGS ..... 1-3/4" x 3/16" Angle Iron

1836-2 W/2 Shelves

TOP AND BOTTOM SHELVES
Shelf Clearance
22-1/4 inches

1836-3 W/3 Shelves

TOP BOTTOM AND CENTER SHELVES
Shelf Clearance
10-1/8 inches

Model	W	L	Ship. Wt.
1830-2	18"	30"	62
1836-2	18"	36"	70
1848-2	18"	48"	85
1860-2	18"	60"	104
2430-2	24"	30"	83
2436-2	24"	36"	95
2448-2	24"	48"	116
2460-2	24"	60"	136
1830-3	18"	30"	85
1836-3	18"	36"	98
1848-3	18"	48"	120
1860-3	18"	60"	148
2430-3	24"	30"	112
2436-3	24"	36"	130
2448-3	24"	48"	162
2460-3	24"	60"	192

Grizzly®

"MIJ" BOX CARTS

300 LBS. CAPACITY—WITH CASTERS

Combines a Tote Box with a highly maneuverable cart. For stocking assembly lines and machines, moving work parts in warehouses and stock rooms, collecting and moving items in tool cribs and shipping rooms. *ALL WELDED CONSTRUCTION.* Easily turned in narrow aisles, speeds up jobs, reduces work-fatigue by eliminating manual lifting of heavy shop boxes and places parts at a normal work elevation.

BC-213

O.D.—13"W—23"L—31"H, BOX—6" deep, CLEARANCE BETWEEN BOX AND SHELF—17", BOTTOM SHELF—8" from Floor.

FINISH: Green Enamel.
B-213—Ship. Wt. 28 lbs. With Floor Pads
BC-213—Ship. Wt. 29 lbs. With 2½" Pressed Steel Caster

300 LBS. CAPACITY—WITH CASTERS

All welded construction, used beside machines for holding tote box on the sloping lipped top shelf filled with parts, which operator feeds into the machine operation, the machined parts are dropped into the chute opening into the tote box on the bottom shelf. Tote box filled with machined parts is then transferred to the next operation. These operations are repeated on the production line resulting in quicker and lower production costs with less fatigue on the workers. Hopper Tables are especially used on small parts production and assembly.

TH-14

TH-14C

14¼"W—29¼"L—O.A.H. Back-36"—Front-30" with 1" Stop, CHUTE OPENING: 6" x 12", BOTTOM SHELF CLEARANCE FROM FLOOR: 6½", CLEARANCE BETWEEN BOTTOM SHELF AND CHUTE: 12", FINISH: Green Enamel.

TH-14	With Floor Pads	37 Ship. Wt.
TH-14C	With 2½" Pressed Steel Swivel Casters	40 Ship. Wt.

"MIJ" TABLES

300 LBS. CAPACITY—WITH CASTERS
FOR FASTER PRODUCTION LINE NEEDS
Rugged—Compact—
High Quality at Low Cost

TC-213

All welded construction, used as a durable service table for handling parts during production, beside Drill Presses, Punch Presses, Lathes, Automatics and other machines. Holds tote boxes at the right height for rapid handling, less fatigue for operator. Casters move table to tote pan, little effort required to place pan on table and move to next operation. Back and side stops and drop front on all shelves. Finish: Green Enamel

ALL MODELS: ..... 13" wide x 23" long
SHELVES: ..... 16 Gauge Steel
LEGS: ..... Structural Angle

Caster Models—2½" Pressed Steel Casters	
	Ship. Wt.
TC -213	23
TEC-213	28
TC -313	30
TEC-313	33

213 Series
Top and Bottom Shelves

313 Series
Top, Bottom and Center Shelves

Models With Floor Pads Welded to Legs			
	Height of Top Shelf	Shelf Clearance	Ship. Wt.
T -213	23"	16"	24
TE-213	30"	21"	27
T -313	23"	7½"	29
TE-313	30"	10"	32

EXTRA HEAVY DUTY TOOL STANDS

For handling long lengths of sheet metal. Placed beside shears, brakes, presses. Used as a feeder table. Layout table for plates, large dies, molds.

FOR EXTREME HEAVY LOAD REQUIREMENTS
ALL WELDED CONSTRUCTION • ALL SHELVES FLAT SURFACES
Finish: Green Enamel



HS-2460-2

3000 LBS. CAPACITY

ALL MODELS ..... 36" High
SHELVES ..... 12 Gauge Steel
LEGS ..... 2" x 2" x 3/16" Angle

HS-2872-2 W/2 Shelves

Clearance from floor to bottom shelf ... 8"
Clearance between shelves ..... 23½"



HS-2872-3 W/3 Shelves

Clearance from floor to bottom shelf ... 8
Clearacne between shelves ..... 10⅝"

Model	W	L	Ship. Wt.
HS-2448-2	24"	48"	135
HS-2460-2	24"	60"	155
HS-2472-2	24"	72"	175
HS-2848-2	28"	48"	145
HS-2860-2	28"	60"	170
HS-2872-2	28"	72"	195
HS-3448-2	34"	48"	165
HS-3460-2	34"	60"	190
HS-3472-2	34"	72"	240
HS-2448-3	24"	48"	185
HS-2460-3	24"	60"	215
HS-2472-3	24"	72"	245
HS-2848-3	28"	48"	205
HS-2860-3	28"	60"	240
HS-2872-3	28"	72"	275
HS-3448-3	34"	48"	230
HS-3460-3	34"	60"	280
HS-3472-3	34"	72"	335

UTILITY TABLES

500 LBS. CAPACITY—5" Soft Rubber Wheels
300 LBS. CAPACITY—2½" Dia. Pressed Steel Wheels Or Soft Rubber Wheels

Grizzly®



LC3



S3DC

SDC

All welded construction, handle heavy loads of tools, parts and other items for production workers, machine operators, and repairmen on assembly lines beside machines, in garages, shops and warehouses.

Back and side stops on shelves prevent parts and other items from rolling off. Drop fronts for sliding items on and off, and for easy cleaning. Steel pads on legs avoid floor marks. Sturdy, deep drawers furnished with attachment for padlock. Swiveled castered models for movement of parts and tools from machine to machine.

SHELVES ..... S Models: 16 Gauge—H-L-K Models: 14 Gauge
ANGLE LEGS ..... S Models: 1¼" x ⅛"—H-L-K Models: 1½" x ⅛"
DRAWER SIZE (D) ..... 14"W—16"L—5"D
FINISH: ..... Green Enamel

	31" High Overall Floor Pads Welded to Legs				34" High Overall With Casters 4 Swivels	
	W	L	Model	Ship. Wt.	Model	Ship. Wt.
 With Top and Bottom Shelves	19"	25"	ST	32	SC	35
	23"	24"	HT	43	HC	46
	20"	28"	LT	44	LC	47
	24"	36"	KT	60	KC	63
With Top, Bottom and Center Shelves	19"	25"	S3	42	SC3	45
	23"	24"	H3	57	HC3	60
	20"	28"	L3	59	LC3	62
	24"	36"	K3	83	KC3	86
 With Top, Bottom and Center Shelves and No. 1416-1 Drawer	19"	25"	SD3	57	SD3C	60
	23"	24"	HD3	69	HD3C	72
	20"	28"	LD3	71	LD3C	74
	24"	36"	KD3	95	KD3C	98
 With Top and Bottom Shelves and #1416-1 Drawer	19"	25"	SD	47	SDC	50
	23"	24"	HD	58	HDC	61
	20"	28"	LD	59	LDC	62
	24"	36"	KD	75	KDC	78
 With Top and Bottom Shelves and #1416-2 Drawer Unit	19"	25"	S2D	77	S2DC	80
	23"	24"	H2D	88	H2DC	91
	20"	28"	L2D	89	L2DC	92
	24"	36"	K2D	105	K2DC	108
 With Top and Bottom Shelves and #1416-3 Drawer Unit	19"	25"	S3D	98	S3DC	101
	23"	24"	H3D	109	H3DC	112
	20"	28"	L3D	110	L3DC	113
	24"	36"	K3D	126	K3DC	129

TOOL CABINET BENCHES

ALL WELDED—READY FOR USE

C-1824

Shelf W	Shelf L	Ship. Wt.
18"	23⅝"	11
18"	35⅝"	15
18"	47⅝"	20
24"	35⅝"	19
24"	47⅝"	25

Benches with GRIZZLY drawers and casters quoted on request.

Heavy duty benches provide solid working surface plus closed door storage for tool rooms, shop, garages, shipping and stock operations, and are rigid for bench type machines.
ADDITIONAL SHELF (Optional)



C-1836



C-1848-K

TOP ..... 12 Gauge Steel with Back Stops 3" high with Side Stops that taper to 1½" front O.A.H. 37"
SIDE LEG PANELS .... 14 Gauge Steel SHELVES ..... 16 Gauge Steel
DOORS ..... 18 Gauge Steel FINISH: ..... Green Enamel

Model	H	W	D	Shelf W L	No. Shelves	No. Doors	Ship. Wt.
C-1824	34"	24"	19"	18" x 23⅝"	2	1	112
C-1824-K	Keyed Handle in Door		(2 Keys)				
C-1836	34"	36"	19"	18" x 35⅝"	1	2	140
C-1836-K	Keyed Handle in Door		(2 Keys)				
C-1848	34"	48"	19"	18" x 47⅝"	1	2	166
C-1848-K	Keyed Handle in Door		(2 Keys)				
C-2436	34"	36"	25"	24" x 35⅝"	1	2	160
C-2436-K	Keyed Handle in Door		(2 Keys)				
C-2448	34"	48"	25"	24" x 47⅝"	1	2	190
C-2448-K	Keyed Handle in Door		(2 Keys)				

MODELS W/K NOTATION HAVE THE ADDITION OF THE KEYED HANDLE WITH 2 KEYS, OTHERWISE HAVE THE SAME SPECIFICATIONS AS MODELS W/O THE K NOTATION.

HAF-SHELF UTILITY TABLES

DIMENSIONS OF HAF-SHELF: ..... 8" deep, full width of table—11" clearance from top of table.
HEIGHT (with and without casters): ..... Overall including Haf-Shelf—42"—30" from floor to top of table.
FINISH: ..... Green Enamel
Haf-Shelf added to all Utility Table Models on request.



Model	W	L
"S"	19"	25"
"H"	23"	24"
"L"	20"	28"
"K"	24"	36"

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114
Grizzly®

PORTABLE CABINET WORK BENCHES

2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—RUBBER WHEELS

Grizzly®



PC-48S



R-48

PC-48R w/#2024-4 Drawer Unit

HEAVY DUTY

All welded construction, for repairmen, maintenance workers, millwrights, electricians, and other spot workers, providing large storage place for tools and parts, with adequate top work area, back and side stops to prevent tools and parts from falling off top—all to give more efficient work operation, especially eliminating otherwise necessary trips to another work bench and stock room.

Dimensions: Caster wheels—5" for easy rolling—2 rigid and 2 swivel casters. Size of: Top, 26" x 48", Height, 34" to bench top, 3" back stop; Overall height, 37" (48" overall height with riser); Total overall length, 63"; Vise shelf, 12" x 25"—vise shelf standard on all models. Shelf: 24¾" x 47¾". GRIZZLY—Bench Drawer Units installed in Work Benches for special requirements. See Page 16. Finish: Green Enamel.

PC-48S	Semi-Steel Wheels 5" x 1½"	250 Ship. Wt.
PC-48R	Hard Rubber Wheels 5" x 1½"	247 Ship. Wt.
R-48	Steel Bench Riser Shelf (Optional)	20 Ship. Wt.
	Keyed Handle (Optional) (2 keys)	
	Additional Shelf (Optional)	26 Ship. Wt.
	Floor Truck Lock (Optional)	5 Ship. Wt.
P-48	Pigeon Hole Unit 7" high x 48" long 4—4" x 12" Openings	18 Ship. Wt.
P-88	Pigeon Hole Unit 11" high x 48" long 8—4" x 12" Openings	27 Ship. Wt.

P-48



P-88

BP-SERIES

2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—RUBBER WHEELS

All welded construction, for Setup men, repairmen, maintenance workers, millwrights, electricians, and other spot workers. Drawer with Tool Tray, large compartment for storing bulky items. Two intermediate shelves for storage. Top heavy 12 Ga. steel, strong enough to mount a Vise.



BP-36R



BP-36R



BP-36R w/#1416-4 Drawer Unit

SIZE OF TOP: 24" x 36". OVERALL HEIGHT: 34". Standard drawer unit in #BP-36—(#1416-1), also available 1416-2, 1416-3, and 1416-4. See Page 16. SHELVES: 2 each 18" wide by 23" deep. STORAGE CABINET: 17" wide x 23" deep x 24" high. CASTERS: 5" 2 Swivel and 2 Rigid. FINISH: Green Enamel.

BP-36S	Semi-Steel Wheels 5" x 1½"	220 Ship. Wt.
BP-36R	Hard Rubber Wheels 5" x 1½"	215 Ship. Wt.
	FLOOR TRUCK LOCK (Optional)	5 Ship. Wt.
	KEYED HANDLE (2 Keys)	
	WITH 3/16" STEEL PLATE TOP	250 Ship. Wt.

PORTABLE CABINET WORK BENCHES

800 LBS. CAPACITY—SEMI-STEEL WHEELS
1000 LBS. CAPACITY—SOFT RUBBER WHEELS

LIGHT DUTY

ALL WELDED CONSTRUCTION—Designed for light duty.

TOP: 21¼" x 36".
HEIGHT: 34" to Work Surface, 3" Back Stop.
SHELF SIZE: 19" x 35¾", adjustable on 2" Centers.
FINISH: Green Enamel

PC-36R

PC-36R

PC-36S	5" x 1½" Semi-Steel, 2 Swivel—2 Rigid Casters	118 Ship. Wt.
PC-36R	5" x 1½" Soft Rubber, 2 Swivel—2 Rigid Casters	114 Ship. Wt.
	Floor Lock (Optional)	5 Ship. Wt.
	Additional Shelf (Optional)	16 Ship. Wt.
	Cylinder Lock which locks both Doors (2 Keys)	

PDC SERIES

ALL WELDED CONSTRUCTION
800 LBS. CAPACITY—SEMI-STEEL WHEELS
1000 LBS. CAPACITY—SOFT RUBBER WHEELS



PDC-36R

Equipped with four large drawers, Steel bearing slides, inside dimensions—20" wide x 18" long x 4" deep. Inside Cabinet Size: 10½" wide x 20" deep x 25" high.

TOP: ..... 21¼" x 36"
HEIGHT: ..... 34" to Work Surface, 3" Back Stop
FINISH: ..... Green Enamel

PDC-36R

PDC-36S	5" x 1½" Semi-Steel, 2 Swivel—2 Rigid Casters	188 Ship. Wt.
PDC-36R	5" x 1½" Soft Rubber, 2 Swivel—2 Rigid Casters	184 Ship. Wt.
	Floor Lock (Optional)	5 Ship. Wt.
	Cylinder Locks fitted to all Drawers (Keyed Un-alike)	
	Keyed Handle	

WORK BENCHES

ALL WELDED CONSTRUCTION

Grizzly®



BS-2872



Showing Reinforced Construction

Reinforced steel tops. Reinforced channel stringers on all models. Shelving of channel reinforced construction to hold heavy loads and avoid sagging. Legs are channel formed with gussets for additional strength.

All welded construction—no bolts, rivets or other parts that have to be continually tightened.

COMPLETELY ASSEMBLED—READY FOR USE

TOPS ..... 12 Gauge Steel
BACK AND SIDE STOPS . 12 Gauge Steel
LEGS ..... 12 Gauge Steel
STRINGERS ..... 16 Gauge Steel
SHELVES ..... 16 Gauge Steel
LEGS SET IN 2" FROM END OF TOP

FINISH: Green Enamel
32½" HIGH TO WORK SURFACE
(34" Height Furnished on Request)



BACK STOPS—3" High—12 Ga. Steel
SIDE STOPS—3" High at Back, Taper to 1½" at Front

Bench Drawer Units and Accessories, See pages 15 and 16.

All 8 Ft. and Longer Models have 3 Bench Legs

Finish: Green Enamel. Cylinder Lock Available for Drawer.



F Series FLAT TOP WITH STRINGER

Model	Top W	Top L	Ship. Wt.	Model	Top W	Top L	Ship. Wt.
F-2448	24"	48"	107	FS-2448	24"	48"	125
F-2460	24"	60"	120	FS-2460	24"	60"	142
F-2472	24"	72"	134	FS-2472	24"	72"	160
F-2496	24"	96"	180	FS-2496	24"	96"	214
F-24120	24"	120"	195	FS-24120	24"	120"	235
F-2848	28"	48"	118	FS-2848	28"	48"	132
F-2860	28"	60"	132	FS-2860	28"	60"	150
F-2872	28"	72"	148	FS-2872	28"	72"	170
F-2896	28"	96"	198	FS-2896	28"	96"	229
F-28120	28"	120"	215	FS-28120	28"	120"	255
F-3448	34"	48"	132	FS-3448	34"	48"	150
F-3460	34"	60"	148	FS-3460	34"	60"	170
F-3472	34"	72"	164	FS-3472	34"	72"	186
F-3496	34"	96"	220	FS-3496	34"	96"	250
F-34120	34"	120"	250	FS-34120	34"	120"	280



FS SERIES FLAT TOP WITH STRINGER AND SHELF—15¼" DEEP



FD Series FLAT TOP WITH STRINGER AND DRAWER UNIT 1424-1

Model	Top W	Top L	Ship. Wt.	Model	Top W	Top L	Ship Wt.
FD-2448	24"	48"	132	FD-2896	28"	96"	223
FD-2460	24"	60"	145	FD-28120	28"	120"	250
FD-2472	24"	72"	159	FD-3448	34"	48"	138
FD-2496	24"	96"	205	FD-3460	34"	60"	174
FD-24120	24"	120"	230	FD-3472	34"	72"	189
FD-2848	28"	48"	143	FD-3496	34"	96"	245
FD-2860	28"	60"	157	FD-34120	34"	120"	275
FD-2872	28"	72"	173				

PRESSED WOOD TOPS

Pressed wood top—¼" thick—is attached directly over heavy steel top. Attached with countersunk flat head bolts at each corner. Used for working with finished parts, die layout, instrument and electrical work. Any Size To 48" x 96".

(Pressed Wood)



The Storage capacity of your Work Bench may be substantially increased without reducing the work area on bench by an easily attached Riser. Slides easily between standard Grizzly Side and Back Stops, or attaches to sides of flat wood or steel top.

WORK BENCH RISERS

Model	L	Ship. Wt.
R-36	36"	15
R-48	48"	19
R-60	60"	23
R-72	72"	27
R-96	96"	34

FINISH: Green Enamel

WORK BENCHES

ALL WELDED CONSTRUCTION



FSD Series
FLAT TOP WITH STRINGER AND SHELF AND DRAWER UNIT 1424-1

Model	Top W	Top L	Ship Wt.	Model	Top W	Top L	Ship Wt.
FSD-2448	24"	48"	150	FSD-2896	28"	96"	253
FSD-2460	24"	60"	167	FSD-28120	28"	120"	290
FSD-2472	24"	72"	185	FSD-3448	34"	48"	176
FSD-2496	24"	96"	239	FSD-3460	34"	60"	196
FSD-24120	24"	120"	270	FSD-3472	34"	72"	211
FSD-2848	28"	48"	157	FSD-3496	34"	96"	275
FSD-2860	28"	60"	175	FSD-34120	34"	120"	315
FSD-2872	28"	72"	195				



B Series
TOP WITH BACK, SIDE STOPS AND STRINGER

Model	Top W	Top L	Ship. Wt.	Model	Top W	Top L	Ship. Wt.
B-2448	24"	48"	108	B-2896	28"	96"	199
B-2460	24"	60"	121	B-28120	28"	120"	216
B-2472	24"	72"	135	B-3448	34"	48"	133
B-2496	24"	96"	181	B-3460	34"	60"	149
B-24120	24"	120"	196	B-3472	34"	72"	166
B-2848	28"	48"	119	B-3496	34"	96"	222
B-2860	28"	60"	133	B-34120	34"	120"	251
B-2872	28"	72"	149				



BS Series
TOP WITH BACK, SIDE STOPS, STRINGER AND SHELF
15¼" deep

Model	Top W	Top L	Ship. Wt.	Model	Top W	Top L	Ship. Wt.
BS-2448	24"	48"	126	BS-2896	28"	96"	229
BS-2460	24"	60"	143	BS-28120	28"	120"	256
BS-2472	24"	72"	161	BS-3448	34"	48"	151
BS-2496	24"	96"	215	BS-3460	34"	60"	171
BS-24120	24"	120"	236	BS-3472	34"	72"	188
BS-2848	28"	48"	133	BS-3496	34"	96"	252
BS-2860	28"	60"	151	BS-34120	34"	120"	281
BS-2872	28"	72"	171				



BD Series
TOP WITH BACK, SIDE STOPS AND DRAWER UNIT—No. 1424-1
Drawer: 14"W x 23½"D x 5"H

Model	Top W	Top L	Ship. Wt.	Model	Top W	Top L	Ship. Wt.
BD-2448	24"	48"	133	BD-2872	28"	72"	174
BD-2460	24"	60"	146	BD-2896	28"	96"	224
BD-2472	24"	72"	160	BD-28120	28"	120"	251
BD-2496	24"	96"	206	BD-3448	34"	48"	159
BD-24120	24"	120"	231	BD-3460	34"	60"	175
BD-2848	28"	48"	144	BD-3472	34"	72"	191
BD-2860	28"	60"	158	BD-3496	34"	96"	247
				BD-34120	34"	120"	276



BSD Series
TOP WITH BACK, SIDE STOPS, STRINGER SHELF AND DRAWER UNIT—No. 1424-1
Drawer: 14"W x 23½"D x 5"H

Model	Top W	Top L	Ship. Wt.	Model	Top W	Top L	Ship Wt.
BSD-2448	24"	48"	151	BSD-2896	28"	96"	254
BSD-2460	24"	60"	168	BSD-28120	28"	120"	292
BSD-2472	24"	72"	186	BSD-3448	34"	48"	177
BSD-2496	24"	96"	240	BSD-3460	34"	60"	197
BSD-24120	24"	120"	272	BSD-3472	34"	72"	213
BSD-2848	28"	48"	158	BSD-3496	34"	96"	277
BSD-2860	28"	60"	176	BSD-34120	34"	120"	317
BSD-2872	28"	72"	196				

MEDIUM DUTY WORK BENCHES

CONSTRUCTED of heavy gauge steel to stand years of use in the home and in industry. REINFORCED WELDED TOP designed with channels for drawer hanger attachment. Sturdy reinforced welded legs with floor pads that can be attached to floor when desired. ⅜" x ¾" bolts, cross pull when tightened to give most rigid bolted construction. Bolts are furnished with flat and lock washers and nuts. Elongated holes for fast assembly.

Optional Bench Drawer Unit 1416-1 or 1424-1, See Page 16.

ASSEMBLED BY PURCHASER IN A MATTER OF MINUTES!



KD-3060

FINISH: Green Enamel

Model	W	L	H	Shelf W	Shelf L	Ship. Wt.
KD-3048	30"	48"	32½"	25"	40½"	79
KD-3060	30"	60"	32½"	25"	52½"	94
KD-3072	30"	72"	32½"	25"	64½"	109

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

HARD MAPLE WORK BENCHES

ELECTRONICALLY WELDED

Grizzly®

Hard Maple Wood Top selected, edge-grained maple laminations are electronically "welded" into one, warp resistant, stronger than solid panel accurately machined and sanded satin smooth. Spray finished with water resistant clear lacquer to bring out the natural beauty, this top presents the finest work surface.

BASIC BENCH



Basic Bench. Hard Maple Top, 2 Bench Legs, 1 Stringer for 48", 60" & 72" Lengths; Add the Third Bench Leg for 96" and Longer.

All Hard Maple Bench Tops—1¾" Thick; Overall Height including Bench Top is 34¼". Prices shown are for a complete basic bench including bolts, nuts, lag screws and lock washers, K. D. ready for assembly.

For accessories: Bench Risers, Side and Back Stops and Shelves, Bench Drawer Units, and Bench Cabinet Units, See Pages 14, 15, and 16.

Finish Top—Natural-Clear Lacquer.
Metal Parts—Green Enamel.

Model	Top W	Top L	Ship. Wt.
W-2448	24"	48"	107
W-2460	24"	60"	124
W-2472	24"	72"	138
W-3048	30"	48"	127
W-3060	30"	60"	147
W-3072	30"	72"	166
W-3096	30"	96"	226
W-30120	30"	120"	264

Model	Top W	Top L	Ship. Wt.
W-30144	30"	144"	298
W-3648	36"	48"	143
W-3660	36"	60"	167
W-3672	36"	72"	188
W-3696	36"	96"	256
W-36120	36"	120"	295
W-36144	36"	144"	344

HARD MAPLE TOPS

1¾" Thick

Finish Top—Natural-Clear Lacquer.

Model	W	L	Ship. Wt.
GW-2448	24"	48"	58
GW-2460	24"	60"	72
GW-2472	24"	72"	86
GW-3048	30"	48"	74
GW-3060	30"	60"	93
GW-3072	30"	72"	112
GW-3096	30"	96"	150
GW-30120	30"	120"	187

Model	W	L	Ship. Wt.
GW-30144	30"	144"	218
GW-3648	36"	48"	86
GW-3660	36"	60"	108
GW-3672	36"	72"	130
GW-3696	36"	96"	174
GW-36120	36"	120"	216
GW-36144	36"	144"	260

BENCH LEGS

ALL WELDED CONSTRUCTION





BL-28

These sturdy all steel legs are designed to withstand severe usage and support weight far in excess of normal conditions. Top and cross members permanently welded to legs. Reinforced channel construction—gusset strengthened. Adequate holes provided for attachment of bench top, shelf and stringer. Steel floor pads with holes for attachments to floor.

BL-58 Bench Leg furnished with center upright channel. Bench Legs for special requirements on request.

Finish: Green Enamel

Model	A	B	C	D	E	Ship. Wt.
BL-22	22	32½	15½	18	9½	20
BL-28	28	32½	19½	22	9½	22
BL-34	34	32½	23½	26	9½	24
BL-46	46	32½	35½	38	9½	28
BL-58	58	32½	47½	50	9½	34

WORK BENCH ACCESSORIES

SIDE- AND BACK STOP SETS

EACH SET CONSISTS OF TWO SIDE STOPS (right and left) AND ONE BACK STOP.





12 Gauge Steel
Finish: Green Enamel

Model	A	B	C	D	E	Ship. Wt. of Sets
2448	5¼	24	3½	5¼	48	16
2460	5¼	24	3½	5¼	60	18
2472	5¼	24	3½	5¼	72	20
2496	5¼	24	3½	5¼	96	23
2848	5¼	28	3½	5¼	48	18
2860	5¼	28	3½	5¼	60	20
2872	5¼	28	3½	5¼	72	22
2896	5¼	28	3½	5¼	96	27
3448	5¼	34	3½	5¼	48	19
3460	5¼	34	3½	5¼	60	21
3472	5¼	34	3½	5¼	72	24
3496	5¼	34	3½	5¼	96	29



STRINGERS

Model	F	G	Ship. Wt.
ST-36	4¼	32	4
ST-48	4¼	44	6
ST-60	4¼	56	7½
ST-72	4¼	68	9
ST-84	4¼	80	10½
ST-96	4¼	92	12
ST-120	4¼	116	15
ST-144	4¼	140	18





16 gauge one inch channel reinforced construction. Finish: Green Enamel

SHELVES

Model	H	J	Ship. Wt.
SH-36	15¼	32	13
SH-48	15¼	44	18
SH-60	15¼	56	22
SH-72	15¼	68	26
SH-84	15¼	80	30
SH-96	15¼	92	34
SH-120	15¼	116	42



16 gauge one inch channel reinforced construction. Finish: Green Enamel

WORK BENCH CABINET UNITS

ALL WELDED CONSTRUCTION

CU-18



CUK-36

Cabinet storage can be more efficient than drawers for many items, which can be placed neatly and are not subject to being jarred or rolled around as in a drawer.

Heavy gauge steel used throughout with flanged reinforcement.

Use with either wood top or all metal benches. Quickly fastened to wood top with bolts or lag screws. Finish: Green Enamel.

Model	L	H	D	Shelf Clearance	Lock	Ship. Wt.
CUK-36	36	19	19	8	Yes	95
CU-36	36	19	19	8		95
CUK-18	18	19	19	8	Yes	55
CU-18	18	19	19	8		55

Please indicate on order if unit is for installation with steel or wood bench.

BENCH DRAWER UNITS

1424-1



1416-2

1416-3

Drawer units can be fastened to either wood or steel benches, tables, desks or counters.

All welded construction. Padlock attachments for each drawer. Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer. Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 13½" x 8" x 1" in 1416 and 1424 Series; 19½" x 8" x 1" in 2024 Series.

CYLINDER LOCKS MUST BE INSTALLED AT FACTORY

OVERALL OUTSIDE DIMENSIONS

HEIGHT, ALL UNITS ..... One Drawer—5¾"; Two Drawer—12½", Three Drawer—18½"; Four Drawer—24½"

WIDTH .....1416 & 1424 SERIES: 16¼" .....2024 SERIES: 22¼"

DEPTH .....1416 SERIES: 16½" ..... 1424 & 2024 SERIES: 24"

	14"Wx16"Dx5"H		14"Wx23½"Dx5"H		20"Wx23½"Dx5"H	
Unit Description	Model	Ship. Wt.	Model	Ship. Wt.	Model	Ship. Wt.
1 Drawer	1416-1	15	1424-1	26	2024-1	30
2 Drawer	1416-2	45	1424-2	60	2024-2	74
3 Drawer	1416-3	66	1424-3	90	2024-3	105
4 Drawer	1416-4	87	1424-4	120	2024-4	136

Approximate Shipping Weights Shown Above Include Attachment Hanger.

Finish: Green Enamel — Cylinder Lock Available for Drawer

HEAVY DUTY DRAWER UNIT

USE WHERE SEVERE SERVICE IS NEEDED
14 GA. STEEL DRAWER
12 GA. STEEL HANGER
ALL STEEL BALL BEARING ROLLERS



H-2024-1

All welded construction. Handles heavy loads of tools, parts and other items.

Drawers can be attached to work benches, tables, desks or counters.

Padlock tab on drawer. Stop prevents drawer from pulling out of slides. Fingers fit easily into pull. Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 19½" x 8" x 1".

Inside dimensions of drawer ..... 19½"W x 23½"D x 5"H
Hanger size overall dimensions ..... 22½"W x 24"L
Finish ..... Green Enamel
Cylinder Lock Available for Drawer. Ship. Wt. 40 Lbs.

PORTABLE DOOR CABINETS

ALL WELDED CONSTRUCTION
500 LBS. CAPACITY—3" SOFT RUBBER WHEEL
800 LBS. CAPACITY—5" SOFT RUBBER WHEEL

Light Duty Portable Cabinets for General Use. Used for Gum Tape Machines in shipping rooms, Electronic Instruments, Business Machines in offices, such as Postage, copying, etc. Used in plants Besides machine operations. Cabinet Size: 18"W x 24"L. One Shelf furnished with unit, adjustable on 2" centers. Finish: Green Enamel.

BC-1C5

Model	H	Casters—All Swivel	Ship. Wt.
BC-1C3	30"	3" x 1¼" Soft Rubber Tread	60
BC-1C5	32"	5" x 1¼" Soft Rubber Tread	65
	Keyed Handle		
	Extra Shelf		

CABINET BASE WORK BENCHES

ALL WELDED CONSTRUCTION



CDB-3060-W

With door and four drawer units form the overall base, in multiple or single bench runs in various combinations, with steel or electronically glued laminated maple wood tops for standard and particular requirements. Cabinet bench tops can be furnished with side and back stops, and risers (See pages 14 and 15). Laminated tops also furnished in 2, 2¼, and 3 inch thicknesses.

ALL MODELS: 34" O.A.H. WITH NO. 6 BASE
Finish Top—Natural-Clear Lacquer. Metal Finish: Green Enamel.

WITH STEEL TOPS—2½" THICK	Model	Top W	Top L	Bases, 18"W 24"D	Ship. Wt.
	CB-2860-S	28"	60"	Door Cabinets	205
	CB-2872-S	28"	72"	Door Cabinets	230
	DB-2860-S	28"	60"	Drawer Cabinets	300
	DB-2872-S	28"	72"	Drawer Cabinets	320
	CDB-2860-S	28"	60"	Drawer & Door Cabinets	240
	CDB-2872-S	28"	72"	Drawer & Door Cabinets	275
WITH HARD MAPLE BENCH TOPS—1¾" THICK					
	CB-3060-W	30"	60"	Door Cabinets	210
	CB-3072-W	30"	72"	Door Cabinets	235
	DB-3060-W	30"	60"	Drawer Cabinets	305
	DB-3072-W	30"	72"	Drawer Cabinets	325
	CDB-3060-W	30"	60"	Drawer & Door Cabinets	245
	CDB-3072-W	30"	72"	Drawer & Door Cabinets	280

ALL WELDED CONSTRUCTION
CABINET SIZE: 18" W, 24" L, 26"H

Model BC-1
DOOR CABINET
Shelf adjustable in 2" centers. One shelf with unit.

Keyed Handle
Extra Shelf
Base Not Included
Ship. Wt. 55 Lbs.

Model DC-1
DRAWER CABINET
Individual drawer size; 14" wide x 23½" deep x 5" high.
Sliding tray in each Drawer holds small items within easy reach.
Tray size: 13½" x 8"

Cylinder Lock Available
Base Not Included
Ship. Wt. 110 Lbs.

No. 6 Base 6¼" High
Ship. Wt. 10 Lbs.



PORTABLE DRAWER CABINETS

ALL WELDED CONSTRUCTION
Padlock attachments on each Drawer

500 LBS. CAPACITY—3" SOFT RUBBER WHEEL
800 LBS. CAPACITY—5" SOFT RUBBER WHEEL

Drawers slide on Ball Bearing Steel Rollers.
Cabinet Size: 18"W x 24"L
Drawer Size: Inside Dimensions, 14"W x 23½"D x 5"H
Tool Tray in each Drawer: 8" x 13½" x 1" deep.
Finish: Green Enamel



DC-1C5

Model	H	Casters—All Swivel	Ship. Wt.
DC-1C3	30"	3" x 1¼" Soft Rubber Tread	118
DC-1C5	32"	5" x 1¼" Soft Rubber Tread	124

Cylinder Locks Available for Drawer

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

CABINET WORK BENCHES
(WITH SLIDING DOORS)

All welded heavy gauge steel construction, with steel or wood tops, with and without sliding doors. Sliding doors are factory installed, equipped with cylinder lock and 2 keys, and doors are not sold separately. Shelves adjustable on 2" centers. Completely assembled, ready for immediate use.

Electronically glued laminated wood tops also furnished in thicknesses of 2", 2 ¼" and 3". Side and back stops, bench risers and drawers can be added, see pages 14, 15, & 16.



CW-3072-SD

All Models: 34" O.A.H. Finish: Green Enamel

WITH STEEL TOPS—1¼" Thick—12 Gauge	Top W	Top L	Base, 25" Deep	Ship. Wt.
CS-2860	28"	60"	Basic Unit	204
CS-2872	28"	72"	Basic Unit	234
CS-2860-S	28"	60"	Basic Unit with Shelf	239
CS-2872-S	28"	72"	Basic Unit with Shelf	274
CS-2860-D	28"	60"	Basic Unit with Sliding Doors	248
CS-2872-D	28"	72"	Basic Unit with Sliding Doors	286
CS-2860-SD	28"	60"	Basic Unit with Shelf & Sliding Doors	283
CS-2872-SD	28"	72"	Basic Unit with Shelf & Sliding Doors	326
WITH HARD MAPLE BENCH TOPS—1¼" Thick Overhang on Front, 5" NATURAL WOOD FINISH				
CW-3060	30"	60"	Basic Unit	220
CW-3072	30"	72"	Basic Unit	254
CW-3060-S	30"	60"	Basic Unit with Shelf	255
CW-3072-S	30"	72"	Basic Unit with Shelf	295
CW-3060-D	30"	60"	Basic Unit with Sliding Doors	264
CW-3072-D	30"	72"	Basic Unit with Sliding Doors	306
CW-3060-SD	30"	60"	Basic Unit with Shelf & Sliding Doors	300
CW-3072-SD	30"	72"	Basic Unit with Shelf & Sliding Doors	346
Extra Shelves ☆ S-60 ☆	60" long	22" wide		35
Extra Shelves ☆ S-72 ☆	72" long	22" wide		40

STEEL TOP PANEL-END WORK BENCHES

ALL PURPOSE BENCH
FORMED PEDESTAL LEGS
MODERN

New closed-end styling for modern appearance and construction. All welded, heavy gauge steel construction. Completely assembled for immediate use. Drawer Units, Side and Back Stops. See pages 15 & 16.

Bench Top 32½" From Floor

Finish: Green Enamel



MP-2860

Model	Top W	Top L	Base W	Base L	Shelf W	Shelf L	Ship. Wt.
MP-2848	28"	48"	22"	40"	20"	39"	131
MP-2860	28"	60"	22"	52"	20"	51"	146
MP-2872	28"	72"	22"	64"	20"	63"	165

STANDING SHOP DESKS

Open, all welded, heavy gauge steel construction—used by foremen, supervisors, time study men, superintendents, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with drawers with and without individual locks, pigeon-hole top, back and side stops, in various combinations in the models listed, or in special combinations to meet individual needs.

Completely assembled, ready for immediate use.

Finish: Green Enamel

WIDTH ..... All Models—36"
DEPTH ..... All Models—30"
OVERALL HEIGHTS ..... Front / Back
Basic Unit ..... 43" / 48"
With P-36 Unit ..... 43" / 53"
With P-66 Unit ..... 43" / 57"
SIDE AND BACK STOPS ... 3" high at Back, tapers to 1½" at Front.
SHELF ..... 34" wide x 12" deep—8" from floor
DRAWERS ..... Standard Grizzly Drawer Units, see page 16 for specifications.

Any standard Grizzly Bench Drawer Unit or Bench Cabinet Unit may be used on this Unit.

1236

1236 w/P-66



1036 BASIC UNIT
Ship. Wt. 85 lbs.



1236 BASIC UNIT
With Two No. 1416-1 Drawer Units
Ship. Wt. 115 lbs.



1836 BASIC UNIT
With Two No. 1424-4 Drawer Units
Ship. Wt. 325 lbs.

1436 BASIC UNIT
With No. 2024-4 Drawer Unit
Ship. Wt. 225 lbs.





P-36 PIGEON HOLE UNIT
3—4" x 12" openings x 9" deep
Overall Length 36" Ship. Wt. 15 lbs.



P-66 PIGEON HOLE UNIT
6—4" x 12" openings x 9" deep
Overall Length 36" Ship. Wt. 24 lbs.

HARD MAPLE TOP PANEL-END WORK BENCHES

WORK SHOP

DESK



WP-3060

LABORATORY

MAILING TABLE

Tops: 1¾" thick, electronically glued, edge grain.
Finish Top—Natural-Clear Lacquer.
Metal Finish—Green Enamel

Model	Top W	Top L	Base W	Base L	Shelf W	Shelf L	Ship. Wt.
WP-3048	30"	48"	22"	40"	20"	39"	142
WP-3060	30"	60"	22"	52"	20"	51"	168
WP-3072	30"	72"	22"	64"	20"	63"	190

SHOP CABINET DESKS

Enclosed, all welded, extra heavy gauge steel construction —used by superintendents, foremen, supervisors, time study men, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with doors, drawers, with or without individual locks, pigeon-hole top, or in special combinations on request to meet particular needs.

Completely assembled, ready for use.

Finish: Green Enamel

2036



3236 w/P-66

WIDTH	All Models 36"	
DEPTH	All Models 30"	
OVERALL HEIGHTS	Front	Back
Basic Unit	43"	48"
With P-36 Unit	43"	53"
With P-66 Unit	43"	57"

DRAWERS ..... GRIZZLY 1416-1—ID—14" wide x 16" deep x 5" high.

Any GRIZZLY Standard Bench Drawer can be used with this Unit. See Page 16

SIDE AND BACK STOPS 3" high at back, tapers to 1½" at Front.

SHELF SIZE ..... 28¾" x 35⅞"

SHELF CLEARANCES

3 Shelf Unit	Floor to Bottom Shelf	7"
	Bottom Shelf to Center Shelf	11¾"
	Center Shelf to Top Shelf	8"
	Top Shelf to Desk Top	12"
2 Shelf Unit	Floor to Bottom Shelf	7"
	Bottom Shelf to Top Shelf	19¾"
	Top Shelf to Desk Top	12"

Model	Shelves	Drawers	Ship. Wt.
2036	2		184
2136	2	1	202
2236	2	2	219
3036	3		205
3136	3	1	222
3236	3	2	240
P-36	Pigeon Hole Unit Overall Length 36" 3—4 x 12" openings x 9" deep		15
P-66	Pigeon Hole Unit Overall Length 36" 6—4 x 12" openings x 9" deep		24
Cylinder Locks for Drawers			
Keyed Handle in Door			



No. 3036
(With No. P-36 Unit)
Pigeon Hole Unit Available



No. P-36 Unit



No. P-66 Unit

MACHINE FLOOR CABINETS

FOR BASE CABINET USE WITH BENCH TYPE MACHINES

Rugged, all welded cabinets with 1⅛" Tray coolant tops with ½" pipe connection.

Attractive gray enamel finish.

A model for every purpose, floor lugs to secure base to floor. Removable side shelves as accessory to hold tote pans and other production items.

Drawer size and model—GRIZZLY 1416-1 (14" wide ID x 16" deep ID x 5" high ID). All drawers equipped with stops, ball bearing steel rollers and 1" deep tool tray. (See page 16.)

Models, enclosed with back and door, are without shelves.

OPTIONAL:
No. 1015 Shelf

No. 1015...Removable Side Shelf (Shelf Surface—10"x15")

Ship. Wt. 10 lbs.



CT-2830
20"W—28"L—30"H
Ship. Wt. 90 lbs.

CT-2835
20"W—28"L—35"H
Ship. Wt. 96 lbs.

CT-3630
20"W—36"L—30"H
Ship. Wt. 100 lbs.

CT-3635
20"W—36"L—35"H
Ship. Wt. 106 lbs.

MACHINE CABINET STANDS

ALL WELDED CONSTRUCTION

For mounting Lathes, Grinders, Drill Presses, Tapping Machines, and for Work Bench Uses. CT Models are with Coolant Top with ½" pipe connection, DFT Models are with drop front, used for assembly and production work.

Designed for strength and appearance, Finish: Gray Enamel.

GRIZZLY 1416-1 Drawer units furnished on all stands.—14" wide ID x 16" long ID x 5" deep ID, with stops, ball bearing steel rollers and tool tray 1" deep (See Page 16). See Page 15 for CU-18 Work Bench Cabinet Unit details. Convenient shelf—15¾" x 36".



DFT-60-C With Cabinet Unit No. CU-18 and one drawer. 22" W, 60" L, 32" H. Ship. Wt. 238 lbs.



CT-60 Coolant Top, Tray—1⅛" deep with ½" pipe tee. 22" W, 60" L, 32" H. Ship. Wt. 198 lbs.



DFT-60 Drop Front Top, Back and Side Stops — 1⅛" H, 22" W, 60" L, 32" H. Ship. Wt. 198 lbs.



NO. 59 MOTOR MOUNT BRACKET Top Surface 10" x 11⅜". Ten round holes for mounting and adjustment. Ship. Wt. 10 lbs.

MACHINE FLOOR CABINETS

CF SERIES

CF-2830
20"W—28"L—30"H
Ship. Wt. 80 lbs.

CF-2835
20"W—28"L—35"H
Ship. Wt. 86 lbs.

CF-3630
20"W—36"L—30"H
Ship. Wt. 90 lbs.

CF-3635
20"W—36"L—35"H
Ship. Wt. 96 lbs.



CM SERIES

CM-2830
20"W—28"L—30"H
Ship. Wt 95 lbs.

CM-2835
20"W—28"L—35"H
Ship. Wt. 105 lbs.

CM-3630
20"W—36"L—30"H
Ship. Wt. 115 lbs.

CM-3635
20"W—36"L—35"H
Ship. Wt. 125 lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

WHEEL CHOCKS

- **RUGGED**—All Arc Welded Construction.
- **FIRMLY HOLDS** Parked Trucks and Trailers.
- **PARKED LOAD PRESSURE** inclines the Chock into the Ground or Pavement Surface to prevent Vehicle from moving.
- **OPTIONAL:** Chain for attachment to Dock and Parking Area for added Safety and Convenience.
- **FINISH:** Orange Enamel

GRIZZLY Wheel Chocks—at Low Cost Provide Safety to Manpower, Equipment and Cargo.



Model WC-909 Wheel Chock **Ship. Wt. 17 Lbs.**

Optional: 11 Lineal Feet Chock Attachment Chain (Hot Galvanized Finish) **Ship. Wt. 2 Lbs.**

PIGEON HOLE BIN UNITS

All Welded, Rigid Units, Completely Assembled Ready For Use.



7242

2421



4021



4242

Used for parts inventory and control in factories, stores and warehouses.

Firmly attached label holders also used as stops, holding loose parts from falling out of openings. With the unit placed so the label holders are at the top, parts and other material can easily be slid out of openings.

Units have modular lengths, are interchangeable, can be set in combinations in racks; or tiered, one on the other to any height, with units bolted together for firmer attachment.

Finish: Green Enamel

Model	Compartments	H	W	D	Compartment	Label Holder	Ship Wt
7242	72"	42"	35½"	11⅞"	4½" wide 4½" high	1"	97
4242	42"	42"	35½"	11⅞"	5½" wide 6" high	2"	95
2421	24"	21"	35½"	11⅞"	5½" wide 5¼" high	2"	40
4021	40"	21"	35½"	11⅞"	4¼" wide 4¼" high	1"	55

TOOL DRAWER CABINET

TIME SAVER—
COMPACT STORAGE
LOCAL AREA
TOOL STORAGE

SAVES MANY STEPS TO AND FROM MACHINE OPERATION OR JOB SITE

Can be placed in various areas or departments in plant for easy location of tools, individual belongings, etc.

For Machine Operators, repairmen, maintenance workers, millwrights, electricians and other spot workers, providing large storage drawers for tools and parts, etc. **ELIMINATES OTHERWISE NECESSARY TRIPS TO OTHER PLANT AREAS.**

Model TDC-30
3 Drawer Unit
Ship. Wt. 285 Lbs.

21½" W x 27¾" D x 45¾" H
INDIVIDUAL DRAWER SIZE ..... 15⅞" W x 12" D x 27" L
TOOL TRAY SIZE ..... 10" W x 15¼" D x 3" H
Padlock attachments for each drawer.
Drawer slides on ball bearing steel rollers.
ALL WELDED CONSTRUCTION.
Finish: ..... Green Enamel



Model TDC-60
6 Drawer Unit
Ship. Wt. 430 Lbs.

40" W x 27¾" D x 45¾" H
INDIVIDUAL DRAWER SIZE ..... 15⅞" W x 12" D x 27" L
TOOL TRAY SIZE ..... 10" W x 15¼" D x 3" H
Padlock attachments for each drawer.
Drawer slides on ball bearing steel rollers.
ALL WELDED CONSTRUCTION.
Finish: ..... Green Enamel

TOOL TRAY IN DRAWER

Tool Tray facilitates carrying of a variety of tools to the job or machine, is constructed of 16-gauge steel with full length carrying handle.

EZY-DOWN DRUM CRADLES

700 LBS. CAPACITY



Give maximum leverage with ease, break the heaviest loaded drums from vertical to horizontal position.

All welded tubular frames and channel braces for modern styling and added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use.

Finish: Orange Enamel



EBR-18 31"L—18¼"W—18"H
Ship. Wt. 31 Lbs.



WITH CASTERS
EBR-18C 31"L—18¼"W—18"H
Ship. Wt. 34 Lbs.



WITH DRUM ROLLERS
EBR-18R 31"L—18¼"W—18"H
Ship. Wt. 34 Lbs.



WITH CASTERS & ROLLERS
EBR-18CR 31"L—18¼"W—18"H
Ship. Wt. 36 Lbs.

Four 2" Semi-Steel rollers for positioning drum and manually rotating for mixture.

Casters: All Models—3" Semi-Steel—2 Swivel and 3" Semi-Steel Wheels.

No. 18 EZY-DOWN Handle—All welded construction—Handle is separate from cradles—12 lbs. Ship. Wt.

DRUM CRADLES

700 LBS. CAPACITY

All Welded Tubular Frames. Channel Braces give modern styling plus added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use. Finish: Orange Enamel.



BR-18 31"L—18¼"W—18"H
Ship. Wt. 26 Lbs.



WITH CASTERS
BR-18C 31"L—18¼"W—18"H
Ship. Wt. 29 Lbs.



WITH DRUM ROLLERS
BR-18R 31"L—18¼"W—18"H
Ship. Wt. 29 Lbs.



WITH CASTERS & ROLLERS
BR-18CR 31"L—18¼"W—18"H
Ship. Wt. 31 Lbs.

Four 2" Semi-Steel rollers for positioning drum and manually rotating for mixture.

Casters: All Models—3" Semi-Steel—2 Swivels and 3" Semi-Steel Wheels.

DRUM & CAN DOLLIES

1200 LBS. CAPACITY—SEMI-STEEL WHEELS
1000 LBS. CAPACITY—HARD RUBBER WHEELS



75 & 76

81

ALL ARC WELDED CONSTRUCTION

RUGGED

82 & 83

FLOOR LOCK ON REQUEST

Large size easy rolling wheels permit quick, safe transportation of even the heaviest loaded drums. All casters swivel for movement in any direction.

24" diameter holds standard 55 gallon drums or other similar sized containers. 19" diameter for smaller containers, disposal cans or kegs. Galvanized finish for institutional, food processing and sanitary use. Floor clearance 4" on all models. 2" sides on 82 and 83. All welded rugged construction for years of hard use. NOTE: 81-GS, 82-GS, & 83-GS are equipped with sanitary casters to give added protection against foodstuffs causing corrosion.

Model	O.D.	I.D.	Wheels	Finish	Ship. Wt.
81	24-7/16"	24"	3x1-1/4	Orange	32
82	30-1/2"	24"	3x1-1/4	Orange	25
83	24-1/2"	19"	3x1-1/4	Orange	22
81-G	24-7/16"	24"	3x1-1/4	Galvanized	32
82-G	30-1/2"	24"	3x1-1/4	Galvanized	25
83-G	24-1/2"	19"	3x1-1/4	Galvanized	22
81-GS	24-7/16"	24"	3x1-1/4	Gal.-Sani.	32
82-GS	30-1/2"	24"	3x1-1/4	Gal.-Sani.	25
83-GS	24-1/2"	19"	3x1-1/4	Gal.-Sani.	22
75	24-1/2"	24"	3x1-1/4	Orange	19
76	19-1/2"	19"	3x1-1/4	Orange	15

ADJUSTABLE DOLLY

1200 LBS. CAPACITY—SEMI-STEEL WHEELS
1000 LBS. CAPACITY—HARD RUBBER WHEELS

AD-23-S

FOR ROUND, SQUARE, RECTANGULAR, OVAL OR ANY IRREGULAR SHAPED CONTAINER CLOSES DOWN TO 23½"—OPENS TO 36½". Can be used as a rectangle for tote boxes, skids, pans, furniture. Used as a dolly for drums, cans, kegs, etc. Wheel Size—3" x 1¼". Finish: Orange Enamel.

AD-23-S — SEMI-STEEL WHEELS — Ship. Wt. 30 lbs.
AD-23-R — HARD RUBBER WHEELS — Ship. Wt. 28 lbs.

LOW DRUM TRUCK

800 LBS. CAPACITY
ALL WELDED CONSTRUCTION



LBR = 909 Low Drum Truck

25½" wide opening, 31" wide overall, 33" high, 1½" low underslung frame, 8" above floor. Handles barrels and drums up to 24" diameter. Finish: Orange Enamel.

STEEL TUBULAR T HANDLE WITH Low frame with heavy duty 3" swivel rubber caster and 6" roller bearing rubber wheels easily maneuvers full barrels and drums with open tops without spilling contents. Especially adapted for use in canneries, pickle or chemical and oil operations.

Ship. Wt. 45 Lbs.

DRUM DOLLY TRUCKS

CAPACITY 2000 LBS.—SEMI-STEEL CASTERS
CAPACITY 1500 LBS.—HARD RUBBER CASTERS

DT-25-R

For transporting 55 gallon drum or other container for lubrication, solvents, coolants, painting or cleaning units, used in production, maintenance and service operations. Bracket on handle for cable or hose. Accessory Box welded to handle for storage of tools and parts. All Welded Construction.

OVERALL DIMENSIONS	25" wide x 25" deep
PLATFORM	5⅛" from floor
HANDLE	41" from floor
SIZE OF ACCESSORY BOX	12" deep x 6" wide x 21" long
FINISH:	Orange Enamel
CASTERS	2 Swivel—2 Rigid

DT-25-S	5" x 1¼" Semi-Steel Wheel	63 Ship. Wt.
DT-25-R	5" x 1½" Hard Rubber Wheel	60 Ship. Wt.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

HI-DRUM & CAN DOLLIES

900 LBS. CAPACITY—SEMI-STEEL WHEELS
700 LBS. CAPACITY—HARD RUBBER WHEELS



71

PROVIDE higher elevation for easier flow drainage from drums in vertical position.

DRAINS easier glue, oils, chemicals and other hard-to-flow materials through the drum bottom.

ALL WELDED, rugged, completely assembled, ready for use.

SAVE SPACE—take less area than drums in horizontal position.

SAVE TIME AND MONEY.

USE DOLLIES with GRIZZLY No. 235 Drum lifter with chain falls, hoist, or fork truck to place drums in vertical position easily, quickly and safely. See right side of page. Finish: Orange Enamel—Wheel Size . . . 3" x 1 ¼".



71 w/drum

Model	Bottom	Top	Height	Gallon Drum	Ship. Wt.
71	30"	24"	19½"	55	44
73	21"	19"	19½"	30	38

#80 DRUM UP-ENDER

Safe! Positive Grip! Easy to Use!

Tilts drums from horizontal to vertical position with ease, speed and safety. Gives maximum leverage for lifting even the heaviest loaded drums.

Will not twist in hands of operator. Drum stops where you want it with no slipping or rolling.

SHIP. WT. ..... 12 lbs.
FINISH: ..... Orange Enamel



80

ALL-WELDED CONSTRUCTION
Rugged and Compact

#84 SLING TYPE DRUM LIFTER

750 LBS. CAPACITY
ALL WELDED CONSTRUCTION

SHIP. WT. ..... 11 lbs.
FINISH: ..... Orange Enamel



84



Lifts drum horizontally and safely. The harder the pull the tighter the grip on the drum. Use it to load your GRIZZLY rack. See Below.

DRUM STORAGE RACKS

2500 LB. CAPACITY

85	Leg	180 Ship. Wt.
85C	Casters	198 Ship. Wt.



85C



85

All welded with large sturdy 6" x 2" semi-steel wheels for easy portability, or with legs for stationary installations.

Holds four drums in readily accessible positions. Designed for loading ease with whatever equipment you now have. If your hoist does not travel over rack, the wheel model can be moved under your hoist. 30" W x 60" L x 54" H—FINISH: Orange Enamel.

Grizzly®

FOR OPEN or CLOSED DRUMS USED WITH Fork Trucks Chain Falls Cranes and Hoists.

2000 LBS. CAPACITY

#235 VERTICAL DRUM LIFTER

U.S. PATENT No. 2,764,447



235

- **QUICK**—Lifter attached and removed in seconds.
- **SAFE**—Fast turning crank handle to lock Upper Jaw to drum top. Holds drum rigidly even when swaying or when bumped.
- **VERSATILE**—Lifter moves 55 and 30 gallon, and even smaller steel drums with practically no manual labor—the lifter does the work.
- **LIGHT**—Weighs only 32 pounds. One man can handle with ease.
- **ADJUSTABLE**—Slide Lower Jaw on vertical bar to position below nearest chime of drum. Jaw rests on off-center cam.
- **LIFTS**—Old and new drums, open or closed, battered or lopsided.
- **STACKS**—and tiers drums vertically in close quarters.
- **RUGGED**—All welded construction.
- **FINISH:** Orange Enamel

Ship. Wt. 32 Lbs.

#VH-100 DRUM LIFTER

1000 LBS. CAPACITY
LIFTS VERTICAL • HORIZONTAL • AT ANY ANGLE

Vertical **Horizontal** **Any Angle**







Lifts from any angle. Load can be balanced. Easily adapted to lift objects of all shapes or lengths. Automatic upsetting of container by adjusting sliding hoist collar.



Easily, Quickly, Safely Attached
Holds Rigidly—Even When Load Sways
Positive Grip—Cannot Slide —Holds Load
Locks in Desired Position



FITS CONTAINERS 40" HIGH—FINISH: . . . Orange Enamel—SHIP. WT. . . . 27 Lbs.—ADJUSTMENT BETWEEN JAWS: . . . 12" minimum to 40" maximum—OVERALL LENGTH: . . . 43"—WIDTH: . . . 4"

DRUM STORAGE RACKS



DS-4

Holds four or six drums in readily accessible positions. Designed for loading ease from front or back. All Welded Construction. Completely Assembled for Immediate Use.

Self-Standing units, do not require anchoring to floor. Can be moved with Fork Trucks fully loaded.

- DRAIN HEIGHTS: Bottom row—18"
- Pads on bottom of legs protect floors.
- Also Designed for special requirements.

FINISH: Orange Enamel

DS-4	4 Drums	60" W	36" D	46" H	120 Ship. Wt.
DS-6	6 Drums	84" W	36" D	48" H	200 Ship. Wt.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

VDU-10 EXTRA HEAVY PORTABLE VERTICAL DRUM STACKING UNIT

CAPACITY 1500 LBS. PER UNIT.

SAVES TIME—SPACE—MONEY

- **ALL** Welded Construction.
- **RUGGED**—Completely Assembled—No Bolting—Ready For Immediate Use.
- **STACKS** Vertically—Each Unit Tiers 2 Drums Horizontally—Stacks to 4 High.
- **4-WAY** Access by Fork Lifts.
- **UNIT** Easily Handled—
- **EASY** Drum Draw Off—Drums and Storage Area Easily Kept Clean.
- **DRUM** Inventory Simply Maintained.

DIMENSIONS: O.A.H. = 12½"; W = 44½"; Depth = 30". Floor Clearance = 3½". Finish: Orange Enamel.
Ship. Wt. 84 Lbs.



VDU-10

CAN BE EASILY HANDLED FROM FRONT, BACK OR EITHER SIDE WITH FORK-LIFT TRUCKS



EASE OF HANDLING AND STACKING

ROTO-TILTS

CAPACITY 1000 LBS.

PATENTS
U.S. No. 3,434,612
CANADIAN NO. 887501

All Welded Construction Designed for Heavy Usage

LIFT—TILT—DUMP—POUR—METAL DRUMS—BARRELS USED WITH FORK LIFTS—CRANES—HOISTS—Finish: Orange Enamel.

Safety Locking Bracket secures Upper Jaws to Drum Top. Lifting Trolley equipped with Ball Bearings, Serrated Jaws insure positive locking hold. Pours at any point of arc—operator maintains easy and positive control.



NO. 350—FOR FLOOR DUMPING

OVERHEAD DUMPING CONTROLLED AT FLOOR

WORM GEAR DRIVE HOLDS POURING LOAD IN ANY POSITION—REDUCTION 6 TO 1.

160 Trolley with 160° Dumping Angle—
Standard Trolley with 130° Dumping Angle
FLOOR DUMPING MODELS

Model	A	B	C. Max. Min.	D	Drum	Ship. Wt.
350	59"	35"	36"-30"	15"	55 Gal.	65
351	53"	34"	32"-27½"	15"	30 Gal.	64

OVERHEAD DUMPING MODEL NO. 500

OVERALL DIMENSIONS ..... From Lifting Loop to Toe Plate ..... 62"H
From Front to Back ..... 35"D
Width at widest point ..... 10"
CONTAINER CLAMPING RANGE ..... 30" min. to 36" max. for 55 Gal. Drums
DUMPING ANGLE ..... 130 degrees
Ship. Wt. 98 Lbs. Finish: Orange Enamel

Chain supplied with standard Model is sufficient to operate the tool 10 feet from floor.
ADDITIONAL CHAIN AVAILABLE

FTC-36 FORK TRUCK CRANE HOOK ATTACHMENT

With Safety Latch



CAPACITY
4000 Lbs. at 36" Length
2000 Lbs. at 60" Length

ALL WELDED CONSTRUCTION

FITS STANDARD FORK TRUCKS

CAN BE ATTACHED AND UNATTACHED IN SECONDS BY ONE MAN

Method of Attachment

Set unit on floor, brace in upright position against wall, etc. Unit sits on 4 pins. Bottom plate drops to floor which provides an opening for forks. Operator runs forks at floor level between plates and tightens crank handles. Ready for use.

Method of Detachment

Drop forks to floor until unit sits on 4 pins. Loosen crank handles. Back off fork truck.

Ship. Wt. 250 Lbs. FINISH: . . . Orange Enamel

FORK SWIVEL HOIST HOOKS

With Safety Latch



24

(SINGLE) 3000 LBS.
(DOUBLE) 4200 LBS.
WORKING CAPACITY



No. 210 DOUBLE FORK SWIVEL HOIST HOOK
(Attached to Fork Truck)

All welded construction, fit standard Fork Lift Trucks.

Easy handling by one man, takes only seconds to slide on and tighten into place. Removed just as easily, no wrenches required. Finish: Orange Enamel.

210 Double Fork Hook has maximum openings which permit an outside fork spread of 20¾". Fork Swivel Hoist Hooks designed to meet particular needs.

Description	Model	Opening Size for Truck Fork	Ship. Wt.
Single Hook	24	2" x 4"	17
Single Hook	25	2" x 5"	18
Single Hook	26	2" x 6"	19
Double Frame Hook	210	2" x 10"	50

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

GAS WELDING BENCH

A sturdy Gas Welding Bench for extra strength and durability. The top is constructed of 12 gauge steel, will hold 32 fire bricks (not furnished).

Excellent rigidity with heavy double formed, embossed 14 gauge steel legs. Shelf, 16 gauge steel divided into three equal sections for rod storage. All steel sections are All Welded Construction. Shipped KD, ready for assembly. Pads on bottom of legs protect floors.

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 16.

GW-3636

OVERALL DIMENSIONS	36"W x 36"D x 34"H
FINISH:	Green Enamel
GW-3636 (Without Drawer Unit)	Ship. Wt. 95 Lbs.
GW-3636-DR (With Drawer Unit)	Ship. Wt. 110 Lbs.

ARC WELDING BENCH



AW-3636

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down.

Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All steel sections are all welded construction. Shipped KD, ready for assembly. Pads on bottom of legs protect floors.

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 16.

OVERALL DIMENSIONS	36"W x 36"D x 34"H
FINISH:	Green Enamel
AW-3636 (Without Drawer Unit)	Ship. Wt. 125 Lbs.
AW-3636-DR (With Drawer Unit)	Ship. Wt. 140 Lbs.

ARC WELDING BENCH WITH SHIELDS

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down. Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All welded construction.

A sturdy 20 gauge steel shield easily snaps on top flange with no bolting required.

With the "See-Thru" welding shield, eliminates the danger of eye flashburn while watching instructor demonstrate. May be observed by several people simultaneously through the plastic windows without glasses or hand shields.

Also furnished with Solid Shields.

Shipped KD, ready for assembly. Pads on bottom of legs protect floors.

OVERALL DIMENSIONS . 36"Wx36"Dx68"H
FINISH: ..... Green Enamel
DRAWER 1416-1 ..... Furnished with unit
AW-3636-WS With 5"Wx18"L
See-Thru Shield Opening (3 Openings)
Ship. Wt. 180 Lbs.
AW-3636-S With Solid Shields
Ship. Wt. 175 Lbs.



AW-3636-WS

MOLDING BENCH



700

All welded rugged construction, designed for manual training programs. Reinforced opening supports shaker bars and rough usage. Completely assembled—ready for immediate use.

OVERALL DIMENSIONS:
23½"W, 60"L, 32½"H.
Shelf—15¼" x 56".

INSIDE DIMENSIONS:
18"W, 46"L, 18"D.
Finish: Green Enamel

No. 700 Molding Bench 218 Lbs. Ship. Wt.

MOLDING BENCH INSERT

701

All welded rugged construction, designed to fit into a receiving unit of appropriate height for convenient use.

Four reinforced openings support shaker bars and rough usage. A set of hinged doors covers two openings. Completely assembled—ready for immediate use.

OUTSIDE DIMENSIONS:
30"W, 60"L, 15"H.

INSIDE DIMENSIONS:
26"W, 56"L, 15"H.
Finish: Green Enamel

No. 701 Molding Bench Insert 181 Lbs. Ship. Wt.

EXTRA HEAVY DUTY SHELF DIE RACKS

3000 LBS. CAPACITY

An extremely rugged Rack to hold heavy loads of Jigs, Fixtures, Dies, and other heavy material.

May be erected as individual units or in rows.

Extra shelves may be added. Pads on bottom of legs protect floors. Bolted construction. Shipped KD, complete with assembly hardware.

Construction of double channel reinforced shelf.





DR-2448

SHELVES . . . ALL WELDED CONSTRUCTION Reinforced 14 Gauge steel with formed hat channel thru center—POSTS . . . 2" x 2" x ⅛" Angle Iron—"X" BRACES . . . 1" x ⅛" Band Iron—FINISH: Green Enamel.

DR-1842	Complete Unit: 5—18" x 42" Shelves 4 Posts—X Braces and Bolts	170 Lbs. Ship. Wt.
DR-2448	Complete Unit: 5—24" x 48" Shelves 4 Posts—X Braces and Bolts	230 Lbs. Ship. Wt.
S-18	Single Shelf—18" x 42", including bolts	26 Lbs. Ship. Wt.
S-24	Single Shelf—24" x 48", including bolts	38 Lbs. Ship. Wt.
P-72	4 Posts (as a package) 72" long	45 Lbs. Ship. Wt.

VERTICAL BAR RACK

3000 LBS. CAPACITY



Provides most efficient storage in limited areas and near jobs for tubing, pipe, rods, bars and like shapes, with 4 tray type shelves for short pieces.

All arc-welded—1½" x ⅛" angle and 16 gauge tray-shelves.

84"H, 36"W, 24" bottom-depth of shelves —bottom 6", top 6⅛", second 10", third 14". 4 sturdy arms extend 8" beyond each shelf for separation of stock.

Model VB-3684 Ship. Wt. 110 Lbs. Finish: Green Enamel

CASTER CORNER SHOES

ALL WELDED CONSTRUCTION



SET OF 4



CRATE



PALLET

Ideal for making wood pallets or boxes portable at low cost.
Shoes slide under corners. May be bolted, screwed or nailed on permanently.
For moving heavy wood crates, boxes, cases, machinery, pallets, cabinets, benches and other uses.

12 Gauge Steel—Size is 8" x 8"—5-3/4" O.A.H.—Flange 2"—3-7/8" high to platform—7/16" holes for mounting. FINISH: Green Enamel.

Model	Capacity per Set	Ship. Wt.	Casters
CS-3S	1200 Lbs.	17	3" x 1¼" Semi-steel Wheels
CS-3R	1000 Lbs	15	3" x 1¼" Hard Rubber Wheels

Grizzly®

PORTABLE RACK-U-FRAME

U. S. PATENT NO. 3,581,907
CANADIAN PATENT NO. 930334

Arc Welded Construction—Completely Assembled Ready for Immediate and Temporary Uses—Only 25 Pounds—One Man Operation—Quick. Stacked as Much as 4 High into the GRIZZLY Flexible Storage Rack System for Mill Shapes—Channels, Angles, Flats, Rounds, Pipe, Tubing . . . For Material Transport on Trucks, Skids, Pallets, for Inventory and at Work Stations.



- Streamlined Design—Smooth Finish
- Rugged Steel Construction
- Durable—Built for Heavy Uses
- Formed for Strength and Stacking Tiers
- Carrying Handle for Strength and Convenience
- Steps Prevent Upright Spread



2 Stacked High Carrying Tubing on 6 Feet Lengths—9000 Pounds.

CARRY HEAVY LOADS EVENLY DISTRIBUTED

4 Stacked High Carrying Channel and Tubing on 20 Feet Lengths—20,000 Pounds.

RACK-U-FRAME



OUTSIDE DIMENSIONS
(A) 25" Wide
(B) 17 ½" High
(C) 5" Wide Bottom Channel
INSIDE DIMENSIONS
(D) 17" Wide Bottom
(E) 23" Wide Top
(F) 15 ½" High Upright

Placed in an assembly of 16 Rack-U-Frames holds the massive load of 20,000 Lbs. 400 Lbs. of Rack-U-Frames hold 20,000 Lbs. THIS IS STORAGE AT LOWEST COST, AND QUICKLY INSTALLED.

Easily disassembled—Stored in Little Space Until Next Use.

RUF-251 Portable Rack-U-Frame
Ship. Wt. 25 Lbs. Finish: Orange Enamel

PORTABLE TWIN RACK-U-FRAME MODULES

5000 LBS. CAPACITY
U. S. PATENT NO. 3,581,907
CANADIAN PATENT NO. 930334

Used in multiples with fork lifts, as required, to provide length and tier height needed for the storage of mill shapes—conduit, tubing, pipe, angles, channels, rounds, flats, other metal and plastic items.

Fork lifts can easily stack and remove the modules to provide temporary and long term storage facilities; provide material at work stations on the production line, in the warehouse and on the construction site. Special modules designed to meet particular requirements. Arc Welded Construction—Completely Assembled Ready for Immediate Use.

PORTABLE TWIN RACK-U-FRAME MODULE—Finish: Orange Enamel

RUF-262	24" O.A.L.	86 Ship. Wt.
RUF-263	36" O.A.L.	92 Ship. Wt.
RUF-264	48" O.A.L.	106 Ship. Wt.



OUTSIDE DIMENSIONS
(A) 25" Wide
(B) 17 ½" High
(C) 5" Wide Bottom Channel
(G) 24"; 36"; 48" as Required

INSIDE DIMENSIONS
(D) 17" Wide Bottom
(E) 23" Wide Top
(F) 15 ½" High Upright



HANDLING MODULES ON WORK SITE



STACKING MODULES

MOVING MODULES

RUF-264

SPECIALS DESIGNED FOR CUSTOMERS NEEDS



OUTSIDE DIMENSIONS
(A) 32" Wide
(B) 31" High
(C) 5" Wide Bottom Channel 3¼" High
(G) 44" Long

INSIDE DIMENSIONS
(D) 24" Wide Bottom
(E) 29 ½" Wide Top
(F) 28" High Upright

RUF-244

RUF-244	44" O.A.L.	105 Ship. Wt.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114
Grizzly®

Grizzly SPECIALS

SOME OF THE MANY SPECIALS DESIGNED & MANUFACTURED FOR CUSTOMER'S PARTICULAR NEEDS

ENGINE DOLLY

HEAVY DUTY SHELVING

TILTING CONVEYOR STAND

LUBRICATING TRUCK



TRAY TRUCK



LUBRICATING TRUCK



HOSE TREE TRUCK

SHELF DRYING TRUCK

PLATFORM LADDER TRUCK



MAINTENANCE REPAIRMAN WORK TRUCK UNIT (1 TIER—W/FORK ENTRY)



CABINET WORK BENCH



MAINTENANCE REPAIRMAN WORK TRUCK UNIT (2 TIER—W/FORK ENTRY)

MULTIPLE WORK BENCH DRAWER UNIT (16 DRAWERS)

WORK BENCH W/MULTIPLE SHELVES

WORK BENCH W/6 DRAWER UNIT

REPLACEMENT CASTERS FOR GRIZZLY EQUIPMENT

UTILITY TABLES, HOPPER TABLES, MU TABLES, MU BOX CARTS		
SWIVEL	2-1/2" x 13/16"	Pressed Steel Wheel
SWIVEL	2-1/2" x 13/16"	Soft Rubber Wheel
SWIVEL	5" x 1"	Soft Rubber Wheel
Set consists of 4 casters)		
STOCK CARTS, FIVE SHELF STOCK CARTS, BOX TRUCKS, GARMENT TRUCKS, LIGHT DUTY PORTABLE CABINET WORK BENCHES, ENCLOSED SHELF TRUCK, CAGE STOCK TRUCK, PORTABLE MARKING TABLES, PORTABLE DRAWER CABINETS, PORTABLE DOOR CABINETS, TRAY STOCK CARTS, TOTE-ALL HAND CART, OPEN SIDE TRUCK.		
SWIVEL	3" x 13/16"	Soft Rubber Wheel
RIGID	3" x 13/16"	Soft Rubber Wheel
SWIVEL	3" x 1-1/4"	Soft Rubber Wheel
RIGID	3" x 1-1/4"	Soft Rubber Wheel
SWIVEL	5" x 15/16"	Soft Rubber Wheel
RIGID	5" x 15/16"	Soft Rubber Wheel
SWIVEL	5" x 1"	Soft Rubber Wheel B.B.
RIGID	3" x 1-1/4"	Soft Rubber Wheel B.B.
SWIVEL	5" x 1"	Soft Rubber Wheel B.B.
RIGID	5" x 1"	Soft Rubber Wheel B.B.
SWIVEL	5" x 1-1/4"	Soft Rubber Wheel
RIGID	5" x 1-1/4"	Soft Rubber Wheel

CASTER CORNER SHOES, DRUM & CAN DOLLIES, ADJUSTABLE DOLLIES, HI-DRUM & CAN DOLLIES, TOTE PAN HAND TRUCK, TOTE ALL HAND TRUCK, LOW DRUM TRUCKS.		
SWIVEL	3" x 1-1/4"	Semi-steel, Plain Brg. Wheel
RIGID	3" x 1-1/4"	Semi-steel, Plain Brg. Wheel
SWIVEL	3" x 1-1/4"	Hard Rubber, Self Lub. Brg.
RIGID	3" x 1-1/4"	Hard Rubber, Self Lub. Brg.

ROLL OVER DUMP TRUCKS, DOLLY PLATFORM TRUCKS, STEEL DOLLIES, PACKING & STRAPPING TRUCKS, PORTABLE WORK BENCHES, HAND DUMP TRUCKS, 3/SIDED STOCK CARTS.		
SWIVEL	4" x 1-1/2"	Semi-steel, Plain Brg. Wheel
RIGID	4" x 1-1/2"	Semi-steel, Plain Brg. Wheel
SWIVEL	4" x 1-1/2"	Hard Rubber Wheel, Self Lub. Brg.
RIGID	4" x 1-1/2"	Hard Rubber Wheel, Self Lub. Brg.

PORTABLE CABINET WORK BENCHES, HEAVY DUTY SINGLE END TRUCKS, HEAVY DUTY DOUBLE END TRUCKS, SHOP TRUCKS, PORTABLE CABINET WORK BENCHES, DRUM DOLLY TRUCKS, ROLLOVER BOX TRUCKS, SHOP TRAY TRUCKS, HEAVY DUTY SLAT-TOP SHOP TRUCKS, LADDER STOCK CARTS, DIVIDED SHELF TRUCK, HYDRAULIC LIFT TOP TABLES.		
SWIVEL	5" x 1-1/4"	Semi-steel, Pln. Brg.
RIGID	5" x 1-1/4"	Semi-steel, Pln. Brg.
SWIVEL	5" x 1-5/8"	Semi-steel, Plain Brg. Wheels
RIGID	5" x 1-5/8"	Semi-steel, Plain Brg. Wheels
SWIVEL	5" x 1-1/2"	Hard Rubber, Self Lub. Brg.
RIGID	5" x 1-1/2"	Hard Rubber, Self Lub. Brg.

WOOD & STEEL PLATFORM TRUCKS, DRUM STORAGE RACKS, SLIDING SHELF TRUCKS, LAMINATED MAPLE PLATFORM TRUCKS, LUMBER SERVICING TRUCKS, HEAVY DUTY WAREHOUSE TRUCKS, BATTERY TRANSPORT TRUCK, SHEET AND PANEL TRUCK.		
SWIVEL	6" x 2"	Semi-steel, Plain Brg. Wheel
RIGID	6" x 2"	Semi-steel, Plain Brg. Wheel
SWIVEL	6" x 2"	Hard Rubber, Self Lub. Brg.
RIGID	6" x 2"	Hard Rubber, Self Lub. Brg.
SWIVEL	6" x 2"	Soft Rubber Wheel
RIGID	6" x 2"	Soft Rubber Wheel
SWIVEL	6" x 2"	Plastic Roller Brg.
RIGID	6" x 2"	Plastic Roller Brg.

5 SHELF HEAVY DUTY TRUCKS, 3/SIDED PLATFORM TRUCKS, SEMI-LIVE PLATFORM TRUCKS.		
SWIVEL	8" x 2"	Semi-steel, Plain Brg. Wheels
RIGID	8" x 2"	Semi-steel, Plain Brg. Wheels
SWIVEL	8" x 2"	Moldon Rubber, Roller Brg. Wheels
RIGID	8" x 2"	Moldon Rubber, Roller Brg. Wheels
CRADLE TRUCKS, EXTRA HEAVY DUTY SHOP TRUCKS, SHEET-BAR STOCK TRUCKS.		
SWIVEL	8" x 2-1/2"	Semi-steel, Roller Brg. Wheel
RIGID	8" x 2-1/2"	Semi-steel, Roller Brg. Wheel
WHEELS ONLY FOR ALL PURPOSE HAND TRUCKS.		
NO. 175	8" x 1.75	Semi-Pneumatic Wheel — 1/2" Axle
NO. 275	10" x 2.75	Semi-Pneumatic Wheel — 5/8" Axle
NO. 410	350-4-2 Ply	Full Pneumatic Wheel — 5/8" Axle

• SEE BACK OUTSIDE COVER FOR ORDERING SUGGESTIONS

IN OUR 27TH ANNIVERSARY YEAR SINCE 1949

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly

Grizzly SPECIALS

IN OUR 27th ANNIVERSARY YEAR SINCE 1949

SOME OF THE MANY SPECIALS DESIGNED & MANUFACTURED FOR CUSTOMER'S PARTICULAR NEEDS.

We specialize in Material Handling, Drum, Shop and Industrial Equipment of original design and maintain an Engineering Department for the exclusive use of our customers.

Few of the thousands of Specials we manufactured are noted in the photos on this and the preceding page. Send us your requirements so we may submit design and quotation for your approval.

Please send as much of the basic information as you can in accordance with the suggested outline below to help us to expeditiously handle your request.



ORDER PICKING TRUCK

PARTS HOPPER —2 OPENINGS



PARTS ASSEMBLY TRUCK



CERAMIC TUBE ASSEMBLY LINE TRUCK



INSTRUMENT TRUCK



BAR & ROD TRUCK



ANGLE RACK TRUCK



PORTABLE PALLET DOLLY



CONVEYOR TOWLINE TRUCK



QUALITY CONTROL & TESTING STATION

WHEN ORDERING SPECIAL GRIZZLY EQUIPMENT USE THIS SUGGESTED OUTLINE

1. **GENERAL DESCRIPTION:** Truck, Dolly, Lifts, Work Bench, Stand, Carts, etc.
2. **GENERAL DESIGN:** Type of shelf; flat or tray; Type of top. Handle, etc.
3. **DIMENSIONS:** Indicate inside or outside dimensions; width, length, height.
4. **CAPACITY:** Load-Pounds: Entire unit, per caster, per shelf.
5. **QUANTITY:** Could substantially determine pricing.
6. **SPECIAL DESIGN FEATURES:** Your own ideas of how unit should be constructed.
7. **FINISH:** Standard Colors: Green, Gray or Orange Enamel.

• Specially designed and manufactured with automatic controls to meet customer requirements for floor and overhead operations.

In The Bicentennial Year

Grizzly

Pucel ENTERPRISES, INC.

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 UTah 1-4604

DESIGNING—ENGINEERING—DEVELOPING—MANUFACTURING

PLEASE ROUTE TO

ATTN:
- ☐ PLANT ENGINEERING
- ☐ GEN. FOREMAN
- ☐ MAINTENANCE
- ☐ PRODUCTION
- ☐ EQUIP. BUYER

Additional catalogs sent on request.

Grizzly®

MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT

DESIGNED FOR RUGGED USE

SINCE 1949



Pucel Enterprises, Inc., Opposer/Petitioner
vs.
Grizzly Industrial, Inc., Applicant/Respondent
TTAB Consolidated Case No. 123,506; 31984; 32024; 32025
PUCEL'S Exhibit No. 25

TOLL FREE

TO:

1000400
ENTIRE
MANUAL

Grizzly® EQUIPMENT

Sioux® PRODUCTS

Pucel ENTERPRISES, INC.

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE (216) 881-4604

DESIGNING • ENGINEERING • DEVELOPMENT • MANUFACTURING

Grizzly®

SERVING INDUSTRY FOR 29 YEARS

MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT

Highest Quality at Low Cost

* The GRIZZLY Equipment items shown in this catalog are typical of the many items we manufacture.
* In addition, we design, engineer, develop and manufacture GRIZZLY and other equipment to satisfy special and other standard needs.
* GRIZZLY equipment is arc welded construction, designed for rugged and long time use; completely assembled, ready for immediate use, no loose parts, no assembly required by the customer—all adds up to increased productivity. These GRIZZLY advantages more than offset additional transportation cost.*
* We are ever striving to maintain an effective competitive position considering our GRIZZLY High Quality Standards and Workmanship.
* We are constantly on the move improving present equipment and products, researching and developing new items to meet current and changing market requirements.
* GRIZZLY Equipment performance is best testified by the daily receipt of repeat orders from small and large customers.
* We gratefully appreciate the pleasant relationship we enjoy with our customers and would regularly like to hear from you—complaints as well as suggestions—for we always strive to maintain and improve good customer relations. May we hear from you?

Respectfully,

Edward L. Pucel

Edward L. Pucel
President

*A few catalog items are KD.

Grizzly® GUARANTEE

Quality Guarantee

All Grizzly Equipment is fully guaranteed to be manufactured in accordance with commercial standards and specifications shown in our catalog. Equipment is fully inspected before leaving our plant and is guaranteed against defective workmanship for 3 months from date of purchase. However, we cannot be held responsible for abuse by user beyond normal usage. This is your guarantee of a product of highest quality.

Grizzly®
EVER ON THE MOVE

GRIZZLY renders long term satisfactory service.
You can have continued confidence in GRIZZLY.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

Grizzly®

ALPHABETICAL INDEX

EQUIPMENT — Page No.

BENCHES
- Arc Welding 23
- Arc Welding, w/Shields 23
- Gas Welding 23
- Tool Cabinet 12

BENCHES, WORK
- Accessories 15
- Cabinet Base 16
- Cabinet, w/Sliding Door 17
- Cabinet Unit 15
- Drawer Units 16
- Drawer Unit, Heavy 16
- Drawer Unit, Multiple 17
- Hard Maple Tops 15
- Heavy Duty 14
- Legs 15
- Portable, Cabinet 13
- Risers 14
- Tops, Hard Maple 15
- Tops, Pressed Wood 14

CABINETS
- Base 16
- Door 16
- Drawer 16
- Machine Floor 18
- Portable Door 16
- Portable Drawer 16
- Storage, Extra Heavy Duty 6
- Tool Drawer 19

CARTS
- Hand, Tote-All 9
- Mij Box 11
- Stock 10
- Stock, Five Shelf 10
- Stock, Hi-Ladder 10
- Stock, Ladder 10
- Stock, 3/Sided 7
- Stock, Tray 9
- Utility, Tote-All 9

CASTERS, GRIZZLY EQUIPMENT — Inside Back Cover

DESKS
- Shop Cabinet 18
- Standing Shop 17

DOLLIES
- Steel, w/Removable Handle 11

DRUMS
- Cradles 20
- Cradles, Ezy-Down 20
- Dollies, Can 20
- Dollies, Hi-Drum & Can 21
- Dolly, Adjustable 20
- Lifter, Horizontal Sling Type 21
- Lifter, Vertical 21
- Lifter, VH—Vertical-Horizontal 21
- Lifters, Dumpers, Roto-Tilt 22
- Storage Racks 21
- Up-Ender 21
- Unit, Vertical Stacking, Portable 22

HANDLE, JACK 6

HOOKS, FORK, SWIVEL HOIST 22

Page No.

HOOK, FORK CRANE, ATTACHMENT 22

PIGEON HOLE BIN UNITS 19

RACKS
- Die, Shelf, Heavy Duty 23
- Rack, Stacking Units 24
- Rack-U-Frame, Portable 24
- Rack-U-Frame, Portable, Twin Modules 24
- Storage, Die, Extra Heavy Duty 23
- Vertical Bar 23

SHOES, CASTER CORNER 23

SPECIALS — Outside Back Cover

STANDS
- Machine Cabinet 18
- Tool, Extra Heavy Duty 11
- Tool, Heavy Duty 11

TABLES
- Hopper 11
- Lift Top, Hydraulic 8
- Marking, Portable 11
- Mij 11
- Utility 12
- Utility, Half-Shelf 12

TRUCKS
- Bar and Rod 6
- Beverage, Premium, 2 Wheel 5
- Box 7
- Box, Roll-Over 7
- Cradle 4
- Double End, Heavy Duty 3
- Drawer, Cabinet, Portable 6
- Drum Dolly 20
- Five Shelf, Heavy Duty 10
- Garment 8
- Hand Dump 7
- Hand Dump, Roll-Over 7
- Hand, Tote-All 9
- Hand, Tote Pan 9
- Hand, 2 Wheel, All Purpose 5
- Low Drum 20
- Lumber Servicing 10
- Platform, Dolly 3
- Platform, Laminated Maple 3
- Platform, Semi-Live 6
- Platform, Steel 3
- Platform, 3/Sided 7
- Platform, Tote-All 9
- Sheet & Panel 6
- Shelf, Divided 8
- Shelf, Enclosed 8
- Shelf, Sliding 7
- Shop, Extra Heavy Duty 4
- Shop, Heavy Duty 4
- Shop, Slat-Top, Heavy Duty 4
- Shop, Step Ladder Attachment 4
- Side, Open 8
- Single End, Heavy Duty 3
- Stock, Cage 7
- Stock, Sheet-Bar 4
- Tray, Shop 9
- Warehouse, Heavy Duty 3

NUMERICAL INDEX

Page No.

- AD-23-S, AD-23-R 20
- AW-3636, AW-3636-S, AW-3636-WS 23
- B-213, BC-213 11
- B-2448 TO B-34120 14
- BC-1, BC-1C3, BC-1C5 16
- BD-2448 TO BD-34120 14
- BL-22, BL-28, BL-34, BL-46, BL-58 15
- BP-36S, BP-36R 13
- BR-18, BR-18C, BR-18-R, BR-18CR 20
- BRT-48, BRT-60, BRT-72 6
- BS-2448 TO BS-34120 14
- BSD-2448 TO BSD-34120 14
- BSDD-2448 TO BSDD-3496 14
- BT-2436, BT-3036, BT-2448, BT-3048 7
- C-1824 TO C-2448-K 12
- CB-2860-S TO CDB-3072-W 16
- CF-2830, CF-2835, CF-3630, CF-3635 18
- CM-2830, CM-2835, CM-3630, CM-3635 18
- CRA-60, CRA-96 4
- CS-2860 TO CW-3072-SD 17
- CS-3S, CS-3R 23
- CST-24 7
- CT-2830, CT-2835, CT-3630, CT-3635 18
- CT-60 18
- CU-18, CU-36, CUK-18, CUK-36 15
- DBU-3072-W, DBU-2872-S 17
- DC-1, DC-1C3, DC-1C5 16
- DFT-60, DFT-60C 18
- DR-1842, DR-2448 23
- DS-4, DS-6 21
- DT-25-S, DT-25-R 20
- DV-2242 8
- EBR-18, EBR-18C, EBR-18R, EBR-18CR 20
- EST-44 8
- ET-2448-2 TO ET-3472-3 4
- F-2448 TO F-34120 14
- FD-2448 TO FD-34120 14
- FS-2448 TO FS-34120 14
- FSD-2448 TO FSD-34120 14
- FTC-36 22
- GT-72, GT-72-SD 8
- GW-2448 TO GW-36144 15
- GW-3636 23
- H-1830 TO H-3060 10
- H-2024-1 16
- HDSC-3648-2, HDSC-3660-3, HDSC-3672-4 6
- HDT-42, HDT-60 7
- HLTT-36-1, HLTT-36-2 8
- HS-2448-2 TO HS-3472-3 11
- L-1828, L-1836, L-2436, L-2448 10
- LBR-909, LBR-909H 20
- LT-20-R, LT-20-S, LT-20-78R, LT-20-78S 10
- MT-2448-2 TO MT-3072-3 11
- OFB-60, OFB-84 4
- OST-39 8
- PC-36S, PC-36R, PC-48S, PC-48R 13
- PDC-36S, PDC-36R 13
- PE-1830 TO PE-2448 23

Page No.

- PT-2448 TO PT-3496 3
- PUB-24SW, PUB-24RW 6
- R-36, R-48, R-60, R-72, R-96 14
- ROBT-36, ROBT-48 7
- RODT-42, RODT-60 7
- RUF-251, RUF-244, RUF-262, RUF-263, RUF-264 24
- S, H, L, K 12
- S-30-DT-3 TO S-48-DT-3 4
- SC-3182 TO SCF-5243 10
- SER-101SW, SER-101RW 9
- SH-36 TO SH-144 15
- SL-18, SL-24 4
- SLPT-2448 TO SLPT-3660 6
- SPT-2842 6
- SRU-232, SRU-242, SRU-248, SRU-332, SRU-342, SRU-348 24
- SS-48, SS-60, SS-72 7
- ST TO K3DC 12
- ST-36 TO ST-120 15
- T-213 TO TEC-313 11
- TA-24 9
- TDC-30, TDC-60 19
- TH-14, TH-14C 11
- TPH-24 9
- TSC-1828-6 TO TSC-2436-12 9
- TT-1830-6 TO TT-3048-12 9
- UC-2432, UC-2442, UC-2452 9
- UT-2432, UT-2442, UT-2452 9
- VB-3684 23
- VDU-10 22
- VH-100 21
- W-2448 TO W-36144 15
- WPT-2448-SW TO WPT-RE-3460-RW 3
- WT-3684, WT-3696 3
- YZ-75, YZ-100 10
- 3SC-30, 3SC-36, 3SC-48, 3SC-60 7
- 3ST-2448 TO 3ST-3472 7
- 6 16
- 15 6
- 18-D-30 TO 24-D-60 11
- 18-PTD-30 TO 24-PTD-60 3
- 18-TR-30 TO 30-TR-60 3
- 18-TRE-30 TO 30-TRE-60 3
- 24, 25, 26, 210 22
- 59 18
- 71, 73 21
- 75 TO 83-GS 20
- 80 21
- 84 21
- 85, 85C 21
- 89, 90, 91, 92, 93, 96, 98, 100 5
- 235 21
- 300, 311 5
- 350, 351, 500 22
- 1036, 1236, 1436, 1836 17
- 1416-1 TO 2024-4 16
- 1830-2 TO 2460-3 11
- 1830-DT-2 TO 3060-DT-3 4
- 2036, 2136, 2236, 3036, 3136, 3236 18
- 2421, 4021, 4242, 7242 19
- 2448 TO 3496 15

STANDARD PAINT COLORS: GREEN, VISTA GREEN, GRAY, BEIGE OR ORANGE ENAMEL.
PLEASE SPECIFY WHEN ORDERING.

Grizzly®

SERVING INDUSTRY FOR 29 YEARS

SALES—TERMS AND CONDITIONS

1) **ORDERING:** All orders, including phone orders, must be confirmed in writing.
Your written purchase order should specify each item by number, description, and finish color.

2) **PRICES:** All prices are F.O.B. OUR PLANT, CLEVELAND, OHIO; and subject to change without notice; and do not include any applicable taxes, duties, or any other governmental charges.
We reserve the right to invoice at the prices prevailing at the time of shipment.

3) **SPECIFICATIONS:** Specifications are subject to change without notice.

4) **ROUTING:** Shipment will be made the best way—air, truck, rail, transportation collect; united parcel or parcel post prepaid, collect.
When shipment is prepaid at the customer's request a separate invoice will be submitted, which must be paid within 10 days of invoice date; except however, united parcel and parcel post charges will be noted on the invoice.

5) **PACKAGING:** All items are packaged for domestic shipment. Additional charge will be made for special packaging.

6) **DAMAGED GOODS:** When damage is noted on delivery, the carrier agent is to make the damage notation on your delivery receipt. DO NOT SIGN THE DELIVERY RECEIPT UNLESS THIS IS DONE. The consignee must make claim directly and promptly to the carrier for any damage. When damage is not discovered until all of the items are unpacked request must be promptly submitted to the carrier for concealed damage inspection and adjustment. All items are thoroughly inspected prior to our shipment. Title passes to consignee at the time shipment leaves our dock and the carrier is an agent of consignee.

7) **RETURNED GOODS:** All items returned without our written permission will be refused. Request for return of goods must be made within 10 days of the receipt of goods. A 15% handling and reconditioning charge will be made on authorized returned items. Goods must be returned prepaid at customer's expense. Special items, or modified catalog items, are not returnable.

8) **CHANGES AND CANCELLATIONS:** Items designated as special or modified catalog items are not subject to change or cancellation as they are manufactured for each individual order.

9) **CORRECTIONS:** Stenographic, clerical errors, and any other errors, are subject to correction.

10) **DELAYS:** All orders, contracts and agreements are made subject to delays contingent upon accidents, strikes, embargoes, or any other causes beyond our control.

11) **TERMS:** All prices are **NET**—30 days from date of invoice. A 1% cash discount is allowed if payment is made within 10 days from date of invoice.

Open account can be established with an acceptable Dun and Bradstreet rating. Firms listed and not rated, or not listed, are requested to submit 3 major trade references and 1 banking reference with their order to facilitate prompt handling.

C.O.D. orders are not acceptable.

Minimum orders: $50.00 **NET**, plus shipping charges.

12) These said "Sales-Terms and Conditions" apply to all of the equipment (Standard, Modified and Special) and related matters in this catalog, and are subject to the pricing as contained in the current Price List No. 4, and subsequent Price Lists as issued from time to time, which may be issued without notice.

Effective January 1, 1978

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

STEEL PLATFORM TRUCKS

2500 LBS. CAPACITY—SEMI-STEEL CASTERS
2200 LBS. CAPACITY—HARD RUBBER CASTERS



PT-2860

ALL WELDED CONSTRUCTION

Durable free moving platform truck to absorb the roughest usage. Reinforced steel platform with removable tubular push handle 36" from floor. Platform 9¾" from floor.

Casters: 2 swivel and 2 rigid, 6" x 2"

Finish: Green Enamel

Model	W	L	Ship. Wt.
PT-2448	24"	48"	110
PT-2848	28"	48"	118
PT-3448	34"	48"	130
PT-2460	24"	60"	121
PT-2860	28"	60"	131
PT-3460	34"	60"	144
PT-2472	24"	72"	133

Model	W	L	Ship. Wt.
PT-2872	28"	72"	144
PT-3472	34"	72"	160
PT-2496	24"	96"	155
PT-2896	28"	96"	170
PT-3496	34"	96"	191
Extra Handle Bars	Includes Sockets		10
Extra Handle Sockets	Welded on Truck		4

DOLLY PLATFORM TRUCKS

Platform can be reversed at no charge, with 2" deep flanges up on all sides.



24-PTD-60

ALL WELDED CONSTRUCTION
REMOVABLE TUBULAR HANDLE
1500 LBS CAPACITY—SEMI-STEEL WHEELS
1500 LBS CAPACITY—HARD RUBBER WHEELS
LOW DECK—5⅛" FROM FLOOR
Handle Overall Height—36"
Finish: Green Enamel
Casters: 2 swivel and 2 rigid, 4" x 1½"

Model	W	L	Ship. Wt.
18-PTD-30	18"	30"	50
18-PTD-36	18"	36"	57
18-PTD-48	18"	48"	68
18-PTD-60	18"	60"	80
24-PTD-30	24"	30"	56

Model	W	L	Ship. Wt.
24-PTD-36	24"	36"	63
24-PTD-48	24"	48"	74
24-PTD-60	24"	60"	85
Extra Handle Bars	Includes Sockets		10
Extra Handle Sockets	Welded on Truck		4

HEAVY DUTY SINGLE END TRUCKS

2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS

All welded for rugged stock and general shop use with 1-3/4" x 3/16" angle posts, tubular push bar at a convenient 36" height from the floor.

Top shelf 22" from floor, tray sides on bottom shelf 2" high with 11-3/8" clearance between shelves, floor clearance 6-1/4". 2 swivel and 2 rigid casters.

Casters: Semi-Steel Wheels 5" x 1⅜"
Hard Rubber Wheels 5" x 1½"

Overall Height—36"
Finish: Green Enamel

Truck Floor Lock —Flat Bottom Shelf — Available at Additional Charge.



24-TR-30

Model	W	L	Ship. Wt.
18-TR-30	18"	30"	98
18-TR-36	18"	36"	106
18-TR-48	18"	48"	122
18-TR-60	18"	60"	140
24-TR-30	24"	30"	110
24-TR-36	24"	36"	120

Model	W	L	Ship. Wt.
24-TR-48	24"	48"	140
24-TR-60	24"	60"	160
30-TR-30	30"	30"	125
30-TR-36	30"	36"	135
30-TR-48	30"	48"	160
30-TR-60	30"	60"	185

LAMINATED MAPLE PLATFORM TRUCKS

2500 LBS. CAPACITY—SEMI-STEEL CASTERS
1400 LBS. CAPACITY—SOFT RUBBER CASTERS



WPT-RE-2448-RW

With 1½" thick Laminated Maple Deck, thoroughly seasoned and precision dried in electronically controlled kilns.

Laminations are placed on edge and bound into a single, warp resistant, self supporting platform. No soft core.

All models have a 10" deck height—36" overall height with removable tubular handle.

Deck bottom reinforced with 2—6" x 1" Maple Battens for caster attachment.

Casters: 6" x 2" Soft Rubber Thread Wheels
6" x 2" Semi-Steel Wheels.
2 Swivel and 2 Rigid
Self lube bearing wheels

WPT-RE series have angle frame for side protection.
Size angle—1½" x 1½" x ⅛"
WPT Series have no frame.

Finish: Platform—Clear Lacquered: Steel Work—Green Enamel

Model	W	L	Ship. Wt.	w/Steel Frame		w/o Steel Frame	
				Steel Wheel	Rubber Wheel	Steel Wheel	Rubber Wheel
WPT-2448-SW	24"	48"	117			X	
WPT-2448-RW	24"	48"	113				X
WPT-RE-2448-SW	24"	48"	127	X			
WPT-RE-2448-RW	24"	48"	123		X		
WPT-2460-SW	24"	60"	126			X	
WPT-2460-RW	24"	60"	122				X
WPT-RE-2460-SW	24"	60"	136	X			
WPT-RE-2460-RW	24"	60"	132		X		
WPT-3448-SW	34"	48"	137			X	
WPT-3448-RW	34"	48"	133				X
WPT-RE-3448-SW	34"	48"	147	X			
WPT-RE-3448-RW	34"	48"	143		X		
WPT-3460-SW	34"	60"	155			X	
WPT-3460-RW	34"	60"	151				X
WPT-RE-3460-SW	34"	60"	175	X			
WPT-RE-3460-RW	34"	60"	171		X		
Extra Handles & Sockets							

HEAVY DUTY WAREHOUSE TRUCKS

6000 LBS. CAPACITY

SOLID STEEL DECK ALL WELDED

For heavy industrial and warehouse use where severe service is needed. Large deck surface for bulky loads. The platform is 13" above floor. Removable 1¼" tubular handle. Other wheels and casters on request.

WT-3696

Handle Overall Height—36" **Finish: Green Enamel**

Model	W	L	Ship. Wt.	Standard Running Gear
WT-3684	36"	84"	270	2—Swivel Casters with 6" x 2" semi-steel wheels 2—Semi-steel wheels 12" x 2½" on 1" axle
WT-3696	36"	96"	300	
Extra Handle Bars			20	Includes Sockets
Extra Handle Sockets			8	Welded on Truck

HEAVY DUTY DOUBLE END TRUCKS

2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS

All welded for widest variety of uses with 1-3/4" x 3/16" angle posts. Tray sides 2" deep on bottom shelf. Top shelf 22" from floor with 11-3/8" clearance between shelves. Floor clearance 6-1/4". 2 rigid and 2 swivel casters.



24-TRE-36

Overall Height—36" **Finish: Green Enamel**
Casters: Semi-Steel Wheels 5" x 1⅜"
Hard Rubber Wheels 5" x 1½"
Truck Floor Lock—Flat Bottom Shelf
Available at Additional Charge.

Model	W	L	Ship. Wt.
18-TRE-30	18"	30"	107
18-TRE-36	18"	36"	115
18-TRE-48	18"	48"	131
18-TRE-60	18"	60"	149
24-TRE-30	24"	30"	120
24-TRE-36	24"	36"	130

Model	W	L	Ship. Wt.
24-TRE-48	24"	48"	150
24-TRE-60	24"	60"	170
30-TRE-30	30"	30"	136
30-TRE-36	30"	36"	146
30-TRE-48	30"	48"	171
30-TRE-60	30"	60"	196

SHOP TRUCKS—HEAVY DUTY

HEAVY DUTY
ALL WELDED CONSTRUCTION

2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS

Used in shop operations with presses, screw machines, piece parts or shop boxes. Flat top for sliding heavy dies or tooling on and off. Tray shelves 2" deep.

All sizes 32 ½" high. Clearance between shelves on 3-shelf model—10 ½"; 2-shelf model—22 ¼". Floor Clearance—6 ¼".

Sturdy 12-gauge shelves with tubular push handle; 1-3/4" x 3/16" angle posts for added capacity. Extra strong Casters for durability and easy movement. Two swivel and two rigid casters for controlled maneuverability. Finish: Green Enamel

2436-DT-3

GRIZZLY Drawer Units can be added.
See Page 16.

Casters: Semi-Steel Wheels 5" x 1⅜"
Hard Rubber Wheels 5" x 1½"

Optional writing shelf attachment.

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge.

Optional removable writing shelf attachment available at additional charge. Can be added to Grizzly Shop Trucks or Stock Carts with tray top shelf only. (See Page 10).

Model	Shelves	W	L	Ship. Wt.
1830-DT-2	2	18"	30"	93
2430-DT-2		24"	30"	105
3030-DT-2		30"	30"	118
1830-DT-3	3	18"	30"	116
2430-DT-3		24"	30"	134
3030-DT-3		30"	30"	152
1836-DT-2	2	18"	36"	100
2436-DT-2		24"	36"	115
3036-DT-2		30"	36"	130
1836-DT-3	3	18"	36"	128
2436-DT-3		24"	36"	150
3036-DT-3		30"	36"	172

Model	Shelves	W	L	Ship. Wt.
1848-DT-2	2	18"	48"	116
2448-DT-2		24"	48"	135
3048-DT-2		30"	48"	154
1848-DT-3	3	18"	48"	152
2448-DT-3		24"	48"	180
3048-DT-3		30"	48"	210
1860-DT-2	2	18"	60"	135
2460-DT-2		24"	60"	155
3060-DT-2		30"	60"	177
1860-DT-3	3	18"	60"	180
2460-DT-3		24"	60"	210
3060-DT-3		30"	60"	242

EXTRA HEAVY DUTY SHOP TRUCKS

5000 LBS. CAPACITY—SEMI-STEEL WHEELS
4000 LBS. CAPACITY—HI-CAP RUBBER WHEELS
ALL WELDED CONSTRUCTION

For moving heavy parts or large tote boxes and shearings to and from presses and other operations. Flat top for easy sliding of large dies, molds and castings on or off top. Heavy and large structures can be fabricated on truck. With tubular push handle.



ET-2460-2

Shelves: 12 gauge steel, Posts: 2" x 2" x 3/16" angle
All Casters: 2 swivel and 2 rigid, 8" x 2-1/2" Roller Bearing Wheels
Truck Floor Lock — Available at Additional Charge.
Finish: Green Enamel

All Models 36" High
10" Floor Clearance



21" clearance between shelves



9½" clearance between shelves

Model	W	L	Ship. Wt.
ET-2448-2	24"	48"	220
ET-2460-2	24"	60"	240
ET-2472-2	24"	72"	260
ET-2848-2	28"	48"	230
ET-2860-2	28"	60"	255
ET-2872-2	28"	72"	280
ET-3448-2	34"	48"	256
ET-3460-2	34"	60"	286
ET-3472-2	34"	72"	316
ET-2448-3	24"	48"	275
ET-2460-3	24"	60"	305
ET-2472-3	24"	72"	335
ET-2848-3	28"	48"	290
ET-2860-3	28"	60"	325
ET-2872-3	28"	72"	365
ET-3448-3	34"	48"	325
ET-3460-3	34"	60"	370
ET-3472-3	34"	72"	415

HEAVY DUTY SLAT-TOP SHOP TRUCKS

ALL WELDED CONSTRUCTION
2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS

Model	Shelves	W	L	Ship. Wt.
S-30-DT-2	2	24"	30"	117
S-30-DT-3	3	24"	30"	146
S-36-DT-2	2	24"	36"	132
S-36-DT-3	3	24"	36"	167
S-48-DT-2	2	24"	48"	150
S-48-DT-3	3	24"	48"	196

S-30-DT-3

Used in shop operations, with presses, screw machines, shipping, and other equipment —items easily lifted off truck with slings and grabs.

Easily slides heavy dies on and off top with safety to fingers and hands.

TOP—12 ga. steel, formed double channels, 3" wide, 1-1/2" deep, spaced 1-1/2" apart. All Models 32-1/2" high—Clearance between shelves on 3-shelf models 10-1/8", 2-shelf models 22-1/4", floor clearance—6-1/4" Tubular Push Handle, 1-3/4" x 3/16" angle iron posts—

Casters: 2 swivel, 2 rigid
Semi-Steel Wheels 5" x 1⅜"
Hard Rubber Wheels 5" x 1½"
Truck Floor Lock—Flat Bottom Shelf
— Available at Additional Charge. Finish—Green Enamel

STEP LADDER ATTACHMENT

FOR SHOP TRUCKS

Makes your Unit More Versatile

SIMPLE INSTALLATION—Bolts to Legs at Swivel Caster End. Ladder is Spring Loaded and Adjustable.

3 STEPS—ALL STEPS ADJUSTABLE—4" STEPS. 62" O.A.H.

SL-18	For 18" Wide Unit	Ship. Wt. 40 Lbs.
SL-24	For 24" Wide Unit	Ship. Wt. 45 Lbs.

Finish: Green Enamel

SL-24

CRADLE TRUCKS

ALL WELDED CONSTRUCTION
8000 LBS. CAPACITY

Used for all types of pipe, tubing, bar stocks. Load centers itself for balance. Controlled maneuverability, turns in 36" radius. Cradles permit easy loading and unloading with fork lift or sling.

Length—CRA-60 = 60"; CRA-96 = 96"
Remainder of Specifications apply to CRA-60 and CRA-96.
Cradle Width 23 ½", Overall Width 32", Height 37 ½", Depth 15"
Casters: Swivels, 8" x 2 ½", Semi-Steel, Roller Bearing Wheels.
Center Wheels: 14" x 2 ½" Semi-Steel, Roller Bearing Wheels
Casters: Swivels, 10" x 2 ½", Hi-Cap Rubber Wheels
Center Wheels: 16" x 3" Hi-Cap Rubber Wheels

CRA-60 Ship. Wt. 350 Lbs.
CRA-96 Ship. Wt. 384 Lbs.
Finish: Orange Enamel



CRA-60

SHEET-BAR STOCK TRUCKS

All Welded Construction; for sheet steel, plate, bar stock, pipe, tubing, conduit, angle, channel and other long mill shapes. Can be loaded and unloaded by fork lift, overhead crane and hoist.

ID = 30" W; OD: 33" W x 60" L for OFB-60
ID = 30" W; OD = 33" W x 84" L for OFB-84. (The remainder of specifications apply to OFB-60 and OFB-84).

Casters:—2—8" x 2½" Swivel Semi-Steel, Roller Bearing
Center Wheels: 2—14" x 2½" Semi-Steel, Roller Bearing
Casters:—2—10" x 2½" Hi-Cap Rubber Wheels
Center Wheels: 2—16" x 3" Hi-Cap Rubber Wheels
Finish: Orange Enamel



OFB-60

CAPACITY 8000 LBS.

OFB-60 Ship. Wt. 270 Lbs.
OFB-84 Ship. Wt. 294 Lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

ALL PURPOSE HAND TRUCKS

All welded tubular balanced construction with curb jumper, rugged, all edges rounded smooth for appearance and safety, ball bearing rubber wheels, absorb shock, provide easy handling and quiet operation, with plastic handles for firmer grip. Finish: Orange Enamel

For: general use in stock rooms, shipping, receiving, warehouse and dock operations. Balanced—load exerted on the axle, bearings and wheels, and off operator's arms and shoulders.

89 MEDIUM DUTY



90-91 HEAVY DUTY

92-93 HEAVY DUTY W/CONTINUOUS HANDLE



96 CYLINDER TANK UNIT W/HOLD CHAIN



98 EXTRA HEAVY DUTY



100 BARREL DRUM UNIT



Model	Overall Height	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship. Wt.
89	45½"	14"	20"	7"x14"	250	8x1.75 Semi-Pneu	27
90	48"	14"	20"	7"x14"	650	10x2.75 Semi-Pneu	37
91	48"	14"	20"	7"x14"	500	410x3.50—4—2 Ply Pneu	40
92	48"	14"	20"	7"x14"	650	10x2.75 Semi-Pneu	30
93	48"	14"	20"	7"x14"	500	410x3.50—4—2 Ply Pneu	42
96	45"	27"	32½"	13"x25"	650	10x2.75 Semi-Pneu	52
98	43"	18"	18"	8½"x18"	800	8x2 Moldon	55
100	42"	19"	20"	5"x19"	800	8x2 Moldon	58

NEW IMPROVED PREMIUM BEVERAGE TRUCK 300 and 311





ALL WELDED tubular balanced construction, easy to push, even under the heaviest loads; keeps the load on the axle, bearings and wheels, and off operator's arms and shoulders.

ESPECIALLY designed rugged for the Route Man for easy pushing loads over floors, pavement, sidewalks, over curbs, up and down stairs;

MOVING cases of small and large cans, bottles, containers—pop, beer, milk and other beverages;

STACKING HOLDER permits firm hold on as many as 6 cases high; ⅜" floating axle absorbs moving load shock;

REAR LIPPED CHISELED TOE PLATE gives added strength and adequate load bearing area;

NARROW TUBULAR FRAME, only 9½" wide, with plastic handles for firmer grip, easy to maneuver in confined aisles and other areas.

ALL EDGES ROUNDED SMOOTH for neat appearance—and safety—Finish: Orange Enamel.

Model	Axle Lgth.	Ht. W/Case Hndl. Ext.	Ht. W/O Case Hndl. Ext.	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship. Wt.
300	14¾"	53½"	46½"	9½"	15¾"	8¼"x10"	650	10x2.75 Semi-Pneu	36
311	17"	53½"	46½"	9½"	18"	8¼"x10"	500	410x3.50—4—2 Ply Pneu	35

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114 Grizzly®

Grizzly®

BAR AND ROD TRUCKS

3400 LBS. CAPACITY - SEMI-STEEL WHEELS
3000 LBS. CAPACITY - HI-CAP RUBBER WHEELS



BRT-60

All welded, heavy gauge steel, rugged for transporting mill shapes - conduit, tubing pipe, angle, channels, rounds, flats, other metal and plastic items.

All models 60" overall height; height above deck 48". Deck: 12 gauge steel, Uprights: 4" channel.

Casters: 8" x 2" Semi-Steel Roller Bearing Wheels, 2 rigid & 2 swivel.
8" x 2" Hi-Cap Rubber Roller Bearing Wheels, 2 rigid & 2 swivel.

Finish: Green Enamel
Truck Floor Lock Available at Additional Charge.

Model	W	L	Ship Wt.
BRT-48	36"	48"	255
BRT-60	36"	60"	275
BRT-72	36"	72"	292

SEMI-LIVE PLATFORM TRUCKS

2500 LBS. CAPACITY
Casters: 8" x 2" Hi-Cap Rubber Wheels
Platform 12" from floor

Model	Platform W	Platform L	Ship. Wt.
SLPT-2448	24"	48"	90
SLPT-2460	24	60"	106
SLPT-3048	30"	48"	100
SLPT-3060	30"	60"	114
SLPT-3648	36"	48"	112
SLPT-3660	36	60	127

All Welded Construction—Rugged—12 Ga. Reinforced Steel Deck—

For temporary storage of materials, parts, or finished goods. Low number of jack handles can service and transport a number of these mobile platforms in plants, warehouses, freight terminals, and in other operations. Finish: Green Enamel

Jack Handle engages and disengages platform. Trucks easily maneuverable, stack in small space when out of use.

JACK HANDLE

Casters: 8" x 2" Hi-Cap Rubber Wheels

54½" Long
No. 15—Ship. Wt. 35 Lbs.



SLPT-3660
W/Optional Jack Handle

EXTRA HEAVY DUTY STORAGE CABINETS

HDSC-3672-4

RUGGED—ALL WELDED CONSTRUCTION

All Models have 1 Fixed Center Shelf. All Other Shelves Adjustable on 2" Centers. Shelf Size—18"W x 35¾"L.

Cabinets built for years of rugged use. Units have 16 Ga. Reinforced Shelves and Bottom, Sides—12 Ga., Doors 18 Ga. with 20 Ga. Reinforcing Channel. Used for storage of tools, small dies, etc. All Models furnished with Plain Handle, Keyed Handle available at additional charge. Units shipped completely assembled and ready for use.

Finish: Green Enamel

Model	D	W	H	Shelves	Ship. Wt.
HDSC-3648-2	19"	36"	48"	2—1 Fixed, 1 Adjustable	205
HDSC-3660-3	19"	36"	60"	3—1 Fixed, 2 Adjustable	250
HDSC-3672-4	19"	36"	72"	4—1 Fixed, 3 Adjustable	300
Additional Shelves Available 18"D x 35¾"L					20



SPT-2842

SHEET AND PANEL TRUCK

2000 LBS. CAPACITY
Casters: 2 Rigid and 2 Swivel, 6" x 2", Hard Rubber Wheels

All welded rugged construction—Used for transporting panel units, partition sections, masonite, formica, building and other long type materials, to and from work stations, in the plant, and on the construction job. End stop on the length of the deck keeps material from sliding off truck.

Finish: Green Enamel
Model SPT-2842 28"W—42"L—49"O.A.H. Ship. Wt.—105 Lbs.

PORTABLE DRAWER AND CABINET TRUCK

1000 LBS. CAPACITY - SEMI-STEEL WHEELS
800 LBS. CAPACITY - SOFT RUBBER WHEELS



PUB-24RW

For the Repairman who maintains equipment and machinery utilizing smaller parts and accessories.

All welded, rugged construction equipped with 5" x 1¼" casters—2 rigid and 2 swivel. Easy to roll.

Top: 20" x 24"; Height to Top Surface—
Overall 34";
Top, back and side stops—½" high;
Space inside cabinet 13"H, 22"W, 20"D.
Drawers: 20"W, 19"D, 5"H.

Finish: Green Enamel
Keyed Handle Available at Additional Charge.

PUB-24SW	w/Semi-Steel Wheels	138 Ship. Wt
PUB-24RW	w/Soft Rubber Wheels	134 Ship. Wt

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114
Grizzly®

SLIDING SHELF TRUCKS

SS-72

2400 LBS. CAPACITY—SEMI-STEEL WHEELS
2000 LBS. CAPACITY—HARD RUBBER WHEELS
LARGE VOLUME CAPACITY TRUCK
REMOVABLE SHELVES

Ruggedly built of all steel welded construction. Ready for use.
All corners and all edges are round for safe handling without damage to other equipment.
See Thru design for visual load inspection.
For large or heavy stock orders and other purposes.
Shelves are easily removed by sliding out of channels permitting truck to be used for large bulky materials.

Easy rolling with 6" x 2" Casters —2 rigid and 2 swivel.

18" Clearance Between Shelves — Prices include Two (2) Shelves, Extra Shelves Priced on Request — Finish: Green Enamel
Shelves slope 2" to back

Model	L	W	H	Shelf Size	Ship. Wt.
SS-48	36"	37"	66"	36" x 48"	266 lbs.
SS-60	68"	37"	66"	36" x 60"	298 lbs.
SS-72	72"	37"	66"	36" x 72"	330 lbs.

CAGE STOCK TRUCK

CST-24

800 LBS. CAPACITY
ALL WELDED CONSTRUCTION

For variety of uses, on the assembly line, in the stock room and many other operations.
See-thru design for visual load inspection.
Used for drying purposes, paper stock, etc.

Overall Dimensions.....24½"W x 42"L x 62"H
Shelves.....24" x 36" — 14 Ga. steel
Casters.....2 swivel, 2 rigid, 5" x 1¼" Soft Rubber Wheels
Finish:.....Green Enamel

★ Shelves are furnished with welded clips that rest on Band Iron strips

CST-24—Ship. Wt. 135 lbs.
Additional Shelves Available at Additional Charge — Ship. Wt. 24 lbs.

BOX TRUCKS
ROLL-OVER BOX TRUCKS



BT-2436



ROBT-36

ALL WELDED CONSTRUCTION

1000 LBS. CAPACITY—SEMI-STEEL WHEELS
800 LBS. CAPACITY—SOFT RUBBER WHEELS

GRIZZLY Box Truck and Roll-Over Box Truck are used for handling packaged goods, in department stores and warehouses, line operations, disposal of waste materials, and for general purposes.

Rugged construction, heavy 14 gauge steel, tilt type mounted on 2 center rigid casters and 1 swivel caster at the center of each end. Turns within half of its length. Leakproof.

ROBT series—Roll-Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—remains upright, material easily removed—one man operation.

Finish: Green Enamel — Casters: Semi-Steel, 5" x 1⅜" / Hard Rubber, 5" x 1½"

BOX TRUCKS

Models W/O Lids	Ship. Wt.	W	D	L	O.A.H.
BT-2436	95	24"	24"	36"	30"
BT-3036	110	30"	24"	36"	30"
BT-2448	115	24"	24"	48"	30"
BT-3048	136	30"	24"	48"	30"

ROLL-OVER BOX TRUCKS

Model	W	D	L	O.A.H.	Ship. Wt.
ROBT-36	24"	24"	36"	30"	120 Lbs.
ROBT-48	24"	24"	48"	30"	140 Lbs.

3/SIDED PLATFORM TRUCKS



3ST-2848

HEAVY DUTY
3000 LBS. CAPACITY—SEMI-STEEL WHEELS
2000 LBS. CAPACITY—MOLD-ON RUBBER WHEELS

Ruggedly built of all steel welded construction. All corners and edges are round for safe handling without damage to other equipment. See Thru design for visual load inspection. Increases load capacity over platform trucks. Used in shipping and receiving rooms.

ALL MODELS: 60" O.A.H. — FINISH: Green Enamel
FLOOR TO DECK: 12" — CASTERS: 2 swivel, 2 rigid, 8" x 2"
DECK TO TOP FRAME: 48"
Reinforced 12 Gauge Steel platform
FRAME: 1-1/2" x 3/16" Angle Iron
Sides and Back 3/4" Flattened Expanded Metal 16 Gauge Steel
TUBULAR PUSH HANDLE

Model	W	L	Ship. Wt.
3ST-2448	24"	48"	185
3ST-2460	24"	60"	200
3ST-2472	24"	72"	220
3ST-2848	28"	48"	200
3ST-2860	28"	60"	213

Model	W	L	Ship. Wt.
3ST-2872	28"	72"	235
3ST-3448	34"	48"	215
3ST-3460	34"	60"	235
3ST-3472	34"	72"	258

3/SIDED STOCK CARTS

MEDIUM DUTY
1500 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS

For variety of uses in factories, warehouses, offices, etc. See Thru design for visual load inspection. Used for drying purposes, paper truck, etc. *ALL WELDED CONSTRUCTION*



3SC-30

ALL MODELS: 60" O.A.H.
BOTTOM DECK: 12 Gauge Steel
POSTS: 1½" x ⅛" Angle Iron
VERTICAL RODS: ⅜" Diameter
DECK HEIGHT: 7" from floor
TUBULAR PUSH BAR
FINISH: Green Enamel
CASTERS: 2 swivel, 2 rigid, 4" x 1½"

Model	W	L	Ship. Wt.
3SC-30	24"	30"	105
3SC-36	24"	36"	115
3SC-48	24"	48"	135
3SC-60	24"	60"	155

HAND DUMP TRUCKS—ROLL-OVER DUMP TRUCKS



HDT-42

1500 LBS. CAPACITY
4" SEMI-STEEL WHEELS

2000 LBS. CAPACITY
8" SEMI-STEEL WHEELS.



RODT-42

ALL WELDED, heavy gauge steel, rugged, leakproof, 5" from floor, for carrying and dumping parts, metal chips, and waste material into pits and containers. Front slanted for easy dumping. Casters: 2 rigid, front, and 1 swivel, rear, 4" x 1½" semi-steel wheels, easily moved into and out of close, narrow quarters. HDT models available with 8" x 2" semi-steel wheels; 2 rigid, front, and 1 swivel, rear. (8" x 2" Mold-On Rubber Wheels available at additional charge).

Handy in machine shops, screw machine operations, production and assembly lines.

RODT unit—Roll Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—remains upright, material easily removed—ONE MAN OPERATION.

RODT-42—Roll-Over Dump Truck — Ship. Wt. 130 Lbs.
(RODT-42 has the same dimensions as HDT-42 with exception of roll-over feature.)
RODT-60—Roll-Over Dump Truck — Ship. Wt. 178 Lbs.
(RODT-60 has the same dimensions as HDT-60 with exception of roll-over feature.)

Finish: Green Enamel

Hand Dump Trucks =	HDT-42	HDT-60
Top	24"W x 42"L	24"W x 60"L
Bottom	24"W x 29"L	24"W x 47"L
Box Depth	18"	18"
Floor to Top of Box	23"	23"
Handle From Floor	36"	36"
Ship. Wt.	120 Lbs.	168 Lbs.

DIVIDED SHELF TRUCK

1400 LBS. CAPACITY—HARD RUBBER WHEELS
ALL WELDED CONSTRUCTION

Large variety of uses—in warehouses, factories, and offices. For order filling, stock picking, parts routing. Five shelf surfaces on each side. Double shelves pitched to slope toward center to prevent material from falling off of truck while in motion. Material can be slid on and off with ease.

DV-2242
42"L—22"W—55¾"O.A.H.
Solid divider thru center, shelves 11" deep and slope 2" to center, 12" clearance from bottom to first shelf, other shelves have 8" clearance.
Casters: 2 Swivel 2 Rigid, 5" x 1½"
Finish: Green Enamel
Ship. Wt.—200 lbs.

Grizzly®



DV-2242

OST-39

OPEN SIDE TRUCK

800 LBS. CAPACITY—SOFT RUBBER WHEELS
ALL WELDED CONSTRUCTION

For factory, hospital and office use. Used as a book cart, stock picker's truck, linen truck, or office record truck.

OST-39
Overall Dimensions: 18½"W x 45"L x 50"H
Shelves: 18" x 39", 18 gauge steel, flat surface
Optional: Tray Shelves 1¼" deep, same price
Clearance Between Shelves: 15"
Casters: 4 swivels, 5" x 1¼"
Push Handles: Tubular, one at each end
Finish: Green Enamel
Ship. Wt. 110 Lbs.

EST-44

ENCLOSED SHELF TRUCK

800 LBS. CAPACITY—
SOFT RUBBER WHEELS
ALL WELDED CONSTRUCTION

For Warehouses, Factories and Offices—
For order picking, stock filling, parts routing. Five shelf surfaces slope 1" to the back to prevent material from falling off of truck while in motion.
Material can be slid on and off with ease.

EST-44
Overall Dimensions: 16"W x 45"L x 62"H
Shelves: 16" x 44"—20 Ga. steel
10" Clearance between Shelves
Casters: 2 swivel, 2 rigid, 5" x 1¼"
Finish: Green Enamel
Ship. Wt.—110 lbs.



GT-72 Garment Truck—
Ship. Wt. 55 Lbs.



GT-72-SD Garment Truck—
Ship. Wt. 70 Lbs.

GARMENT TRUCKS

500 LBS. CAPACITY—
SOFT RUBBER WHEELS

ALL WELDED CONSTRUCTION

Used in garment factories, department stores, laundries, cleaners, motels, hotels. Handy for order filling. Light weight, easy to maneuver.

Dimensions the same for both GT-72 and GT-72-SD

74"L—20-1/2"W—66"H
Frame: 1-1/16" Tubular Steel
Casters: 4 swivels, 5" x 1-1/4"
Finish: Green Enamel

HYDRAULIC LIFT TOP TABLES

- **All Arc Welded—Rugged—Portable**
- **Foot Operated—**
- **Easily adjusted to and from working height.**
- **For moving dies, tools and parts to and from working station—production & maintenance.**
- **Heavy reinforced steel top, telescoped tubular uprights travel within heavy tubular walls to and from working height.**
- **Heavy duty swivel casters and rigid casters provide easy movement, with foot operated floor lock firmly holds the table as required.**



HLTT-36-1
CAPACITY 1000 LBS.

Model HLTT-36-1 Top ..... 20"W—36"L
Swivel casters ..... 5" x 1⅜" semi-steel, plain bearing wheels
Foot operated floor lock between swivel casters at one end.
Raised Top Height ..... 43" from Floor
Top Height ..... 31" from Floor
Top travel ..... 12"
FINISH: Orange Enamel—Ship. Wt. ..... 260 Lbs.
Model HLTT-36-2 Top ..... 30"W—48"L
Swivel casters ..... 5" x 1⅜" semi-steel, plain bearing wheels
Foot operated floor lock between swivel casters at one end.
Raised Top Height ..... 43" from Floor
Top Height ..... 31" from Floor
Top travel ..... 12"
FINISH: Orange Enamel—Ship. Wt. ..... 360 Lbs.



HLTT-36-2
CAPACITY 2000 LBS.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114
Grizzly®

TOTE-ALL UTILITY CARTS
TOTE-ALL PLATFORM TRUCKS

ALL WELDED CONSTRUCTION
800 LBS. CAPACITY - SOFT RUBBER WHEELS

Grizzly®

Used in shipping operations, stockrooms and selling areas. Flat top decks for easy loading and unloading. With tubular push handle. Construction: 1-1/16" tubing 14 gauge. Casters: 5" x 1¼" Soft Rubber self lube, 2 rigid and 2 swivel.

Finish: Green Enamel - Truck Floor Lock Available at Additional Charge





TOTE-ALL UTILITY CARTS
All Models: 36" O.A.H.
Deck Height: 30"
Shelf Clearance: 21⅜"
Floor Clearance: 6¼"

Model	W	L	Ship Wt.
UC-2432	24"	32"	34
UC-2442	24"	42"	42
UC-2452	24"	52"	53

TOTE-ALL PLATFORM TRUCKS
All Models: 37" O.A.H.
Deck Height: 15"

Model	W	L	Ship Wt.
UT-2432	24"	32"	55
UT-2442	24"	42"	64
UT-2452	24"	52"	73

TOTE-ALL HAND TRUCK

ALL WELDED CONSTRUCTION
COMBINATION 4-WHEEL CART OR
2-WHEEL HAND TRUCK
375 LBS. CAPACITY



IDEAL FOR:

- LUGGAGE
- PACKAGES
- SMALL BOXES
- TANKS
- INSTRUMENT CARRIER
- TESTING MACHINES
- VACUUM CLEANING TANKS
- PAINT SPRAY UNITS

I.D. Bottom: 24"W, 16"D.—Sides: 28"H, 23½"D, front to back. 30"W, 4½"H.—Wheels: 8" x 1.75 Semi-Pneumatic rubber tired.—Casters: 3" x 1¼" Hard rubber swivels.—Finish: Green Enamel.

Model TA-24 Ship. Wt. 52 Lbs.

TOTE PAN HAND TRUCK

ALL WELDED CONSTRUCTION
375 LBS. CAPACITY

FOR: **TRAYS, BOXES, TOOLS, DIES & ORDER PICKING**



Sits level on 4 wheels for loading and unloading beside machines or assembly benches. Can be maneuvered on 2 large semi-pneumatic wheels as a hand truck or pushed as a cart on 4 wheels. Two swivel casters in front for each turning.

TRAY: 12"D—24"L.—CLEARANCE BETWEEN TRAYS: 12", Bottom Tray 3¾" from floor.—O.A.H.—42", 22" from front to back wheel.—WHEELS: 8" x 1.75 semi-pneumatic rubber tired.—CASTERS: 3" x 1¼" Hard Rubber Swivels.—FINISH: Green Enamel.

Model TPH-24 Ship. Wt. 55 Lbs.

TOTE-ALL HAND CART



SER-101-RW

Capacity: 1000 Lbs.—Semi-Steel Wheels 800 Lbs.—Soft Rubber Wheels

All welded, rugged construction for general maintenance uses—carrying parts and tools—with padlock attachment and convenient tow handle. Used especially for servicing production machines requiring testing and other measuring instruments.
Casters: Easy to roll with 5" x 1¼" Soft Rubber or Semi-Steel Wheels—2 rigid and 2 swivel.
Top—15"W—28"L, Cart height—20½"O.A.H.
Top and Bottom tray—1" deep.
Legs: 1½" x 1½" x ⅛" Angle Iron
Drawer: 14⅜" D x 20⅝" W x 5" H
Drawer Slides on Ball Bearing Steel Rollers
Handle: 32" Long Finish: Green Enamel

SER-101-SW	w/Semi-Steel Wheels	60 Ship. Wt.
SER-101-RW	w/Soft Rubber Wheels	56 Ship. Wt

SHOP TRAY TRUCKS

HEAVY DUTY ALL WELDED CONSTRUCTION

2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS

Used in shop operations with presses, screw machines, assembly. Handles large bulky parts, castings, large stampings and heavy materials.

ALL MODELS: 36" O. A. H.
TOP TRAY: 6" or 12" Deep—12 Gauge steel with 1" hemmed edges.
BOTTOM TRAY: 2" Deep—12 Gauge steel.
Clearance between Top and Bottom Trays—17-3/4".
LEGS: 1-3/4" x 3/16" Angle Iron
TUBULAR PUSH BAR: Floor Clearace: 6-1/4"
CASTERS: 2 swivel 2 rigid
Semi-Steel Wheels 5" x 1-5/8"
Hard Rubber Wheels 5" x 1-1/2"

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge
Finish: Green Enamel

W	L	Top Box Depth = 6"	Ship. Wt.	Top Box Depth = 12"	Ship. Wt.
18	30	TT-1830-6	114	TT-1830-12	130
24	30	TT-2430-6	128	TT-2430-12	148
24	36	TT-2436-6	140	TT-2436-12	161
30	36	TT-3036-6	151	TT-3036-12	179
24	48	TT-2448-6	158	TT-2448-12	184
30	48	TT-3048-6	180	TT-3048-12	208

TT-2436-12

TRAY STOCK CARTS

MEDIUM DUTY
ALL WELDED CONSTRUCTION
1100 LBS. CAPACITY—SEMI-STEEL WHEELS
800 LBS. CAPACITY—SOFT RUBBER WHEELS

Stock picking truck for large parts, bulky items, deep box can be used for many purposes, mail cart, etc.

ALL MODELS: 36" O.A.H.
TOP TRAY: 6" or 12" deep—16 Gauge steel with ½" hemmed edges.
BOTTOM TRAY: 2½" deep—16 Gauge steel with ½" hemmed edges.
LEGS: 1½" x 1½" x ⅛" Angle Iron
Clearance between top and bottom trays—18".
TUBULAR PUSH BAR Floor Clearance: 6" Finish: Green Enamel
CASTERS: 2 swivel 2 rigid
Semi-Steel Wheels 5" x 1¼"
Soft Rubber Wheels 5" x 1¼"

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge.

TSC-2436-12

W	L	Top Box Depth = 6"	Ship. Wt.	Top Box Depth = 12"	Ship. Wt.
18	28	TSC-1828-6	67	TSC-1828-12	75
18	36	TSC-1836-6	74	TSC-1836-12	85
24	36	TSC-2436-6	83	TSC-2436-12	95

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

STOCK CARTS

MEDIUM DUTY
500 LBS. CAPACITY—
5" SOFT RUBBER WHEELS
360 LBS. CAPACITY—
3" SOFT RUBBER WHEELS

SC-5362

SCF-5363

All welded, designed for rugged factory use yet with appearance satisfactory for office and store. Large capacity shelves save time and steps, on the assembly line, in the stock room, the office, in any one of many other operations.

Built for Years of Easy Rolling Service.

FINISH: Green Enamel
CASTERS: 2 swivel 2 rigid
Soft Rubber Plain Bearing Wheels—5" x 1"
Soft Rubber Ball Bearing Wheels—5" x 1"
Soft Rubber Plain Bearing Wheels—3" x 13/16"

Flat Bottom Shelf — Available at Additional Charge.
— SC Models Available with Writing Shelf Attachment (See Shop Trucks, Page 4)

Shelves—16 ga. Angle Legs All Trays—2½" Deep	Model	W	L	O.A.H.	Shelf Clearance	Casters	Ship. Wt.
All Tray Shelves	SC -3182	18"	28"	34"	25¼"	3"	47
	SC -5182	18"	28"	36"		5"	50
	SC -3362	18"	36"	34"		3"	53
	SC -5362	18"	36"	36"		5"	56
	SC -5242	24"	36"	36"		5"	66
All Tray Shelves	SC -3183	18"	28"	34"	11⅛"	3"	62
	SC -5183	18"	28"	36"		5"	65
	SC -3363	18"	36"	34"		3"	70
	SC -5363	18"	36"	36"		5"	73
	SC -5243	24"	36"	36"		5"	88
Flat Surface Top Shelf Tray Bottom Shelf	SCF-3182	18"	28"	34"	25¼"	3"	47
	SCF-5182	18"	28"	36"		5"	50
	SCF-3362	18"	36"	34"		3"	53
	SCF-5362	18"	36"	36"		5"	56
	SCF-5242	24"	36"	36"		5"	66
Flat Surface Top Shelf Tray Center and Bottom Shelves	SCF-3183	18"	28"	34"	11⅛"	3"	62
	SCF-5183	18"	28"	36"		5"	65
	SCF-3363	18"	36"	34"		3"	70
	SCF-5363	18"	36"	36"		5"	73
	SCF-5243	24"	36"	36"		5"	88

HI-LADDER STOCK CARTS•LADDER STOCK CARTS

ALL WELDED CONSTRUCTION
2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

Permits work up to 10 feet high. This truck can be used for working high stockroom shelves and bins.

HI-LADDER
LT-20-78R

LADDER
LT-20-R

With adjustable ladder to give quick, higher standing step for stock clerks and others to place items into and take from inventory and storage areas, and for moving such items to and from job and shipping locations.

Ladder automatically slides to floor when operator places his weight on first step locking both ladder and truck firmly to the floor, when weight is removed the ladder retracts allowing truck to be easily moved.

Specificatiams: Same for LT-20-78 and LT-20 Models with exception of O.A.H.
TOP OF CART ..... 38¼" from Floor
SHELVES ..... 14-Gauge steel, Tray Type—2" deep
CLEARANCE BETWEEN SHELVES ..... 13"
SIZE OF SHELVES .. Top—20"x32".—Center—20"x36".—Bottom—20"x41"
LADDER ..... Spring loaded and adjustable STEPS: 6" wide
FINISH ..... Green Enamel
CASTERS: 2 Swivel, 2 Rigid
S= Semi-Steel Wheels 5" x 1⅜"
R= Hard Rubber Wheels 5" x 1½"
Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge.
Top and center shelves reversed at no charge

HI-LADDER STOCK CARTS OA-20"W x 44"L x 78"H

LT-20-78R	169 Ship. Wt.
LT-20-78S	174 Ship. Wt.

LADDER STOCK CARTS OA-20"W x 44"L x 62"H

LT-20-R	150 Ship. Wt.
LT-20-S	155 Ship. Wt.

FIVE SHELF STOCK CARTS

1000 LBS. CAPACITY—
SEMI-STEEL CASTERS
800 LBS. CAPACITY—
SOFT RUBBER CASTERS

Large volume capacity stock cart for filling orders and other purposes. All welded construction with 1½" x ⅛" angle posts, and push handle located 39½" high for balanced handling, adds 3" to overall length of cart.

Top trays, with 2½" sides, can be reversed at no extra cost.

L-1836

O.A.H. with Semi-Steel Casters ..... 58½"
O.A.H. with Soft Rubber Casters ..... 58¼"
Shelf Clearance ..... 10" Floor Clearance ..... 6"
Finish ..... Green Enamel
Casters: 2 swivel,2 rigid
Semi-Steel Wheels 5" x 1¼"
Soft Rubber Wheels 5" x 1¼"

Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge.

Model	W	L	Ship. Wt.
L-1828	18"	28"	105
L-1836	18"	36"	119

Model	W	L	Ship. Wt.
L-2436	24"	36"	144
L-2448	24"	48"	181

FIVE SHELF HEAVY DUTY TRUCKS

3000 LBS. CAPACITY—SEMI-STEEL CASTERS
2000 LBS. CAPACITY—MOLDON RUBBER CASTERS

For large and heavy stock orders, shop, tool-room and production line. All welded with 1-3/4" x 3/16" angle posts, top trays of 12 gauge steel, can be reversed at no extra cost.

Tubular push handle for easy maneuvering adds 3" to overall length.

Overall Height ..... 68"
Shelf Clearance ..... 12"
Floor Clearance ..... 9½"
Finish ..... Green Enamel
Casters: 2 swivel,2 rigid
Semi-Steel Wheels 8" x 2"
Moldon Rubber Wheels 8" x 2"

Truck Floor Lock-Flat Bottom Shelf
— Available at Additional Charge.

Model	W	L	Ship. Wt.
H-1830	18"	30"	189
H-2430	24"	30"	219
H-1836	18"	36"	212
H-2436	24"	36"	247
H-3036	30"	36"	287
H-2448	24"	48"	299
H-3048	30"	48"	349
H-2460	24"	60"	355
H-3060	30"	60"	413



H-2436

LUMBER SERVICING TRUCKS

1200 LBS. CAPACITY—ALL WELDED CONSTRUCTION

For convenient movement of bulky and other items for customer service, maintenance and repair including bulky panels, masonite, plywood, lumber, trim, hardware, gardening tools and landscaping materials.

Casters: 6" x 2" Soft Rubber Wheels = 2 swivel, 2 rigid.



YZ-75 for shorter items.
W = 26"; Depth = 24"; H = 39"
Floor Clearance = 7½"
Finish: Green Enamel
Ship. Wt. = 72 Lbs.

YZ-100 for longer bulkier items.
Width = 24"; Base Length = 42";
Overall Length = 65"; Ht. = 44¾"
Floor Clearance = 8¾"
Sheet Holder adjustable to 60" overall height.
Finish: Green Enamel
Ship. Wt. = 145 Lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

PORTABLE MARKING TABLES

ALL WELDED CONSTRUCTION
CAPACITY 1000 LBS.—SEMI-STEEL WHEELS
CAPACITY 800 LBS.—SOFT RUBBER WHEELS

Model	Shelves	W	L	Ship. Wt.
MT-2448-2	2	24"	48"	100
MT-2448-3	3	24"	48"	132
MT-2460-2	2	24"	60"	115
MT-2460-3	3	24"	60"	155
MT-2472-2	2	24"	72"	125
MT-2472-3	3	24"	72"	162
MT-3048-2	2	30"	48"	112
MT-3048-3	3	30"	48"	150
MT-3060-2	2	30"	60"	130
MT-3060-3	3	30"	60"	175
MT-3072-2	2	30"	72"	140
MT-3072-3	3	30"	72"	184

Grizzly®

Designed for rugged factory use yet with appearance for office and store. Flat surface for layouts, marking and sorting merchandise.

Light duty truck for industrial use, order filling, warehouse, beside assembly operations.

Top and bottom shelves are reinforced with channels.



MT-2460-2

30" O.A.H.—Clearance between Shelves: 21", SHELVES—16 Ga. Steel with 20 Ga. Channels, LEGS—1½" x 1½" x ⅛" Angle Iron, CASTERS—5" x 1¼" .....All Swivels, FINISH: Green Enamel.

STEEL DOLLIES

WITH REMOVABLE HANDLE
1500 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—HARD RUBBER WHEELS

Rugged, all welded 12 gauge steel dollies castered for easy movement. Sides 2" deep, floor clearance 5", with 4" x 1½" casters. 2 swivel and 2 rigid. Removable Handle—½" rod—36½" long.

Top reversed on request at no extra cost.
Finish: Green Enamel



18-D-30

Model	W	L	Ship. Wt.
18-D-30	18"	30"	40
18-D-36	18"	36"	44
18-D-48	18"	48"	52
18-D-60	18"	60"	60
24-D-30	24"	30"	45
24-D-36	24"	36"	50
24-D-48	24"	48"	60
24-D-60	24"	60"	72
Removable Handle Furnished with unit			3

2448-3

HEAVY DUTY TOOL STANDS

2000 LBS. CAPACITY—
ALL WELDED CONSTRUCTION

Heavy Duty Tool Stands have a broad usage in many industries where heavier than average weights are a daily occurrence. Flat top for sliding heavy dies, tooling or shop boxes on and off. Used by machine operators as a service table.

Floor clearance 6¼".
Pads on bottom of legs protect floors.
Finish: Green Enamel

ALL MODELS ..... 32-1/2" O.A.H.
SHELVES ..... 12 Gauge Steel
LEGS ..... 1-3/4" x 3/16" Angle Iron

TOP AND BOTTOM SHELVES
Shelf Clearance 22-1/4 inches

1836-2 W/2 Shelves

TOP BOTTOM AND CENTER SHELVES
Shelf Clearance 10-1/8 inches

1836-3 W/3 Shelves

Model	W	L	Ship. Wt.
1830-2	18"	30"	62
1836-2	18"	36"	70
1848-2	18"	48"	85
1860-2	18"	60"	104
2430-2	24"	30"	83
2436-2	24"	36"	95
2448-2	24"	48"	116
2460-2	24"	60"	136
1830-3	18"	30"	85
1836-3	18"	36"	98
1848-3	18"	48"	120
1860-3	18"	60"	148
2430-3	24"	30"	112
2436-3	24"	36"	130
2448-3	24"	48"	162
2460-3	24"	60"	192

"MIJ" BOX CARTS

300 LBS. CAPACITY—WITH CASTERS

Combines a Tote Box with a highly maneuverable cart. For stocking assembly lines and machines, moving work parts in warehouses and stock rooms, collecting and moving items in tool cribs and shipping rooms. *ALL WELDED CONSTRUCTION.* Easily turned in narrow aisles, speeds up jobs, reduces work-fatigue by eliminating manual lifting of heavy shop boxes and places parts at a normal work elevation.

BC-213

O.D.—13"W—23"L—31"H, BOX—6" deep, CLEARANCE BETWEEN BOX AND SHELF—17", BOTTOM SHELF—8" from Floor

FINISH: Green Enamel.
B-213—Ship. Wt. 28 lbs. With Floor Pads
BC-213—Ship. Wt. 29 lbs. With 2½" Pressed Steel Casters

HOPPER TABLES

300 LBS. CAPACITY—WITH CASTERS

All welded construction, used beside machines for holding tote box on the sloping lipped top shelf filled with parts, which operator feeds into the machine operation, the machined parts are dropped into the chute opening into the tote box on the bottom shelf. Tote box filled with machined parts is then transferred to the next operation. These operations are repeated on the production line resulting in quicker and lower production costs with less fatigue on the workers. Hopper Tables are especially used on small parts production and assembly.

TH-14



TH-14C

14¼"W—29¼"L—O.A.H. Back-36"—Front-30" with 1" Stop, CHUTE OPENING: 6" x 12", BOTTOM SHELF CLEARANCE FROM FLOOR: 6½", CLEARANCE BETWEEN BOTTOM SHELF AND CHUTE: 12", FINISH: Green Enamel.

TH-14	With Floor Pads	37 Ship. Wt.
TH-14C	With 2½" Pressed Steel Swivel Casters	40 Ship. Wt.

TC-213

"MIJ" TABLES

300 LBS. CAPACITY—2½" DIA.
PRESSED STEEL OR SOFT RUBBER WHEELS
FOR FASTER PRODUCTION LINE NEEDS

Rugged—Compact— High Quality at Low Cost

All welded construction, used as a durable service table for handling parts during production, beside Drill Presses, Punch Presses, Lathes, Automatics and other machines. Holds tote boxes at the right height for rapid handling, less fatigue for operator. Casters move table to tote pan, little effort required to place pan on table and move to next operation. Back and side stops and drop front on all shelves. Finish: Green Enamel

ALL MODELS: ..... 13" wide x 23" long
SHELVES: ..... 16 Gauge Steel
LEGS: ..... Structural Angle

Caster Models - 2½" Pressed Steel or Rubber		
	Overall Height	Ship Wt.
TC-213	23½"	22
TEC-213	30½"	24
TC-313	23½"	28
TEC-313	30½"	30

213 Series
Top and Bottom Shelves

313 Series
Top, Bottom and Center Shelves

Models With Floor Pads Welded to Legs			
	Height of Top Shelf	Shelf Clearance	Ship. Wt.
T -213	24"	16"	21
TE-213	31"	21"	23
T -313	24"	7½"	27
TE-313	31"	10"	29

EXTRA HEAVY DUTY TOOL STANDS

For handling long lengths of sheet metal. Placed beside shears, brakes, presses. Used as a feeder table. Layout table for plates, large dies, molds.

FOR EXTREME HEAVY LOAD REQUIREMENTS
ALL WELDED CONSTRUCTION • ALL SHELVES FLAT SURFACES
Finish: Green Enamel



HS-2460-2

3000 LBS. CAPACITY

ALL MODELS ..... 36" High
SHELVES ..... 12 Gauge Steel
LEGS ..... 2" x 2" x 3/16" Angle

Clearance from floor to bottom shelf ... 8"
Clearance between shelves ..... 23½"

HS-2872-2 W/2 Shelves

Clearance from floor to bottom shelf ... 8"
Clearance between shelves ..... 10½"

HS-2872-3 W/3 Shelves

Model	W	L	Ship. Wt.
HS-2448-2	24"	48"	135
HS-2460-2	24"	60"	155
HS-2472-2	24"	72"	175
HS-2848-2	28"	48"	145
HS-2860-2	28"	60"	170
HS-2872-2	28"	72"	195
HS-3448-2	34"	48"	165
HS-3460-2	34"	60"	190
HS-3472-2	34"	72"	240
HS-2448-3	24"	48"	185
HS-2460-3	24"	60"	215
HS-2472-3	24"	72"	245
HS-2848-3	28"	48"	205
HS-2860-3	28"	60"	240
HS-2872-3	28"	72"	275
HS-3448-3	34"	48"	230
HS-3460-3	34"	60"	280
HS-3472-3	34"	72"	335

UTILITY TABLES

500 LBS. CAPACITY—5" Soft Rubber Wheels
300 LBS. CAPACITY—2½" Dia. Pressed Steel Wheels Or Soft Rubber Wheels

Grizzly®



LC3

S3DC

SDC

All welded construction, handle heavy loads of tools, parts and other items for production workers, machine operators, and repairmen on assembly lines beside machines, in garages, shops and warehouses.

Back and side stops on shelves prevent parts and other items from rolling off. Drop fronts for sliding items on and off, and for easy cleaning. Steel pads on legs avoid floor marks. Sturdy, deep drawers furnished with attachment for padlock. Swiveled castered models for movement of parts and tools from machine to machine.

SHELVES ..... S Models: 16 Gauge—H-L-K Models: 14 Gauge
ANGLE LEGS ..... S Models: 1¼" x ⅛"—H-L-K Models: 1½" x ⅛"
DRAWER SIZE (D) ..... 14"W—16"L—5"D
FINISH: ..... Green Enamel

	31" High Overall Floor Pads Welded to Legs				34" High Overall With Casters & Swivels	
	W	L	Model	Ship. Wt.	Model	Ship. Wt.
 With Top and Bottom Shelves	19"	25"	ST	32	SC	35
	23"	24"	HT	43	HC	46
	20"	28"	LT	44	LC	47
	24"	36"	KT	60	KC	63
 With Top, Bottom and Center Shelves	19"	25"	S3	42	SC3	45
	23"	24"	H3	57	HC3	60
	20"	28"	L3	59	LC3	62
	24"	36"	K3	83	KC3	86
 With Top, Bottom and Center Shelves and No. 1416-1 Drawer	19"	25"	SD3	57	SD3C	60
	23"	24"	HD3	69	HD3C	72
	20"	28"	LD3	71	LD3C	74
	24"	36"	KD3	95	KD3C	98
 With Top and Bottom Shelves and #1416-1 Drawer	19"	25"	SD	47	SDC	50
	23"	24"	HD	58	HDC	61
	20"	28"	LD	59	LDC	62
	24"	36"	KD	75	KDC	78
 With Top and Bottom Shelves and #1416-2 Drawer Unit	19"	25"	S2D	77	S2DC	80
	23"	24"	H2D	88	H2DC	91
	20"	28"	L2D	89	L2DC	92
	24"	36"	K2D	105	K2DC	108
 With Top and Bottom Shelves and #1416-3 Drawer Unit	19"	25"	S3D	98	S3DC	101
	23"	24"	H3D	109	H3DC	112
	20"	28"	L3D	110	L3DC	113
	24"	36"	K3D	126	K3DC	129

TOOL CABINET BENCHES

ALL WELDED—READY FOR USE

Shelf W	Shelf L	Ship. Wt.
18"	23⅜"	11
18"	35⅜"	15
18"	47⅜"	20
24"	35⅜"	19
24"	47⅜"	25

C-1824

Benches with GRIZZLY drawers and casters quoted on request.

Heavy duty benches provide solid working surface plus closed door storage for tool rooms, shop, garages, shipping and stock operations, and are rigid for bench type machines.

ADDITIONAL SHELF AVAILABLE AT ADDITIONAL CHARGE.



C-1836



C-1848-K

TOP ..... 12 Gauge Steel with Back Stops 3" high with Side Stops that taper to 1½" front O.A.H. 37"
SIDE LEG PANELS .... 14 Gauge Steel SHELVES ..... 16 Gauge Steel
DOORS ..... 18 Gauge Steel FINISH: ..... Green Enamel

Model	H	W	D	Shelf W L	No. Shelves	No. Doors	Ship. Wt.
C-1824	34"	24"	19"	18" x 23⅜"	2	1	112
C-1824-K	Keyed Handle in Door		(2 Keys)				
C-1836	34"	36"	19"	18" x 35⅜"	1	2	140
C-1836-K	Keyed Handle in Door		(2 Keys)				
C-1848	34"	48"	19"	18" x 47⅜"	1	2	166
C-1848-K	Keyed Handle in Door		(2 Keys)				
C-2436	34"	36"	25"	24" x 35⅜"	1	2	160
C-2436-K	Keyed Handle in Door		(2 Keys)				
C-2448	34"	48"	25"	24" x 47⅜"	1	2	190
C-2448-K	Keyed Handle in Door		(2 Keys)				

MODELS W/K NOTATION HAVE THE ADDITION OF THE KEYED HANDLE WITH 2 KEYS, OTHERWISE HAVE THE SAME SPECIFICATIONS AS MODELS W/O THE K NOTATION.

HAF-SHELF UTILITY TABLES

DIMENSIONS OF HAF-SHELF: ..... 8" deep, full width of table—11" clearance from top of table.
HEIGHT (with and without casters): ..... Overall including Haf-Shelf—42"—30" from floor to top of table.
FINISH: ..... Green Enamel
Haf-Shelf added to all Utility Table Models on request.

Model	W	L
"S"	19"	25"
"H"	23"	24"
"L"	20"	28"
"K"	24"	36"

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114
Grizzly®

PORTABLE CABINET WORK BENCHES

2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—RUBBER WHEELS

Grizzly®



PC-48S



R-48

PC-48R w/#1424-4 Drawer Unit

HEAVY DUTY

All welded construction, for repairmen, maintenance workers, millwrights, electricians, and other spot workers, providing large storage place for tools and parts, with adequate top work area, back and side stops to prevent tools and parts from falling off top—all to give more efficient work operation, especially eliminating otherwise necessary trips to another work bench and stock room.

Dimensions: Caster wheels—5" for easy rolling—2 rigid and 2 swivel casters. Size of: Top, 26" x 48", Height, 34" to bench top, 3" back stop; Overall height, 37" (48" overall height with riser); Total overall length, 63"; Vise shelf, 12" x 25"—vise shelf standard on all models. Shelf: 24¾" x 47¾". GRIZZLY—Bench Drawer Units installed in Work Benches for special requirements. See Page 16. Finish: Green Enamel.

PC-48S	Semi-Steel Wheels 5" x 1⅜"	250 Ship. Wt.
PC-48R	Hard Rubber Wheels 5" x 1½"	247 Ship. Wt.
R-48	Steel Bench Riser Shelf at Additional Charge	20 Ship. Wt.
	Keyed Handle at Additional Charge (2 keys)	
	Additional Shelf at Additional Charge	26 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
P-48	Pigeon Hole Unit 7" high x 48" long 4—4" x 12" Openings	18 Ship. Wt.
P-88	Pigeon Hole Unit 11" high x 48" long 8—4" x 12" Openings	27 Ship. Wt.



P-48



P-88

BP-SERIES

2000 LBS. CAPACITY—SEMI-STEEL WHEELS
1500 LBS. CAPACITY—RUBBER WHEELS

All welded construction, for Setup men, repairmen, maintenance workers, millwrights, electricians, and other spot workers. Drawer with Tool Tray, large compartment for storing bulky items. Two intermediate shelves for storage. Top heavy 12 Ga. steel, strong enough to mount a Vise.



BP-36R



BP-36R

BP-36R w/#1416-4 Drawer Unit

SIZE OF TOP: 24" x 36". OVERALL HEIGHT: 34". Standard drawer unit in #BP-36—(#1416-1), also available 1416-2, 1416-3, and 1416-4. See Page 16. SHELVES: 2 each 18" wide by 23" deep. STORAGE CABINET: 17" wide x 23" deep x 24" high. CASTERS: 5" 2 Swivel and 2 Rigid. FINISH: Green Enamel.

BP-36S	Semi-Steel Wheels 5" x 1⅜"	220 Ship. Wt.
BP-36R	Hard Rubber Wheels 5" x 1½"	215 Ship. Wt.
	FLOOR TRUCK LOCK at Additional Charge	5 Ship. Wt.
	KEYED HANDLE (2 Keys) at Additional Charge	
	WITH 3/16" STEEL PLATE TOP	250 Ship. Wt.

PORTABLE CABINET WORK BENCHES

1000 LBS. CAPACITY—SEMI-STEEL WHEELS
800 LBS. CAPACITY— SOFT RUBBER WHEELS

LIGHT DUTY

ALL WELDED CONSTRUCTION—Designed for light duty.

TOP: 21¼" x 36".
HEIGHT: 34" to Work Surface, 3" Back Stop.
SHELF SIZE: 19" x 35¾", adjustable on 2" Centers.
FINISH: Green Enamel

PC-36R

PC-36R

PC-36S	5" x 1¼" Semi-Steel, 2 Swivel—2 Rigid Casters	118 Ship. Wt.
PC-36R	5" x 1¼" Soft Rubber, 2 Swivel—2 Rigid Casters	114 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
	Additional Shelf at Additional Charge	16 Ship. Wt.
	Cylinder Lock which locks both Doors (2 Keys)	

PDC SERIES

ALL WELDED CONSTRUCTION
1000 LBS. CAPACITY—SEMI-STEEL WHEELS
800 LBS. CAPACITY—SOFT RUBBER WHEELS



PDC-36R

Equipped with four large drawers, Steel bearing slides, inside dimensions—20" wide x 18" long x 4" deep. Inside Cabinet Size: 10½" wide x 20" deep x 25" high.

TOP: ..... 21¼" x 36"
HEIGHT: ..... 34" to Work Surface, 3" Back Stop
FINISH: ..... Green Enamel

PDC-36R

PDC-36S	5" x 1¼" Semi-Steel, 2 Swivel—2 Rigid Casters	168 Ship. Wt.
PDC-36R	5" x 1¼" Soft Rubber, 2 Swivel—2 Rigid Casters	165 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
	Cylinder Locks fitted to all Drawers (Keyed Un-alike)	
	Keyed Handle at Additional Charge	

WORK BENCHES

ALL WELDED CONSTRUCTION
Standard Lengths 4' - 10'
Specials Quoted on Request

Grizzly®



BS-2872



Showing Reinforced Construction

Reinforced steel tops. Reinforced channel stringers on all models. Shelving of channel reinforced construction to hold heavy loads and avoid sagging. Legs are channel formed with gussets for additional strength.

All welded construction—no bolts, rivets or other parts that have to be continually tightened.

COMPLETELY ASSEMBLED—READY FOR USE

TOPS ..... 12 Gauge Steel
BACK AND SIDE STOPS . 12 Gauge Steel
LEGS ..... 12 Gauge Steel
STRINGERS ..... 16 Gauge Steel
SHELVES ..... 16 Gauge Steel
LEGS SET IN 2" FROM END OF TOP

FINISH: Green Enamel
32½" HIGH TO WORK SURFACE
(34" Height Furnished at Additional Charge)



BACK STOPS—3" High—12 Ga. Steel
SIDE STOPS—3" High at Back, Taper to 1½" at Front

Bench Drawer Units and Accessories, See pages 15 and 16.

All 8 Ft. and Longer Models have 3 Bench Legs

Cylinder Lock Available for Drawer at Additional Charge.



F Series
FLAT TOP WITH STRINGER

Model	Top W	Top L	Ship. Wt.
F-2448	24"	48"	107
F-2460	24"	60"	120
F-2472	24"	72"	134
F-2496	24"	96"	180
F-24120	24"	120"	195
F-2848	28"	48"	118
F-2860	28"	60"	132
F-2872	28"	72"	148
F-2896	28"	96"	198
F-28120	28"	120"	215
F-3448	34"	48"	132
F-3460	34"	60"	148
F-3472	34"	72"	164
F-3496	34"	96"	220
F-34120	34"	120"	250

Model	Top W	Top L	Ship. Wt.
FS-2448	24"	48"	125
FS-2460	24"	60"	142
FS-2472	24"	72"	160
FS-2496	24"	96"	214
FS-24120	24"	120"	235
FS-2848	28"	48"	132
FS-2860	28"	60"	150
FS-2872	28"	72"	170
FS-2896	28"	96"	229
FS-28120	28"	120"	255
FS-3448	34"	48"	150
FS-3460	34"	60"	170
FS-3472	34"	72"	186
FS-3496	34"	96"	250
FS-34120	34"	120"	280



FS SERIES
FLAT TOP WITH STRINGER AND SHELF—15¼" DEEP



FD Series
FLAT TOP WITH STRINGER AND DRAWER UNIT 1424-1

Model	Top W	Top L	Ship. Wt.
FD-2448	24"	48"	132
FD-2460	24"	60"	145
FD-2472	24"	72"	159
FD-2496	24"	96"	205
FD-24120	24"	120"	230
FD-2848	28"	48"	143
FD-2860	28"	60"	157
FD-2872	28"	72"	173

Model	Top W	Top L	Ship Wt.
FD-2896	28"	96"	223
FD-28120	28"	120"	250
FD-3448	34"	48"	158
FD-3460	34"	60"	174
FD-3472	34"	72"	189
FD-3496	34"	96"	245
FD-34120	34"	120"	275

PRESSED WOOD TOPS (¼" THICK)

Pressed wood top—¼" thick—is attached directly over heavy steel top. Used for working with finished parts, die layout, instrument and electrical work. Any Size To 48" x 96".

(Pressed Wood)



The Storage capacity of your Work Bench may be substantially increased without reducing the work area on bench by an easily attached Riser. Slides easily between standard Grizzly Side and Back Stops.

WORK BENCH RISERS

Model	L	Ship. Wt.
R-36	36"	15
R-48	48"	19
R-60	60"	23
R-72	72"	27
R-96	96"	34

FINISH: Green Enamel

WORK BENCHES

ALL WELDED CONSTRUCTION



FSD Series
FLAT TOP WITH STRINGER AND SHELF AND DRAWER UNIT 1424-1

Model	Top W	Top L	Ship Wt.
FSD-2448	24"	48"	150
FSD-2460	24"	60"	167
FSD-2472	24"	72"	185
FSD-2496	24"	96"	239
FSD-24120	24"	120"	270
FSD-2848	28"	48"	157
FSD-2860	28"	60"	175
FSD-2872	28"	72"	195

Model	Top W	Top L	Ship Wt.
FSD-2896	28"	96"	253
FSD-28120	28"	120"	290
FSD-3448	34"	48"	176
FSD-3460	34"	60"	196
FSD-3472	34"	72"	211
FSD-3496	34"	96"	275
FSD-34120	34"	120"	315



B Series
TOP WITH BACK, SIDE STOPS AND STRINGER

Model	Top W	Top L	Ship. Wt.
B-2448	24"	48"	108
B-2460	24"	60"	121
B-2472	24"	72"	135
B-2496	24"	96"	181
B-24120	24"	120"	196
B-2848	28"	48"	119
B-2860	28"	60"	133
B-2872	28"	72"	149

Model	Top W	Top L	Ship. Wt.
B-2896	28"	96"	199
B-28120	28"	120"	216
B-3448	34"	48"	133
B-3460	34"	60"	149
B-3472	34"	72"	166
B-3496	34"	96"	222
B-34120	34"	120"	251

BS Series
TOP WITH BACK, SIDE STOPS, STRINGER AND SHELF
15¼" deep

Model	Top W	Top L	Ship. Wt.
BS-2448	24"	48"	126
BS-2460	24"	60"	143
BS-2472	24"	72"	161
BS-2496	24"	96"	215
BS-24120	24"	120"	236
BS-2848	28"	48"	133
BS-2860	28"	60"	151
BS-2872	28"	72"	171

Model	Top W	Top L	Ship. Wt.
BS-2896	28"	96"	229
BS-28120	28"	120"	256
BS-3448	34"	48"	151
BS-3460	34"	60"	171
BS-3472	34"	72"	188
BS-3496	34"	96"	252
BS-34120	34"	120"	281



BD Series
TOP WITH BACK, SIDE STOPS AND DRAWER UNIT—No. 1424-1
Drawer: 14"W x 23½"D x 5"H

Model	Top W	Top L	Ship. Wt.
BD-2448	24"	48"	133
BD-2460	24"	60"	146
BD-2472	24"	72"	160
BD-2496	24"	96"	206
BD-24120	24"	120"	231
BD-2848	28"	48"	144
BD-2860	28"	60"	158

Model	Top W	Top L	Ship. Wt.
BD-2872	28"	72"	174
BD-2896	28"	96"	224
BD-28120	28"	120"	251
BD-3448	34"	48"	159
BD-3460	34"	60"	175
BD-3472	34"	72"	191
BD-3496	34"	96"	247
BD-34120	34"	120"	276



BSD Series
TOP WITH BACK, SIDE STOPS, STRINGER SHELF AND DRAWER UNIT—No. 1424-1
Drawer: 14"W x 23½"D x 5"H

Model	Top W	Top L	Ship. Wt.
BSD-2448	24"	48"	151
BSD-2460	24"	60"	168
BSD-2472	24"	72"	186
BSD-2496	24"	96"	240
BSD-24120	24"	120"	272
BSD-2848	28"	48"	158
BSD-2860	28"	60"	176
BSD-2872	28"	72"	196

Model	Top W	Top L	Ship Wt.
BSD-2896	28"	96"	254
BSD-28120	28"	120"	292
BSD-3448	34"	48"	177
BSD-3460	34"	60"	197
BSD-3472	34"	72"	213
BSD-3496	34"	96"	277
BSD-34120	34"	120"	317



BSDD Series
W/Peg Board Back

Top with back, side steps, stringer shelf and two drawer units - No. 1424-1
Drawers: 14"W x 23½"D x 5"H

Work Bench available with ¼" hard tempered peg board or ½" homosote board. Convenient homosote board and peg board back used for hanging blueprints, paper work, small tool storage, etc. All back boards 48" high. Finish: Green Enamel.

Work Bench Riser Available at Additional Charge.

Model	W	L	Ship Wt.
BSDD-2448	24"	48"	202
BSDD-2460	24"	60"	221
BSDD-2472	24"	72"	242
BSDD-2496	24"	96"	301
BSDD-2848	28"	48"	209
BSDD-2860	28"	60"	240
BSDD-2872	28"	72"	263
BSDD-2896	28"	96"	326
BSDD-3448	34"	48"	228
BSDD-3460	34"	60"	250
BSDD-3472	34"	72"	269
BSDD-3496	34"	96"	338

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114
Grizzly®

HARD MAPLE WORK BENCHES

ELECTRONICALLY WELDED

Grizzly®

Hard Maple Wood Top selected, edge-grained maple laminations are electronically "welded" into one, warp resistant, stronger than solid panel accurately machined and sanded satin smooth. Spray finished with water resistant clear lacquer to bring out the natural beauty, this top presents the finest work surface.

BASIC BENCH



Basic Bench. Hard Maple Top, 2 Bench Legs, and Stringer.
Add the Third Bench Leg for 96" and longer.

All Hard Maple Bench Tops—1¾" Thick; Overall Height including Bench Top is 34¼". Prices shown are for a complete basic bench including bolts, nuts, lag screws and lock washers, K. D. ready for assembly.

For accessories: Bench Risers, Side and Back Stops and Shelves, Bench Drawer Units, and Bench Cabinet Units, See Pages 14, 15, and 16.

Finish Top—Natural-Clear Lacquer.
Metal Parts—Green Enamel.

Model	Top W	Top L	Ship. Wt.
W-2448	24"	48"	107
W-2460	24"	60"	124
W-2472	24"	72"	138
W-3048	30"	48"	127
W-3060	30"	60"	147
W-3072	30"	72"	166
W-3096	30"	96"	226
W-30120	30"	120"	264

Model	Top W	Top L	Ship. Wt.
W-30144	30"	144"	296
W-3648	36"	48"	143
W-3660	36"	60"	167
W-3672	36"	72"	188
W-3696	36"	96"	256
W-36120	36"	120"	295
W-36144	36"	144"	344

HARD MAPLE TOPS

1¾" Thick



Finish Top—Natural-Clear Lacquer.

Model	W	L	Ship. Wt.
GW-2448	24"	48"	58
GW-2460	24"	60"	72
GW-2472	24"	72"	86
GW-3048	30"	48	74
GW-3060	30"	60"	93
GW-3072	30"	72"	112
GW-3096	30"	96"	150
GW-30120	30"	120"	187

Model	W	L	Ship. Wt.
GW-30144	30"	144"	218
GW-3648	36"	48"	86
GW-3660	36"	60"	108
GW-3672	36"	72"	130
GW-3696	36"	96"	174
GW-36120	36"	120"	216
GW-36144	36"	144"	260

BENCH LEGS

ALL WELDED CONSTRUCTION





BL-28

These sturdy all steel legs are designed to withstand severe usage and support weight far in excess of normal conditions. Top and cross members permanently welded to legs. Reinforced channel construction—gusset strengthened. Adequate holes provided for attachment of bench top, shelf and stringer. Steel floor pads with holes for attachments to floor.

BL-5B Bench Leg furnished with center upright channel.
Bench Legs for special requirements on request.

Finish: Green Enamel

Model	A	B	C	D	E	Ship. Wt.
BL-22	22	32½	15½	18	9½	20
BL-28	28	32½	19½	22	9½	22
BL-34	34	32½	23½	26	9½	24
BL-46	46	32½	35½	38	9½	28
BL-58	58	32½	47½	50	9½	34

WORK BENCH ACCESSORIES

SIDE- AND BACK STOP SETS
EACH SET CONSISTS OF TWO SIDE STOPS (right and left) AND ONE BACK STOP.



12 Gauge Steel
Finish: Green Enamel

Model	A	B	C	D	E	Ship. Wt. of Sets
2448	5¼	24	3½	5¼	48	16
2460	5¼	24	3½	5¼	60	18
2472	5¼	24	3½	5¼	72	20
2496	5¼	24	3½	5¼	96	23
2848	5¼	28	3½	5¼	48	18
2860	5¼	28	3½	5¼	60	20
2872	5¼	28	3½	5¼	72	22
2896	5¼	28	3½	5¼	96	27
3448	5¼	34	3½	5¼	48	19
3460	5¼	34	3½	5¼	60	21
3472	5¼	34	3½	5¼	72	24
3496	5¼	34	3½	5¼	96	29



STRINGERS

Model	F	G	Ship. Wt.
ST-36	4¼	32	4
ST-48	4¼	44	6
ST-60	4¼	56	7½
ST-72	4¼	68	9
ST-96	4¼	92	12
ST-120	4¼	116	15
ST-144	4¼	140	18





16 gauge one inch channel reinforced construction. Finish: Green Enamel

SHELVES

Model	H	J	Ship. Wt.
SH-36	15¼	32	13
SH-48	15¼	44	18
SH-60	15¼	56	22
SH-72	15¼	68	26
SH-96	15¼	92	34
SH-120	15¼	116	42
SH-144	15¼"	140	50



16 gauge one inch channel reinforced construction. Finish: Green Enamel

WORK BENCH CABINET UNITS

ALL WELDED CONSTRUCTION

CU-18



CUK-36

Cabinet storage can be more efficient than drawers for many items, which can be placed neatly and are not subject to being jarred or rolled around as in a drawer.

Heavy gauge steel used throughout with flanged reinforcement.

Use with either wood top or all metal benches. Quickly fastened to wood top with bolts or lag screws. Finish: Green Enamel.

Model	W	H	D	Shelf Clearance	Lock	Ship. Wt.
CUK-36	36	19	19	8	Yes	60
CU-36	36	19	19	8		60
CUK-18	18	19	19	8	Yes	30
CU-18	18	19	19	8		30

Please indicate on order if unit is for installation with steel or wood bench.

BENCH DRAWER UNITS

1424-1





1416-2



1416-3

Drawer units can be fastened to either wood or steel benches, tables, desks or counters.

All welded construction. Padlock attachments for each drawer. Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer. Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 13½" x 8" x 1" in 1416 and 1424 Series; 19½" x 8" x 1" in 2024 Series.

CYLINDER LOCKS MUST BE INSTALLED AT FACTORY

OVERALL OUTSIDE DIMENSIONS

HEIGHT, ALL UNITS ..... One Drawer—5¾"; Two Drawer—12½", Three Drawer—18½"; Four Drawer—24½"

WIDTH .....1416 & 1424 SERIES: 16¼" .....2024 SERIES: 22¼"

DEPTH .....1416 SERIES: 16½" ..... 1424 & 2024 SERIES: 24"

	14"Wx16"Dx5"H		14"Wx23½"Dx5"H		20"Wx23½"Dx5"H	
Unit Description	Model	Ship. Wt.	Model	Ship. Wt.	Model	Ship. Wt.
1 Drawer	1416-1	15	1424-1	26	2024-1	30
2 Drawer	1416-2	45	1424-2	60	2024-2	74
3 Drawer	1416-3	66	1424-3	90	2024-3	105
4 Drawer	1416-4	87	1424-4	120	2024-4	136

Finish: Green Enamel

Cylinder Lock Available for Drawer at Additional Charge.

HEAVY DUTY DRAWER UNIT

USE WHERE SEVERE SERVICE IS NEEDED
14 GA. STEEL DRAWER
12 GA. STEEL HANGER
ALL STEEL BALL BEARING ROLLERS



H-2024-1

All welded construction. Handles heavy loads of tools, parts and other items.

Drawers can be attached to work benches, tables, desks or counters.

Padlock tab on drawer. Stop prevents drawer from pulling out of slides. Fingers fit easily into pull. Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 19½" x 8" x 1"

Inside dimensions of drawer ..... 19½"W x 23½"D x 5"H

Hanger size overall dimensions ..... 22½"W x 24"L

Finish ..... Green Enamel

Cylinder Lock Available for Drawer at Additional Charge. Ship. Wt. 40 Lbs.

PORTABLE DOOR CABINETS

ALL WELDED CONSTRUCTION
500 LBS. CAPACITY—3" SOFT RUBBER WHEEL
800 LBS. CAPACITY—5" SOFT RUBBER WHEEL

Light Duty Portable Cabinets for General Use. Used for Gum Tape Machines in shipping rooms, Electronic Instruments, Business Machines in offices, such as Postage, copying, etc. Used in plants besides machine operations. Cabinet Size: 18"W x 24"L. One Shelf furnished with unit, adjustable on 2" centers. Finish: Green Enamel.

BC-1C5

Model	H	Casters—All Swivel	Ship. Wt.
BC-1C3	30"	3" x 1½" Soft Rubber Tread	60
BC-1C5	32"	5" x 1¼" Soft Rubber Tread	65
	Keyed Handle		
	Extra Shelf		

CABINET BASE WORK BENCHES

ALL WELDED CONSTRUCTION



CDB-3060-W

With door and four drawer units form the overall base, in multiple or single bench runs in various combinations, with steel or electronically glued laminated maple wood tops for standard and particular requirements. Cabinet bench tops can be furnished with side and back stops, and risers (See pages 14 and 15).

ALL MODELS: 34" O.A.H. WITH NO. 6 BASE
Finish Top—Natural-Clear Lacquer. Metal Finish: Green Enamel.

WITH STEEL TOPS—2¼" THICK	Model	Top W	Top L	Bases, 18"W 24"D	Ship. Wt.
	CB-2860-S	28"	60"	Door Cabinets	205
	CB-2872-S	28"	72"	Door Cabinets	230
	DB-2860-S	28"	60"	Drawer Cabinets	300
	DB-2872-S	28"	72"	Drawer Cabinets	320
	CDB-2860-S	28"	60"	Drawer & Door Cabinets	240
	CDB-2872-S	28"	72"	Drawer & Door Cabinets	275
WITH HARD MAPLE BENCH TOPS—1¾" THICK					
	CB-3060-W	30"	60"	Door Cabinets	210
	CB-3072-W	30"	72"	Door Cabinets	235
	DB-3060-W	30"	60"	Drawer Cabinets	305
	DB-3072-W	30"	72"	Drawer Cabinets	325
	CDB-3060-W	30"	60"	Drawer & Door Cabinets	245
	CDB-3072-W	30"	72"	Drawer & Door Cabinets	280

ALL WELDED CONSTRUCTION
CABINET SIZE: 18" W, 24" L, 26" H

Model BC-1
DOOR CABINET
Shelf adjustable in 2" centers. One shelf with unit.

Keyed Handle
Extra Shelf
Ship. Wt. 9 Lbs.
Base Not Included
Ship. Wt. 55 Lbs.



Model DC-1
DRAWER CABINET
Individual drawer size, 14" wide x 23½" deep x 5" high.
Sliding tray in each Drawer holds small items within easy reach.
Tray size: 13½" x 8"

Cylinder Lock Available
Base Not Included
Ship. Wt. 110 Lbs.
Finish: Green Enamel

No. 6 Base 6¼" High
Ship. Wt. 10 Lbs.



PORTABLE DRAWER CABINETS

ALL WELDED CONSTRUCTION
Padlock attachments on each Drawer

500 LBS. CAPACITY—3" SOFT RUBBER WHEEL
800 LBS. CAPACITY—5" SOFT RUBBER WHEEL

Drawers slide on Ball Bearing Steel Rollers.
Cabinet Size: 18"W x 24"L
Drawer Size: Inside Dimensions, 14"W x 23½"D x 5"H
Tool Tray in each Drawer: 8" x 13½" x 1" deep.
Finish: Green Enamel

DC-1C5

Model	H	Casters—All Swivel	Ship. Wt.
DC-1C3	30"	3" x 1½" Soft Rubber Tread	118
DC-1C5	32"	5" x 1¼" Soft Rubber Tread	124

Cylinder Lock Available for Drawer at Additional Charge.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

CABINET WORK BENCHES
(WITH SLIDING DOORS)

All welded heavy gauge steel construction, with steel or wood tops, with and without sliding doors. Sliding doors are factory installed, equipped with cylinder lock and 2 keys, and doors are not sold separately. Shelves adjustable on 2" centers. Completely assembled, ready for immediate use.

Electronically glued laminated wood tops. Side and back stops, bench risers and drawers can be added, see pages 14, 15, & 16.

Grizzly®



CW-3072-SD

All Models: 34" O.A.H. Finish: Green Enamel

WITH STEEL TOPS— 1¼" Thick—12 Gauge	Top W	Top L	Base, 25" Deep	Ship. Wt.
CS-2860	28"	60"	Basic Unit	204
CS-2872	28"	72"	Basic Unit	234
CS-2860-S	28"	60"	Basic Unit with Shelf	239
CS-2872-S	28"	72"	Basic Unit with Shelf	274
CS-2860-D	28"	60"	Basic Unit with Sliding Doors	248
CS-2872-D	28"	72"	Basic Unit with Sliding Doors	286
CS-2860-SD	28"	60"	Basic Unit with Shelf & Sliding Doors	283
CS-2872-SD	28"	72"	Basic Unit with Shelf & Sliding Doors	326
WITH HARD MAPLE BENCH TOPS—1¼" Thick Overhang on Front, 5" NATURAL WOOD FINISH				
CW-3060	30"	60"	Basic Unit	220
CW-3072	30"	72"	Basic Unit	254
CW-3060-S	30"	60"	Basic Unit with Shelf	255
CW-3072-S	30"	72"	Basic Unit with Shelf	295
CW-3060-D	30"	60"	Basic Unit with Sliding Doors	264
CW-3072-D	30"	72"	Basic Unit with Sliding Doors	306
CW-3060-SD	30"	60"	Basic Unit with Shelf & Sliding Doors	300
CW-3072-SD	30"	72"	Basic Unit with Shelf & Sliding Doors	346
Extra Shelves ☆ S-60 ☆	60" long	22" wide		35
Extra Shelves ☆ S-72 ☆	72" long	22" wide		40

1236

1236 With #P-66

STANDING SHOP DESKS

Open, all welded, heavy gauge steel construction—used by foremen, supervisors, time study men, superintendents, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with drawers with and without individual locks, pigeon-hole top, back and side stops, in various combinations in the models listed, or in special combinations to meet individual needs.

Completely assembled, ready for immediate use.

Finish: Green Enamel

WIDTH	All Models—36"	
DEPTH	All Models—30"	
OVERALL HEIGHTS	Front	Back
Basic Unit	43"	48"
With P-36 Unit	43"	53"
With P-66 Unit	43"	57"

SIDE AND BACK STOPS ... 3" high at Back, tapers to 1½" at Front.

SHELF.... 34" wide x 18½" deep—8" from floor

DRAWERS..... Standard Grizzly Drawer Units, see page 16 for specifications.



1036 BASIC UNIT
Ship. Wt. 85 lbs.

1236 BASIC UNIT
With Two No. 1416-1 Drawer Units
Ship. Wt. 115 lbs.



1436 BASIC UNIT
With No. 2024-4 Drawer Unit
Ship. Wt. 225 lbs.



1836 BASIC UNIT
With Two No. 1424-4 Drawer Units
Ship. Wt. 325 lbs.

P-36 PIGEON HOLE UNIT
3—4" x 12" openings x 9" deep
Overall Length 36" Ship. Wt. 15 lbs.



P-66 PIGEON HOLE UNIT
6—4" x 12" openings x 9" deep
Overall Length 36" Ship. Wt. 24 lbs.

MULTIPLE WORK BENCH DRAWER UNITS

Features 16 drawers for storage of large number of small parts, eliminating otherwise necessary trips to another work bench or stockroom. All welded construction completely assembled. This is a sturdy, attractive work bench drawer unit with drawers that operate smoothly and quietly on steel ball bearings. Sliding tray in each drawer holds small items within easy reach.



DBU-3072-W

Drawer units can be furnished with padlock loop eyes, cylinder locks or plain face. Units furnished with 1¾" laminated hard maple or 12 gauge steel top.

34" overall height with wood or steel top individual drawer size, 14" wide x 23½" deep x 5" high

Finish: Green Enamel
Cylinder Locks Available at Additional Charge.

Model	W	L	Ship Wt.
DBU-3072-W	30"	72"	565
DBU-2872-S	28"	72"	560

SHOP CABINET DESKS

Enclosed, all welded, extra heavy gauge steel construction —used by superintendents, foremen, supervisors, time study men, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with doors, drawers, with or without individual locks, pigeon-hole top, or in special combinations on request to meet particular needs.

Completely assembled, ready for use.

Finish: Green Enamel

2036



3236 With #P-66

WIDTH ..... All Models 36"
DEPTH ..... All Models 30"
OVERALL HEIGHTS ..... Front Back
Basic Unit ..... 43" 48"
With P-36 Unit ..... 43" 53"
With P-66 Unit ..... 43" 57"
DRAWERS ..... GRIZZLY 1416-1—ID—14" wide x 16" deep x 5" high.
Any GRIZZLY Standard Bench Drawer can be used with this Unit. See Page 16
SIDE AND BACK STOPS 3" high at back, tapers to 1 ½" at Front.
SHELF SIZE ..... 28 ¾" x 35 ⅞"
SHELF CLEARANCES
3 Shelf Unit Floor to Bottom Shelf ..... 7"
Bottom Shelf to Center Shelf ..... 11¾"
Center Shelf to Top Shelf ..... 8"
Top Shelf to Desk Top ..... 12"
2 Shelf Unit Floor to Bottom Shelf ..... 7"
Bottom Shelf to Top Shelf ..... 19¾"
Top Shelf to Desk Top ..... 12"

Model	Shelves	Drawers	Ship. Wt.
2036	2		184
2136	2	1	202
2236	2	2	219
3036	3		205
3136	3	1	222
3236	3	2	240
P-36	Pigeon Hole Unit Overall Length 36" 3—4 x 12 openings x 9" deep		15
P-66	Pigeon Hole Unit Overall Length 36" 6—4 x 12 openings x 9" deep		24
Cylinder Lock for Drawers			
Keyed Handle in Door			



No. 3036
(With No. P-36 Unit)
Pigeon Hole Unit Available

No. P-36 Unit



No. P-66 Unit

MACHINE FLOOR CABINETS

FOR BASE CABINET USE WITH BENCH TYPE MACHINES

OPTIONAL:
No. 1015 Shelf

Rugged, all welded cabinets with 1⅛" Tray coolant tops with ½" pipe connection.

Attractive gray enamel finish.

A model for every purpose, floor lugs to secure base to floor. Removable side shelves as accessory to hold tote pans and other production items.

Drawer size and model—GRIZZLY 1416-1 (14" wide ID x 16" deep ID x 5" high ID). All drawers equipped with stops, ball bearing steel rollers and 1" deep tool tray. (See page 16.)

Models, enclosed with back and door, are without shelves.

No. 1015...Removable Side Shelf (Shelf Surface—10"x15") Ship. Wt. 10 lbs.



CT-2830
20"W—28"L—30"H
Ship. Wt. 90 lbs.

CT-2835
20"W—28"L—35"H
Ship. Wt. 96 lbs.



CT-3630
20"W—36"L—30"H
Ship. Wt. 100 lbs.

CT-3635
20"W—36"L—35"H
Ship. Wt. 106 lbs.

Grizzly®

MACHINE CABINET STANDS

ALL WELDED CONSTRUCTION

For mounting Lathes, Grinders, Drill Presses, Tapping Machines, and for Work Bench Uses. CT Models are with Coolant Top with ½" pipe connection, DFT Models are with drop front, used for assembly and production work.

Designed for strength and appearance Convenient shelf—15¾" x 36".

GRIZZLY 1416-1 Drawer units furnished on all stands.—14" wide ID x 16" long ID x 5" deep ID, with stops, ball bearing steel rollers and tool tray 1" deep (See Page 16). See Page 15 for CU-18 Work Bench Cabinet Unit details. Finish: Gray Enamel.



DFT-60-C With Cabinet Unit No. CU-18 and one drawer. 22" W, 60" L, 32" H. Ship. Wt. 238 lbs.



CT-60 Coolant Top, Tray—1⅛" deep with ½" pipe tee. 22" W, 60" L, 32" H. Ship. Wt. 198 lbs.



DFT-60 Drop Front Top, Back and Side Stops — 1⅛" H, 22" W, 60" L, 32" H. Ship. Wt. 198 lbs.



NO. 59 MOTOR MOUNT BRACKET Top Surface 10" x 11⅜". Ten round holes for mounting and adjustment. Ship. Wt. 10 lbs.

MACHINE FLOOR CABINETS

CF-2830
20"W—28"L—30"H
Ship. Wt. 80 lbs.

CF-2835
20"W—28"L—35"H
Ship. Wt. 86 lbs.

CF SERIES

CF-3630
20"W—36"L—30"H
Ship. Wt. 90 lbs.

CF-3635
20"W—36"L—35"H
Ship. Wt. 96 lbs.



CM SERIES

CM-2830
20"W—28"L—30"H
Ship. Wt. 95 lbs.

CM-2835
20"W—28"L—35"H
Ship. Wt. 105 lbs.

CM-3630
20"W—36"L—30"H
Ship. Wt. 115 lbs.

CM-3635
20"W—36"L—35"H
Ship. Wt. 125 lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114
Grizzly®

Grizzly®

PIGEON HOLE BIN UNITS

All Welded, Rigid Units, Completely Assembled Ready For Use.



7242



2421



4021



4242

Used for parts inventory and control in factories, stores and warehouses.

Firmly attached label holders also used as stops, holding loose parts from falling out of openings. With the unit placed so the label holders are at the top, parts and other material can easily be slid out of openings.

Units have modular lengths, are interchangeable, can be set in combinations in racks; or tiered, one on the other to any height, with units bolted together for firmer attachment.

Finish: Green Enamel

Model	No. of Bins	H	W	D	Compartment	Label Holder	Ship Wt
7242	72	42"	35½"	11⅛"	4½" wide 4½" high	1"	97
4242	42	42"	35½"	11⅛"	5⅝" wide 6" high	2"	95
2421	24	21	35½"	11⅛"	5⅝" wide 5⅛" high	2"	40
4021	40	21"	35½"	11⅛"	4⅛" wide 4⅛" high	1"	55

TOOL DRAWER CABINETS FOR EXTRA HEAVY USE

TIME SAVER—
COMPACT STORAGE
LOCAL AREA
TOOL STORAGE

SAVES MANY STEPS TO AND FROM MACHINE OPERATION OR JOB SITE

Can be placed in various areas or departments in plant for easy location of tools, individual belongings, etc.

For Machine Operators, repairmen, maintenance workers, millwrights, electricians and other spot workers, providing large storage drawers for tools and parts, etc. **ELIMINATES OTHERWISE NECESSARY TRIPS TO OTHER PLANT AREAS.**



Model TDC-30
3 Drawer Unit
Ship. Wt. 285 Lbs.

ALL WELDED CONSTRUCTION. 21½" W x 27¾" D x 45¾" H
INDIVIDUAL DRAWER SIZE ..... 15⅞" W x 12" D x 27" L
TOOL TRAY SIZE ..... 10" W x 15¼" D x 3" H

Tool Tray facilitates carrying of a variety of tools to the job or machine, is constructed of 16-gauge steel with full length carrying handle.

Padlock attachments for each drawer.
Drawer slides on ball bearing steel rollers.

Finish: ..... Green Enamel



Model TDC-60
6 Drawer Unit
Ship. Wt. 430 Lbs.

ALL WELDED CONSTRUCTION. 40" W x 27¾" D x 45¾" H
INDIVIDUAL DRAWER SIZE ..... 15⅞" W x 12" D x 27" L
TOOL TRAY SIZE ..... 10" W x 15¼" D x 3" H

Tool Tray facilitates carrying of a variety of tools to the job or machine, is constructed of 16-gauge steel with full length carrying handle.

Padlock attachments for each drawer.
Drawer slides on ball bearing steel rollers.

Finish: ..... Green Enamel

EZY-DOWN DRUM CRADLES

700 LBS. CAPACITY



Give maximum leverage with ease, break the heaviest loaded drums from vertical to horizontal position.

All welded tubular frames and channel braces for modern styling and added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use.

Finish: Orange Enamel



EBR-18 31"L—18¼"W—18"H
Ship. Wt. 31 lbs.



WITH CASTERS
EBR-18C 31"L—18¼"W—18"H
Ship. Wt. 34 lbs.



WITH DRUM ROLLERS
EBR-18R 31"L—18¼"W—18"H
Ship. Wt. 34 lbs.



WITH CASTERS & ROLLERS
EBR-18CR 31"L—18¼"W—18"H
Ship. Wt. 36 lbs.

Four 2" Semi-Steel rollers for positioning drum and manually rotating for mixture.

Casters: All Models—3" Semi-Steel—2 Swivel and 3" Semi-Steel Wheels.

No. 18 EZY-DOWN Handle—All welded construction—Handle is separate from cradles—12 lbs. Ship. Wt.

DRUM CRADLES

700 LBS. CAPACITY

All Welded Tubular Frames. Channel Braces give modern styling plus added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use. Finish: Orange Enamel.



BR-18 31"L—18¼"W—18"H
Ship. Wt. 26 lbs.



WITH CASTERS
BR-18C 31"L—18¼"W—18"H
Ship. Wt. 29 lbs.



WITH DRUM ROLLERS
BR-18R 31"L—18¼"W—18"H
Ship. Wt. 29 lbs.



WITH CASTERS & ROLLERS
BR-18CR 31"L—18¼"W—18"H
Ship. Wt. 31 lbs.

Four 2" Semi-Steel rollers for positioning drum and manually rotating for mixture.

Casters: All Models—3" Semi-Steel—2 Swivels and 3" Semi-Steel Wheels.

DRUM & CAN DOLLIES

1200 LBS. CAPACITY—SEMI-STEEL WHEELS
1000 LBS. CAPACITY—HARD RUBBER WHEELS



75 & 76

81

ALL ARC WELDED CONSTRUCTION

RUGGED

82 & 83

FLOOR LOCK ON REQUEST

Large size easy rolling wheels permit quick, safe transportation of even the heaviest loaded drums. All casters swivel for movement in any direction.

24" diameter holds standard 55 gallon drums or other similar sized containers. 19" diameter for smaller containers, disposal cans or kegs. Galvanized finish for institutional, food processing and sanitary use. Floor clearance 4" on all models. 2" sides on 82 and 83: All welded rugged construction for years of hard use. NOTE: 81-GS, 82-GS, & 83-GS are equipped with sanitary casters to give added protection against foodstuffs causing corrosion.

Model	O.D.	I.D.	Wheels	Finish	Ship. Wt.
81	24-7/16"	24"	3x1-1/4	Orange	32
82	30-1/2"	24"	3x1-1/4	Orange	25
83	24-1/2"	19"	3x1-1/4	Orange	22
81-G	24-7/16"	24"	3x1-1/4	Galvanized	32
82-G	30-1/2"	24"	3x1-1/4	Galvanized	25
83-G	24-1/2"	19"	3x1-1/4	Galvanized	22
81-GS	24-7/16"	24"	3x1-1/4	Gal.-Sani.	32
82-GS	30-1/2"	24"	3x1-1/4	Gal.-Sani.	25
83-GS	24-1/2"	19"	3x1-1/4	Gal.-Sani.	22
75	24-1/2"	24"	3x1-1/4	Orange	19
76	19-1/2"	19"	3x1-1/4	Orange	15

ADJUSTABLE DOLLY

1200 LBS. CAPACITY—SEMI-STEEL WHEELS
1000 LBS. CAPACITY—HARD RUBBER WHEELS

AD-23-S

FOR ROUND, SQUARE, RECTANGULAR, OVAL OR ANY IRREGULAR SHAPED CONTAINER CLOSES DOWN TO 23½"—OPENS TO 36½". Can be used as a rectangle for tote boxes, skids, pans, furniture. Used as a dolly for drums, cans, kegs, etc. Wheel Size—3" x 1¼". Finish: Orange Enamel.

AD-23-S — SEMI-STEEL WHEELS — Ship. Wt. 30 lbs.
AD-23-R — HARD RUBBER WHEELS — Ship. Wt. 28 lbs.

LOW DRUM TRUCK

800 LBS. CAPACITY
HARD RUBBER WHEELS



LBR-909 Low Drum Truck
LBR-909H (Unit with Hinged Handle)

25½" wide opening, 31" wide overall, 33" high, 1½" low underslung frame, 8" above floor. Handles barrels and drums up to 24" diameter. Finish: Orange Enamel.

STEEL TUBULAR T HANDLE WITH Low frame with heavy duty 3" swivel rubber caster and 6" roller bearing rubber wheels easily maneuvers full barrels and drums with open tops without spilling contents. Especially adapted for use in canneries, pickle or chemical and oil operations.

Hinged Handle Available at Additional Charge. Ship. Wt. 45 lbs.

DRUM DOLLY TRUCKS

CAPACITY 2000 LBS.—SEMI-STEEL CASTERS
CAPACITY 1500 LBS.—HARD RUBBER CASTERS



DT-25-R

For transporting 55 gallon drum or other container for lubrication, solvents, coolants, painting or cleaning units, used in production, maintenance and service operations. Bracket on handle for cable or hose. Accessory Box welded to handle for storage of tools and parts. All Welded Construction.

OVERALL DIMENSIONS	25" wide x 25" deep
PLATFORM	5½" from floor
HANDLE	41" from floor
SIZE OF ACCESSORY BOX	12" deep x 6" wide x 21" long
FINISH:	Orange Enamel
CASTERS	2 Swivel—2 Rigid

DT-25-S	5" x 1½" Semi-Steel Wheel	63 Ship. Wt.
DT-25-R	5" x 1½" Hard Rubber Wheel	60 Ship. Wt.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

HI-DRUM & CAN DOLLIES

900 LBS. CAPACITY—SEMI-STEEL WHEELS
700 LBS. CAPACITY—HARD RUBBER WHEELS



71

PROVIDE higher elevation for easier flow drainage from drums in vertical position.

DRAINS easier glue, oils, chemicals and other hard-to-flow materials through the drum bottom.

ALL WELDED, rugged, completely assembled, ready for use.

SAVE SPACE—take less area than drums in horizontal position.

SAVE TIME AND MONEY.

USE DOLLIES with GRIZZLY No. 235 Drum lifter with chain falls, hoist, or fork truck to place drums in vertical position easily, quickly and safely. See right side of page. Finish: Orange Enamel—Wheel Size . . . 3" x 1 ¼".



71 w/drum

Model	Bottom	Top	Height	Gallon Drum	Ship. Wt.
71	30"	24"	19½"	55	44
73	21"	19"	19½"	30	38

#80 DRUM UP-ENDER

Safe! Positive Grip! Easy to Use!

Tilts drums from horizontal to vertical position with ease, speed and safety. Gives maximum leverage for lifting even the heaviest loaded drums.

Will not twist in hands of operator. Drum stops where you want it with no slipping or rolling.

SHIP. WT. ..... 12 lbs.
FINISH: ..... Orange Enamel



80

ALL-WELDED CONSTRUCTION
Rugged and Compact

#84 SLING TYPE DRUM LIFTER

750 LBS. CAPACITY
ALL WELDED CONSTRUCTION

SHIP. WT. ..... 11 lbs.
FINISH: ..... Orange Enamel



84



Lifts drum horizontally and safely. The harder the pull the tighter the grip on the drum. Use it to load your GRIZZLY rack. See Below.

DRUM STORAGE RACKS

2500 LB. CAPACITY

85	Leg	180 Ship. Wt.
85C	Casters	198 Ship. Wt.



85C



85

All welded with large sturdy 6" x 2" semi-steel wheels for easy portability or with legs for stationary installations.

Holds four drums in readily accessible positions. Designed for loading ease with whatever equipment you now have. If your hoist does not travel over rack, the wheel model can be moved under your hoist. 30"W x 60"L x 54"H—FINISH: Orange Enamel.

FOR OPEN or CLOSED DRUMS USED WITH Fork Trucks Chain Falls Cranes and Hoists.

2000 LBS. CAPACITY

#235 VERTICAL DRUM LIFTER

U.S. PATENT No. 2,764,447





235

- **QUICK**—Lifter attached and removed in seconds.
- **SAFE**—Fast turning crank handle to lock Upper Jaw to drum top. Holds drum rigidly even when swaying or when bumped.
- **VERSATILE**—Lifter moves 55 and 30 gallon, and even smaller steel drums with practically no manual labor—the lifter does the work.
- **LIGHT**—Weighs only 32 pounds. One man can handle with ease.
- **ADJUSTABLE**—Slide Lower Jaw on vertical bar to position below nearest chime of drum. Jaw rests on off-center cam.
- **LIFTS**—Old and new drums, open or closed, battered or lopsided.
- **STACKS**—and tiers drums vertically in close quarters.
- **RUGGED**—All welded construction.
- **FINISH:** Orange Enamel

Ship. Wt. 32 Lbs.

#VH-100 DRUM LIFTER

1000 LBS. CAPACITY

LIFTS VERTICAL • HORIZONTAL • AT ANY ANGLE

Vertical **Horizontal** **Any Angle**





Lifts from any angle. Load can be balanced. Easily adapted to lift objects of all shapes or lengths. Automatic upsetting of container by adjusting sliding hoist collar.



Easily, Quickly, Safely Attached
Holds Rigidly—Even When Load Sways
Positive Grip—Cannot Slide —Holds Load
Locks in Desired Position



FITS CONTAINERS 40" HIGH—FINISH: . . . Orange Enamel—SHIP. WT. . . . 24 Lbs.—ADJUSTMENT BETWEEN JAWS: . . . 16" minimum to 40" maximum—OVERALL LENGTH: . . . 43"—WIDTH: . . . 4"

DRUM STORAGE RACKS



DS-4

Holds four or six drums in readily accessible positions. Designed for loading ease from front or back. All Welded Construction. Completely Assembled for Immediate Use.

Self-Standing units, do not require anchoring to floor. Can be moved with Fork Trucks fully loaded.

- DRAIN HEIGHTS: Bottom row—18"
- Pads on bottom of legs protect floors.
- Also Designed for special requirements.

FINISH: Orange Enamel

DS-4	4 Drums	60" W	36" D	46" H	120 Ship. Wt.
DS-6	6 Drums	84" W	36" D	48" H	200 Ship. Wt.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

VDU-10 EXTRA HEAVY PORTABLE VERTICAL DRUM STACKING UNIT

CAPACITY 1500 LBS. PER UNIT.

SAVES TIME—SPACE—MONEY

- **ALL** Welded Construction.
- **RUGGED**—Completely Assembled—No Bolting—Ready For Immediate Use.
- **STACKS** Vertically—Each Unit Tiers 2 Drums Horizontally—Stacks to 4 High.
- **4-WAY** Access by Fork Lifts.
- **UNIT** Easily Handled—
- **EASY** Drum Draw Off—Drums and Storage Area Easily Kept Clean.
- **DRUM** Inventory Simply Maintained.

DIMENSIONS: O.A.H. = 12½"; W = 44½"; Depth = 30". Floor Clearance = 3½". Finish: Orange Enamel.

Ship. Wt. 84 Lbs.

VDU-10



CAN BE EASILY HANDLED FROM FRONT, BACK OR EITHER SIDE WITH FORK-LIFT TRUCKS



EASE OF HANDLING AND STACKING

FTC-36 FORK TRUCK CRANE HOOK ATTACHMENT

With Safety Latch



CAPACITY
4000 Lbs. at 36" Length
2000 Lbs. at 60" Length

ALL WELDED CONSTRUCTION

FITS STANDARD FORK TRUCKS

CAN BE ATTACHED AND UNATTACHED IN SECONDS BY ONE MAN

Method of Attachment

Set unit on floor, brace in upright position against wall, etc. Unit sits on 4 pins. Bottom plate drops to floor which provides an opening for forks. Operator runs forks at floor level between plates and tightens crank handles. Ready for use.

Method of Detachment

Drop forks to floor until unit sits on 4 pins. Loosen crank handles. Back off fork truck.

Ship. Wt. 250 Lbs. FINISH: . . . Orange Enamel

Grizzly®

ROTO-TILTS

CAPACITY 1000 LBS.

PATENTS
U.S. No. 3,434,612
CANADIAN NO. 887501

All Welded Construction Designed for Heavy Usage

LIFT—TILT—DUMP—POUR—METAL DRUMS—BARRELS USED WITH FORK LIFTS—CRANES—HOISTS—Finish: Orange Enamel.

Safety Locking Bracket secures Upper Jaws to Drum Top. Lifting Trolley equipped with Ball Bearings, Serrated Jaws insure positive locking hold. Pours at any point of arc—operator maintains easy and positive control.



No. 350 & No. 351

No. 500

NO. 350—FOR FLOOR DUMPING **OVERHEAD DUMPING CONTROLLED AT FLOOR** **WORM GEAR DRIVE HOLDS POURING LOAD IN ANY POSITION—REDUCTION 6 TO 1.**

160 Trolley with 160° Dumping Angle—
Standard Trolley with 130° Dumping Angle
FLOOR DUMPING MODELS

Model	A	B	C. Max. Min.	D	Drum	Ship. Wt.
350	59"	35"	36"-30"	13"	55 Gal.	65
351	53"	34"	32"-27½"	13"	30 Gal.	64

OVERHEAD DUMPING MODEL NO. 500

OVERALL DIMENSIONS ..... From Lifting Loop to Toe Plate ..... 62"H
From Front to Back ..... 35"D
Width at widest point ..... 10"
CONTAINER CLAMPING RANGE ..... 30" min. to 36" max. for 55 Gal. Drums
DUMPING ANGLE ..... 130 degrees
Ship. Wt. 98 Lbs. Finish: Orange Enamel

Chain supplied with standard Model is sufficient to operate the tool 10 feet from floor.

ADDITIONAL CHAIN AVAILABLE AT ADDITIONAL CHARGE.

FORK SWIVEL HOIST HOOKS

With Safety Latch



24

(SINGLE) 3000 LBS.
(DOUBLE) 4200 LBS.
WORKING CAPACITY



No. 210 DOUBLE FORK SWIVEL HOIST HOOK
(Attached to Fork Truck)

All welded construction, fit standard Fork Lift Trucks.

Easy handling by one man, takes only seconds to slide on and tighten into place. Removed just as easily, no wrenches required. Finish: Orange Enamel.

210 Double Fork Hook has maximum openings which permit an outside fork spread of 20¾". Fork Swivel Hoist Hooks designed to meet particular needs.

Description	Model	Opening Size for Truck Fork	Ship. Wt.
Single Hook	24	2" x 4"	17
Single Hook	25	2" x 5"	18
Single Hook	26	2" x 6"	19
Double Frame Hook	210	2" x 10"	50

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114
Grizzly®

GAS WELDING BENCH

A sturdy Gas Welding Bench for extra strength and durability. The top is constructed of 12 gauge steel, will hold 32 fire bricks (not furnished).

Excellent rigidity with heavy double formed, embossed 14 gauge steel legs. Shelf, 16 gauge steel divided into three equal sections for rod storage. All steel sections are All Welded Construction. Shipped KD, ready for assembly. Pads on bottom of legs protect floors.

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 16.

GW-3636

OVERALL DIMENSIONS	36"W x 36"D x 34"H
FINISH:	Green Enamel
GW-3636 (Without Drawer Unit)	Ship. Wt. 95 Lbs.
GW-3636-DR (With Drawer Unit)	Ship. Wt. 110 Lbs.

ARC WELDING BENCH



AW-3636

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down.

Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All steel sections are all welded construction. Shipped KD, ready for assembly. Pads on bottom of legs protect floors.

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 16.

OVERALL DIMENSIONS	36"W x 36"D x 34"H
FINISH:	Green Enamel
AW-3636 (Without Drawer Unit)	Ship. Wt. 125 Lbs.
AW-3636-DR (With Drawer Unit)	Ship. Wt. 140 Lbs.

ARC WELDING BENCH WITH SHIELDS

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down. Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All welded construction.

A sturdy 20 gauge steel shield easily snaps on top flange with no bolting required.

With the "See-Thru" welding shield, eliminates the danger of eye flashburn while watching instructor demonstrate. May be observed by several people simultaneously through the plastic windows without glasses or hand shields.

Also furnished with Solid Shields.

Shipped KD, ready for assembly. Pads on bottom of legs protect floors.

OVERALL DIMENSIONS . 36"Wx36"Dx68"H
FINISH: ..... Green Enamel
DRAWER 1416-1 ..... Furnished with unit
AW-3636-WS With 5"Wx18"L
See-Thru Shield Opening (3 Openings)
Ship. Wt. 180 Lbs.
AW-3636-S With Solid Shields
Ship. Wt. 175 Lbs.

AW-3636-WS

CASTER CORNER SHOES

ALL WELDED CONSTRUCTION



SET OF 4

Ideal for making wood pallets or boxes portable at low cost.
Shoes slide under corners. May be bolted, screwed or nailed on permanently.
For moving heavy wood crates, boxes, cases, machinery, pallets, cabinets, benches and other uses.

12 Gauge Steel—Size is 8" x 8"—5-3/4" O.A.H.—Flange 2"—3-7/8" high to platform—7/16" holes for mounting. FINISH: Green Enamel.

Model	Capacity per Set	Ship. Wt.	Casters
CS-35	1200 Lbs.	17	3" x 1¼" Semi-steel Wheels
CS-38	1000 Lbs.	15	3" x 1¼" Hard Rubber Wheels

HEAVY DUTY SHELF DIE RACKS

3000 LBS. CAPACITY

An extremely rugged Rack to hold heavy loads of Jigs, Fixtures, Dies, and other heavy material.

May be erected as individual units or in rows.

Extra shelves may be added. Pads on bottom of legs protect floors. Bolted construction. Shipped KD, complete with assembly hardware.

Construction of double channel reinforced shelf.





DR-2448

SHELVES . . . ALL WELDED CONSTRUCTION Reinforced 14 Gauge steel with formed hat channel thru center—POSTS . . . 2" x 2" x ⅛" Angle Iron—"X" BRACES . . . 1" x ⅛" Band Iron—FINISH: Green Enamel.

DR-1842	Complete Unit: 5—18" x 42" Shelves 4 Posts—X Braces and Bolts	170 Lbs. Ship. Wt.
DR-2448	Complete Unit: 5—24" x 48" Shelves 4 Posts—X Braces and Bolts	230 Lbs. Ship. Wt.
S-18	Single Shelf—18" x 42", including bolts	26 Lbs. Ship. Wt.
S-24	Single Shelf—24" x 48", including bolts	38 Lbs. Ship. Wt.
P-72	4 Posts (as a package) 72" long	45 Lbs. Ship. Wt.

EXTRA HEAVY DUTY DIE STORAGE RACKS

1000 LBS. CAPACITY PER SHELF
ALL WELDED CONSTRUCTION



PE-1830

Uses for tools, dies and other heavy material.
May be used as individual units or bolted in rows.
Pads on bottom of legs protect floors.
Shipped set-up.
65" overall height, six 12 gauge shelves — 10" clearance between shelves; posts 1¾" x 1¾" x 3/16" angle iron.

Shelf clearances can be changed to meet your specifications.
Finish: Green Enamel

Model	W	L	Ship Wt.
PE-1830	18"	30"	180
PE-1836	18"	36"	205
PE-1848	18"	48"	250
PE-2430	24"	30"	215
PE-2436	24"	36"	250
PE-2448	24"	48"	305

VERTICAL BAR RACK

3000 LBS. CAPACITY

Provides most efficient storage in limited areas and near jobs for tubing, pipe, rods, bars and like shapes, with 4 tray type shelves for short pieces.

All arc-welded—1½" x ⅛" angle and 16 gauge tray-shelves.

84"H, 36"W, 24" bottom-depth of shelves —bottom 6", top 6½", second 10", third 14". 4 sturdy arms extend 8" beyond each shelf for separation of stock.

Model VB-3684 Ship. Wt. 110 Lbs. Finish: Green Enamel

PORTABLE RACK-U-FRAME

RUF-251

U. S. PATENT NO. 3,581,907
CANADIAN PATENT NO. 930334

Grizzly®

Arc Welded Construction—Completely Assembled Ready for Immediate and Temporary Uses—Only 25 Pounds—One Man Operation—Quick, Stacked as Much as 4 High into the GRIZZLY Flexible Storage Rack System for Mill Shapes—Channels, Angles, Flats, Rounds, Pipe, Tubing . . . For Material Transport on Trucks, Skids, Pallets, for Inventory and at Work Stations.

- Streamlined Design—Smooth Finish
- Rugged Steel Construction
- Durable—Built for Heavy Uses



- Formed for Strength and Stacking Tiers
- Carrying Handle for Strength and Convenience
- Steps Prevent Upright Spread



2 Stacked High Carrying Tubing on 6 Feet Lengths—4000 Pounds.

CARRY HEAVY LOADS EVENLY DISTRIBUTED



4 Stacked High Carrying Channel and Tubing on 20 Feet Lengths—20,000 Pounds.

OUTSIDE DIMENSIONS
(A) 25" Wide
(B) 17½" High
(C) 5" Wide Bottom Channel
INSIDE DIMENSIONS
(D) 17" Wide Bottom
(E) 23" Wide Top
(F) 15½" High Upright



Placed in an assembly of 16 Rack-U-Frames holds the massive load of 20,000 Lbs. 400 Lbs. of Rack-U-Frames hold 20,000 Lbs. THIS IS STORAGE AT LOWEST COST, AND QUICKLY INSTALLED.

Easily disassembled—Stored in Little Space Until Next Use.

RUF-251 Portable Rack-U-Frame
Ship. Wt. 25 Lbs. Finish: Orange Enamel

PORTABLE TWIN RACK-U-FRAME MODULES

5000 LBS. CAPACITY
U. S. PATENT NO. 3,581,907
CANADIAN PATENT NO. 930334

Used in multiples with fork lifts, as required, to provide length and tier height needed for the storage of mill shapes—conduit, tubing, pipe, angles, channels, rounds, flats, other metal and plastic items.

Fork lifts can easily stack and remove the modules to provide temporary and long term storage facilities; provide material at work stations on the production line, in the warehouse and on the construction site. Special modules designed to meet particular requirements. Arc Welded Construction—Completely Assembled Ready for Immediate Use.

PORTABLE TWIN RACK-U-FRAME MODULE—Finish: Orange Enamel

RUF-262	24" O.A.L.	65 Ship. Wt.
RUF-263	36" O.A.L.	70 Ship. Wt.
RUF-264	48" O.A.L.	76 Ship. Wt.



OUTSIDE DIMENSIONS
(A) 25" Wide
(B) 17½" High
(C) 5" Wide Bottom Channel
(G) 24"; 36"; 48" as Required

INSIDE DIMENSIONS
(D) 17" Wide Bottom
(E) 23" Wide Top
(F) 15½" High Upright



RUF-264

HANDLING MODULES ON WORK SITE



MOVING MODULES



STACKING MODULES

SPECIALS DESIGNED FOR CUSTOMERS NEEDS



RUF-244

OUTSIDE DIMENSIONS
(A) 32" Wide
(B) 31" High
(C) 5" Wide Bottom Channel 3¼" High
(G) 44" Long

INSIDE DIMENSIONS
(D) 24" Wide Bottom
(E) 29½" Wide Top
(F) 28" High Upright

RUF-244	44" O.A.L.	105 Ship. Wt.

STACKING RACK UNITS

ALL WELDED CONSTRUCTION

SRU-232

Storage system for all types of materials, bar, pipe, rods, angle, etc. For space saving economical storage. Materials can be stored in bundles or individual pieces. Completely assembled ready for immediate use. Special modules designed to meet particular requirements. Construction - 2½" square tubing.
Finish: Orange Enamel

STACKING RACK UNITS

Model	W	L	Ship Wt.
SRU-232	24"	32"	58
SRU-242	24"	42"	64
SRU-248	24"	48"	67
SRU-332	30"	32"	62
SRU-342	30"	42"	66
SRU-348	30"	48"	69

OUTSIDE DIMENSIONS
(A) 29" or 35" Wide
(B) 30" High
(C) 37"; 47" or 53" Long

INSIDE DIMENSIONS
(D) 24" or 30" Wide
(E) 32"; 42" or 48" Long
(F) 23½" High



Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114 Grizzly®

Grizzly® SPECIALS

SERVING INDUSTRY FOR 29 YEARS

SOME OF THE MANY SPECIALS DESIGNED & MANUFACTURED FOR CUSTOMER'S PARTICULAR NEEDS.

We specialize in Material Handling, Drum, Shop and Industrial Equipment of original design and maintain an Engineering Department for the exclusive use of our customers.

Few of the thousands of Specials we manufactured are noted in the photos on this and the preceding page. Send us your requirements so we may submit design and quotation for your approval.

Please send as much of the basic information as you can in accordance with the suggested outline below to help us to expeditiously handle your request.



BOX TRUCK W/LID



KNOCKED DOWN WORK BENCH (MEDIUM DUTY)



PACKING & STRAPPING TRUCK



MOLDING BENCH



MOLDING BENCH INSERT



BATTERY TRANSPORT TRUCK



STEEL TOP PANEL-END WORK BENCH



HARD MAPLE TOP PANEL-END WORK BENCH



BATTERY CHARGING & TESTING STATION



PORTABLE WORK STATION

WHEN ORDERING SPECIAL GRIZZLY EQUIPMENT USE THIS SUGGESTED OUTLINE

1. **GENERAL DESCRIPTION:** Truck, Dolly, Lifts, Work Bench, Stand, Carts, etc.
2. **GENERAL DESIGN:** Type of shelf; flat or tray; Type of top. Handle, etc.
3. **DIMENSIONS:** Indicate inside or outside dimensions; width, length, height.
4. **CAPACITY:** Load-Pounds; Entire unit, per caster, per shelf.
5. **QUANTITY:** Could substantially determine pricing.
6. **SPECIAL DESIGN FEATURES:** Your own ideas of how unit should be constructed.
7. **FINISH:** Standard Colors: Green, Vista Green, Gray, Beige or Orange Enamel.

Pucel ENTERPRISES, INC.

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE (216) 881-4604

Catalog No. 1079

Grizzly®

DESIGNED FOR RUGGED USE

SINCE 1949

MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT



Pucel Enterprises, Inc., Opposer/Petitioner
vs.
Grizzly Industrial, Inc., Applicant/Respondent
TTAB ConsolidatedCase No. 123,506; 31984; 32024; 32025
TO: PUCEL'S Exhibit No. 26

Z000399 ENTIRE MANUAL

Copyright © 1979 Pucel Enterprises, Inc.

Grizzly® EQUIPMENT

Sianni PRODUCTS

Pucel ENTERPRISES, INC.

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE (216) 881-4604

DESIGNING • ENGINEERING • DEVELOPMENT • MANUFACTURING

Grizzly®

SERVING INDUSTRY FOR 30 YEARS

MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT

Highest Quality at Low Cost

- The GRIZZLY Equipment items shown in this catalog are typical of the many items we manufacture.
- In addition, we design, engineer, develop and manufacture GRIZZLY and other equipment to satisfy special and other standard needs.
- GRIZZLY equipment is arc welded construction, designed for rugged and long time use; completely assembled, ready for immediate use, no loose parts, no assembly required by the customer—all adds up to increased productivity. These GRIZZLY advantages more than offset additional transportation cost.*
- We are ever striving to maintain an effective competitive position considering our GRIZZLY High Quality Standards and Workmanship.
- We are constantly on the move improving present equipment and products, researching and developing new items to meet current and changing market requirements.
- GRIZZLY Equipment performance is best testified by the daily receipt of repeat orders from small and large customers.
- We gratefully appreciate the pleasant relationship we enjoy with our customers and would regularly like to hear from you—complaints as well as suggestions—for we always strive to maintain and improve good customer relations. May we hear from you?

Respectfully,

Edward L. Pucel

Edward L. Pucel
President

*A few catalog items are KD.

Grizzly® GUARANTEE

Quality Guarantee

All Grizzly Equipment is fully guaranteed to be manufactured in accordance with commercial standards and specifications shown in our catalog. Equipment is fully inspected before leaving our plant and is guaranteed against defective workmanship for 3 months from date of purchase. However, we cannot be held responsible for abuse by user beyond normal usage. This is your guarantee of a product of highest quality.

Grizzly®
EVER ON THE MOVE

GRIZZLY renders long term satisfactory service.
You can have continued confidence in GRIZZLY.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. - CLEVELAND, OHIO 44114

Grizzly®

Grizzly®

ALPHABETICAL INDEX

EQUIPMENT — Page No.

BENCHES
Arc Welding ... 27
Arc Welding, w/Shields ... 27
Gas Welding ... 27
Tool Cabinet ... 12

BENCHES, WORK
Accessories ... 15
Cabinet, Base ... 19
Cabinet, w/Sliding Door ... 19
Cabinet Unit ... 16
Drawer Units ... 16
Drawer Unit, Heavy ... 16
Drawer Unit, Multiple ... 18
Hard Maple Tops ... 15
Heavy Duty ... 14
Legs ... 15
Legs, Adjustable ... 15
Portable, Cabinet ... 13
Portable Maintenance Center ... 12
Portable, Tool Cabinet ... 12
Risers ... 14
Tops, Hard Maple ... 15
Tops, Pressed Wood ... 14

CABINETS
Base ... 17
Door ... 17
Drawer ... 17
Machine Floor ... 21
Portable Door ... 17
Portable Drawer ... 17
Storage, Book Shelf ... 6
Storage, Extra Heavy Duty ... 6
Storage, Wardrobe ... 6
Tool Drawer ... 18
Tool, Heavy Duty ... 6

CARTS
Hand, Tote-All ... 9
Mij Box ... 11
Stock ... 10
Stock, Five Shelf ... 10
Stock, Hi-Ladder ... 10
Stock, Ladder ... 10
Stock, 3/Sided ... 7
Stock, Tray ... 9
Utility, Tote-All ... 9

CASTERS, GRIZZLY EQUIPMENT — Inside Back Cover

DESKS
Shop Cabinet ... 20
Standing Shop ... 20

DOLLIES
Steel, w/Removable Handle ... 11

DRUMS
Cradles ... 23
Cradles, Ezy-Down ... 23
Dollies, Can ... 23
Dollies, Hi-Drum & Can ... 24
Dolly, Adjustable ... 23
Lifter, Horizontal Sling Type ... 24
Lifter, Vertical ... 24
Lifter, VH—Vertical-Horizontal ... 24
Lifters, Dumpers, Roto-Tilt ... 25
Storage Racks ... 24
Up-Ender ... 24
Unit, Vertical Stacking, Portable ... 25

ELECTRICAL OUTLET STRIPS ... 16

HANDLE, JACK ... 6
HOOKS, FORK, SWIVEL HOIST ... 25

Page No.

HOOK, FORK CRANE, ATTACHMENT ... 25

PIGEON HOLE BIN UNITS ... 22

RACKS
Die, Shelf, Heavy Duty ... 27
Rack, Stacking Units ... 28
Rack-U-Frame, Portable ... 28
Rack-U-Frame, Portable, Twin Modules ... 28
Storage, Die, Extra Heavy Duty ... 27
Vertical Bar ... 27

SHOES, CASTER CORNER ... 25

SPECIALS — Outside Back Cover

STANDS
Machine Cabinet ... 21
Tool, Extra Heavy Duty ... 11
Tool, Heavy Duty ... 11

TABLES
Hopper ... 11
Lift Top, Hydraulic ... 8
Marking, Portable ... 11
Mij ... 11
Utility ... 12

TRUCKS
Bar and Rod ... 6
Beverage, Premium, 2 Wheel ... 5
Bin, Storage ... 22
Box ... 7
Box, Roll-Over ... 7
Cradle ... 4
Double End, Heavy Duty ... 3
Drawer, Cabinet, Portable ... 17
Drum Dolly ... 25
Five Shelf, Heavy Duty ... 10
Garment ... 8
Hand Dump ... 7
Hand Dump, Roll-Over ... 7
Hand, Tote-All ... 9
Hand, Tote Pan ... 9
Hand, 2 Wheel, All Purpose ... 5
Low Drum ... 23
Lumber Servicing ... 10
Platform, Dolly ... 3
Platform, Laminated Maple ... 3
Platform, Semi-Live ... 6
Platform, Steel ... 3
Platform, 3/Sided ... 7
Platform, Tote-All ... 9
Sheet & Panel ... 6
Shelf, Divided ... 8
Shelf, Enclosed ... 8
Shelf, Sliding ... 7
Shop, Extra Heavy Duty ... 4
Shop, Heavy Duty ... 4
Shop, Slat-Top, Heavy Duty ... 4
Shop, Step Ladder Attachment ... 4
Side, Open ... 8
Single End, Heavy Duty ... 3
Stock, Cage ... 7
Stock, Sheet-Bar ... 4
Tray, Shop ... 9

WORK STATIONS ... 16, 17

NUMERICAL INDEX

Page No.

ABL-22 TO ABL-58 ... 22
AD-23-S, AD-23-R ... 23
AW-3636, AW-3636-S, AW-3636-WS ... 27
B-213, BC-213 ... 11
B-2448 TO B-34120 ... 14
BC-1, BC-1C3, BC-1C5 ... 17
BD-2448 TO BD-34120 ... 14
BL-22, BL-28, BL-34, BL-46, BL-58 ... 15
BP-36S, BP-36R ... 13
BR-18, BR-18C, BR-18-R, BR-18CR ... 23
BRT-48, BRT-60, BRT-72 ... 6
BS-2448 TO BS-34120 ... 14
BSC-3675 ... 6
BSD-2448 TO BSD-34120 ... 14
BSDD-2448 TO BSDD-3496 ... 14
BT-2436, BT-3036, BT-2448, BT-3048 ... 7
C-1824 TO C—2448-K ... 12
CB-2860-S TO CDB-3072-W ... 19
CF-2830, CF-2835, CF-3630, CF-3635 ... 21
CM-2830, CM-2835, CM-3630, CM-3635 ... 21
CRA-60, CRA-96 ... 4
CS-2860 TO CW-3072-SD ... 19
CS-3S, CS-3R ... 25
CST-24 ... 7
CT-2830, CT-2835, CT-3630, CT-3635 ... 21
CT—60 ... 21
CU-18, CU-36, CUK-18, CUK-36 ... 16
DBU-3072-W, DBU-2872-S ... 18
DC—1, DC-1C3, DC-1C5 ... 17
DFT-60, DFT-60C ... 21
DR-1842, DR-2448 ... 27
DS-4, DS-6 ... 24
DT-25-S, DT-25-R ... 25
DV-2242 ... 8
EBR-18, EBR-18C, EBR-18R, EBR-18CR ... 23
EDB-3048 TO EDB-3072 ... 17
EOS-3, EOS-6 ... 17
EST-44 ... 8
ET-2448-2 TO ET-3472-3 ... 4
EWB-3048 TO EWB-3072 ... 16
EWS-3048 TO EWS-3072 ... 16
F-2448 TO F-34120 ... 14
FD-2448 TO FD-34120 ... 14
FS-2448 TO FS-34120 ... 14
FSD-2448 TO FSD-34120 ... 14
FTC-36 ... 25
GT-72, GT-72-SD ... 8
GW-2448 TO GW-36144 ... 15
GW-3636 ... 27
H-1830 TO H-3060 ... 10
H-2024-1 ... 16
HDSC-3648-2, HDSC-3660-3, HDSC-3672-4 ... 6
HDT-42, HDT-60 ... 7
HDTC-2442 ... 6
HLTT-36-1, HLTT-36-2 ... 8
HS-2448-2 TO HS-3472-3 ... 11
L-1828, L-1836, L-2436, L-2448 ... 10
LBR-909, LBR-909H ... 23
LT-20-R, LT-20-S, LT-20-7BR, LT-20-7BS ... 10
MT-2448-2 TO MT-3072-3 ... 11
MTC-60S, MTC-60R ... 12
OFB-60, OFB-84 ... 4
OST-39 ... 8
PC-36S, PC-36R, PC-48S, PC-48R ... 13
PDC-26S, PDC-36R ... 13
PE-1830 TO PE-2448 ... 27

Page No.

PT-2448 TO PT-3496 ... 3
PTC-48S, PTC-48R ... 12
PUB-24SW, PUB-24RW ... 17
R-36, R-48, R—60, R-72, R-96 ... 14
ROBT-36, ROBT-48 ... 7
RODT-42, RODT-60 ... 7
RUF-251, RUF-244, RUF-262, RUF-263, RUF-264 ... 28
S-30-DT-3 TO S-48-DT-3 ... 4
SBT-3672 ... 22
SC-3182 TO 6CF-5243 ... 10
SER-101SW, SER-101RW ... 9
SH-36 TO SH-144 ... 15
SL-18, SL-24 ... 4
SLPT-2448 TO SLPT-3660 ... 6
SPT-2842 ... 6
SRU-232, SRU-242, SRU-248, SRU-332, SRU-342, SRU-348 ... 28
SS-48, SS-60, SS-72 ... 7
ST TO K3DC ... 12
ST—36 TO ST—120 ... 15
T-213 TO TEC-313 ... 11
TA-24 ... 9
TDC-30, TDC-60 ... 11
TH-14, TH-14C ... 18
TPH-24 ... 9
TSC-1828-6 TO TSC-2436-12 ... 9
TT-1830-6 TO TT-3048-12 ... 9
UC-2432, UC-2442, UC-2452 ... 9
UT-2432, UT-2442, UT-2452 ... 9
VB-3684 ... 27
VDU-10 ... 26
VH-100 ... 24
W-2448 TO W-36144 ... 15
WPT-2448-SW TO WPT-RE-3460-RW ... 3
WSC-3672 ... 6
YZ-75, YZ-100 ... 10
3SC-30, 3SC-36, 3SC-48, 3SC-60 ... 7
3ST-2448 TO 3ST-3472 ... 7
6 ... 19
15 ... 6
18-D-30 TO 24-D-60 ... 11
18-PTD-30 TO 24-PTD-60 ... 3
18-TR-30 TO 30-TR-60 ... 3
18-TRE-30 TO 30-TRE-60 ... 3
24, 25, 26, 210 ... 25
59 ... 21
71, 73 ... 24
75 TO 83-GS ... 23
80 ... 24
84 ... 24
85, 85C ... 24
89, 90, 91, 92, 93, 96, 98, 100 ... 5
235 ... 24
300, 311 ... 5
350, 351, 500 ... 25
1036, 1236, 1436, 1836 ... 20
1416-1 TO 2024-4 ... 16
1830-2 TO 2460-3 ... 11
1830-DT-2 TO 3060-DT-3 ... 4
2036, 2136, 2236, 3036, 3136, 3236 ... 20
2421, 4021, 4242, 7242 ... 22
2448 TO 3496 ... 15

STANDARD PAINT COLORS: GREEN, VISTA GREEN, GRAY, BEIGE OR ORANGE ENAMEL.
PLEASE SPECIFY WHEN ORDERING.

Grizzly®

SERVING INDUSTRY FOR 30 YEARS

SALES—TERMS AND CONDITIONS

1) **ORDERING:** All orders, including phone orders, must be confirmed in writing.
Your written purchase order should specify each item by number, description, and finish color.

2) **PRICES:** All prices are F.O.B. OUR PLANT, CLEVELAND, OHIO; and subject to change without notice; and do not include any applicable taxes, duties, or any other governmental charges.
We reserve the right to invoice at the prices prevailing at the time of shipment.

3) **SPECIFICATIONS:** Specifications are subject to change without notice.

4) **ROUTING:** Shipment will be made the best way—air, truck, rail, transportation collect; united parcel or parcel post prepaid, collect.
When shipment is prepaid at the customer's request a separate invoice will be submitted, which must be paid within 10 days of invoice date; except however, united parcel and parcel post charges will be noted on the invoice.

5) **PACKAGING:** All items are packaged for domestic shipment. Additional charge will be made for special packaging.

6) **DAMAGED GOODS:** When damage is noted on delivery, the carrier agent is to make the damage notation on your delivery receipt. DO NOT SIGN THE DELIVERY RECEIPT UNLESS THIS IS DONE. The consignee must make claim directly and promptly to the carrier for any damage. When damage is not discovered until all of the items are unpacked request must be promptly submitted to the carrier for concealed damage inspection and adjustment. All items are thoroughly inspected prior to our shipment. Title passes to consignee at the time shipment leaves our dock and the carrier is an agent of consignee.

7) **RETURNED GOODS:** All items returned without our written permission will be refused. Request for return of goods must be made within 10 days of the receipt of goods. A 15% handling and reconditioning charge will be made on authorized returned items. Goods must be returned prepaid at customer's expense. Special items, or modified catalog items, are not returnable.

8) **CHANGES AND CANCELLATIONS:** Items designated as special or modified catalog items are not subject to change or cancellation as they are manufactured for each individual order.

9) **CORRECTIONS:** Stenographic, clerical errors, and any other errors, are subject to correction.

10) **DELAYS:** All orders, contracts and agreements are made subject to delays contingent upon accidents, strikes, embargoes, or any other causes beyond our control.

11) **TERMS:** All prices are **NET**—30 days from date of invoice. A 1% cash discount is allowed if payment is made within 10 days from date of invoice.

Open account can be established with an acceptable Dun and Bradstreet rating. Firms listed and not rated, or not listed, are requested to submit 3 major trade references and 1 banking reference with their order to facilitate prompt handling.

C.O.D. orders are not acceptable.

Minimum orders: $50.00 **NET**, plus shipping charges.

12) These said "Sales-Terms and Conditions" apply to all of the equipment (Standard, Modified and Special) and related matters in this catalog, and are subject to the pricing as contained in the current Price List No. 6, and subsequent Price Lists as issued from time to time, which may be issued without notice.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114 Grizzly®

STEEL PLATFORM TRUCKS

2500 LBS. CAPACITY—6" SEMI-STEEL CASTERS
2200 LBS. CAPACITY—6" HARD RUBBER CASTERS

OR

3000 LBS. CAPACITY—8" SEMI-STEEL CASTERS
2000 LBS. CAPACITY—8" MOLD-ON RUBBER CASTERS



PT-2860

ALL WELDED CONSTRUCTION

Durable free moving platform truck to absorb the roughest usage. Reinforced steel platform with removable tubular push handle 36" from floor. Platform 9 ¾" from floor.

Casters: 2 swivel and 2 rigid, 6" x 2"
or 2 swivel and 2 rigid, 8" x 2"
Soft Rubber Available on Request

Finish: Green Enamel

Model	W	L	Ship. Wt.
PT-2448	24"	48"	110
PT-2848	28"	48"	118
PT-3448	34"	48"	130
PT-2460	24"	60"	121
PT-2860	28"	60"	131
PT-3460	34"	60"	144
PT-2472	24"	72"	133

Model	W	L	Ship. Wt.
PT-2872	28"	72"	144
PT-3472	34"	72"	160
PT-2496	24"	96"	155
PT-2896	28"	96"	170
PT-3496	34"	96"	191
Extra Handle Bars Includes Sockets			10
Extra Handle Sockets Welded on Truck			4

DOLLY PLATFORM TRUCKS

1500 LBS CAPACITY—SEMI-STEEL CASTERS
1500 LBS CAPACITY—HARD RUBBER CASTERS



24-PTD-60

ALL WELDED CONSTRUCTION
REMOVABLE TUBULAR HANDLE
LOW DECK—5 ½" FROM FLOOR
Handle Overall Height—36"

Finish: Green Enamel

Casters: 2 swivel and 2 rigid, 4" x 1 ½"

Platform can be reversed at no charge, with 2" deep flanges up on all sides.

Model	W	L	Ship. Wt.
18-PTD-30	18"	30"	50
18-PTD-36	18"	36"	57
18-PTD-48	18"	48"	68
18-PTD-60	18"	60"	80
24-PTD-30	24"	30"	56

Model	W	L	Ship. Wt.
24-PTD-36	24"	36"	63
24-PTD-48	24"	48"	74
24-PTD-60	24"	60"	85
Extra Handle Bars Includes Sockets			10
Extra Handle Sockets Welded on Truck			4

HEAVY DUTY SINGLE END TRUCKS

2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

24-TR-30

All welded for rugged stock and general shop use with 1-3/4" x 1-3/4" x 3/16" angle posts, tubular push bar at a convenient 36" height from the floor.

Top shelf 22" from floor, tray sides on bottom shelf 2" high with 11-3/8" clearance between shelves, floor clearance 6-1/4". 2 swivel and 2 rigid casters.

Wheels: Semi-Steel 5" x 1⅜"
Hard Rubber 5" x 1½"

Overall Height—36"
Finish: Green Enamel

Truck Floor Lock —Flat Bottom Shelf — Available at Additional Charge.

Model	W	L	Ship. Wt.
18-TR-30	18"	30"	98
18-TR-36	18"	36"	106
18-TR-48	18"	48"	122
18-TR-60	18"	60"	140
24-TR-30	24"	30"	110
24-TR-36	24"	36"	120

Model	W	L	Ship. Wt.
24-TR-48	24"	48"	140
24-TR-60	24"	60"	160
30-TR-30	30"	30"	125
30-TR-36	30"	36"	135
30-TR-48	30"	48"	160
30-TR-60	30"	60"	185

LAMINATED MAPLE PLATFORM TRUCKS

2500 LBS. CAPACITY—SEMI-STEEL CASTERS
1400 LBS. CAPACITY—SOFT RUBBER CASTERS

Wheels:
6" x 2" Soft Rubber
6" x 2" Semi-Steel
2 Swivel and 2 Rigid
Self lube bearing wheels



WPT-RE-2448-RW

WPT-RE series have angle frame for side protection.
Size angle—1 ½" x 1 ½" x ⅛"
WPT Series have no frame.

With 1 ½" thick Laminated Maple Deck, thoroughly seasoned and precision dried in electronically controlled kilns.

Laminations are placed on edge and bound into a single, warp resistant, self supporting platform. No soft core.

All models have a 10" deck height—36" overall height with removable tubular handle.

Deck bottom reinforced with 2—6" x 1" Maple Battens for caster attachment.

Finish: Platform—Clear Lacquered; Steel Work—Green Enamel

Model	W	L	Ship. Wt.	w/Steel Frame Steel Wheel	w/Steel Frame Rubber Wheel	w/o Steel Frame Steel Wheel	w/o Steel Frame Rubber Wheel
WPT-2448-SW	24"	48"	117			X	
WPT-2448-RW	24"	48"	113				X
WPT-RE-2448-SW	24"	48"	127	X			
WPT-RE-2448-RW	24"	48"	123		X		
WPT-2460-SW	24"	60"	126			X	
WPT-2460-RW	24"	60"	122				X
WPT-RE-2460-SW	24"	60"	136	X			
WPT-RE-2460-RW	24"	60"	132		X		
WPT-3448-SW	34"	48"	137			X	
WPT-3448-RW	34"	48"	133				X
WPT-RE-3448-SW	34"	48"	147	X			
WPT-RE-3448-RW	34"	48"	143		X		
WPT-3460-SW	34"	60"	155			X	
WPT-3460-RW	34"	60"	151				X
WPT-RE-3460-SW	34"	60"	175	X			
WPT-RE-3460-RW	34"	60"	171		X		
Extra Handles & Sockets							

HEAVY DUTY DOUBLE END TRUCKS

2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

All welded for widest variety of uses with 1-3/4" x 1-3/4" x 3/16" angle posts. Tray sides 2" deep on bottom shelf. Top shelf 22" from floor with 11-3/8" clearance between shelves. Floor clearance 6-1/4". 2 rigid and 2 swivel casters.

Finish: Green Enamel

Overall Height—36"

Wheels:
Semi-Steel 5" x 1⅜"
Hard Rubber 5" x 1½"

Truck Floor Lock—Flat Bottom Shelf Available at Additional Charge.



24-TRE-36

Model	W	L	Ship. Wt.
18-TRE-30	18"	30"	107
18-TRE-36	18"	36"	115
18-TRE-48	18"	48"	131
18-TRE-60	18"	60"	149
24-TRE-30	24"	30"	120
24-TRE-36	24"	36"	130

Model	W	L	Ship. Wt.
24-TRE-48	24"	48"	150
24-TRE-60	24"	60"	170
30-TRE-30	30"	30"	136
30-TRE-36	30"	36"	146
30-TRE-48	30"	48"	171
30-TRE-60	30"	60"	196

SHOP TRUCKS—HEAVY DUTY

ALL WELDED CONSTRUCTION
2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

Used in shop operations with presses, screw machines, piece parts or shop boxes. Flat top for sliding heavy dies or tooling on and off. Tray shelves 2" deep.

All sizes 32½" high. Clearance between shelves on 3-shelf model—10⅛"; 2-shelf model—22¼".
Floor Clearance—6¼".

Sturdy 12-gauge shelves with tubular push handle; 1-3/4" x 1-3/4" x 3/16" angle posts for added capacity. Extra strong Casters for durability and easy movement. Two swivel and two rigid casters for controlled maneuverability. Finish: Green Enamel



Optional writing shelf attachment.

GRIZZLY Drawer Units can be added. See Page 16.

Wheels:
Semi-Steel 5" x 1⅜"
Hard Rubber 5" x 1½"



2436-DT-3

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge.

Optional removable writing shelf attachment available at additional charge. Can be added to Grizzly Shop Trucks or Stock Carts with tray top shelf only. (See Page 10). SHIPPING WT. 10 Lbs.

Model	Shelves	W	L	Ship. Wt.
1830-DT-2	2	18"	30"	93
2430-DT-2		24"	30"	105
3030-DT-2		30"	30"	118
1830-DT-3	3	18"	30"	116
2430-DT-3		24"	30"	134
3030-DT-3		30"	30"	152
1836-DT-2	2	18"	36"	100
2436-DT-2		24"	36"	115
3036-DT-2		30"	36"	130
1836-DT-3	3	18"	36"	128
2436-DT-3		24"	36"	150
3036-DT-3		30"	36"	172

Model	Shelves	W	L	Ship. Wt.
1848-DT-2	2	18"	48"	116
2448-DT-2		24"	48"	135
3048-DT-2		30"	48"	154
1848-DT-3	3	18"	48"	152
2448-DT-3		24"	48"	180
3048-DT-3		30"	48"	210
1860-DT-2	2	18"	60"	135
2460-DT-2		24"	60"	155
3060-DT-2		30"	60"	177
1860-DT-3	3	18"	60"	180
2460-DT-3		24"	60"	210
3060-DT-3		30"	60"	247

HEAVY DUTY SLAT-TOP SHOP TRUCKS

ALL WELDED CONSTRUCTION
2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

Model	Shelves	W	L	Ship. Wt.
S-30-DT-2	2	24"	30"	117
S-30-DT-3	3	24"	30"	146
S-36-DT-2	2	24"	36"	132
S-36-DT-3	3	24"	36"	167
S-48-DT-2	2	24"	48"	150
S-48-DT-3	3	24"	48"	196

Casters: 2 swivel, 2 rigid
Semi-Steel Wheels 5" x 1⅜"
Hard Rubber Wheels 5" x 1½"

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge.

Finish—Green Enamel



S-30-DT-3

Used in shop operations, with presses, screw machines, shipping, and other equipment —items easily lifted off truck with slings and grabs.

Easily slides heavy dies on and off top with safety to fingers and hands.

TOP—12 ga. steel, formed double channels, 3" wide, 1-1/2" deep, spaced 1-1/2" apart. All Models 32-1/2" high—Clearance between shelves on 3-shelf models 10-1/8", 2-shelf models 22-1/4". Floor clearance—6-1/4" Tubular Push Handle. 1-3/4" x 1-3/4" x 3/16" angle iron posts—

STEP LADDER ATTACHMENT

FOR SHOP TRUCKS **SL-24**

Makes your Unit More Versatile

SIMPLE INSTALLATION—Bolts to Legs at Swivel Caster End. Ladder is Spring Loaded and Adjustable.

3 STEPS—ALL STEPS ADJUSTABLE—4" STEPS. 62" O.A.H.

SL-18	For 18" Wide Unit	Ship. Wt. 40 Lbs.
SL-24	For 24" Wide Unit	Ship. Wt. 45 Lbs.

Finish: Green Enamel

EXTRA HEAVY DUTY SHOP TRUCKS

5000 LBS. CAPACITY—SEMI-STEEL CASTERS
4000 LBS. CAPACITY—HI-CAP RUBBER CASTERS
ALL WELDED CONSTRUCTION

ET-2460-2

For moving heavy parts or large tote boxes and shearings to and from presses and other operations. Flat top for easy sliding of large dies, molds and castings on or off top. Heavy and large structures can be fabricated on truck. With tubular push handle.

Finish: Green Enamel



Shelves: 12 gauge steel, Posts: 2" x 2" x 3/16" angle
All Casters: 2 swivel and 2 rigid, 8" x 2-1/2" Roller Bearing Wheels
Truck Floor Lock — Available at Additional Charge.



Model	W	L	Ship. Wt.
ET-2448-2	24"	48"	220
ET-2460-2	24"	60"	240
ET-2472-2	24"	72"	260
ET-2848-2	28"	48"	230
ET-2860-2	28"	60"	255
ET-2872-2	28"	72"	280
ET-3448-2	34"	48"	256
ET-3460-2	34"	60"	286
ET-3472-2	34"	72"	316
ET-2448-3	24"	48"	275
ET-2460-3	24"	60"	305
ET-2472-3	24"	72"	335
ET-2848-3	28"	48"	290
ET-2860-3	28"	60"	325
ET-2872-3	28"	72"	365
ET-3448-3	34"	48"	325
ET-3460-3	34"	60	370
ET-3472-3	34"	72"	415

CRADLE TRUCKS

ALL WELDED CONSTRUCTION
10,000 LBS. CAPACITY—STEEL WHEELS
6,000 LBS. CAPACITY—HI-CAP RUBBER WHEELS

Used for all types of pipe, tubing, bar stocks. Load centers itself for balance. Controlled maneuverability, turns in 36" radius. Cradles permit easy loading and unloading with fork lift or sling. Length—CRA-60 = 60"; CRA-96 = 96"; CRA-120 = 120"

Remainder of Specifications apply to CRA-60, CRA-96 and CRA-120.
Cradle Width 23¼", Overall Width 33¼", Height 36 3/8", Depth 15"



CRA-96

Casters: Forged Steel, Roller Bearing Wheels
Center Wheels: 10"x3"
Ductile Iron Roller Bearing Casters
Swivels: 8"x3"
Casters: Hi-Cap Rubber Wheels
Center Wheels: 16" x 3"
Swivels, 10" x 2½"

CRA-60 Ship. Wt. 350 Lbs.
CRA-96 Ship. Wt. 384 Lbs.
CRA-120 Ship. Wt. 416 Lbs.
Finish: Orange Enamel

SHEET-BAR STOCK TRUCKS

10,000 LBS. CAPACITY—STEEL WHEELS
6,000 LBS. CAPACITY—HI-CAP RUBBER WHEELS

All Welded Construction; for sheet steel, plate, bar stock, pipe, tubing, conduit, angle, channel and other long mill shapes. Can be loaded and unloaded by fork lift, overhead crane and hoist.

ID = 30" W; OD: 33" W x 60" L for OFB-60
ID = 30" W; OD = 33" W x 84" L for OFB-84. (The remainder of specifications apply to OFB-60 and OFB-84).



OFB-60

Casters: Forged Steel, Roller Bearing Wheels
Center Wheels: 10"x3"
Ductile Iron Roller Bearing Casters
Swivels: 8"x3"
Casters: Hi-Cap Rubber Wheels
Center Wheels: 16" x 3"
Swivels, 10" x 2½"

OFB-60 Ship. Wt. 270 Lbs.
OFB-84 Ship. Wt. 294 Lbs.
Finish: Orange Enamel

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly

ALL PURPOSE HAND TRUCKS

All welded tubular balanced construction with curb jumper, rugged, all edges rounded smooth for appearance and safety, ball bearing rubber wheels, absorb shock, provide easy handling and quiet operation, with plastic handles for firmer grip. Finish: Orange Enamel

For: general use in stock rooms, shipping, receiving, warehouse and dock operations. Balanced—load exerted on the axle, bearings and wheels, and off operator's arms and shoulders.

89 MEDIUM DUTY



90-91 HEAVY DUTY



92-93 HEAVY DUTY W/CONTINUOUS HANDLE



96 CYLINDER TANK UNIT W/HOLD CHAIN



98 EXTRA HEAVY DUTY

100 BARREL DRUM UNIT



Model	Overall Height	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship. Wt.
89	45½"	14"	20"	7"x14"	250	8x1.75 Semi-Pneu	27
90	48"	14"	20"	7"x14"	650	10x2.75 Semi-Pneu	37
91	48"	14"	20"	7"x14"	500	410x3.50—4—2 Ply Pneu	40
92	48"	14"	20"	7"x14"	650	10x2.75 Semi-Pneu	30
93	48"	14"	20"	7"x14"	500	410x3.50—4—2 Ply Pneu	42
96	45"	27"	32½"	13"x25"	650	12"x3" Semi-Pneu	57
98	43"	18"	18"	8½"x18"	800	8x2 Moldon	55
100	42"	19"	20"	5"x19"	800	8x2 Moldon	58



NEW IMPROVED PREMIUM BEVERAGE TRUCK 300 and 311





ALL WELDED tubular balanced construction, easy to push, even under the heaviest loads; keeps the load on the axle, bearings and wheels, and off operator's arms and shoulders.

ESPECIALLY designed rugged for the Route Man for easy pushing loads over floors, pavement, sidewalks, over curbs, up and down stairs;

MOVING cases of small and large cans, bottles, containers—pop, beer, milk and other beverages;

STACKING HOLDER permits firm hold on as many as 6 cases high; ⅜" floating axle absorbs moving load shock;

REAR LIPPED CHISELED TOE PLATE gives added strength and adequate load bearing area;

NARROW TUBULAR FRAME, only 9½" wide, with plastic handles for firmer grip, easy to maneuver in confined aisles and other areas.

ALL EDGES ROUNDED SMOOTH for neat appearance—and safety—Finish: Orange Enamel.

Model	Axle Lgth.	Ht. W/Case Hndl. Ext.	Ht. W/O Case Hndl. Ext.	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship. Wt.
300	14¼"	53½"	46½"	9½"	15¾"	8¼" x 10½"	650	10x2.75 Semi-Pneu	36
311	17"	53½"	46½"	9½"	18"	8¼" x 10½"	500	410x3.50—4—2 Ply Pneu	35

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114 Grizzly

BAR AND ROD TRUCKS

3400 LBS. CAPACITY - SEMI-STEEL CASTERS
3000 LBS. CAPACITY - HI-CAP RUBBER CASTERS

Model	W	L	Ship Wt.
BRT-48	36"	48"	255
BRT-60	36"	60"	275
BRT-72	36"	72"	292



BRT-60

Casters:

Semi-Steel Roller Bearing Wheels, 8" x 2" 2 rigid & 2 swivel.

Hi-Cap Rubber Roller Bearing Wheels, 8" x 2" 2 rigid & 2 swivel.

Finish: Green Enamel

Truck Floor Lock Available at Additional Charge.

All welded, heavy gauge steel, rugged for transporting mill shapes - conduit, tubing pipe, angle, channels, rounds, flats, other metal and plastic items.

All models 60" overall height; height above deck 48". Deck: 12 gauge steel, Uprights: 4" channel.



SHEET AND PANEL TRUCK

2000 LBS. CAPACITY
Casters: 2 Rigid and 2 Swivel 6" x 2" Hard Rubber Wheels

Ship. Wt.—105 Lbs.

Finish: Green Enamel

28"W—42"L—49"O.A.H.

SPT-2842

All welded rugged construction—Used for transporting panel units, partition sections, masonite, formica, building and other long type materials, to and from work stations, in the plant, and on the construction job. End stop on the length of the deck keeps material from sliding off truck.

SEMI-LIVE PLATFORM TRUCKS

2500 LBS. CAPACITY
8" x 2" Hi-Cap Rubber Wheels
Platform 12" from floor

All Welded Construction—Rugged—12 Go. Reinforced Steel Deck—

For temporary storage of materials, parts, or finished goods. Low number of jack handles can service and transport a number of these mobile platforms in plants, warehouses, freight terminals, and in other operations. Finish: Green Enamel

Jack Handle engages and disengages platform. Trucks easily maneuverable, stack in small space when out of use.

Model	Platform W	Platform L	Ship. Wt.
SLPT-2448	24	48"	90
SLPT-2460	24	60"	106
SLPT-3048	30	48"	100
SLPT-3060	30"	60"	114
SLPT-3648	36"	48"	112
SLPT-3660	36"	60"	127

JACK HANDLE

54½" Long
No. 15—Ship. Wt. 35 Lbs.
8" x 2" Hi-Cap Rubber Wheels



SLPT-3660
W/Optional Jack Handle

Grizzly®

EXTRA HEAVY DUTY STORAGE CABINETS



RUGGED—ALL WELDED CONSTRUCTION

All Models have 1 Fixed Center Shelf. All Other Shelves Adjustable on 2" Centers. Shelf Size—18" W x 35¾" L.

Cabinets built for years of rugged use. Units have 16 Go. Reinforced Shelves and Bottom, Sides—12 Go., Doors 18 Go. with 20 Ga. Reinforcing Channel. Used for storage of tools, small dies, etc. All Models furnished with Plain Handle. Units shipped completely assembled and ready for use.

Finish: Green Enamel

Keyed handle available at additional charge

HDSC-3672-4

Model	D	W	H	Shelves	Ship. Wt.
HDSC-3648-2	19"	36"	48"	2—1 Fixed, 1 Adjustable	205
HDSC-3660-3	19"	36"	60"	3—1 Fixed, 2 Adjustable	250
HDSC-3672-4	19"	36"	72"	4—1 Fixed, 3 Adjustable	300
Additional Shelves Available 18"D x 35¾"L					20



WSC-3672

WARDROBE—STORAGE CABINET

ALL WELDED CONSTRUCTION

Heavy Duty Cabinet has the double purpose of storage on one side and 4 fixed shelves on the other. There is a full length shelf on top for extra storage. Model furnished with Keyed Handle, Padlock Hasp available at additional charge. Units shipped completely assembled and ready for use.

Construction: Top Sides, Top Shelf, Divider—16 Gauge Steel: Doors, Back and Half Shelves—18 Gauge Steel; Bottom—14 Gauge Steel.

CABINET SIZE: 21"D x 36"W x 72"H

Finish: Green Enamel

Ship. Wt. 248 Lbs.

HEAVY DUTY TOOL CABINET

Large variety of uses—in warehouses, factories, and offices. Handles large tools, bulky items, heavy material, etc.

Unit equipped with padlock Hasp and Keyed Handle for extra security.

Unit shipped completely assembled and ready for use. Cabinet furnished with 2 Fixed Shelves.

Top 19" x 24"; Height to Top Surface—42"
Clearance between shelves—12½"

Construction:
Body and Shelves—14 Gauge Steel
Top, Bottom and Door—12 Gauge Steel Finish. Green Enamel Ship. Wt. 128 Lbs.

HDTC-2442

BOOK SHELF—STORAGE CABINET

ALL WELDED CONSTRUCTION



Used in office, factory and shop operations. Unit has 2 fixed shelves on top for storage of manuals, catalogs, books, etc. and a secure cabinet below with 3 fixed shelves, 10" shelf clearance.

Model furnished with Plain Handle. Keyed Handle available at additional charge.

Entire unit constructed of 16 Gauge
BOOK SHELF DEPTH—12"
Finish: Green Enamel
Ship. Wt. 235 Lbs.

BSC-3675

OVERALL DIMENSION of CABINET—19"Dx36"Wx75" OAH
48" High from floor to top of storage cabinet.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

SLIDING SHELF TRUCKS

2400 LBS. CAPACITY—SEMI-STEEL CASTERS
2000 LBS. CAPACITY—HARD RUBBER CASTERS
LARGE VOLUME CAPACITY TRUCK
2 REMOVABLE SHELVES

Ruggedly built of all steel welded construction. Ready for use.
All corners and all edges are round for safe handling without damage to other equipment.
See Thru design for visual load inspection.
For large or heavy stock orders and other purposes.
Shelves are easily removed by sliding out of channels permitting truck to be used for large bulky materials. Standard unit consists of 2 shelves and bottom.

18" Clearance Between Shelves

Prices include Two (2) Shelves, Extra Shelves Priced on Request

Casters: 6"x2"
—2 rigid and 2 swivel.

Finish: Green Enamel



SS-72

Model	L	W	H	Shelf Size	Ship. Wt.
SS-48	56"	37"	66"	36" x 48"	266 lbs.
SS-60	68"	37"	66"	36" x 60"	298 lbs.
SS-72	72"	37"	66"	36" x 72"	330 lbs.

CAGE STOCK TRUCK

CST-24

800 LBS. CAPACITY
ALL WELDED CONSTRUCTION

For variety of uses, on the assembly line, in the stock room and many other operations.
See-thru design for visual load inspection.
Used for drying purposes, paper stock, etc.

Overall Dimensions.....24½"Wx42"Lx62"H
Shelves.....24"x36"—14 Ga. steel
Wheels.....5"x1¼" Soft Rubber
2 swivel, 2 rigid
Finish.....Green Enamel

★ **Shelves are furnished with welded clips that rest on Band Iron strips**
CST-24—Ship. Wt. 135 Lbs.
Additional Shelves Available at Additional Charge — Ship. Wt. 24 lbs.

BOX TRUCKS
ROLL-OVER BOX TRUCKS

ALL WELDED CONSTRUCTION

1000 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS



BT-2436



ROBT-36

GRIZZLY Box Truck and Roll-Over Box Truck are used for handling packaged goods, in department stores and warehouses, line operations, disposal of waste materials, and for general purposes.

Rugged construction, heavy 14 gauge steel, tilt mounted on 2 center rigid casters and 1 swivel caster at the center of each end. Turns within half of its length. Leakproof.

ROBT series—Roll-Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—remains upright, material easily removed—one man operation.

BOX TRUCKS

Models W/O Lids	Ship. Wt.	W	D	L	O.A.H.
BT-2436	95	24"	24"	36"	30"
BT-3036	110	30"	24"	36"	30"
BT-2448	115	24"	24"	48"	30"
BT-3048	136	30"	24"	48"	30"

Finish: Green Enamel

Wheels:
Semi-Steel, 5"x1¼"
Soft Rubber, 5"x1¼"

ROLL-OVER BOX TRUCKS

Model	W	D	L	O.A.H.	Ship. Wt.
ROBT-36	24"	24"	36"	30"	120 Lbs.
ROBT-48	24"	24"	48"	30"	140 Lbs.

3/SIDED PLATFORM TRUCKS

HEAVY DUTY
3000 LBS. CAPACITY—SEMI-STEEL CASTERS
2000 LBS. CAPACITY—MOLD ON RUBBER CASTERS

Ruggedly built of all steel welded construction. All corners and edges are round for safe handling without damage to other equipment. See Thru design for visual load inspection. Increases load capacity over platform trucks. Used in shipping and receiving rooms.

ALL MODELS: 60" O.A.H.
FLOOR TO DECK: 12"
DECK TO TOP FRAME: 48"
Reinforced 12 Gauge Steel platform
FRAME: 1-1/2" x 3/16" Angle Iron

Sides and Back 3/4" Flattened Expanded Metal 16 Gauge Steel

TUBULAR PUSH HANDLE

FINISH: Green Enamel
WHEELS: 8"x2", 2 swivel, 2 rigid.



3ST-2848

Model	W	L	Ship. Wt.
3ST-2448	24"	48"	185
3ST-2460	24"	60"	200
3ST-2472	24"	72"	220
3ST-2848	28"	48"	200
3ST-2860	28"	60"	213

Model	W	L	Ship. Wt.
3ST-2872	28"	72"	235
3ST-3448	34"	48	215
3ST-3460	34	60"	235
3ST-3472	34	72"	258

3/SIDED STOCK CARTS

MEDIUM DUTY
1500 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

For variety of uses in factories, warehouses, offices, etc. See Thru design for visual load inspection. Used for drying purposes, paper truck, etc.

ALL WELDED CONSTRUCTION

ALL MODELS: 60" O.A.H.
BOTTOM DECK: 12 Gauge Steel
POSTS: 1½" x ⅛" Angle Iron
VERTICAL RODS: ⅜" Diameter
DECK HEIGHT: 7" from floor
TUBULAR PUSH BAR
FINISH: Green Enamel
WHEELS: 4"x1½", 2 Swivel, 2 Rigid.



3SC-30

Model	W	L	Ship. Wt.
3SC-30	24"	30"	105
3SC-36	24"	36"	115
3SC-48	24"	48"	135
3SC-60	24"	60"	155

HAND DUMP TRUCKS—ROLL-OVER DUMP TRUCKS

1500 LBS. CAPACITY
4" SEMI-STEEL CASTERS

2000 LBS. CAPACITY
8" SEMI-STEEL CASTERS



HDT-42



RODT-42

ALL WELDED, heavy gauge steel, rugged, leakproof, 5" from floor, for carrying and dumping parts, metal chips, and waste material into pits and containers. Front slanted for easy dumping. Casters: 2 rigid, front, and 1 swivel, rear, 4" x 1½" semi-steel wheels, easily moved into and out of close, narrow quarters. HDT models available with 8" x 2" semi-steel wheels; 2 rigid, front, and 1 swivel, rear. (8" x 2" Mold On Rubber Wheels available at additional charge).

Handy in machine shops, screw machine operations, production and assembly lines.

RODT unit—Roll Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—remains upright, material easily removed—ONE MAN OPERATION.

RODT-42—Roll-Over Dump Truck Ship. Wt. 130 Lbs.
(RODT-42 has the same dimensions as HDT-42 with exception of roll-over feature.)
RODT-60—Roll-Over Dump Truck Ship. Wt. 178 Lbs.
(RODT-60 has the same dimensions as HDT-60 with exception of roll-over feature.)

Finish: Green Enamel

Hand Dump Trucks =	HDT-42	HDT-60
Top	24" W x 42" L	24"W x 60" L
Bottom	24"W x 29"L	24"W x 47"L
Box Depth	18	18
Floor to Top of Box	23"	23"
Handle From Floor	36"	36"
Ship. Wt.	120 Lbs.	168 Lbs.

DIVIDED SHELF TRUCK

1400 LBS. CAPACITY—HARD RUBBER CASTERS
ALL WELDED CONSTRUCTION

Large variety of uses—in warehouses, factories, and offices. For order filling, stock picking, parts routing. Five shelf surfaces on each side. Double shelves pitched to slope toward center to prevent material from falling off of truck while in motion. Material can be slid on and off with ease.

DV-2242
42"L—22"W—55¾"O.A.H.
Solid divider thru center, shelves 11" deep and slope 2" to center, 12" clearance from bottom to first shelf, other shelves have 8" clearance.
Casters: 2 Swivel, 2 Rigid, 5"x1½"
Finish: Green Enamel
Ship. Wt.—200 lbs.



DV-2242

OST-39

OPEN SIDE TRUCK

800 LBS. CAPACITY—SOFT RUBBER CASTERS
ALL WELDED CONSTRUCTION

For factory, hospital and office use. Used as a book cart, stock picker's truck, linen truck, or office record truck.

OST-39
Overall Dimensions: 18½"W x 45"L x 50"H
Shelves: 18" x 39", 18 gauge steel, flat surface
Optional: Tray Shelves 1¼" deep, same price
Clearance Between Shelves: 15"
Casters: 4 swivels, 5" x 1¼"
Push Handles: Tubular, one at each end
Finish: Green Enamel
Ship. Wt. 110 Lbs.

ENCLOSED SHELF TRUCK

800 LBS. CAPACITY—SOFT RUBBER CASTERS
ALL WELDED CONSTRUCTION

EST-44
Overall Dimensions: 16"W x 45"L x 62"H
Shelves: 16" x 44"—20 Ga. steel
10" Clearance between Shelves

Casters: 2 swivel, 2 rigid 5" x 1¼"
Finish: Green Enamel
Ship. Wt.—110 lbs.



EST-44

For Warehouses, Factories and Offices— For order picking, stock filling, parts routing. Five shelf surfaces slope 1" to the back to prevent material from falling off of truck while in motion.

Material can be slid on and off with ease.

GARMENT TRUCKS

ALL WELDED CONSTRUCTION

500 LBS. CAPACITY—SOFT RUBBER CASTERS

Used in garment factories, department stores, laundries, cleaners, motels, hotels. Handy for order filling. Light weight, easy to maneuver.

Dimensions the same for both GT-72 and GT-72-SD

74"L—20-1/2"W—66"H
Frame: 1-1/16" Tubular Steel
Casters: 4 swivels, 5" x 1-1/4"
Finish: Green Enamel



GT-72 Garment Truck—
Ship. Wt. 55 Lbs.



GT-72-SD Garment Truck—
Ship. Wt. 70 Lbs.

HYDRAULIC LIFT TOP TABLES

- **All Arc Welded—Rugged—Portable**
- **Foot Operated—**
- **Easily adjusted to and from working height.**
- **Heavy reinforced steel top, telescoped tubular uprights travel within heavy tubular walls to and from working height.**
- **Heavy duty swivel casters and rigid casters provide easy movement, with foot operated floor lock firmly holds the table as required.**
- **For moving dies, tools and parts to and from working station—production & maintenance.**

HLTT-36-1
CAPACITY 1000 LBS.



Model HLTT-36-1 Top.....20"W—36"L
Swivel Casters..5"x1-5/8" semi-steel, plain bearing wheels. Foot operated floor lock between swivel casters at one end.
Raised Top Height.....43" from Floor
Top Height.....31" from Floor
Top travel.....12"
FINISH: Orange Enamel—Ship. Wt.....260 Lbs.



HLTT-36-2
CAPACITY 2000 LBS.

Model HLTT-36-2 Top.....30"W—48"L
Swivel casters .5"x1-5/8" semi-steel, plain bearing wheels. Foot operated floor lock between swivel casters at one end.
Raised Top Height.....43" from Floor
Top Height.....31" from Floor
Top travel.....12"
FINISH: Orange Enamel—Ship. Wt.....360 Lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. · CLEVELAND, OHIO 44114

TOTE-ALL UTILITY CARTS
TOTE-ALL PLATFORM TRUCKS

ALL WELDED CONSTRUCTION
800 LBS. CAPACITY - SOFT RUBBER CASTERS

Used in shipping operations, stockrooms and selling areas. Flat top decks for easy loading and unloading. With tubular push handle. Construction: 1-1/16" tubing 14 gauge. Wheels: 5"x1¼" Soft Rubber self lube, 2 rigid and 2 swivel.

Truck Floor Lock Available at Additional Charge

Finish: Green Enamel





TOTE-ALL UTILITY CARTS
All Models: 36" O.A.H.
Deck Height: 30"
Shelf Clearance: 21⅜"
Floor Clearance: 6¼"

Model	W	L	Ship Wt.
UC-2432	24"	32"	34
UC-2442	24"	42"	42
UC-2452	24"	52"	53

TOTE-ALL PLATFORM TRUCKS
All Models: 37" O.A.H.
Deck Height: 15"

Model	W	L	Ship Wt.
UT-2432	24"	32"	55
UT-2442	24"	42"	64
UT-2452	24"	52"	73

TOTE-ALL HAND TRUCK



ALL WELDED CONSTRUCTION
COMBINATION 4-WHEEL CART OR 2-WHEEL HAND TRUCK
375 LBS. CAPACITY

IDEAL FOR:

- LUGGAGE
- PACKAGES
- SMALL BOXES
- TANKS
- INSTRUMENT CARRIER
- TESTING MACHINES
- VACUUM CLEANING TANKS
- PAINT SPRAY UNITS

I.D. Bottom: 24"W, 16"D.—Sides: 28"H, 23½"D, front to back. 30"W, 4½"H.—Wheels: 8" x 1.75 Semi-Pneumatic rubber tired.—Casters: 3" x 1¼" Hard rubber swivels.—Finish: Green Enamel.

Model TA-24 Ship. Wt. 52 Lbs.

TOTE PAN HAND TRUCK

ALL WELDED CONSTRUCTION
375 LBS. CAPACITY

FOR: **TRAYS, BOXES, TOOLS, DIES & ORDER PICKING**



Sits level on 4 wheels for loading and unloading beside machines or assembly benches. Can be maneuvered on 2 large semi-pneumatic wheels as a hand truck or pushed as a cart on 4 wheels. Two swivel casters in front for easy turning.

TRAY: 12"D—24"L.—CLEARANCE BETWEEN TRAYS: 12", Bottom Tray 3¾" from floor.—O.A.H.—42", 22" from front to back wheel.—WHEELS: 8" x 1.75 semi-pneumatic rubber tired.—CASTERS: 3" x 1¼" Hard Rubber Swivels.—FINISH: Green Enamel.

Model TPH-24 Ship. Wt. 55 Lbs.

Grizzly®

TOTE-ALL HAND CART

Capacity:
1000 Lbs.—Semi-Steel CASTERS
800 Lbs.—Soft Rubber CASTERS



Top—15"W—28"L,
Cart height—20½"O.A.H. **SER-101-RW**
Handle: 32" Long
Top and Bottom tray—1" deep.
Legs: 1½" x 1½" x ⅛" Angle Iron
Drawer: 14⅜" D x 20⅛" W x 5" H
Drawer Slides on Ball Bearing Steel Rollers

Finish: Green Enamel

All welded, rugged construction for general maintenance uses—carrying parts and tools—with padlock attachment and convenient tow handle. Used especially for servicing production machines requiring testing and other measuring instruments.
Casters: Easy to roll with 5" x 1¼" Soft Rubber or Semi-Steel Wheels—2 rigid and 2 swivel.

SER-101-SW	w/Semi-Steel Wheels	60 Ship. Wt.
SER-101-RW	w/Soft Rubber Wheels	56 Ship. Wt.

SHOP TRAY TRUCKS

2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

HEAVY DUTY ALL WELDED CONSTRUCTION

Used in shop operations with presses, screw machines, assembly. Handles large bulky parts, castings, large stampings and heavy materials.

TOP TRAY: 6" or 12" Deep—12 Gauge steel with 1" hemmed edges.
Clearance between Top and Bottom Trays—17-3/4".
BOTTOM TRAY: 2" Deep—12 Gauge steel.
LEGS: 1-3/4" x 1-3/4" x 3/16" Angle Iron ALL MODELS: 36" O. A. H.
Floor Clearace: 6-1/4" TUBULAR PUSH BAR:

CASTERS:
2 swivel 2 rigid
Semi-Steel Wheels 5" x 1-5/8"
Hard Rubber Wheels 5" x 1-1/2"

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge
Finish: Green Enamel

W	L	Top Box Depth = 6"	Ship. Wt.	Top Box Depth = 12"	Ship. Wt.
18	30	TT-1830-6	114	TT-1830-12	130
24	30	TT-2430-6	128	TT-2430-12	148
24	36	TT-2436-6	140	TT-2436-12	161
30	36	TT-3036-6	151	TT-3036-12	179
24	48	TT-2448-6	158	TT-2448-12	184
30	48	TT-3048-6	180	TT-3048-12	208



TT-2436-12

TRAY STOCK CARTS

MEDIUM DUTY
ALL WELDED CONSTRUCTION
1100 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS

Stock picking truck for large parts, bulky items, deep box can be used for many purposes, mail cart, etc.

Finish: Green Enamel



ALL MODELS: 36" O.A.H.

CASTERS: 2 swivel 2 rigid
Semi-Steel Wheels 5" x 1¼"
Soft Rubber Wheels 5" x 1¼"

LEGS: 1½" x 1½" x ⅛" Angle Iron

Clearance between top and bottom trays—18" **TSC-2436-12**
TUBULAR PUSH BAR Floor Clearance: 6"

TOP TRAY: 6" or 12" deep—16 Gauge steel with ½" hemmed edges.
BOTTOM TRAY: 2½" deep—16 Gauge steel with ½" hemmed edges.

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge.

W	L	Top Box Depth = 6"	Ship. Wt.	Top Box Depth = 12"	Ship. Wt.
18	28	TSC-1828-6	67	TSC-1828-12	75
18	36	TSC-1836-6	74	TSC-1836-12	83
24	36	TSC-2436-6	83	TSC-2436-12	95

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

STOCK CARTS

MEDIUM DUTY
500 LBS. CAPACITY—
5" SOFT RUBBER CASTERS
360 LBS. CAPACITY—
3" SOFT RUBBER CASTERS

All welded, designed for rugged factory use yet with appearance satisfactory for office and store. Large capacity shelves save time and steps, on the assembly line, in the stock room, the office, in any one of many other operations.

Built for Years of Easy Rolling Service.

SCF-5363

SC-5362

FINISH: Green Enamel

CASTERS: 2 swivel 2 rigid
Soft Rubber Plain Bearing Wheels—5" x 1"
Soft Rubber Ball Bearing Wheels—5" x 1"
Soft Rubber Plain Bearing Wheels—3" x 13/16"

Flat Bottom Shelf — Available at Additional Charge.
— SC Models Available with Writing Shelf Attachment (See Shop Trucks, Page 4)

Shelves—16 ga. Angle Legs All Trays—2½" Deep	Model	W	L	O.A.H.	Shelf Clearance	Wheels	Ship. Wt.
All Tray Shelves	SC -3182	18"	28"	34"	25¼"	3"	47
	SC -5182	18"	28"	36"		5"	50
	SC -3362	18"	36"	34"		3"	53
	SC -5362	18"	36"	36"		5"	56
	SC -5242	24"	36"	36"		5"	66
All Tray Shelves	SC -3183	18"	28"	34"	11⅜"	3"	62
	SC -5183	18"	28"	36"		5"	65
	SC -3363	18"	36"	34"		3"	70
	SC -5363	18"	36"	36"		5"	73
	SC -5243	24"	36"	36"		5"	88
Flat Surface Top Shelf Tray Bottom Shelf	SCF-3182	18"	28"	34"	25¼"	3"	47
	SCF-5182	18"	28"	36"		5"	50
	SCF-3362	18"	36"	34"		3"	53
	SCF-5362	18"	36"	36"		5"	56
	SCF-5242	24"	36"	36"		5"	66
Flat Surface Top Shelf Tray Center and Bottom Shelves	SCF-3183	18"	28"	34"	11⅜"	3"	62
	SCF-5183	18"	28"	36"		5"	65
	SCF-3363	18"	36"	34"		3"	70
	SCF-5363	18"	36"	36"		5"	73
	SCF-5243	24"	36"	36"		5"	88

HI-LADDER STOCK CARTS•LADDER STOCK CARTS

ALL WELDED CONSTRUCTION
2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

SHELVES.....14-Gauge steel, Tray Type—2" deep
CLEARANCE BETWEEN SHELVES.....13"
TOP OF CART.....38¼" from Floor

CASTERS: 2 Swivel, 2 Rigid
S= Semi-Steel Wheels 5" x 1⅜"
R= Hard Rubber Wheels 5" x 1½"

SIZE OF SHELVES
—Top—20"x32"
—Center—20"x36"
—Bottom—20"x41"

HI-LADDER
LT-20-78R

Permits work up to 10 feet high. This truck can be used for working high stockroom shelves and bins.



LADDER
LT-20-R

LADDER..... Spring loaded and adjustable STEPS: 6" wide

With adjustable ladder to give quick, higher standing step for stock clerks and others to place items into and take from inventory and storage areas, and for moving such items to and from job and shipping locations.

Ladder automatically slides to floor when operator places his weight on first step locking both ladder and truck firmly to the floor, when weight is removed the ladder retracts allowing truck to be easily moved. Finish..... Green Enamel

Specifications: Same for LT-20-78 and LT-20 Models with exception of O.A.H.

Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge.
Top and center shelves reversed at no charge

HI-LADDER STOCK CARTS OA-20"W x 44"L x 78"H

LT-20-78R	169 Ship. Wt.
LT-20-78S	174 Ship. Wt.

LADDER STOCK CARTS OA-20"W x 44"L x 62"H

LT-20-R	150 Ship. Wt.
LT-20-S	155 Ship. Wt.

FIVE SHELF STOCK CARTS

1000 LBS. CAPACITY—
SEMI-STEEL CASTERS
800 LBS. CAPACITY—
SOFT RUBBER CASTERS

Large volume capacity stock cart for filling orders and other purposes. All welded construction with 1½" x 1½" x ⅛" angle posts, and push handle located 39½" high for balanced handling, adds 3" to overall length of cart.

Top trays, with 2½" sides, can be reversed at no extra cost.

Floor Clearance.....6¼"
O.A.H. with Semi-Steel Casters.....58¾"
O.A.H. with Soft Rubber Casters.....58¾"
Shelf Clearance.....10"
Finish.....Green Enamel



L-1836

Casters: 2 swivel,2 rigid
Semi-Steel Wheels 5" x 1¼"
Soft Rubber Wheels 5" x 1¼"

Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge.

Model	W	L	Ship. Wt.
L-1828	18"	28"	105
L-1836	18"	36"	119

Model	W	L	Ship. Wt.
L-2436	24"	36"	144
L-2448	24"	48"	181

FIVE SHELF HEAVY DUTY TRUCKS

3000 LBS. CAPACITY—SEMI-STEEL CASTERS
2000 LBS. CAPACITY—MOLDON RUBBER CASTERS

For large and heavy stock orders, shop, tool-room and production line. All welded with 1-3/4" x 1-3/4" x 3/16" angle posts, top trays of 12 gauge steel, can be reversed at no extra cost. Tubular push handle for easy maneuvering adds 3" to overall length.

Overall Height.....68"
Shelf Clearance.....12"
Floor Clearance.....9½"
Finish.....Green Enamel

Casters: 2 swivel,2 rigid
Semi-Steel Wheels 8" x 2"
Moldon Rubber Wheels 8" x 2"

Truck Floor Lock-Flat Bottom Shelf
— Available at Additional Charge.

Model	W	L	Ship. Wt.
H-1830	18"	30"	189
H-2430	24"	30"	219
H-1836	18"	36"	212
H-2436	24"	36"	247
H-3036	30"	36"	287
H-2448	24"	48"	299
H-3048	30"	48"	349
H-2460	24"	60"	355
H-3060	30"	60"	413



H-2436

LUMBER SERVICING TRUCKS

1200 LBS. CAPACITY—ALL WELDED CONSTRUCTION

For convenient movement of bulky and other items for customer service, maintenance and repair including bulky panels, masonite, plywood, lumber, trim, hardware, gardening tools and landscaping materials. Casters: 6" x 2" Soft Rubber Wheels = 2 swivel, 2 rigid.



YZ-100 for longer bulkier items.
Width = 24": Base Length = 42":
Overall Length = 65": Ht. = 44¾"
Floor Clearance = 8¾"
Sheet Holder adjustable to 60" overall height.
Finish: Green Enamel
Ship. Wt. = 145 Lbs.



YZ-75 for shorter items.
W = 26": Depth = 24": H = 39"
Floor Clearance = 7½"
Finish: Green Enamel
Ship. Wt. = 72 Lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

PORTABLE MARKING TABLES

ALL WELDED CONSTRUCTION
CAPACITY 1000 LBS.—SEMI-STEEL CASTERS
CAPACITY 800 LBS.—SOFT RUBBER CASTERS

Model	Shelves	W	L	Ship. Wt.
MT-2448-2	2	24"	48"	100
MT-2448-3	3	24"	48"	132
MT-2460-2	2	24"	60"	115
MT-2460-3	3	24"	60"	155
MT-2472-2	2	24"	72"	125
MT-2472-3	3	24"	72"	162
MT-3048-2	2	30"	48"	112
MT-3048-3	3	30"	48"	150
MT-3060-2	2	30"	60"	130
MT-3060-3	3	30"	60"	175
MT-3072-2	2	30"	72"	140
MT-3072-3	3	30"	72"	184

Designed for rugged factory use yet with appearance for office and store. Flat surface for layouts, marking and sorting merchandise.

Light duty truck for industrial use, order filling, warehouse, beside assembly operations.

Top and bottom shelves are reinforced with channels.



MT-2460-2

30"O.A.H.—Clearance between Shelves: 21", SHELVES—16 Ga. Steel with 20 Ga. Channels, LEGS—1½" x 1½" x ⅛" Angle Iron, CASTERS—5" x 1¼" .....All Swivels, FINISH: Green Enamel.

STEEL DOLLIES

WITH REMOVABLE HANDLE
1500 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

Rugged, all welded 12 gauge steel dollies castered for easy movement. Sides 2" deep, floor clearance 5", with 4" x 1½" casters. 2 swivel and 2 rigid. Removable Handle—½" rod—36½" long.

Model	W	L	Ship. Wt.
18-D-30	18"	30"	40
18-D-36	18"	36"	44
18-D-48	18"	48"	52
18-D-60	18"	60"	60
24-D-30	24"	30"	45
24-D-36	24"	36"	50
24-D-48	24"	48"	60
24-D-60	24"	60"	72
Removable Handle Furnished with unit			3

Top reversed on request at no extra cost.
Finish: Green Enamel

18-D-30

HEAVY DUTY TOOL STANDS

2000 LBS. CAPACITY—
ALL WELDED CONSTRUCTION

Floor clearance 6¼".
Pads on bottom of legs protect floors.
Finish: Green Enamel
ALL MODELS ..... 32-1/2" O.A.H.
SHELVES ..... 12 Gauge Steel
LEGS ..... 1-3/4" x 3/16" Angle Iron



2448-3

Heavy Duty Tool Stands have a broad usage in many industries where heavier than average weights are a daily occurrence. Flat top for sliding heavy dies, tooling or shop boxes on and off. Used by machine operators as a service table.

1836-2 W/2 Shelves

TRAY SHELVES ARE 2" DEEP

TOP AND BOTTOM SHELVES
Shelf Clearance 22-1/4 inches

1836-3 W/3 Shelves

TOP BOTTOM AND CENTER SHELVES
Shelf Clearance 10-1/8 inches

Model	W	L	Ship. Wt.
1830-2	18"	30"	62
1836-2	18"	36"	70
1848-2	18"	48"	85
1860-2	18"	60"	104
2430-2	24"	30"	83
2436-2	24"	36"	95
2448-2	24"	48"	116
2460-2	24"	60"	136
1830-3	18"	30"	85
1836-3	18"	36"	98
1848-3	18"	48"	120
1860-3	18"	60"	148
2430-3	24"	30"	112
2436-3	24"	36"	130
2448-3	24"	48"	162
2460-3	24"	60"	192

Grizzly®

"MIJ" BOX CARTS

300 LBS. CAPACITY—
WITH CASTERS

BC-213

Combines a Tote Box with a highly maneuverable cart. For stocking assembly lines and machines, moving work parts in warehouses and stock rooms, collecting and moving items in tool cribs and shipping rooms. *ALL WELDED CONSTRUCTION*. Easily turned in narrow aisles, speeds up jobs, reduces work-fatigue by eliminating manual lifting of heavy shop boxes and places parts at a normal work elevation.

O.D.—13"W—23"L—31"H, BOX—6" deep. CLEARANCE BETWEEN BOX AND SHELF—17" BOTTOM SHELF—8" from floor

FINISH: Green Enamel	Ship. Wt.
B-213—With Floor Pads	28 lbs.
BC-213—With 2½" Pressed Steel Casters	29 lbs.

HOPPER TABLES

300 LBS. CAPACITY—WITH CASTERS

All welded construction, used beside machines for holding tote box on the sloping lipped top shelf filled with parts, which operator feeds into the machine operation, the machined parts are dropped into the chute opening into the tote box on the bottom shelf. Tote box filled with machined parts is then transferred to the next operation. These operations are repeated on the production line resulting in quicker and lower production costs with less fatigue on the workers. Hopper Tables are especially used on small parts production and assembly.



TH-14C

14¼"W—29¼"L—O.A.H. Back-36"—Front-30" with 1" Stop, CHUTE OPENING: 6" x 12", BOTTOM SHELF CLEARANCE FROM FLOOR: 6½", CLEARANCE BETWEEN BOTTOM SHELF AND CHUTE: 12", FINISH: Green Enamel.

TH-14	With Floor Pads	37 Ship. Wt.
TH-14C	With 2½" Pressed Steel Swivel Casters	40 Ship. Wt.



TC-213

"MIJ" TABLES 300 LBS. CAPACITY—2½" DIA.

PRESSED STEEL OR SOFT RUBBER CASTERS
FOR FASTER PRODUCTION LINE NEEDS

Rugged—Compact— High Quality at Low Cost

ALL MODELS.13" wide x 23" long.
SHELVES..... 16 Gauge Steel
LEGS..... Structural Angle

All welded construction, used as a durable service table for handling parts during production, beside Drill Presses, Punch Presses, Lathes, Automatics and other machines. Holds tote boxes at the right height for rapid handling, less fatigue for operator. Casters move table to tote pan, little effort required to place pan on table and move to next operation. Back and side stops and drop front on all shelves.

Caster Models - 2½" Pressed Steel or Rubber		
	Overall Height	Ship Wt.
TC-213	23½"	22
TEC-213	30½"	24
TC-313	23½"	28
TEC-313	30½"	30

Finish: Green Enamel



213 Series
Top and Bottom Shelves

313 Series
Top, Bottom and Center Shelves

Models With Floor Pads Welded to Legs			
	Height of Top Shelf	Shelf Clearance	Ship. Wt.
T -213	24"	16"	21
TE-213	31"	21"	23
T -313	24"	7½"	27
TE-313	31"	10"	29

EXTRA HEAVY DUTY TOOL STANDS 3000 LBS. CAPACITY

For handling long lengths of sheet metal. Placed beside shears, brakes, presses. Used as a feeder table. Layout table for plates, large dies, molds.

FOR EXTREME HEAVY LOAD REQUIREMENTS
ALL WELDED CONSTRUCTION • ALL SHELVES FLAT SURFACES
Finish: Green Enamel

ALL MODELS.....36" High
SHELVES.....12 Gauge Steel
LEGS.....2"x2"x3/16" Angle



HS-2460-2

Model	W	L	Ship. Wt.
HS-2448-2	24"	48"	135
HS-2460-2	24"	60"	155
HS-2472-2	24"	72"	175
HS-2848-2	28"	48"	145
HS-2860-2	28"	60"	170
HS-2872-2	28"	72"	195
HS-3448-2	34"	48"	165
HS-3460-2	34"	60"	190
HS-3472-2	34"	72"	240
HS-2448-3	24"	48"	185
HS-2460-3	24"	60"	215
HS-2472-3	24"	72"	245
HS-2848-3	28"	48"	205
HS-2860-3	28"	60"	240
HS-2872-3	28"	72"	275
HS-3448-3	34"	48"	230
HS-3460-3	34"	60"	280
HS-3472-3	34"	72"	335



HS-2872-2 W/2 Shelves

Clearance from floor to bottom shelf ... 8"
Clearance between shelves ..... 23½"



HS-2872-3 W/3 Shelves

Clearance from floor to bottom shelf ... 8"
Clearacne between shelves ..... 10½"

UTILITY TABLES

500 LBS. CAPACITY—5" Soft Rubber CASTERS
300 LBS. CAPACITY—2 ½" Dia. Pressed Steel CASTERS Or Soft Rubber CASTERS

All welded construction, handle heavy loads of tools, parts and other items for production workers, machine operators, and repairmen on assembly lines beside machines, in garages, shops and warehouses.

Back and side stops on shelves prevent parts and other items from rolling off. Drop fronts for sliding items on and off, and for easy cleaning. Steel pads on legs avoid floor marks. Sturdy, deep drawers furnished with attachment for padlock. Swiveled castered models for movement of parts and tools from machine to machine.



LC3



S3DC



SDC

SHELVES
S Models: 16 Gauge—H-L-K Models: 14 Gauge
ANGLE LEGS
S Models: 1⅛"x1/8"—H-L-K Models: 1⅛" x 1/8"
DRAWER SIZE (D) 14"W—16"L—5"D
FINISH: Green Enamel
Cylinder Lock Available at Additional Charge

	31" High Overall Floor Pads Welded to Legs				34" High Overall With Castors 4 Swivels	
	W	L	Model	Ship. Wt.	Model	Ship. Wt.
 With Top and Bottom Shelves	19"	25"	ST	32	SC	35
	23"	24"	HT	43	HC	46
	20"	28"	LT	44	LC	47
	24"	36"	KT	60	KC	63
 With Top, Bottom and Center Shelves	19"	25"	S3	42	SC3	45
	23"	24"	H3	57	HC3	60
	20	28"	L3	59	LC3	62
	24"	36"	K3	83	KC3	86
With Top, Bottom and Center Shelves and No. 1416-1 Drawer	19	25"	SD3	57	SD3C	60
	23"	24	HD3	69	HD3C	72
	20	28"	LD3	71	LD3C	74
	24"	36"	KD3	95	KD3C	98
With Top and Bottom Shelves and #1416-1 Drawer	19"	25"	SD	47	SDC	50
	23	24	HD	58	HDC	61
	20"	28"	LD	59	LDC	62
	24	36	KD	75	KDC	78
 With Top and Bottom Shelves and #1416-2 Drawer Unit	19	25"	S2D	77	S2DC	80
	23"	24"	H2D	88	H2DC	91
	20	28"	L2D	89	L2DC	92
	24	36"	K2D	105	K2DC	108
 With Top and Bottom Shelves and #1416-3 Drawer Unit	19"	25"	S3D	98	S3DC	101
	23"	24"	H3D	109	H3DC	112
	20	28"	L3D	110	L3DC	113
	24"	36	K3D	126	K3DC	129

TOOL CABINET BENCHES

ALL WELDED—READY FOR USE

Heavy duty benches provide solid working surface plus closed door storage for tool rooms, shop, garages, shipping and stock operations, and are rigid for bench type machines.

Additional shelves must be welded in place, if installed at factory please specify spacing. Shelves can not be adjusted. Benches with Grizzly Drawers and Casters quoted on request.

TOP ..... 12 Gauge Steel with Back Stops 3" high with Side Stops that taper to 1½" front O.A.H. 37"
SIDE LEG PANELS .... 14 Gauge Steel
DOORS ..... 18 Gauge Steel
SHELVES ..... 16 Gauge Steel
FINISH: ..... Green Enamel



C-1824

ADDITIONAL SHELF AVAILABLE AT ADDITIONAL CHARGE.

Shelf W	Shelf L	Ship. Wt.
18"	23¾"	11
18"	35¾"	15
18"	47¾"	20
24"	35¾"	19
24	47¾"	25



C-1836



C-1848-K

Model	H	W	D	Shelf W L	No. Shelves	No. Doors	Ship. Wt.
C-1824	34"	24"	19"	18" x 23¾"	2	1	112
C-1824-K	Keyed Handle in Door		(2 Keys)				
C-1836	34"	36"	19"	18" x 35¾"	1	2	140
C-1836-K	Keyed Handle in Door		(2 Keys)				
C-1848	34"	48"	19"	18" x 47¾"	1	2	166
C-1848-K	Keyed Handle in Door		(2 Keys)				
C-2436	34"	36"	25"	24" x 35¾"	1	2	160
C-2436-K	Keyed Handle in Door		(2 Keys)				
C-2448	34"	48"	25"	24" x 47¾"	1	2	190
C-2448-K	Keyed Handle in Door		(2 Keys)				

MODELS W/K NOTATION HAVE THE ADDITION OF THE KEYED HANDLE WITH 2 KEYS, OTHERWISE HAVE THE SAME SPECIFICATIONS AS MODELS W/O THE K NOTATION.

PORTABLE TOOL CABINET WORK BENCHES

3000 LBS. CAPACITY—SEMI-STEEL CASTERS
2000 LBS. CAPACITY—MOLDON RUBBER CASTERS

ALL WELDED CONSTRUCTION, for machine operators, production and maintenance workers, repairmen, etc. furnished with a nine Drawer Cabinet which provides much storage of tools, parts and other items. Sides and back stop prevent objects from rolling off top. Equipped with Keyed Handle on doors.

CASTERS: 2 rigid and 2 swivel, 8" x 2"
Dimensions: Size of top—26" x 48"; Height—37½" to work surface; 3" back stop; Overall Height—40½"; Total Overall Length—63"; Vise Shelf—12" x 25" (Vise Shelf standard on all models); Storage Cabinet Size: Top Compartment—21"w x 23¾"d x 10"h, Bottom Compartment—21"w x 23¾"dx15"h.
Finish: Green Enamel



Vise Available Upon Request.

PTC-48S	Semi-Steel Wheels 8"x2"	348 Ship Wt.
PTC-48R	Moldon Rubber Wheels 8"x2"	345 Ship Wt.
	Floor Truck Lock at Additional Charge	5 Ship Wt.
	With 3/16" Steel Plate Top	67 Ship Wt.

PORTABLE MAINTENANCE CENTER WORK BENCHES

4000 LBS. CAPACITY—SEMI-STEEL CASTERS
4000 LBS. CAPACITY—HI-CAP RUBBER CASTERS
ALL WELDED CONSTRUCTION

For maintenance workers, mill wrights, electricians, repairmen and other spot workers.

Bench furnished with 2 nine drawer tool cabinets to provide large storage place for tools and parts and especially eliminates otherwise necessary trips to another work bench and stock room.

CASTERS: 2 rigid and 2 swivel, 8" x 2½"
Dimensions: Size of top—28" x 60", Overall Height—30½" (includes 3/16" steel plate top, Total Overall Length—64½", Top Four Compartments—11"w x 14"d x 10"h, Bottom Shelf (Open or both ends) 23"w x 28"d x 13"h

Model furnished with Keyed Handles on Tool Cabinets and Compartment Doors. Vise is available upon request.
Finish: 2 Nine Drawer Cabinets—Red Enamel
All Other Metal Parts—Gray Enamel



MTC-60S	Semi-Steel Wheels 8"x2½"	696 Ship Wt.
MTC-60R	Hi-Cap Rubber Wheels 8"x2½"	688 Ship Wt.
	Floor Truck Lock at Additional Charge	5 Ship Wt.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

PORTABLE CABINET WORK BENCHES

2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—RUBBER CASTERS

Grizzly®



PC-48S



PC-48R w/#1424-4 Drawer Unit

HEAVY DUTY

All welded construction, for repairmen, maintenance workers, millwrights, electricians, and other spot workers, providing large storage place for tools and parts, with adequate top work area, back and side stops to prevent tools and parts from falling off top—all to give more efficient work operation, especially eliminating otherwise necessary trips to another work bench and stock room.

Dimensions: Caster wheels—5" for easy rolling—2 rigid and 2 swivel casters. Size of: Top, 26" x 48", Height, 34" to bench top, 3" back stop; Overall height, 37" (48" overall height with riser); Total overall length, 63"; Vise shelf, 12" x 25"—vise shelf standard on all models. Shelf: 24¾" x 47¾". GRIZZLY—Bench Drawer Units installed in Work Benches for special requirements. See Page 16. Finish: Green Enamel.

PC-48S	Semi-Steel Wheels 5" x 1½"	250 Ship. Wt.
PC-48R	Hard Rubber Wheels 5" x 1½"	247 Ship. Wt.
R-48	Steel Bench Riser Shelf at Additional Charge	20 Ship. Wt.
	Keyed Handle at Additional Charge (2 keys)	
	Additional Shelf at Additional Charge	26 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
P-48	Pigeon Hole Unit 7" high x 48" long 4—4" x 12" Openings 9" deep	18 Ship. Wt.
P-88	Pigeon Hole Unit 11" high x 48" long 8—4" x 12" Openings 9" deep	27 Ship. Wt.



P-48

P-88



R-48

BP-SERIES

2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—RUBBER CASTERS

All welded construction, for Setup men, repairmen, maintenance workers, millwrights, electricians, and other spot workers. Drawer with Tool Tray, large compartment for storing bulky items. Two intermediate shelves for storage. Top heavy 12 Ga. steel, strong enough to mount a Vise. Hard maple top available on request.



BP-36R



BP-36R w/#1416-4 Drawer Unit and optional Hard Maple Top

SIZE OF TOP: 24" x 36". OVERALL HEIGHT: 34". Standard drawer unit in #BP-36—(#1416-1), also available 1416-2, 1416-3, and 1416-4. See Page 16. SHELVES: 2 each 18" wide by 23" deep. STORAGE CABINET: 17" wide x 23" deep x 24" high. CASTERS: 5" 2 Swivel and 2 Rigid. FINISH: Green Enamel.

BP-36S	Semi-Steel Wheels 5" x 1½"	220 Ship. Wt.
BP-36R	Hard Rubber Wheels 5" x 1½"	215 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
	Keyed Handle (2 Keys) at Additional Charge	
	With 3/16" Steel Plate Top at Additional Charge	260 Ship. Wt.

PORTABLE CABINET WORK BENCHES

1000 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY— SOFT RUBBER CASTERS

LIGHT DUTY

ALL WELDED CONSTRUCTION—Designed for light duty.

TOP: 21¼" x 36".
HEIGHT: 34" to Work Surface, 3" Back Stop.



PC-36R



PC-36R

SHELF SIZE: 19" x 35¾", adjustable on 2" Centers.
FINISH: Green Enamel

PC-36S	5" x 1½" Semi-Steel, 2 Swivel—2 Rigid Casters	118 Ship. Wt.
PC-36R	5" x 1½" Soft Rubber, 2 Swivel—2 Rigid Casters	114 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
	Additional Shelf at Additional Charge	16 Ship. Wt.
	Cylinder Lock which locks both Doors (2 Keys) at Additional Charge	

PDC SERIES

ALL WELDED CONSTRUCTION
1000 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS

Equipped with four large drawers, Steel bearing slides, inside dimensions—20" wide x 18" long x 4" deep. Inside Cabinet Size: 10½" wide x 20" deep x 25" high.

TOP:.....21¼"x36"
HEIGHT:.....34" to Work Surface, 3" Back Stop
FINISH:.....Green Enamel



PDC-36R

PDC-36R

PDC-36S	5" x 1½" Semi Steel, 2 Swivel—2 Rigid Casters	168 Ship. Wt.
PDC-36R	5" x 1½" Soft Rubber, 2 Swivel—2 Rigid Casters	165 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
	Cylinder Locks fitted to all Drawers (Keyed-Un alike) at Additional Charge	
	Keyed Handle at Additional Charge	

WORK BENCHES

ALL WELDED CONSTRUCTION
Standard Lengths 4' - 10'
Specials Quoted on Request

Grizzly®



BS-2872

Showing Reinforced Construction

Reinforced steel tops. Reinforced channel stringers on all models. Shelving of channel reinforced construction to hold heavy loads and avoid sagging. Legs are channel formed with gussets for additional strength.

All welded construction—no bolts, rivets or other parts that have to be continually tightened.

COMPLETELY ASSEMBLED—READY FOR USE

TOPS ..... 12 Gauge Steel
BACK AND SIDE STOPS . 12 Gauge Steel
LEGS ..... 12 Gauge Steel
STRINGERS ..... 16 Gauge Steel
SHELVES ..... 16 Gauge Steel
LEGS SET IN 2" FROM END OF TOP

FINISH: Green Enamel
32½" HIGH TO WORK SURFACE
(34" Height Furnished at Additional Charge)



BACK STOPS—3" High—12 Ga. Steel
SIDE STOPS—3" High at Back, Taper to 1½" at Front

Bench Drawer Units and Accessories, See pages 15 and 16.

All 8 Ft. and Longer Models have 3 Bench Legs

Cylinder Lock Available for Drawer at Additional Charge.



F Series
FLAT TOP WITH STRINGER

Model	Top W	Top L	Ship. Wt.
F-2448	24"	48"	107
F-2460	24"	60"	120
F-2472	24"	72"	134
F-2496	24"	96"	180
F-24120	24"	120"	195
F-2848	28"	48"	118
F-2860	28"	60"	132
F-2872	28"	72"	148
F-2896	28"	96"	198
F-28120	28"	120"	215
F-3448	34"	48"	132
F-3460	34"	60"	148
F-3472	34"	72"	164
F-3496	34"	96"	220
F-34120	34"	120"	250

Model	Top W	Top L	Ship. Wt.
FS-2448	24"	48"	125
FS-2460	24"	60"	142
FS-2472	24"	72"	160
FS-2496	24"	96"	214
FS-24120	24"	120"	235
FS-2848	28"	48"	132
FS-2860	28"	60"	150
FS-2872	28"	72"	170
FS-2896	28"	96"	229
FS-28120	28"	120"	255
FS-3448	34"	48"	150
FS-3460	34"	60"	170
FS-3472	34"	72"	186
FS-3496	34"	96"	250
FS-34120	34"	120"	280



FS SERIES
FLAT TOP WITH STRINGER AND SHELF—15¼" DEEP



FD Series
FLAT TOP WITH STRINGER AND DRAWER UNIT 1424-1

Model	Top W	Top L	Ship. Wt.
FD-2448	24"	48"	132
FD-2460	24"	60"	145
FD-2472	24"	72"	159
FD-2496	24"	96"	205
FD-24120	24"	120"	230
FD-2848	28"	48"	143
FD-2860	28"	60"	157
FD-2872	28"	72"	173

Model	Top W	Top L	Ship Wt.
FD-2896	28"	96"	223
FD-28120	28"	120"	250
FD-3448	34"	48"	158
FD-3460	34"	60"	174
FD-3472	34"	72"	189
FD-3496	34"	96"	245
FD-34120	34"	120"	275

PRESSED WOOD TOPS (¼" THICK)

Pressed wood top—¼" thick—is attached directly over heavy steel top. Used for working with finished parts, die layout, instrument and electrical work. Any Size To 48" x 96".

(Pressed Wood)



The Storage capacity of your Work Bench may be substantially increased without reducing the work area on bench by an easily attached Riser. Slides easily between standard Grizzly Side and Back Stops.

WORK BENCH RISERS

Model	L	Ship. Wt.
R-36	36"	15
R-48	48"	19
R-60	60"	23
R-72	72"	27
R-96	96"	34

FINISH: Green Enamel

WORK BENCHES

ALL WELDED CONSTRUCTION



FSD Series
FLAT TOP WITH STRINGER AND SHELF AND DRAWER UNIT 1424-1

Model	Top W	Top L	Ship Wt.
FSD-2448	24"	48"	150
FSD-2460	24"	60"	167
FSD-2472	24"	72"	185
FSD-2496	24"	96"	239
FSD-24120	24"	120"	270
FSD-2848	28"	48"	157
FSD-2860	28"	60"	175
FSD-2872	28"	72"	195

Model	Top W	Top L	Ship Wt.
FSD-2896	28"	96"	253
FSD-28120	28"	120"	290
FSD-3448	34"	48"	176
FSD-3460	34"	60"	196
FSD-3472	34"	72"	211
FSD-3496	34"	96"	275
FSD-34120	34"	120"	315



B Series
TOP WITH BACK, SIDE STOPS AND STRINGER

Model	Top W	Top L	Ship. Wt.
B-2448	24"	48"	108
B-2460	24"	60"	121
B-2472	24"	72"	135
B-2496	24"	96"	181
B-24120	24"	120"	196
B-2848	28"	48"	119
B-2860	28"	60"	133
B-2872	28"	72	149

Model	Top W	Top L	Ship. Wt.
B-2896	28"	96"	199
B-28120	28"	120"	216
B-3448	34"	48"	133
B-3460	34"	60"	149
B-3472	34"	72"	166
B-3496	34"	96"	222
B-34120	34"	120"	251



BS Series
TOP WITH BACK, SIDE STOPS, STRINGER AND SHELF
15¼" deep

Model	Top W	Top L	Ship. Wt.
BS-2448	24"	48"	126
BS-2460	24"	60"	143
BS-2472	24"	72"	161
BS-2496	24"	96"	215
BS-24120	24"	120"	236
BS-2848	28"	48"	133
BS-2860	28"	60"	151
BS-2872	28"	72"	171

Model	Top W	Top L	Ship. Wt.
BS-2896	28"	96"	229
BS-28120	28"	120"	256
BS-3448	34"	48"	151
BS-3460	34"	60"	171
BS-3472	34"	72"	188
BS-3496	34"	96"	252
BS-34120	34"	120"	281



BD Series
TOP WITH BACK, SIDE STOPS AND DRAWER UNIT—No. 1424-1
Drawer: 14"W x 23½"D x 5"H

Model	Top W	Top L	Ship. Wt.
BD-2448	24"	48"	133
BD-2460	24"	60"	146
BD-2472	24"	72"	160
BD-2496	24"	96"	206
BD-24120	24"	120"	231
BD-2848	28"	48"	144
BD-2860	28"	60"	158

Model	Top W	Top L	Ship. Wt.
BD-2872	28"	72"	174
BD-2896	28"	96"	224
BD-28120	28"	120"	251
BD-3448	34"	48"	159
BD-3460	34"	60"	175
BD-3472	34"	72"	191
BD-3496	34"	96"	247
BD-34120	34"	120"	276



BSD Series
TOP WITH BACK, SIDE STOPS, STRINGER SHELF AND DRAWER UNIT—No. 1424-1
Drawer: 14"W x 23½"D x 5"H

Model	Top W	Top L	Ship. Wt.
BSD-2448	24"	48"	151
BSD-2460	24"	60"	168
BSD-2472	24"	72"	186
BSD-2496	24"	96"	240
BSD-24120	24"	120"	272
BSD-2848	28"	48"	158
BSD-2860	28	60	176
BSD-2872	28"	72"	196

Model	Top W	Top L	Ship Wt.
BSD-2896	28"	96"	254
BSD-28120	28"	120"	292
BSD-3448	34"	48"	177
BSD-3460	34"	60"	197
BSD-3472	34"	72"	213
BSD-3496	34"	96"	277
BSD-34120	34"	120"	317



BSDD Series
W/Peg Board Back

Top with back, side stops, stringer shelf and two drawer units - No. 1424-1
Drawers: 14"W x 23½"D x 5"H

Work Bench available with ¼" hard tempered peg board or ½" homosote board. Convenient homosote board and peg board back used for hanging blueprints, paper work, small tool storage, etc. All back boards 48" high. Finish: Green Enamel.

Work Bench Riser Available at Additional Charge.

Model	W	L	Ship Wt.
BSDD-2448	24"	48"	202
BSDD-2460	24"	60"	221
BSDD-2472	24"	72"	242
BSDD-2496	24"	96"	301
BSDD-2848	28"	48"	209
BSDD-2860	28"	60"	240
BSDD-2872	28"	72"	263
BSDD-2896	28"	96"	326
BSDD-3448	34"	48"	228
BSDD-3460	34"	60"	250
BSDD-3472	34"	72"	269
BSDD-3496	34"	96"	338

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

HARD MAPLE WORK BENCHES

ELECTRONICALLY WELDED

Grizzly®

Hard Maple Wood Top selected, edge-grained maple laminations are electronically "welded" into one, warp resistant, stronger than solid panel accurately machined and sanded satin smooth. Spray finished with water resistant clear lacquer to bring out the natural beauty, this top presents the finest work surface.

BASIC BENCH



Basic Bench. Hard Maple Top, 2 Bench Legs, and Stringer.
Add the Third Bench Leg for 96" and Longer.

All Hard Maple Bench Tops—1¾" Thick; Overall Height including Bench Top is 34¼". Prices shown are for a complete basic bench including bolts, nuts, lag screws and lock washers, K. D. ready for assembly.

For accessories: Bench Risers, Side and Back Stops and Shelves, Bench Drawer Units, and Bench Cabinet Units, See Pages 14, 15, and 16.

Finish Top—Natural-Clear Lacquer.
Metal Parts—Green Enamel.

Model	Top W	Top L	Ship. Wt.
W-2448	24"	48"	107
W-2460	24"	60"	124
W-2472	24"	72"	138
W-3048	30"	48"	127
W-3060	30"	60"	147
W-3072	30"	72"	166
W-3096	30"	96"	226
W-30120	30"	120"	264

Model	Top W	Top L	Ship. Wt.
W-30144	30"	144"	296
W-3648	36"	48"	143
W-3660	36"	60"	167
W-3672	36"	72"	188
W-3696	36"	96"	256
W-36120	36"	120"	293
W-36144	36"	144"	344

HARD MAPLE TOPS

1¾" Thick

Finish Top—Natural-Clear Lacquer.

Model	W	L	Ship. Wt.
GW-2448	24"	48"	58
GW-2460	24"	60"	72
GW-2472	24"	72"	86
GW-3048	30"	48"	74
GW-3060	30"	60"	93
GW-3072	30"	72"	112
GW-3096	30"	96"	150
GW-30120	30"	120"	187

Model	W	L	Ship. Wt.
GW-30144	30"	144"	218
GW-3648	36"	48"	86
GW-3660	36"	60"	108
GW-3672	36"	72"	130
GW-3696	36"	96"	174
GW-36120	36"	120"	216
GW-36144	36"	144"	260

BENCH LEGS

ALL WELDED CONSTRUCTION



BL-28

These sturdy all steel legs are designed to withstand severe usage and support weight for in excess of normal conditions. Top and cross members permanently welded to legs. Reinforced channel construction—gusset strengthened. Adequate holes provided for attachment of bench top, shelf and stringer. Steel floor pads with holes for attachments to floor.

BL-58 Bench Leg furnished with center upright channel.

Bench Legs for special requirements on request.

Finish: Green Enamel

Model	A	B	C	D	E	Ship. Wt.
BL-22	22	32½	15½	18	9½	20
BL-28	28	32½	19½	22	9½	22
BL-34	34	32½	23½	26	9½	24
BL-46	46	32½	35½	38	9½	28
BL-58	58	32½	47½	50	9½	34

ADJUSTABLE BENCH LEGS

ALL WELDED CONSTRUCTION



ABL-28

No need to adjust to a Work Bench height any longer, now with the GRIZZLY Adjustable Bench Legs let the Work Bench adapt to adequate height for you.

Legs adjust from 32½" to 37½" on 1" centers. Holes provided for attachment of bench top, shelf and stringer. Steel floor pads with holes to protect and attach to floor.

Heavy 12 Gauge Construction.

Bench legs for special requirements on request.

All Models have the same dimensions as our Standard Bench Legs (see dimensions on this page 1st column below).

Finish: Green Enamel

Duplex Receptacle Punchout Available Upon Request. Receptacle not included.

Model	O.A.W.	Height	Ship Wt.
ABL-22	22"	32½" to 37½"	23
ABL-28	28"	32½" to 37½"	25
ABL-34	34"	32½" to 37½"	27
ABL-46	46"	32½" to 37½"	31
ABL-58	58"	32½" to 37½"	37

WORK BENCH ACCESSORIES

SIDE- AND BACK STOP SETS

EACH SET CONSISTS OF TWO SIDE STOPS (right and left) AND ONE BACK STOP.

12 Gauge Steel
Finish: Green Enamel



Model	A	B	C	D	E	Ship. Wt. of Sets
2448	5¼	24	3½	5¼	48	16
2460	5¼	24	3½	5¼	60	18
2472	5¼	24	3½	5¼	72	20
2496	5¼	24	3½	5¼	96	23
2848	5¼	28	3½	5¼	48	18
2860	5¼	28	3½	5¼	60	20
2872	5¼	28	3½	5¼	72	22
2896	5¼	28	3½	5¼	96	27
3448	5¼	34	3½	5¼	48	19
3460	5¼	34	3½	5¼	60	21
3472	5¼	34	3½	5¼	72	24
3496	5¼	34	3½	5¼	96	29



STRINGERS

Model	F	G	Ship. Wt.
ST-36	4¼	32	4
ST-48	4¼	44	6
ST-60	4¼	56	7½
ST-72	4¼	68	9
ST-96	4¼	92	12
ST-120	4¼	116	15
ST-144	4¼	140	18





16 gauge one inch channel reinforced construction. Finish: Green Enamel

SHELVES



Model	H	J	Ship. Wt.
SH-36	15¼	32	13
SH-48	15¼	44	18
SH-60	15¼	56	22
SH-72	15¼	68	26
SH-96	15¼	92	34
SH-120	15¼	116	42
SH-144	15¼"	140	50



16 gauge one inch channel reinforced construction. Finish: Green Enamel

BENCH DRAWER UNITS



1424-1



1416-2



1416-3

Drawer units can be fastened to either wood or steel benches, tables, desks or counters.

All welded construction. Padlock attachments for each drawer. Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer. Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 13½" x 8" x 1" in 1416 and 1424 Series; 19½" x 8" x 1" in 2024 Series.

CYLINDER LOCKS MUST BE INSTALLED AT FACTORY

OVERALL OUTSIDE DIMENSIONS

HEIGHT, ALL UNITS ..... One Drawer—5⅝" ; Two Drawer—12½", Three Drawer—18½"; Four Drawer—24½"

WIDTH .....1416 & 1424 SERIES: 15⅛" .....2024 SERIES: 22¼"

DEPTH .....1416 SERIES: 16" ..... 1424 & 2024 SERIES: 24"

FINISH: GREEN ENAMEL

	14" Wx16"Dx5"H		14" Wx23½"Dx5"H		20"Wx23½"Dx5"H	
Unit Description	Model	Ship. Wt.	Model	Ship. Wt.	Model	Ship. Wt.
1 Drawer	1416-1	15	1424-1	26	2024-1	30
2 Drawer	1416-2	45	1424-2	60	2024-2	74
3 Drawer	1416-3	66	1424-3	90	2024-3	105
4 Drawer	1416-4	87	1424-4	120	2024-4	136

Cylinder Lock Available for Drawer at Additional Charge.

HEAVY DUTY DRAWER UNIT

USE WHERE SEVERE SERVICE IS NEEDED
14 GA. STEEL DRAWER
12 GA. STEEL HANGER
ALL STEEL BALL BEARING ROLLERS

Finish: Green Enamel



H-2024-1

All welded construction. Handles heavy loads of tools, parts and other items.

Drawers can be attached to work benches, tables, desks or counters.

Padlock tab on drawer. Stop prevents drawer from pulling out of slides. Fingers fit easily into pull. Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 19½" x 8" x 1"

Inside dimensions of drawer ..... 19½"W x 23½"D x 5"H

Hanger size overall dimensions ..... 22½"W x 24"L

Cylinder Lock Available for Drawer at Additional Charge. Ship. Wt. 40 Lbs.

WORK BENCH CABINET UNITS

ALL WELDED CONSTRUCTION



CU-18



CUK-36

Cabinet storage can be more efficient than drawers for many items, which can be placed neatly and are not subject to being jarred or rolled around as in a drawer.

Heavy gauge steel used throughout with flanged reinforcement.

Use with either wood top or all metal benches. Quickly fastened to wood top with bolts or lag screws. Finish: Green Enamel.

Model	W	H	D	Shelf Clearance	Lock	Ship. Wt.
CUK-36	36	19	19	8	Yes	60
CU-36	36	19	19	8		60
CUK-18	18	19	19	8	Yes	42
CU-18	18	19	19	8		42

Please indicate on order if unit is for installation with steel or wood bench.

WORK STATIONS

HEAVY DUTY ALL WELDED CONSTRUCTION

These benches provide more efficient work stations for your institutional or industrial lab uses. All Work Stations equipped with bench riser shelf (10½" wide x 18" high) with pegboard back for hanging small tools or instruments and electrical outlet strip, wired with a six foot cord. Models come standard with 12 gauge top, available with Hard Maple or black chemical-resistant Formica Tops upon request. Grizzly Bench Drawer Units, additional Drawers or Accessories can be added. (See pages 15 & 16.) All models shipped set-up, ready for immediate use.

WORK STATIONS

EWB-SERIES

This series come standard with riser shelf, electrical outlet strip and pegboard back. Has a 12 Gauge top, but available with Hard Maple or black chemical-resistant Formica Tops upon request.

Grizzly Bench Drawer Units or Accessories can be added. (See pages 15 & 16).

All units shipped set-up, ready for immediate use.

Finish: Green Enamel

Model	Wide	Length	Height to Work Surface	Ship. Wt.
EWB-3048	30"	48"	32½"	170
EWB-3060	30"	60"	32½"	190
EWB-3072	30"	72"	32½"	210



EWB-3048

WORK STATIONS

EWS-SERIES

Features a four drawer cabinet which rests on a 6" high base. Each drawer can be furnished with padlock loop eyes, cylinder locks or plain face. Drawers slides effortlessly on ball bearing steel rollers. Drawer stop prevents drawers from pulling out of slides. Release stop for removal of drawer.

Cabinet Size: 18" wide x 24" deep

Drawer Size: Inside Dimensions, 14" wide x 23½" deep x 5" high.

Tool Tray in each Drawer, 8" wide x 13½" long x 1" high, holds small items within easy reach.

Units come standard with a full length riser shelf (10½" wide x 18" high) with pegboard back for hanging of small tools or instruments and electrical outlet strip with six foot cord.

Cylinder Locks Available for Drawers at Additional Charge.

Finish: Green Enamel

Model	Wide	Length	Height to Work Surface	Ship. Wt.
EWS-3048	30"	48"	33½"	253
EWS-3060	30"	60"	33½"	272
EWS-3072	30"	72"	33½"	291



EWS-3072 w/optional Hard Maple Top

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

ELECTRICAL OUTLET STRIPS



EOS-3

EOS-6

For the convenience of plugging in power tools, instruments, equipment, etc. at your finger tips. Each strip has a six foot cord. Either of the below strips are available on Grizzly Work Benches. They are installed by welding on steel top work benches or screwed on wood top benches.

15 Amps—125 Volts—3 Wire — Finish: Gray Enamel

Model		Receptacle Spacing	Number of Receptacles	Ship. Wt.
EOS-3	3 Foot Length	9"	4	2
EOS-6	6 Foot Length	12"	6	4

WORK STATIONS EDB-SERIES

Countertop is supported by a base cabinet and a base leg. The base cabinet is 24" deep x 18" wide and contains four drawers, each 14" wide x 23½" deep x 5" high inside. Each drawer can be furnished with padlock loop eyes, cylinder locks or plain face. Drawers slides effortlessly on ball bearing steel rollers. Drawer stops prevents drawers from pulling out of slides. Release stop for removal of drawer. Cabinet sets on a 6" high base.

Tool tray in each drawer, 8" wide x 13½" long x 1" high, holds small items within easy reach.

Models furnished with bench riser shelf (10½" wide x 18" high) with pegboard back for hanging of small tools or instruments and electrical outlet strip with six foot cord.

Additional Drawers or Accessories can be added. (See pages 15 & 16). Units available with Hard Maple or black chemical resistant Formica Top upon request.

Finish: Green Enamel

Cylinder Locks Available at Additional Charge.

Model	Wide	Length	Height to Work Surface	Ship. Wt.
EDB-3048	30"	48"	33½"	256
EDB-3060	30"	60"	33½"	276
EDB-3072	30"	72"	33½"	296

EDB-3060 w/optional Hard Maple Top

PORTABLE DRAWER AND CABINET TRUCK

1000 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS

For the Repairman who maintains equipment and machinery utilizing smaller parts and accessories.

All welded, rugged construction equipped with 5" x 1¼" casters—2 rigid and 2 swivel. Easy to roll.

Top: 20" x 24"; Height Top Surface—Overall 34"; Top, back and side stops—½" high; Space inside cabinet 13"H, 22"W, 20"D. Drawers: 20"W, 19"D, 5"H.

PUB-24RW



Finish: Green Enamel

PUB-24SW	w/Semi-Steel Wheels	138 Ship. Wt.
PUB-24RW	w/Soft Rubber Wheels	134 Ship. Wt.

Keyed Handle Available at Additional Charge.

DOOR CABINET

ALL WELDED CONSTRUCTION
CABINET SIZE: 18"W, 24"L, 26"H



Shelf adjustable in 2" centers. One shelf with unit.

Base Not Included
Finish: Green Enamel
Ship. Wt. 55 Lbs.

Model BC-1

Keyed Handle—Extra Shelf Available at Additional Charge.

DRAWER CABINET

ALL WELDED CONSTRUCTION
CABINET SIZE: 18"W, 24"L, 26"H



Individual drawer size, 14" wide x 23½" deep x 5" high. Sliding tray in each Drawer holds small items within easy reach. Tray size: 13½" x 8"

Model DC-1

Base Not Included
Finish: Green Enamel
Ship. Wt. 110 Lbs.

Cylinder Lock Available at Additional Charge

#6 BASE



(For models BC-1 and DC-1) Base must be welded on to cabinets.

6¼" High
Ship. Wt. 10 Lbs.

PORTABLE DOOR CABINETS

ALL WELDED CONSTRUCTION
500 LBS. CAPACITY—3" SOFT RUBBER CASTERS
800 LBS. CAPACITY—5" SOFT RUBBER CASTERS

Light Duty Portable Cabinets for General Use. Used for Gum Tape Machines in shipping rooms, Electronic Instruments, Business Machines in offices, such as Postage, copying, etc. Used in plants besides machine operations. Cabinet Size: 18"W x 24"L. One Shelf furnished with unit, adjustable on 2" centers. Finish: Green Enamel.



BC-1C5

Model	H	Casters—All Swivel	Ship. Wt.
BC-1C3	30"	3" x 1½" Soft Rubber Tread	60
BC-1C5	32"	5" x 1¼" Soft Rubber Tread	65
	Keyed Handle Available at additional charge.		
	Extra Shelf Available at additional charge.		

PORTABLE DRAWER CABINETS

ALL WELDED CONSTRUCTION
Padlock attachments on each Drawer

500 LBS. CAPACITY—3" SOFT RUBBER CASTERS
800 LBS. CAPACITY—5" SOFT RUBBER CASTERS

Drawers slide on Ball Bearing Steel Rollers.
Cabinet Size: 18"W x 24"L
Drawer Size: Inside Dimensions, 14"W x 23½"D x 5"H
Tool Tray in each Drawer: 8" x 13½" x 1" deep.
Finish: Green Enamel

DC-1C5

Model	H	Casters—All Swivel	Ship. Wt.
DC-1C3	30	3" x 1½" Soft Rubber Tread	118
DC-1C5	32"	5" x 1¼" Soft Rubber Tread	124

Cylinder Lock Available for Drawer at Additional Charge.

MULTIPLE WORK BENCH DRAWER UNITS

Grizzly

Features 16 drawers for storage of large number of small parts, eliminating otherwise necessary trips to another work bench or stockroom. All welded construction completely assembled. This is a sturdy, attractive work bench drawer unit with drawers that operate smoothly and quietly on steel ball bearings. Sliding tray in each drawer holds small items within easy reach.

DBU-3072-W

Drawer units can be furnished with padlock loop eyes, cylinder locks or plain face. Units furnished with 1¼" laminated hard maple or 12 gauge steel top.

34" overall height with wood or steel top individual drawer size, 14" wide x 23½" deep x 5" high

Finish: Green Enamel
Cylinder Locks Available at Additional Charge.

Model	W	L	Ship Wt.
DBU-3072-W	30"	72"	565
DBU-2872-S	28"	72"	560

TOOL DRAWER CABINETS FOR EXTRA HEAVY USE

TIME SAVER—
COMPACT STORAGE
LOCAL AREA
TOOL STORAGE

SAVES MANY STEPS TO AND FROM MACHINE OPERATION OR JOB SITE

Can be placed in various areas or departments in plant for easy location of tools, individual belongings, etc.
For Machine Operators, repairmen, maintenance workers, millwrights, electricians and other spot workers, providing large storage drawers for tools and parts, etc. **ELIMINATES OTHERWISE NECESSARY TRIPS TO OTHER PLANT AREAS.**



Model TDC-30
3 Drawer Unit
Ship. Wt. 285 Lbs.

Model TDC-60
6 Drawer Unit
Ship. Wt. 430 Lbs.



ALL WELDED CONSTRUCTION. 21½" W x 27¾" D x 45¾" H
INDIVIDUAL DRAWER SIZE ..... 15⅞" W x 12" D x 27" L
TOOL TRAY SIZE ..... 10" W x 15¼" D x 3" H
Tool Tray facilitates carrying of a variety of tools to the job or machine, is constructed of 16-gauge steel with full length carrying handle.

Padlock attachments for each drawer.
Drawer slides on ball bearing steel rollers.

Finish: ..... Green Enamel

ALL WELDED CONSTRUCTION. 40" W x 27¾" D x 45¾" H
INDIVIDUAL DRAWER SIZE ..... 15⅞" W x 12" D x 27" L
TOOL TRAY SIZE ..... 10" W x 15¼" D x 3" H
Tool Tray facilitates carrying of a variety of tools to the job or machine, is constructed of 16-gauge steel with full length carrying handle.

Padlock attachments for each drawer.
Drawer slides on ball bearing steel rollers.

Finish: ..... Green Enamel

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114
Grizzly

CABINET BASE WORK BENCHES

ALL WELDED CONSTRUCTION

Grizzly®

CABINET WORK BENCHES

(WITH SLIDING DOORS)



CDB-3060-W

With door and four drawer units form the overall base, in multiple or single bench runs in various combinations, with steel or electronically glued laminated maple wood tops for standard and particular requirements. Cabinet bench tops can be furnished with side and back stops, and risers (See pages 14 and 15).

ALL MODELS: 34" O.A.H. WITH NO. 6 BASE
Finish Top—Natural-Clear Lacquer. Metal Finish: Green Enamel.

Keyed Handle—Cylinder Lock Available at Additional Charge.

WITH STEEL TOPS— 1⅛" THICK

	Model	Top W	Top L	Bases 18"W 24"D	Ship. Wt.
	CB-2860-S	28"	60"	Door Cabinets	205
	CB-2872-S	28"	72"	Door Cabinets	230
	DB-2860-S	28"	60"	Drawer Cabinets	300
	DB-2872-S	28"	72"	Drawer Cabinets	320
	CDB-2860-S	28"	60"	Drawer & Door Cabinets	240
	CDB-2872-S	28"	72"	Drawer & Door Cabinets	275

WITH HARD MAPLE BENCH TOPS—1¾" THICK

	Model	Top W	Top L	Bases 18"W 24"D	Ship. Wt.
	CB-3060-W	30"	60"	Door Cabinets	210
	CB-3072-W	30"	72"	Door Cabinets	235
	DB-3060-W	30"	60"	Drawer Cabinets	305
	DB-3072-W	30"	72"	Drawer Cabinets	325
	CDB-3060-W	30"	60"	Drawer & Door Cabinets	245
	CDB-3072-W	30"	72"	Drawer & Door Cabinets	280



CW-3072-SD

All welded heavy gauge steel construction, with steel or wood tops, with and without sliding doors. Sliding doors are factory installed, equipped with cylinder lock and 2 keys, and doors are not sold separately. Shelves adjustable on 2" centers. Completely assembled, ready for immediate use.

Electronically glued laminated wood tops. Side and back stops, bench risers and drawers can be added, see pages 14, 15 & 16.

ALL MODELS: 34" O.A.H. WITH NO. 6 BASE
Finish Top—Natural-Clear Lacquer. Metal Finish: Green Enamel.

WITH STEEL TOPS—1⅛" Thick—12 Gauge

	Top W	Top L	Base, 25" Deep	Ship. Wt.
	CS-2860	28"	60"	Basic Unit	204
	CS-2872	28"	72"	Basic Unit	234
	CS-2860-S	28"	60"	Basic Unit with Shelf	239
	CS-2872-S	28"	72"	Basic Unit with Shelf	274
	CS-2860-D	28"	60"	Basic Unit with Sliding Doors	248
	CS-2872-D	28"	72"	Basic Unit with Sliding Doors	286
	CS-2860-SD	28"	60"	Basic Unit with Shelf & Sliding Doors	283
	CS-2872-SD	28"	72"	Basic Unit with Shelf & Sliding Doors	326

WITH HARD MAPLE BENCH TOPS—1¾" Thick Overhang on Front, 5"
NATURAL WOOD FINISH

	Top W	Top L	Base, 25" Deep	Ship. Wt.
	CW-3060	30"	60"	Basic Unit	220
	CW-3072	30"	72"	Basic Unit	254
	CW-3060-S	30"	60"	Basic Unit with Shelf	255
	CW-3072-S	30"	72"	Basic Unit with Shelf	295
	CW-3060-D	30"	60"	Basic Unit with Sliding Doors	264
	CW-3072-D	30"	72"	Basic Unit with Sliding Doors	306
	CW-3060-SD	30"	60"	Basic Unit with Shelf & Sliding Doors	300
	CW-3072-SD	30"	72"	Basic Unit with Shelf & Sliding Doors	346
Extra Shelves ☆	S-60 ☆	60" long	22" wide		35
	S-72 ☆	72" long	22" wide		40

STANDING SHOP DESKS

Open, all welded, heavy gauge steel construction—used by foremen, supervisors, time study men, superintendents, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with drawers with and without individual locks, pigeon-hole top, back and side stops, in various combinations in the models listed, or in special combinations to meet individual needs.

Completely assembled, ready for immediate use.

Finish: Green Enamel

WIDTH ..... All Models—36"
DEPTH ..... All Models—30"
OVERALL HEIGHTS ..... Front / Back
Basic Unit ..... 43" / 48"
With P-36 Unit ..... 43" / 53"
With P-66 Unit ..... 43" / 57"
SIDE AND BACK STOPS ... 3" high at Back, topers to 1½" at Front.

SHELF.... 34" wide x 18½" deep—8" from floor
DRAWERS..... Standard Grizzly Drawer Units, see page 16 for specifications.

Cylinder Lock Available at Additional Charge.



1236



1236 With #P-66



1036 BASIC UNIT
Ship. Wt. 85 lbs.



1236 BASIC UNIT
With Two No. 1416-1 Drawer Units
Ship. Wt. 115 lbs.



1436 BASIC UNIT
With No. 2024-4 Drawer Unit
Ship. Wt. 225 lbs.



1836 BASIC UNIT
With Two No. 1424-4 Drawer Units
Ship. Wt. 325 lbs.

SHOP CABINET DESKS

Enclosed, all welded, extra heavy gauge steel construction—used by superintendents, foremen, supervisors, time study men, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with doors, drawers, with or without individual locks, pigeon-hole top, or in special combinations on request to meet particular needs.

Completely assembled, ready for use.

Finish: Green Enamel



No. 3036
(With No. P-36 Unit)
Pigeon Hole Unit Available



3236 With #P-66



2036

Model	Shelves	Drawers	Ship. Wt.
2036	2		184
2136	2	1	202
2236	2	2	219
3036	3		205
3136	3	1	227
3236	3	2	240
P-36	Pigeon Hole Unit Overall Length 36" 3—4" x 12" openings x 9" deep		15
P-66	Pigeon Hole Unit Overall Length 36" 6—4" x 12" openings x 9" deep		24
Cylinder Lock for Drawers at Additional Charge			
Keyed Handle in Door at Additional Charge			

WIDTH ..... All Models 36"

DEPTH ..... All Models 30"

OVERALL HEIGHTS ..... Front / Back
Basic Unit ..... 43" / 48"
With P-36 Unit ..... 43" / 53"
With P-66 Unit ..... 43" / 57"

DRAWERS ..... GRIZZLY 1416-1—ID—14" wide x 16" deep x 5" high.
Any GRIZZLY Standard Bench Drawer can be used with this Unit. See Page 16
SIDE AND BACK STOPS 3" high at back, topers to 1½" at Front.

SHELF SIZE ..... 28¾" x 35⅞"

SHELF CLEARANCES
3 Shelf Unit — Floor to Bottom Shelf ..... 7"
Bottom Shelf to Center Shelf ..... 11¾"
Center Shelf to Top Shelf ..... 8"
Top Shelf to Desk Top ..... 12"
2 Shelf Unit — Floor to Bottom Shelf ..... 7"
Bottom Shelf to Top Shelf ..... 19¾"
Top Shelf to Desk Top ..... 12"

Optional Pigeon Hole Units Available on any of the above Units at Additional Charge.

P-36 PIGEON HOLE UNIT
3—4" x 12" openings x 9" deep
Overall Length 36" Ship. Wt. 15 lbs.



P-66 PIGEON HOLE UNIT
6—4" x 12" openings x 9" deep
Overall Length 36" Ship. Wt. 24 lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

MACHINE FLOOR CABINETS

Grizzly®

Rugged, all welded cabinets with 1 ⅛" Tray coolant tops with ½" pipe connection.

Attractive gray enamel finish.

A model for every purpose, floor lugs to secure base to floor. Removable side shelves as accessory to hold tote pans and other production items.

Drawer size and model—GRIZZLY 1416-1 (14" wide ID x 16" deep ID x 5" high ID). All drawers equipped with stops, ball bearing steel rollers and 1" deep tool tray. (See page 16.)

Models, enclosed with back and door, are without shelves.

FOR BASE CABINET USE WITH BENCH TYPE MACHINES

Keyed Handle—Cylinder Lock Available at Additional Charge.

CT-2830
20"W—28"L—30"H
Ship. Wt. 90 Lbs

CT-2835
20"W—28"L—35"H
Ship. Wt. 96 Lbs.

CT-3630
20"W—36"L—30"H
Ship. Wt. 100 Lbs.

CT-3635
20"W—36"L—35"H
Ship. Wt. 106 Lbs.



CT SERIES



CF SERIES

CF-2830
20"W—28"L—30"H
Ship. Wt. 80 Lbs.

CF-2835
20"W—28"L—35"H
Ship. Wt. 86 Lbs.

CF-3630
20"W—36"L—30"H
Ship. Wt. 90 Lbs.

CF-3635
20"W—36"L—35"H
Ship. Wt. 96 Lbs.

CM-2830
20"W—28"L—30"H
Ship. Wt. 95 Lbs.

CM-2835
20"W—28"L—35"H
Ship. Wt. 105 Lbs.

CM-3630
20"W—36"L—30"H
Ship. Wt. 115 Lbs.

CM-3635
20"W—36"L—35"H
Ship. Wt. 125 Lbs.



CM SERIES

OPTIONAL: No. 1015
Removable Side Shelf
(Shelf Surface—10" x 15")

Available at Additional Charge.
Ship. Wt. 10 Lbs.

MACHINE CABINET STANDS

ALL WELDED CONSTRUCTION

For mounting Lathes, Grinders, Drill Presses, Tapping Machines, and for Work Bench Uses. CT Models are with Coolant Top with ½" pipe connection, DFT Models are with drop front, used for assembly and production work.

Designed for strength and appearance. Convenient shelf—15⅝" x 36".

GRIZZLY 1416-1 Drawer units furnished on all stands.—14" wide ID x 16" long ID x 5" deep ID, with stops, ball bearing steel rollers and tool tray 1" deep (See Page 16). See Page 16 for CU-18 Work Bench Cabinet Unit details. Finish: Gray Enamel.

Keyed Handle—Cylinder Lock Available at Additional Charge.



DFT-60-C With Cabinet Unit No. CU-18 and one drawer.
22" W, 60" L, 32" H.
Ship. Wt. 238 Lbs.



CT-60 Coolant Top, Tray—1⅛" deep with ½" pipe tee
22" W, 60" L, 32" H.
Ship. Wt. 198 Lbs.

DFT-60 Drop Front Top. Back and Side Stops — 1⅛" H,
22" W, 60" L, 32" H.
Ship. Wt. 198 Lbs.



NO. 59 MOTOR MOUNT BRACKET Top Surface 10" x 11⅜". Ten round holes for mounting and adjustment.
Ship. Wt. 10 Lbs.

Grizzly®

PIGEON HOLE BIN UNITS

All Welded, Rigid Units, Completely Assembled Ready For Use.



7242



2421



4021



4242

Used for parts inventory and control in factories, stores and warehouses.

Firmly attached label holders also used as stops, holding loose parts from falling out of openings. With the unit placed so the label holders are at the top, parts and other material can easily be slid out of openings.

Units have modular lengths, are interchangeable, can be set in combinations in racks; or tiered, one on the other to any height, with units bolted together for firmer attachment.

Finish: Green Enamel

Model	No. of Bins	H	W	D	Compartment	Label Holder	Ship Wt
7242	72	42"	35½"	11⅝"	4½" wide 4½" high	1"	97
4242	42	42"	35½"	11⅝"	5⅝" wide 6" high	2"	95
2421	24	21"	35½"	11⅝"	5⅝" wide 5⅝ high	2"	40
4021	40	21"	35⅝"	11⅝"	4⅛" wide 4⅛" high	1"	53

STORAGE BIN CABINET

ALL WELDED CONSTRUCTION

Compartments are conveniently built for a variety of uses such as storage of small parts, fasteners, hardware, etc.

Truck furnished with Plain Handle; Keyed Handle available at additional charge. Units shipped completely assembled and ready for use.

Overall Dimensions: 36"W x 20"L x 72"H

Openings Measures 12" wide, 20" deep, 12" high at Back, tapers 6" at Front to prevent spillage.

Construction: Entire Unit 16 Gauge

Finish: Green Enamel

Ship. Wt. 322lbs.

SBT-3672



Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

EZY-DOWN DRUM CRADLES

700 LBS. CAPACITY

Give maximum leverage with ease, break the heaviest loaded drums from vertical to horizontal position.

All welded tubular frames and channel braces for modern styling and added strength. Designed for rugged use. All edges round and smooth. Completely assembled.

Ready for immediate use. Finish: Orange Enamel





EBR-18 31"L—18¼"W—18"H
Ship. Wt. 31 lbs.



WITH CASTERS
EBR-18C 31"L—18¼"W—18"H
Ship. Wt. 34 lbs.



WITH DRUM ROLLERS
EBR-18R 31"L—18¼"W—18"H
Ship. Wt. 34 lbs.

Four 2" Semi-Steel rollers for positioning drum and manually rotating for mixture.



WITH CASTERS & ROLLERS
EBR-18CR 31"L—18¼"W—18"H
Ship. Wt. 36 lbs.

Casters: All Models—3" Semi-Steel—2 Swivel and 3" Semi-Steel Wheels.

No. 18 EZY-DOWN Handle—All welded construction—Handle is separate from cradles—12 lbs. Ship. Wt.

DRUM CRADLES

700 LBS. CAPACITY

All Welded Tubular Frames. Channel Braces give modern styling plus added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use. Finish: Orange Enamel.



BR-18 31"L—18¼"W—18"H
Ship. Wt. 26 lbs.



WITH CASTERS
BR-18C 31"L—18¼"W—18"H
Ship. Wt. 29 lbs.



WITH DRUM ROLLERS
BR-18R 31"L—18¼"W—18"H
Ship. Wt. 29 lbs.

Four 2" Semi-steel rollers for positioning drum and manually rotating for mixture.



WITH CASTERS & ROLLERS
BR-18CR 31"L—18¼"W—18"H
Ship. Wt. 31 lbs.

Casters: All Models—3" Semi-Steel—2 Swivels and 3" Semi-Steel Wheels.

Grizzly®

DRUM & CAN DOLLIES

1200 LBS. CAPACITY—SEMI-STEEL CASTERS
1000 LBS. CAPACITY—HARD RUBBER CASTERS



75 & 76



81

ALL ARC WELDED CONSTRUCTION

RUGGED



82 & 83

FLOOR LOCK ON REQUEST

Large size easy rolling wheels permit quick, safe transportation of even the heaviest loaded drums. All casters swivel for movement in any direction.

24" diameter holds standard 55 gallon drums or other similar sized containers. 19" diameter for smaller containers, disposal cans or kegs. Galvanized finish for institutional, food processing and sanitary use. Floor clearance 4" on all models. 2" sides on 82 and 83. All welded rugged construction for years of hard use. NOTE: 81-GS, 82-GS, & 83-GS are equipped with sanitary casters to give added protection against foodstuffs causing corrosion.

Model	O.D.	I.D.	Wheels	Finish	Ship. Wt.
81	24-7/16"	24"	3x1-1/4	Orange	32
82	30-1/2"	24"	3x1-1/4	Orange	25
83	24-1/2"	19"	3x1-1/4	Orange	22
81-G	24-7/16"	24"	3x1-1/4	Galvanized	32
82-G	30-1/2"	24"	3x1-1/4	Galvanized	25
83-G	24-1/2"	19"	3x1-1/4	Galvanized	22
81-GS	24-7/16"	24"	3x1-1/4	Gal.-Sani.	32
82-GS	30-1/2"	24"	3x1-1/4	Gal.-Sani.	25
83-GS	24-1/2"	19"	3x1-1/4	Gal.-Sani.	22
75	24-1/2"	24"	3x1-1/4	Orange	19
76	19-1/2"	19"	3x1-1/4	Orange	15

ADJUSTABLE DOLLY

1200 LBS. CAPACITY—SEMI-STEEL CASTERS
1000 LBS. CAPACITY—HARD RUBBER CASTERS

FOR ROUND, SQUARE, RECTANGULAR, OVAL OR ANY IRREGULAR SHAPED CONTAINER. CLOSES DOWN TO 23½"—OPENS TO 36½". Can be used as a rectangle for tote boxes, skids, pans, furniture. Used as a dolly for drums, cans, kegs, etc. Wheel Size—3" x 1½". Finish: Orange Enamel.



AD-23-S

AD-23-S	—	SEMI-STEEL WHEELS	—	Ship. Wt. 30 lbs.
AD-23-R	—	HARD RUBBER WHEELS	—	Ship. Wt. 28 lbs.

LOW DRUM TRUCK

800 LBS. CAPACITY
HARD RUBBER WHEELS



25½" wide opening, 31" wide overall, 33" high, 1½" low underslung frame, 8" above floor. Handles barrels and drums up to 24" diameter. Finish: Orange Enamel.

STEEL TUBULAR T HANDLE WITH low frame with heavy duty 3" swivel rubber caster and 6" roller bearing rubber wheels easily maneuvers full barrels and drums with open tops without spilling contents. Especially adapted for use in canneries, pickle or chemical and oil operations.

LBR-909 Low Drum Truck
LBR-909H (Unit with Hinged Handle)

Hinged Handle Available at Additional Charge. Ship. Wt. 45 lbs.

HI-DRUM & CAN DOLLIES

900 LBS. CAPACITY—SEMI-STEEL CASTERS
700 LBS. CAPACITY—HARD RUBBER CASTERS

71

PROVIDE higher elevation for easier flow drainage from drums in vertical position.

DRAINS easier glue, oils, chemicals and other hard-to-flow materials through the drum bottom.

ALL WELDED, rugged, completely assembled, ready for use.

SAVE SPACE—take less area than drums in horizontal position.

SAVE TIME AND MONEY.

USE DOLLIES with GRIZZLY No. 235 Drum lifter with chain falls, hoist, or fork truck to place drums in vertical position easily, quickly and safely. See right side of page. Finish: Orange Enamel—Wheel Size . . . 3" x 1 ¼".



71 w/drum

Model	Bottom	Top	Height	Gallon Drum	Ship. Wt.
71	30"	24"	19½"	55	44
73	28"	19"	19½"	30	38

#80 DRUM UP-ENDER

Safe! Positive Grip! Easy to Use!

Tilts drums from horizontal to vertical position with ease, speed and safety. Gives maximum leverage for lifting even the heaviest loaded drums.

Will not twist in hands of operator. Drum stops where you want it with no slipping or rolling.

SHIP. WT. ..... 12 lbs.
FINISH: ..... Orange Enamel



80

ALL-WELDED CONSTRUCTION
Rugged and Compact

#84 SLING TYPE DRUM LIFTER

750 LBS. CAPACITY
ALL WELDED CONSTRUCTION

SHIP. WT. ..... 11 lbs.
FINISH: ..... Orange Enamel



84

Lifts drum horizontally and safely. The harder the pull the tighter the grip on the drum. Use it to load your GRIZZLY rack. See Below.

DRUM STORAGE RACKS 2500 LB. CAPACITY

85	Leg	180 Ship. Wt.
85C	Casters	198 Ship. Wt.



85C



85

All welded with large sturdy 6" x 2" semi-steel wheels for easy portability or with legs for stationary installations.

Holds four drums in readily accessible positions. Designed for loading ease with whatever equipment you now have. If your hoist does not travel over rack, the wheel model can be moved under your hoist. 30" W x 60" L x 54" H—FINISH: Orange Enamel.

Grizzly®

#235 VERTICAL DRUM LIFTER

U.S. PATENT No. 2,764,447

2000 LBS. CAPACITY

FOR OPEN or CLOSED DRUMS USED WITH Fork Trucks Chain Falls Cranes and Hoists.

Ship. Wt. 32 Lbs.





235

- **SAFE**—Fast turning crank handle to lock Upper Jaw to drum top. Holds drum rigidly even when swaying or when bumped.
- **VERSATILE**—Lifter moves 55 and 30 gallon, and even smaller steel drums with practically no manual labor—the lifter does the work.
- **LIGHT**—Weighs only 32 pounds. One man can handle with ease.
- **ADJUSTABLE**—Slide Lower Jaw on vertical bar to position below nearest chime of drum. Jaw rests on off-center cam.
- **LIFTS**—Old and new drums, open or closed, battered or lopsided.
- **QUICK**—Lifter attached and removed in seconds. • **RUGGED**—All welded construction.
- **STACKS**—and tiers drums vertically in close quarters. • **FINISH:** Orange Enamel

#VH-100 DRUM LIFTER

1000 LBS. CAPACITY
LIFTS VERTICAL • HORIZONTAL • AT ANY ANGLE





Lifts from any angle. Load can be balanced. Easily adapted to lift objects of all shapes or lengths. Automatic upsetting of container by adjusting sliding hoist collar.



Easily, Quickly, Safely Attached
Holds Rigidly—Even When Load Sways
Positive Grip—Cannot Slide —Holds Load
Locks in Desired Position



FITS CONTAINERS 40" HIGH—FINISH: . . . Orange Enamel—SHIP. WT. . . . 24 Lbs.—ADJUSTMENT BETWEEN JAWS: . . . 16" minimum to 40" maximum—OVERALL LENGTH: . . . 43"—WIDTH: . . . 4"

DRUM STORAGE RACKS



DS-4

Holds four or six drums in readily accessible positions. Designed for loading ease from front or back. All Welded Construction. Completely Assembled for Immediate Use.

Self-Standing units, do not require anchoring to floor. Can be moved with Fork Trucks fully loaded.

- DRAIN HEIGHTS: Bottom row—18"
- Pads on bottom of legs protect floors.
- Also Designed for special requirements.

FINISH: Orange Enamel

DS-4	4 Drums	60" W	36" D	48" H	120 Ship. Wt.
DS-6	6 Drums	84" W	36" D	48" H	200 Ship. Wt.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114 Grizzly.

DRUM DOLLY TRUCKS

CAPACITY 2000 LBS.—
SEMI-STEEL CASTERS
CAPACITY 1500 LBS.—
HARD RUBBER CASTERS

For transporting 55 gallon drum or other container for lubrication, solvents, coolants, painting or cleaning units, used in production, maintenance and service operations. Bracket on handle for cable or hose. Accessory Box welded to handle for storage of tools and parts. All Welded Construction.



DT-25-R

OVERALL DIMENSIONS	25" wide x 25" deep
PLATFORM	5 ⅛" from floor
HANDLE	41" from floor
SIZE OF ACCESSORY BOX	12" deep x 6" wide x 21" long
FINISH:	Orange Enamel
CASTERS	2 Swivel—2 Rigid

DT-25-S	5" x 1 ½" Semi-Steel Wheel	63 Ship. Wt.
DT-25-R	5" x 1 ½" Hard Rubber Wheel	60 Ship. Wt.

FORK SWIVEL HOIST HOOKS

With Safety Latch

(SINGLE) 3000 LBS.
(DOUBLE) 4200 LBS.
WORKING CAPACITY



No. 24



No. 210 DOUBLE FORK SWIVEL HOIST HOOK
(Attached to Fork Truck)

All welded construction, fit standard Fork Lift Trucks.

Easy handling by one man, takes only seconds to slide on and tighten into place. Removed just as easily, no wrenches required. Finish: Orange Enamel.

210 Double Fork Hook has maximum openings which permit an outside fork spread of 20¾". Fork Swivel Hoist Hooks designed to meet particular needs.

Description	Model	Opening Size for Truck Fork	Ship. Wt.
Single Hook	24	2" x 4"	17
Single Hook	25	2" x 5"	18
Single Hook	26	2" x 6"	19
Double Frame Hook	210	2" x 10"	50

FTC-36 FORK TRUCK CRANE HOOK ATTACHMENT

With Safety Latch



CAPACITY
4000 Lbs. at 36" Length
2000 Lbs. at 60" Length

ALL WELDED CONSTRUCTION

FITS STANDARD FORK TRUCKS

CAN BE ATTACHED AND UNATTACHED IN SECONDS BY ONE MAN

Method of Attachment

Set unit on floor, brace in upright position against wall, etc. Unit sits on 4 pins. Bottom plate drops to floor which provides an opening for forks. Operator runs forks at floor level between plates and tightens crank handles. Ready for use.

Method of Detachment

Drop forks to floor until unit sits on 4 pins. Loosen crank handles. Back off fork truck.

Ship. Wt. 250 Lbs. FINISH: . . . Orange Enamel

CASTER CORNER SHOES

ALL WELDED CONSTRUCTION



SET OF 4

Ideal for making wood pallets or boxes portable at low cost.
Shoes slide under corners. May be bolted, screwed or nailed on permanently.
For moving heavy wood crates, boxes, cases, machinery, pallets, cabinets, benches and other uses.

12 Gauge Steel—Size is 8" x 8"—5-3/4" O.A.H.—Flange 2"—3-7/8" high to platform—7/16" holes for mounting.

FINISH: Green Enamel.

Model	Capacity per Set	Ship. Wt.	Casters
CS-3S	1200 Lbs.	17	3" x 1¼ Semi-steel Wheels
CS-3R	1000 Lbs.	15	3" x 1¼ Hard Rubber Wheels

VDU-10 EXTRA HEAVY PORTABLE VERTICAL DRUM STACKING UNIT

CAPACITY 1500 LBS. PER UNIT.

SAVES TIME—SPACE—MONEY

- **ALL** Welded Construction.
- **RUGGED**—Completely Assembled—No Bolting—Ready For Immediate Use.
- **STACKS** Vertically—Each Unit Tiers 2 Drums Horizontally—Stacks to 4 High.
- **4-WAY** Access by Fork Lifts.
- **UNIT** Easily Handled—
- **EASY** Drum Draw Off—Drums and Storage Area Easily Kept Clean.
- **DRUM** Inventory Simply Maintained.

DIMENSIONS: O.A.H. = 12½"; W = 44½"; Depth = 30". Floor Clearance = 3½". Finish: Orange Enamel.
Ship. Wt. 84 Lbs.



Other VDU Units are designed to meet special requirements on request.

VDU-10





CAN BE EASILY HANDLED FROM FRONT, BACK OR EITHER SIDE WITH FORK-LIFT TRUCKS

EASE OF HANDLING AND STACKING

ROTO-TILTS

CAPACITY 1000 LBS.

PATENTS
U.S. No. 3,434,612
CANADIAN NO. 887501

All Welded Construction Designed for Heavy Usage

LIFT—TILT—DUMP—POUR—METAL DRUMS—BARRELS USED WITH FORK LIFTS—CRANES—HOISTS—Finish: Orange Enamel.

Safety Locking Bracket secures Upper Jaws to Drum Top. Lifting Trolley equipped with Ball Bearings, Serrated Jaws insure positive locking hold. Pours at any point of arc—operator maintains easy and positive control.

Model	A	B	C. Max. Min.	D	Drum	Ship. Wt.
350	59"	35"	36"-30"	15"	55 Gal.	63
351	53"	34"	32"-27½	15"	30 Gal.	64



No. 350 & No. 351



160 Trolley with 160° Dumping Angle—
Standard Trolley with 130° Dumping Angle
FLOOR DUMPING MODELS

OVERHEAD DUMPING MODEL NO. 500



No. 500

WORM GEAR DRIVE HOLDS POURING LOAD IN ANY POSITION—REDUCTION 6 TO 1.

OVERALL DIMENSIONS
From Lifting Loop to Toe Plate ..... 62"H
From Front to Back ..... 35"D
Width at widest point ..... 10"

Finish: Orange Enamel

Ship. Wt. 98 Lbs.

CONTAINER CLAMPING RANGE .....
30" min. to 36" max. for 55 Gal. Drums

DUMPING ANGLE ..... 130 degrees

Chain supplied with standard Model is sufficient to operate the tool 10 feet from floor.

ADDITIONAL CHAIN AVAILABLE AT ADDITIONAL CHARGE.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

GAS WELDING BENCH



GW-3636

Shipped KD, ready for assembly.

Pads on bottom of legs protect floors.

Cylinder Lock Available at Additional Charge.

A sturdy Gas Welding Bench for extra strength and durability. The top is constructed of 12 gauge steel, will hold 32 fire bricks (not furnished). Excellent rigidity with heavy double formed, embossed 14 gauge steel legs. Shelf, 16 gauge steel divided into three equal sections for rod storage. All steel sections are All Welded Construction.

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 16.

OVERALL DIMENSIONS	36"W x 36"D x 34"H
FINISH:	Green Enamel
GW-3636 (Without Drawer Unit)	Ship. Wt. 95 Lbs.
GW-3636-DR (With Drawer Unit)	Ship. Wt. 110 Lbs.

ARC WELDING BENCH

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down.

Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All steel sections are all welded construction.

Pads on bottom of legs protect floors.

Shipped KD, ready for assembly.



AW-3636

Cylinder Lock Available at Additional Charge

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 16.

OVERALL DIMENSIONS	36"W x 36"D x 34"H
FINISH:	Green Enamel
AW-3636 (Without Drawer Unit)	Ship. Wt. 125 Lbs.
AW-3636-DR (With Drawer Unit)	Ship. Wt. 140 Lbs.

ARC WELDING BENCH WITH SHIELDS

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down. Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All welded construction.

A sturdy 20 gauge steel shield easily snaps on top flange with no bolting required.

With the "See-Thru" welding shield, eliminates the danger of eye flashburn while watching instructor demonstrate. May be observed by several people simultaneously through the plastic windows without glasses or hand shields.

Also furnished with Solid Shields.

DRAWER 1416-1 ..... Furnished with unit

Pads on bottom of legs protect floors.

Shipped KD, ready for assembly.

OVERALL DIMENSIONS—
36"Wx36"Dx68"H

FINISH: Green Enamel

Cylinder Lock Available at Additional Charge

Ship. Wt. 180 Lbs.

AW-3636-S With Solid Shields

Ship. Wt. 175 Lbs.

AW-3636-WS With 5"W x 18"L See-Thru Shield Opening (3 Openings)



AW-3636-WS

HEAVY DUTY SHELF DIE RACKS

3000 LBS. CAPACITY

An extremely rugged Rack to hold heavy loads of Jigs, Fixtures, Dies, and other heavy material.

May be erected as individual units or in rows.

Extra shelves may be added. Pads on bottom of legs protect floors. Bolted construction. Shipped KD, complete with assembly hardware. Construction of double channel reinforced shelf.





DR-2448

SHELVES . . . ALL WELDED CONSTRUCTION Reinforced 14 Gauge steel with formed hat channel thru center—POSTS . . . 2" x 2" x ⅛" Angle Iron—"X" BRACES . . . 1" x ⅛" Band Iron—FINISH: Green Enamel.

DR-1842	Complete Unit: 5—18" x 42" Shelves 4 Posts—X Braces and Bolts	170 Lbs. Ship. Wt.
DR-2448	Complete Unit: 5—24" x 48" Shelves 4 Posts—X Braces and Bolts	230 Lbs. Ship. Wt.
S-18	Single Shelf—18" x 42", including bolts	26 Lbs. Ship. Wt.
S-24	Single Shelf—24" x 48", including bolts	38 Lbs. Ship. Wt.
P-72	4 Posts (as a package) 72" long	45 Lbs. Ship. Wt.

EXTRA HEAVY DUTY DIE STORAGE RACKS

1000 LBS. CAPACITY PER SHELF ALL WELDED CONSTRUCTION



PE-1830

Uses for tools, dies and other heavy material.

May be used as individual units or bolted in rows.

Pads on bottom of legs protect floors. Shipped set-up.

65" overall height, six 12 gauge shelves — 10" clearance between shelves; posts 1¾" x 1¾" x 3/16" angle iron.

Shelf clearances can be changed to meet your specifications.

Finish: Green Enamel

Model	W	L	Ship Wt.
PE-1830	18"	30"	180
PE-1836	18"	36"	205
PE-1848	18"	48"	250
PE-2430	24"	30"	215
PE-2436	24"	36"	250
PE-2448	24"	48"	305

VERTICAL BAR RACK

3000 LBS. CAPACITY

Provides most efficient storage in limited areas and near jobs for tubing, pipe, rods, bars and like shapes, with 4 tray type shelves for short pieces.

All arc-welded — 1½" x 1½" x ⅛" angle and 16 gauge tray-shelves.

84"H, 36"W, 24" bottom-depth of shelves —bottom 6", top 6⅛", second 10", third 14". 4 sturdy arms extend 8" beyond each shelf for separation of stock.



VB-3684

Finish: Green Enamel Ship. Wt. 110 Lbs.

PORTABLE RACK-U-FRAME

RUF-251

U. S. PATENT NO. 3,581,907
CANADIAN PATENT NO. 930334

Grizzly®

Arc Welded Construction—Completely Assembled Ready for Immediate and Temporary Uses—Only 25 Pounds—One Man Operation—Quick. Stacked as Much as 4 High into the GRIZZLY Flexible Storage Rack System for Mill Shapes—Channels, Angles, Flats, Rounds, Pipe, Tubing . . . For Material Transport on Trucks, Skids, Pallets, for Inventory and at Work Stations.

Easily disassembled—Stored in Little Space Until Next Use.

RUF-251 Portable Rack-U-Frame
Ship. Wt. 25 Lbs. Finish: Orange Enamel



- Formed for Strength and Stacking Tiers
- Carrying Handle for Strength and Convenience
- Stops Prevent Upright Spread
- Streamlined Design—Smooth Finish
- Rugged Steel Construction
- Durable—Built for Heavy Uses



2 Stacked High Carrying Tubing on 6 Feet Lengths—4000 Pounds.

CARRY HEAVY LOADS EVENLY DISTRIBUTED

4 Stacked High Carrying Channel and Tubing on 20 Feet Lengths—20,000 Pounds.



OUTSIDE DIMENSIONS
(A) 25" Wide
(B) 17½" High
(C) 5" Wide Bottom Channel
INSIDE DIMENSIONS
(D) 17" Wide Bottom
(E) 23" Wide Top
(F) 15½" High Upright

Placed in an assembly of 16 Rack-U-Frames holds the massive load of 20,000 Lbs. 400 Lbs. of Rack-U-Frames hold 20,000 Lbs. THIS IS STORAGE AT LOWEST COST, AND QUICKLY INSTALLED.

PORTABLE TWIN RACK-U-FRAME MODULES

5000 LBS. CAPACITY
U. S. PATENT NO. 3,581,907
CANADIAN PATENT NO. 930334

Used in multiples with fork lifts, as required, to provide length and tier height needed for the storage of mill shapes—conduit, tubing, pipe, angles, channels, rounds, flats, other metal and plastic items.

Fork lifts can easily stack and remove the modules to provide temporary and long term storage facilities; provide material at work stations on the production line, in the warehouse and on the construction site. Special modules designed to meet particular requirements. Arc Welded Construction—Completely Assembled Ready for Immediate Use.

Finish: Orange Enamel

RUF-262	24" O.A.L.	65 Ship. Wt.
RUF-263	36" O.A.L.	70 Ship. Wt.
RUF-264	48" O.A.L.	76 Ship. Wt.

OUTSIDE DIMENSIONS
(A) 25" Wide
(B) 17½" High
(C) 5" Wide Bottom Channel
(G) 24"; 36"; 48" as Required

INSIDE DIMENSIONS
(D) 17" Wide Bottom
(E) 23" Wide Top
(F) 15½" High Upright



RUF-264



HANDLING MODULES ON WORK SITE



STACKING MODULES

MOVING MODULES

SPECIALS DESIGNED FOR CUSTOMERS NEEDS



RUF-244

OUTSIDE DIMENSIONS
(A) 32" Wide
(B) 31" High
(C) 5" Wide Bottom Channel 3¼" High
(G) 44" Long

INSIDE DIMENSIONS
(D) 24" Wide Bottom
(E) 29½" Wide Top
(F) 28" High Upright

RUF-244	44" O.A.L.	105 Ship. Wt.

STACKING RACK UNITS

ALL WELDED CONSTRUCTION



SRU-232

STACKING RACK UNITS

Model	W	L	Ship Wt.
SRU-232	24"	32"	58
SRU-242	24"	42"	64
SRU-248	24"	48"	67
SRU-332	30"	32"	62
SRU-342	30"	42"	66
SRU-348	30"	48"	69

Storage system for all types of materials, bar, pipe, rods, angle, etc. For space saving economical storage. Materials can be stored in bundles or individual pieces. Completely assembled ready for immediate use. Special modules designed to meet particular requirements. Construction - 2½" square tubing.
Finish: Orange Enamel



OUTSIDE DIMENSIONS
(A) 29" or 35" Wide
(B) 30" High
(C) 37"; 47" or 53" Long

INSIDE DIMENSIONS
(D) 24" or 30" Wide
(E) 32"; 42" or 48" Long
(F) 23½" High

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

Grizzly SPECIALS

SERVING INDUSTRY FOR 30 YEARS

SOME OF THE MANY SPECIALS DESIGNED & MANUFACTURED FOR CUSTOMER'S PARTICULAR NEEDS.

We specialize in Material Handling, Drum, Shop and Industrial Equipment of original design and maintain an Engineering Department for the exclusive use of our customers.

Few of the thousands of Specials we manufactured are noted in the photos on this page. Send us your requirements so we may submit design and quotation for your approval.

Please send as much of the basic information as you can in accordance with the suggested outline below to help us to expeditiously handle your request.



BOX TRUCK W/LID



KNOCKED DOWN WORK BENCH (MEDIUM DUTY)



PACKING & STRAPPING TRUCK



MOLDING BENCH



MOLDING BENCH INSERT



Heavy Duty Warehouse TRUCK



STEEL TOP PANEL-END WORK BENCH



HARD MAPLE TOP PANEL-END WORK BENCH



BATTERY CHARGING & TESTING STATION



HAND TRUCK



PORTABLE WORK STATION

WHEN ORDERING SPECIAL GRIZZLY EQUIPMENT USE THIS SUGGESTED OUTLINE

1. **GENERAL DESCRIPTION:** Truck, Dolly, Lifts, Work Bench, Stand, Carts, etc.
2. **GENERAL DESIGN:** Type of shelf; flat or tray; Type of top. Handle, etc.
3. **DIMENSIONS:** Indicate inside or outside dimensions; width, length, height.
4. **CAPACITY:** Load-Pounds; Entire unit, per caster, per shelf.
5. **QUANTITY:** Could substantially determine pricing.
6. **SPECIAL DESIGN FEATURES:** Your own ideas of how unit should be constructed.
7. **FINISH:** Standard Colors: Green, Vista Green, Gray, Beige or Orange Enamel.

Pucel ENTERPRISES, INC.

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A 44114 • AREA CODE 216 881-4604

Grizzly®

MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT

DESIGNED FOR RUGGED USE

SINCE 1949

Catalog No. 182



Pucel Enterprises, Inc., Opposer/Petitioner
vs.
Grizzly Industrial, Inc., Applicant/Respondent
TTAB Consolidated Case No. 123,506; 31984; 32024; 32025
TO: PUCEL'S Exhibit No. 27

TOLL FREE

2000397 ENTIRE MANUAL

Copyright © 1982 Pucel Enterprises, Inc.

Grizzly® EQUIPMENT

Simon® PRODUCTS

Pucel ENTERPRISES, INC.

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE (216) 881-4604

DESIGNING • ENGINEERING • DEVELOPMENT • MANUFACTURING

Grizzly.

SERVING INDUSTRY SINCE 1949

MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT

Highest Quality at Low Cost

* The GRIZZLY Equipment items shown in this catalog are typical of the many items we manufacture.
* In addition, we design, engineer, develop and manufacture GRIZZLY and other equipment to satisfy special and other standard needs.
* GRIZZLY equipment is arc welded construction, designed for rugged and long time use; completely assembled, ready for immediate use, no loose parts, no assembly required by the customer—all adds up to increased productivity. These GRIZZLY advantages more than offset additional transportation cost.*
* We are ever striving to maintain an effective competitive position considering our GRIZZLY High Quality Standards and Workmanship.
* We are constantly on the move improving present equipment and products, researching and developing new items to meet current and changing market requirements.
* GRIZZLY Equipment performance is best testified by the daily receipt of repeat orders from small and large customers.
* We gratefully appreciate the pleasant relationship we enjoy with our customers and would regularly like to hear from you—complaints as well as suggestions—for we always strive to maintain and improve good customer relations. May we hear from you?

*A few catalog items are KD.

Respectfully,

Anthony F. Mlakar

ANTHONY F. MLAKAR
President

Grizzly. GUARANTEE

Quality Guarantee

All Grizzly Equipment is fully guaranteed to be manufactured in accordance with commercial standards and specifications shown in our catalog. Equipment is fully inspected before leaving our plant and is guaranteed against defective workmanship for 3 months from date of purchase. However, we cannot be held responsible for abuse by user beyond normal usage.

This is your guarantee of a product of highest quality.

STANDARD PAINT COLORS

UNLESS OTHERWISE INDICATED IN CATALOG, GRIZZLY EQUIPMENT WILL BE PAINTED GRAY.

Optional Colors Available At No Additional Cost:

Dark Green	Dark Blue
Vista Green	Light Blue
Dark Brown	Orange
Beige	Red

GRIZZLY renders long term satisfactory service.
You can have continued confidence in GRIZZLY.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly.

Grizzly

ALPHABETICAL INDEX

EQUIPMENT — Page No.

BENCHES
Arc Welding 31
Arc Welding, w/Shields 31
Gas Welding 31
Tool Cabinet 20

BENCHES, WORK
Accessories 17
Cabinet, Base 22
Cabinet, w/Sliding Door 22
Cabinet Unit 18
Drawer Units 18
Drawer Unit, Heavy 18
Drawer Unit, Multiple 21
Hard Maple Tops 17
Heavy Duty, Reinforced Steel Top 16
Knock Down 25
Legs 17
Legs, Adjustable 17
Portable, Cabinet 14, 15
Portable Maintenance Center 14
Portable, Tool Cabinet 14
Risers 16
Tops, Hard Maple 17
Tops, Pressed Wood 16

CABINETS
Base 20
Door 20
Drawer 20
Locker, 3 Door Unit 6
Machine Floor 24
Portable Door 20
Portable Drawer 20
Storage, Bin 25
Storage, Book Shelf 7
Storage, Extra Heavy Duty 7
Storage, Wardrobe 7
Tool, Heavy Duty 7

CARTS
Hand, Tote-All 11
Mij Box 13
Mopping Floor and Cleaning 10
Stock 12
Stock, Five Shelf 12
Stock, Hi-Ladder 12
Stock, Ladder 12
Stock, 3/Sided 8
Stock, Tray 11
Utility, Tote-All 11

CASTERS, GRIZZLY EQUIPMENT .... Inside Back Cover

DESKS
Filing Cabinet 25
Shop 23
Shop Cabinet 23
Standing Shop 23

DOLLIES
Steel, w/Removable Handle 13

DRUMS
Cradles 26
Cradles, Ezy-Down 26
Dollies, Can 27
Dollies, Hi-Drum & Can 27
Dolly, Adjustable 27
Lifter, Horizontal Sling Type 28
Lifter, Vertical 28
Lifter, VH-Vertical-Horizontal 28
Lifters, Dumpers, Roto-Tilt 30
Storage Racks 28
Up-Ender 28
Unit, Vertical Stacking, Portable 30

ELECTRICAL OUTLET STRIPS 19

HANDLE, JACK 6

HOOKS, FORK, SWIVEL HOIST 29

HOOK, FORK CRANE, ATTACHMENT 29

LOCKERS, DOUBLE PERSONAL 6

RACKS
Die, Shelf, Heavy Duty 31
Rack, Stacking Units 32
Rack-U-Frame, Portable .... Inside Back Cover
Rack-U-Frame, Portable, Extra Heavy Duty .... Inside Back Cover
Rack-U-Frame, Portable, Twin Modules 32
Storage, Die, Extra Heavy Duty 31
Vertical Bar 31

SHOES, CASTER CORNER 29

SPECIALS .... Outside Back Cover

STANDS
Machine Cabinet 24
Tool, Extra Heavy Duty 13
Tool, Heavy Duty 13

STOOLS, LOW PORTABLE ASSEMBLY 21

TABLES
Examination, Portable Production 10
Hopper 13
Lift Top, Hydraulic 10
Marking, Portable 13
Mij 13
Utility 14

TRUCKS
Bar and Rod 6
Beverage, Premium, 2 Wheel 5
Box 8
Box, Roll-Over 8
Box, See-Thru 25
Cradle 4
Double End Heavy Duty 3
Drawer, Cabinet, Portable 19
Drum Dolly 29
Five Shelf, Heavy Duty 12
Garment 9
Hand Dump 8
Hand Dump, Roll-Over 8
Hand, Tote-All 11
Hand, Tote Pan 11
Hand, 2 Wheel, All Purpose 5
Low Drum 27
Lumber Servicing 12
Platform, Dolly 3
Platform, Heavy Duty Single End 25
Platform, Laminated Maple 3
Platform, Semi-Live 6
Platform, Steel 3
Platform, 3/Sided 8
Platform, Tote-All 11
Sheet & Panel 6
Shelf, Divided 9
Shelf, Enclosed 9
Shelf, Sliding 8
Shop, Extra Heavy Duty 4
Shop, Heavy Duty 4
Shop, Slat-Top, Heavy Duty 4
Shop, Step Ladder Attachment 4
Side, Open 9
Single End, Heavy Duty 3
Stock, Cage 8
Stock, Sheet-Bar 4
Tray, Shop 11

WORK STATIONS 18, 19

NUMERICAL INDEX

Page No.

ABL-22 TO ABL-58 17
AD-23-S, AD-23-R 27
AW-3636, AW-3636-S, AW-3636-WS 31
B-213, BC-213 13
B-2448 TO B-34120 16
BC-1, BC-1C3, BC-1C5 20
BD-2448 TO BD-34120 16
BL-22, BL-28, BL-34, BL-46, BL-58 17
BP-36S, BP-36R 15
BR-18, BR-18C, BR-18 R, BR-18CR 26
BRT-48, BRT-60, BRT-72 6
BS-2448 TO BS-34120 16
BSC-3675 7
BSD-2448 TO BSD-34120 16
BSDD-2448 TO BSDD-3496 16
BT-2436, BT-3036, BT-2448, BT-3048 8
C-1824 TO C-2448-K 20
CB-2860-S TO CDB-3072-W 22
CF-2830, CF-2835, CF-3630, CF-3635 24
CM-2830, CM-2835, CM-3630, CM-3635 24
CRA-60, CRA-96 4
CS-2860 TO CW-3072-SD 22
CS-3S, CS-3R 29
CST-24 8
CT-2830, CT-2835, CT-3630, CT-3635 24
CT-60 24
CU-18, CU-36, CUK-18, CUK-36 18
DBU-3072-W, DBU-2872-S 21
DC-1, DC-1C3, DC-1C5 20
DFT-60, DFT-60C 24
DLCU-2424 6
DPL-1621 6
DR-1842, DR-2448 31
DS-4, DS-6 28
DT-25-S, DT-25-R 29
DV-2242 9
EBR-18, EBR-18C, EBR-18R, EBR-18CR 26
EDB-3048 TO EDB-3072 19
EOS-3, EOS-6 19
EST-44 9
ET-2448-2 TO ET-3472-3 4
EWB-3048 TO EWB-3072 18
EWS-3048 TO EWS-3072 18
F-2448 TO F-34120 16
FCD-2839 25
FD-2448 TO FD-34120 16
FS-2448 TO FS-34120 16
FSD-2448 TO FSD-34120 16
FTC-36 29
FWS-3448, FWS-3496 19
GT-72, GT-72-SD 9
GW-2448 TO GW-36144 17
GW-3636 31
H-1830 TO H-3060 12
H-2024-1 18
HDSC-3648-2, HDSC-3660-3, HDSC-3672-4 7
HDT-42, HDT-60 8
HDTC-2442 7
HLTT-36-1, HLTT-36-2 10
HS-2448-2 TO HS-3472-3 13
KD-2448 TO KD-3472 25
L-1828, L-1836, L-2436, L-2448 12
LBR-909, LBR-909H 27
LPAS-1616, LPAS-1323 21
LT-20-R, LT-20-S, LT-20-78R, LT-20-78S 12
MFC-25 10
MT-2448-2 TO MT-3072-3 13
MTC-60S, MTC-60R 14
OFB-60, OFB-84 4
OST-39 9
PC-36S, PC-36R, PC-48S, PC-48R 15
PDC-36S, PDC-36R 15
PDC-42S, PDC-42R 14
PE-1830 TO PE-2448 31
PPET-2636 10
PT-2448 TO PT-3496 3
PT-2442-SE TO PT-3060-SE 25
PTC-48S, PTC-48R 14
PUB-24SW, PUB-24RW 19
R-36, R-48, R-60, R-72, R-96 16
ROBT-36, ROBT-48 8
RODT-42, RODT-60 8
RUF-244, RUF-262, RUF-263, RUF-264 32
RUF-251, RUF-640 .... Inside Back Cover
S-30-DT-3 TO S-48-DT-3 4
SBT-3672 25
SC-3182 TO SCF-5243 12
SDMP-3048 23
SER-101SW, SER-101RW 11
SH-36 TO SH-144 17
SL-18, SL-24 4
SLPT-2448 TO SLPT-3660 6
SPT-2842 6
SRU-232, SRU-242, SRU-248, SRU-332, SRU-342, SRU-348 32
SS-48, SS-60, SS-72 8
ST TO K3DC 14
ST-36 TO ST-120 17
STBT-2436 TO STBT-3048 25
T-213 TO TEC-313 13
TA-24 11
TH-14, TH-14C 13
TPH-24 11
TSC-1828-6 TO TSC-2436-12 11
TT-1830-6 TO TT-3048-12 11
UC-2432, UC-2442, UC-2452 11
UT-2432, UT-2442, UT-2452 11
VB-3684 31
VDU-10 30
VH-100 28
W-2448 TO W-36144 17
WPT-2448-SW TO WPT-RE-3460-RW 3
WSC-3672 7
YZ-75, YZ-100 12
3SC-30, 3SC-36, 3SC-48, 3SC-60 8
3ST-2448 TO 3ST-3472 8
6 20
15 6
18-D-30 TO 24-D-60 13
18-PTD-30 TO 24-PTD-60 3
18-TR-30 TO 30-TR-60 3
18-TRE-30 TO 30-TRE-60 3
24, 25, 26, 210 29
59 24
71, 73 27
75 TO 83-GS 27
80 28
84 28
85, 85C 28
89, 90, 91, 92, 93, 96, 98, 100 5
235 28
300, 311 5
350, 351, 500 30
1036, 1236, 1436, 1836 23
14161-1 TO 2024-4 18
1830-2 TO 2460-3 13
1830-DT-2 TO 3060-DT-3 4
2036, 2136, 2236, 3036, 3136, 3236 23
2448 TO 36144 17

STANDARD PAINT COLORS: GRAY, VISTA GREEN, DARK GREEN, BEIGE, DARK BROWN, LIGHT BLUE, DARK BLUE, RED OR ORANGE ENAMEL. PLEASE SPECIFY WHEN ORDERING.

Grizzly®

SERVING INDUSTRY SINCE 1949

SALES—TERMS AND CONDITIONS

1) **ORDERING:** All orders, including phone orders, must be confirmed in writing.
Your written purchase order should specify each item by number, description, and finish color.

2) **PRICES:** All prices are F.O.B. OUR PLANT, CLEVELAND, OHIO; and subject to change without notice; and do not include any applicable taxes, duties, or any other governmental charges.
We reserve the right to invoice at the prices prevailing at the time of shipment.

3) **SPECIFICATIONS:** Specifications are subject to change without notice. Due to minor design changes, equipment may not conform exactly to photographs in catalog.

4) **ROUTING:** Shipment will be made the best way—air, truck, rail, transportation collect; united parcel or parcel post prepaid, collect.
When shipment is prepaid at the customer's request a separate invoice will be submitted, which must be paid within 10 days of invoice date; except however, united parcel and parcel post charges will be noted on the invoice.

5) **PACKAGING:** All items are packaged for domestic shipment. Additional charge will be made for special packaging.

6) **DAMAGED GOODS:** When damage is noted on delivery, the carrier agent is to make the damage notation on your delivery receipt. DO NOT SIGN THE DELIVERY RECEIPT UNLESS THIS IS DONE. The consignee must make claim directly and promptly to the carrier for any damage. When damage is not discovered until all of the items are unpacked request must be promptly submitted to the carrier for concealed damage inspection and adjustment. All items are thoroughly inspected prior to our shipment. Title passes to consignee at the time shipment leaves our dock and the carrier is an agent of consignee.

7) **RETURNED GOODS:** All items returned without our written permission will be refused. Request for return of goods must be made within 10 days of the receipt of goods. A 15% handling and reconditioning charge will be made on authorized returned items. Goods must be returned prepaid at customer's expense. Special items, or modified catalog items, are not returnable.

8) **CHANGES AND CANCELLATIONS:** Items designated as special or modified catalog items are not subject to change or cancellation as they are manufactured for each individual order.

9) **CORRECTIONS:** Stenographic, clerical errors, and any other errors, are subject to correction.

10) **DELAYS:** All orders, contracts and agreements are made subject to delays contingent upon accidents, strikes, embargoes, or any other causes beyond our control.

11) **TERMS:** All prices are **NET**—30 days from date of invoice. A 1% cash discount is allowed if payment is made within 10 days from date of invoice.

Open account can be established with an acceptable Dun and Bradstreet rating. Firms listed and not rated, or not listed, are requested to submit 3 major trade references and 1 banking reference with their order to facilitate prompt handling.

C.O.D. orders are not acceptable.

Minimum orders: $80.00 **NET**, plus shipping charges.

12) These said "Sales-Terms and Conditions" apply to all of the equipment (Standard, Modified and Special) and related matters in this catalog, and are subject to the pricing as contained in the current Price List No. 8 and subsequent Price Lists as issued from time to time, which may be issued without notice.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. · CLEVELAND, OHIO 44114

Grizzly®

STEEL PLATFORM TRUCKS

2500 LBS. CAPACITY—6" SEMI-STEEL CASTERS
2200 LBS. CAPACITY—6" HARD RUBBER CASTERS

OR

3000 LBS. CAPACITY—8" SEMI-STEEL CASTERS
2000 LBS. CAPACITY—8" MOLD-ON RUBBER CASTERS



PT-2860

ALL WELDED CONSTRUCTION
Durable free moving platform truck to absorb the roughest usage. Reinforced steel platform with removable tubular push handle.

Casters: 2 swivel and 2 rigid, 6" x 2"
or, 2 swivel and 2 rigid, 8" x 2"

Finish: Gray Enamel

Model	W	L	Ship. Wt.
PT-2448	24"	48"	110
PT-2848	28"	48"	118
PT-3448	34"	48"	130
PT-2460	24"	60"	121
PT-2860	28"	60"	131
PT-3460	34"	60"	144
PT-2472	24"	72"	133

Model	W	L	Ship. Wt.
PT-2872	28"	72"	144
PT-3472	34"	72"	160
PT-2496	24"	96"	155
PT-2896	28"	96"	170
PT-3496	34"	96"	191
Extra Handle Bars	Includes Sockets		10
Extra Handle Sockets	Welded on Truck		4

DOLLY PLATFORM TRUCKS

1000 LBS CAPACITY — SEMI-STEEL CASTERS
1000 LBS CAPACITY — HARD RUBBER CASTERS



24-PTD-60

ALL WELDED CONSTRUCTION
REMOVABLE TUBULAR HANDLE
LOW DECK—5 ⅛" FROM FLOOR
Handle Overall Height—36"

Finish: Gray Enamel

Casters: 2 swivel and 2 rigid, 4" x 1 ½"

Platform can be reversed at no charge, with 2" deep flanges up on all sides.

Model	W	L	Ship. Wt.
18-PTD-30	18"	30"	50
18-PTD-36	18"	36"	57
18-PTD-48	18"	48"	68
18-PTD-60	18"	60"	80
24-PTD-30	24"	30"	56

Model	W	L	Ship. Wt.
24-PTD-36	24"	36"	63
24-PTD-48	24"	48"	74
24-PTD-60	24"	60"	85
Extra Handle Bars	Includes Sockets		10
Extra Handle Sockets	Welded on Truck		4

HEAVY DUTY SINGLE END TRUCKS

2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS



24-TR-30

All welded for rugged stock and general shop use with 1-3/4" x 1-3/4" x 3/16" angle posts, tubular push bar at a convenient 36" height from the floor.

Top shelf 22" from floor, tray sides on bottom shelf 2" high with 11-3/8" clearance between shelves, floor clearance 6-1/4". 2 swivel and 2 rigid casters.

Wheels: Semi-Steel 5" x 1⅜"
Hard Rubber 5" x 1½"

Overall Height—36"
Finish: Gray Enamel

Truck Floor Lock —Flat Bottom Shelf — Available at Additional Charge.

Model	W	L	Ship. Wt.
18-TR-30	18"	30"	98
18-TR-36	18"	36"	106
18-TR-48	18"	48"	122
18-TR-60	18"	60"	140
24-TR-30	24"	30"	110
24-TR-36	24"	36"	120

Model	W	L	Ship. Wt.
24-TR-48	24"	48"	140
24-TR-60	24"	60"	160
30-TR-30	30"	30"	125
30-TR-36	30"	36"	135
30-TR-48	30	48"	160
30-TR-60	30"	60"	185

LAMINATED MAPLE PLATFORM TRUCKS

2500 LBS. CAPACITY—SEMI-STEEL CASTERS
1400 LBS. CAPACITY—SOFT RUBBER CASTERS

Wheels:
6" x 2" Soft Rubber
6" x 2" Semi-Steel
2 Swivel and 2 Rigid
Self lube bearing wheels



WPT-RE-2448-RW

WPT-RE series have angle frame for side protection.
Size angle—1½" x 1½" x ⅛"
WPT Series have no frame.

With 1½" thick Laminated Maple Deck, thoroughly seasoned and precision dried in electronically controlled kilns.

Laminations are placed on edge and bound into a single, warp resistant, self supporting platform. No soft core.

All models have a 10" deck height—36" overall height with removable tubular handle.

Deck bottom reinforced with 2—6" x 1" Maple Battens for caster attachment.

Finish: Platform — Clear Lacquered, Steel Parts — Gray Enamel

Model	W	L	Ship. Wt.	w/Steel Frame		w/o Steel Frame	
				Steel Wheel	Rubber Wheel	Steel Wheel	Rubber Wheel
WPT-2448-SW	24"	48"	117			X	
WPT-2448-RW	24"	48"	113				X
WPT-RE-2448-SW	24"	48"	127	X			
WPT-RE-2448-RW	24"	48"	123		X		
WPT-2460-SW	24"	60"	126			X	
WPT-2460-RW	24"	60"	122				X
WPT-RE-2460-SW	24"	60"	136	X			
WPT-RE-2460-RW	24"	60"	132		X		
WPT-3448-SW	34"	48"	137			X	
WPT-3448-RW	34"	48"	133				X
WPT-RE-3448-SW	34"	48"	147	X			
WPT-RE-3448-RW	34"	48"	143		X		
WPT-3460-SW	34"	60"	153			X	
WPT-3460-RW	34"	60"	151				X
WPT-RE-3460-SW	34"	60"	175	X			
WPT-RE-3460-RW	34"	60"	171		X		
Extra Handles & Sockets							

HEAVY DUTY DOUBLE END TRUCKS

2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

All welded for widest variety of uses with 1-3/4" x 1-3/4" x 3/16" angle posts. Tray sides 2" deep on bottom shell. Top shell 22" from floor with 11-3/8" clearance between shelves. Floor clearance 6-1/4". 2 rigid and 2 swivel casters.

Finish: Gray Enamel

Overall Height—36"

Wheels:
Semi-Steel 5" x 1⅜"
Hard Rubber 5" x 1½"

Truck Floor Lock—Flat Bottom Shelf Available at Additional Charge.

24-TRE-36

Model	W	L	Ship. Wt.
18-TRE-30	18"	30"	107
18-TRE-36	18"	36"	115
18-TRE-48	18"	48"	131
18-TRE-60	18"	60"	149
24-TRE-30	24"	30"	120
24-TRE-36	24"	36"	130

Model	W	L	Ship. Wt.
24-TRE-48	24"	48"	150
24-TRE-60	24"	60"	170
30-TRE-30	30"	30"	136
30-TRE-36	30"	36"	146
30-TRE-48	30"	48"	171
30-TRE-60	30"	60"	196

SHOP TRUCKS—HEAVY DUTY

ALL WELDED CONSTRUCTION
2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

Used in shop operations with presses, screw machines, piece parts or shop boxes. Flat top for sliding heavy dies or tooling on and off. Tray shelves 2" deep.

All sizes 32½" high. Clearance between shelves on 3-shelf model—10½"; 2-shelf model—22¼". Floor Clearance—6¼".

Sturdy 12-gauge shelves with tubular push handle; 1-3/4" x 1-3/4" x 3/16" angle posts for added capacity. Extra strong Casters for durability and easy movement. Two swivel and two rigid casters for controlled maneuverability. Finish: Gray Enamel

Optional writing shelf attachment.

GRIZZLY Drawer Units can be added. See Page 18

Wheels:
Semi-Steel 5" x 1⅜"
Hard Rubber 5" x 1½"



2436-DT-3

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge.

Optional removable writing shelf attachment available at additional charge. Can be added to Grizzly Shop Trucks or Stock Carts with tray top shelf only. (See Page 12). Writing surface 13" wide x 18" long, 30° tilt, ½" lip. SHIPPING WT. 10 LBS.

Model	Shelves	W	L	Ship. Wt.
1830-DT-2	2	18"	30"	93
2430-DT-2		24"	30"	105
3030-DT-2		30"	30"	118
1830-DT-3	3	18"	30"	116
2430-DT-3		24"	30"	134
3030-DT-3		30"	30"	152
1836-DT-2	2	18"	36"	100
2436-DT-2		24"	36"	115
3036-DT-2		30"	36"	130
1836-DT-3	3	18"	36"	128
2436-DT-3		24"	36"	150
3036-DT-3		30"	36"	172

Model	Shelves	W	L	Ship. Wt.
1848-DT-2	2	18"	48"	116
2448-DT-2		24"	48"	135
3048-DT-2		30"	48"	154
1848-DT-3	3	18"	48"	152
2448-DT-3		24"	48"	180
3048-DT-3		30"	48"	210
1860-DT-2	2	18"	60"	135
2460-DT-2		24"	60"	155
3060-DT-2		30"	60"	177
1860-DT-3	3	18"	60"	180
2460-DT-3		24"	60"	210
3060-DT-3		30"	60"	242

HEAVY DUTY SLAT-TOP SHOP TRUCKS

ALL WELDED CONSTRUCTION
2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

Model	Shelves	W	L	Ship. Wt.
S-30-DT-2	2	24"	30"	117
S-30-DT-3	3	24"	30"	146
S-36-DT-2	2	24"	36"	132
S-36-DT-3	3	24"	36"	167
S-48-DT-2	2	24"	48"	150
S-48-DT-3	3	24"	48"	196

S-30-DT-3

Casters: 2 swivel, 2 rigid
Semi-Steel Wheels 5" x 1⅜"
Hard Rubber Wheels 5" x 1½"

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge.

Finish: Gray Enamel

Used in shop operations, with presses, screw machines, shipping, and other equipment —items easily lifted off truck with slings and grabs.

Easily slides heavy dies on and off top with safety to fingers and hands.

TOP—12 ga. steel, formed double channels, 3" wide, 1-1/2" deep, spaced 1-1/2" apart. All Models 32-1/2" high—Clearance between shelves on 3-shelf models 10-1/8", 2-shelf models 22-1/4", floor clearance—6-1/4" Tubular Push Handle, 1-3/4" x 1-3/4" x 3/16" angle iron posts—

STEP LADDER ATTACHMENT

FOR SHOP TRUCKS **SL-24**

Makes your Unit More Versatile

SIMPLE INSTALLATION—Bolts to Legs at Swivel Caster End. Ladder is Spring Loaded and Adjustable.

3 STEPS—ALL STEPS ADJUSTABLE—4" STEPS. 62" O.A.H.



SL-18	For 18" Wide Unit	Ship. Wt. 40 Lbs.
SL-24	For 24" Wide Unit	Ship. Wt. 45 Lbs.

Finish: Gray Enamel

EXTRA HEAVY DUTY SHOP TRUCKS

5000 LBS. CAPACITY—SEMI-STEEL CASTERS
4000 LBS. CAPACITY—HI-CAP RUBBER CASTERS
ALL WELDED CONSTRUCTION

ET-2460-2

For moving heavy parts or large tote boxes and stampings to and from presses and other operations. Flat top for easy sliding of large dies, molds and castings on or off top. Heavy and large structures can be fabricated on truck. With tubular push handle.

Finish: Gray Enamel



Shelves: 12 gauge steel, Posts: 2" x 2" x 3/16" angle
All Casters: 2 swivel and 2 rigid, 8" x 2-1/2" Roller Bearing Wheels
Truck Floor Lock — Available at Additional Charge.

All Models 36" High
10" Floor Clearance



21" clearance between shelves



9¾" clearance between shelves

Model	W	L	Ship. Wt.
ET-2448-2	24"	48"	220
ET-2460-2	24"	60"	240
ET-2472-2	24"	72"	260
ET-2848-2	28"	48"	230
ET-2860-2	28"	60"	255
ET-2872-2	28"	72"	280
ET-3448-2	34"	48"	256
ET-3460-2	34"	60"	286
ET-3472-2	34"	72"	316
ET-2448-3	24"	48"	275
ET-2460-3	24"	60"	305
ET-2472-3	24"	72"	335
ET-2848-3	28"	48"	290
ET-2860-3	28"	60"	325
ET-2872-3	28"	72"	365
ET-3448-3	34"	48"	325
ET-3460-3	34"	60"	370
ET-3472-3	34"	72"	415

CRADLE TRUCKS

ALL WELDED CONSTRUCTION
10,000 LBS. CAPACITY—STEEL WHEELS
6,000 LBS. CAPACITY—HI-CAP RUBBER WHEELS

Used for all types of pipe, tubing, bar stocks. Load centers itself for balance. Controlled maneuverability, turns in 36" radius. Cradles permit easy loading and unloading with fork lift or sling. Length—CRA-60 = 60"; CRA-96 = 96"; CRA-120 = 120"

Remainder of Specifications apply to CRA-60, CRA-96 and CRA-120.
Cradle Width 23½", Overall Width 33½", Height 36⅝", Depth 15".
CRA-120 furnished with 4 cradles.



CRA-96

Casters: Forged Steel, Roller Bearing Wheels
Center Wheels: 10"x3"
Ductile Iron Roller Bearing Casters
Swivels: 8"x3"
Casters: Hi-Cap Rubber Wheels
Center Wheels: 16" x 3"
Swivels, 10" x 2½"

CRA-60 Ship. Wt. 350 Lbs.
CRA-96 Ship. Wt. 384 Lbs.
CRA-120 Ship. Wt. 416 Lbs.
Finish: Orange Enamel

SHEET-BAR STOCK TRUCKS

10,000 LBS. CAPACITY—STEEL WHEELS
6,000 LBS. CAPACITY—HI-CAP RUBBER WHEELS

All Welded Construction; for sheet steel, plate, bar stock, pipe, tubing, conduit, angle, channel and other long mill shapes. Can be loaded and unloaded by fork lift, overhead crane and hoist.

ID = 22" W; OD = 33" W x 60" L for OFB-60
ID = 22" W; OD = 33" W x 84" L for OFB-84. (The remainder of specifications apply to OFB-60 and OFB—84.)



OFB-60

Casters: Forged Steel, Roller Bearing Wheels
Center Wheels: 10"x3"
Ductile Iron Roller Bearing Casters
Swivels: 8"x3"
Casters: Hi-Cap Rubber Wheels
Center Wheels: 16" x 3"
Swivels, 10" x 2½"

OFB-60 Ship. Wt. 270 Lbs.
OFB-84 Ship. Wt. 294 Lbs.
Finish: Orange Enamel

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly

ALL PURPOSE HAND TRUCKS

All welded tubular balanced construction with curb jumper, rugged, all edges rounded smooth for appearance and safety, ball bearing rubber wheels, absorb shock, provide easy handling and quiet operation, with plastic handles for firmer grip. Finish: Orange Enamel

For: general use in stock rooms, shipping, receiving, warehouse and dock operations. Balanced—load exerted on the axle, bearings and wheels, and off operator's arms and shoulders.

89 MEDIUM DUTY



90-91 HEAVY DUTY

92-93 HEAVY DUTY W/CONTINUOUS HANDLE



96 CYLINDER TANK UNIT W/HOLD CHAIN



98 EXTRA HEAVY DUTY



100 BARREL DRUM UNIT



Model	Overall Height	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship. Wt.
89	45½"	14"	20"	7"x14"	250	8x1.75 Semi-Pneu	27
90	48"	14"	20"	7"x14"	650	10x2.75 Semi-Pneu	37
91	48"	14"	20"	7"x14"	500	410x3.50—4—2 Ply Pneu	40
92	48"	14"	20"	7"x14"	650	10x2.75 Semi-Pneu	30
93	48"	14"	20"	7"x14"	500	410x3.50—4—2 Ply Pneu	42
96	45"	27"	32½"	12"x25"	650	12"x3" Semi-Pneu	52
98	43"	18"	18"	8½"x18"	800	8x2 Molden	55
100	42"	19"	20"	5"x19"	800	8x2 Molden	58



NEW IMPROVED PREMIUM BEVERAGE TRUCK 300 and 311



ALL WELDED tubular balanced construction, easy to push, even under the heaviest loads; keeps the load on the axle, bearings and wheels, and off operator's arms and shoulders.

ESPECIALLY designed rugged for the Route Man for easy pushing loads over floors, pavement, sidewalks, over curbs, up and down stairs;

MOVING cases of small and large cans, bottles, containers—pop, beer, milk and other beverages;

STACKING HOLDER permits firm hold on as many as 6 cases high; ½" floating axle absorbs moving load shock;

REAR LIPPED CHISELED TOE PLATE gives added strength and adequate load bearing area;

NARROW TUBULAR FRAME, only 9½" wide, with plastic handles for firmer grip, easy to maneuver in confined aisles and other areas.

ALL EDGES ROUNDED SMOOTH for neat appearance—and safety—Finish: Orange Enamel.

Model	Axle Lgth.	Ht. W/Case Hndl. Ext.	Ht. W/O Case Hndl. Ext.	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship. Wt.
300	14¾"	53½"	46½"	9½"	15¾"	8¼" x 10½"	650	10x2.75 Semi-Pneu	36
311	17"	53½"	46½"	9½"	18"	8¼" x 10½"	500	410x3.50—4—2 Ply Pneu	35

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114 Grizzly

BAR AND ROD TRUCKS

3400 LBS. CAPACITY - SEMI-STEEL CASTERS
3000 LBS. CAPACITY - HI-CAP RUBBER CASTERS

Model	W	L	Ship Wt.
BRT-48	36"	48"	255
BRT-60	36"	60"	275
BRT-72	36"	72"	292



BRT-60

Casters:

Semi-Steel Roller Bearing Wheels, 8" x 2" 2 rigid & 2 swivel.

Hi-Cap Rubber Roller Bearing Wheels, 8" x 2" 2 rigid & 2 swivel.

Finish: Gray Enamel

Truck Floor Lock Available at Additional Charge.

All welded, heavy gauge steel, rugged for transporting mill shapes - conduit, tubing pipe, angle, channels, rounds, flats, other metal and plastic items.

All models 60" overall height; height above deck 48". Deck: 12 gauge steel, Uprights: 4" channel.



SPT-2842

SHEET AND PANEL TRUCK

2000 LBS. CAPACITY
Casters: 2 Rigid and 2 Swivel 6" x 2" Hard Rubber Wheels

Ship. Wt.—105 Lbs.

Finish: Gray Enamel

28"W—42"L—49"O.A.H.

Deck—¾" plywood

All welded rugged construction—Used for transporting panel units, partition sections, masonite, formica, building and other long type materials, to and from work stations, in the plant, and on the construction job. End stop on the length of the deck keeps material from sliding off truck.

SEMI-LIVE PLATFORM TRUCKS

2500 LBS. CAPACITY
8" x 2" Hi-Cap Rubber Wheels
Platform 12" from floor



SLPT-3660
W/Optional Jack Handle

Model	Platform W	Platform L	Ship. Wt.
SLPT-2448	28"	48"	90
SLPT-2460	28"	60"	106
SLPT-3048	30"	48"	100
SLPT-3060	30"	60"	114
SLPT-3648	36"	48"	112
SLPT-3660	36"	60"	127

All Welded Construction—Rugged—12 Ga. Reinforced Steel Deck—

For temporary storage of materials, parts, or finished goods. Low number of jack handles can service and transport a number of these mobile platforms in plants, warehouses, freight terminals, and in other operations. Finish: Gray Enamel

Jack Handle engages and disengages platform. See below for separate Jack Handle.

#15 JACK HANDLE

8" x 2" Hi-Cap Rubber Wheels — 54½" Long —Ship. Wt. 35 Lbs.

DOUBLE PERSONAL LOCKERS

All welded construction, for shop and warehouse uses, lockers stackable and each locker equipped with three fixed shelves, padlock loop eye and keyed handle. Top locker comes with sloped top.

Top Locker Size: 16¼" Deep x 21¼" Wide x 34" High in back.

Bottom Locker Size: 16¼" Deep x 21¼" Wide x 30" High.

Shelf Clearances:
- 5" Top to First Shelf
- 5" First Shelf to Second Shelf
- 4¼" Second Shelf to Third Shelf
- 10" Third Shelf to Bottom

Finish: Gray Enamel

Ship. Wt. Top Locker 85 Lbs.
Bottom Locker 89 Lbs.



DPL-1621

3 DOOR LOCKER CABINET UNIT

OVERALL CABINET SIZE:
24" W x 24" L x 74" H

All welded, rugged construction for storage of individual belongings and supplies in various areas and departments in plant. Doors equipped with pull handles and padlock loop eyes. Entire unit constructed of 14 gauge steel. Unit shipped completely assembled and ready for use.

Inside Dimension of Cabinets: 23¼" Wide x 22¾" Deep x 24" High

Finish: Gray Enamel

Ship. Wt. 230 Lbs.

Specials Quoted Upon Request to Meet Customer's Requirements.



DLCU-2424

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

EXTRA HEAVY DUTY STORAGE CABINETS

RUGGED—ALL WELDED CONSTRUCTION
400 LBS. CAPACITY PER SHELF

All Models have 1 Fixed Center Shelf. All Other Shelves Adjustable on 2" Centers. Shelf Size — 18" W x 35¾" L

Cabinets built for years of rugged use. Units have 16 Ga. Reinforced Shelves and Bottom, Sides — 12 Ga., Doors 18 Ga. with 20 Ga. Reinforcing Channel. Used for storage of tools, small dies, etc. All Models furnished with Keyed Handle. Units shipped completely assembled and ready for use.

Finish: Gray Enamel



HDSC-3672-4

Model	D	W	H	Shelves	Ship. Wt.
HDSC-3648-2	19"	36"	48"	2—1 Fixed, 1 Adjustable	205
HDSC-3660-3	19"	36"	60"	3—1 Fixed, 2 Adjustable	250
HDSC-3672-4	19"	36"	72"	4—1 Fixed, 3 Adjustable	300
Additional Shelves Available 18"D x 35¾"L					20

HEAVY DUTY TOOL CABINET

Large variety of uses—in warehouses, factories, and offices. Handles large tools, bulky items, heavy material, etc.

Unit equipped with padlock Hasp and Keyed Handle for extra security.

Unit shipped completely assembled and ready for use. Cabinet furnished with 2 Fixed Shelves.

Top 19" x 24"; Height to Top Surface—42"
Clearance between shelves—12¼"

HDTC-2442

Construction:
Body and Shelves—14 Gauge Steel
Top, Bottom and Door—12 Gauge Steel

Finish: Gray Enamel

Ship. Wt. 120 Lbs.

WARDROBE—STORAGE CABINET

ALL WELDED CONSTRUCTION

Heavy Duty Cabinet has the double purpose of storage on one side and 4 fixed shelves on the other. There is a full length shelf on top for extra storage. Model furnished with Keyed Handle. Padlock Hasp available at additional charge. Units shipped completely assembled and ready for use.

Construction: Top Sides, Top Shelf Divider — 16 Gauge Steel: Doors, Back and Half Shelves — 18 Gauge Steel: Bottom — 14 Gauge Steel.

CABINET SIZE: 21"D x 36"W x 72"H

Finish: Gray Enamel

Ship. Wt. 248 Lbs.



WSC-3672

BOOK SHELF—STORAGE CABINET

ALL WELDED CONSTRUCTION

Used in office, factory and shop operations. Unit has 2 fixed shelves on top for storage of manuals, catalogs, books, etc. and a secure cabinet below with 3 fixed shelves, 10" shelf clearance.

Model furnished with Keyed Handle.

Entire unit constructed of 16 Gauge
BOOK SHELF DEPTH—12"
Finish: Gray Enamel
Ship. Wt. 235 Lbs.

OVERALL DIMENSION of CABINET

19"Dx36"Wx75" OAH
48" High from floor to top of storage cabinet.



BSC-3675

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

SLIDING SHELF TRUCKS

2400 LBS. CAPACITY—SEMI-STEEL CASTERS
2000 LBS. CAPACITY—HARD RUBBER CASTERS
LARGE VOLUME CAPACITY TRUCK
2 REMOVABLE SHELVES

Ruggedly built of all steel welded construction. Ready for use.
All corners and all edges are round for safe handling without damage to other equipment.
See Thru design for visual load inspection.
For large or heavy stock orders and other purposes.
Shelves are easily removed by sliding out of channels permitting truck to be used for large bulky materials. Standard unit consists of 2 shelves and bottom. Shelves slope 2" to the rear.

18" Clearance Between Shelves

Prices Include Two (2) Shelves, Extra Shelves Priced on Request

Casters: 6"x2"
—2 rigid and 2 swivel.

Finish: Gray Enamel

SS-72

Model	L	W	H	Shelf Size	Ship. Wt.
SS-48	56"	37"	66"	36" x 48"	266 lbs.
SS-60	68"	37"	66"	36" x 60"	298 lbs.
SS-72	80"	37"	66"	36" x 72"	330 lbs.

3/SIDED PLATFORM TRUCKS

HEAVY DUTY
3000 LBS. CAPACITY—SEMI-STEEL CASTERS
2000 LBS. CAPACITY—MOLD ON RUBBER CASTERS

Ruggedly built of all steel welded construction. All corners and edges are round for safe handling without damage to other equipment. See Thru design for visual load inspection. Increases load capacity over platform trucks. Used in shipping and receiving rooms.

ALL MODELS: 60" O.A.H.
FLOOR TO DECK: 12"
DECK TO TOP FRAME: 48"
Reinforced 12 Gauge Steel platform
FRAME: 1-1/2" x 3/16" Angle Iron

Sides and Back 3/4" Flattened Expanded Metal 13 Gauge Steel

TUBULAR PUSH HANDLE

FINISH: Gray Enamel
WHEELS: 8"x2", 2 swivel, 2 rigid.

Drop Front Door Available on all Models at Additional Charge.



3ST-2848

Model	W	L	Ship. Wt.
3ST-2448	24"	48"	185
3ST-2460	24"	60"	200
3ST-2472	24"	72"	220
3ST-2848	28"	48"	200
3ST-2860	28"	60"	213

Model	W	L	Ship. Wt.
3ST-2872	28"	72"	235
3ST-3448	34"	48"	215
3ST-3460	34"	60"	235
3ST-3472	34"	72"	258

CAGE STOCK TRUCK

CST-24

800 LBS. CAPACITY
ALL WELDED CONSTRUCTION

For variety of uses, on the assembly line, in the stock room and many other operations.
See-thru design for visual load inspection.
Used for drying purposes, paper stock, etc.

Overall Dimensions.....24½"Wx42"Lx62"H
Shelves.....24"x36"—14 Ga. steel
Wheels.....5"x1¼" Soft Rubber
2 swivel, 2 rigid
Finish..... Gray Enamel

★ Additional removable shelves are furnished with welded clips that rest on Band Iron strips

CST-24—Ship. Wt. 135 Lbs.
Additional Shelves Available at Additional Charge — Ship. Wt. 24 lbs.

3/SIDED STOCK CARTS



3SC-30

MEDIUM DUTY
1500 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

For variety of uses in factories, warehouses, offices, etc. See Thru design for visual load inspection. Used for drying purposes, paper truck, etc.

ALL WELDED CONSTRUCTION

ALL MODELS: 60" O.A.H.
BOTTOM DECK: 12 Gauge Steel
POSTS: 1½" x ⅛" Angle Iron
VERTICAL RODS: ⅜" Diameter
DECK HEIGHT: 7" from floor
TUBULAR PUSH BAR
FINISH: Gray Enamel
WHEELS: 4"x1½", 2 Swivel, 2 Rigid.

Model	W	L	Ship. Wt.
3SC-30	24"	30"	105
3SC-36	24"	36"	115
3SC-48	24"	48"	135
3SC-60	24"	60"	155

BOX TRUCKS
ROLL-OVER BOX TRUCKS

ALL WELDED CONSTRUCTION

1000 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS



BT-2436



ROBT-36

GRIZZLY Box Truck and Roll-Over Box Truck are used for handling packaged goods, in department stores and warehouses, line operations, disposal of waste materials, and for general purposes.

Rugged construction, heavy 14 gauge steel, tilt mounted on 2 center rigid casters and 1 swivel caster at the center of each end. Turns within half of its length. Leakproof.

ROBT series—Roll-Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—remains upright, material easily removed—one man operation.

BOX TRUCKS

Model	Ship. Wt.	W	D	L	O.A.H.
BT-2436	95	24"	24"	36"	30"
BT-3036	110	30"	24"	36"	30"
BT-2448	115	24"	24"	48"	30"
BT-3048	136	30"	24"	48"	30"

Finish: Gray Enamel

Wheels:
Semi-Steel, 5"x1¼"
Soft Rubber, 5"x1¼".

ROLL-OVER BOX TRUCKS

Model	W	D	L	O.A.H.	Ship. Wt.
ROBT-36	24"	24"	36"	30"	120 Lbs.
ROBT-48	24"	24"	48"	30"	140 Lbs.

HAND DUMP TRUCKS—ROLL-OVER DUMP TRUCKS



HDT-42

1000 LBS. CAPACITY
4" SEMI—STEEL CASTERS
1500 LBS. CAPACITY
8" SEMI-STEEL CASTERS

RODT-42

ALL WELDED, heavy gauge steel, rugged, leakproof, 5" from floor, for carrying and dumping parts, metal chips, and waste material into pits and containers. Front slanted for easy dumping. Casters: 2 rigid, front, and 1 swivel, rear, 4" x 1½" semi-steel wheels, easily moved into and out of close, narrow quarters. HDT models available with 8" x 2" semi-steel wheels; 2 rigid, front, and 1 swivel, rear. (8" x 2" Mold On Rubber Wheels available at additional charge).

Handy in machine shops, screw machine operations, production and assembly lines.

RODT unit—Roll Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—remains upright, material easily removed.

RODT-42—Roll-Over Dump Truck Ship. Wt. 130 Lbs.
(RODT-42 has the same dimensions as HDT-42 with exception of roll-over feature.)
RODT-60—Roll-Over Dump Truck Ship. Wt. 178 Lbs.
(RODT-60 has the same dimensions as HDT-60 with exception of roll-over feature.)

Finish: Gray Enamel

Hand Dump Trucks =	HDT-42	HDT-60
Top	24"W x 42"L	24"W x 60"L
Bottom	24"W x 29"L	24"W x 47"L
Box Depth	18"	18"
Floor to Top of Box	23"	23"
Handle From Floor	36"	36"
Ship. Wt.	120 Lbs.	168 Lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly

DIVIDED SHELF TRUCK

1400 LBS. CAPACITY—HARD RUBBER CASTERS
ALL WELDED CONSTRUCTION

Large variety of uses — in warehouses, factories, and offices. For order filling, stock picking, parts routing. Five shelf surfaces on each side. All shelves and bottom pitched to slope toward center to prevent material from falling off of truck while in motion. Material can be slid on and off with ease.

DV-2242
42"L—22"W—55¾"O.A.H.
Solid divider thru center, shelves 11" deep and slope 2" to center, 12" clearance from bottom to first shelf, other shelves have 8" clearance.
Casters: 2 Swivel, 2 Rigid, 5"x1½"
Finish: Gray Enamel
Ship. Wt.—200 Lbs.



DV-2242

OPEN SIDE TRUCK

800 LBS. CAPACITY—SOFT RUBBER CASTERS
ALL WELDED CONSTRUCTION



OST-39

For factory, hospital and office use. Used as a book cart, stock picker's truck, linen truck, or office record truck.

OST-39
Overall Dimensions: 18½"W x 45"L x 50"H
Shelves: 18" x 39", 18 gauge steel, flat surface

Clearance Between Shelves: 15"
Casters: 4 swivels, 5" x 1¼"
Push Handles: Tubular, one at each end
Finish: Gray Enamel
Ship. Wt. 110 Lbs.

ENCLOSED SHELF TRUCK

800 LBS. CAPACITY—
SOFT RUBBER CASTERS
ALL WELDED CONSTRUCTION

For Warehouses, Factories and Offices— For order picking, stock filling, parts routing. Five shelf surfaces slope 1" to the back to prevent material from falling off of truck while in motion.

Material can be slid on and off with ease.



EST-44

Casters: 2 swivel, 2 rigid 5" x 1¼"
Finish: Gray Enamel
Ship. Wt.—110 Lbs.

Overall Dimensions: 16"W x 45"L x 62"H
Shelves: 16" x 44"—20 Ga. steel
10" Clearance between Shelves

GARMENT TRUCKS

500 LBS. CAPACITY—
SOFT RUBBER CASTERS
ALL WELDED CONSTRUCTION



Used in garment factories, department stores, laundries, cleaners, motels, hotels. Handy for order filling. Light weight, easy to maneuver.

Dimensions the same for both GT-72 and GT-72-SD

74"L—20-1/2"W—66"H
Frame: 1-1/16" Tubular Steel
Casters: 4 swivels, 5" x 1-1/4"
Finish: Gray Enamel

GT-72 Garment Truck —
Ship. Wt. 61 Lbs.



GT-72-SD Garment Truck —
Ship Wt. 98 Lbs.

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly

Grizzly®

MOPPING FLOOR AND CLEANING CART

800 LBS. CAPACITY



MFC-25

All welded construction, handles all your general cleaning needs such as mops, brooms, brushes, pails, etc. For use in supermarkets, hotels, hospitals, restaurants, etc.

Overall Dimensions: 25" W x 33" L x 41" H
Accessory Box Size: 10½" W x 22 7/16" L x 8" H
Bottom Deck Size: 25" W x 25" L x 2" D
Casters: 5" x 1¼", Non-marking Polyolefin, 2 rigid and 2 swivel
Finish: Gray Enamel — Ship. Wt. 68 lbs.

Accessories Not Included

PORTABLE PRODUCTION EXAMINATION TABLE

500 LBS. CAPACITY
5" Soft Rubber Stem Casters



PPET-2636

All welded construction used by inspectors, checkers, inventory use, etc. Table equipped with removable ¼" pressed wood top and ¼" lip above pressed wood in front to prevent parts and other items from rolling off. Unit has 8" high steel clipboard holder with 70° slope to the back. All swivel casters for easy movability. Shipped completely assembled ready for immediate use.

Width ..... 36"
Depth ..... 26"
Overall Height ..... Front 38½" — Back 46¼"
Finish: Gray Enamel
Ship. Wt. 63 Lbs.

HYDRAULIC LIFT TOP TABLES

- All Arc Welded—Rugged—Portable
- Foot Operated—
- Easily adjusted to and from working height.
- Heavy reinforced steel top, telescoped tubular uprights travel within heavy tubular walls to and from working height.
- Heavy duty swivel casters and rigid casters provide easy movement, with foot operated floor lock firmly holds the table as required.
- For moving dies, tools and parts to and from working station—production & maintenance.

HLTT-36-1
CAPACITY 1000 LBS.



Model HLTT-36-1 Top ..... 20"W—36"L
Swivel Casters 5"x1-5/8" semi-steel, plain bearing wheels. Foot operated floor lock between swivel casters at one end.
Raised Top Height ..... 43" from Floor
Top Height ..... 31" from Floor
Top Travel ..... 12"
FINISH: Orange Enamel—Ship. Wt. ..... 260 Lbs.



HLTT-36-2
CAPACITY 2000 LBS.

Model HLTT-36-2 Top ..... 30"W—48"L
Swivel casters 5"x1-5/8" semi-steel, plain bearing wheels. Foot operated floor lock between swivel casters at one end.
Raised Top Height ..... 43" from Floor
Top Height ..... 31" from Floor
Top travel ..... 12"
FINISH: Orange Enamel—Ship. Wt. ..... 360 Lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114
Grizzly®

TOTE-ALL UTILITY CARTS
TOTE-ALL PLATFORM TRUCKS

ALL WELDED CONSTRUCTION
800 LBS. CAPACITY - SOFT RUBBER CASTERS

Used in shipping operations, stockrooms and selling areas. Flat top decks for easy loading and unloading. With tubular push handle. Construction: 1-1/16" tubing 14 gauge. Wheels: 5"x1¼" Soft Rubber self lube, 2 rigid and 2 swivel.

Truck Floor Lock Available at Additional Charge

Finish: Gray Enamel



UC-2442

UT-2432

TOTE-ALL UTILITY CARTS
All Models: 36" O.A.H.
Deck Height: 28"
Shelf Clearance: 19¾"
Floor Clearance: 6¼"

Model	W	L	Ship Wt.
UC-2432	24"	32"	59
UC-2442	24"	42"	66
UC-2452	24"	52"	73

TOTE-ALL PLATFORM TRUCKS
All Models 36" O.A.H.
Deck Height: 15"

Model	W	L	Ship Wt.
UT-2432	24"	32"	50
UT-2442	24"	42"	55
UT-2452	24"	52"	60

TOTE-ALL HAND TRUCK

ALL WELDED CONSTRUCTION
COMBINATION 4-WHEEL CART OR 2-WHEEL HAND TRUCK
375 LBS. CAPACITY



IDEAL FOR:

- LUGGAGE
- PACKAGES
- SMALL BOXES
- TANKS
- INSTRUMENT CARRIER
- TESTING MACHINES
- VACUUM CLEANING TANKS
- PAINT SPRAY UNITS

I.D. Bottom: 24"W, 16"D.—Sides: 28"H, 23½"D, front to back. 30"W, 4½"H.—Wheels: 8" x 1.75 Semi-Pneumatic rubber tired.—Casters: 3" x 1¼" Hard rubber swivels.—Finish: Gray Enamel

Model TA-24 Ship. Wt. 52 Lbs.

TOTE PAN HAND TRUCK

ALL WELDED CONSTRUCTION
375 LBS. CAPACITY

FOR: **TRAYS, BOXES, TOOLS, DIES & ORDER PICKING**



Sits level on 4 wheels for loading and unloading beside machines or assembly benches. Can be maneuvered on 2 large semi-pneumatic wheels as a hand truck or pushed as a cart on 4 wheels. Two swivel casters in front for easy turning.

TRAY: 12"D—24"L.—CLEARANCE BETWEEN TRAYS: 12", Bottom Tray 3¼" from floor.—O.A.H.—42", 22" from front to back wheel.—WHEELS: 8" x 1.75 semi-pneumatic rubber tired.—CASTERS: 3" x 1¼" Hard Rubber Swivels.—FINISH: Gray Enamel

Model TPH-24 Ship. Wt. 55 Lbs.

Grizzly®

TOTE-ALL HAND CART

CAPACITY:
1000 LBS.—SEMI-STEEL CASTERS
800 LBS.—SOFT RUBBER CASTERS



Top—15"W—28"L,
Cart height—20½"O.A.H. **SER-101-RW**
Handle: 32" Long
Top and Bottom tray—1" deep.
Legs: 1½" x 1½" x ⅛" Angle Iron
Drawer: 14⅝" D x 20⅝" W x 5" H
Drawer Slides on Ball Bearing Steel Rollers

Finish: Gray Enamel

All welded, rugged construction for general maintenance uses—carrying parts and tools—with padlock attachment and convenient tow handle. Used especially for servicing production machines requiring testing and other measuring instruments.
Casters: Easy to roll with 5" x 1¼" Soft Rubber or Semi-Steel Wheels—2 rigid and 2 swivel.

SER-101-SW	w/Semi-Steel Wheels	60 Ship. Wt
SER-101-RW	w/Soft Rubber Wheels	56 Ship. Wt.

SHOP TRAY TRUCKS

2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

HEAVY DUTY ALL WELDED CONSTRUCTION

Used in shop operations with presses, screw machines, assembly. Handles large bulky parts, castings, large stampings and heavy materials.

TOP TRAY: 6" or 12" Deep—12 Gauge steel with 1" hemmed edges.
Clearance between Top and Bottom Trays—17-3/4"
BOTTOM TRAY: 2" Deep—12 Gauge steel.
LEGS: 1-3/4" x 1-3/4" x 3/16" Angle Iron ALL MODELS: 36" O. A. H.
Floor Clearace: 6-1/4" TUBULAR PUSH BAR:

CASTERS:
2 swivel 2 rigid
Semi-Steel Wheels 5" x 1-5/8"
Hard Rubber Wheels 5" x 1-1/2"

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge

Finish: Gray Enamel

W	L	Top Box Depth = 6"	Ship. Wt.	Top Box Depth = 12"	Ship. Wt.
18	30	TT-1830-6	114	TT-1830-12	130
24	30	TT-2430-6	128	TT-2430-12	148
24	36	TT-2436-6	140	TT-2436-12	161
30	36	TT-3036-6	151	TT-3036-12	179
24	48	TT-2448-6	158	TT-2448-12	184
30	48	TT-3048-6	180	TT-3048-12	208



TT-2436-12

TRAY STOCK CARTS

MEDIUM DUTY
ALL WELDED CONSTRUCTION
1100 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS

Stock picking truck for large parts, bulky items, deep box can be used for many purposes, mail cart, etc..

Finish: Gray Enamel

ALL MODELS: 36½" O.A.H.

CASTERS: 2 swivel 2 rigid
Semi-Steel Wheels 5" x 1¼"
Soft Rubber Wheels 5" x 1¼"

LEGS: 1½" x 1½" x ⅛" Angle Iron



Clearance between top and bottom trays—18" TSC-2436-12
TUBULAR PUSH BAR Floor Clearance: 6"

TOP TRAY: 6" or 12" deep—16 Gauge steel with ½" hemmed edges.
BOTTOM TRAY: 2½" deep—16 Gauge steel with ½" hemmed edges.

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge.

W.	L	Top Box Depth = 6"	Ship. Wt.	Top Box Depth = 12"	Ship. Wt.
18	28	TSC-1828-6	67	TSC-1828-12	75
18	36	TSC-1836-6	74	TSC-1836-12	85
24	36	TSC-2436-6	83	TSC-2436-12	95

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

STOCK CARTS

MEDIUM DUTY
500 LBS. CAPACITY—5" SOFT RUBBER CASTERS
360 LBS. CAPACITY—3" SOFT RUBBER CASTERS

All welded, designed for rugged factory use yet with appearance satisfactory for office and store. Large capacity shelves save time and steps, on the assembly line, in the stock room, the office, in any one of many other operations.

Built for Years of Easy Rolling Service.

SCF-5363

FINISH: Gray Enamel
CASTERS: 2 swivel 2 rigid
Soft Rubber Plain Bearing Wheels—5" x 1"
Soft Rubber Ball Bearing Wheels—5" x 1"
Soft Rubber Plain Bearing Wheels—3" x 13/16"

SC-5362 w/#1416-1 Drawer Unit

Flat Bottom Shelf and Bench Drawer Units (See Page 16) —Available at Additional Charge. — SC Models Available with Writing Shelf Attachment (See Shop Trucks, Page 4)

Shelves — 16 ga. Posts — 1½" x 1½" x ⅛" angle All Trays — 2½" Deep	Model	W	L	O.A.H.	Shelf Clearance	Wheels	Ship. Wt.
All Tray Shelves	SC -3182	18"	28"	34"	25¼"	3"	47
	SC -5182	18"	28"	36"		5"	50
	SC -3362	18"	36"	34"		3"	53
	SC -5362	18"	36"	36"		5"	56
	SC -5242	24"	36"	36"		5"	66
All Tray Shelves	SC -3183	18"	28"	34"	11⅛"	3"	62
	SC -5183	18"	28"	36"		5"	65
	SC -3363	18"	36"	34"		3"	70
	SC -5363	18"	36"	36"		5"	73
	SC -5243	24"	36"	36"		5"	88
Flat Surface Top Shelf Tray Bottom Shelf	SCF-3182	18"	28"	34"	25¼"	3"	47
	SCF-5182	18"	28"	36"		5"	50
	SCF-3362	18"	36"	34"		3"	53
	SCF-5362	18"	36"	36"		5"	56
	SCF-5242	24"	36"	36"		5"	66
Flat Surface Top Shelf Tray Center and Bottom Shelves	SCF-3183	18"	28"	34"	11⅛"	3"	62
	SCF-5183	18"	28"	36"		5"	65
	SCF-3363	18"	36"	34"		3"	70
	SCF-5363	18"	36"	36"		5"	73
	SCF-5243	24"	36"	36"		5"	88

HI-LADDER STOCK CARTS•LADDER STOCK CARTS

ALL WELDED CONSTRUCTION
2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

SHELVES.....14-Gauge steel, Tray Type—2" deep
CLEARANCE BETWEEN SHELVES.....13"
TOP OF CART.....38¼" from Floor

CASTERS: 2 Swivel, 2 Rigid
S= Semi-Steel Wheels 5" x 1⅜"
R= Hard Rubber Wheels 5" x 1½"



HI-LADDER LT-20-78R

SIZE OF SHELVES
—Top—20"x32"
—Center—20"x36"
—Bottom—20"x41"

Permits work up to 10 feet high. This truck can be used for working high stockroom shelves and bins.



LADDER LT-20-R

LADDER ..... Spring loaded and adjustable STEPS: 6" wide

With adjustable ladder to give quick, higher standing step for stock clerks and others to place items into and take from inventory and storage areas, and for moving such items to and from job and shipping locations.

Ladder automatically slides to floor when operator places his weight on first step locking both ladder and truck firmly to the floor, when weight is removed the ladder retracts allowing truck to be easily moved. Finish..... Gray Enamel

Specifications: Same for LT-20-78 and LT-20 Models with exception of O.A.H.

Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge.
Top and caster shelves reversed at no charge

HI-LADDER STOCK CARTS OA-20"W x 44"L x 78"H

LT-20-78R	169 Ship. Wt.
LT-20-78S	174 Ship. Wt.

LADDER STOCK CARTS OA-20"W x 44"L x 62"H

LT-20-R	150 Ship. Wt.
LT-20-S	155 Ship. Wt.

FIVE SHELF STOCK CARTS

1000 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS

Large volume capacity stock cart for filling orders and other purposes. All welded construction with 1½" x 1½" x ⅛" angle posts, 16 gauge shelves and push handle located 39½" high for balanced handling, adds 3" to overall length of cart.

Top trays, with 2½" sides, can be reversed at no extra cost.

Floor Clearance.....6⅛"
O.A.H. with Semi-Steel Casters.....58⅝"
O.A.H. with Soft Rubber Casters.....58⅝"
Shelf Clearance.....10"
Finish.....Gray Enamel



L-1836

Casters: 2 swivel, 2 rigid
Semi-Steel Wheels 5" x 1¼"
Soft Rubber Wheels 5" x 1¼"

Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge.

Model	W	L	Ship. Wt.
L-1828	18"	28"	105
L-1836	18"	36"	119

Model	W	L	Ship. Wt.
L-2436	24"	36"	144
L-2448	24"	48"	181

FIVE SHELF HEAVY DUTY TRUCKS

3000 LBS. CAPACITY—SEMI-STEEL CASTERS
2000 LBS. CAPACITY—MOLDON RUBBER CASTERS

For large and heavy stock orders, shop, tool-room and production line. All welded with 1-3/4" x 1-3/4" x 3/16" angle posts, top trays of 12 gauge steel, can be reversed at no extra cost. Tubular push handle for easy maneuvering adds 3" to overall length.

Tray Shelves.....2" deep
Overall Height.....68"
Shelf Clearance.....12"
Floor Clearance.....9⅛"
Finish.....Gray Enamel

Casters: 2 swivel, 2 rigid
Semi-Steel Wheels 8" x 2"
Moldon Rubber Wheels 8" x 2"

Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge.

Model	W	L	Ship. Wt.
H-2430	24"	30"	219
H-2436	24"	36"	247
H-3036	30"	36"	287
H-2448	24"	48"	299
H-3048	30"	48"	349
H-2460	24"	60"	355
H-3060	30"	60"	413

H-2436

LUMBER SERVICING TRUCKS

1200 LBS. CAPACITY—ALL WELDED CONSTRUCTION

For convenient movement of bulky and other items for customer service, maintenance and repair including bulky panels, masonite, plywood, lumber, trim, hardware, gardening tools and landscaping materials. Casters: 6" x 2" Soft Rubber Wheels = 2 swivel, 2 rigid.



YZ-100 for longer bulkier items.
Width = 24"; Base Length = 42";
Overall Length = 65"; Ht. = 44¾"
Floor Clearance = 8¾"
Sheet Holder adjustable to 60" overall height.
Finish: Red Enamel
Ship. Wt. = 145 Lbs.



YZ-75 for shorter items.
W = 26"; Depth = 24"; H = 39"
Floor Clearance = 7½"
Finish: Red Enamel
Ship. Wt. = 72 Lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

PORTABLE MARKING TABLES

ALL WELDED CONSTRUCTION
CAPACITY 1000 LBS.—SEMI-STEEL CASTERS
CAPACITY 800 LBS.—SOFT RUBBER CASTERS
Capacity based on evenly distributed load

Model	Shelves	W	L	Ship. Wt.
MT-2448-2	2	24"	48"	100
MT-2448-3	3	24"	48"	132
MT-2460-2	2	24"	60"	115
MT-2460-3	3	24"	60"	155
MT-2472-2	2	24"	72"	125
MT-2472-3	3	24"	72"	162
MT-3048-2	2	30"	48"	112
MT-3048-3	3	30"	48"	150
MT-3060-2	2	30"	60"	130
MT-3060-3	3	30"	60"	175
MT-3072-2	2	30"	72"	140
MT-3072-3	3	30"	72"	184

Designed for rugged factory use yet with appearance for office and store. Flat surface for layouts, marking and sorting merchandise.

Light duty truck for industrial use, order filling, warehouse, beside assembly operations.

Top and bottom shelves are reinforced with channels.



MT-2460-2

All models 30" O.A.H. Shelf Clearance: 2 shelf models — 21", 3 shelf models — 9¾". Shelves — 16 Ga. steel with 20 Ga. Channels. Legs — 1½" x 1½" x ⅛" Angle Iron. Casters — 5" x 1¼, all swivels. Finish: Gray Enamel

STEEL DOLLIES

WITH REMOVABLE HANDLE
1000 LBS. CAPACITY — SEMI—STEEL CASTERS
1000 LBS. CAPACITY — HARD RUBBER CASTERS

Rugged, all welded 12 gauge steel dollies castered for easy movement. Sides 2" deep, floor clearance 5", with 4" x 1½" casters. 2 swivel and 2 rigid. Removable Handle — ½" rod — 36½" long, furnished with unit.

Model	W	L	Ship. Wt.
18-D-30	18"	30"	40
18-D-36	18"	36"	44
18-D-48	18"	48"	52
18-D-60	18"	60"	60
24-D-30	24"	30"	45
24-D-36	24"	36"	50
24-D-48	24"	48"	60
24-D-60	24"	60"	72

Top reversed on request at no extra cost.
Finish: Gray Enamel

18-D-30

HEAVY DUTY TOOL STANDS

2000 LBS. CAPACITY—
ALL WELDED CONSTRUCTION
Floor clearance 6¼"
Pods on bottom of legs protect floors.
Finish: Gray Enamel
ALL MODELS ..... 32-1/2" O.A.H.
SHELVES ..... 12 Gauge Steel
LEGS ..... 1-3/4" x 3/16" Angle Iron

2448-3

Heavy Duty Tool Stands have a broad usage in many industries where heavier than average weights are a daily occurrence. Flat top for sliding heavy dies, tooling or shop boxes on and off. Used by machine operators as a service table. Bench drawer units can be added. (See page 18).

1836-2 W/2 Shelves

TRAY SHELVES ARE 2" DEEP

TOP AND BOTTOM SHELVES
Shelf Clearance 22-1/4 inches

1836-3 W/3 Shelves

TOP BOTTOM AND CENTER SHELVES
Shelf Clearance 10-1/8 inches

Model	W	L	Ship. Wt.
1830-2	18"	30"	62
1836-2	18"	36"	70
1848-2	18"	48"	85
1860-2	18"	60"	104
2430-2	24"	30"	83
2436-2	24"	36"	95
2448-2	24"	48"	116
2460-2	24"	60"	136
1830-3	18"	30"	85
1836-3	18"	36"	98
1848-3	18"	48"	120
1860-3	18"	60"	148
2430-3	24"	30"	112
2436-3	24"	36"	130
2448-3	24"	48"	162
2460-3	24"	60"	192

Grizzly®

"MIJ" BOX CARTS

300 LBS. CAPACITY—
WITH CASTERS

BC-213

Combines a Tote Box with a highly maneuverable cart. For stocking assembly lines and machines, moving work parts in warehouses and stock rooms, collecting and moving items in tool cribs and shipping rooms. *ALL WELDED CONSTRUCTION.* Easily turned in narrow aisles, speeds up jobs, reduces work fatigue by eliminating manual lifting of heavy shop boxes and places parts at a normal work elevation.

O.D.—13"W—23"L—31"H. BOX—6" deep. CLEARANCE BETWEEN BOX AND SHELF—17" BOTTOM SHELF—8" from floor

FINISH: Gray Enamel	Ship. Wt.
B-213—With Floor Pads	29 lbs.
BC-213—With 2½" Pressed Steel Casters	29 lbs.

HOPPER TABLES

300 LBS. CAPACITY—WITH CASTERS

All welded construction, used beside machines for holding tote box on the sloping lipped top shelf filled with parts, which operator feeds into the machine operation, the machined parts are dropped into the chute opening into the tote box on the bottom shelf. Tote box filled with machined parts is then transferred to the next operation. These operations are repeated on the production line resulting in quicker and lower production costs with less fatigue on the workers. Hopper Tables are especially used on small parts production and assembly.



TH-14C

14¼"W—29¼"L—O.A.H. Back-36"—Front-30" with 1" Stop, CHUTE OPENING: 6" x 12", BOTTOM SHELF CLEARANCE FROM FLOOR: 6½", CLEARANCE BETWEEN BOTTOM SHELF AND CHUTE: 12", FINISH: Gray Enamel

TH-14	With Floor Pads	37 Ship. Wt.
TH-14C	With 2½" Pressed Steel Swivel Casters	40 Ship. Wt.

"MIJ" TABLES 300 LBS. CAPACITY—2½" DIA. PRESSED STEEL OR SOFT RUBBER CASTERS FOR FASTER PRODUCTION LINE NEEDS

Rugged—Compact— High Quality at Low Cost



TC-213

ALL MODELS 13" wide x 23" long.
SHELVES..... 16 Gauge Steel
LEGS..... Structural Angle

All welded construction, used as a durable service table for handling parts during production, beside Drill Presses, Punch Presses, Lathes, Automatics and other machines. Holds tote boxes at the right height for rapid handling, less fatigue for operator. Casters move table to tote pan, little effort required to place pan on table and move to next operation. Back and side stops and drop front on all shelves.

Finish: Gray Enamel

Caster Models — 2½" Pressed Steel or Soft Rubber		
	Overall Height	Ship. Wt.
TC-213	23½"	22
TEC-213	30½"	24
TC-313	23½"	28
TEC-313	30½"	30

213 Series
Top and Bottom Shelves

313 Series
Top, Bottom and Center Shelves

Models With Floor Pads Welded to Legs			
	Height of Top Shelf	Shelf Clearance	Ship. Wt.
T -213	24"	16"	21
TE-213	31"	21"	23
T -313	24"	7½"	27
TE-313	31"	10"	29

EXTRA HEAVY DUTY TOOL STANDS 3000 LBS. CAPACITY

For handling long lengths of sheet metal. Placed beside shears, brakes, presses. Used as a feeder beside table. Layout table for plates, large dies, molds. Bench drawer units can be added (See page 18).

FOR EXTREME HEAVY LOAD REQUIREMENTS
ALL WELDED CONSTRUCTION • ALL SHELVES FLAT SURFACES

ALL MODELS.....36" High Finish: Gray Enamel
SHELVES.....12 Gauge Steel
LEGS.....2"x2"x3/16" Angle



HS-2460-2

Model	W	L	Ship. Wt.
HS-2448-2	24"	48"	135
HS-2460-2	24"	60"	155
HS-2472-2	24"	72"	175
HS-2848-2	28"	48"	145
HS-2860-2	28"	60"	170
HS-2872-2	28"	72"	195
HS-3448-2	34"	48"	165
HS-3460-2	34"	60"	190
HS-3472-2	34"	72"	240
HS-2448-3	24"	48"	185
HS-2460-3	24"	60"	215
HS-2472-3	24"	72"	245
HS-2848-3	28"	48"	205
HS-2860-3	28"	60"	240
HS-2872-3	28"	72"	275
HS-3448-3	34"	48"	230
HS-3460-3	34"	60"	280
HS-3472-3	34"	72"	335

HS-2872-2 W/2 Shelves

Clearance from floor to bottom shelf ... 8"
Clearance between shelves ..... 23½"



HS-2872-3 W/3 Shelves

Clearance from floor to bottom shelf ... 8"
Clearance between shelves ..... 10½"

UTILITY TABLES

500 LBS. CAPACITY—5" SOFT RUBBER CASTERS
300 LBS. CAPACITY—2½" DIA. PRESSED STEEL CASTERS OR SOFT RUBBER CASTERS

All welded construction, handle heavy loads of tools, parts and other items for production workers, machine operators, and repairmen on assembly lines beside machines, in garages, shops and warehouses.

Back and side stops on shelves prevent parts and other items from rolling off. Drop fronts for sliding items on and off, and for easy cleaning. Steel pads on legs avoid floor marks. Sturdy, deep drawers furnished with attachment for padlock. Swiveled castered models for movement of parts and tools from machine to machine.



LC3



S3DC



SDC

SHELVES
S Models: 16 Gauge—H-L-K Models: 14 Gauge
ANGLE LEGS
S Models: 1¼"x1/8"—H-L-K Models: 1½" x 1/8"
DRAWER SIZE (D) 14"W — 16"D — 5"H
FINISH: Gray Enamel
Cylinder Lock Available at Additional Charge

	31" High Overall Floor Pads Welded to Legs				34" High Overall With Casters 4 Swivels	
	W	L	Model	Ship. Wt.	Model	Ship. Wt.
 With Top and Bottom Shelves	19"	25"	ST	32	SC	35
	23"	24"	HT	43	HC	46
	20"	28"	LT	44	LC	47
	24"	36"	KT	60	KC	63
With Top, Bottom and Center Shelves	19"	25"	S3	42	SC3	45
	23"	24"	H3	57	HC3	60
	20"	28"	L3	59	LC3	62
	24"	36"	K3	83	KC3	86
 With Top, Bottom and Center Shelves and #1416-1 Drawer	19"	25"	SD3	57	SD3C	60
	23"	24"	HD3	69	HD3C	72
	20"	28"	LD3	71	LD3C	74
	24"	36"	KD3	95	KD3C	98
 With Top and Bottom Shelves and #1416-1 Drawer	19"	25"	SD	47	SDC	50
	23"	24"	HD	58	HDC	61
	20"	28"	LD	59	LDC	62
	24"	36"	KD	75	KDC	78
 With Top and Bottom Shelves and #1416-2 Drawer Unit	19"	25	S2D	77	S2DC	80
	23"	24"	H2D	88	H2DC	91
	20"	28"	L2D	89	L2DC	92
	24"	36"	K2D	105	K2DC	108
With Top and Bottom Shelves and #1416-2 Drawer Unit	19"	25"	S3D	98	S3DC	101
	23	24"	H3D	109	H3DC	112
	20"	28"	L3D	110	L3DC	113
	24"	36"	K3D	126	K3DC	129

Grizzly®

PORTABLE CABINET WORK BENCHES

ALL WELDED CONSTRUCTION
1200 LBS. CAPACITY — SEMI-STEEL CASTER
1200 LBS. CAPACITY — SOFT RUBBER CAST

Size of Top: 21½" Wide x 42" Long x 36¼" Overall Height
Storage Cabinet and Shelves: 18" Wide x 18¾" Deep
Clearance between Shelves: 8¼"
Drawer Sizes: Inside Dimensions — All Drawers 18" Deep x 19" Wide
Top Drawer — 3" High
Middle Drawers — 4" High
Bottom Drawer — 6" High
Finish: Gray Enamel
Padlock Attachment Furnished with Unit to Lock both Door and Drawers



PDC-42R

PDC-42S	6" x 2" Semi-Steel, 2 Swivel — 2 Rigid Casters	217 Ship Wt.
PDC-42R	6" x 2" Soft Rubber, 2 Swivel — 2 Rigid Casters	220 Ship Wt.
	Floor Truck Lock at Additional Charge	5 Ship Wt.

PORTABLE TOOL CABINET WORK BENCHES

3000 LBS. CAPACITY—SEMI-STEEL CASTERS
2000 LBS. CAPACITY—MOLDON RUBBER CASTERS

ALL WELDED CONSTRUCTION; for machine operators, production and maintenance workers, repairmen, etc. Furnished with a nine Drawer Cabinet which provides much storage of tools, parts and other items. Sides and back stop prevent objects from rolling off top. Equipped with Keyed Handle on door and Cylinder Lock on Nine Drawer Cabinet.

CASTERS: 2 rigid and 2 swivel, 8" x 2" Dimensions: Size of top—26" x 48"; Height—37½" to work surface; 3" back stop; Overall Height—40¼"; Total Overall Length—63"; Vise Shelf—12" x 25" (Vise Shelf standard on all models); Storage Cabinet Size: Top Compartment—21"w x 23¾"d x 10"h, Bottom Compartment—21"w x 23¾"dx15"h.
Finish: Nine Drawer Cabinet—Red Enamel
All other Metal Parts—Gray Enamel

Vise Available Upon Request.



PTC-48R
w/optional machinist vise

PTC-48S	Semi-Steel Wheels 8"x2"	348 Ship Wt
PTC-48R	Moldon Rubber Wheels 8"x2"	345 Ship Wt.
	Floor Truck Lock at Additional Charge	5 Ship Wt
	With 3/16" Steel Plate Top	67 Ship Wt.

PORTABLE MAINTENANCE CENTER WORK BENCHES

4000 LBS. CAPACITY—SEMI-STEEL CASTERS
4000 LBS. CAPACITY—HI-CAP RUBBER CASTERS
ALL WELDED CONSTRUCTION

For maintenance workers, mill wrights, electricians, repairmen and other spot workers.

Bench furnished with 2 nine drawer tool cabinets to provide large storage place for tools and parts and especially eliminates otherwise necessary trips to another work bench and stock room.

CASTERS: 2 rigid and 2 swivel, 8" x 2½"
Dimensions: Size of top—28" x 60"; Overall Height—38½" (includes ¼" steel plate top) Total Overall Length—64½". Top four Compartments—11"w x 14"d x 10"h. Bottom Shelf (Open at both ends) 23"w x 28"d x 13"h.

Model furnished with Cylinder Locks on Tool Cabinets and Keyed Handles on Compartment Doors.

Finish: 2 Nine Drawer Cabinets—Red Enamel
All Other Metal Parts—Gray Enamel

Vise is available upon request.



MTC-60R
w/optional machinist vise

MTC-60S	Semi-Steel Wheels 8"x2½"	696 Ship Wt.
MTC-60R	Hi-Cap Rubber Wheels 8"x2½"	688 Ship Wt.
Floor Truck Lock at Additional Charge		5 Ship Wt.

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

PORTABLE CABINET WORK BENCHES

2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—RUBBER CASTERS

Grizzly®

PORTABLE CABINET WORK BENCHES

1000 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY— SOFT RUBBER CASTERS



PC-48S



PC-48R w/#1424-4 Drawer Unit

HEAVY DUTY

All welded construction, for repairmen, maintenance workers, millwrights, electricians, and other spot workers, providing large storage place for tools and parts, with adequate top work area, back and side stops to prevent tools and parts from falling off top—all to give more efficient work operation, especially eliminating otherwise necessary trips to another work bench and stock room.

Dimensions: Caster wheels — 5" for easy rolling — 2 rigid and 2 swivel casters. Size of: Top, 26" x 48", Height, 34" to bench top, 3" back stop; Overall height, 37" (48" overall height with riser); Total overall length, 63"; Vise shelf, 12" x 25" — vise shelf standard on all models. Shelf: 24¾ x 47¾". GRIZZLY — Bench Drawer Units installed in Work Benches for special requirements. See Page 18. Cylinder locks for drawers available at additional charge; must be factory installed. Finish: Gray Enamel.

PC-48S	Semi-Steel Wheels 5" x 1½"	250 Ship. Wt.
PC-48R	Hard Rubber Wheels 5" x 1½"	247 Ship. Wt.
R-48	Steel Bench Riser Shelf at Additional Charge	70 Ship. Wt.
	Keyed Handle at Additional Charge (2 keys)	
	Additional Shelf at Additional Charge	26 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
P-48	Pigeon Hole Unit 7" high x 48" long 4—4" x 12" Openings 9" deep	18 Ship. Wt.
P-88	Pigeon Hole Unit 11" high x 48" long 8—4" x 12" Openings 9" deep	27 Ship. Wt.



P-48



P-88



R-48

BP-SERIES

2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—RUBBER CASTERS

All welded construction, for Setup men, repairmen, maintenance workers, millwrights, electricians, and other spot workers. Drawer with Tool Tray, large compartment for storing bulky items. Two intermediate shelves for storage. Top heavy 12 Ga. steel, strong enough to mount a Vise. Hard maple top and side and back stops available on request.



BP-36R



BP-36R w/#1416-4 Drawer Unit and optional Hard Maple Top

SIZE OF TOP: 24" x 36". OVERALL HEIGHT: 34": Standard drawer unit in #BP-36 — (#1416-1), also available 1416-2, 1416-3, and 1416-4. See Page 18. SHELVES: 2 each 18" wide by 23" deep. STORAGE CABINET: 17" wide x 23" deep x 24" high. CASTERS: 5" 2 Swivel and 2 Rigid. FINISH: Gray Enamel.

BP-36S	Semi-Steel Wheels 5" x 1½"	220 Ship. Wt
BP-36R	Hard Rubber Wheels 5" x 1½"	215 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
	Keyed Handle (2 Keys) at Additional Charge	
	With 3/16" Steel Plate Top at Additional Charge	260 Ship. Wt.

LIGHT DUTY

ALL WELDED CONSTRUCTION—Designed for light duty.

TOP: 21¼" x 36".
HEIGHT: 34" to Work Surface, 3" Back Stop.



PC-36R



PC-36R

SHELF SIZE: 19" x 35¾", adjustable on 2" Centers.
FINISH: Gray Enamel

Side stops available on request.

PC-36S	5" x 1½" Semi-Steel, 2 Swivel—2 Rigid Casters	118 Ship. Wt.
PC-36R	5" x 1½" Soft Rubber, 2 Swivel—2 Rigid Casters	114 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
	Additional Shelf at Additional Charge	16 Ship. Wt.
Cylinder Lock which locks both Doors (2 Keys) at Additional Charge, must be factory installed.		

PDC SERIES

ALL WELDED CONSTRUCTION
1000 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS

Equipped with four large drawers, Steel bearing slides, inside dimensions — 20" wide x 18" deep x 4" high. Inside Cabinet Size: 10½" wide x 20" deep x 25" high.

TOP:.....21¼"x36"
HEIGHT:.....34" to Work Surface, 3" Back Stop
FINISH:..... Gray Enamel

Side stops available on request.



PDC-36R

PDC-36R

PDC-36S	5" x 1½" Semi-Steel, 2 Swivel—2 Rigid Casters	168 Ship. Wt.
PDC-36R	5" x 1½" Soft Rubber, 2 Swivel—2 Rigid Casters	165 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
Cylinder Locks fitted to all Drawers (Keyed Un-alike) at Additional Charge, must be factory installed.)		
	Keyed Handle at Additional Charge	

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

WORK BENCHES

ALL WELDED CONSTRUCTION
Standard Lengths 4' - 10'
Specials Quoted on Request



BS-2872

Showing Reinforced Construction



Reinforced steel tops. Reinforced channel stringers on all models. Shelving of channel reinforced construction to hold heavy loads and avoid sagging. Legs are channel formed with gussets for additional strength.

All welded construction—no bolts, rivets or other parts that have to be continually tightened.

COMPLETELY ASSEMBLED—READY FOR USE

TOPS ..... 12 Gauge Steel
BACK AND SIDE STOPS : 12 Gauge Steel
LEGS ..... 12 Gauge Steel
STRINGERS ..... 16 Gauge Steel
SHELVES ..... 16 Gauge Steel
LEGS SET IN 2" FROM END OF TOP

FINISH: Gray Enamel
32 ½ " HIGH TO WORK SURFACE
(34" Height Furnished at Additional Charge)



BACK STOPS—3" High—12 Ga. Steel
SIDE STOPS—3" High at Back, Taper to 1 ½ " at Front

Bench Drawer Units and Accessories, See pages 18 and 19.

All 8 Ft. and Longer Models have 3 Bench Legs

Cylinder Lock Available for Drawer at Additional Charge.



F Series
FLAT TOP WITH STRINGER

Model	Top W	Top L	Ship. Wt.
F-2448	24"	48"	107
F-2460	24"	60"	120
F-2472	24"	72"	134
F-2496	24"	96"	180
F-24120	24"	120"	195
F-2848	28"	48"	118
F-2860	28"	60"	132
F-2872	28"	72"	148
F-2896	28"	96"	198
F-28120	28"	120"	215
F-3448	34"	48"	132
F-3460	34"	60"	148
F-3472	34"	72"	164
F-3496	34"	96"	220
F-34120	34"	120"	250

Model	Top W	Top L	Ship. Wt.
FS-2448	24"	48"	125
FS-2460	24"	60"	142
FS-2472	24"	72"	160
FS-2496	24"	96"	214
FS-24120	24"	120"	235
FS-2848	28"	48"	132
FS-2860	28"	60"	150
FS-2872	28"	72"	170
FS-2896	28"	96"	229
FS-28120	28"	120"	255
FS-3448	34"	48"	150
FS-3460	34"	60"	170
FS-3472	34"	72"	186
FS-3496	34"	96"	250
FS-34120	34"	120"	280



FS SERIES
FLAT TOP WITH STRINGER AND SHELF—15 ¼ " DEEP



FD Series
FLAT TOP WITH STRINGER AND DRAWER UNIT 1424-1

Model	Top W	Top L	Ship. Wt.
FD-2448	24"	48"	132
FD-2460	24"	60"	145
FD-2472	24"	72"	159
FD-2496	24"	96"	205
FD-24120	24"	120"	230
FD-2848	28"	48"	143
FD-2860	28"	60"	157
FD-2872	28"	72"	173

Model	Top W	Top L	Ship Wt.
FD-2896	28"	96"	223
FD-28120	28"	120"	250
FD-3448	34"	48"	158
FD-3460	34"	60"	174
FD-3472	34"	72"	189
FD-3496	34"	96"	245
FD-34120	34"	120"	275

PRESSED WOOD TOPS (¼" THICK)

Pressed wood top—¼ " thick—is attached directly over heavy steel top. Ideal for working with finished parts, die layout, instrument and electrical work. Any Size To 48" x 96".

(Pressed Wood)



R-48

The Storage capacity of your Work Bench may be substantially increased without reducing the work area on bench by easily attaced Riser. Slides easily between standard Grizzly Side and Back Stops. Dimensions: 10½" Deep x 12" High to work surface, 2" High Back Stop.

WORK BENCH RISERS

Model	L	Ship. Wt.
R-36	36"	15
R-48	48"	19
R-60	60"	23
R-72	72"	27
R-96	96"	34

FINISH: Gray Enamel

WORK BENCHES

ALL WELDED CONSTRUCTION



FSD Series
FLAT TOP WITH STRINGER AND SHELF AND DRAWER UNIT 1424-1

Model	Top W	Top L	Ship Wt.
FSD-2448	24"	48"	150
FSD-2460	24"	60"	167
FSD-2472	24"	72"	185
FSD-2496	24"	96"	239
FSD-24120	24"	120"	270
FSD-2848	28"	48"	157
FSD-2860	28"	60"	175
FSD-2872	28"	72"	195

Model	Top W	Top L	Ship. Wt.
FSD-2896	28"	96"	253
FSD-28120	28"	120"	290
FSD-3448	34"	48"	176
FSD-3460	34"	60"	196
FSD-3472	34"	72"	211
FSD-3496	34"	96"	275
FSD-34120	34"	120"	315



B Series
TOP WITH BACK, SIDE STOPS AND STRINGER

Model	Top W	Top L	Ship. Wt.
B-2448	24"	48"	108
B-2460	24"	60"	121
B-2472	24"	72"	135
B-2496	24"	96"	181
B-24120	24"	120"	196
B-2848	28"	48"	119
B-2860	28"	60"	133
B-2872	28"	72"	149

Model	Top W	Top L	Ship. Wt.
B-2896	28"	96"	199
B-28120	28"	120"	216
B-3448	34"	48"	133
B-3460	34"	60"	149
B-3472	34"	72"	166
B-3496	34"	96"	222
B-34120	34"	120"	251



BS Series
TOP WITH BACK, SIDE STOPS, STRINGER AND SHELF
15¼ " deep

Model	Top W	Top L	Ship. Wt.
BS-2448	24"	48"	126
BS-2460	24"	60"	143
BS-2472	24"	72"	161
BS-2496	24"	96"	215
BS-24120	24"	120"	236
BS-2848	28"	48"	133
BS-2860	28"	60"	151
BS-2872	28"	72"	171

Model	Top W	Top L	Ship. Wt.
BS-2896	28"	96"	229
BS-28120	28"	120"	256
BS-3448	34"	48"	151
BS-3460	34"	60"	171
BS-3472	34"	72"	188
BS-3496	34"	96"	252
BS-34120	34"	120"	281



BD Series
TOP WITH BACK, SIDE STOPS AND DRAWER UNIT—No. 1424-1
Drawer: 14"W x 23½ "D x 5"H

Model	Top W	Top L	Ship. Wt.
BD-2448	24"	48"	133
BD-2460	24"	60"	146
BD-2472	24"	72"	160
BD-2496	24"	96"	206
BD-24120	24"	120"	231
BD-2848	28"	48"	144
BD-2860	28"	60"	158

Model	Top W	Top L	Ship. Wt.
BD-2872	28"	72"	174
BD-2896	28"	96"	224
BD-28120	28"	120"	251
BD-3448	34"	48"	159
BD-3460	34"	60"	175
BD-3472	34"	72"	191
BD-3496	34"	96"	247
BD-34120	34"	120"	276



BSD Series
TOP WITH BACK, SIDE STOPS, STRINGER SHELF AND DRAWER UNIT—No. 1424-1
Drawer: 14"W x 23½ "D x 5"H

Model	Top W	Top L	Ship. Wt.
BSD-2448	24"	48"	151
BSD-2460	24"	60"	168
BSD-2472	24"	72"	186
BSD-2496	24"	96"	240
BSD-24120	24"	120"	272
BSD-2848	28"	48"	158
BSD-2860	28"	60"	176
BSD-2872	28"	72"	196

Model	Top W	Top L	Ship Wt.
BSD-2896	28"	96"	254
BSD-28120	28"	120"	292
BSD-3448	34"	48"	177
BSD-3460	34"	60"	197
BSD-3472	34"	72"	213
BSD-3496	34"	96"	277
BSD-34120	34"	120"	317



BSDD Series
W/Peg Board Back

Top with back, side stops, stringer shelf and two drawer units - No. 1424-1
Drawers: 14"W x 23½"D x 5"H

Work Bench available with ¼" hard tempered peg board or ½" homasote board. Convenient homosote board and peg board back used for hanging blueprints, paper work, small tool storage, etc. All back boards 48" high. Finish: Gray Enamel.

Work Bench Riser Available at Additional Charge.

Model	W	L	Ship Wt.
BSDD-2448	24"	48"	202
BSDD-2460	24"	60"	221
BSDD-2472	24"	72"	242
BSDD-2496	24"	96"	301
BSDD-2848	28"	48"	209
BSDD-2860	28"	60"	240
BSDD-2872	28"	72"	263
BSDD-2896	28"	96"	326
BSDD-3448	34"	48"	228
BSDD-3460	34"	60"	250
BSDD-3472	34"	72"	269
BSDD-3496	34"	96"	338

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

HARD MAPLE WORK BENCHES

ELECTRONICALLY WELDED

Grizzly®

Hard Maple Wood Top selected, edge-grained maple laminations are electronically "welded" into one, warp resistant, stronger than solid panel accurately machined and sanded satin smooth. Spray finished with water resistant clear lacquer to bring out the natural beauty, this top presents the finest work surface.

BASIC BENCH



W-3048

Basic Bench. Hard Maple Top, 2 Bench Legs, and Stringer.
Add the Third Bench Leg for 96" and Longer.

All Hard Maple Bench Tops—1¾" Thick; Overall Height including Bench Top is 34¼". Prices shown are for a complete basic bench including bolts, nuts, lag screws and lock washers, K. D. ready for assembly.

For accessories: Bench Risers, Side and Back Stops and Shelves, Bench Drawer Units, and Bench Cabinet Units, See Pages 16, 17, and 18.

Finish Top—Natural-Clear Lacquer.
Metal Parts—Gray Enamel.

Model	Top W	Top L	Ship. Wt.
W-2448	24"	48"	107
W-2460	24"	60"	124
W-2472	24"	72"	138
W-3048	30"	48"	127
W-3060	30"	60"	147
W-3072	30"	72"	166
W-3096	30"	96"	226
W-30120	30"	120"	264

Model	Top W	Top L	Ship. Wt.
W-30144	30"	144"	296
W-3648	36"	48"	143
W-3660	36"	60"	167
W-3672	36"	72"	188
W-3696	36"	96"	256
W-36120	36"	120"	295
W-36144	36"	144"	344

HARD MAPLE TOPS

1¾" Thick



Finish Top—Natural-Clear Lacquer.

Model	W	L	Ship. Wt.
GW-2448	24"	48"	58
GW-2460	24"	60"	72
GW-2472	24"	72"	86
GW-3048	30"	48"	74
GW-3060	30"	60"	93
GW-3072	30"	72"	112
GW-3096	30"	96"	150
GW-30120	30"	120"	187

Model	W	L	Ship. Wt.
GW-30144	30"	144"	218
GW-3648	36"	48"	86
GW-3660	36"	60"	108
GW-3672	36"	72"	130
GW-3696	36"	96"	174
GW-36120	36"	120	216
GW-36144	36"	144"	260

BENCH LEGS

ALL WELDED CONSTRUCTION





BL-28

These sturdy all steel legs are designed to withstand severe usage and support weight far in excess of normal conditions. Top and cross members permanently welded to legs. Reinforced channel construction—gusset strengthened. Adequate holes provided for attachment of bench top, shelf and stringer. Steel floor pads with holes for attachments to floor.

BL-58 Bench Leg furnished with center upright channel.

Bench Legs for special requirements on request.

Duplex Receptacle Punchout available on request. Receptacle not included. Finish: Gray Enamel

Model	A	B	C	D	E	Ship. Wt.
BL-22	27	32⅛	15⅛	18	9⅛	20
BL-28	28	32⅛	19⅛	22	9⅛	22
BL-34	34	32⅛	23½	26	9⅛	24
BL-46	46	32⅛	35⅛	38	9⅛	28
BL-58	58	32⅛	47⅛	50	9⅛	34

ADJUSTABLE BENCH LEGS

ALL WELDED CONSTRUCTION



ABL-28

No need to adjust to a Work Bench height any longer, now with the GRIZZLY Adjustable Bench Legs let the Work Bench adapt to adequate height for you.

Legs adjust from 32⅛" to 37⅛" on 1" centers. Holes provided for attachment of bench top, shelf and stringer. Steel floor pads with holes to protect and attach to floor.

Heavy 12 Gauge Construction.

Bench legs for special requirements on request.

All Models have the same dimensions as our Standard Bench Legs (see dimensions on this page 1st column below).

Finish: Gray Enamel

Duplex Receptacle Punchout Available Upon Request. Receptacle not included.

Model	O.A.W.	Height	Ship Wt.
ABL-22	22"	32⅛" to 37⅛"	23
ABL-28	28"	32⅛" to 37⅛"	25
ABL-34	34"	32⅛" to 37⅛"	27
ABL-46	46"	32⅛" to 37⅛"	31
ABL-58	58"	32⅛" to 37⅛"	37

WORK BENCH ACCESSORIES

SIDE- AND BACK STOP SETS

EACH SET CONSISTS OF TWO SIDE STOPS (right and left) AND ONE BACK STOP.



12 Gauge Steel
Finish: Gray Enamel



Model	A	B	C	D	E	Ship. Wt. of Sets
2448	5¼	24	3½	5¼	48	16
2460	5¼	24	3½	5¼	60	18
2472	5¼	24	3½	5¼	72	20
3048	5¼	30	3½	5¼	48	20
3060	5¼	30	3½	5¼	60	22
3072	5¼	30	3½	5¼	72	24
3096	5¼	30	3½	5¼	96	29
30120	5¼	30	3½	5¼	120	32
30144	5¼	30	3½	5¼	144	36
3648	5¼	36	3½	5¼	48	22
3660	5¼	36	3½	5¼	60	24
3672	5¼	36	3½	5¼	72	26
3696	5¼	36	3½	5¼	96	31
36120	5¼	36	3½	5¼	120	35
36144	5¼	36	3½	5¼	144	39



STRINGERS

Model	F	G	Ship. Wt.
ST-36	4⅛	32	4
ST-48	4⅛	44	6
ST-60	4⅛	56	7½
ST-72	4⅛	68	9
ST-96	4⅛	92	12
ST-120	4⅛	116	15
ST-144	4⅛	140	18





16 gauge one inch channel reinforced construction. Finish: Gray Enamel

SHELVES

Model	H	J	Ship. Wt.
SH-36	15⅛	32	13
SH-48	15⅛	44	18
SH-60	15⅛	56	22
SH-72	15⅛	68	26
SH-96	15⅛	92	34
SH-120	15⅛	116	42
SH-144	15⅛"	140	50



16 gauge one inch channel reinforced construction. Finish: Gray Enamel

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES

BENCH DRAWER UNITS



1424-1



1416-2



1416-3

Drawer units can be fastened to either wood or steel benches, tables, desks or counters.

All welded construction. Padlock attachments for each drawer. Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer. Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 13½" x 8" x 1" in 1416 and 1424 Series; 19½" x 8" x 1" in 2024 Series.

CYLINDER LOCKS MUST BE INSTALLED AT FACTORY

OVERALL OUTSIDE DIMENSIONS

HEIGHT, ALL UNITS ..... One Drawer—5¼"; Two Drawer—12½"
Three Drawer—18½"; Four Drawer—24½"
WIDTH .....1416 & 1424 SERIES: 15¼" .....2024 SERIES: 22¼"
DEPTH .....1416 SERIES: 16" ..... 1424 & 2024 SERIES: 24"
FINISH: GRAY ENAMEL

	14"Wx16"Dx5"H		14"Wx23½"Dx5"H		20"Wx23½"Dx5"H	
Unit Description	Model	Ship. Wt.	Model	Ship. Wt.	Model	Ship. Wt.
1 Drawer	1416-1	15	1424-1	26	2024-1	30
2 Drawer	1416-2	45	1424-2	60	2024-2	74
3 Drawer	1416-3	66	1424-3	90	2024-3	105
4 Drawer	1416-4	87	1424-4	120	2024-4	136

Cylinder Lock Available for Drawer at Additional Charge.

HEAVY DUTY DRAWER UNIT

USE WHERE SEVERE SERVICE IS NEEDED
14 GA. STEEL DRAWER
12 GA. STEEL HANGER
ALL STEEL BALL BEARING ROLLERS

Finish: Gray Enamel

H-2024-1

All welded construction. Handles heavy loads of tools, parts and other items.

Drawers can be attached to work benches, tables, desks or counters.

Padlock tab on drawer. Stop prevents drawer from pulling out of slides. Fingers fit easily into pull. Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 19½" x 8" x 1"

Inside dimensions of drawer ..... 19½"W x 23½"D x 5"H
Hanger size overall dimensions ..... 22½"W x 24"L
Cylinder Lock Available for Drawer at Additional Charge. Ship. Wt. 40 Lbs.

WORK BENCH CABINET UNITS

ALL WELDED CONSTRUCTION



CU-18



CUK-36

Standard Units furnished with open taps.

Cabinet storage can be more efficient than drawers for many items, which can be placed neatly and are not subject to being jarred or rolled around as in a drawer.

Heavy gauge steel used throughout with flanged reinforcement.

Use with either wood top or all metal benches. Quickly fastened to wood top with bolts or lag screws. Finish: Gray Enamel.

Model	W	H	D	Shelf Clearance	Lock	Ship. Wt.
CUK-36	36	19	19	8	Yes	60
CU-36	36	19	19	8		60
CUK-18	18	19	19	8	Yes	42
CU-18	18	19	19	8		42

Please indicate on order if unit is for installation with steel or wood bench.

WORK STATIONS

HEAVY DUTY ALL WELDED CONSTRUCTION

These benches provide more efficient work stations for your institutional or industrial lot uses. All Work Stations equipped with bench riser shelf (10¼" wide x 18" high) with pegboard back for hanging small tools or instruments and electrical outlet strip, wired with a six foo cord. Models come standard with 12 gauge top, available with Hard Maple or black chemical resistant Formica Tops upon request. Grizzly Bench Drawer Units, additional Drawers or Ac cessories can be added. (See pages 17 & 18.) All models shipped set-up, ready for immediat use.

WORK STATIONS

EWB-SERIES

This series come standard with riser shelf, electrical outlet strip and pegboard back. Has a 12 Gauge top, but available with Hard Maple or black chemical-resistant Formica Tops upon request.

Grizzly Bench Drawer Units or Accessories can be added. (See pages 17 & 18).

All units shipped set-up, ready for immediate use.

Finish: Gray Enamel

Model	Wide	Length	Height to Work Surface	Ship. Wt.
EWB-3048	30"	48"	32½"	170
EWB-3060	30"	60"	32½"	190
EWB-3072	30"	72"	32½"	210



EWB-3048

WORK STATIONS

EWS-SERIES

Features a four drawer cabinet which rests on a 6" high base. Each drawer can be furnished with padlock loop eyes, cylinder locks or plain face. Drawers slides effortlessly on ball bearing steel rollers. Drawer stop prevents drawers from pulling out of slides. Release stop for removal of drawer.

Cabinet Size: 18" wide x 24" deep

Drawer Size: Inside Dimensions, 14" wide x 23½" deep x 5" high.

Tool Tray in each Drawer, 8" wide x 13½" long x 1" high, holds small items within easy reach.

Units come standard with a full length riser shelf (10¼" wide x 18" high) with pegboard back for hanging of small tools or instruments and electrical outlet strip with six foot cord.

Cylinder Locks Available for Drawers at Additional Charge.

Finish: Gray Enamel

Model	Wide	Length	Height to Work Surface	Ship. Wt.
EWS-3048	30"	48"	33¼"	253
EWS-3060	30"	60"	33¼"	272
EWS-3072	30"	72"	33¼"	291



EWS-3072 w/optional Hard Maple Top

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

ELECTRICAL OUTLET STRIPS



EOS-3

EOS-6

For the convenience of plugging in power tools, instruments, equipment, etc. at your finger tips. Each strip has a six foot cord. Either of the below strips are available on Grizzly Work Benches. They are installed by welding on steel top work benches or screwed on wood top benches.

13 Amps—125 Volts—3 Wire

Finish: Gray Enamel

Model		Receptacle Spacing	Number of Receptacles	Ship. Wt.
EOS-3	3 Foot Length	9"	4	3
EOS-6	6 Foot Length	12"	6	6

WORK STATIONS EDB-SERIES

Countertop is supported by a base cabinet and a base leg. The base cabinet is 24" deep x 18" wide and contains four drawers, each 14" wide x 23½" deep x 5" high inside. Each drawer can be furnished with padlock loop eyes, cylinder locks or plain face. Drawers slides effortlessly on ball bearing steel rollers. Drawer stops prevents drawers from pulling out of slides. Release stop for removal of drawer. Cabinet sets on a 6" high base.

Tool tray in each drawer, 8" wide x 13½" long x 1" high, holds small items within easy reach.

Models furnished with bench riser shelf (10½" wide x 18" high) with pegboard back for hanging of small tools or instruments and electrical outlet strip with six foot cord.

Additional Drawers or Accessories can be added. (See pages 17 & 18). Units available with Hard Maple or black chemical resistant Formica Top upon request.

Finish: Gray Enamel

Cylinder Locks Available at Additional Charge.

Model	Wide	Length	Height to Work Surface	Ship. Wt.
EDB-3048	30"	48"	33½"	256
EDB-3060	30"	60"	33½"	276
EDB-3072	30"	72"	33½"	296



EDB-3060 w/optional Hard Maple Top

WORK STATIONS FWS-SERIES



FWS-3448

All welded, rugged construction reinforced steel tops, channel stringers and shelves to hold heavy loads and avoid sagging. Legs are channel formed with gussets for additional strength. No bolts, rivets or other parts that have to be continually tightened. Completely assembled ready for immediate use.

Work Stations equipped with bottom shelf, fluorescent light fixture (w/lamps) with on-off switch and ¼" thick pegboard back (w/30 hanging hooks).

Bench Drawer Units, Riser, Duplex Receptacle Outlet, and Pressed Wood Top Available at Additional Charge. See Pages 16 and 18.

Overall Height of Work Stations ..... 80½"

Finish: Gray Enamel

34" Height to Work Surface Furnished Upon Request.

Model	Wide	Length	Height to Work Surface	Ship. Wt.
FWS-3448	34"	48"	32½"	236
FWS-3496	34"	96"	32½"	390

PORTABLE DRAWER AND CABINET TRUCK

1000 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS

For the Repairman who maintains equipment and machinery utilizing smaller parts and accessories.

All welded, rugged construction equipped with 5" x 1¼" casters—2 rigid and 2 swivel. Easy to roll.

Top: 20"x24"; Height Top Surface—Overall 34"; Top, back and side stops—½" high; Space inside cabinet 13"H, 22"W, 20"D. Drawers: 20"W, 19"D, 5"H.

Finish: Gray Enamel

PUB-24RW



PUB-24SW	w/Semi-Steel Wheels	138 Ship. Wt.
PUB-24RW	w/Soft Rubber Wheels	134 Ship. Wt.

Keyed Handle on Door or Cylinder Locks on Drawers Available at Additional Charge.

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES

Grizzly®

TOOL CABINET BENCHES
ALL WELDED—READY FOR USE

Heavy duty benches provide solid working surface plus closed door storage for tool rooms, shop, garages, shipping and stock operations, and are rigid for bench type machines. Additional shelves must be welded in place. If installed at factory please specify spacing. Shelves can not be adjusted. Benches with Grizzly Drawers and Casters quoted on request.



C-1824



C-1836



C-1848-K

TOP ..... 12 Gauge Steel with Back Stops 3" high with Side Stops that taper to 1½" front O.A.H. 37"

SIDE LEG PANELS .... 14 Gauge Steel
DOORS ..... 18 Gauge Steel
SHELVES ..... 16 Gauge Steel
FINISH: ..... Gray Enamel

ADDITIONAL SHELF AVAILABLE AT ADDITIONAL CHARGE.

Shelf W	Shelf L	Ship. Wt.
18"	23¾"	11
18"	35¾"	15
18"	47¾"	20
24"	35¾"	19
24"	47¾"	25

Model	H	W	D	Shelf W L	No. Shelves	No. Doors	Ship. Wt.
C-1824	34"	24	19"	18" x 23¾"	2	1	112
C-1824-K	Keyed Handle in Door		(2 Keys)				
C-1836	34"	36"	19"	18" x 35¾"	1	2	140
C-1836-K	Keyed Handle in Door		(2 Keys)				
C-1848	34"	48"	19"	18" x 47¾"	1	2	166
C-1848-K	Keyed Handle in Door		(2 Keys)				
C-2436	34"	36"	25"	24" x 35¾"	1	2	160
C-2436-K	Keyed Handle in Door		(2 Keys)				
C-2448	34"	48"	25"	24" x 47¾"	1	2	190
C-2448-K	Keyed Handle in Door		(2 Keys)				

MODELS W/K NOTATION HAVE THE ADDITION OF THE KEYED HANDLE WITH 2 KEYS, OTHERWISE HAVE THE SAME SPECIFICATIONS AS MODELS W/O THE K NOTATION.

DOOR CABINET
ALL WELDED CONSTRUCTION
CABINET SIZE: 18"W, 24"L, 26"H



Shelf adjustable in 2" centers. One shelf with unit.

Base Not Included
FINISH: Gray Enamel
Ship. Wt. 55 Lbs. **Model BC-1**

Keyed Handle—Extra Shelf Available at Additional Charge.

DRAWER CABINET
ALL WELDED CONSTRUCTION
CABINET SIZE: 18"W, 24"L, 26"H



Individual drawer size, 14" wide x 23½" deep x 5" high.
Sliding tray in each Drawer holds small items within easy reach.
Tray size: 13½" x 8"

Model DC-1

Base Not Included
FINISH: Gray Enamel
Ship. Wt. 110 Lbs.

Cylinder Lock Available at Additional Charge

#6 BASE



(For models BC-1 and DC-1) Base must be welded on cabinets.
6¼" High
Ship. Wt. 10 Lbs.
FINISH: Gray Enamel

PORTABLE DOOR CABINETS



ALL WELDED CONSTRUCTION
500 LBS. CAPACITY—3" SOFT RUBBER CASTERS
800 LBS. CAPACITY—5" SOFT RUBBER CASTERS

Light Duty Portable Cabinets for General Use. Used for Gum Tape Machines in shipping rooms, Electronic Instruments, Business Machines in offices, such as Postage, copying, etc. Used in plants besides machine operations. Cabinet Size: 18"W x 24"L. One Shelf furnished with unit, adjustable on 2" centers. Finish: Gray Enamel.

BC-1C5

Model	H	Casters—All Swivel	Ship. Wt
BC-1C3	30"	3" x 1 19/16" Soft Rubber Tread	60
BC-1C5	32"	5" x 1¼" Soft Rubber Tread	65
	Keyed Handle Available at additional charge.		
	Extra Shelf Available at additional charge.		8

PORTABLE DRAWER CABINETS



ALL WELDED CONSTRUCTION
Padlock attachments on each Drawer

500 LBS. CAPACITY—3" SOFT RUBBER CASTERS
800 LBS. CAPACITY—5" SOFT RUBBER CASTERS

Drawers slide on Ball Bearing Steel Rollers.
Cabinet Size: 18"W x 24"L
Drawer Size: Inside Dimensions, 14"W x 23½"D x 5"H
Tool Tray in each Drawer: 8" x 13½" x 1" deep.
Finish: Gray Enamel

DC-1C5

Model	H	Casters—All Swivel	Ship. Wt
DC-1C3	30"	3" x 1 19/16" Soft Rubber Tread	118
DC-1C5	32"	5" x 1¼" Soft Rubber Tread	124

Cylinder Lock Available for Drawer at Additional Charge.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

MULTIPLE WORK BENCH DRAWER UNITS

Grizzly®

Features 16 drawers for storage of large number of small parts, eliminating otherwise necessary trips to another work bench or stockroom. All welded construction completely assembled. This is a sturdy, attractive work bench drawer unit with drawers that operate smoothly and quietly on steel ball bearings. Sliding tray in each drawer holds small items within easy reach.



DBU-3072-W

Drawer units can be furnished with padlock loop eyes, cylinder locks or plain face. Units furnished with 1¾" laminated hard maple or 12 gauge steel top.

34" overall height with wood or steel top individual drawer size, 14" wide x 23½" deep x 5" high

Finish: Gray Enamel
Cylinder Locks Available at Additional Charge.

Model	W	L	Ship Wt.
DBU-3072-W	30"	72"	565
DBU-2872-S	28"	72"	560

LOW PORTABLE ASSEMBLY STOOLS

300 LBS. CAPACITY
2½" Dia. Soft Rubber Stem Casters

All welded construction for general maintenance, repair and assembly uses. Convenient 14" height, for assembly work requiring low level setting. 1" Tray Bottom Shelf has drop front for easy sliding, and carrying parts and tools. All swivel casters for easier movability.

Finish: Gray Enamel

Model	W	L	H	Ship. Wt.
LPAS-1616	16"	16"	14"	19
LPAS-1323	13"	23"	14"	22

LPAS-1616



LPAS-1323

STORAGE BIN CABINET

ALL WELDED CONSTRUCTION



SBT-3672

Compartments are conveniently built for a variety of uses such as storage of small parts, fasteners, hardware, etc.

Cabinet furnished with Plain Handle: Keyed Handle available at additional charge. Units shipped completely assembled and ready for use.

Overall Dimensions: 36" L x 21" W x 74" H.

Openings Measures 12" wide, 20" deep, 12" high at Back, tapers 6" at Front to prevent spillage.

Construction: Entire Unit 16 Gauge
Finish: Gray Enamel
Ship. Wt. 322 lbs.

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

CABINET BASE WORK BENCHES
ALL WELDED CONSTRUCTION

Grizzly®

CABINET WORK BENCHES
(WITH SLIDING DOORS)



CDB-3060-W

With door and four drawer units form the overall base, in mutliple or single bench runs, in various combinations, with steel or electronically glued laminated maple wood tops for standard and particular requirements. Cabinet bench tops can be furnished with side and back stops, and risers (See pages 16 and 17).

ALL MODELS: 34" O.A.H. WITH NO. 6 BASE
Finish Top—Natural-Clear Lacquer. Metal Finish: Gray Enamel

Keyed Handle—Cylinder Lock Available at Additional Charge.

WITH STEEL TOPS—1¼" THICK

	Model	Top W	Top L	Bases 18"W 24"D	Ship. Wt.
	CB-2860-S	28"	60"	Door Cabinets	205
	CB-2872-S	28"	72"	Door Cabinets	230
	DB-2860-S	28"	60"	Drawer Cabinets	300
	DB-2872-S	28"	72"	Drawer Cabinets	320
	CDB-2860-S	28"	60"	Drawer & Door Cabinets	240
	CDB-2872-S	28"	72"	Drawer & Door Cabinets	275

WITH HARD MAPLE BENCH TOPS—1⅝" THICK

	Model	Top W	Top L	Bases 18"W 24"D	Ship. Wt.
	CB-3060-W	30"	60"	Door Cabinets	210
	CB-3072-W	30"	72"	Door Cabinets	235
	DB-3060-W	30"	60"	Drawer Cabinets	305
	DB-3072-W	30"	72"	Drawer Cabinets	325
	CDB-3060-W	30"	60"	Drawer & Door Cabinets	245
	CDB-3072-W	30"	72"	Drawer & Door Cabinets	280



CW-3072-SD

All welded heavy gauge steel construction, with steel or wood tops, with and without sliding doors. Sliding doors are factory installed, equipped with cylinder lock and 2 keys, and doors are not sold separately. Shelves adjustable on 2" centers. Completely assembled, ready to Immediate use..

Electronically glued laminated wood tops, Side and back stops, bench risers and drawers can be added. See pages 16, 17 and 18.

ALL MODELS: 34" O.A.H.
Finish Top—Natural-Clear Lacquer. Metal Finish: Gray Enamel

WITH STEEL TOPS—1¼" Thick—12 Gauge

	Top W	Top L	Base, 25" Deep	Ship. Wt.
	CS-2860	28"	60"	Basic Unit	204
	CS-2872	28"	72"	Basic Unit	234
	CS-2860-S	28"	60"	Basic Unit with Shelf	239
	CS-2872-S	28"	72"	Basic Unit with Shelf	274
	CS-2860-D	28"	60"	Basic Unit with Sliding Doors	248
	CS-2872-D	28"	72"	Basic Unit with Sliding Doors	286
	CS-2860-SD	28"	60"	Basic Unit with Shelf & Sliding Doors	283
	CS-2872-SD	28"	72"	Basic Unit with Shelf & Sliding Doors	326

WITH HARD MAPLE BENCH TOPS—1⅝" Thick Overhang on Front, S
NATURAL WOOD FINISH

	Top W	Top L	Base, 25" Deep	Ship. Wt.
	CW-3060	30"	60"	Basic Unit	220
	CW-3072	30"	72"	Basic Unit	254
	CW-3060-S	30"	60"	Basic Unit with Shelf	255
	CW-3072-S	30"	72"	Basic Unit with Shelf	295
	CW-3060-D	30"	60"	Basic Unit with Sliding Doors	264
	CW-3072-D	30"	72"	Basic Unit with Sliding Doors	306
	CW-3060-SD	30"	60"	Basic Unit with Shelf & Sliding Doors	300
	CW-3072-SD	30"	72"	Basic Unit with Shelf & Sliding Doors	346
Extra Shelves ☆	S-60 ☆	60 long	22 wide		35
	S-72 ☆	72" long	22 wide		40

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114
Grizzly®

STANDING SHOP DESKS

Open, all welded, heavy gauge steel construction—used by foremen, supervisors, time study men, superintendents, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with drawers with and without individual locks, pigeon-hole top, back and side stops, in various combinations in the models listed, or in special combinations to meet individual needs.

Completely assembled, ready for immediate use.

Finish: Gray Enamel

WIDTH ..... All Models—36"
DEPTH ..... All Models—30"
OVERALL HEIGHTS ..... Front / Back
Basic Unit ..... 43" / 48"
With P-36 Unit ..... 43" / 53"
With P-66 Unit ..... 43" / 57"
SIDE AND BACK STOPS ... 3" high at Back, tapers to 1½" at Front.

SHELF . . . 34" wide x 18½" deep — 8" from floor
DRAWERS . . . . Standard Grizzly Drawer Units, see page 18 for specifications

Cylinder Lock Available at Additional Charge.



1236



1236 With #P-66



1036 BASIC UNIT
Ship. Wt. 85 lbs.



1236 BASIC UNIT
With Two No. 1416-1 Drawer Units
Ship. Wt. 115 lbs.



1436 BASIC UNIT
With No. 2024-4 Drawer Unit
Ship. Wt. 225 lbs.

1836 BASIC UNIT
With Two No. 1424-4 Drawer Units
Ship. Wt. 325 lbs.

Optional Pigeon Hole Units Available on Standing Shop Desks or Shop Cabinet Desks at Additional Charge.



P-36 PIGEON HOLE UNIT
3—4" x 12" openings x 9" deep
Overall Length 36" Ship. Wt. 15 lbs.



P-66 PIGEON HOLE UNIT
6—4" x 12" openings x 9" deep
Overall Length 36" Ship. Wt. 24 lbs.

SHOP CABINET DESKS

Enclosed, all welded, extra heavy gauge steel construction—used by superintendents, foremen, supervisors, time study men, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with doors, drawers, with or without individual locks, pigeon-hole top, or in special combinations on request to meet particular needs.

Completely assembled, ready for use.

Finish: Gray Enamel



No. 3036
(With No. P-36 Unit)
Pigeon Hole Unit Available

3236 With #P-66



2036

Model	Shelves	Drawers	Ship. Wt.
2036	2		184
2136	2	1	202
2236	2	2	219
3036	3		205
3136	3	1	222
3236	3	2	240
P-36	Pigeon Hole Unit Overall Length 36" 3—4" x 12" openings x 9" deep		15
P-66	Pigeon Hole Unit Overall Length 36" 6—4" x 12" openings x 9" deep		24
Cylinder Lock for Drawers at Additional Charge			
Keyed Handle in Door at Additional Charge			

WIDTH ..... All Models 36"
DEPTH ..... All Models 30"
OVERALL HEIGHTS ..... Front / Back
Basic Unit ..... 43" / 48"
With P-36 Unit ..... 43" / 53"
With P-66 Unit ..... 43" / 57"
DRAWERS ..... GRIZZLY 1416-1—ID—14" wide x 16" deep x 5" high.
Any GRIZZLY Standard Bench Drawer can be used with this Unit. See Page 18
SIDE AND BACK STOPS 3" high at back, tapers to 1½" at Front.
SHELF SIZE ..... 28¾" x 35⅞"
SHELF CLEARANCES
3 Shelf Unit: Floor to Bottom Shelf ..... 7"
Bottom Shelf to Center Shelf ..... 11¾"
Center Shelf to Top Shelf ..... 8"
Top Shelf to Desk Top ..... 12"
2 Shelf Unit: Floor to Bottom Shelf ..... 7"
Bottom Shelf to Top Shelf ..... 19¾"
Top Shelf to Desk Top ..... 12"

SHOP DESK

SDMP-3048

All welded construction used by foremen, supervisors, shipping clerks, superintendents and many others.

Desk equipped with single pedestal leg on right side and four spacious drawers on left. Top drawer comes with cylinder lock. Sliding tray in each drawer holds small items within easy reach. Drawers slide on ball bearing steel rollers.

Desk size: 30" Wide x 48" Long x 32½" High
Drawer size: Inside Dimensions, 14" Wide x 23½" Deep x 5" High
Tray size: 8" Wide x 13½" Long x 1" Deep
Finish: Beige Enamel with Brown Enamel Drawers
Ship. Wt. 200 lbs.
Padlock Attachments and Hard Maple Top Available Upon Request. Additional Cylinder Locks Available at Additional Charge.

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

MACHINE FLOOR CABINETS

3000 LBS. CAPACITY WITH EVENLY DISTRIBUTED LOAD

Rugged, all welded cabinets with 1 ⅛" Tray coolant tops with ½" pipe connection.

Attractive gray enamel finish.

A model for every purpose, floor lugs to secure base to floor. Removable side shelves as accessory to hold tote pans and other production items.

Drawer size and model — GRIZZLY 1416-1 (14" wide ID x 16" deep ID x 5" high ID). All drawers equipped with stops, ball bearing steel rollers and 1" deep tool tray. (See page 18.)

Models, enclosed with back and door, are without shelves.

FOR BASE CABINET USE WITH BENCH TYPE MACHINES

Keyed Handle—Cylinder Lock Available at Additional Charge.

CT-2830
20"W—28"L—30"H
Ship. Wt. 90 lbs.

CT-2835
20"W—28"L—35"H
Ship. Wt. 96 lbs.

CT-3630
20"W—36"L—30"H
Ship. Wt. 100 lbs.

CT-3635
20"W—36"L—35"H
Ship. Wt. 106 lbs.



CT SERIES



CF SERIES

CF-2830
20"W—28"L—30"H
Ship. Wt. 80 lbs.

CF-2835
20"W—28"L—35"H
Ship. Wt. 86 lbs.

CF-3630
20"W—36"L—30"H
Ship. Wt. 90 lbs.

CF-3635
20"W—36"L—35"H
Ship. Wt. 96 lbs.

CM-2830
20"W—28"L—30"H
Ship. Wt. 95 lbs.

CM-2835
20"W—28"L—35"H
Ship. Wt. 105 lbs.

CM-3630
20"W—36"L—30"H
Ship. Wt. 115 lbs.

CM-3635
20"W—36"L—35"H
Ship. Wt. 125 lbs.



CM SERIES

OPTIONAL: No. 1015
Removable Side Shelf
(Shelf Surface—10" x 15")

Available at Additional Charge.
Ship. Wt. 10 lbs.

MACHINE CABINET STANDS

3000 LBS. CAPACITY WITH EVENLY DISTRIBUTED LOAD
ALL WELDED CONSTRUCTION

For mounting Lathes, Grinders, Drill Presses, Tapping Machines, and for Work Bench Uses. CT Models are with Coolant Top with ½" pipe connection. DFT Models are with drop front, used for assembly and production work.

Designed for strength and appearance. Convenient shelf 15¾" x 36".

GRIZZLY 1416-1 Drawer units furnished on all stands — 14" wide ID x 16" long ID x 5" deep ID, with stops, ball bearing steel rollers and tool tray 1" deep (See Page 18). See Page 18 for CU-18 Work Bench Cabinet Unit details. Finish: Gray Enamel.

Keyed Handle—Cylinder Lock Available at Additional Charge.



DFT-60-C With Cabinet Ur
No. CU-18 and one drawe
22" W, 60" L, 32" H.
Ship. Wt. 238 lbs.



CT-60 Coolant Top, Tray
1 ⅛" deep with ½" pipe c
22" W, 60" L, 32" H.
Ship. Wt. 198 lbs.



DFT-60 Drop Front Top. B
and Side Stops — 1 ⅛
22" W, 60" L, 32" H.
Ship. Wt. 198 lbs.



NO. 59 MOTOR MOUNT BRACKET Top Surface 10" x 11⅜". Eight round holes for mounting and adjustment. Ship Wt. 10 lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

NEW ITEMS

Grizzly®

DRUM & CA

1200 LBS. CAPACITY—S
1000 LBS. CAPACITY—HA



75 & 76

ALL ARC



FCD-2839

HEAVY DUTY SINGLE END PLATFORM TRUCKS

1800 LBS. CAPACITY — Moldon Rubber Casters



PT-2442-SE

All welded construction, rugged, durable, easy movability, and quiet operation. For general uses in stock rooms, shipping, receiving, warehouses, hospitals, supermarkets, department stores, etc.

Reinforced 12 gauge steel platform, 2" x 2" x 1/8" angular push handle 36" from floor, and 2" x 1/4" band iron cross braces. Platform 12" from floor.
Casters: 8" x 2", 2 Rigid; 6" x 2", 2 Swivel
Finish: Gray Enamel
Strip bumper and extra push handle available at additional charge.

MODEL	W	L	SHIP WT.
PT-2442-SE	24"	42"	136
PT-2454-SE	24"	54"	147
PT-3048-SE	30"	48"	159
PT-3060-SE	30"	60"	172

KNOCK DOWN WORK BENCHES



KD-2448

Construction of heavy gauge steel to stand years of use in the home and in industry. Reinforced welded top designed with channels for drawer hanger attachment. Sturdy reinforced welded legs with floor pads that can be attached to floor when desired. 3/8" x 3/4" bolts, cross pull when tightened to give most rigid bolted construction. Bolts are furnished with flat washers, lock washers, and nuts. Elongated holes for fast assembly.

32 1/2" high to work surface
(34" height furnished on request)

Tops and Legs ..... 12 Gauge Steel
Stringers ..... 16 Gauge Steel
Finish: Gray enamel

Benches available with the following accessories: Pressed wood tops and risers, see page 16. Adjustable legs, side and back stops, shelves, see page 17. Drawer units and cabinet units, see page 18. Electrical outlet strips, see page 19.
NOTE: Side and back stops must be installed at factory.
Assembled by purchaser in a matter of minutes!

MODEL	TOP W	TOP L	SHIP WT.
KD-2448	24"	48"	107
KD-2460	24"	60"	120
KD-2472	24"	72"	134
KD-2848	28"	48"	118
KD-2860	28"	60"	132
KD-2872	28"	72"	148
KD-3448	34"	48"	132
KD-3460	34"	60"	148
KD-3472	34"	72"	164

SEE-THRU BOX TRUCKS

800 LBS. CAPACITY — Soft Rubber Casters
ALL WELDED CONSTRUCTION



STBT-2436

For variety of uses such as handling packaged goods in department stores, warehouses, line operations, general purposes, etc.

See-Thru design for visual load inspection.
All Models: 30" overall height — 24" inside dimension
Body: 3/4" Flattened expanded metal 13 gauge steel
Frame: 1 1/2" x 1 1/2" x 1/8" angle iron
Wheels: 5" x 1 1/4", 2 Swivel, 2 Rigid — Tilt mounted caster pattern
Finish: Gray enamel

Models 42" and 48" long furnished with 2" x 1/8" band iron side braces.
Corner mounted caster pattern available on request at no additional charge.

MODEL	W	L	SHIP WT.
STBT-2436	24"	36"	84
STBT-2442	24"	42"	92
STBT-2448	24"	48"	97
STBT-3036	30"	36"	93
STBT-3042	30"	42"	101
STBT-3048	30"	48"	121

Grizzly®

EZY-DOWN DRUM CRADLES

700 LBS. CAPACITY

Give maximum leverage with base; break the heaviest loaded drums from vertical to horizontal position.

All welded tubular frames and channel braces for modern styling and added strength. Designed for rugged use. All edges round and smooth. Completely assembled.

Ready for immediate use. Finish: Orange Enamel





EBR-18 31"L—18¼"W—18"H
Ship. Wt. 31 Lbs.





WITH DRUM ROLLERS
EBR-18R 31"L—18¼"W—18"H
Ship. Wt. 34 Lbs.



WITH CASTERS & ROLLERS
EBR-18CR 31"L—18¼"W—18"H
Ship. Wt. 36 Lbs.

Four 2" Semi-Steel rollers for positioning drum and manually rotating for mixture.

Casters: All Models—3" Semi-Steel—2 Swivel and 3" Semi-Steel Wheels.

No. 18 EZY-DOWN Handle—All welded construction—Handle is separate from cradles—12 lbs. Ship. Wt.

INE CABINET STANDS

3000 LBS. CAPACITY WITH EVENLY DISTRIBUTED LOAD
ALL WELDED CONSTRUCTION

Lathes, Grinders, Drill Presses, Tapping or Work Bench Uses. CT Models are with ½" pipe connection, DFT Models are used for assembly and production work. venient shelf 15¾" x 36". stands 14" wide ID x 16" long ID x 5" d tool tray 1" deep (See Page 18). See etails. Finish: Gray Enamel.

e at Additional Charge.

DFT-60-C With Cabinet No. CU-18 and one drav 22" W, 60" L, 32" H.
Ship. Wt. 238 Lbs.

DRUM CRADLES

700 LBS. CAPACITY

All Welded Tubular Frames. Channel Braces give modern styling plus added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use. Finish: Orange Enamel.



BR-18 31"L—18¼"W—18"H
Ship. Wt. 26 Lbs.



WITH DRUM ROLLERS
BR-18R 31"L—18¼"W—18"H
Ship. Wt. 29 Lbs.



WITH CASTERS
BR-18C 31"L—18¼"W—18"H
Ship. Wt. 29 Lbs.



WITH CASTERS & ROLLERS
BR-18CR 31"L—18¼"W—18"H
Ship. Wt. 31 Lbs.

Four 2" Semi-steel rollers for positioning drum and manually rotating for mixture.

Casters: All Models—3" Semi-Steel—2 Swivels and 3" Semi-Steel Wheels.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

Grizzly®

DRUM & CAN DOLLIES

1200 LBS. CAPACITY—SEMI-STEEL CASTERS
1000 LBS. CAPACITY—HARD RUBBER CASTERS



75 & 76



81



82 & 83

ALL ARC WELDED CONSTRUCTION

RUGGED

FLOOR LOCK ON REQUEST

Large size easy rolling wheels permit quick, safe transportation of even the heaviest loaded drums. All casters swivel for movement in any direction.

24" diameter holds standard 55 gallon drums or other similar sized containers. 19" diameter for smaller containers, disposal cans or kegs. Galvanized finish for institutional, food processing and sanitary use. Floor clearance 4" on all models. 2" sides on 82 and 83. All welded rugged construction for years of hard use. NOTE: 81-GS, 82-GS, & 83-GS are equipped with sanitary casters to give added protection against foodstuffs causing corrosion.

Model	O.D.	I.D.	Wheels	Finish	Ship. Wt.
81	24-7/16"	24"	3x1-1/4	Orange	32
82	30-1/2"	24"	3x1-1/4	Orange	25
83	24-1/2"	19"	3x1-1/4	Orange	22
81-G	24-7/16"	24"	3x1-1/4	Galvanized	32
82-G	30-1/2"	24"	3x1-1/4	Galvanized	25
83-G	24-1/2"	19"	3x1-1/4	Galvanized	22
81-GS	24-7/16"	24"	3x1-1/4	Gal.-Sani.	32
82-GS	30-1/2"	24"	3x1-1/4	Gal.-Sani.	25
83-GS	24-1/2"	19"	3x1-1/4	Gal.-Sani.	22
75	24-1/2"	24"	3x1-1/4	Orange	19
76	19-1/2"	19"	3x1-1/4	Orange	15

ADJUSTABLE DOLLY

1200 LBS. CAPACITY—SEMI-STEEL CASTERS
1000 LBS. CAPACITY—HARD RUBBER CASTERS

FOR ROUND, SQUARE, RECTANGULAR, OVAL OR ANY IRREGULAR SHAPED CONTAINER. CLOSES DOWN TO 23½"—OPENS TO 36½". Can be used as a rectangle for tote boxes, skids, pans, furniture. Used as a dolly for drums, cans, kegs, etc. Wheel Size—3" x 1¼". Finish: Orange Enamel.



AD-23-S

AD-23-S — SEMI-STEEL WHEELS — Ship. Wt. 30 lbs.
AD-23-R — HARD RUBBER WHEELS — Ship. Wt. 28 lbs.

HI-DRUM & CAN DOLLIES

900 LBS. CAPACITY—SEMI-STEEL CASTERS
700 LBS. CAPACITY—HARD RUBBER CASTERS



71

PROVIDE higher elevation for easier flow drainage from drums in vertical position.

DRAINS easier glue, oils, chemicals and other hard-to-flow materials through the drum bottom.

ALL WELDED, rugged, completely assembled, ready for use.

SAVE SPACE—take less area than drums in horizontal position.

SAVE TIME AND MONEY.

USE DOLLIES with GRIZZLY No. 235 Drum lifter with chain falls, hoist, or fork truck to place drums in vertical position easily, quickly and safely. See right side of page. Finish: Orange Enamel—Wheel Size ...3" x 1¼".



71 w/drum

Model	Bottom	Top	Height	Gallon Drum	Ship. Wt.
71	30"	24"	19½"	55	44
73	21"	19"	19½"	30	38

LOW DRUM TRUCK

800 LBS. CAPACITY
HARD RUBBER WHEELS



25½" wide opening, 31" wide overall, 33" high, 1½" low underslung frame, 8" above floor. Handles barrels and drums up to 24" diameter. Finish: Orange Enamel.

STEEL TUBULAR T HANDLE WITH Low frame with heavy duty 3" swivel rubber caster and 6" roller bearing rubber wheels easily maneuvers full barrels and drums with open tops without spilling contents. Especially adapted for use in canneries, pickle or chemical and oil operations.

LBR-909 Low Drum Truck
LBR-909H (Unit with Hinged Handle)

Hinged Handle Available at Additional Charge. Ship. Wt. 45 Lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

Grizzly®

#235 VERTICAL DRUM LIFTER

U.S. PATENT No. 2,764,447
2000 LBS. CAPACITY

FOR OPEN or CLOSED DRUMS USED WITH
Fork Trucks
Chain Falls
Cranes and Hoists.

Ship. Wt. 32 Lbs.





235

- SAFE—Fast turning crank handle to lock Upper Jaw to drum top. Holds drum rigi even when swaying or when bumped.
- VERSATILE—Lifter moves 55 and 30 gallon, and even smaller steel drums with practi ly no manual labor—the lifter does the work.
- LIGHT—Weighs only 32 pounds. One man can handle with ease.
- ADJUSTABLE—Slide Lower Jaw on vertical bar to position below nearest chime of dr Jaw rests on off-center cam.
- LIFTS—Old and new drums, open or closed, battered or lopsided.
- QUICK—Lifter attached and removed in seconds. • RUGGED—All welded construct
- STACKS—and tiers drums vertically in close quarters. • FINISH: Orange Enamel

#80 DRUM UP-ENDER

ALL-WELDED CONSTRUCTION
Rugged and Compact

Safe! Positive Grip! Easy to Use!

Tilts drums from horizontal to vertical position with ease, speed and safety. Gives maximum leverage for lifting even the heaviest loaded drums.

Will not twist in hands of operator. Drum stops where you want it with no slipping or rolling.

SHIP. WT. ..... 12 lbs.
FINISH: ..... Orange Enamel



80

#84 SLING TYPE DRUM LIFTER

750 LBS. CAPACITY
ALL WELDED CONSTRUCTION

SHIP. WT. ..... 11 lbs.
FINISH: ..... Orange Enamel



84



Lifts drums horizontally and safely. The harder the pull the tighter the grip on the drum. Use it to load your GRIZZLY rack. See Below.

#VH-100 DRUM LIFTER

1000 LBS. CAPACITY
LIFTS VERTICAL • HORIZONTAL • AT ANY ANGLE



Lifts from any angle. Load can be balanced. Easily ado to lift objects of all shapes or lengths. Automatic upsettir container by adjusting sliding hoist collar.



Easily, Quickly, Safely Attached
Holds Rigidly—Even When Load Sways
Positive Grip—Cannot Slide —Holds Load Locks in Desired Position



FITS CONTAINERS 40" HIGH—FINISH: . . . Orange Enamel—SHIP. WT 24 Lbs.—ADJUSTMENT BETWEEN JAWS: . . . 16" minimum to 40" maximu OVERALL LENGTH: . . . 43"—WIDTH: . . . 4"

DRUM STORAGE RACKS

2500 LB. CAPACITY



85C



85

All welded with large sturdy 6" x 2" semi-steel wheels for easy portability or with legs for stationary installations.

Holds four drums in readily accessible positions. Designed for loading ease with whatever equipment you now have. If your hoist does not travel over rack, the wheel model can be moved under your hoist. 30"W x 60"L x 54"H—FINISH: Orange Enamel.

85	Leg	180 Ship. Wt.
85C	Casters	198 Ship. Wt.

DRUM STORAGE RAC



DS-4

Holds four or six drums in readily cessible positions. Designed for loo ease from front or back. All Welded struction. Completely Assembled fo mediate Use.

Self-Standing units, do not requir choring to floor. Can be moved with Trucks fully loaded.

- DRAIN HEIGHTS: Bottom row—18
- Pads on bottom of legs protect floo
- Also Designed for special requirem

FINISH: Orange Enamel

DS-4	4 Drums	60"W	36"D	48"H	120 Ship
DS-6	6 Drums	84"W	36"D	48"H	200 Ship

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

DRUM DOLLY TRUCKS

CAPACITY 2000 LBS.—SEMI-STEEL CASTERS
CAPACITY 1500 LBS.—HARD RUBBER CASTERS

For transporting 55 gallon drum or other container for lubrication, solvents, coolants, painting or cleaning units, used in production, maintenance and service operations. Bracket on handle for cable or hose. Accessory Box welded to handle for storage of tools and parts. All Welded Construction.



DT-25-R

OVERALL DIMENSIONS	25" wide x 25" deep
PLATFORM	5 ½" from floor
HANDLE	41" from floor
SIZE OF ACCESSORY BOX	12" deep x 6" wide x 21" long
FINISH:	Orange Enamel
CASTERS	2 Swivel—2 Rigid

DT-25-S	5" x 1¾" Semi-Steel Wheel	63 Ship. Wt.
DT-25-R	5" x 1½" Hard Rubber Wheel	60 Ship. Wt.

FORK SWIVEL HOIST HOOKS

With Safety Latch

(SINGLE) 3000 LBS.
(DOUBLE) 4200 LBS.
WORKING CAPACITY

No. 24



No. 210 DOUBLE FORK SWIVEL HOIST HOOK
(Attached to Fork Truck)

All welded construction, fit standard Fork Lift Trucks.

Easy handling by one man, takes only seconds to slide on and tighten into place. Removed just as easily, no wrenches required. Finish: Orange Enamel.

210 Double Fork Hook has maximum openings which permit an outside fork spread of 20¾". Fork Swivel Hoist Hooks designed to meet particular needs.

Description	Model	Opening Size for Truck Fork	Ship. Wt.
Single Hook	24	2" x 4"	17
Single Hook	25	2" x 5"	18
Single Hook	26	2" x 6"	19
Double Frame Hook	210	2" x 10"	50

FTC-36 FORK TRUCK CRANE HOOK ATTACHMENT

With Safety Latch



CAPACITY
4000 Lbs. at 36" Length
2000 Lbs. at 60" Length

ALL WELDED CONSTRUCTION

FITS STANDARD FORK TRUCKS

Overall Height Approximately 53"

CAN BE ATTACHED AND UNATTACHED IN SECONDS BY ONE MAN

Method of Attachment

Set unit on floor, brace in upright position against wall, etc. Unit sits on 4 pins. Bottom plate drops to floor which provides an opening for forks. Operator runs forks at floor level between plates and tightens crank handles. Ready for use.

Method of Detachment

Drop forks to floor until unit sits on 4 pins. Loosen crank handles. Back off fork truck.

Ship. Wt. 250 Lbs. FINISH: . . . Orange Enamel

CASTER CORNER SHOES

ALL WELDED CONSTRUCTION



SET OF 4

Ideal for making wood pallets or boxes portable at low cost.
Shoes slide under corners. May be bolted, screwed or nailed on permanently.
For moving heavy wood crates, boxes, cases, machinery, pallets, cabinets, benches and other uses.

12 Gauge Steel—Size is 8" x 8"—5-3/4" O.A.H.—Flange 2"—3-7/8" high to platform—7/16" holes for mounting.

FINISH: Gray Enamel

Model	Capacity per Set	Ship. Wt.	Casters
CS-3S	1200 Lbs.	17	3" x 1¾" Semi-steel Wheels
CS-3R	1000 Lbs.	15	3" x 1¾" Hard Rubber Wheels

VDU-10 EXTRA HEAVY PORTABLE VERTICAL DRUM STACKING UNIT

CAPACITY 1500 LBS. PER UNIT.

SAVES TIME—SPACE—MONEY

- **ALL** Welded Construction.
- **RUGGED**—Completely Assembled—No Bolting—Ready For Immediate Use.
- **STACKS** Vertically—Each Unit Tiers 2 Drums Horizontally—Stacks to 4 High.
- **4-WAY** Access by Fork Lifts.
- **UNIT** Easily Handled—
- **EASY** Drum Draw Off—Drums and Storage Area Easily Kept Clean.
- **DRUM** Inventory Simply Maintained.

DIMENSIONS: O.A.H. = 13"; W = 44¼"; Depth = 30", Floor Clearance = 3½". Finish: Orange Enamel Ship. Wt. 84 Lbs.



Other VDU Units are designed to meet special requirements on request.

VDU-10





CAN BE EASILY HANDLED FROM FRONT, BACK OR EITHER SIDE WITH FORK-LIFT TRUCKS

EASE OF HANDLING AND STACKING

Grizzly®

ROTO-TILTS

CAPACITY 1000 LBS.

PATENTS
U.S. No. 3,434,612
CANADIAN NO. 887501

All Welded Construction Designed for Heavy Usage

LIFT—TILT—DUMP—POUR—METAL DRUMS—BARRELS USED WITH FORK LIFTS—CRANES—HOISTS—Finish: Orange Enamel.

Safety Locking Bracket secures Upper Jaws to Drum Top. Lifting Trolley equipped with Ball Bearings, Serrated Jaws insure positive locking hold. Pours at any point of arc—operator maintains easy and positive control.

Model	A	B	C. Max. Min.	D	Drum	Ship. Wt.
350	59"	35"	36"-30"	15"	55 Gal.	65
351	53"	34"	32"-27½"	15"	30 Gal.	64



No. 350 & No. 351



160 Trolley with 160° Dumping Angle—
Standard Trolley with 130° Dumping Angle
FLOOR DUMPING MODELS

OVERHEAD DUMPING MODEL NO. 500



No. 500

WORM GEAR DRIVE HOLDS POURING LOAD IN ANY POSITION—REDUCTION 6 TO 1.

OVERALL DIMENSIONS
From Lifting Loop to Toe Plate ..... 62"H
From Front to Back ..... 35"D
Width at widest point ..... 10"

Finish: Orange Enamel

Ship. Wt. 98 Lbs.

CONTAINER CLAMPING RANGE .....
30" min. to 36" max. for 55 Gal. Drums

DUMPING ANGLE ..... 130 degrees

Chain supplied with standard Model is sufficient to operate the tool 10 feet from floor.

ADDITIONAL CHAIN AVAILABLE AT ADDITIONAL CHARGE.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114 Grizzly®

GAS WELDING BENCH

GW-3636

Shipped KD, ready for assembly.

Pads on bottom of legs protect floors.

Cylinder Lock Available at Additional Charge.

A sturdy Gas Welding Bench for extra strength and durability. The top is constructed of 12 gauge steel, will hold 32 fire bricks (not furnished). Excellent rigidity with heavy double formed, embossed 14 gauge steel legs. Shelf. 16 gauge steel divided into three equal sections for rod storage. All steel sections are All Welded Construction.

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 18.

OVERALL DIMENSIONS	36"W x 36"D x 34"H
FINISH:	Gray Enamel
GW-3636 (Without Drawer Unit)	Ship. Wt. 95 Lbs.
GW-3636-DR (With Drawer Unit)	Ship. Wt. 110 Lbs.

ARC WELDING BENCH

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down.

Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All steel sections are all welded construction.

Pads on bottom of legs protect floors.

Shipped KD, ready for assembly.



AW-3636-DR

Cylinder Lock Available at Additional Charge

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 18.

OVERALL DIMENSIONS	36"W x 36"D x 34"H
FINISH:	Gray Enamel
AW-3636 (Without Drawer Unit)	Ship. Wt. 125 Lbs.
AW-3636-DR (With Drawer Unit)	Ship. Wt. 140 Lbs.

ARC WELDING BENCH WITH SHIELDS

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down. Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All welded construction.

A sturdy 20 gauge steel shield easily snaps on top flange with no bolting required.

With the "See-Thru" welding shield, eliminates the danger of eye flashburn while watching instructor demonstrate. May be observed by several people simultaneously through the plastic windows without glasses or hand shields.

Also furnished with Solid Shields.

DRAWER 1416-1 ..... Furnished with unit
Pads on bottom of legs protect floors.
Shipped KD, ready for assembly.

OVERALL DIMENSIONS—
36"Wx36"Dx68"H

FINISH: Gray Enamel
Cylinder Lock Available at Additional Charge

Ship. Wt. 180 Lbs.
AW-3636-S With Solid Shields

Ship. Wt. 175 Lbs.
AW-3636-WS With 5"W x 18"L See-Thru Shield Opening (3 Openings)



AW-3636-WS

HEAVY DUTY SHELF DIE RACKS

3000 LBS. CAPACITY

An extremely rugged Rack to hold heavy loads of Jigs, Fixtures, Dies, and other heavy material.

May be erected as individual units or in rows.

Extra shelves may be added. Pads on bottom of legs protect floors. Bolted construction. Shipped KD, complete with assembly hardware. Construction of double channel reinforced shelf.





DR-2448

SHELVES . . . ALL WELDED CONSTRUCTION Reinforced 14 Gauge steel with formed hat channel thru center—POSTS . . . 2" x 2" x ⅛" Angle Iron—"X" BRACES . . . 1" x ⅛" Band Iron— FINISH: Gray Enamel

DR-1842	Complete Unit: 5—18" x 42" Shelves 4 Posts—X Braces and Bolts	170 Lbs. Ship. Wt.
DR-2448	Complete Unit: 5—24" x 48" Shelves 4 Posts—X Braces and Bolts	230 Lbs. Ship. Wt.
S-18	Single Shelf—18" x 42", including bolts	26 Lbs. Ship. Wt.
S-24	Single Shelf—24" x 48" including bolts	38 Lbs. Ship. Wt.
P-72	4 Posts (as a package) 72" long	45 Lbs. Ship. Wt.

EXTRA HEAVY DUTY DIE STORAGE RACKS

1000 LBS. CAPACITY PER SHELF
ALL WELDED CONSTRUCTION



PE-1830

Uses for tools, dies and other heavy material.
May be used as individual units or bolted in rows.
Pads on bottom of legs protect floors.
Shipped set-up.
65" overall height, six 12 gauge shelves — 10" clearance between shelves; posts 1⅜" x 1⅜" x 3/16" angle iron.

Shelf clearances can be changed to meet your specifications.
Finish: Gray Enamel

Model	W	L	Ship Wt.
PE-1830	18"	30"	180
PE-1836	18"	36"	205
PE-1848	18"	48"	250
PE-2430	24"	30"	215
PE-2436	24"	36"	250
PE-2448	24"	48"	305

VERTICAL BAR RACK

3000 LBS. CAPACITY

Provides most efficient storage in limited areas and near jobs for tubing, pipe, rods, bars and like shapes, with 4 tray type shelves for short pieces.

All arc-welded—1½" x 1½" x ⅛" angle and 16 gauge tray-shelves.

84"H, 36"W, 24" bottom-depth of shelves —bottom 6", top 6⅛", second 10", third 14". 4 sturdy arms extend 8" beyond each shelf for separation of stock.



VB-3684

Finish: Gray Enamel Ship. Wt. 110 Lbs.

PORTABLE TWIN RACK-U-FRAME MODULES

5000 LBS. CAPACITY
U. S. PATENT NO. 3,581,907
CANADIAN PATENT NO. 930334

Grizzly®

Used in multiples with fork lifts, as required, to provide length and tier height needed for the storage of mill shapes—conduit, tubing, pipe, angles, channels, rounds, flats, other metal and plastic items.

Fork lifts can easily stack and remove the modules to provide temporary and long term storage facilities; provide material at work stations on the production line, in the warehouse and on the construction site. Special modules designed to meet particular requirements. Arc Welded Construction—Completely Assembled Ready for Immediate Use. Can be stacked as much as 4 high.

Finish: Orange Enamel

RUF-262	24" O.A.L.	65 Ship. Wt.
RUF-263	36" O.A.L.	70 Ship. Wt.
RUF-264	48" O.A.L.	76 Ship. Wt.



RUF-264

SPECIALS DESIGNED FOR CUSTOMERS NEEDS

DIMENSIONS FOR RUF-262, RUF-263, RUF-264

OUTSIDE DIMENSIONS
(A) 25" Wide
(B) 17½" High
(C) 5" Wide Bottom Channel
(G) 24"; 36"; 48" as Required

INSIDE DIMENSIONS
(D) 17" Wide Bottom
(E) 23" Wide Top
(F) 15½" High Upright



RUF-263





DIMENSIONS FOR RUF-244

OUTSIDE DIMENSIONS
(A) 32" Wide
(B) 31" High
(C) 5" Wide Bottom Channel 3¼" High
(G) 44" Long

INSIDE DIMENSIONS
(D) 24" Wide Bottom
(E) 29½" Wide Top
(F) 28" High Upright



RUF-244

RUF-244	44" O.A.L	105 Ship. Wt.

Finish: Orange Enamel

STACKING RACK UNITS

ALL WELDED CONSTRUCTION

SRU-232

STACK 2 HIGH

Model	W	L	Ship Wt.
SRU-232	24"	32"	58
SRU-242	24"	42"	64
SRU-248	24"	48"	67
SRU-332	30"	32"	62
SRU-342	30"	42"	66
SRU-348	30"	48"	69

Storage system for all types of materials, bar, pipe, rods, angle, etc. For space saving economical storage. Materials can be stored in bundles or individual pieces. Completely assembled ready for immediate use. Special modules designed to meet particular requirements. Construction - 2½" square tubing.
Finish: Orange Enamel



OUTSIDE DIMENSIONS
(A) 29" or 35" Wide
(B) 30" High
(C) 37"; 47" or 53" Long

INSIDE DIMENSIONS
(D) 24" or 30" Wide
(E) 32"; 42" or 48" Long
(F) 23½" High

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

PORTABLE RACK-U-FRAME

RUF-251

U. S. PATENT NO. 3,581,907
CANADIAN PATENT NO. 930334

RUF-251 Portable Rack-U-Frame
Ship. Wt. 25 Lbs. Finish: Orange Enamel

Grizzly®

EXTRA HEAVY DUTY PORTABLE RACK-U-FRAME

RUF-640

U.S. PATENT NO. 3,581,907
CANADIAN PATENT NO. 930334

RUF-640 Extra Heavy Duty Portable Rack-U-Frame
Ship. Wt. 37 Lbs. Finish: Orange Enamel

Arc Welded Construction—Completely Assembled Ready for Immediate Uses—One Man Operation—Quick. Stacked as Much as 4 High into the GRIZZLY Flexible Storage Rack System for Mill Shapes—Channels, Angles, Flats, Rounds, Pipe, Tubing . . . For Material Transport on Trucks, Skids, Pallets, for Inventory and at Work Stations Easily disassembled—Stored in Little Space Until Next Use.

FOUR (4) RUF-251 RACK-U-FRAMES assembled on a 20 foot length evenly spaced and stacked 4 High will safely carry 20,000 Pounds. See Center Photo.

CARRY HEAVY LOADS EVENLY DISTRIBUTED

To be installed on solid, strong, floor construction, with smooth surface, to hold heavy rack loads.



FOUR (4) RUF-640 EXTRA HEAVY DUTY RACK-U-FRAMES assembled on a 20 foot length evenly spaced and stacked 4 High will safely carry 60,000 Pounds. See Center Photo.



- Formed for Strength and Stacking Tiers
- Carrying Handle for Strength and Convenience
- Stops Prevent Upright Spread
- Streamlined Design—Smooth Finish
- Rugged Steel Construction
- Durable—Built for Heavy Uses



OUTSIDE DIMENSIONS
(A) 25" Wide
(B) 17½" High
(C) 5" Wide Bottom Channel
INSIDE DIMENSIONS
(D) 17" Wide Bottom
(E) 23" Wide Top
(F) 15½" High Upright

RUF-251 and RUF-640 Rack-U-Frames have the same Inside and Outside Dimensions.

RUF-251 is for heavy loads and RUF-640 is for extra heavy duty service and loads. Both Models are easily carried and assembled in rack units as a One Man Operation.

REPLACEMENT CASTERS FOR GRIZZLY EQUIPMENT

UTILITY TABLES, HOPPER TABLES, MIJ TABLES, MIJ BOX CARTS, LOW PORTABLE ASSEMBLY STOOLS		
SWIVEL	2½" x 1¾"	Pressed Steel Wheel
SWIVEL	2½" x 1¾"	Soft Rubber Wheel
SWIVEL	2½" x 1¾"	Soft Rubber Wheel
(Set consists of 4 casters)		
STOCK CARTS, FIVE SHELF STOCK CARTS, BOX TRUCKS, GARMENT TRUCKS, LIGHT DUTY PORTABLE CABINET WORK BENCHES, ENCLOSED SHELF TRUCK, CAGE STOCK TRUCK, PORTABLE MARKING TABLES, PORTABLE DRAWER CABINETS, PORTABLE DOOR CABINETS, TRAY STOCK CARTS, TOTE-ALL HAND CART, OPEN SIDE TRUCK, TOTE-ALL UTILITY CARTS, TOTE-ALL PLATFORM TRUCKS, ROLL OVER BOX TRUCKS, PORTABLE PRODUCTION EXAMINATION TABLE, UTILITY TABLES, PORTABLE DRAWER AND CABINET TRUCK.		
SWIVEL	3" x 1¾"	Soft Rubber Wheel
RIGID	3" x 1¾"	Soft Rubber Wheel
SWIVEL	3" x 1¾"	Soft Rubber Wheel
RIGID	3" x 1¾"	Soft Rubber Wheel
SWIVEL	5" x 1¾"	Soft Rubber Wheel
RIGID	5" x 1¾"	Soft Rubber Wheel
SWIVEL	5" x 1"	Soft Rubber Wheel B.B.
RIGID	3" x 1½"	Soft Rubber Wheel B.B.
SWIVEL	5" x 1"	Soft Rubber Wheel B.B.
RIGID	5" x 1"	Soft Rubber Wheel B.B.
SWIVEL	5" x 1½"	Soft Rubber Wheel
RIGID	5" x 1½"	Soft Rubber Wheel
CASTER CORNER SHOES, DRUM & CAN DOLLIES, ADJUSTABLE DOLLIES, HI-DRUM & CAN DOLLIES, TOTE PAN HAND TRUCK, TOTE-ALL HAND TRUCK, LOW DRUM TRUCKS.		
SWIVEL	3" x 1½"	Semi-Steel, Plain Brg. Wheel
RIGID	3" x 1½"	Semi-Steel, Plain Brg. Wheel
SWIVEL	3" x 1½"	Hard Rubber, Self Lub. Brg.
RIGID	3" x 1½"	Hard Rubber, Self Lub. Brg.
ROLL OVER DUMP TRUCKS, DOLLY PLATFORM TRUCKS, STEEL DOLLIES, HAND DUMP TRUCKS, 3/SIDED STOCK CARTS.		
SWIVEL	4" x 1½"	Semi-Steel, Plain Brg. Wheel
RIGID	4" x 1½"	Semi-Steel, Plain Brg. Wheel
SWIVEL	4" x 1½"	Hard Rubber Wheel, Self Lub. Brg
RIGID	4" x 1½"	Hard Rubber Wheel, Self Lub. Brg

HEAVY DUTY SINGLE END TRUCKS, HEAVY DUTY DOUBLE END TRUCKS, SHOP TRUCKS, PORTABLE CABINET WORK BENCHES, DRUM DOLLY TRUCKS, ROLLOVER BOX TRUCKS, SHOP TRAY TRUCKS, HEAVY DUTY SEAT-TOP SHOP TRUCKS, LADDER STOCK CARTS, DIVIDED SHELF TRUCK, HYDRAULIC LIFT TOP TABLES, PORTABLE MARKING TABLES, BOX TRUCKS, TOTE-ALL HAND CART, TRAY STOCK CARTS, FIVE SHELF STOCK CARTS, PORTABLE DRAWER CABINETS, PORTABLE DOOR CABINETS.		
SWIVEL	5" x 1¼"	Semi-Steel, Plain Brg.
RIGID	5" x 1¼"	Semi-Steel, Plain Brg.
SWIVEL	5" x 1⅜"	Semi-Steel, Plain Brg. Wheels
RIGID	5" x 1⅜"	Semi-Steel, Plain Brg. Wheels
SWIVEL	5" x 1½"	Hard Rubber, Self Lub. Brg.
RIGID	5" x 1½"	Hard Rubber, Self Lub. Brg.
STEEL PLATFORM TRUCKS, DRUM STORAGE RACKS, SLIDING SHELF TRUCKS, LAMINATED MAPLE PLATFORM TRUCKS, LUMBER SERVICING TRUCKS, SHEET AND PANEL TRUCKS.		
SWIVEL	6" x 2"	Semi-Steel, Plain Brg. Wheel
RIGID	6" x 2"	Semi-Steel, Plain Brg. Wheel
SWIVEL	6" x 2"	Hard Rubber, Self Lub. Brg.
RIGID	6" x 2"	Hard Rubber, Self Lub. Brg.
SWIVEL	6" x 2"	Soft Rubber Wheel
RIGID	6" x 2"	Soft Rubber Wheel
SWIVEL	6" x 2"	Plastic Roller Brg.
RIGID	6" x 2"	Plastic Roller Brg.
5 SHELF HEAVY DUTY TRUCKS, 3/SIDED PLATFORM TRUCKS, SEMI-LIVE PLATFORM TRUCKS, BAR AND ROD TRUCKS, HAND TRUCK, STEEL PLATFORM TRUCKS, ROLL OVER DUMP TRUCKS, HAND DUMP TRUCKS.		
SWIVEL	8" x 2"	Semi-Steel, Plain Brg. Wheel
RIGID	8" x 2"	Semi-Steel, Plain Brg. Wheel
SWIVEL	8" x 2"	Moldon Rubber, Roller Brg. Wheel
RIGID	8" x 2"	Moldon Rubber, Roller Brg. Wheel
PORTABLE MAINTENANCE CENTER WORK BENCH, EXTRA HEAVY DUTY SHOP TRUCKS.		
SWIVEL	8 x 2½"	Semi-Steel, Roller Brg. Wheel
RIGID	8 x 2½"	Semi-Steel, Roller Brg. Wheel
SWIVEL	8" x 2½"	Hi-Cap Rubber, Roller Brg. Wheel
RIGID	8" x 2½"	Hi-Cap Rubber, Roller Brg. Wheel
WHEELS ONLY FOR ALL PURPOSE HAND TRUCKS		
	8" x 1.75	Semi-Pneumatic Wheel — ½" Axle
	10" x 2.75	Semi-Pneumatic Wheel — ⅝" Axle
410	x 350-4-2 Ply	Full Pneumatic Wheel — ⅝" Axle
	12" x 3"	Semi-Pneumatic Wheel — ⅝" Axle

Grizzly SPECIALS

SERVING INDUSTRY SINCE 1949

SOME OF THE MANY SPECIALS DESIGNED & MANUFACTURED FOR CUSTOMER'S PARTICULAR NEEDS.

We specialize in: Material Handling, Drum, Shop and Industrial Equipment of original design and maintain an Engineering Department for the exclusive use of our customers.

Few of the thousands of Specials we manufactured are noted in the photos on this page. Send us your requirements so we may submit design and quotation for your approval.

Please send as much of the basic information as you can in accordance with the suggested outline below to help us to expeditiously handle your request.



BOX TRUCK W/LID



KNOCKED DOWN WORK BENCH (MEDIUM DUTY)



PACKING & STRAPPING TRUCK



VENTILATED STORAGE LOCKER



TRAY TRUCK



HEAVY DUTY WAREHOUSE TRUCK



STEEL TOP PANEL-END WORK BENCH



HARD MAPLE TOP PANEL-END WORK BENCH



BATTERY CHARGING & TESTING STATION



HAND TRUCK



PORTABLE WORK STATION

WHEN ORDERING SPECIAL GRIZZLY EQUIPMENT USE THIS SUGGESTED OUTLINE

1. **GENERAL DESCRIPTION:** Truck, Dolly, Lifts, Work Bench, Stand, Carts, etc.
2. **GENERAL DESIGN:** Type of shelf; flat or tray; Type of top. Handle, etc.
3. **DIMENSIONS:** Indicate inside or outside dimensions; width, length, height.
4. **CAPACITY:** Load-Pounds: Entire unit, per caster, per shelf.
5. **QUANTITY:** Could substantially determine pricing.
6. **SPECIAL DESIGN FEATURES:** Your own ideas of how unit should be constructed.
7. **FINISH:** Standard Colors: Gray, Vista Green, Dark Green, Beige, Dark Brown, Light Blue, Dark Blue, Red or Orange Enamel.

Pucel ENTERPRISES, INC.

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE 216 881-4604



Pucel Enterprises, Inc., Opposer/Petitioner
vs.
Grizzly Industrial, Inc., Applicant/Respondent
TTAB Consolidated Case No. 123,506; 31984; 32024; 32025
PUCEL'S Exhibit No. 28

TOLL FREE
TO:

1000398 - ENTIRE MANUAL

Grizzly® EQUIPMENT

Sianor® PRODUCTS

Pucel ENTERPRISES, INC.

3746 KELLEY AVENUE • CLEVELAND, OHIO, U.S.A. 44114 • AREA CODE (216) 881-4604

DESIGNING • ENGINEERING • DEVELOPMENT • MANUFACTURING

Grizzly®

SERVING INDUSTRY SINCE 1949

MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT

Highest Quality at Low Cost

- The GRIZZLY Equipment items shown in this catalog are typical of the many items we manufacture.
- In addition, we design, engineer, develop and manufacture GRIZZLY and other equipment to satisfy special and other standard needs.
- GRIZZLY equipment is arc welded construction, designed for rugged and long time use; completely assembled, ready for immediate use, no loose parts, no assembly required by the customer—all adds up to increased productivity. These GRIZZLY advantages more than offset additional transportation cost.*
- We are ever striving to maintain an effective competitive position considering our GRIZZLY High Quality Standards and Workmanship.
- We are constantly on the move improving present equipment and products, researching and developing new items to meet current and changing market requirements.
- GRIZZLY Equipment performance is best testified by the daily receipt of repeat orders from small and large customers.
- We gratefully appreciate the pleasant relationship we enjoy with our customers and would regularly like to hear from you—complaints as well as suggestions—for we always strive to maintain and improve good customer relations. May we hear from you?

Respectfully,

Edward L. Pucel

Edward L. Pucel
President

*A few catalog items are KD.

Grizzly® GUARANTEE

Quality Guarantee

All Grizzly Equipment is fully guaranteed to be manufactured in accordance with commercial standards and specifications shown in our catalog. Equipment is fully inspected before leaving our plant and is guaranteed against defective workmanship for 3 months from date of purchase. However, we cannot be held responsible for abuse by user beyond normal usage. This is your guarantee of a product of highest quality.

Grizzly®
EVER ON THE MOVE

GRIZZLY renders long term satisfactory service.
You can have continued confidence in GRIZZLY.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

Grizzly®

ALPHABETICAL INDEX

EQUIPMENT — Page No.

BENCHES
Arc Welding 31
Arc Welding, w/Shields 31
Gas Welding 31
Tool Cabinet 20

BENCHES, WORK
Accessories 17
Cabinet, Base 22
Cabinet, w/Sliding Door 22
Cabinet Unit 18
Drawer Units 18
Drawer Unit, Heavy 18
Drawer Unit, Multiple 21
Hard Maple Tops 17
Heavy Duty, Reinforced Steel Top 16
Legs 17
Legs, Adjustable 17
Portable, Cabinet 15
Portable Maintenance Center 14
Portable, Tool Cabinet 14
Risers 16
Tops, Hard Maple 17
Tops, Pressed Wood 16

CABINETS
Base 20
Door 20
Drawer 20
Locker, 3 Door Unit 6
Machine Floor 24
Portable Door 20
Portable Drawer 20
Storage, Bin 25
Storage, Book Shelf 7
Storage, Extra Heavy Duty 7
Storage, Wardrobe 7
Tool Drawer 21
Tool, Heavy Duty 7

CARTS
Hand, Tote-All 11
Mij Box 13
Mopping Floor and Cleaning 10
Stock 12
Stock, Five Shelf 12
Stock, Hi-Ladder 12
Stock, Ladder 12
Stock, 3/Sided 8
Stock, Tray 11
Utility, Tote-All 11

CASTERS, GRIZZLY EQUIPMENT ..... Inside Back Cover

DESKS
Shop 23
Shop Cabinet 23
Standing Shop 23

DOLLIES
Steel, w/Removable Handle 13

DRUMS
Cradles 26
Cradles, Ezy-Down 26
Dollies, Can 27
Dollies, Hi-Drum & Can 27
Dolly, Adjustable 27
Lifter, Horizontal Sling Type 28
Lifter, Vertical 28
Lifter, VH-Vertical-Horizontal 28
Lifters, Dumpers, Roto-Tilt 30
Storage Racks 28
Up-Ender 28
Unit, Vertical Stacking, Portable 30

Page No.

ELECTRICAL OUTLET STRIPS 19

HANDLE, JACK 6

HOOKS, FORK, SWIVEL HOIST 29

HOOK, FORK CRANE, ATTACHMENT 29

LOCKERS, DOUBLE PERSONAL 6

PIGEON HOLE BIN UNITS 25

RACKS
Die, Shelf, Heavy Duty 31
Rack, Stacking Units 32
Rack-U-Frame, Portable ..... Inside Back Cover
Rack-U-Frame, Portable, Extra Heavy Duty ..... Inside Back Cover
Rack-U-Frame, Portable, Twin Modules 32
Storage, Die, Extra Heavy Duty 31
Vertical Bar 31

SHOES, CASTER CORNER 29

SPECIALS ..... Outside Back Cover

STANDS
Machine Cabinet 24
Tool, Extra Heavy Duty 13
Tool, Heavy Duty 13

STOOLS, LOW PORTABLE ASSEMBLY 14

TABLES
Examination, Portable Production 10
Hopper 13
Lift Top, Hydraulic 10
Marking, Portable 13
Mij 13
Utility 14

TRUCKS
Bar and Rod 6
Beverage, Premium, 2 Wheel 5
Box 8
Box, Roll-Over 8
Cradle 4
Double End Heavy Duty 3
Drawer, Cabinet, Portable 19
Drum Dolly 29
Five Shelf, Heavy Duty 12
Garment 9
Hand Dump 8
Hand Dump, Roll-Over 8
Hand, Tote-All 11
Hand, Tote Pan 11
Hand, 2 Wheel, All Purpose 5
Low Drum 27
Lumber Servicing 12
Platform, Dolly 3
Platform, Laminated Maple 3
Platform, Semi-Live 6
Platform, Steel 3
Platform, 3/Sided 8
Platform, Tote-All 11
Sheet & Panel 6
Shelf, Divided 9
Shelf, Enclosed 9
Shelf, Sliding 8
Shop, Extra Heavy Duty 4
Shop, Heavy Duty 4
Shop, Slat-Top, Heavy Duty 4
Shop, Step Ladder Attachment 4
Side, Open 9
Single End, Heavy Duty 3
Stock, Cage 8
Stock, Sheet-Bar 4
Tray, Shop 11

WORK STATIONS 18, 19

NUMERICAL INDEX

Page No.

ABL-22 TO ABL-58 17
AD-23-S, AD-23-R 27
AW-3636, AW-3636-S, AW-3636-WS 31
B-213, BC-213 13
B-2448 TO B-34120 16
BC-1, BC-1C3, BC-1C5 20
BD-2448 TO BD-34120 16
BL-22, BL-28, BL-34, BL-46, BL-58 17
BP-36S, BP-36R 15
BR-18, BR-18C, BR-18 R, BR-18CR 26
BRT-48, BRT-60, BRT-72 6
BS-2448 TO BS-34120 16
BSC-3675 7
BSD-2448 TO BSD-34120 16
BSDD-2448 TO BSDD-3496 16
BT-2436, BT-3036, BT-2448, BT-3048 8
C-1824 TO C-2448-K 20
CB-2860-S TO CDB-3072-W 22
CF-2830, CF-2835, CF-3630, CF-3635 24
CM-2830, CM-2835, CM-3630, CM-3635 24
CRA-60, CRA-96 4
CS-2860 TO CW-3072-SD 22
CS-3S, CS-3R 29
CST-24 8
CT-2830, CT-2835, CT-3630, CT-3635 24
CT-60 24
CU-18, CU-36, CUK-18, CUK-36 18
DBU-3072-W, DBU-2872-S 21
DC-1, DC-1C3, DC-1C5 20
DFT-60, DFT-60C 24
DLCU-2424 6
DPL-1621 6
DR-1842, DR-2448 31
DS-4, DS-6 28
DT-25-S, DT-25-R 29
DV-2242 9
EBR-18, EBR-18C, EBR-18R, EBR-18CR 26
EDB-3048 TO EDB-3072 19
EOS-3, EOS-6 19
EST-44 9
ET-2448-2 TO ET-3472-3 4
EWB-3048 TO EWB-3072 18
EWS-3048 TO EWS-3072 18
F-2448 TO F-34120 16
FD-2448 TO FD-34120 16
FS-2448 TO FS-34120 16
FSD-2448 TO FSD-34120 16
FTC-36 29
FWS-3448, FWS-3496 19
GT-72, GT-72-SD 9
GW-2448 TO GW-36144 17
GW-3636 31
H-1830 TO H-3060 12
H-2024-1 18
HDSC-3648-2, HDSC-3660-3, HDSC-3672-4 7
HDT-42, HDT-60 8
HDTC-2442 7
HLTT-36-1, HLTT-36-2 10
HS-2448-2 TO HS-3472-3 13
L-1828, L-1836, L-2436, L-2448 12
LBR-909, LBR-909H 27
LPAS-1616, LPAS-1323 14
LT-20-R, LT-20-S, LT-20-78R, LT-20-78S 12
MFC-25 10
MT-2448-2 TO MT-3072-3 13

Page No.

MTC-60S, MTC-60R 14
OFB-60, OFB-84 4
OST-39 9
PC-36S, PC-36R, PC-48S, PC-48R 15
PDC-36S, PDC-36R 15
PE-1830 TO PE-2448 31
PPET-2636 10
PT-2448 TO PT-3496 3
PTC-48S, PTC-48R 14
PUB-24SW, PUB-24RW 19
R-36, R-48, R-60, R-72, R-96 16
ROBT-36, ROBT-48 8
RODT-42, RODT-60 8
RUF-244, RUF-262, RUF-263, RUF-264 32
RUF-251, RUF-640 ..... Inside Back Cover
S-30-DT-3 TO S-48-DT-3 4
SBT-3672 25
SC-3182 TO SCF-5243 12
SDMP-3048 23
SER-101SW, SER-101RW 11
SH-36 TO SH-144 17
SL-18, SL-24 4
SLPT-2448 TO SLPT-3660 6
SPT-2842 6
SRU-232, SRU-242, SRU-248, SRU-332, SRU-342, SRU-348 32
SS-48, SS-60, SS-72 8
ST TO K3DC 14
ST-36 TO ST-120 17
T-213 TO TEC-313 13
TA-24 11
TDC-30, TDC-60 21
TH-14, TH-14C 13
TPH-24 11
TSC-1828-6 TO TSC-2436-12 11
TT-1830-6 TO TT-3048-12 11
UC-2432, UC-2442, UC-2452 11
UT-2432, UT-2442, UT-2452 11
VB-3684 31
VDU-10 30
VH-100 28
W-2448 TO W-36144 17
WPT-2448-SW TO WPT-RE-3460-RW 3
WSC-3672 7
YZ-75, YZ-100 12
3SC-30, 3SC-36, 3SC-48, 3SC-60 8
3ST-2448 TO 3ST-3472 8
6 20
15 6
18-D-30 TO 24-D-60 13
18-PTD-30 TO 24-PTD-60 3
18-TR-30 TO 30-TR-60 3
18-TRE-30 TO 30-TRE-60 3
24, 25, 26, 210 29
59 24
71, 73 27
75 TO 83-GS 27
80 28
84 28
85, 85C 28
89, 90, 91, 92, 93, 96, 98, 100 5
235 28
300, 311 5
350, 351, 500 30
1036, 1236, 1436, 1836 23
14161-1 TO 2024-4 18
1830-2 TO 2460-3 13
1830-DT-2 TO 3060-DT-3 4
2036, 2136, 2236, 3036, 3136, 3236 23
2421, 4021, 4242, 7242 25
2448 TO 3496 17

STANDARD PAINT COLORS: GREEN, VISTA GREEN, GRAY, BEIGE OR ORANGE ENAMEL.
PLEASE SPECIFY WHEN ORDERING.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

Grizzly®

SERVING INDUSTRY SINCE 1949

SALES—TERMS AND CONDITIONS

1) **ORDERING:** All orders, including phone orders, must be confirmed in writing.
Your written purchase order should specify each item by number, description, and finish color.

2) **PRICES:** All prices are F.O.B. OUR PLANT, CLEVELAND, OHIO; and subject to change without notice; and do not include any applicable taxes, duties, or any other governmental charges.
We reserve the right to invoice at the prices prevailing at the time of shipment.

3) **SPECIFICATIONS:** Specifications are subject to change without notice.

4) **ROUTING:** Shipment will be made the best way—air, truck, rail, transportation collect; united parcel or parcel post prepaid, collect.
When shipment is prepaid at the customer's request a separate invoice will be submitted, which must be paid within 10 days of invoice date; except however, united parcel and parcel post charges will be noted on the invoice.

5) **PACKAGING:** All items are packaged for domestic shipment. Additional charge will be made for special packaging.

6) **DAMAGED GOODS:** When damage is noted on delivery, the carrier agent is to make the damage notation on your delivery receipt. DO NOT SIGN THE DELIVERY RECEIPT UNLESS THIS IS DONE. The consignee must make claim directly and promptly to the carrier for any damage. When damage is not discovered until all of the items are unpacked request must be promptly submitted to the carrier for concealed damage inspection and adjustment. All items are thoroughly inspected prior to our shipment. Title passes to consignee at the time shipment leaves our dock and the carrier is an agent of consignee.

7) **RETURNED GOODS:** All items returned without our written permission will be refused. Request for return of goods must be made within 10 days of the receipt of goods. A 15% handling and reconditioning charge will be made on authorized returned items. Goods must be returned prepaid at customer's expense. Special items, or modified catalog items, are not returnable.

8) **CHANGES AND CANCELLATIONS:** Items designated as special or modified catalog items are not subject to change or cancellation as they are manufactured for each individual order.

9) **CORRECTIONS:** Stenographic, clerical errors, and any other errors, are subject to correction.

10) **DELAYS:** All orders, contracts and agreements are made subject to delays contingent upon accidents, strikes, embargoes, or any other causes beyond our control.

11) **TERMS:** All prices are **NET**—30 days from date of invoice. A 1% cash discount is allowed if payment is made within 10 days from date of invoice.

Open account can be established with an acceptable Dun and Bradstreet rating. Firms listed and not rated, or not listed, are requested to submit 3 major trade references and 1 banking reference with their order to facilitate prompt handling.

C.O.D. orders are not acceptable.

Minimum orders: $80.00 **NET**, plus shipping charges.

12) These said "Sales-Terms and Conditions" apply to all of the equipment (Standard, Modified and Special) and related matters in this catalog, and are subject to the pricing as contained in the current Price List No. 7 and subsequent Price Lists as issued from time to time, which may be issued without notice.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

STEEL PLATFORM TRUCKS

2500 LBS. CAPACITY—6" SEMI-STEEL CASTERS
2200 LBS. CAPACITY—6" HARD RUBBER CASTERS

OR

3000 LBS. CAPACITY—8" SEMI-STEEL CASTERS
2000 LBS. CAPACITY—8" MOLD-ON RUBBER CASTERS



PT-2860

ALL WELDED CONSTRUCTION

Durable free moving platform truck to absorb the roughest usage. Reinforced steel platform with removable tubular push handle 36" from floor. Platform 9 ¾" from floor.

Casters: 2 swivel and 2 rigid, 6" x 2"
or 2 swivel and 2 rigid, 8" x 2"
Soft Rubber Available on Request

Finish: Green Enamel

Model	W	L	Ship. Wt.
PT-2448	24	48	110
PT-2848	28	48"	118
PT-3448	34	48	130
PT-2460	24"	60"	121
PT-2860	28	60	131
PT-3460	34"	60	144
PT-2472	24	72	133

Model	W	L	Ship. Wt.
PT-2872	28	72	144
PT-3472	34	72"	160
PT-2496	24"	96"	155
PT-2896	28	96	170
PT-3496	34	96"	191
Extra Handle Bars Includes Sockets			10
Extra Handle Sockets Welded on Truck			4

DOLLY PLATFORM TRUCKS

1500 LBS CAPACITY—SEMI-STEEL CASTERS
1500 LBS CAPACITY—HARD RUBBER CASTERS



24-PTD-60

ALL WELDED CONSTRUCTION
REMOVABLE TUBULAR HANDLE
LOW DECK—5 ⅛" FROM FLOOR
Handle Overall Height—36"

Finish: Green Enamel

Casters: 2 swivel and 2 rigid, 4" x 1 ½"

Platform can be reversed at no charge, with 2" deep flanges up on all sides.

Model	W	L	Ship. Wt.
18-PTD-30	18	30	50
18-PTD-36	18	36"	57
18-PTD-48	18	48	68
18-PTD-60	18"	60"	80
24-PTD-30	24	30"	56

Model	W	L	Ship. Wt.
24-PTD-36	24"	36	63
24-PTD-48	24"	48"	74
24-PTD-60	24	60"	85
Extra Handle Bars Includes Sockets			10
Extra Handle Sockets Welded on Truck			4

HEAVY DUTY SINGLE END TRUCKS

2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS



24-TR-30

All welded for rugged stock and general shop use with 1-3/4" x 1-3/4" x 3/16" angle posts, tubular push bar at a convenient 36" height from the floor.

Top shelf 22" from floor, tray sides on bottom shelf 2" high with 11-3/8" clearance between shelves, floor clearance 6-1/4", 2 swivel and 2 rigid casters.

Wheels: Semi-Steel 5" x 1⅜"
Hard Rubber 5" x 1 ½"

Overall Height—36"
Finish: Green Enamel

Truck Floor Lock —Flat Bottom Shelf — Available at Additional Charge.

Model	W	L	Ship. Wt.
18-TR-30	18"	30"	98
18-TR-36	18"	36"	106
18-TR-48	18"	48"	122
18-TR-60	18	60"	140
24-TR-30	24	30"	110
24-TR-36	24	36"	120

Model	W	L	Ship. Wt.
24-TR-48	24"	48"	140
24-TR-60	24"	60"	160
30-TR-30	30"	30"	125
30-TR-36	30"	36"	135
30-TR-48	30"	48"	160
30-TR-60	30"	60"	185

LAMINATED MAPLE PLATFORM TRUCKS

2500 LBS. CAPACITY—SEMI-STEEL CASTERS
1400 LBS. CAPACITY—SOFT RUBBER CASTERS

Wheels:
6" x 2" Soft Rubber
6" x 2" Semi-Steel
2 Swivel and 2 Rigid
Self lube bearing wheels



WPT-RE-2448-RW

WPT-RE series have angle frame for side protection.
Size angle—1 ½" x 1 ½" x ⅛"
WPT Series have no frame.

With 1 ½" thick Laminated Maple Deck, thoroughly seasoned and precision dried in electronically controlled kilns.

Laminations are placed on edge and bound into a single, warp resistant, self supporting platform. No soft core.

All models have a 10" deck height—36" overall height with removable tubular handle.

Deck bottom reinforced with 2—6" x 1" Maple Battens for caster attachment.

Finish: Platform—Clear Lacquered: Steel Work—Green Enamel

Model	W	L	Ship. Wt.	w/Steel Frame Steel Wheel	w/Steel Frame Rubber Wheel	w/o Steel Frame Steel Wheel	w/o Steel Frame Rubber Wheel
WPT-2448-SW	24"	48"	117			X	
WPT-2448-RW	24"	48"	113				X
WPT-RE-2448-SW	24"	48"	127	X			
WPT-RE-2448-RW	24"	48"	123		X		
WPT-2460-SW	24"	60"	126			X	
WPT-2460-RW	24"	60"	122				X
WPT-RE-2460-SW	24"	60"	136	X			
WPT-RE-2460-RW	24"	60"	132		X		
WPT-3448-SW	34"	48"	137			X	
WPT-3448-RW	34"	48"	133				X
WPT-RE-3448-SW	34"	48"	147	X			
WPT-RE-3448-RW	34"	48"	143		X		
WPT-3460-SW	34"	60	155			X	
WPT-3460-RW	34"	60"	151				X
WPT-RE-3460-SW	34"	60"	175	X			
WPT-RE-3460-RW	34"	60"	171		X		
Extra Handles & Sockets							

HEAVY DUTY DOUBLE END TRUCKS

2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

All welded for widest variety of uses with 1-3/4" x 1-3/4" x 3/16" angle posts. Tray sides 2" deep on bottom shelf. Top shelf 22" from floor with 11-3/8" clearance between shelves. Floor clearance 6-1/4", 2 rigid and 2 swivel casters.

Finish: Green Enamel

Overall Height—36"

Wheels:
Semi-Steel 5" x 1⅜"
Hard Rubber 5" x 1 ½"

Truck Floor Lock—Flat Bottom Shelf Available at Additional Charge.

24-TRE-36

Model	W	L	Ship. Wt.
18-TRE-30	18"	30"	107
18-TRE-36	18"	36"	115
18-TRE-48	18"	48"	131
18-TRE-60	18"	60"	149
24-TRE-30	24"	30"	120
24-TRE-36	24"	36"	130

Model	W	L	Ship. Wt.
24-TRE-48	24"	48"	150
24-TRE-60	24"	60"	170
30-TRE-30	30"	30"	136
30-TRE-36	30"	36"	146
30-TRE-48	30"	48"	171
30-TRE-60	30"	60"	196

SHOP TRUCKS—HEAVY DUTY

ALL WELDED CONSTRUCTION
2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

Used in shop operations with presses, screw machines, piece parts or shop boxes. Flat top for sliding heavy dies or tooling on and off. Tray shelves 2" deep.

All sizes 32½" high. Clearance between shelves on 3-shelf model—10⅛"; 2-shelf model—22¼". Floor Clearance—6¼".

Sturdy 12-gauge shelves with tubular push handle; 1-3/4" x 1-3/4" x 3/16" angle posts for added capacity. Extra strong Casters for durability and easy movement. Two swivel and two rigid casters for controlled maneuverability. Finish: Green Enamel



Optional writing shelf attachment.

GRIZZLY Drawer Units can be added.
See Page 18

Wheels:
Semi-Steel 5" x 1⅜"
Hard Rubber 5" x 1½"

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge.

2436-DT-3

Optional removable writing shelf attachment available at additional charge. Can be added to Grizzly Shop Trucks or Stock Carts with tray top shelf only. (See Page 12). SHIPPING WT. 10 Lbs.

Model	Shelves	W	L	Ship. Wt.
1830-DT-2	2	18"	30"	93
2430-DT-2		24"	30"	105
3030-DT-2		30"	30"	118
1830-DT-3	3	18"	30"	116
2430-DT-3		24"	30"	134
3030-DT-3		30"	30"	152
1836-DT-2	2	18"	36"	100
2436-DT-2		24"	36"	115
3036-DT-2		30"	36"	130
1836-DT-3	3	18"	36"	128
2436-DT-3		24"	36"	150
3036-DT-3		30"	36"	172

Model	Shelves	W	L	Ship. Wt.
1848-DT-2	2	18"	48"	116
2448-DT-2		24"	48"	135
3048-DT-2		30"	48"	154
1848-DT-3	3	18"	48"	152
2448-DT-3		24"	48"	180
3048-DT-3		30"	48"	210
1860-DT-2	2	18"	60"	135
2460-DT-2		24"	60"	155
3060-DT-2		30"	60"	177
1860-DT-3	3	18"	60"	180
2460-DT-3		24"	60"	210
3060-DT-3		30"	60"	242

HEAVY DUTY SLAT-TOP SHOP TRUCKS

ALL WELDED CONSTRUCTION
2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

Model	Shelves	W	L	Ship. Wt.
S-30-DT-2	2	24"	30"	117
S-30-DT-3	3	24"	30"	146
S-36-DT-2	2	24"	36"	132
S-36-DT-3	3	24"	36"	167
S-48-DT-2	2	24"	48"	150
S-48-DT-3	3	24"	48"	196

Casters: 2 swivel, 2 rigid
Semi-Steel Wheels 5" x 1⅜"
Hard Rubber Wheels 5" x 1½"

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge.

Finish—Green Enamel

S-30-DT-3

Used in shop operations, with presses, screw machines, shipping, and other equipment —items easily lifted off truck with slings and grabs.

Easily slides heavy dies on and off top with safety to fingers and hands.

TOP—12 ga. steel, formed double channels, 3" wide, 1-1/2" deep, spaced 1-1/2" apart. All Models 32-1/2" high—Clearance between shelves on 3-shelf models 10-1/8", 2-shelf models 22-1/4", floor clearance—6-1/4" Tubular Push Handle. 1-3/4" x 1-3/4" x 3/16" angle iron posts—

STEP LADDER ATTACHMENT

FOR SHOP TRUCKS **SL-24**

Makes your Unit More Versatile

SIMPLE INSTALLATION—Bolts to Legs at Swivel Caster End. Ladder is Spring Loaded and Adjustable.

3 STEPS—ALL STEPS ADJUSTABLE—4" STEPS. 62" O.A.H.



SL-18	For 18" Wide Unit	Ship. Wt. 40 Lbs.
SL-24	For 24" Wide Unit	Ship. Wt. 45 Lbs.

Finish: Green Enamel

EXTRA HEAVY DUTY SHOP TRUCKS

5000 LBS. CAPACITY—SEMI-STEEL CASTERS
4000 LBS. CAPACITY—HI-CAP RUBBER CASTERS
ALL WELDED CONSTRUCTION

ET-2460-2

For moving heavy parts or large tote boxes and shearings to and from presses and other operations. Flat top for easy sliding of large dies, molds and castings on or off top. Heavy and large structures can be fabricated on truck. With tubular push handle.

Finish: Green Enamel



Shelves: 12 gauge steel, Posts: 2" x 2" x 3/16" angle
All Casters: 2 swivel and 2 rigid, 8" x 2-1/2" Roller Bearing Wheels
Truck Floor Lock — Available at Additional Charge.

	Model	W	L	Ship. Wt.
All Models 36" High 10" Floor Clearance	ET-2448-2	24"	48"	220
21" clearance between shelves	ET-2460-2	24"	60"	240
	ET-2472-2	24"	72"	260
	ET-2848-2	28"	48"	230
	ET-2860-2	28"	60"	255
	ET-2872-2	28"	72"	280
	ET-3448-2	34"	48"	256
	ET-3460-2	34"	60"	286
	ET-3472-2	34"	72"	316
9⅛" clearance between shelves	ET-2448-3	24"	48"	275
	ET-2460-3	24"	60"	305
	ET-2472-3	24"	72"	335
	ET-2848-3	28"	48"	290
	ET-2860-3	28"	60"	325
	ET-2872-3	28"	72"	365
	ET-3448-3	34"	48"	325
	ET-3460-3	34"	60"	370
	ET-3472-3	34"	72"	415

CRADLE TRUCKS

ALL WELDED CONSTRUCTION
10,000 LBS. CAPACITY—STEEL WHEELS
6,000 LBS. CAPACITY—HI-CAP RUBBER WHEELS

Used for all types of pipe, tubing, bar stacks. Load centers itself for balance. Controlled maneuverability, turns in 36" radius. Cradles permit easy loading and unloading with fork lift or sling. Length—CRA-60 = 60"; CRA-96 = 96"; CRA-120 = 120"

Remainder of Specifications apply to CRA-60, CRA-96 and CRA-120.
Cradle Width 23¼", Overall Width 33¾", Height 36 3/8", Depth 15"



CRA-96

Casters: Forged Steel, Roller Bearing Wheels
Center Wheels: 10"x3"
Ductile Iron Roller Bearing Casters
Swivels: 8"x3"

Casters: Hi-Cap Rubber Wheels
Center Wheels: 16" x 3"
Swivels, 10" x 2¼"

CRA-60 Ship. Wt. 350 Lbs.
CRA-96 Ship. Wt. 384 Lbs.
CRA-120 Ship. Wt. 416 Lbs.
Finish: Orange Enamel

SHEET-BAR STOCK TRUCKS

10,000 LBS. CAPACITY—STEEL WHEELS
6,000 LBS. CAPACITY—HI-CAP RUBBER WHEELS

All Welded Construction; for sheet steel, plate, bar stock, pipe, tubing, conduit, angle, channel and other long mill shapes. Can be loaded and unloaded by fork lift, overhead crane and hoist.

ID = 30" W; OD: 33" W x 60" L for OFB-60
ID = 30" W; OD = 33" W x 84" L for OFB-84. (The remainder of specificatians apply to OFB-60 and OFB-84).



OFB-60

Casters: Forged Steel, Roller Bearing Wheels
Center Wheels: 10"x3"
Ductile Iron Roller Bearing Casters
Swivels: 8"x3"

Casters: Hi-Cap Rubber Wheels
Center Wheels: 16" x 3"
Swivels, 10" x 2¼"

OFB-60 Ship. Wt. 270 Lbs.
OFB-84 Ship. Wt. 294 Lbs.
Finish: Orange Enamel

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

ALL PURPOSE HAND TRUCKS

All welded tubular balanced construction with curb jumper, rugged, all edges rounded smooth for appearance and safety, ball bearing rubber wheels, absorb shock, provide easy handling and quiet operation, with plastic handles for firmer grip. Finish: Orange Enamel

For: general use in stock rooms, shipping, receiving, warehouse and dock operations. Balanced—load exerted on the axle, bearings and wheels, and off operator's arms and shoulders.

89 MEDIUM DUTY



90-91 HEAVY DUTY



92-93 HEAVY DUTY W/CONTINUOUS HANDLE



96 CYLINDER TANK UNIT W/HOLD CHAIN



98 EXTRA HEAVY DUTY

100 BARREL DRUM UNIT



Model	Overall Height	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship. Wt.
89	45½"	14"	20"	7"x14"	250	8x1.75 Semi-Pneu	27
90	48"	14"	20"	7"x14"	650	10x2.75 Semi-Pneu	37
91	48"	14"	20"	7"x14"	500	410x3.50—4—2 Ply Pneu	40
92	48"	14	20"	7"x14"	650	10x2.75 Semi-Pneu	30
93	48"	14"	20"	7"x14"	500	410x3.50—4—2 Ply Pneu	42
96	45"	27	32½"	13"x25"	650	12"x3" Semi-Pneu	52
98	43	18"	18"	8½"x18"	800	8x2 Moldon	55
100	42"	19"	20"	5"x19"	800	8x2 Moldon	58



NEW IMPROVED PREMIUM BEVERAGE TRUCK 300 and 311





ALL WELDED tubular balanced construction, easy to push, even under the heaviest loads; keeps the load on the axle, bearings and wheels, and off operator's arms and shoulders.

ESPECIALLY designed rugged for the Route Man for easy pushing loads over floors, pavement, sidewalks, over curbs, up and down stairs;

MOVING cases of small and large cans, bottles, containers—pop, beer, milk and other beverages;

STACKING HOLDER permits firm hold on as many as 6 cases high; ⅜" floating axle absorbs moving load shock;

REAR LIPPED CHISELED TOE PLATE gives added strength and adequate load bearing area;

NARROW TUBULAR FRAME, only 9½" wide, with plastic handles for firmer grip, easy to maneuver in confined aisles and other areas.

ALL EDGES ROUNDED SMOOTH for neat appearance—and safety—Finish: Orange Enamel.

Model	Axle Lgth.	Ht. W/Case Hndl. Ext.	Ht. W/O Case Hndl. Ext.	Frame Width	Overall Width	Toe Plate	Capacity	Wheels	Ship. Wt.
300	14¾	53½"	46½"	9½"	15¾"	8¼" x 10½"	650	10x2.75 Semi-Pneu	36
311	17"	53½"	46½"	9½"	18"	8¼" x 10½"	500	410x3.50—4—2 Ply Pneu	35

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

BAR AND ROD TRUCKS

3400 LBS. CAPACITY - SEMI-STEEL CASTERS
3000 LBS. CAPACITY - HI-CAP RUBBER CASTERS

Model	W	L	Ship Wt.
BRT-48	36"	48"	255
BRT-60	36"	60"	275
BRT-72	36"	72"	292



BRT-60

Casters:

Semi-Steel Roller Bearing Wheels, 8" x 2" 2 rigid & 2 swivel.

Hi-Cap Rubber Roller Bearing Wheels, 8" x 2" 2 rigid & 2 swivel.

Finish: Green Enamel

Truck Floor Lock Available at Additional Charge.

All welded, heavy gauge steel, rugged for transporting mill shapes - conduit, tubing pipe, angle, channels, rounds, flats, other metal and plastic items.

All models 60" overall height; height above deck 48". Deck: 12 gauge steel, Uprights: 4" channel.



SPT-2842

SHEET AND PANEL TRUCK

2000 LBS. CAPACITY
Casters: 2 Rigid and 2 Swivel 6" x 2" Hard Rubber Wheels

Ship. Wt.—105 Lbs.

Finish: Green Enamel

28"W—42"L—49"O.A.H.

Deck—¾" plywood

All welded rugged construction—Used for transporting panel units, partition sections, masonite, formica, building and other long type materials, to and from work stations, in the plant, and on the construction job. End stop on the length of the deck keeps material from sliding off truck.

SEMI-LIVE PLATFORM TRUCKS

2500 LBS. CAPACITY
8" x 2" Hi-Cap Rubber Wheels
Platform 12" from floor

Model	Platform W	Platform L	Ship. Wt.
SLPT-2448	24	48	90
SLPT-2460	24	60	106
SLPT-3048	30	48	100
SLPT-3060	30	60	114
SLPT-3648	36	48	112
SLPT-3660	36	60	127

All Welded Construction—Rugged—12 Ga. Reinforced Steel Deck—

For temporary storage of materials, parts, or finished goods. Low number of jack handles can service and transport a number of these mobile platforms in plants, warehouses, freight terminals, and in other operations. Finish: Green Enamel

Jack Handle engages and disengages platform. Trucks easily maneuverable, stack in small space when out of use.

JACK HANDLE

54½" Long
No. 15—Ship. Wt. 35 Lbs.
8" x 2" Hi-Cap Rubber Wheels



SLPT-3660
W/Optional Jack Handle

DOUBLE PERSONAL LOCKERS

All welded construction, for shop and warehouse uses, lockers stackable and equipped with three shelves, padlock loop eye and plain handle. Top locker comes with sloped top.

Top Locker Size: 16¼" Deep x 21¼" Wide x 34" High in back.

Bottom Locker Size: 16¼" Deep x 21¼" Wide x 30" High.

Shelf Clearances:
- 5" Top to First Shelf
- 5" First Shelf to Second Shelf
- 4¼" Second Shelf to Third Shelf
- 10" Third Shelf to Bottom

Finish: Green Enamel

Ship. Wt. Top Locker 85 Lbs.
Bottom Locker 89 Lbs.



DPL-1621

3 DOOR LOCKER CABINET UNIT

OVERALL CABINET SIZE:
24" W x 24" L x 74" H

All welded, rugged construction for storage of individual belongings and supplies in various areas and departments in plant. Doors equipped with pull handles and padlock loop eyes. Entire unit constructed of 14 gauge steel. Unit shipped completely assembled and ready for use.

Inside Dimension of Cabinets: 23¼" Wide x 22¾" Deep x 24" High

Finish: Green Enamel

Ship. Wt. 230 Lbs.

Specials Quoted Upon Request to Meet Customer's Requirements.



DLCU-2424

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

EXTRA HEAVY DUTY STORAGE CABINETS

RUGGED—ALL WELDED CONSTRUCTION

All Models have 1 Fixed Center Shelf. All Other Shelves Adjustable on 2" Centers. Shelf Size—18" W x 35¾" L.

Cabinets built for years of rugged use. Units have 16 Ga. Reinforced Shelves and Bottom, Sides—12 Ga., Doors 18 Ga. with 20 Ga. Reinforcing Channel. Used for storage of tools, small dies, etc. All Models furnished with Plain Handle. Units shipped completely assembled and ready for use.

Finish: Green Enamel

Keyed handle available at additional charge



HDSC-3672-4

Model	D	W	H	Shelves	Ship. Wt.
HDSC-3648-2	19"	36"	48"	2—1 Fixed, 1 Adjustable	205
HDSC-3660-3	19"	36"	60"	3—1 Fixed, 2 Adjustable	250
HDSC-3672-4	19"	36"	72"	4—1 Fixed, 3 Adjustable	300
Additional Shelves Available 18"D x 35¾"L					20

HEAVY DUTY TOOL CABINET

Large variety of uses—in warehouses, factories, and offices. Handles large tools, bulky items, heavy material, etc.

Unit equipped with padlock Hasp and Keyed Handle for extra security.

Unit shipped completely assembled and ready for use. Cabinet furnished with 2 Fixed Shelves.

Top 19" x 24"; Height to Top Surface—42"
Clearance between shelves—12½"

HDTC-2442

Construction:
Body and Shelves—14 Gauge Steel
Top, Bottom and Door—12 Gauge Steel

Finish: Green Enamel

Ship. Wt. 128 Lbs.

WARDROBE—STORAGE CABINET

ALL WELDED CONSTRUCTION

Heavy Duty Cabinet has the double purpose of storage on one side and 4 fixed shelves on the other. There is a full length shelf on top for extra storage. Model furnished with Keyed Handle. Padlock Hasp available at additional charge. Units shipped completely assembled and ready for use.

Construction: Top Sides, Top Shelf Divider—16 Gauge Steel: Doors, Back and Half Shelves—18 Gauge Steel: Bottom—14 Gauge Steel.

CABINET SIZE: 21"D x 36"W x 72"H

Finish: Green Enamel

Ship. Wt. 248 Lbs.

WSC-3672

BOOK SHELF—STORAGE CABINET

ALL WELDED CONSTRUCTION

Used in office, factory and shop operations. Unit has 2 fixed shelves on top for storage of manuals, catalogs, books, etc. and a secure cabinet below with 3 fixed shelves, 10" shelf clearance.

Model furnished with Plain Handle, Keyed Handle available at additional charge.

Entire unit constructed of 16 Gauge
BOOK SHELF DEPTH—12"
Finish: Green Enamel
Ship. Wt. 235 Lbs.

OVERALL DIMENSION of CABINET

19"Dx36"Wx75" OAH
48" High from floor to top of storage cabinet.



BSC-3675

SLIDING SHELF TRUCKS

2400 LBS. CAPACITY—SEMI-STEEL CASTERS
2000 LBS. CAPACITY—HARD RUBBER CASTERS
LARGE VOLUME CAPACITY TRUCK
2 REMOVABLE SHELVES

Ruggedly built of all steel welded construction. Ready for use.
All corners and all edges are round for safe handling without damage to other equipment.
See Thru design for visual load inspection.
For large or heavy stock orders and other purposes.
Shelves are easily removed by sliding out of channels permitting truck to be used for large bulky materials. Standard unit consists of 2 shelves and bottom.

18" Clearance Between Shelves

Prices Include Two (2) Shelves.
Extra Shelves Priced on Request

Casters: 6"x2"
—2 rigid and 2 swivel.

Finish: Green Enamel



SS-72

Model	L	W	H	Shelf Size	Ship. Wt.
SS-48	56"	37"	66"	36" x 48"	266 lbs.
SS-60	68"	37"	66"	36" x 60"	298 lbs.
SS-72	80"	37"	66"	36 x 72	330 lbs.

3/SIDED PLATFORM TRUCKS

HEAVY DUTY
3000 LBS. CAPACITY—SEMI-STEEL CASTERS
2000 LBS. CAPACITY—MOLD ON RUBBER CASTERS

Ruggedly built of all steel welded construction. All corners and edges are round for safe handling without damage to other equipment. See Thru design for visual load inspection. Increases load capacity over platform trucks. Used in shipping and receiving rooms.

ALL MODELS: 60" O.A.H.
FLOOR TO DECK: 12"
DECK TO TOP FRAME: 48"
Reinforced 12 Gauge Steel platform
FRAME: 1-1/2" x 3/16" Angle Iron

Sides and Back 3/4" Flattened
Expanded Metal 13 Gauge Steel

TUBULAR PUSH HANDLE

FINISH: Green Enamel
WHEELS: 8"x2", 2 swivel, 2 rigid.
Drop Front Door Available on all Models at Additional Charge



3ST-2848

Model	W	L	Ship. Wt.
3ST-2448	24"	48"	185
3ST-2460	24"	60"	200
3ST-2472	24"	72"	220
3ST-2848	28"	48"	200
3ST-2860	28"	60"	213

Model	W	L	Ship. Wt.
3ST-2872	28"	72"	235
3ST-3448	34"	48	215
3ST-3460	34"	60"	235
3ST-3472	34"	72"	258

CAGE STOCK TRUCK

CST-24

800 LBS. CAPACITY
ALL WELDED CONSTRUCTION

For variety of uses, on the assembly line, in the stock room and many other operations.
See-thru design for visual load inspection.
Used for drying purposes, paper stock, etc.

Overall Dimensions.....24½"Wx42"Lx62"H
Shelves.....24"x36"—14 Ga. steel
Wheels.....5"x1¼" Soft Rubber
2 swivel, 2 rigid
Finish.....Green Enamel

★ Shelves are furnished with welded clips that rest on Band Iron strips
CST-24—Ship. Wt. 135 Lbs.
Additional Shelves Available at Additional Charge — Ship. Wt. 24 lbs.

3/SIDED STOCK CARTS



3SC-30

MEDIUM DUTY
1500 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

For variety of uses in factories, warehouses, offices, etc. See Thru design for visual load inspection. Used for drying purposes, paper truck, etc.

ALL WELDED CONSTRUCTION

ALL MODELS: 60" O.A.H.
BOTTOM DECK: 12 Gauge Steel
POSTS: 1½" x ⅛" Angle Iron
VERTICAL RODS: ⅜" Diameter
DECK HEIGHT: 7" from floor
TUBULAR PUSH BAR
FINISH: Green Enamel
WHEELS: 4"x1¼", 2 Swivel, 2 Rigid.

Model	W	L	Ship. Wt.
3SC-30	24"	30"	105
3SC-36	24	36"	115
3SC-48	24"	48"	135
3SC-60	24"	60	155

BOX TRUCKS
ROLL-OVER BOX TRUCKS

ALL WELDED CONSTRUCTION

1000 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS



BT-2436

ROBT-36

GRIZZLY Box Truck and Roll-Over Box Truck are used for handling packaged goods, in department stores and warehouses, line operations, disposal of waste materials, and for general purposes.

Rugged construction, heavy 14 gauge steel, tilt mounted on 2 center rigid casters and 1 swivel caster at the center of each end. Turns within half of its length. Leakproof.

ROBT series—Roll-Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—remains upright, material easily removed—one man operation.

BOX TRUCKS

Model	Ship. Wt.	W	D	L	O.A.H.
BT-2436	95	24"	24"	36"	30"
BT-3036	110	30"	24"	36"	30"
BT-2448	115	24"	24"	48"	30"
BT-3048	136	30"	24"	48"	30"

Finish: Green Enamel

Wheels:
Semi-Steel, 5"x1¼"
Soft Rubber, 5"x1¼"

ROLL-OVER BOX TRUCKS

Model	W	D	L	O.A.H.	Ship. Wt.
ROBT-36	24"	24"	36"	30"	120 lbs.
ROBT-48	24"	24"	48"	30"	140 lbs.

HAND DUMP TRUCKS—ROLL-OVER DUMP TRUCKS



HDT-42

1500 LBS. CAPACITY
4" SEMI-STEEL CASTERS
2000 LBS. CAPACITY
8" SEMI-STEEL CASTERS



RODT-42

ALL WELDED, heavy gauge steel, rugged, leakproof, 5" from floor, for carrying and dumping parts, metal chips, and waste material into pits and containers. Front slanted for easy dumping. Casters: 2 rigid, front, and 1 swivel, rear, 4" x 1½" semi-steel wheels, easily moved into and out of close, narrow quarters. HDT models available with 8" x 2" semi-steel wheels; 2 rigid, front, and 1 swivel, rear. (8" x 2" Mold On Rubber Wheels available at additional charge).

Handy in machine shops, screw machine operations, production and assembly lines.

RODT unit—Roll Over—gives maximum leverage with ease, turns over load from horizontal to vertical position—remains upright, material easily removed—ONE MAN OPERATION.

RODT-42—Roll-Over Dump Truck **Ship. Wt.** **130 Lbs.**
(RODT-42 has the same dimensions as HDT-42 with exception of roll-over feature.)
RODT-60—Roll-Over Dump Truck **Ship. Wt.** **178 Lbs.**
(RODT-60 has the same dimensions as HDT-60 with exception of roll-over feature.)
Finish: Green Enamel

Hand Dump Trucks *	HDT-42	HDT-60
Top	24"W x 42"L	24"W x 60"L
Bottom	24"W x 29"L	24"W x 47"L
Box Depth	18"	18
Floor to Top of Box	23"	23"
Handle From Floor	36"	36"
Ship. Wt.	120 Lbs.	168 Lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

DIVIDED SHELF TRUCK

1400 LBS. CAPACITY—HARD RUBBER CASTERS
ALL WELDED CONSTRUCTION

Large variety of uses—in warehouses, factories, and offices. For order filling, stock picking, parts routing. Five shelf surfaces on each side. Double shelves pitched to slope toward center to prevent material from falling off of truck while in motion. Material can be slid on and off with ease.

DV-2242
42"L—22"W—55¾"O.A.H.
Solid divider thru center, shelves 11" deep and slope 2" to center, 12" clearance from bottom to first shelf, other shelves have 8" clearance.
Casters: 2 Swivel, 2 Rigid, 5"x1½"
Finish: Green Enamel
Ship. Wt.—200 Lbs.



DV-2242

OPEN SIDE TRUCK

800 LBS. CAPACITY—SOFT RUBBER CASTERS
ALL WELDED CONSTRUCTION

OST-39

For factory, hospital and office use. Used as a book cart, stock picker's truck, linen truck, or office record truck.

OST-39
Overall Dimensions: 18½"W x 45"L x 50"H
Shelves: 18" x 39", 18 gauge steel, flat surface
Optional: Tray Shelves 1¼" deep, some price
Clearance Between Shelves: 15"
Casters: 4 swivels, 5" x 1¼"
Push Handles: Tubular, one at each end
Finish: Green Enamel
Ship. Wt. 110 Lbs.

ENCLOSED SHELF TRUCK

800 LBS. CAPACITY—
SOFT RUBBER CASTERS
ALL WELDED CONSTRUCTION

For Warehouses, Factories and Offices— For order picking, stock filling, parts routing. Five shelf surfaces slope 1" to the back to prevent material from falling off of truck while in motion.

Material can be slid on and off with ease.

Casters: 2 swivel, 2 rigid 5" x 1¼"
Finish: Green Enamel
Ship. Wt.—110 Lbs.



EST-44

Overall Dimensions: 16"W x 45"L x 62"H
Shelves: 16" x 44"—20 Ga. steel
10" Clearance between Shelves

GARMENT TRUCKS

500 LBS. CAPACITY—
SOFT RUBBER CASTERS
ALL WELDED CONSTRUCTION

Used in garment factories, department stores, laundries, cleaners, motels, hotels. Handy for order filling. Light weight, easy to maneuver.

Dimensions the same for both GT-72 and GT-72-SD

74"L—20-1/2"W—66"H
Frame: 1-1/16" Tubular Steel
Casters: 4 swivels, 5" x 1-1/4"
Finish: Green Enamel



GT-72 Garment Truck—
Ship. Wt. 55 Lbs.



GT-72-SD Garment Truck—
Ship. Wt. 70 Lbs.

Grizzly®

MOPPING FLOOR AND CLEANING CART

800 LBS. CAPACITY



MFC-25

All welded construction, handles all your general cleaning needs such as mops, brooms, brushes, pails, etc. For use in supermarkets, hotels, hospitals, restaurants, etc.

Overall Dimensions: 25" W x 33" L x 41" H
Accessory Box Size: 10½" W x 22 7/16" L x 8" H
Bottom Deck Size: 25" W x 25" L x 2" D
Casters: 5" x 1¼", Non-marking Polyolefin, 2 rigid and 2 swivel
Finish: Green Enamel — Ship. Wt. 68 Lbs.
Accessories Not Included

PORTABLE PRODUCTION EXAMINATION TABLE

500 LBS. CAPACITY
5" Soft Rubber Stem Casters



PPET-2636

All welded construction used by inspectors, checkers, inventory use, etc. Table equipped with removable ¼" pressed wood top and ¼" lip above pressed wood in front to prevent parts and other items from rolling off. Unit has 8" high steel clipboard holder with 70° slope to the back. All swivel casters for easy movability. Shipped completely assembled ready for immediate use.

Width.....36"
Depth.....26"
Overall Height.....Front 38¾" — Back 46¾"
Finish: Green Enamel
Ship. Wt. 63 Lbs.

HYDRAULIC LIFT TOP TABLES

- All Arc Welded—Rugged—Portable
- Foot Operated—
- Easily adjusted to and from working height.
- Heavy reinforced steel top, telescoped tubular uprights travel within heavy tubular walls to and from working height.
- Heavy duty swivel casters and rigid casters provide easy movement, with foot operated floor lock firmly holds the table as required.
- For moving dies, tools and parts to and from working station—production & maintenance.

HLTT-36-1
CAPACITY 1000 LBS.



Model HLTT-36-1 Top.....20"W—36"L
Swivel Casters..5"x1-5/8" semi-steel, plain bearing wheels. Foot operated floor lock between swivel casters at one end.
Raised Top Height.....43" from Floor
Top Height.....31" from Floor
Top travel.....12"
FINISH. Orange Enamel—Ship. Wt.....260 Lbs.



HLTT-36-2
CAPACITY 2000 LBS.

Model HLTT-36-2 Top.....30"W—48"L
Swivel casters .5"x1-5/8" semi-steel, plain bearing wheels. Foot operated floor lock between swivel casters at one end.
Raised Top Height.....43" from Floor
Top Height.....31" from Floor
Top travel.....12"
FINISH: Orange Enamel—Ship. Wt.....360 Lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114
Grizzly.

TOTE-ALL UTILITY CARTS
TOTE-ALL PLATFORM TRUCKS

ALL WELDED CONSTRUCTION
800 LBS. CAPACITY - SOFT RUBBER CASTERS

Grizzly®

Used in shipping operations, stockrooms and selling areas. Flat top decks for easy loading and unloading. With tubular push handle. Construction: 1-1/16" tubing 14 gauge. Wheels: 5"x1¼" Soft Rubber self lube, 2 rigid and 2 swivel.

Truck Floor Lock Available at Additional Charge

Finish: Green Enamel





TOTE-ALL UTILITY CARTS
All Models: 36" O.A.H.
Deck Height: 30"
Shelf Clearance: 21⅜"
Floor Clearance: 6¼"

Model	W	L	Ship Wt.
UC-2432	24"	32"	34
UC-2442	24"	42"	42
UC-2452	24"	52"	53

TOTE-ALL PLATFORM TRUCKS
All Models: 37" O.A.H.
Deck Height: 15"

Model	W	L	Ship Wt.
UT-2432	24"	32"	55
UT-2442	24"	42"	64
UT-2452	24"	52"	73

TOTE-ALL HAND TRUCK

ALL WELDED CONSTRUCTION
COMBINATION 4-WHEEL CART OR 2-WHEEL HAND TRUCK
375 LBS. CAPACITY



IDEAL FOR:

- LUGGAGE
- PACKAGES
- SMALL BOXES
- TANKS
- INSTRUMENT CARRIER
- TESTING MACHINES
- VACUUM CLEANING TANKS
- PAINT SPRAY UNITS

I.D. Bottom: 24"W, 16"D.—Sides: 28"H, 23½"D, front to back. 30"W, 4½"H.—Wheels: 8" x 1.75 Semi-Pneumatic rubber tired.—Casters: 3" x 1¼" Hard rubber swivels.—Finish: Green Enamel.

Model TA-24 Ship. Wt. 52 Lbs.

TOTE PAN HAND TRUCK

ALL WELDED CONSTRUCTION
375 LBS. CAPACITY

FOR: **TRAYS, BOXES, TOOLS, DIES & ORDER PICKING**



Sits level on 4 wheels for loading and unloading beside machines or assembly benches. Can be maneuvered on 2 large semi-pneumatic wheels as a hand truck or pushed as a cart on 4 wheels. Two swivel casters in front for easy turning.

TRAY: 12"D—24"L.—CLEARANCE BETWEEN TRAYS: 12", Bottom Tray 3¾" from floor.—O.A.H.—42", 22" from front to back wheel.—WHEELS: 8" x 1.75 semi-pneumatic rubber tired.—CASTERS: 3" x 1¼" Hard Rubber Swivels.—FINISH: Green Enamel.

Model TPH-24 Ship. Wt. 55 Lbs.

TOTE-ALL HAND CART

CAPACITY:
1000 LBS.—SEMI-STEEL CASTERS
800 LBS.—SOFT RUBBER CASTERS

Top—15"W—28" L,
Cart height—20½"O.A.H. **SER-101-RW**
Handle: 32" Long
Top and Bottom tray—1" deep.
Legs: 1½" x 1½" x ⅛" Angle Iron
Drawer: 14⅜" D x 20⅝" W x 5" H
Drawer Slides on Ball Bearing Steel Rollers



Finish: Green Enamel

All welded, rugged construction for general maintenance uses—carrying parts and tools—with padlock attachment and convenient tow handle. Used especially for servicing production machines requiring testing and other measuring instruments.
Casters: Easy to roll with 5" x 1¼" Soft Rubber or Semi-Steel Wheels—2 rigid and 2 swivel.

SER-101-SW	w/Semi-Steel Wheels	60 Ship Wt
SER-101-RW	w/Soft Rubber Wheels	56 Ship Wt

SHOP TRAY TRUCKS

2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

HEAVY DUTY ALL WELDED CONSTRUCTION

Used in shop operations with presses, screw machines, assembly. Handles large bulky parts, castings, large stampings and heavy materials.

TOP TRAY: 6" or 12" Deep—12 Gauge steel with 1" hemmed edges.
Clearance between Top and Bottom Trays—17-3/4"
BOTTOM TRAY: 2" Deep—12 Gauge steel.
LEGS: 1-3/4" x 1-3/4" x 3/16" Angle Iron ALL MODELS: 36" O. A. H.
Floor Clearace: 6-1/4" TUBULAR PUSH BAR:

CASTERS:
2 swivel 2 rigid
Semi-Steel Wheels 5" x 1-5/8"
Hard Rubber Wheels 5" x 1-1/2"

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge
Finish: Green Enamel

W	L	Top Box Depth = 6"	Ship. Wt.	Top Box Depth = 12	Ship. Wt.
18	30	TT-1830-6	114	TT-1830-12	130
24	30	TT-2430-6	128	TT-2430-12	148
24	36	TT-2436-6	140	TT-2436-12	161
30	36	TT-3036-6	151	TT-3036-12	179
24	48	TT-2448-6	158	TT-2448-12	184
30	48	TT-3048-6	180	TT-3048-12	208



TT-2436-12

TRAY STOCK CARTS

MEDIUM DUTY
ALL WELDED CONSTRUCTION
1100 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS

Stock picking truck for large parts, bulky items, deep box can be used for many purposes, mail cart, etc.

Finish: Green Enamel

ALL MODELS: 36" O.A.H.

CASTERS: 2 swivel 2 rigid
Semi-Steel Wheels 5" x 1¼"
Soft Rubber Wheels 5" x 1¼"

LEGS: 1½" x 1½" x ⅛" Angle Iron



Clearance between top and bottom trays—18" TSC-2436-12
TUBULAR PUSH BAR Floor Clearance: 6"

TOP TRAY: 6" or 12" deep—16 Gauge steel with ½" hemmed edges.
BOTTOM TRAY: 2½" deep—16 Gauge steel with ½" hemmed edges.

Truck Floor Lock—Flat Bottom Shelf — Available at Additional Charge.

W	L	Top Box Depth = 6	Ship. Wt.	Top Box Depth = 12	Ship. Wt.
18	28	TSC-1828-6	67	TSC-1828-12	73
18	36	TSC-1836-6	74	TSC-1836-12	85
24	36	TSC-2436-6	83	TSC-2436-12	95

STOCK CARTS

MEDIUM DUTY
500 LBS. CAPACITY—
5" SOFT RUBBER CASTERS
360 LBS. CAPACITY—
3" SOFT RUBBER CASTERS

All welded, designed for rugged factory use yet with appearance satisfactory for office and store. Large capacity shelves save time and steps, on the assembly line, in the stock room, the office, in any one of many other operations.

Built for Years of Easy Rolling Service.

SCF-5363

SC-5362 w/#1416-1 Drawer Unit

FINISH: Green Enamel
CASTERS: 2 swivel 2 rigid
Soft Rubber Plain Bearing Wheels—5" x 1"
Soft Rubber Ball Bearing Wheels—5" x 1"
Soft Rubber Plain Bearing Wheels—3" x 13/16"

Flat Bottom Shelf and Bench Drawer Units (See Page 16) —Available at Additional Charge. — SC Models Available with Writing Shelf Attachment (See Shop Trucks, Page 4)

Shelves—16 ga. Angle Legs All Trays—2½" Deep	Model	W	L	O.A.H.	Shelf Clearance	Wheels	Ship. Wt.
All Tray Shelves	SC -3182	18"	28"	34"	25¼"	3"	47
	SC -5182	18"	28"	36"		5"	50
	SC -3362	18"	36"	34"		3"	53
	SC -5362	18"	36"	36"		5"	56
	SC -5242	24"	36"	36"		5"	66
All Tray Shelves	SC -3183	18"	28"	34"	11¼"	3"	62
	SC -5183	18"	28"	36"		5"	65
	SC -3363	18"	36"	34"		3"	70
	SC -5363	18"	36"	36"		5"	73
	SC -5243	24"	36"	36"		5"	88
Flat Surface Top Shelf Tray Bottom Shelf	SCF-3182	18"	28"	34"	25¼"	3"	47
	SCF-5182	18"	28"	36"		5"	50
	SCF-3362	18"	36"	34"		3"	53
	SCF-5362	18"	36"	36"		5"	56
	SCF-5242	24"	36"	36"		5"	66
Flat Surface Top Shelf Tray Center and Bottom Shelves	SCF-3183	18"	28"	34"	11¼"	3"	62
	SCF-5183	18"	28"	36"		5"	65
	SCF-3363	18"	36"	34"		3"	70
	SCF-5363	18"	36"	36"		5"	73
	SCF-5243	24"	36"	36"		5"	88

HI-LADDER STOCK CARTS•LADDER STOCK CARTS

ALL WELDED CONSTRUCTION
2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

SHELVES.....14-Gauge steel, Tray Type—2" deep
CLEARANCE BETWEEN SHELVES.....13"
TOP OF CART.....38¼" from Floor

CASTERS: 2 Swivel, 2 Rigid
S= Semi-Steel Wheels 5" x 1⅜"
R= Hard Rubber Wheels 5" x 1½"

HI-LADDER
LT-20-78R

SIZE OF SHELVES
—Top—20"x32"
—Center—20"x36"
—Bottom—20"x41"

Permits work up to 10 feet high. This truck can be used for working high stockroom shelves and bins.

LADDER
LT-20-R

LADDER ..... Spring loaded and adjustable STEPS: 6" wide

With adjustable ladder to give quick, higher standing step for stock clerks and others to place items into and take from inventory and storage areas, and for moving such items to and from job and shipping locations.

Ladder automatically slides to floor when operator places his weight on first step locking both ladder and truck firmly to the floor, when weight is removed the ladder retracts allowing truck to be easily moved. Finish..... Green Enamel

Specifications: Same for LT-20-78 and LT-20 Models with exception of O.A.H.

Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge.
Top and center shelves reversed at no charge

HI-LADDER STOCK CARTS OA-20"W x 44"L x 78"H

LT-20-78R	169 Ship. Wt.
LT-20-78S	174 Ship. Wt.

LADDER STOCK CARTS OA-20"W x 44"L x 62"H

LT-20-R	150 Ship. Wt.
LT-20-S	155 Ship. Wt.

FIVE SHELF STOCK CARTS

1000 LBS. CAPACITY—
SEMI-STEEL CASTERS
800 LBS. CAPACITY—
SOFT RUBBER CASTERS

Large volume capacity stock cart for filling orders and other purposes. All welded construction with 1½" x 1½" x ⅛" angle posts, and push handle located 39½" high for balanced handling, adds 3" to overall length of cart.

Top trays, with 2½" sides, can be reversed at no extra cost.



L-1836

Floor Clearance.....6¼"
O.A.H. with Semi-Steel Casters.....58¾"
O.A.H. with Soft Rubber Casters.....58¾"
Shelf Clearance.....10"
Finish.....Green Enamel

Casters: 2 swivel, 2 rigid
Semi-Steel Wheels 5" x 1¼"
Soft Rubber Wheels 5" x 1¼"

Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge.

Model	W	L	Ship. Wt.
L-1828	18"	28"	105
L-1836	18"	36"	119

Model	W	L	Ship. Wt.
L-2436	24"	36"	144
L-2448	24"	48"	181

FIVE SHELF HEAVY DUTY TRUCKS

3000 LBS. CAPACITY—SEMI-STEEL CASTERS
2000 LBS. CAPACITY—MOLDON RUBBER CASTERS

For large and heavy stock orders, shop, tool-room and production line. All welded with 1-3/4" x 1-3/4" x 3/16" angle posts, top trays of 12 gauge steel, can be reversed at no extra cost. Tubular push handle for easy maneuvering adds 3" to overall length.

Tray Shelves.....2" deep
Overall Height.....68"
Shelf Clearance.....12"
Floor Clearance.....9½"
Finish.....Green Enamel

Casters: 2 swivel, 2 rigid
Semi-Steel Wheels 8" x 2"
Moldon Rubber Wheels 8" x 2"

Truck Floor Lock-Flat Bottom Shelf — Available at Additional Charge.



H-2436

Model	W	L	Ship. Wt.
H-2430	24"	30"	219
H-2436	24"	36"	247
H-3036	30"	36"	287
H-2448	24"	48"	299
H-3048	30	48"	349
H-2460	24"	60"	355
H-3060	30"	60"	413

LUMBER SERVICING TRUCKS

1200 LBS. CAPACITY—ALL WELDED CONSTRUCTION

For convenient movement of bulky and other items for customer service, maintenance and repair including bulky panels, masonite, plywood, lumber, trim, hardware, gardening tools and landscaping materials. Casters: 6" x 2" Soft Rubber Wheels = 2 swivel, 2 rigid.



YZ-100 for longer bulkier items.
Width = 24": Base Length = 42":
Overall Length = 65": Ht. = 44¾"
Floor Clearance = 8¾"
Sheet Holder adjustable to 60" overall height.
Finish: Green Enamel
Ship. Wt. = 145 Lbs.



YZ-75 for shorter items.
W = 26": Depth = 24": H = 39"
Floor Clearance = 7½"
Finish: Green Enamel
Ship. Wt. = 72 Lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. - CLEVELAND, OHIO 44114

PORTABLE MARKING TABLES

ALL WELDED CONSTRUCTION
CAPACITY 1000 LBS.—SEMI-STEEL CASTERS
CAPACITY 800 LBS.—SOFT RUBBER CASTERS

Model	Shelves	W	L	Ship. Wt.
MT-2448-2	2	24"	48"	100
MT-2448-3	3	24"	48"	132
MT-2460-2	2	24"	60"	115
MT-2460-3	3	24"	60"	155
MT-2472-2	2	24"	72"	125
MT-2472-3	3	24"	72"	162
MT-3048-2	2	30	48"	112
MT-3048-3	3	30"	48"	150
MT-3060-2	2	30"	60	130
MT-3060-3	3	30"	60"	175
MT-3072-2	2	30"	72"	140
MT-3072-3	3	30"	72"	184

Designed for rugged factory use yet with appearance for office and store. Flat surface for layouts, marking and sorting merchandise.

Light duty truck for industrial use, order filling, warehouse, beside assembly operations.

Top and bottom shelves are reinforced with channels.



MT-2460-2

30"O.A.H.—Clearance between Shelves: 21", SHELVES—16 Ga. Steel with 20 Ga. Channels, LEGS—1½" x 1½" x ⅛" Angle Iron, CASTERS—5" x 1¼" .....All Swivels, FINISH: Green Enamel.

STEEL DOLLIES

WITH REMOVABLE HANDLE
1500 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—HARD RUBBER CASTERS

Rugged, all welded 12 gauge steel dollies castered for easy movement. Sides 2" deep, floor clearance 5", with 4" x 1½" casters. 2 swivel and 2 rigid. Removable Handle—½" rod—36½" long.

Model	W	L	Ship. Wt.
18-D-30	18"	30"	40
18-D-36	18"	36"	44
18-D-48	18"	48"	52
18-D-60	18"	60"	60
24-D-30	24"	30"	45
24-D-36	24"	36"	50
24-D-48	24"	48"	60
24-D-60	24"	60"	72
Removable Handle Furnished with unit			3

Top reversed on request at no extra cost.
Finish: Green Enamel

18-D-30

HEAVY DUTY TOOL STANDS

2000 LBS. CAPACITY—
ALL WELDED CONSTRUCTION

Floor clearance 6¼".
Pads on bottom of legs protect floors.
Finish: Green Enamel
ALL MODELS ..... 32-1/2" O.A.H.
SHELVES ..... 12 Gauge Steel
LEGS ..... 1-3/4" x 3/16" Angle Iron

2448-3

Heavy Duty Tool Stands have a broad usage in many industries where heavier than average weights are a daily occurrence. Flat top for sliding heavy dies, tooling or shop boxes on and off. Used by machine operators as a service table.

1836-2 W/2 Shelves

TRAY SHELVES ARE 2" DEEP

TOP AND BOTTOM SHELVES
Shelf Clearance 22-1/4 inches



1836-3 W/3 Shelves

TOP BOTTOM AND CENTER SHELVES
Shelf Clearance 10-1/8 inches

Model	W	L	Ship. Wt.
1830-2	18"	30"	62
1836-2	18"	36"	70
1848-2	18"	48"	85
1860-2	18"	60"	104
2430-2	24"	30"	83
2436-2	24"	36"	95
2448-2	24"	48"	116
2460-2	24"	60"	136
1830-3	18"	30"	85
1836-3	18"	36"	98
1848-3	18"	48"	120
1860-3	18"	60"	148
2430-3	24"	30"	112
2436-3	24"	36"	130
2448-3	24"	48"	162
2460-3	24"	60"	192

Grizzly®

"MIJ" BOX CARTS

300 LBS. CAPACITY—
WITH CASTERS

BC-213



Combines a Tote Box with a highly maneuverable cart. For stocking assembly lines and machines, moving work parts in warehouses and stock rooms, collecting and moving items in tool cribs and shipping rooms. *ALL WELDED CONSTRUCTION.* Easily turned in narrow aisles, speeds up jobs, reduces work-fatigue by eliminating manual lifting of heavy shop boxes and places parts at a normal work elevation.

O.D.—13"W—23"L—31"H, BOX—6" deep
CLEARANCE BETWEEN BOX AND SHELF—17
BOTTOM SHELF—8" from floor

FINISH: Green Enamel	Ship. Wt
B-213—With Floor Pads	28 lbs.
BC-213—With 2½" Pressed Steel Casters	29 lbs

HOPPER TABLES

300 LBS. CAPACITY—WITH CASTERS

All welded construction, used beside machines for holding tote box on the sloping lipped top shelf filled with parts, which operator feeds into the machine operation, the machined parts are dropped into the chute opening into the tote box on the bottom shelf. Tote box filled with machined parts is then transferred to the next operation. These operations are repeated on the production line resulting in quicker and lower production costs with less fatigue on the workers. Hopper Tables are especially used on small parts production and assembly.



TH-14C

14¼"W—29¼"L—O.A.H. Back-36"—Front-30" with 1" Stop, CHUTE OPENING: 6" x 12", BOTTOM SHELF CLEARANCE FROM FLOOR: 6½", CLEARANCE BETWEEN BOTTOM SHELF AND CHUTE: 12", FINISH: Green Enamel.

TH-14	With Floor Pads	37 Ship. Wt.
TH-14C	With 2½" Pressed Steel Swivel Casters	40 Ship. Wt.

"MIJ" TABLES 300 LBS. CAPACITY—2½" DIA.

PRESSED STEEL OR SOFT RUBBER CASTERS
FOR FASTER PRODUCTION LINE NEEDS

Rugged—Compact— High Quality at Low Cost



TC-213

ALL MODELS.13" wide x 23" long.
SHELVES..... 16 Gauge Steel
LEGS..... Structural Angle

All welded construction, used as a durable service table for handling parts during production, beside Drill Presses, Punch Presses, Lathes, Automatics and other machines. Holds tote boxes at the right height for rapid handling, less fatigue for operator. Casters move table to tote pan, little effort required to place pan on table and move to next operation. Back and side stops and drop front on all shelves.

Finish: Green Enamel

Caster Models - 2½" Pressed Steel or Rubber		
	Overall Height	Ship Wt.
TC-213	23½"	22
TEC-213	30½"	24
TC-313	23½"	28
TEC-313	30½"	30

213 Series
Top and Bottom Shelves

313 Series
Top, Bottom and Center Shelves

Models With Floor Pads Welded to Legs			
	Height of Top Shelf	Shelf Clearance	Ship. Wt.
T -213	24"	16	21
TE-213	31"	21	23
T -313	24"	7½"	27
TE-313	31"	10"	29

EXTRA HEAVY DUTY TOOL STANDS 3000 LBS. CAPACITY

For handling long lengths of sheet metal. Placed beside shears, brakes, presses. Used as a feeder table. Layout table for plates, large dies, molds.

FOR EXTREME HEAVY LOAD REQUIREMENTS
ALL WELDED CONSTRUCTION • ALL SHELVES FLAT SURFACES
Finish: Green Enamel

ALL MODELS.....36" High
SHELVES.....12 Gauge Steel
LEGS.....2"x2"x3/16" Angle



HS-2460-2

Model	W	L	Ship. Wt.
HS-2448-2	24"	48"	135
HS-2460-2	24"	60"	155
HS-2472-2	24"	72"	175
HS-2848-2	28"	48"	145
HS-2860-2	28"	60"	170
HS-2872-2	28"	72"	195
HS-3448-2	34"	48"	165
HS-3460-2	34"	60"	190
HS-3472-2	34"	72"	240
HS-2448-3	24"	48"	185
HS-2460-3	24"	60"	215
HS-2472-3	24"	72"	245
HS-2848-3	28"	48"	205
HS-2860-3	28"	60"	240
HS-2872-3	28"	72"	275
HS-3448-3	34"	48"	230
HS-3460-3	34"	60"	280
HS-3472-3	34"	72"	335



HS-2872-2 W/2 Shelves

Clearance from floor to bottom shelf .. 8
Clearance between shelves . . . . 23½"



HS-2872-3 W/3 Shelves

Clearance from floor to bottom shelf ... 8"
Clearacne between shelves . ..... 10½"

UTILITY TABLES

500 LBS. CAPACITY—5" SOFT RUBBER CASTERS
300 LBS. CAPACITY—2½" DIA. PRESSED STEEL CASTERS OR SOFT RUBBER CASTERS

All welded construction, handle heavy loads of tools, parts and other items for production workers, machine operators, and repairmen on assembly lines beside machines, in garages, shops and warehouses.

Back and side stops on shelves prevent parts and other items from rolling off. Drop fronts for sliding items on and off, and for easy cleaning. Steel pads on legs avoid floor marks. Sturdy, deep drawers furnished with attachment for padlock. Swiveled castered models for movement of parts and tools from machine to machine.



LC3



S3DC



SDC

SHELVES
S Models: 16 Gauge—H-L-K Models: 14 Gauge

ANGLE LEGS
S Models: 1¼"x1/8"—H-L-K Models: 1½" x 1/8"

DRAWER SIZE (D) 14"W—16"L—5"D

FINISH: Green Enamel

Cylinder Lock Available at Additional Charge

	31" High Overall Floor Pads Welded to Legs				34" High Overall With Casters 4 Swivels	
	W	L	Model	Ship. Wt.	Model	Ship. Wt.
With Top and Bottom Shelves	19	25	ST	32	SC	35
	23	24	HT	43	HC	46
	20	28	LT	44	LC	47
	24	36	KT	60	KC	63
With Top, Bottom and Center Shelves	19	25	S3	42	SC3	45
	23	24	H3	57	HC3	60
	20	28	L3	59	LC3	62
	24	36	K3	83	KC3	86
With Top, Bottom and Center Shelves and No. 1416-1 Drawer	19	25	SD3	57	SD3C	60
	23	24	HD3	69	HD3C	72
	20	28	LD3	71	LD3C	74
	24	36	KD3	95	KD3C	98
With Top and Bottom Shelves and #1416-1 Drawer	19	25	SD	47	SDC	50
	23	24	HD	58	HDC	61
	20	28	LD	59	LDC	62
	24	36	KD	75	KDC	78
With Top and Bottom Shelves and #1416-2 Drawer Unit	19	25	S2D	77	S2DC	80
	23	24	H2D	88	H2DC	91
	20	28	L2D	89	L2DC	92
	24	36	K2D	105	K2DC	108
With Top and Bottom Shelves and #1416-3 Drawer Unit	19	25	S3D	98	S3DC	101
	23	24	H3D	109	H3DC	112
	20	28	L3D	110	L3DC	113
	24	36	K3D	126	K3DC	129

Grizzly®

LOW PORTABLE ASSEMBLY STOOLS

300 LBS. CAPACITY
2½" Dia. Soft Rubber Stem Casters

All welded construction for general maintenance, repair and assembly uses. Convenient 14" height, for assembly work requiring low level setting. 1" Tray Bottom Shelf has drop front for easy sliding, and carrying parts and tools. All swivel casters for easier movability.

Finish: Green Enamel



LPAS-1616

Model	W	L	H	Ship. Wt.
LPAS-1616	16"	16"	14"	19
LPAS-1323	13"	23"	14"	22



LPAS-1323

PORTABLE TOOL CABINET WORK BENCHES

3000 LBS. CAPACITY—SEMI-STEEL CASTERS
2000 LBS. CAPACITY—MOLDON RUBBER CASTERS

ALL WELDED CONSTRUCTION, for machine operators, production and maintenance workers, repairmen, etc. Furnished with a nine Drawer Cabinet which provides much storage of tools, parts and other items. Sides and back stop prevent objects from rolling off top. Equipped with Keyed Handle on door and Cylinder Lock on Nine Drawer Cabinet.

CASTERS: 2 rigid and 2 swivel, 8" x 2". Dimensions: Size of top—26" x 48", Height—37½" to work surface, 3" back stop, Overall Height—40½", Total Overall Length—63"; Vise Shelf—12" x 25" (Vise Shelf standard on all models); Storage Cabinet Size: Top Compartment—21"w x 23¾"d x 10"h, Bottom Compartment—21"w x 23¾"dx15"h.

Finish: Nine Drawer Cabinet—Red Enamel
All other Metal Parts—Gray Enamel

Vise Available Upon Request



PTC-48R

PTC-48S	Semi-Steel Wheels 8"x2"	348 Ship Wt.
PTC-48R	Moldon Rubber Wheels 8"x2"	345 Ship Wt.
	Floor Truck Lock at Additional Charge	5 Ship Wt.
	With 3/16" Steel Plate Top	67 Ship Wt.

PORTABLE MAINTENANCE CENTER WORK BENCHES

4000 LBS. CAPACITY—SEMI-STEEL CASTERS
4000 LBS. CAPACITY—HI-CAP RUBBER CASTERS
ALL WELDED CONSTRUCTION

For maintenance workers, mill wrights, electricians, repairmen and other spot workers.

Bench furnished with 2 nine drawer tool cabinets to provide large storage place for tools and parts and especially eliminates otherwise necessary trips to another work bench and stock room.

CASTERS: 2 rigid and 2 swivel, 8" x 2½".

Dimensions: Size of top—28" x 60"; Overall Height—38½" (includes ⅛" steel plate top); Total Overall Length—64½"; Top Four Compartments—11"w x 14"d x 10"h; Bottom Shelf (Open at both ends) 23"w x 28"d x 13"h.

Model furnished with Cylinder Locks on Tool Cabinets and Keyed Handles on Compartment Doors. Vise is available upon request.

Finish: 2 Nine Drawer Cabinets—Red Enamel
All Other Metal Parts—Gray Enamel



MTC-60R

MTC-60S	Semi-Steel Wheels 8"x2½"	696 Ship Wt.
MTC-60R	Hi-Cap Rubber Wheels 8"x2½"	688 Ship Wt.
	Floor Truck Lock at Additional Charge	5 Ship Wt.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE • CLEVELAND, OHIO 44114

Grizzly.

PORTABLE CABINET WORK BENCHES

2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—RUBBER CASTERS

Grizzly



PC-48S



PC-48R w/#1424-4 Drawer Unit

HEAVY DUTY

All welded construction, for repairmen, maintenance workers, millwrights, electricians, and other spot workers, providing large storage place for tools and parts, with adequate top work area, back and side stops to prevent tools and parts from falling off top—all to give more efficient work operation, especially eliminating otherwise necessary trips to another work bench and stock room.

Dimensions: Caster wheels—5" for easy rolling—2 rigid and 2 swivel casters. Size of: Top, 26" x 48", Height, 34" to bench top, 3" back stop; Overall height, 37" (48" overall height with riser); Total overall length, 63"; Vise shelf, 12" x 25"—vise shelf standard on all models. Shelf: 24¾" x 47¾". GRIZZLY—Bench Drawer Units installed in Work Benches for special requirements. See Page 16. Finish: Green Enamel.

PC-48S	Semi-Steel Wheels 5" x 1⅛"	250 Ship. Wt.
PC-48R	Hard Rubber Wheels 5" x 1½"	247 Ship. Wt.
R-48	Steel Bench Riser Shelf at Additional Charge	20 Ship. Wt.
	Keyed Handle at Additional Charge (2 keys)	
	Additional Shelf at Additional Charge	26 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
P-48	Pigeon Hole Unit 7" high x 48" long 4—4" x 12" Openings 9" deep	18 Ship. Wt.
P-88	Pigeon Hole Unit 11" high x 48" long 8—4" x 12" Openings 9" deep	27 Ship. Wt.



P-48



P-88



R-48

BP-SERIES

2000 LBS. CAPACITY—SEMI-STEEL CASTERS
1500 LBS. CAPACITY—RUBBER CASTERS

All welded construction, for Setup men, repairmen, maintenance workers, millwrights, electricians, and other spot workers. Drawer with Tool Tray, large compartment for storing bulky items. Two intermediate shelves for storage. Top heavy 12 Ga. steel, strong enough to mount a Vise. Hard maple top available on request.



BP-36R



BP-36R w/#1416-4 Drawer Unit and optional Hard Maple Top

SIZE OF TOP: 24" x 36". OVERALL HEIGHT: 34". Standard drawer unit in #BP-36—(#1416-1), also available 1416-2, 1416-3, and 1416-4. See Page 16. SHELVES: 2 each 18" wide by 23" deep. STORAGE CABINET: 17" wide x 23" deep x 24" high. CASTERS: 5" 2 Swivel and 2 Rigid. FINISH: Green Enamel.

BP-36S	Semi-Steel Wheels 5" x 1⅛"	220 Ship. Wt.
BP-36R	Hard Rubber Wheels 5" x 1½"	215 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
	Keyed Handle (2 Keys) at Additional Charge	
	With 3/16" Steel Plate Top at Additional Charge	260 Ship. Wt.

PORTABLE CABINET WORK BENCHES

1000 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY— SOFT RUBBER CASTERS

LIGHT DUTY

ALL WELDED CONSTRUCTION—Designed for light duty.

TOP: 21¼" x 36".
HEIGHT: 34" to Work Surface, 3" Back Stop.



PC-36R



PC-36R

SHELF SIZE: 19" x 35¾", adjustable on 2" Centers.
FINISH: Green Enamel

PC-36S	5" x 1¼" Semi-Steel, 2 Swivel—2 Rigid Casters	118 Ship. Wt.
PC-36R	5" x 1¼" Soft Rubber, 2 Swivel—2 Rigid Casters	114 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
	Additional Shelf at Additional Charge	16 Ship. Wt.
	Cylinder Lock which locks both Doors (2 Keys) at Additional Charge	

PDC SERIES

ALL WELDED CONSTRUCTION
1000 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS

Equipped with four large drawers, Steel bearing slides, inside dimensions—20" wide x 18" long x 4" deep. Inside Cabinet Size: 10½" wide x 20" deep x 25" high.

TOP:.....21¼"x36"
HEIGHT:.....34" to Work Surface, 3" Back Stop
FINISH:..... ..Green Enamel



PDC-36R

PDC-36R

PDC-36S	5" x 1¼" Semi-Steel, 2 Swivel—2 Rigid Casters	168 Ship. Wt.
PDC-36R	5" x 1¼" Soft Rubber, 2 Swivel—2 Rigid Casters	165 Ship. Wt.
	Floor Truck Lock at Additional Charge	5 Ship. Wt.
	Cylinder Locks fitted to all Drawers (Keyed-Un-alike) at Additional Charge	
	Keyed Handle at Additional Charge	

WORK BENCHES

ALL WELDED CONSTRUCTION
Standard Lengths 4' - 10'
Specials Quoted on Request



BS-2872

Showing Reinforced Construction

Reinforced steel tops. Reinforced channel stringers on all models. Shelving of channel reinforced construction to hold heavy loads and avoid sagging. Legs are channel formed with gussets for additional strength.

All welded construction—no bolts, rivets or other parts that have to be continually tightened.

COMPLETELY ASSEMBLED—READY FOR USE

TOPS ..... 12 Gauge Steel
BACK AND SIDE STOPS . 12 Gauge Steel
LEGS ..... 12 Gauge Steel
STRINGERS ..... 16 Gauge Steel
SHELVES ..... 16 Gauge Steel
LEGS SET IN 2" FROM END OF TOP

FINISH: Green Enamel
32½" HIGH TO WORK SURFACE
(34" Height Furnished at Additional Charge)



BACK STOPS—3" High—12 Ga. Steel
SIDE STOPS—3" High at Back, Taper to 1½" at Front

Bench Drawer Units and Accessories, See pages 15 and 16.

All 8 Ft. and Longer Models have 3 Bench Legs

Cylinder Lock Available for Drawer at Additional Charge.



F Series
FLAT TOP WITH STRINGER

Model	Top W	Top L	Ship. Wt.
F-2448	24"	48"	107
F-2460	24"	60"	120
F-2472	24"	72"	134
F-2496	24"	96"	180
F-24120	24"	120"	195
F-2848	28"	48"	118
F-2860	28"	60"	132
F-2872	28"	72"	148
F-2896	28"	96"	198
F-28120	28"	120"	215
F-3448	34"	48"	132
F-3460	34"	60"	148
F-3472	34"	72"	164
F-3496	34"	96"	220
F-34120	34"	120"	250



FS SERIES
FLAT TOP WITH STRINGER AND SHELF—15¼" DEEP

Model	Top W	Top L	Ship. Wt.
FS-2448	24"	48"	125
FS-2460	24"	60"	142
FS-2472	24"	72"	160
FS-2496	24"	96"	214
FS-24120	24"	120"	235
FS-2848	28"	48"	132
FS-2860	28"	60"	150
FS-2872	28"	72"	170
FS-2896	28"	96"	229
FS-28120	28"	120"	255
FS-3448	34"	48"	150
FS-3460	34"	60"	170
FS-3472	34"	72"	186
FS-3496	34"	96"	250
FS-34120	34"	120"	280



FD Series
FLAT TOP WITH STRINGER AND DRAWER UNIT 1424-1

Model	Top W	Top L	Ship. Wt.
FD-2448	24"	48"	132
FD-2460	24"	60"	145
FD-2472	24"	72"	159
FD-2496	24"	96"	205
FD-24120	24"	120"	230
FD-2848	28"	48"	143
FD-2860	28"	60"	157
FD-2872	28"	72"	173

Model	Top W	Top L	Ship Wt.
FD-2896	28"	96"	223
FD-28120	28"	120"	250
FD-3448	34"	48"	158
FD-3460	34"	60	174
FD-3472	34	72	189
FD-3496	34	96"	245
FD-34120	34"	120"	275

PRESSED WOOD TOPS (¼" THICK)

Pressed wood top—¼" thick—is attached directly over heavy steel top. Used for working with finished parts, die layout, instrument and electrical work. Any Size To 48" x 96".

(Pressed Wood)



The Storage capacity of your Work Bench may be substantially increased without reducing the work area on bench by an easily attached Riser. Slides easily between standard Grizzly Side and Back Stops.

WORK BENCH RISERS

Model	L	Ship. Wt.
R-36	36"	15
R-48	48"	19
R-60	60"	23
R-72	72"	27
R-96	96"	34

FINISH: Green Enamel

WORK BENCHES

ALL WELDED CONSTRUCTION



FSD Series
FLAT TOP WITH STRINGER AND SHELF AND DRAWER UNIT 1424-1

Model	Top W	Top L	Ship Wt.
FSD-2448	24"	48"	150
FSD-2460	24"	60	167
FSD-2472	24	72	185
FSD-2496	24"	96"	239
FSD-24120	24	120"	270
FSD-2848	28"	48"	157
FSD-2860	28"	60"	175
FSD-2872	28"	72"	195

Model	Top W	Top L	Ship Wt.
FSD-2896	28"	96	253
FSD-28120	28"	120"	290
FSD-3448	34"	48"	176
FSD-3460	34"	60"	196
FSD-3472	34"	72"	211
FSD-3496	34"	96"	275
FSD-34120	34"	120"	315



B Series
TOP WITH BACK, SIDE STOPS AND STRINGER

Model	Top W	Top L	Ship. Wt.
B-2448	24"	48	108
B-2460	24	60	121
B-2472	24"	72"	135
B-2496	24"	96"	181
B-24120	24"	120"	196
B-2848	28	48	119
B-2860	28	60"	133
B-2872	28"	72"	149

Model	Top W	Top L	Ship. Wt.
B-2896	28"	96"	199
B-28120	28"	120"	216
B-3448	34"	48"	133
B-3460	34"	60"	149
B-3472	34"	72"	166
B-3496	34"	96	222
B-34120	34"	120"	251



BS Series
TOP WITH BACK, SIDE STOPS, STRINGER AND SHELF
15¼" deep

Model	Top W	Top L	Ship. Wt.
BS-2448	24"	48"	126
BS-2460	24"	60"	143
BS-2472	24"	72"	161
BS-2496	24"	96"	215
BS-24120	24	120"	236
BS-2848	28	48"	133
BS-2860	28"	60"	151
BS-2872	28"	72"	171

Model	Top W	Top L	Ship. Wt.
BS-2896	28"	96"	229
BS-28120	28"	120"	256
BS-3448	34"	48"	151
BS-3460	34"	60"	171
BS-3472	34"	72"	188
BS-3496	34"	96	252
BS-34120	34"	120	281



BD Series
TOP WITH BACK, SIDE STOPS AND DRAWER UNIT—No. 1424-1
Drawer: 14"W x 23½"D x 5"H

Model	Top W	Top L	Ship. Wt.
BD-2448	24"	48"	133
BD-2460	24"	60"	146
BD-2472	24"	72"	160
BD-2496	24	96"	206
BD-24120	24	120"	231
BD-2848	28"	48"	144
BD-2860	28"	60"	158

Model	Top W	Top L	Ship. Wt.
BD-2872	28"	72"	174
BD-2896	28"	96"	224
BD-28120	28"	120"	251
BD-3448	34"	48"	159
BD-3460	34"	60"	175
BD-3472	34"	72"	191
BD-3496	34"	96"	247
BD-34120	34"	120"	276



BSD Series
TOP WITH BACK, SIDE STOPS, STRINGER SHELF AND DRAWER UNIT—No. 1424-1
Drawer: 14"W x 23½"D x 5"H

Model	Top W	Top L	Ship. Wt.
BSD-2448	24"	48"	151
BSD-2460	24"	60"	168
BSD-2472	24	72"	186
BSD-2496	24"	96"	240
BSD-24120	24	120"	272
BSD-2848	28	48"	158
BSD-2860	28"	60"	176
BSD-2872	28"	72"	196

Model	Top W	Top L	Ship Wt.
BSD-2896	28"	96"	254
BSD-28120	28"	120	292
BSD-3448	34"	48	177
BSD-3460	34"	60"	197
BSD-3472	34"	72"	213
BSD-3496	34"	96"	277
BSD-34120	34"	120"	317



BSDD Series
W/Peg Board Back

Top with back, side stops, stringer shelf and two drawer units - No. 1424-1
Drawers: 14"W x 23½"D x 5"H

Work Bench available with ¼" hard tempered peg board or ½" homosote board. Convenient homosote board and peg board back used for hanging blueprints, paper work, small tool storage, etc. All back boards 48" high. Finish: Green Enamel.

Work Bench Riser Available at Additional Charge.

Model	W	L	Ship Wt.
BSDD-2448	24"	48"	202
BSDD-2460	24"	60"	221
BSDD-2472	24"	72"	242
BSDD-2496	24"	96"	301
BSDD-2848	28"	48"	209
BSDD-2860	28"	60"	240
BSDD-2872	28"	72"	263
BSDD-2896	28"	96"	326
BSDD-3448	34"	48"	228
BSDD-3460	34"	60"	250
BSDD-3472	34"	72"	269
BSDD-3496	34"	96"	338

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114

HARD MAPLE WORK BENCHES

ELECTRONICALLY WELDED

Grizzly®

Hard Maple Wood Top selected, edge-grained maple laminations are electronically "welded" into one, warp resistant, stronger than solid panel accurately machined and sanded satin smooth. Spray finished with water resistant clear lacquer to bring out the natural beauty, this top presents the finest work surface.

BASIC BENCH



Basic Bench. Hard Maple Top, 2 Bench Legs, and Stringer.
Add the Third Bench Leg for 96" and Longer.

All Hard Maple Bench Tops—1¾" Thick; Overall Height including Bench Top is 34¼". Prices shown are for a complete basic bench including bolts, nuts, lag screws and lock washers, K. D. ready for assembly.

For accessories: Bench Risers, Side and Back Stops and Shelves, Bench Drawer Units, and Bench Cabinet Units, See Pages 16, 17, and 18.

Finish Top—Natural-Clear Lacquer.
Metal Parts—Green Enamel.

Model	Top W	Top L	Ship. Wt.
W-2448	24"	48"	107
W-2460	24"	60"	124
W-2472	24"	72"	138
W-3048	30"	48"	127
W-3060	30"	60"	147
W-3072	30"	72"	166
W-3096	30"	96"	226
W-30120	30"	120"	264

Model	Top W	Top L	Ship. Wt.
W-30144	30"	144"	296
W-3648	36"	48"	143
W-3660	36"	60"	167
W-3672	36"	72"	188
W-3696	36"	96"	256
W-36120	36"	120"	295
W-36144	36"	144"	344

HARD MAPLE TOPS

1¾" Thick

Finish Top—Natural-Clear Lacquer.

Model	W	L	Ship. Wt.
GW-2448	24"	48"	58
GW-2460	24"	60"	72
GW-2472	24	72"	86
GW-3048	30	48"	74
GW-3060	30"	60"	93
GW-3072	30"	72"	112
GW-3096	30"	96"	150
GW-30120	30"	120	187

Model	W	L	Ship. Wt.
GW-30144	30"	144"	218
GW-3648	36	48"	86
GW-3660	36	60"	108
GW-3672	36"	72"	130
GW-3696	36	96"	174
GW-36120	36	120	216
GW-36144	36"	144	260

BENCH LEGS

ALL WELDED CONSTRUCTION



BL-28

These sturdy all steel legs are designed to withstand severe usage and support weight for in excess of normal conditions. Top and cross members permanently welded to legs. Reinforced channel construction—gusset strengthened. Adequate holes provided for attachment of bench top, shelf and stringer. Steel floor pads with holes for attachments to floor.

BL-58 Bench Leg furnished with center upright channel.

Bench Legs for special requirements on request.

Finish: Green Enamel

Model	A	B	C	D	E	Ship. Wt.
BL-22	22	32½	15½	18	9½	20
BL-28	28	32½	19½	22	9½	22
BL-34	34	32½	23½	26	9½	24
BL-46	46	32½	35½	38	9½	28
BL-58	58	32½	47½	50	9½	34

ADJUSTABLE BENCH LEGS

ALL WELDED CONSTRUCTION



ABL-28

No need to adjust to a Work Bench height any longer, now with the GRIZZLY Adjustable Bench Legs let the Work Bench adapt to adequate height for you.

Legs adjust from 32½" to 37½" on 1" centers. Holes provided for attachment of bench top, shelf and stringer. Steel floor pads with holes to protect and attach to floor.

Heavy 12 Gauge Construction.

Bench legs for special requirements on request.

All Models have the same dimensions as our Standard Bench Legs (see dimensions on this page 1st column below).

Finish: Green Enamel

Duplex Receptacle Punchout Available Upon Request. Receptacle not included.

Model	O.A.W.	Height	Ship Wt.
ABL-22	22"	32½" to 37½"	23
ABL-28	28"	32½" to 37½"	25
ABL-34	34"	32½" to 37½"	27
ABL-46	46"	32½" to 37½"	31
ABL-58	58"	32½" to 37½"	37

WORK BENCH ACCESSORIES

SIDE- AND BACK STOP SETS

EACH SET CONSISTS OF TWO SIDE STOPS (right and left) AND ONE BACK STOP.



12 Gauge Steel
Finish: Green Enamel



Model	A	B	C	D	E	Ship. Wt. of Sets
2448	5¼	24	3½	5¼	48	16
2460	5¼	24	3½	5¼	60	18
2472	5¼	24	3½	5¼	72	20
2496	5¼	24	3½	5¼	96	23
2848	5¼	28	3½	5¼	48	18
2860	5¼	28	3½	5¼	60	20
2872	5¼	28	3½	5¼	72	22
2896	5¼	28	3½	5¼	96	27
3448	5¼	34	3½	5¼	48	19
3460	5¼	34	3½	5¼	60	21
3472	5¼	34	3½	5¼	72	24
3496	5¼	34	3½	5¼	96	29



STRINGERS

Model	F	G	Ship. Wt.
ST-36	4¼	32	4
ST-48	4¼	44	6
ST-60	4¼	56	7½
ST-72	4¼	68	9
ST-96	4¼	92	12
ST-120	4¼	116	15
ST-144	4¼	140	18





16 gauge one inch channel reinforced construction. Finish: Green Enamel

SHELVES

Model	H	J	Ship. Wt.
SH-36	15¼	32	13
SH-48	15¼	44	18
SH-60	15¼	56	22
SH-72	15¼	68	26
SH-96	15¼	92	34
SH-120	15¼	116	42
SH-144	15¼"	140	50



16 gauge one inch channel reinforced construction. Finish: Green Enamel

BENCH DRAWER UNITS



1424-1



1416-2



1416-3

Drawer units can be fastened to either wood or steel benches, tables, desks or counters.

All welded construction. Padlock attachments for each drawer. Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer. Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 13½" x 8" x 1" in 1416 and 1424 Series; 19½" x 8" x 1" in 2024 Series.

CYLINDER LOCKS MUST BE INSTALLED AT FACTORY

OVERALL OUTSIDE DIMENSIONS

HEIGHT, ALL UNITS ..... One Drawer—5¼" ; Two Drawer—12½", Three Drawer—18½" ; Four Drawer—24½"

WIDTH .....1416 & 1424 SERIES: 15¼" .....2024 SERIES: 22¼"

DEPTH .....1416 SERIES: 16" ..... 1424 & 2024 SERIES: 24"

FINISH: GREEN ENAMEL

	14"Wx16"Dx5"H		14"Wx23½"Dx5"H		20"Wx23½"Dx5"H	
Unit Description	Model	Ship. Wt.	Model	Ship. Wt.	Model	Ship. Wt.
1 Drawer	1416-1	15	1424-1	26	2024-1	30
2 Drawer	1416-2	45	1424-2	60	2024-2	74
3 Drawer	1416-3	66	1424-3	90	2024-3	105
4 Drawer	1416-4	87	1424-4	120	2024-4	136

Cylinder Lock Available for Drawer at Additional Charge.

HEAVY DUTY DRAWER UNIT

USE WHERE SEVERE SERVICE IS NEEDED
14 GA. STEEL DRAWER
12 GA. STEEL HANGER
ALL STEEL BALL BEARING ROLLERS

Finish: Green Enamel



H-2024-1

All welded construction. Handles heavy loads of tools, parts and other items.

Drawers can be attached to work benches, tables, desks or counters.

Padlock tab on drawer. Stop prevents drawer from pulling out of slides. Fingers fit easily into pull. Drawer slides effortlessly on Ball Bearing Steel Rollers.

Sliding tray in each drawer holds small items within easy reach. Tray size: 19½" x 8" x 1"

Inside dimensions of drawer ..... 19½"W x 23½"D x 5"H

Hanger size overall dimensions ..... 22½"W x 24"L

Cylinder Lock Available for Drawer at Additional Charge. Ship. Wt. 40 Lbs.

WORK BENCH CABINET UNITS

ALL WELDED CONSTRUCTION



CU-18



CUK-36

Cabinet storage can be more efficient than drawers for many items, which can be placed neatly and are not subject to being jarred or rolled around as in a drawer.

Heavy gauge steel used throughout with flanged reinforcement.

Use with either wood top or all metal benches. Quickly fastened to wood top with bolts or lag screws. Finish: Green Enamel.

Model	W	H	D	Shelf Clearance	Lock	Ship. Wt.
CUK-36	36	19	19	8	Yes	60
CU-36	36	19	19	8		60
CUK-18	18	19	19	8	Yes	42
CU-18	18	19	19	8		42

Please indicate on order if unit is for installation with steel or wood bench.

WORK STATIONS

HEAVY DUTY ALL WELDED CONSTRUCTION

These benches provide more efficient work stations for your institutional or industrial lab uses. All Work Stations equipped with bench riser shelf (10¼" wide x 18" high) with pegboard back for hanging small tools or instruments and electrical outlet strip, wired with a six foot cord. Models come standard with 12 gauge top, available with Hard Maple or black chemical-resistant Formica Tops upon request. Grizzly Bench Drawer Units, additional Drawers or Accessories can be added. (See pages 17 & 18.) All models shipped set-up, ready for immediate use.

WORK STATIONS

EWB-SERIES

This series come standard with riser shelf, electrical outlet strip and pegboard back. Has a 12 Gauge top, but available with Hard Maple or black chemical-resistant Formica Tops upon request.

Grizzly Bench Drawer Units or Accessories can be added. (See pages 17 & 18).

All units shipped set-up, ready for immediate use.

Finish: Green Enamel

Model	Wide	Length	Height to Work Surface	Ship. Wt.
EWB-3048	30"	48"	32½"	170
EWB-3060	30"	60"	32½"	190
EWB-3072	30"	72"	32½"	210



EWB-3048

WORK STATIONS

EWS-SERIES

Features a four drawer cabinet which rests on a 6" high base. Each drawer can be furnished with padlock loop eyes, cylinder locks or plain face. Drawers slides effortlessly on ball bearing steel rollers. Drawer stop prevents drawers from pulling out of slides. Release stop for removal of drawer.

Cabinet Size: 18" wide x 24" deep

Drawer Size: Inside Dimensions, 14" wide x 23½" deep x 5" high.

Tool Tray in each Drawer, 8" wide x 13½" long x 1" high, holds small items within easy reach.

Units come standard with a full length riser shelf (10¼" wide x 18" high) with pegboard back for hanging of small tools or instruments and electrical outlet strip with six foot cord.

Cylinder Locks Available for Drawers at Additional Charge.

Finish: Green Enamel

Model	Wide	Length	Height to Work Surface	Ship. Wt.
EWS-3048	30"	48"	33½"	253
EWS-3060	30"	60"	33½"	272
EWS-3072	30"	72"	33½"	291



EWS-3072 w/optional Hard Maple Top

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

ELECTRICAL OUTLET STRIPS



EOS-3

EOS-6

For the convenience of plugging in power tools, instruments, equipment, etc. at your finger tips. Each strip has a six foot cord. Either of the below strips are available on Grizzly Work Benches. They are installed by welding on steel top work benches or screwed on wood top benches.

15 Amps—125 Volts—3 Wire

Finish: Gray Enamel

Model		Receptacle Spacing	Number of Receptacles	Ship. Wt.
EOS-3	3 Foot Length	9"	4	2
EOS-6	6 Foot Length	12"	6	4

WORK STATIONS EDB-SERIES

Countertop is supported by a base cabinet and a base leg. The base cabinet is 24" deep x 18" wide and contains four drawers, each 14" wide x 23½" deep x 5" high inside. Each drawer can be furnished with padlock loop eyes, cylinder locks or plain face. Drawers slides effortlessly on ball bearing steel rollers. Drawer stops prevents drawers from pulling out of slides. Release stop for removal of drawer. Cabinet sets on a 6" high base.

Tool tray in each drawer, 8" wide x 13½" long x 1" high, holds small items within easy reach.

Models furnished with bench riser shelf (10½" wide x 18" high) with pegboard back for hanging of small tools or instruments and electrical outlet strip with six foot cord.

Additional Drawers or Accessories can be added. (See pages 17 &18). Units available with Hard Maple or black chemical resistant Formica Top upon request.

Finish: Green Enamel

Cylinder Locks Available at Additional Charge.

Model	Wide	Length	Height to Work Surface	Ship. Wt.
EDB-3048	30"	48"	33½"	256
EDB-3060	30"	60"	33½"	276
EDB-3072	30"	72"	33½"	296

EDB-3060 w/optional Hard Maple Top

WORK STATIONS FWS-SERIES



FWS-3448

All welded, rugged construction. reinforced steel tops, channel stringers and shelves to hold heavy loads and avoid sagging. Legs are channel formed with gussets for additional strength. No bolts, rivets or other parts that have to be continually tightened. Completely assembled ready for immediate use.

Work Stations equipped with bottom shelf, florescent light fixture (w/lamps) with on-off switch and ¼" thick pegboard back (w/30 hanging hooks).

Bench Drawer Units, Riser, Duplex Receptacle Outlet, and Pressed Wood Top Available at Additional Charge. See Pages 14 and 16.

Overall Height of Work Stations..... 80½"

Finish: Green Enamel

34" Height to Work Surface Furnished Upon Request.

Tools Not Included

Model	Wide	Length	Height to Work Surface	Ship. Wt.
FWS-3448	34"	48"	32½"	236
FWS-3496	34"	96"	32½"	390

PORTABLE DRAWER AND CABINET TRUCK

1000 LBS. CAPACITY—SEMI-STEEL CASTERS
800 LBS. CAPACITY—SOFT RUBBER CASTERS

For the Repairman who maintains equipment and machinery utilizing smaller parts and accessories.

All welded, rugged construction equipped with 5" x 1¼" casters—2 rigid and 2 swivel. Easy to roll.

Top: 20"x24"; Height Top Surface—Overall 34"; Top, back and side stops—½" high; Space inside cabinet 13"H, 22"W, 20"D. Drawers: 20"W, 19"D, 5"H.

PUB-24RW



Finish: Green Enamel

PUB-24SW	w/Semi-Steel Wheels	138 Ship. Wt.
PUB-24RW	w/Soft Rubber Wheels	134 Ship. Wt.

Keyed Handle Available at Additional Charge.

Grizzly®

TOOL CABINET BENCHES
ALL WELDED—READY FOR USE

Heavy duty benches provide solid working surface plus closed door storage for tool rooms, shop, garages, shipping and stock operations, and are rigid for bench type machines. Additional shelves must be welded in place, if installed at factory please specify spacing. Shelves can not be adjusted. Benches with Grizzly Drawers and Casters quoted on request.

C-1824

C-1836

C-1848-K

TOP ..... 12 Gauge Steel with Back Stops 3" high with Side Stops that taper to 1½" front O.A.H. 37"

SIDE LEG PANELS .... 14 Gauge Steel
DOORS ..... 18 Gauge Steel
SHELVES ..... 16 Gauge Steel
FINISH: ..... Green Enamel

ADDITIONAL SHELF AVAILABLE AT ADDITIONAL CHARGE.

Shelf W	Shelf L	Ship. Wt.
18	23¾"	11
18	35¾	15
18"	47¾	20
24	35¾	19
24	47¾	25

Model	H	W	D	Shelf W	Shelf L	No. Shelves	No. Doors	Ship. Wt.
C 1824	34	24"	19	18	x 23¾"	2	1	112
C-1824-K	Keyed Handle in Door		(2 Keys)					
C-1836	34"	36	19	18"	x 35¾	1	2	140
C-1836-K	Keyed Handle in Door		(2 Keys)					
C-1848	34	48	19"	18	x 47¾"	1	2	166
C-1848-K	Keyed Handle in Door		(2 Keys)					
C-2436	34"	36	25	24"	x 35¾	1	2	160
C-2436-K	Keyed Handle in Door		(2 Keys)					
C-2448	34"	48"	25"	24"	x 47¾	1	2	190
C-2448-K	Keyed Handle in Door		(2 Keys)					

MODELS W/K NOTATION HAVE THE ADDITION OF THE KEYED HANDLE WITH 2 KEYS, OTHERWISE HAVE THE SAME SPECIFICATIONS AS MODELS W/O THE K NOTATION.

DOOR CABINET
ALL WELDED CONSTRUCTION
CABINET SIZE: 18"W, 24"L, 26"H



Shelf adjustable in 2" centers. One shelf with unit.

Base Not Included
Finish: Green Enamel
Ship. Wt. 55 Lbs. **Model BC-1**

Keyed Handle—Extra Shelf Available at Additional Charge.

DRAWER CABINET
ALL WELDED CONSTRUCTION
CABINET SIZE: 18"W, 24"L, 26"H



Individual drawer size, 14" wide x 23½" deep x 5" high.
Sliding tray in each Drawer holds small items within easy reach.
Tray size: 13½" x 8"

Model DC-1

Base Not Included
Finish: Green Enamel
Ship. Wt. 110 Lbs.

Cylinder Lock Available at Additional Charge



(For models BC-1 and DC-1) Base must be welded on to cabinets.

6¼" High
Ship. Wt. 10 Lbs.

PORTABLE DOOR CABINETS



ALL WELDED CONSTRUCTION
500 LBS. CAPACITY—3" SOFT RUBBER CASTERS
800 LBS. CAPACITY—5" SOFT RUBBER CASTERS

Light Duty Portable Cabinets for General Use. Used for Gum Tape Machines in shipping rooms, Electronic Instruments, Business Machines in offices, such as Postage, copying, etc. Used in plants besides machine operations. Cabinet Size: 18"W x 24"L. One Shelf furnished with unit, adjustable on 2" centers. Finish: Green Enamel.

BC-1C5

Model	H	Casters—All Swivel	Ship. Wt.
BC-1C3	30"	3" x 1½" Soft Rubber Tread	60
BC-1C5	32"	5" x 1¼" Soft Rubber Tread	65
	Keyed Handle Available at additional charge.		
	Extra Shelf Available at additional charge.		

PORTABLE DRAWER CABINETS



ALL WELDED CONSTRUCTION
Padlock attachments on each Drawer

500 LBS. CAPACITY—3" SOFT RUBBER CASTERS
800 LBS. CAPACITY—5" SOFT RUBBER CASTERS

Drawers slide on Ball Bearing Steel Rollers.
Cabinet Size: 18"W x 24"L
Drawer Size: Inside Dimensions, 14"W x 23½"D x 5"H
Tool Tray in each Drawer: 8" x 13½" x 1" deep.
Finish: Green Enamel

DC-1C5

Model	H	Casters—All Swivel	Ship. Wt.
DC-1C3	30	3" x 1½" Soft Rubber Tread	118
DC-1C5	32	5" x 1¼" Soft Rubber Tread	124

Cylinder Lock Available for Drawer at Additional Charge.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC. 3746 KELLEY AVE. • CLEVELAND, OHIO 44114 Grizzly®

MULTIPLE WORK BENCH DRAWER UNITS

Grizzly®

Features 16 drawers for storage of large number of small parts, eliminating otherwise necessary trips to another work bench or stockroom. All welded construction completely assembled. This is a sturdy, attractive work bench drawer unit with drawers that operate smoothly and quietly on steel ball bearings. Sliding tray in each drawer holds small items within easy reach.



DBU-3072-W

Drawer units can be furnished with padlock loop eyes, cylinder locks or plain face. Units furnished with 1¾" laminated hard maple or 12 gauge steel top.

34" overall height with wood or steel top individual drawer size, 14" wide x 23½" deep x 5" high

Finish: Green Enamel
Cylinder Locks Available at Additional Charge.

Model	W	L	Ship Wt.
DBU-3072-W	30"	72"	565
DBU-2872-S	28"	72"	560

TOOL DRAWER CABINETS FOR EXTRA HEAVY USE

TIME SAVER—
COMPACT STORAGE
LOCAL AREA
TOOL STORAGE

SAVES MANY STEPS TO AND FROM MACHINE OPERATION OR JOB SITE

Can be placed in various areas or departments in plant for easy location of tools, individual belongings, etc.
For Machine Operators, repairmen, maintenance workers, millwrights, electricians and other spot workers, providing large storage drawers for tools and parts, etc. **ELIMINATES OTHERWISE NECESSARY TRIPS TO OTHER PLANT AREAS.**



Model TDC-30
3 Drawer Unit
Ship. Wt. 285 Lbs.

Model TDC-60
6 Drawer Unit
Ship. Wt. 430 Lbs.



ALL WELDED CONSTRUCTION. 21½" W x 27¾" D x 45¾" H
INDIVIDUAL DRAWER SIZE ..... 15⅞" W x 12" D x 27" L
TOOL TRAY SIZE ..... 10" W x 15¼" D x 3" H
Tool Tray facilitates carrying of a variety of tools to the job or machine, is constructed of 16-gauge steel with full length carrying handle.

Padlock attachments for each drawer.
Drawer slides on ball bearing steel rollers.

Finish: ..... Green Enamel

ALL WELDED CONSTRUCTION. 40" W x 27¾" D x 45¾" H
INDIVIDUAL DRAWER SIZE ..... 15⅞" W x 12" D x 27" L
TOOL TRAY SIZE ..... 10" W x 15¼" D x 3" H
Tool Tray facilitates carrying of a variety of tools to the job or machine, is constructed of 16-gauge steel with full length carrying handle.

Padlock attachments for each drawer.
Drawer slides on ball bearing steel rollers.

Finish: ..... Green Enamel

CABINET BASE WORK BENCHES
ALL WELDED CONSTRUCTION

Grizzly

CABINET WORK BENCHES
(WITH SLIDING DOORS)



CDB-3060-W

With door and four drawer units form the overall base, in multiple or single bench runs in various combinations, with steel or electronically glued laminated maple wood tops for standard and particular requirements. Cabinet bench tops can be furnished with side and back stops, and risers (See pages 14 and 15).

ALL MODELS: 34" O.A.H. WITH NO. 6 BASE
Finish Top—Natural-Clear Lacquer. Metal Finish: Green Enamel.

Keyed Handle—Cylinder Lock Available at Additional Charge.

WITH STEEL TOPS—1¾" THICK

	Model	Top W	Top L	Bases 18"W 24"D	Ship. Wt.
	CB-2860-S	28"	60"	Door Cabinets	205
	CB-2872-S	28"	72"	Door Cabinets	230
	DB-2860-S	28"	60"	Drawer Cabinets	300
	DB-2872-S	28	72"	Drawer Cabinets	320
	CDB-2860-S	28	60"	Drawer & Door Cabinets	240
	CDB-2872-S	28	72	Drawer & Door Cabinets	275

WITH HARD MAPLE BENCH TOPS—1¾" THICK

	Model	Top W	Top L	Bases 18"W 24"D	Ship. Wt.
	CB-3060-W	30	60"	Door Cabinets	210
	CB-3072-W	30"	72"	Door Cabinets	235
	DB-3060-W	30"	60"	Drawer Cabinets	305
	DB-3072-W	30"	72"	Drawer Cabinets	325
	CDB-3060-W	30"	60"	Drawer & Door Cabinets	245
	CDB-3072-W	30"	72"	Drawer & Door Cabinets	280



CW-3072-SD

All welded heavy gauge steel construction, with steel or wood tops, with and without sliding doors. Sliding doors are factory installed, equipped with cylinder lock and 2 keys, and doors are not sold separately. Shelves adjustable on 2" centers. Completely assembled, ready for immediate use.

Electronically glued laminated wood tops. Side and back stops, bench risers and drawers can be added, see pages 14, 15 & 16.

ALL MODELS: 34" O.A.H.
Finish Top—Natural-Clear Lacquer. Metal Finish: Green Enamel.

WITH STEEL TOPS—1¾" Thick—12 Gauge

	Top W	Top L	Base, 25" Deep	Ship. Wt.
	CS-2860	28	60	Basic Unit	204
	CS-2872	28	72	Basic Unit	234
	CS-2860-S	28	60	Basic Unit with Shelf	239
	CS-2872-S	28	72	Basic Unit with Shelf	274
	CS-2860-D	28	60	Basic Unit with Sliding Doors	248
	CS-2872-D	28	72	Basic Unit with Sliding Doors	286
	CS-2860-SD	28	60	Basic Unit with Shelf & Sliding Doors	283
	CS-2872-SD	28	72	Basic Unit with Shelf & Sliding Doors	326

WITH HARD MAPLE BENCH TOPS—1¾" Thick Overhang on Front, 5"
NATURAL WOOD FINISH

	Top W	Top L	Base, 25" Deep	Ship. Wt.
	CW-3060	30"	60	Basic Unit	220
	CW-3072	30"	72"	Basic Unit	254
	CW-3060-S	30	60	Basic Unit with Shelf	255
	CW-3072-S	30"	72	Basic Unit with Shelf	295
	CW-3060-D	30	60	Basic Unit with Sliding Doors	264
	CW-3072-D	30	72	Basic Unit with Sliding Doors	306
	CW-3060-SD	30"	60	Basic Unit with Shelf & Sliding Doors	300
	CW-3072-SD	30"	72"	Basic Unit with Shelf & Sliding Doors	346
Extra Shelves ☆	S-60 ☆	60" long	22 wide		35
	S-72 ☆	72" long	22 wide		40

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114
Grizzly.

STANDING SHOP DESKS

Open, all welded, heavy gauge steel construction—used by foremen, supervisors, time study men, superintendents, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with drawers with and without individual locks, pigeon-hole top, back and side stops, in various combinations in the models listed, or in special combinations to meet individual needs.

Completely assembled, ready for immediate use.

Finish: Green Enamel

WIDTH	All Models —36"	
DEPTH	All Models—30"	
OVERALL HEIGHTS	Front	Back
Basic Unit	43"	48"
With P-36 Unit	43"	53"
With P-66 Unit	43"	57"

SIDE AND BACK STOPS ... 3" high at Back, tapers to 1½" at Front.

SHELF.... 34" wide x 18½" deep—8" from floor
DRAWERS..... Standard Grizzly Drawer Units, see page 16 for specifications.

Cylinder Lock Available at Additional Charge.



1236



1236 With #P-66

1036 BASIC UNIT
Ship. Wt. 85 lbs.

1236 BASIC UNIT
With Two No. 1416-1 Drawer Units
Ship. Wt. 115 lbs.

1436 BASIC UNIT
With No. 2024-4 Drawer Unit
Ship. Wt. 225 lbs.

1836 BASIC UNIT
With Two No. 1424-4 Drawer Units
Ship. Wt. 325 lbs.

Optional Pigeon Hole Units Available on Standing Shop Desks or Shop Cabinet Desks at Additional Charge.

P-36 PIGEON HOLE UNIT
3—4" x 12" openings x 9" deep
Overall Length 36" Ship. Wt. 15 lbs.



P-66 PIGEON HOLE UNIT
6—4" x 12" openings x 9" deep
Overall Length 36" Ship. Wt. 24 lbs.

SHOP CABINET DESKS

Enclosed, all welded, extra heavy gauge steel construction—used by superintendents, foremen, supervisors, time study men, inspectors, shipping clerks, checkers, watchmen, shop instructors, and many others.

Furnished with doors, drawers, with or without individual locks, pigeon-hole top, or in special combinations on request to meet particular needs.

Completely assembled, ready for use
Finish Green Enamel



No. 3036
(With No. P-36 Unit)
Pigeon Hole Unit Available



3236 With #P-66



2036

Model	Shelves	Drawers	Ship. Wt.
2036	2		184
2136	2	1	202
2236	2	2	219
3036	3		205
3136	3	1	222
3236	3	2	240
P 36	Pigeon Hole Unit Overall Length 36 3—4" x 12" openings x 9" deep		15
P 66	Pigeon Hole Unit Overall Length 36 6—4" x 12" openings x 9" deep		24
Cylinder Lock for Drawers at Additional Charge			
Keyed Handle in Door at Additional Charge			

WIDTH	All Models 36"	
DEPTH	All Models 30"	
OVERALL HEIGHTS	Front	Back
Basic Unit	43"	48"
With P-36 Unit	43"	53"
With P-66 Unit	43"	57

DRAWERS ..... GRIZZLY 1416-1—1D—14" wide x 16" deep x 5" high.
Any GRIZZLY Standard Bench Drawer can be used with this Unit. See Page 18
SIDE AND BACK STOPS 3" high at back, tapers to 1½" at Front.
SHELF SIZE ..... 28¾" x 35⅞

SHELF CLEARANCES		
3 Shelf Unit	Floor to Bottom Shelf	7"
	Bottom Shelf to Center Shelf	11¾"
	Center Shelf to Top Shelf	8"
	Top Shelf to Desk Top	12"
2 Shelf Unit	Floor to Bottom Shelf	7"
	Bottom Shelf to Top Shelf	19¾"
	Top Shelf to Desk Top	12"

SHOP DESK



SDMP-3048

All welded construction used by foremen, supervisors, shipping clerks, superintendents and many others.

Desk equipped with single pedestal leg on right side and four spacious drawers on left. Top drawer comes with cylinder lock. Sliding tray in each drawer holds small items within easy reach. Drawers slide on ball bearing steel rollers.

Desk size: 30" Wide x 48" Long x 32½" High
Drawer size: Inside Dimensions, 14" Wide x 23½" Deep x 5" High
Tray size: 8" Wide x 13½" Long x 1" Deep
Finish: Beige Enamel with Brown Enamel Drawers
Ship. Wt. 200 Lbs.
Padlock Attachments and Hard Maple Top Available Upon Request. Additional Cylinder Locks Available at Additional Charge.

MACHINE FLOOR CABINETS

Rugged, all welded cabinets with 1 ⅛" Tray coolant tops with ½ pipe connection.

Attractive gray enamel finish.

A model for every purpose, floor lugs to secure base to floor. Removable side shelves as accessory to hold tote pans and other production items.

Drawer size and model—GRIZZLY 1416-1 (14 wide ID x 16 deep ID x 5" high ID). All drawers equipped with stops, ball bearing steel rollers and 1" deep tool tray. (See page 16.)

Models, enclosed with back and door, are without shelves.

FOR BASE CABINET USE WITH BENCH TYPE MACHINES

Keyed Handle—Cylinder Lock Available at Additional Charge.

CT-2830
20" W—28" L—30" H
Ship. Wt. 90 Lbs

CT-2835
20" W—28" L—35" H
Ship. Wt. 96 Lbs.

CT-3630
20" W—36" L—30" H
Ship. Wt. 100 Lbs.

CT-3635
20" W—36" L—35" H
Ship. Wt. 106 Lbs.



CT SERIES



CF SERIES

CF-2830
20" W—28" L—30" H
Ship. Wt. 80 Lbs.

CF-2835
20" W—28" L—35" H
Ship. Wt. 86 Lbs.

CF-3630
20" W—36" L—30" H
Ship. Wt. 90 Lbs.

CF-3635
20" W—36" L—35" H
Ship. Wt. 96 Lbs.

CM-2830
20" W—28" L—30" H
Ship. Wt. 95 Lbs.

CM-2835
20" W—28" L—35" H
Ship. Wt. 105 Lbs.

CM-3630
20" W—36" L—30" H
Ship. Wt. 115 Lbs.

CM-3635
20" W—36" L—35" H
Ship. Wt. 125 Lbs.



CM SERIES

OPTIONAL: No. 1015
Removable Side Shelf
(Shelf Surface—10" x 15")

Available at Additional Charge.
Ship. Wt. 10 Lbs

MACHINE CABINET STANDS

ALL WELDED CONSTRUCTION

For mounting Lathes, Grinders, Drill Presses, Tapping Machines, and for Work Bench Uses. CT Models are with Coolant Top with ½ pipe connection, DFT Models are with drop front, used for assembly and production work.

Designed for strength and appearance. Convenient shelf—15¾" x 36".

GRIZZLY 1416-1 Drawer units furnished on all stands.—14" wide ID x 16 long ID x 5 deep ID, with stops, ball bearing steel rollers and tool tray 1" deep (See Page 16) See Page 16 for CU-18 Work Bench Cabinet Unit details. Finish. Gray Enamel.

Keyed Handle—Cylinder Lock Available at Additional Charge.



DFT-60-C With Cabinet Unit No. CU-18 and one drawer. 22" W, 60" L, 32" H. Ship. Wt. 238 Lbs.



CT-60 Coolant Top, Tray—1⅛" deep with ½" pipe tee 22" W, 60" L, 32" H. Ship. Wt. 198 Lbs.



DFT-60 Drop Front Top, Back and Side Stops — 1⅛" H, 22" W, 60" L, 32" H. Ship. Wt. 198 Lbs.

NO. 59 MOTOR MOUNT BRACKET Top Surface 10" x 11⅝". Eight round holes for mounting and adjustment. Ship Wt. 10 Lbs.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly

PIGEON HOLE BIN UNITS

All Welded, Rigid Units,
Completely Assembled Ready For Use.



7242



2421



4021



4242

Used for parts inventory and control in factories, stores and warehouses.

Firmly attached label holders also used as stops, holding loose parts from falling out of openings. With the unit placed so the label holders are at the top, parts and other material can easily be slid out of openings.

Units have modular lengths, are interchangeable, can be set in combinations in racks; or tiered, one on the other to any height, with units bolted together for firmer attachment.

Finish: Green Enamel

Model	No. of Bins	H	W	D	Compartment	Label Holder	Ship Wt
7242	72	42"	35½	11⅞	4½ wide 4½ high	1	97
4242	42	42	35½	11⅞	5⅛ wide 6 high	2	95
2421	24	21	35½	11⅞"	5⅛ wide 5¼ high	2	40
4021	40	21	35½	11⅞	4¼ wide 4¼ high	1	55

STORAGE BIN CABINET

ALL WELDED CONSTRUCTION

Compartments are conveniently built for a variety of uses such as storage of small parts, fasteners, hardware, etc

Truck furnished with Plain Handle: Keyed Handle available at additional charge. Units shipped completely assembled and ready for use.

Overall Dimensions: 36"L x 21"W x 72"H

Openings Measures 12" wide, 20" deep, 12" high at Back, tapers 6" at Front to prevent spillage

Construction: Entire Unit 16 Gauge

Finish: Green Enamel

Ship. Wt. 322 lbs.

SBT-3672



Grizzly®

EZY-DOWN DRUM CRADLES

700 LBS. CAPACITY

Give maximum leverage with ease, break the heaviest loaded drums from vertical to horizontal position.

All welded tubular frames and channel braces for modern styling and added strength. Designed for rugged use. All edges round and smooth. Completely assembled.

Ready for immediate use. Finish: Orange Enamel



No. 18 REMOVABLE HANDLE



EBR-18 31"L—18¼"W—18"H
Ship. Wt. 31 Lbs.



WITH CASTERS
EBR-18C 31"L—18¼"W—18"H
Ship Wt. 34 Lbs.



WITH DRUM ROLLERS
EBR-18R 31"L—18¼"W—18"H
Ship. Wt. 34 Lbs.



WITH CASTERS & ROLLERS
EBR-18CR 31"L—18¼"W—18"H
Ship. Wt. 36 Lbs.

Four 2" Semi-Steel rollers for positioning drum and manually rotating for mixture.

Costers: All Models—3" Semi-Steel—2 Swivel and 3" Semi-Steel Wheels.

No. 18 EZY-DOWN Handle—All welded construction—Handle is separate from cradles—12 lbs. Ship. Wt.

DRUM CRADLES

700 LBS. CAPACITY

All Welded Tubular Frames. Channel Braces give modern styling plus added strength. Designed for rugged use. All edges round and smooth. Completely assembled. Ready for immediate use. Finish: Orange Enamel.



BR-18 31"L—18¼"W—18"H
Ship. Wt. 26 Lbs.



WITH DRUM ROLLERS
BR-18R 31"L—18¼"W—18"H
Ship. Wt. 29 Lbs.



WITH CASTERS
BR-18C 31"L—18¼"W—18"H
Ship. Wt. 29 Lbs.



WITH CASTERS & ROLLERS
BR-18CR 31"L—18¼"W—18"H
Ship. Wt. 31 Lbs.

Four 2" Semi-steel rollers for positioning drum and manually rotating for mixture.

Casters: All Models—3" Semi-Steel—2 Swivels and 3" Semi-Steel Wheels.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

Grizzly®

DRUM & CAN DOLLIES

1200 LBS. CAPACITY—SEMI-STEEL CASTERS
1000 LBS. CAPACITY—HARD RUBBER CASTERS



75 & 76

81

ALL ARC WELDED CONSTRUCTION

RUGGED

82 & 83

FLOOR LOCK ON REQUEST

Large size easy rolling wheels permit quick, safe transportation of even the heaviest loaded drums. All casters swivel for movement in any direction.

24" diameter holds standard 55 gallon drums or other similar sized containers. 19" diameter for smaller containers, disposal cans or other similar sized containers. Galvanized finish for institutional, food processing and sanitary use. Floor clearance 4" on all models. 2" sides on 82 and 83. All welded rugged construction for years of hard use. NOTE: 81-GS, 82-GS, & 83-GS are equipped with sanitary casters to give added protection against foodstuffs causing corrosion.

Model	O.D.	I.D.	Wheels	Finish	Ship. Wt.
81	24-7/16"	24"	3x1-1/4	Orange	32
82	30-1/2"	24"	3x1-1/4	Orange	25
83	24-1/2"	19"	3x1-1/4	Orange	22
81-G	24-7/16"	24"	3x1-1/4	Galvanized	32
82-G	30-1/2"	24"	3x1-1/4	Galvanized	25
83-G	24-1/2"	19"	3x1-1/4	Galvanized	22
81-GS	24-7/16"	24"	3x1-1/4	Gal.-Sani.	32
82-GS	30-1/2"	24"	3x1-1/4	Gal.-Sani.	25
83-GS	24-1/2"	19"	3x1-1/4	Gal.-Sani.	22
75	24-1/2"	24"	3x1-1/4	Orange	19
76	19-1/2"	19"	3x1-1/4	Orange	15

ADJUSTABLE DOLLY

1200 LBS. CAPACITY—SEMI-STEEL CASTERS
1000 LBS. CAPACITY—HARD RUBBER CASTERS

FOR ROUND, SQUARE, RECTANGULAR, OVAL OR ANY IRREGULAR SHAPED CONTAINER. CLOSES DOWN TO 23½"—OPENS TO 36½". Can be used as a rectangle for tote boxes, skids, pans, furniture. Used as a dolly for drums, cans, kegs, etc. Wheel Size—3" x 1¼". Finish: Orange Enamel.



AD-23-S

AD-23-S	—	SEMI-STEEL WHEELS	—	Ship. Wt. 30 lbs.
AD-23-R	—	HARD RUBBER WHEELS	—	Ship. Wt. 28 lbs.

HI-DRUM & CAN DOLLIES

900 LBS. CAPACITY—SEMI-STEEL CASTERS
700 LBS. CAPACITY—HARD RUBBER CASTERS

71

PROVIDE higher elevation for easier flow drainage from drums in vertical position.

DRAINS easier glue, oils, chemicals and other hard-to-flow materials through the drum bottom.

ALL WELDED, rugged, completely assembled, ready for use.

SAVE SPACE—take less area than drums in horizontal position.

SAVE TIME AND MONEY.

USE DOLLIES with GRIZZLY No. 235 Drum lifter with chain falls, hoist, or fork truck to place drums in vertical position easily, quickly and safely. See right side of page. Finish: Orange Enamel—Wheel Size . . . 3" x 1¼".



71 w/drum

Model	Bottom	Top	Height	Gallon Drum	Ship. Wt.
71	30"	24"	19½"	55	44
73	21"	19"	19½"	30	38

LOW DRUM TRUCK

800 LBS. CAPACITY
HARD RUBBER WHEELS



25½" wide opening, 31" wide overall, 33" high, 1½" low understung frame, 8" above floor. Handles barrels and drums up to 24" diameter. Finish: Orange Enamel.

STEEL TUBULAR T HANDLE WITH Low frame with heavy duty 3" swivel rubber caster and 6" roller bearing rubber wheels easily maneuvers full barrels and drums with open tops without spilling contents. Especially adapted for use in canneries, pickle or chemical and oil operations.

LBR-909 Low Drum Truck
LBR-909H (Unit with Hinged Handle)

Hinged Handle Available at Additional Charge. Ship. Wt. 45 Lbs.

Grizzly®

#235 VERTICAL DRUM LIFTER

U.S. PATENT No. 2,764,447

2000 LBS. CAPACITY

FOR OPEN or CLOSED DRUMS USED WITH Fork Trucks Chain Falls Cranes and Hoists.

Ship. Wt. 32 Lbs.





235

- **SAFE**—Fast turning crank handle to lock Upper Jaw to drum top. Holds drum rigidly even when swaying or when bumped.
- **VERSATILE**—Lifter moves 55 and 30 gallon, and even smaller steel drums with practically no manual labor—the lifter does the work.
- **LIGHT**—Weighs only 32 pounds. One man can handle with ease.
- **ADJUSTABLE**—Slide Lower Jaw on vertical bar to position below nearest chime of drum. Jaw rests on off-center cam.
- **LIFTS**—Old and new drums, open or closed, battered or lapsided.
- **QUICK**—Lifter attached and removed in seconds. • **RUGGED**—All welded construction.
- **STACKS**—and tiers drums vertically in close quarters. • **FINISH:** Orange Enamel

#80 DRUM UP-ENDER

ALL-WELDED CONSTRUCTION
Rugged and Compact

Safe! Positive Grip! Easy to Use!

Tilts drums from horizontal to vertical position with ease, speed and safety. Gives maximum leverage for lifting even the heaviest loaded drums.

Will not twist in hands of operator. Drum stops where you want it with no slipping or rolling.

SHIP. WT. ..... 12 lbs.
FINISH: ..... Orange Enamel



80

#84 SLING TYPE DRUM LIFTER

750 LBS. CAPACITY
ALL WELDED CONSTRUCTION

SHIP. WT. ..... 11 lbs.
FINISH: ..... Orange Enamel



84



Lifts drum horizontally and safely. The harder the pull the tighter the grip on the drum. Use it to load your GRIZZLY rack. See Below.

#VH-100 DRUM LIFTER

1000 LBS. CAPACITY
LIFTS VERTICAL • HORIZONTAL • AT ANY ANGLE





Lifts from any angle. Load can be balanced. Easily adapted to lift objects of all shapes or lengths. Automatic upsetting of container by adjusting sliding hoist collar.



Easily, Quickly, Safely Attached
Holds Rigidly—Even When Load Sways
Positive Grip—Cannot Slide —Holds Load
Locks in Desired Position



FITS CONTAINERS 40" HIGH—FINISH: . . . Orange Enamel—SHIP. WT. . . . 24 Lbs.—ADJUSTMENT BETWEEN JAWS: . . . 16" minimum to 40" maximum—OVERALL LENGTH: . . . 43"—WIDTH: . . . 4"

DRUM STORAGE RACKS

2500 LB. CAPACITY



85C



85

All welded with large sturdy 6" x 2" semi-steel wheels for easy portability or with legs for stationary installations.

Holds four drums in readily accessible positions. Designed for loading ease with whatever equipment you now have. If your hoist does not travel over rack, the wheel model can be moved under your hoist. 30" W x 60" L x 54" H—FINISH: Orange Enamel.

85	Leg	180 Ship. Wt.
85C	Casters	198 Ship. Wt.

DRUM STORAGE RACKS



DS-4

Holds four or six drums in readily accessible positions. Designed for loading ease from front or back. All Welded Construction. Completely Assembled for Immediate Use.

Self-Standing units, do not require anchoring to floor. Can be moved with Fork Trucks fully loaded.

- DRAIN HEIGHTS: Bottom row—18"
- Pads on bottom of legs protect floors.
- Also Designed for special requirements.

FINISH: Orange Enamel

DS-4	4 Drums	60" W	36" D	46" H	120 Ship. Wt.
DS-6	6 Drums	84" W	36" D	48" H	200 Ship. Wt.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

Grizzly®

DRUM DOLLY TRUCKS

CAPACITY 2000 LBS.—SEMI-STEEL CASTERS
CAPACITY 1500 LBS.—HARD RUBBER CASTERS

For transporting 55 gallon drum or other container for lubrication, solvents, coolants, painting or cleaning units, used in production, maintenance and service operations. Bracket on handle for cable or hose. Accessory Box welded to handle for storage of tools and parts. All Welded Construction.



DT-25-R

OVERALL DIMENSIONS	25" wide x 25" deep
PLATFORM	5 ⅛" from floor
HANDLE	41" from floor
SIZE OF ACCESSORY BOX	12" deep x 6" wide x 21" long
FINISH:	Orange Enamel
CASTERS	2 Swivel—2 Rigid

DT-25-S	5" x 1⅜" Semi-Steel Wheel	63 Ship. Wt.
DT-25-R	5" x 1½" Hard Rubber Wheel	60 Ship. Wt.

FORK SWIVEL HOIST HOOKS

With Safety Latch

(SINGLE) 3000 LBS.
(DOUBLE) 4200 LBS.
WORKING CAPACITY

No. 24



No. 210 DOUBLE FORK SWIVEL HOIST HOOK
(Attached to Fork Truck)

All welded construction, fit standard Fork Lift Trucks.

Easy handling by one man, takes only seconds to slide on and tighten into place. Removed just as easily, no wrenches required. Finish: Orange Enamel.

210 Double Fork Hook has maximum openings which permit an outside fork spread of 20¾". Fork Swivel Hoist Hooks designed to meet particular needs.

Description	Model	Opening Size for Truck Fork	Ship. Wt.
Single Hook	24	2" x 4"	17
Single Hook	25	2" x 5"	18
Single Hook	26	2" x 6"	19
Double Frame Hook	210	2" x 10"	50

FTC-36 FORK TRUCK CRANE HOOK ATTACHMENT

With Safety Latch



CAPACITY
4000 Lbs. at 36" Length
2000 Lbs. at 60" Length

ALL WELDED CONSTRUCTION

FITS STANDARD FORK TRUCKS

CAN BE ATTACHED AND UNATTACHED IN SECONDS BY ONE MAN

Method of Attachment

Set unit on floor, brace in upright position against wall, etc. Unit sits on 4 pins. Bottom plate drops to floor which provides an opening for forks. Operator runs forks at floor level between plates and tightens crank handles. Ready for use.

Method of Detachment

Drop forks to floor until unit sits on 4 pins. Loosen crank handles. Back off fork truck.

Ship. Wt. 250 Lbs. FINISH: . . . Orange Enamel

CASTER CORNER SHOES

ALL WELDED CONSTRUCTION



SET OF 4

Ideal for making wood pallets or boxes portable at low cost.
Shoes slide under corners. May be bolted, screwed or nailed on permanently.
For moving heavy wood crates, boxes, cases, machinery, pallets, cabinets, benches and other uses.

12 Gauge Steel—Size is 8" x 8"—5-3/4" O.A.H.—Flange 2"—3-7/8" high to platform—7/16" holes for mounting.

FINISH: Green Enamel.

Model	Capacity per Set	Ship. Wt.	Casters
CS-3S	1200 Lbs.	17	3" x 1⅛" Semi-steel Wheels
CS-3R	1000 Lbs.	15	3" x 1⅛" Hard Rubber Wheels

VDU-10 EXTRA HEAVY PORTABLE VERTICAL DRUM STACKING UNIT

CAPACITY 1500 LBS. PER UNIT.

SAVES TIME—SPACE—MONEY

- **ALL** Welded Construction.
- **RUGGED**—Completely Assembled—No Bolting—Ready For Immediate Use.
- **STACKS** Vertically—Each Unit Tiers 2 Drums Horizontally—Stacks to 4 High.
- **4-WAY** Access by Fork Lifts.
- **UNIT** Easily Handled—
- **EASY** Drum Draw Off—Drums and Storage Area Easily Kept Clean.
- **DRUM** Inventory Simply Maintained.

DIMENSIONS:, O.A.H. = 13"; W = 44½": Depth = 30". Floor Clearance = 3½". Finish: Orange Enamel Ship. Wt. 84 Lbs.



Other VDU Units are designed to meet special requirements on request.

VDU-10





CAN BE EASILY HANDLED FROM FRONT, BACK OR EITHER SIDE WITH FORK-LIFT TRUCKS

EASE OF HANDLING AND STACKING

ROTO-TILTS

CAPACITY 1000 LBS.

PATENTS
U.S. No. 3,434,612
CANADIAN NO. 887501

All Welded Construction Designed for Heavy Usage

LIFT—TILT—DUMP—POUR—METAL DRUMS—BARRELS USED WITH FORK LIFTS—CRANES—HOISTS—Finish: Orange Enamel.

Safety Locking Bracket secures Upper Jaws to Drum Top. Lifting Trolley equipped with Ball Bearings. Serrated Jaws insure positive locking hold. Pours at any point of arc—operator maintains easy and positive control.

Model	A	B	C. Max. Min.	D	Drum	Ship. Wt.
350	59"	35"	36"-30"	15"	55 Gal.	65
351	53"	34"	32"-27½"	15	30 Gal.	64



No. 350 & No. 351



160 Trolley with 160° Dumping Angle—
Standard Trolley with 130° Dumping Angle
FLOOR DUMPING MODELS

OVERHEAD DUMPING MODEL NO. 500



No. 500

WORM GEAR DRIVE HOLDS POURING LOAD IN ANY POSITION—REDUCTION 6 TO 1.

OVERALL DIMENSIONS
From Lifting Loop to Toe Plate ..... 62"H
From Front to Back ..... 35"D
Width at widest point ..... 10"

Finish: Orange Enamel

Ship. Wt. 98 Lbs.

CONTAINER CLAMPING RANGE .....
30" min. to 36" max. for 55 Gal. Drums

DUMPING ANGLE ..... 130 degrees

Chain supplied with standard Model is sufficient to operate the tool 10 feet from floor.

ADDITIONAL CHAIN AVAILABLE AT ADDITIONAL CHARGE.

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114

GAS WELDING BENCH



GW-3636

Shipped KD, ready for assembly.

Pads on bottom of legs protect floors.

Cylinder Lock Available at Additional Charge.

A sturdy Gas Welding Bench for extra strength and durability. The top is constructed of 12 gauge steel, will hold 32 fire bricks (not furnished). Excellent rigidity with heavy double formed, embossed 14 gauge steel legs. Shelf, 16 gauge steel divided into three equal sections for rod storage. All steel sections are All Welded Construction.

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 18.

OVERALL DIMENSIONS	36"W x 36"D x 34"H
FINISH:	Green Enamel
GW-3636 (Without Drawer Unit)	Ship. Wt. 95 Lbs.
GW-3636-DR (With Drawer Unit)	Ship. Wt. 110 Lbs.

ARC WELDING BENCH

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down.

Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All steel sections are all welded construction.

Pads on bottom of legs protect floors.

Shipped KD, ready for assembly.



AW-3636-DR

Cylinder Lock Available at Additional Charge

1416-1 DRAWER UNIT FURNISHED AS NOTED. SEE PAGE 18.

OVERALL DIMENSIONS	36"W x 36"D x 34"H
FINISH:	Green Enamel
AW-3636 (Without Drawer Unit)	Ship. Wt. 125 Lbs.
AW-3636-DR (With Drawer Unit)	Ship. Wt. 140 Lbs.

ARC WELDING BENCH WITH SHIELDS

Arc Welding Bench built for rugged service. The top is 12 gauge steel with 3 flanges up and front flange down. Legs are double formed and embossed 14 gauge. Shelf is divided into 3 equal sections, for storage of rods. All welded construction.

A sturdy 20 gauge steel shield easily snaps on top flange with no bolting required.

With the "See-Thru" welding shield, eliminates the danger of eye flashburn while watching instructor demonstrate. May be observed by several people simultaneously through the plastic windows without glasses or hand shields.

Also furnished with Solid Shields.

DRAWER 1416-1..... Furnished with unit
Pads on bottom of legs protect floors.
Shipped KD, ready for assembly.

OVERALL DIMENSIONS—
36"Wx36"Dx68"H

FINISH: Green Enamel

Cylinder Lock Available at Additional Charge

Ship. Wt. 180 Lbs.
AW-3636-S With Solid Shields

Ship. Wt. 175 Lbs.
AW-3636-WS With 5"W x 18"L
See-Thru Shield Opening (3 Openings)



AW-3636-WS

HEAVY DUTY SHELF DIE RACKS

3000 LBS. CAPACITY

An extremely rugged Rack to hold heavy loads of Jigs, Fixtures, Dies, and other heavy material.

May be erected as individual units or in rows.

Extra shelves may be added. Pads on bottom of legs protect floors. Bolted construction. Shipped KD, complete with assembly hardware. Construction of double channel reinforced shelf.





DR-2448

SHELVES . . . ALL WELDED CONSTRUCTION Reinforced 14 Gauge steel with formed hat channel thru center—POSTS . . . 2" x 2" x ⅛" Angle Iron—"X" BRACES . . . 1" x ⅛" Band Iron—FINISH: Green Enamel.

DR-1842	Complete Unit: 5—18" x 42" Shelves 4 Posts—X Braces and Bolts	170 Lbs. Ship Wt
DR-2448	Complete Unit: 5—24" x 48" Shelves 4 Posts—X Braces and Bolts	230 Lbs. Ship. Wt.
S-18	Single Shelf—18" x 42", including bolts	26 Lbs. Ship. Wt
S-24	Single Shelf—24" x 48", including bolts	38 Lbs. Ship. Wt
P-72	4 Posts (as a package) 72" long	45 Lbs. Ship. Wt

EXTRA HEAVY DUTY DIE STORAGE RACKS

1000 LBS. CAPACITY PER SHELF
ALL WELDED CONSTRUCTION



PE-1830

Uses for tools, dies and other heavy material.
May be used as individual units or bolted in rows.
Pads on bottom of legs protect floors.
Shipped set-up.
65" overall height, six 12 gauge shelves — 10" clearance between shelves; posts 1¾" x 1¾" x 3/16" angle iron.

Shelf clearances can be changed to meet your specifications.
Finish: Green Enamel

Model	W	L	Ship Wt.
PE-1830	18"	30"	180
PE-1836	18"	36"	205
PE-1848	18"	48"	250
PE-2430	24"	30"	215
PE-2436	24"	36"	250
PE-2448	24"	48"	305

VERTICAL BAR RACK

3000 LBS. CAPACITY

Provides most efficient storage in limited areas and near jobs for tubing, pipe, rods, bars and like shapes, with 4 tray type shelves for short pieces.

All arc-welded—1½" x 1½" x ⅛" angle and 16 gauge tray-shelves.

84"H, 36"W, 24" bottom-depth of shelves —bottom 6", top 6⅛", second 10", third 14". 4 sturdy arms extend 8" beyond each shelf for separation of stock.

Finish: Green Enamel Ship. Wt. 110 Lbs.



VB-3684

PORTABLE TWIN RACK-U-FRAME MODULES

5000 LBS. CAPACITY
U. S. PATENT NO. 3,581,907
CANADIAN PATENT NO. 930334

Grizzly®

Used in multiples with fork lifts, as required, to provide length and tier height needed for the storage of mill shapes—conduit, tubing, pipe, angles, channels, rounds, flats, other metal and plastic items.

Fork lifts can easily stack and remove the modules to provide temporary and long term storage facilities; provide material at work stations on the production line, in the warehouse and on the construction site. Special modules designed to meet particular requirements. Arc Welded Construction—Completely Assembled Ready for Immediate Use.

Finish: Orange Enamel



RUF-264

RUF-262	24" O.A.L.	65 Ship. Wt.
RUF-263	36" O.A.L.	70 Ship. Wt.
RUF-264	48" O.A.L.	76 Ship. Wt.

SPECIALS DESIGNED FOR CUSTOMERS NEEDS

DIMENSIONS FOR RUF-262, RUF-263, RUF-264

OUTSIDE DIMENSIONS
(A) 25" Wide
(B) 17½" High
(C) 5" Wide Bottom Channel
(G) 24"; 36"; 48" as Required

INSIDE DIMENSIONS
(D) 17" Wide Bottom
(E) 23" Wide Top
(F) 15½" High Upright



RUF-263



DIMENSIONS FOR RUF-244

OUTSIDE DIMENSIONS
(A) 32" Wide
(B) 31" High
(C) 5" Wide Bottom Channel 3¼" High
(G) 44" Long

INSIDE DIMENSIONS
(D) 24" Wide Bottom
(E) 29½" Wide Top
(F) 28" High Upright

MOVING MODULES

STACKING MODULES

HANDLING MODULES ON WORK SITE



RUF-244

RUF-244	44" O.A.L.	105 Ship. Wt.

Finish: Orange Enamel

STACKING RACK UNITS

ALL WELDED CONSTRUCTION



SRU-232

STACKING RACK UNITS

Model	W	L	Ship Wt.
SRU-232	24"	32"	58
SRU-242	24"	42"	64
SRU-248	24"	48"	67
SRU-332	30"	32"	62
SRU-342	30"	42"	66
SRU-348	30"	48"	69

Storage system for all types of materials, bar, pipe, rods, angle, etc. For space saving economical storage. Materials can be stored in bundles or individual pieces. Completely assembled ready for immediate use. Special modules designed to meet particular requirements. Construction - 2½" square tubing.
Finish: Orange Enamel



OUTSIDE DIMENSIONS
(A) 29" or 35" Wide
(B) 30" High
(C) 37"; 47" or 53" Long

INSIDE DIMENSIONS
(D) 24" or 30" Wide
(E) 32"; 42" or 48" Long
(F) 23½" High

Phone: (216) 881-4604 PUCEL ENTERPRISES, INC.
3746 KELLEY AVE. • CLEVELAND, OHIO 44114
Grizzly®

PORTABLE RACK-U-FRAME

RUF-251

U. S. PATENT NO. 3,581,907
CANADIAN PATENT NO. 930334

RUF-251 Portable Rack-U-Frame
Ship. Wt. 25 Lbs. Finish: Orange Enamel

Grizzly®

EXTRA HEAVY DUTY PORTABLE RACK-U-FRAME

RUF-640

U.S. PATENT NO. 3,581,907
CANADIAN PATENT NO. 930334

RUF-640 Extra Heavy Duty Portable Rack-U-Frame
Ship. Wt. 37 Lbs. Finish: Orange Enamel

Arc Welded Construction—Completely Assembled Ready for Immediate Uses—One Man Operation—Quick. Stacked as Much as 4 High into the GRIZZLY Flexible Storage Rack System for Mill Shapes—Channels, Angles, Flats, Rounds, Pipe, Tubing . . . For Material Transport on Trucks, Skids, Pallets, for Inventory and at Work Stations Easily disassembled—Stored in Little Space Until Next Use.

FOUR (4) RUF-251 RACK-U-FRAMES assembled on a 20 foot length evenly spaced and stacked 4 High will safely carry 20,000 Pounds. See Center Photo.



FOUR (4) RUF-640 EXTRA HEAVY DUTY RACK-U-FRAMES assembled on a 20 foot length evenly spaced and stacked 4 High will safely carry 60,000 Pounds. See Center Photo.

CARRY HEAVY LOADS EVENLY DISTRIBUTED

To be installed on solid, strong, floor construction, with smooth surface, to hold heavy rack loads.



- **Formed for Strength and Stacking Tiers**
- **Carrying Handle for Strength and Convenience**
- **Stops Prevent Upright Spread**
- **Streamlined Design—Smooth Finish**
- **Rugged Steel Construction**
- **Durable—Built for Heavy Uses**



OUTSIDE DIMENSIONS
(A) 25" Wide
(B) 17½" High
(C) 5" Wide Bottom Channel
INSIDE DIMENSIONS
(D) 17" Wide Bottom
(E) 23" Wide Top
(F) 15½" High Upright

RUF-251 is for heavy loads and RUF-640 is for extra heavy duty service and loads. Both Models are easily carried and assembled in rack units as a One Man Operation.

RUF-251 and RUF-640 Rack-U-Frames have the same Inside and Outside Dimensions. See above.

REPLACEMENT CASTERS FOR GRIZZLY EQUIPMENT



UTILITY TABLES, HOPPER TABLES, MIJ TABLES, MIJ BOX CARTS		
SWIVEL	2-1/2" x 13/16"	Pressed Steel Wheel
SWIVEL	2-1/2" x 13/16"	Soft Rubber Wheel
SWIVEL	5" x 1"	Soft Rubber Wheel
Set consists of 4 casters)		
STOCK CARTS, FIVE SHELF STOCK CARTS, BOX TRUCKS, GARMENT TRUCKS, LIGHT DUTY PORTABLE CABINET WORK BENCHES, ENCLOSED SHELF TRUCK, CAGE STOCK TRUCK, PORTABLE MARKING TABLES, PORTABLE DRAWER CABINETS, PORTABLE DOOR CABINETS, TRAY STOCK CARTS, TOTE-ALL HAND CART, OPEN SIDE TRUCK.		
SWIVEL	3" x 13/16"	Soft Rubber Wheel
RIGID	3" x 13/16"	Soft Rubber Wheel
SWIVEL	3" x 1-1/4"	Soft Rubber Wheel
RIGID	3" x 1-1/4"	Soft Rubber Wheel
SWIVEL	5" x 15/16"	Soft Rubber Wheel
RIGID	5" x 15/16"	Soft Rubber Wheel
SWIVEL	5" x 1"	Soft Rubber Wheel B.B.
RIGID	3" x 1-1/4"	Soft Rubber Wheel B.B.
SWIVEL	5" x 1"	Soft Rubber Wheel B.B.
RIGID	5" x 1"	Soft Rubber Wheel B.B.
SWIVEL	5" x 1-1/4"	Soft Rubber Wheel
RIGID	5" x 1-1/4"	Soft Rubber Wheel
CASTER CORNER SHOES, DRUM & CAN DOLLIES, ADJUSTABLE DOLLIES, HI-DRUM & CAN DOLLIES, TOTE PAN HAND TRUCK, TOTE ALL HAND TRUCK, LOW DRUM TRUCKS.		
SWIVEL	3" x 1-1/4"	Semi-steel, Plain Brg. Wheel
RIGID	3" x 1-1/4"	Semi-steel, Plain Brg. Wheel
SWIVEL	3" x 1-1/4"	Hard Rubber, Self Lub. Brg.
RIGID	3" x 1-1/4"	Hard Rubber, Self Lub. Brg.
ROLL OVER DUMP TRUCKS, DOLLY PLATFORM TRUCKS, STEEL DOLLIES, PORTABLE WORK BENCHES, HAND DUMP TRUCKS, 3/SIDED STOCK CARTS.		
SWIVEL	4" x 1-1/2"	Semi-steel, Plain Brg. Wheel
RIGID	4" x 1-1/2"	Semi-steel, Plain Brg. Wheel
SWIVEL	4" x 1-1/2"	Hard Rubber Wheel, Self Lub. Brg
RIGID	4" x 1-1/2"	Hard Rubber Wheel, Self Lub. Brg.

PORTABLE CABINET WORK BENCHES, HEAVY DUTY SINGLE END TRUCKS, HEAVY DUTY DOUBLE END TRUCKS, SHOP TRUCKS, PORTABLE CABINET WORK BENCHES, DRUM DOLLY TRUCKS, ROLLOVER BOX TRUCKS, SHOP TRAY TRUCKS, HEAVY DUTY SLAT-TOP SHOP TRUCKS, LADDER STOCK CARTS, DIVIDED SHELF TRUCK, HYDRAULIC LIFT TOP TABLES, TOTE ALL UTILITY CARTS, TOTE ALL PLATFORM TRUCKS.		
SWIVEL	5" x 1-1/4"	Semi-steel, Pln. Brg.
RIGID	5" x 1-1/4"	Semi-steel, Pln. Brg.
SWIVEL	5" x 1-5/8"	Semi-steel, Plain Brg. Wheels
RIGID	5" x 1-5/8"	Semi-steel, Plain Brg. Wheels
SWIVEL	5" x 1-1/2"	Hard Rubber, Self Lub. Brg
RIGID	5" x 1-1/2"	Hard Rubber, Self Lub. Brg.
WOOD & STEEL PLATFORM TRUCKS, DRUM STORAGE RACKS, SLIDING SHELF TRUCKS, LAMINATED MAPLE PLATFORM TRUCKS, LUMBER SERVICING TRUCKS, HEAVY DUTY WAREHOUSE TRUCKS, SHEET AND PANEL TRUCK.		
SWIVEL	6" x 2"	Semi-steel, Plain Brg. Wheel
RIGID	6" x 2"	Semi-steel, Plain Brg. Wheel
SWIVEL	6" x 2"	Hard Rubber, Self Lub. Brg.
RIGID	6" x 2"	Hard Rubber, Self Lub. Brg.
SWIVEL	6" x 2"	Soft Rubber Wheel
RIGID	6" x 2"	Soft Rubber Wheel
SWIVEL	6" x 2"	Plastic Roller Brg.
RIGID	6" x 2"	Plastic Roller Brg.
5 SHELF HEAVY DUTY TRUCKS, 3/SIDED PLATFORM TRUCKS, SEMI-LIVE PLATFORM TRUCKS, BAR AND ROD TRUCKS.		
SWIVEL	8" x 2"	Semi-steel, Plain Brg. Wheels
RIGID	8" x 2"	Semi-steel, Plain Brg. Wheels
SWIVEL	8" x 2"	Moldon Rubber, Roller Brg. Wheels
RIGID	8" x 2"	Moldon Rubber, Roller Brg. Wheels
CRADLE TRUCKS, EXTRA HEAVY DUTY SHOP TRUCKS, SHEET-BAR STOCK TRUCKS.		
SWIVEL	8" x 2-1/2"	Semi-steel, Roller Brg Wheel
RIGID	8" x 2-1/2"	Semi-steel, Roller Brg. Wheel
WHEELS ONLY FOR ALL PURPOSE HAND TRUCKS.		
NO. 175	8" x 1.75	Semi-Pneumatic Wheel 1/2 Axle
NO. 275	10" x 2.75	Semi-Pneumatic Wheel 5/8 Axle
NO. 410	350-4-2 Ply	Full Pneumatic Wheel 5/8 Axle

Grizzly® SPECIALS

SERVING INDUSTRY SINCE 1949

SOME OF THE MANY SPECIALS DESIGNED & MANUFACTURED FOR CUSTOMER'S PARTICULAR NEEDS.

We specialize in Material Handling, Drum, Shop and Industrial Equipment of original design and maintain an Engineering Department for the exclusive use of our customers.

Few of the thousands of Specials we manufactured are noted in the photos on this

Send us your requirements so we may submit design and quotation for your approval.

Please send as much of the basic information as you can in accordance with the suggested outline below to help us to expeditiously handle your request.



BOX TRUCK W/LID



KNOCKED DOWN WORK BENCH (MEDIUM DUTY)



PACKING & STRAPPING TRUCK



VENTILATED STORAGE LOCKER



TRAY TRUCK



HEAVY DUTY WAREHOUSE TRUCK



STEEL TOP PANEL-END WORK BENCH



HARD MAPLE TOP PANEL-END WORK BENCH



BATTERY CHARGING & TESTING STATION



HAND TRUCK



PORTABLE WORK STATION

WHEN ORDERING SPECIAL GRIZZLY EQUIPMENT USE THIS SUGGESTED OUTLINE

1. **GENERAL DESCRIPTION:** Truck, Dolly, Lifts, Work Bench, Stand, Carts, etc.
2. **GENERAL DESIGN:** Type of shelf; flat or tray; Type of top. Handle, etc.
3. **DIMENSIONS:** Indicate inside or outside dimensions; width, length, height.
4. **CAPACITY:** Load-Pounds: Entire unit, per coster, per shelf.
5. **QUANTITY:** Could substantially determine pricing.
6. **SPECIAL DESIGN FEATURES:** Your own ideas of how unit should be constructed.
7. **FINISH:** Standard Colors: Green, Vista Green, Gray, Beige or Orange Enamel.

Pucel ENTERPRISES, INC.

3746 KELLEY AVENUE • CLEVELAND, OHIO, U S A. 44114 • AREA CODE 216 881-4604

MATERIAL HANDLING AND INDUSTRIAL EQUIPMENT

WOODLING, KROST AND RUST
ATTORNEYS AND COUNSELORS AT LAW
9213 CHILLICOTHE ROAD (STATE ROUTE 306)
KIRTLAND, OHIO 44094
TOLL FREE PH: 866-241-4150 TOLL FREE FAX: 866-241-4043

TO:



DESIGNING • ENGINEERING • DEVELOPMENT • MANUFACTURING

ALL WELDED CONSTRUCTION [

Pucel Enterprises, Inc., Opposer/Petitioner
vs.
Grizzly Industrial, Inc., Applicant/Respondent
TTAB Consolidated Case No. 123,506; 31984; 32024; 32025
PUCEL'S Exhibit No. 29

Grizzly® EQUIPMENT

Sioner® PRODUCTS

Pucel ENTERPRISES, INC.

1440 EAST 36TH STREET • CLEVELAND, OHIO 44114 • PHONE (216) 881-4604 • FAX (216) 881-6731

Catalog No. 190

Pucel ENTERPRISES, INC.

DESIGNING • ENGINEERING • DEVELOPMENT • MANUFACTURING

GRIZZLY COLOR SELECTOR

We are able to offer a variety of colors to suit your needs. You may choose any of the colors shown on our color chart at no additional charge.

Unless otherwise indicated in the catalog, grizzly equipment will be painted gray.

If you choose any of the other available colors, please specify at the time the order is placed.

GRAY
(OUR STANDARD COLOR)

DARK BLUE

DARK GREEN

LIGHT BLUE

VISTA GREEN

ORANGE

DARK BROWN

BEIGE

PUTTY

ABOVE COLORS AVAILABLE AT NO ADDITIONAL COST
PLEASE SPECIFY COLOR WHEN ORDERING

Grizzly GUARANTEE

All Grizzly Equipment is fully guaranteed to be manufactured in accordance with commercial standards and specifications shown in our catalog. Equipment is fully inspected before leaving our plant and is guaranteed against defective workmanship for 3 months from date of purchase. However, we cannot be held responsible for abuse by user beyond normal usage.

This is your guarantee of a product of highest quality.

Copyright © 1989 Pucel Enterprises, Inc.

SALES-TERMS AND CONDITIONS

ORDERING
All orders, including phone orders, must be confirmed in writing. Your written purchase order should specify each item by number, description, and finish color.

PRICES
All prices are F.O.B. OUR PLANT, CLEVELAND, OHIO; and subject to change without notice; and do not include any applicable taxes, duties, or any government charges. We reserve the right to invoice at the prices prevailing at the time of shipment.

SPECIFICATIONS
Specifications are subject to change without notice. Due to minor design changes, equipment may not conform exactly to photographs in catalog.

ROUTING
Shipment will be made the best way by commercial carriers; U.P.S. or parcel post is shipped prepaid. When shipment is prepaid at the customer's request, a separate invoice will be submitted, which must be paid within 10 days of invoice date; except however, U.P.S. and parcel post charges will be added to the original invoice.

PACKAGING
All items are packaged for domestic shipment. Additional charge will be made for special packaging.

DAMAGED GOODS
When damage is noted on delivery, the carrier agent is to make the damage notation on your delivery receipt. DO NOT SIGN THE DELIVERY RECEIPT UNLESS THIS IS DONE. The consignee must make claim directly and promptly to the carrier for any damage. When damage is not discovered until all of the items are unpacked, request must be promptly submitted to the carrier for concealed damage inspection and adjustment. All items are thoroughly inspected prior to our shipment. Title passes to consignee at the time shipment leaves our dock and the carrier is an agent of consignee.

RETURNED GOODS
All items returned without our written permission will be refused. Request for return of goods must be made within 10 days of the receipt of goods. A 15% handling and reconditioning charge will be made on authorized returned items. Goods must be returned prepaid at customer's expense. Special items, or modified catalog items, are not returnable.

CHANGES AND CANCELLATIONS
Items designed as special or modified catalog items are not subject to change or cancellation as they are manufactured for each individual order.

CORRECTIONS
Stenographic, clerical, and any other errors, are subject to correction.

DELAYS
All orders, contracts and agreements are made subject to delays contingent upon accidents, strikes, embargoes, or any other causes beyond our control.

TERMS
All prices are NET — 30 days from date of invoice. A 1% cash discount is allowed if payment is made within 10 days from date of invoice.

Open account can be established with an acceptable Dun and Bradstreet rating. Firms listed and not rated, or not listed, are requested to submit three major trade references and one banking reference with their order to facilitate prompt handling.

C.O.D. orders are not acceptable.

Minimum orders: $80.00 NET, plus shipping charges.

These said "Sales-Terms and Conditions" apply to all of the equipment (Standard, Modified and Special), and related matters in this catalog, and are subject to the pricing as contained in the current Price List and subsequent Price Lists as issued from time to time, which may be issued without notice.

TABLE OF CONTENTS

CABINETS ____ 4-5

DESKS ____ 6

CABINET WORK BENCHES ____ 7-10

WORK BENCHES ____ 11-14

WORK BENCH ACCESSORIES ____ 15-16

WELDING BENCHES ____ 17

TABLES ____ 18-19

TOOL STANDS ____ 20

TRUCKS AND CARTS ____ 21-33

DRUM AND CAN HANDLING EQUIPMENT ____ 34-37

STORAGE RACKS ____ 38-39

INDEX ____ 40

MODEL LISTING ____ Inside Back Cover

SEE INSIDE FRONT COVER FOR OPTIONAL PAINT CHOICES



HDSC Series

WSC-3672



SBT-3672

HDTC-2442



BSC-3675



GCSC Series

EXTRA HEAVY DUTY STORAGE CABINETS HDSC Series

400 lb. Capacity per shelf.

Each unit is constructed of 12 gauge sides, 14 gauge reinforced shelves and bottom, 16 gauge top, and 18 gauge reinforced doors. Cabinet size 19"D × 36"W or 24"D × 36"W. All models include one fixed shelf. All other shelves are adjustable on 4" centers. Keyed handle included. Extra shelves available at additional charge.

Model	H	Shelves	Ship Wt.
HDSC-3648-2	48"	2	205
HDSC-3660-3	60"	3	250
HDSC-3672-4	72"	4	300
HDSC-3678-4	78"	4	318
HDSC-3684-4	84"	4	336
Additional shelf for above			20
HDSC-3672-24-4	72"	4	346
HDSC-3678-24-4	78"	4	364
HDSC-3684-24-4	84"	4	382
Additional shelf for above			25

WARDROBE STORAGE CABINET WSC-3672

This unit is constructed of 14 gauge bottom, 16 gauge top, sides, top shelf, and divider, 18 gauge doors, back, and half shelves. Dimensions 21"D × 36"W × 72"H. Each model includes a keyed handle. Optional padlock hasp available at an additional charge. Ship wt. 248 lbs.

EXTRA HEAVY DUTY STORAGE BIN CABINETS HDSC-3672-B

This unit is constructed of 12 gauge sides, 16 gauge reinforced shelves and bottom, 18 gauge reinforced doors. All models have one fixed center shelf. All containers hang on mounting panels welded to cabinet back to easily remove and interchange the containers. Dimensions 19"D × 36"W × 72"H. Ship wt. 300 lbs.

No. of Containers	W	L	H
24	4"	7"	3"
18	6"	11"	5"
8	16"	15"	7"

HEAVY DUTY TOOL CABINET HDTC-2442

Unit equipped with padlock hasp and keyed handle for extra security. 12 gauge top, bottom and door, 14 gauge body and shelves. Dimensions 19"W × 24"L × 42"H. 12-1/2" clearance between shelves. Ship wt. 128 lbs.

STORAGE BIN CABINET SBT-3672

Compartments are conveniently built for a variety of uses. Opening measure 12"W × 20"D × 12"High at back and tapers to 6" high at front. Furnished with plain handle. Keyed handle is available at additional charge. Overall dimensions 21"W × 36"L × 74"H. Ship wt. 322 lbs.

GAS CYLINDER STORAGE CABINETS GCSC, UGCSC Series

Store flammables, LP gas cylinders for plant safety. Expanded metal open air design. Protects cylinders. Hinged lockable doors prevent tampering and theft. Complete with safety signs. Finish Safety yellow.

Horizontal Storage Units

Model	Capacity	W	D	H	Ship Wt.
GCSC-4	4 Cyl.	30"	38"	42"	206
GCSC-8	8 Cyl.	30"	38"	72"	272
GCSC-12	12 Cyl.	45"	38"	72"	338
GCSC-16	16 Cyl.	60"	38"	72"	505

Upright Storage Units

Model	Capacity	W	D	H	Ship Wt.
UGCSC-8	8 Cyl.	30"	38"	72"	187
UGCSC-16	16 Cyl.	60"	38"	72"	365

BOOK SHELF - STORAGE CABINET BSC-3675

Unit is constructed of 16 gauge steel. There are two fixed shelves, 12" deep, on top for storage of books and catalogs. Cabinet below has three fixed shelves, 10" clearance. Furnished with keyed handle. Dimensions 36"W × 19"D × 75"H. 48" high from floor to top of storage cabinet. Ship wt. 235 lbs.



DOUBLE PERSONAL LOCKERS
DPL-1621

Each stackable locker comes equipped with three fixed shelves, padlock loop eye, and keyed handle. The entire unit is constructed of 16 gauge steel. Top locker size 16-1/4"D × 21-1/4"W × 34"H. Ship wt. 85 lbs. Bottom locker size 16-1/4"D × 21-1/4"W × 30"H. Ship wt. 89 lbs.

Shelf clearances:

5" top shelf to first shelf
5" first shelf to second shelf
4-1/4" second shelf to third shelf
10-1/2" third shelf to bottom

THREE DOOR LOCKER CABINET UNIT
DLCU-2424

Doors equipped with pull handle and padlock loop eyes. The entire unit is constructed of 14 gauge steel. Inside dimensions of cabinets 23-1/4"W × 22-3/4"D × 24"H. Overall dimensions 24"W × 24"L × 74"H. Ship wt. 230 lbs.

DOOR CABINET
BC-1

Cabinet dimensions 18"W × 24"L × 26"H. One shelf adjustable on 4" centers included. Extra shelves, keyed handle, and No.6 base available at an additional charge. Ship wt. 55 lbs.

DRAWER CABINET
DC-1

Cabinet dimensions 18"W × 24"L × 26"H. Each drawer includes a sliding tray, which holds small items within easy reach. Individual drawer size 14"W × 23-1/2"D × 5"H. Optional cylinder locks and No.6 base available at an additional charge. Ship wt. 110 lbs.

No.6 BASE

Optional base welded on BC-1 and DC-1 cabinets 6-1/4" high. Ship wt. 10 lbs.

PORTABLE DOOR CABINETS
BC-1C Series

Portable cabinets for general use. Cabinet size 18"W × 24"L. One adjustable shelf on 4" centers included. Options available at additional charge: keyed handle, extra shelves.

Model	H	Casters	Capacity	Ship Wt.
BC-1C3	30"	3" Rubber	500	60
BC-1C5	32"	5" Rubber	800	65
Additional shelf				8

PORTABLE DRAWER CABINETS
DC-1C Series

Drawers slide on ball bearing steel rollers. Cabinet size 18"W × 24"L. Each drawer includes a sliding tray, which holds small items within easy reach. Individual drawer size 14"W × 23-1/2"D × 5"H. Optional cylinder locks available at an additional charge.

Model	H	Casters	Capacity	Ship Wt
DC-1C3	30"	3" Rubber	500	118
DC-1C5	32"	5" Rubber	800	124

PORTABLE DRAWER AND DOOR CABINET
PUB Series

1000 lb. Capacity – Semi-steel casters (two rigid, two swivel).
800 lb. Capacity – Rubber casters (two rigid, two swivel).

Truck dimensions 20"D × 24"W × 34"H. Inside cabinet area 13"H × 22"W × 20"D. Drawer size 20"W × 19"D × 5"H. Optional keyed handle on door or cylinder locks on drawers available at an additional charge.

Model	Casters	Ship Wt.
PUB-24SW	5" Semi-steel	138
PUB-24RW	5" Rubber	134



FCD-2839



3036 with P-36



3236 with P-66



2036



1236



1236 with P-66

1036

1436

1836

SD-2860



P-36



P-66

FILING CABINET DESK
FCD-2839

Unique multi-purpose desk features standard three drawer letter size locking filing cabinet on right side. Locking desk drawer. Bottom shelf on left side. 1/4" Acrylic mounted over steel top. Pigeon hole unit. Desk dimensions 28"W × 39"L × 53-1/2"H. 42"H to the work surface. Ship wt. 275 lbs.

SHOP CABINET DESKS

Enclosed body desk comes complete with doors and shelves. Some models include drawers. Desk dimensions 36"W × 30"D × 43"H. Overall height 48". With optional P-36 pigeon hole unit 53"; P-66 pigeon hole unit 57". Optional cylinder locks in drawers and keyed handle in door available at an additional charge.

Shelf		Clearances
3 Shelf unit	floor to bottom shelf	7"
	bottom shelf to center shelf	11-3/4"
	center shelf to top shelf	8"
	top shelf to desk top	12"
2 Shelf unit	floor to bottom shelf	7"
	bottom shelf to top shelf	19-3/4"
	top shelf to desk top	12"

Model	Shelves	Drawers	Ship Wt.
2036	2	0	184
2136	2	1	202
2236	2	2	219
3036	3	0	205
3136	3	1	222
3236	3	2	240
P-36			15
P-66			24

STANDING SHOP DESKS
1036, 1236, 1436, and 1836

Open body desk. Some models include drawers. Desk dimensions 36"W × 30"D × 43"H. Overall height 48". With optional P-36 pigeon hole unit 53"H; P-66 pigeon hole unit 57"H. Optional cylinder locks on drawers available at an additional charge.

Model	Description	Ship Wt
1036	Basic Unit	85
1236	Has Two No.1416-1 Drawer Units See Page 15	115
1436	Has No.2024-4 Drawer Units See Page 15	225
1836	Has Two No.1424-4 Drawer Units See Page 15	325

PIGEON HOLE UNIT
P-36

Three 4" × 12" openings × 9" deep. Overall length 36". Overall height 7". Ship wt. 15 lbs.

PIGEON HOLE UNIT
P-66

Six 4" × 12" openings × 9" deep. Overall length 36". Overall height 11". Ship wt. 24 lbs.

SHOP DESK
SD-2860

Desk is equipped with steel top, double pedestal, six spacious drawers, each with cylinder locks. Drawers slide on ball bearing steel rollers. Desk also includes a convenient pigeon hole unit. Overall dimensions 28"W × 60"L × 52"H. Ship wt. 295 lbs.



W-3060-CD



CW-3072-SD



CDB-3060-W

Basic Unit

Basic Unit with Sliding Doors



CB Series-Door Cabinets



DB Series-Drawer Cabinets

Basic Unit with Shelf

Basic Unit with Shelf and Sliding Doors



CDB Series-Drawer and Door Cabinets

CABINET DRAWER WORK BENCH
W-3060-CD

This bench provides a large working space with plenty of storage. There are three drawers mounted side by side with cylinder locks. These are 1424-1 drawers (see page 15). Cabinet has two doors with one fixed shelf, which is centered. Doors with keyed handle. Laminated maple wood top 30" × 60" × 1-3/4". 33-1/2" overall height. Ship wt. 340 lbs.

CABINET BASE WORK BENCH
CB, DB, CDB, Series

Four drawer and door units can be ordered in various combinations to form overall base. Bases are 18"W, 24"D. Steel or laminated maple wood top for standard or particular requirements. 1-3/4" thick bench tops can be furnished with side and back stops and risers (see page 16 and 15). All models are 34" overall height with No.6 base.

CB Series-Door Cabinets

Model	Top	W	L	Ship Wt.
CB-2860-S	Steel	28"	60"	205
CB-2872-S	Steel	28"	72"	230
CB-3060-W	Wood	30"	60"	210
CB-3072-W	Wood	30"	72"	235

DB Series-Drawer Cabinets

Model	Top	W	L	Ship Wt.
DB-2860-S	Steel	28"	60"	300
DB-2872-S	Steel	28"	72"	320
DB-3060-W	Wood	30"	60"	305
DB-3072-W	Wood	30"	72"	325

CDB Series-Drawer and Door Cabinets

Model	Top	W	L	Ship Wt.
CDB-2860-S	Steel	28"	60"	240
CDB-2872-S	Steel	28"	72"	275
CDB-3060-W	Wood	30"	60"	245
CDB-3072-W	Wood	30"	72"	280

CABINET WORK BENCH
CS, CW Series

Steel or laminated wood tops. With or without sliding doors. Sliding doors are factory installed, equipped with cylinder lock and two keys. Doors are not sold separately. Shelves adjustable on 4" centers. Side and back stops, bench risers, can be added (see page 16 and 15). Base is 25" deep. All models are 34" overall height.

Basic Unit

Model	Top	W	L	Ship Wt.
CS-2860	Steel	28"	60"	204
CS-2872	Steel	28"	72"	234
CW-3060	Wood	30"	60"	220
CW-3072	Wood	30"	72"	254

Basic Unit with Shelf

Model	Top	W	L	Ship Wt.
CS-2860-S	Steel	28"	60"	239
CS-2872-S	Steel	28"	72"	274
CW-3060-S	Wood	30"	60"	255
CW-3072-S	Wood	30"	72"	295

Basic Unit with Sliding Doors

Model	Top	W	L	Ship Wt.
CS-2860-D	Steel	28"	60"	248
CS-2872-D	Steel	28"	72"	286
CW-3060-D	Wood	30"	60"	264
CW-3072-D	Wood	30"	72"	306

Basic Unit With Shelf and Sliding Doors

Model	Top	W	L	Ship Wt.
CS-2860-SD	Steel	28"	60"	283
CS-2872-SD	Steel	28"	72"	326
CW-3060-SD	Wood	30"	60"	300
CW-3072-SD	Wood	30"	72"	346

Model	W	L	Ship Wt.
S-60	22"	60"	35
S-72	22"	72"	40



PTC Series



BP Series



BP-36 with 1416-4 Drawer Unit and Optional Hard Maple Top



BP 2536



MTC Series



PDC Series

PORTABLE TOOL CABINET WORK BENCHES

PTC Series

3000 lbs. Capacity	8" × 2" Semi-steel casters (two rigid, two swivel).
2000 lbs. Capacity	8" × 2" Mold-on rubber casters (two rigid, two swivel).

Bench furnished with a nine drawer tool cabinet for the storage of tools, parts, and other items. Sides and back stops prevent objects from falling off work area. Equipped with a keyed handle on the door and a cylinder lock on the tool cabinet for extra security. Bench dimensions 26"D × 48"W × 37-1/4"H. Overall dimensions 40-1/4"H × 63"L. Options available at an additional charge, machinists vise, floor lock, 3/16" steel plate top. Quick change caster brackets available upon request at an additional charge.

Model	Casters	Ship Wt.
PTC-48S	Semi-steel	348
PTC-48R	Mold-on Rubber	345
Floor Lock		5
3/16" Steel Plate Top		67

PORTABLE MAINTENANCE CENTER WORK BENCHES

MTC Series

4000 lbs. Capacity	8" × 2-1/2" Semi-steel casters (two rigid, two swivel).
4000 lbs. Capacity	8" × 2-1/2" Mold-on rubber casters (two rigid, two swivel).

Bench furnished with two nine drawer tool cabinets for the storage of tools, parts, and other items. Equipped with a keyed handle on the compartment doors and a cylinder lock on the tool cabinets for extra security. Bench dimensions 28"D × 60"W × 38-1/2"H. Overall length 64-1/2". Options available at an additional charge: machinists vise and floor lock.

Model	Casters	Ship Wt.
MTC-60S	Semi-steel	696
MTC-60R	Mold-on Rubber	688
Floor Lock		5

BP Series

2000 lbs. Capacity	5" × 1-1/2" Semi-steel casters (two rigid, two swivel).
1500 lbs. Capacity	5" × 1-1/2" Phenolic casters (two rigid, two swivel).

Drawer with tool tray. Large compartment for storing bulky items. Two intermediate shelves for storage. 12 gauge steel top strong enough to mount a vise. A single drawer unit is furnished with each model. Dimensions 24"D × 36"W × 34"H. Options available at an additional charge: maple top, side and back stops, extra drawer units, floor lock, keyed handle in door, and a 3/16" steel plate top. Casters mounted in quick change caster brackets available upon request at an additional charge. NEW Model **BP-2536** a multi-purpose portable cabinet with four drawers and one shelf. The doors are constructed of 16 gauge steel the top and sides 14 gauge. Cylinder locks on the drawers and a keyed handle on the door are included for added security. Dimensions 36"W × 25"D × 36-3/8" overall height.

Model	Casters	Ship Wt.
BP-36S	Semi-steel	220
BP-36P	Phenolic	215
BP-2536S	Semi-steel	295
BP-2536P	Phenolic	290
Floor Lock		5
3/16" Steel Plate Top		45

PORTABLE CABINET WORK BENCHES

PDC Series

1200 lbs. Capacity	6" × 2" Semi-steel casters (two rigid, two swivel).
1200 lbs. Capacity	6" × 2" Mold-on rubber casters (two rigid, two swivel)

Top size 21-1/2"W × 42"L. Overall height 36-1/4". Storage cabinet and shelves 18" × 18-3/4". Shelf clearance 8-1/4". Drawer height: top drawer 3", center drawers 4", bottom drawer 6". Padlock attachment furnished with unit to lock both door and drawers. Floor lock option available at an additional charge. Quick change caster brackets available upon request at an additional charge.

Model	Casters	Ship Wt.
PDC-42S	Semi-steel	217
PDC-42R	Mold-on Rubber	220
Floor Lock		5

PC-48 Series



PC-36 Series



C-1848



PDC-B Series



PC-48P with 1424-4 Drawer Unit



C-1836

PDC Series



P-48

C-1824



P-88



R-48

PORTABLE CABINET WORK BENCHES
PC-48 Series

2000 lbs. Capacity — 5" × 1-1/2" Semi-steel casters(two rigid, two swivel).

1500 lbs. Capacity - 5" × 1-1/2" Phenolic casters (two rigid, two swivel).

Side and back stops prevent objects from falling off the work area. Work area dimensions 26"D × 48"W × 34"H. Overall dimensions 37" height, 63" length. Vise shelf standard on all models. Options available at an additional charge: steel bench riser shelf, extra shelf, 1424-4 drawer unit, floor lock, pigeon hole units. Quick change caster brackets available upon request at an additional charge.

Model		Ship Wt.
PC-48S	Semi-steel Casters	250
PC-48P	Phenolic Casters	247
R-48	Steel Bench Riser Shelf	20
P-48	Pigeon Hole Unit 7"H × 48"L Four 4" × 12" Opening 9"Deep	18
P-88	Pigeon Hole Unit 11"H × 48"L Eight 4" × 12" Opening 9"Deep	27
Extra Shelf		26
Floor Lock		5

PORTABLE CABINET WORK BENCHES
PC-36 Series

1000 lbs. Capacity — 5" × 1-1/4" Semi-steel casters (two rigid, two swivel).

800 lbs. Capacity — 5" × 1-1/4" Soft rubber casters (two rigid, two swivel).

Back stops prevent objects from falling off the work area. Work area dimensions 21-1/4"D × 36"W × 34"H. Back stops standard on all models. Options available at an additional charge. side stops, extra shelf, floor lock, cylinder lock for doors.

Model		Ship Wt
PC-36S	Semi-steel Casters	118
PC-36R	Soft Rubber Casters	114
Extra Shelf		16
Floor Lock		5

PORTABLE CABINET WORK BENCHES
PDC Series

1000 lbs. Capacity - 5" × 1-1/4" Semi-steel casters (two rigid, two swivel).

800 lbs. Capacity — 5" × 1-1/4" Soft rubber casters (two rigid, two swivel).

Equipped with four large drawers on steel ball bearing slides. When handle is latched, the door and drawers are secured in place. Drawer size 20"W × 18"D × 4"H. Cabinet size 21-1/4" × 36"W × 34"H. Options available at an additional charge: side stops, floor lock, keyed handle on door, cylinder locks on drawers.

Model		Ship Wt
PDC-36S	Semi-steel Casters	[illegible]
PDC-36R	Soft Rubber Casters	165
Floor Lock		5

PDC-B SERIES

Same as the PDC series with a mounting panel welded to the back of the cabinet, which holds 18 containers 4"W × 5"L × 3"H. The unit is shipped complete with the 18 containers.

Model		Ship Wt
PDC-36S-B	Semi-steel Casters	185
PDC-36R-B	Soft Rubber Casters	182
Floor Lock		5

TOOL CABINET BENCHES
C Series

Heavy duty benches provide solid working surface. All models 34" to working surface. 37" overall height. Units constructed of 12 gauge top, 14 gauge side leg panels, 18 gauge doors, and 16 gauge shelves. Two models available, two shelves with one door, and one shelf with two doors. Optional extra shelves and keyed handles available at an additional charge.

Model	W	D	Shelves	Doors	Ship Wt
C-1824	24"	19"	2	1	112
Additional shelf					11
C-1836	36"	19"	1	2	140
Additional shelf					15
C-1848	48"	19"	1	2	166
Additional shelf					20
C-2436	36"	25"	1	2	160
Additional shelf					19
C-2448	48"	25"	1	2	190
Additional shelf					25

CT Series



CF Series

CM Series

MACHINE FLOOR CABINETS
CT, CF, CM Series

3000 lbs. Capacity.

Rugged cabinets with 1-1/8" tray coolant tops with 1/2" pipe connection. A model for every purpose. Floor lugs to secure base to floor. An option is the No. 1015 removable side shelf. Drawer size and model 1416-1 (14" W × 16" D × 5" H inside dimension). All drawers equipped with stops, ball bearing steel rollers, and 1" deep tool tray. See page 15 for cylinder lock available at additional charge. CM Series are without shelves.

Model	W	D	H	Ship Wt.
CT-2830	[illegible]	28	30	96
CT-2835	[illegible]	28	35	96
CT-3630	20	36"	30"	100
CT-3635	20"	36"	35"	106
CF-2830	20"	28"	30"	80
CF-2835	20"	28"	35"	86
CF-3630	20"	36"	30"	90
CF-3635	20"	36"	35"	96
CM-2830	20"	28"	30"	95
CM-2835	20"	28"	35"	105
CM-3630	20"	36"	30"	115
CM-3635	20"	36"	35"	125

Removable side shelf
Shelf surface 10" x 15"
Available at additional charge

Model	Ship Wt.
No. 1015	10

MACHINE CABINET STANDS
3000 lbs. Capacity.

For mounting lathes, grinders, drill presses etc. CT-models are with coolant top with 1/2" pipe connection. DFT models are with drop front. Designed for strength and appearance, convenient shelf 15-3/4" × 36". Grizzly 1416-1 drawer units furnished on all stands (see page 15 for details). For CU-18 work bench cabinet unit details, (see page 16). No 59 motor mount bracket also available. Top surface 10" × 11-5/8". Eight round holes for mounting and adjustment. Cylinder locks available at additional charge. All models 22"W × 60"L × 32"H.



DFT-60-C



DFT-60



No. 1015



CT-60

No. 59

Model	Description	Ship Wt.
DFT-60-C	With Cabinet Unit No CU-18 and One Drawer	238
DFT-60	Drop Front Top, Back and Side Stops 1-1/4" H	198
CT-60	Coolant Top. Tray 1-1/8" Deep with 1/2" Pipe	198
No.59	Motor Mount Bracket	10



F Series



BS Series



FS Series

Showing Reinforced Construction





B Series

FD Series

FSD Series

WORK BENCHES

All models constructed of 12 gauge steel tops, back and side stops, and legs; 16 gauge stringers and shelves. The top, stringer, and legs are all reinforced for additional strength. Standard height of the work benches is 32-1/2" high. Benches can be made 34" high at an additional charge. All benches 96" or longer have three bench legs. Shelves are 15-1/4"W. Drawer units are 14-3/4"W x 23-1/2"D x 5"H).

F Series

Flat Top with Stringer.

Model	W	L	Ship Wt.
F-2448	24"	48"	107
F-2460	24"	60"	120
F-2472	24"	72"	134
F-2496	24"	96"	180
F-24120	24"	120"	195
F-2848	28"	48"	118
F-2860	28"	60"	132
F-2872	28"	72"	148
F-2896	28"	96"	198
F-28120	28"	120"	215
F-3448	34"	48"	132
F-3460	34"	60"	148
F-3472	34"	72"	164
F-3496	34"	96"	220
F-34120	34"	120"	250

FS Series

Flat Top with Stringer and Shelf.

Model	W	L	Ship Wt
FS-2448	[illegible]	[illegible]	[illegible]
FS-2460	[illegible]	[illegible]	142
FS-2472	24"	72"	160
FS-2496	24"	96"	214
FS-24120	24"	120"	235
FS-2848	28"	48"	132
FS-2860	28"	60"	150
FS-2872	28"	72"	170
FS-2896	28"	96"	229
FS-28120	28"	120"	255
FS-3448	34"	48"	150
FS-3460	34"	60"	170
FS-3472	34"	72"	186
FS-3496	34"	96"	250
FS-34120	34"	120"	280

FD Series

Flat Top with Stringer and Drawer Unit.

Model	W	L	Ship Wt.
FD-2448	24"	48"	132
FD-2460	24"	60"	145
FD-2472	24"	72"	159
FD-2496	24"	96"	205
FD-24120	24"	120"	230
FD-2848	28"	48"	143
FD-2860	28"	60"	157
FD-2872	28"	72"	173
FD-2896	28"	96"	223
FD-28120	28"	120"	250
FD-3448	34"	48"	158
FD-3460	34"	60"	174
FD-3472	34"	72"	189
FD-3496	34"	96"	245
FD-34120	34"	120"	275

FSD Series

Flat Top with Stringer, Shelf, and Drawer Unit.

Model	W	L	Ship Wt
FSD-2448	24"	48"	150
FSD-2460	24"	60"	167
FSD-2472	24"	72"	185
FSD-2496	24"	96"	239
FSD-24120	24"	120"	270
FSD-2848	28"	48"	157
FSD-2860	28"	60	175
FSD-2872	28"	72	195
FSD-2896	28"	96"	253
FSD-28120	28"	120"	290
FSD-3448	34"	48"	176
FSD-3460	34"	60"	196
FSD-3472	34"	72"	211
FSD-3496	34"	96"	275
FSD-34120	34"	120"	315

B Series

Top with Back and Side Stops and Stringer.

Model	W	L	Ship Wt
B-2448	[illegible]	[illegible]	[illegible]
B-2460	[illegible]	[illegible]	[illegible]
B-2472	[illegible]	[illegible]	[illegible]
B-2496	24"	96"	181
B-24120	24"	120"	196
B-2848	28"	48"	119
B-2860	28"	60"	133
B-2872	28"	72"	149
B-2896	28"	96"	199
B-28120	28"	120"	216
B-3448	34"	48"	133
B-3460	34"	60"	149
B-3472	34"	72"	166
B-3496	34"	96"	222
B-34120	34"	120"	251

BS Series

Top with Back and Side Stops, Stringer, and Shelf.

Model	W	L	Ship Wt
BS-2448	24"	48"	126
BS-2460	24"	60"	143
BS-2472	24"	72"	161
BS-2496	24"	96"	215
BS-24120	24"	120"	236
BS-2848	28"	48"	133
BS-2860	28"	60"	151
BS-2872	28"	72"	171
BS-2896	28"	96"	229
BS-28120	28"	120"	256
BS-3448	34"	48"	151
BS-3460	34"	60"	171
BS-3472	34"	72"	188
BS-3496	34"	96"	252
BS-34120	34"	120"	281

BD Series

BSD Series



BSDD Series with Peg Board Back



KD Series

W Series

BD Series

Top with Back and Side Stops, Stringer, and Drawer Unit.

Model	W	L	Ship Wt.
BD-2448	24	48	133
BD-2460	[illegible]	[illegible]	146
BD-2472	24	72	160
BD-2496	24	96"	206
BD-24120	24"	120"	231
BD-2848	28"	48"	144
BD-2860	28"	60"	158
BD-2872	28"	72"	174
BD-2896	28"	96"	224
BD-28120	28"	120"	251
BD-3448	34"	48"	159
BD-3460	34"	60"	175
BD-3472	34"	72"	191
BD-3496	34"	96"	247
BD-34120	34"	120"	276

BSD Series

Top with Back and Side Stops, Stringer, Shelf, and Drawer Unit.

Model	W	L	Ship Wt.
BSD-2448	24"	48"	151
BSD-2460	24"	60"	168
BSD-2472	24"	72"	186
BSD-2496	24"	96"	240
BSD-24120	24"	120"	272
BSD-2848	28"	48"	158
BSD-2860	28"	60"	176
BSD-2872	28"	72"	196
BSD-2896	28"	96"	254
BSD-28120	28"	120"	292
BSD-3448	34"	48"	177
BSD-3460	34"	60"	197
BSD-3472	34"	72"	213
BSD-3496	34"	96"	277
BSD-34120	34"	120"	317

BSDD Series

Top with back and side stops, stringer, shelf, and two drawer units. Drawer units are 14"24"L 14"W 23-1/2"D [illegible] 30". Work bench available with 1/4" hard tempered peg board or 1/2" homosote board (please specify when ordering). Convenient homosote board and peg board back used for hanging small tools, supplies, etc. All peg boards 48" high.

Model	W	L	Ship Wt.
BSDD-2448	24"	48"	202
BSDD-2460	24"	60"	221
BSDD-2472	24"	72"	242
BSDD-2496	24"	96"	301
BSDD-2848	28"	48"	209
BSDD-2860	28"	60"	240
BSDD-2872	28"	72"	263
BSDD-2896	28"	96"	326
BSDD-3448	34"	48"	228
BSDD-3460	34"	60"	250
BSDD-3472	34"	72"	269
BSDD-3496	34"	96"	338

KNOCK DOWN WORK BENCHES
KD Series

Reinforced welded top designed with channels for drawer hanger attachment. Sturdy reinforced legs with floor pads that can be anchored to the floor. Bolts, washers, and nuts are furnished. Elongated holes facilitate fast assembly. Top and legs are constructed of 12 gauge steel, stringers of 16 gauge. Overall 32-1/2" high. Options available at an additional charge: pressed wood top and risers. (see page 15). Adjustable legs and electrical outlets strips. (see page 16). Side and back stops installed at factory. Bench shelf also available.

Model	W	L	Ship Wt.
KD-2448	24	48"	107
KD-2460	24	60"	120
KD-2472	24"	72"	134
KD-2848	28	48	118
KD-2860	28	60"	132
KD-2872	28	72	148
KD-3448	34	48"	132
KD-3460	34"	60	148
KD-3472	34"	72"	164

HARD MAPLE WORK BENCHES
W Series

These benches have a hard maple bench top 1-3/4" thick, two bench legs, and one stringer. A third leg is added for units 96" or longer. Bench includes bolts, nuts, lag screws, and washers. All parts are provided for easy assembly. Benches are 34-1/4" overall height. Options available at an additional charge: bench risers, side and back stops, shelves, bench drawer units, and bench cabinet units. For details on all work bench options and accessories see pages 15 and 16.

Model	W	L	Ship Wt.
W-2448	24"	48"	107
W-2460	24"	60"	124
W-2472	24"	72"	138
W-3048	30"	48"	127
W-3060	30"	60"	147
W-3072	30"	72"	166
W-3096	30"	96"	226
W-30120	30"	120"	264
W-30144	30"	144"	296
W-3648	36"	48"	143
W-3660	36"	60"	167
W-3672	36"	72"	188
W-3696	36"	96"	256
W-36120	36"	120"	295
W-36144	36"	144"	344



DBU Series



DBU-3072-BS

MULTIPLE WORK BENCH DRAWER UNITS

DBU Series

Features sixteen drawers for increased storage. Drawers can be furnished with padlock [illegible] to a plain face. There is a sliding tray in each drawer to hold small items within easy reach. Units furnished with 1-3/4" hard maple [illegible] gauge steel top. 34" overall height. [illegible] length. Drawer size 14"W × 23-1/2"D × 5"H. Optional cylinder locks on drawers available at an additional charge. NEW model **DBU-3072-BS**. The work bench is equipped with a fluorescent light fixture (lamps included). Unit equipped with an electrical outlet strip, wired with a six foot cord. A 72"W × 17"H panel is included for the hanging of storage bins. Available with a wood or steel top. See page 23 for details on the bins.

Model	Top	W	Ship Wt
DBU-3072-W	Wood	30"	565
DBU-2872-S	Steel	28"	560
DBU-3072-BW	Wood	30"	610
DBU-2872-BS	Steel	28"	605

WORK BENCH BSD-3472-B

12 gauge steel top, side and back stops, and legs. 16 gauge stringers and shelves. The top, stringer, and legs are all reinforced for extra strength. Standard height of the work bench is 32-1/2" high. Benches can be made 34" high at an additional charge. Drawers are 1424-1 (14"W × 23-1/2"D × 5"H). Optional cylinder locks on drawers available at an additional charge. The work bench is equipped with a fluorescent light fixture (lamps included). An 18"W × 33"H back panel is included for the hanging of storage bins. See page 23 for details on the bins. An electrical outlet strip wired with a six foot cord is also included. Ship wt. 350 lbs.



BSD-3472-B



EWS Series



EWB Series

WORK STATIONS
EWS Series

The cabinet base is 24"D × 18"W and contains four 1424-4 drawers, each 14"W × 23-1/2"D × 5"H inside. Each drawer can be furnished with padlock loop eyes or with a plain face. Drawers slide effortlessly on ball bearing steel rollers. Drawer stops prevent drawers from pulling out of slides. Release stop for removal of drawer. Cabinet rests on a 6" high base. There is a tool tray in each drawer 1" deep to hold small items within easy reach. The bench riser shelf has a pegboard back for hanging small items and has an electrical outlet strip with a six foot cord. The benches are 30" wide and are 33-1/2" high to the work surface. Optional hard maple or formica top can be added on request. Check pages 15 and 16 for additional work bench accessories available on all models.

Model	L	Ship Wt.
EWS-3048	48"	253
EWS-3060	60"	272
EWS-3072	72"	291

WORK STATIONS
FWS Series

Work stations equipped with bottom shelf, fluorescent light fixture (lamps included) with on-off switch, and 1/4" thick pegboard back. 32-1/2" high to work surface, 80-1/2" overall height, 34" wide. Options available at an additional charge, bench drawer units, riser, duplex receptacle outlet, and pressed wood top. (Tools not included)

Model	L	Ship Wt
FWS-3448	48"	236
FWS-3496	96"	390



Tools Not Included

FWS Series

WORK STATIONS
EWB Series

All work stations equipped with a bench riser shelf with pegboard back for hanging small items, and an electrical outlet strip wired with a six foot cord. Models come standard with a 12 gauge top. Optional hard maple or formica top can be added on request. The benches are 30" wide and are 32-1/2" high to the work surface. Check pages 15 and 16 for additional work bench accessories available on all models.

Model	L	Ship Wt.
EWB-3048	48"	170
EWB-3060	60"	190
EWB-3072	72"	210



EDB Series

WORK STATIONS
EDB Series

The cabinet base is 24"D × 18"W and contains four 1424-4 drawers, each 14"W × 23-1/2"D × 5"H inside. Each drawer can be furnished with padlock loop eyes or with a plain face. Drawers slide effortlessly on ball bearing steel rollers. Drawer stops prevent drawers from pulling out of slides. Release stop for removal of drawer. Cabinet rests on a 6" high base. There is a tool tray in each drawer 1" deep to hold small items within easy reach. The bench riser shelf has a pegboard back for hanging small items and has an electrical outlet strip with a six foot cord. The benches are 30" wide and are 33-1/2" high to the work surface. Optional hard maple or formica top can be added on request. Check pages 15 and 16 for additional work bench accessories available on all models.

Model	L	Ship Wt.
EDB-3048	48"	256
EDB-3060	60"	276
EDB-3072	72"	296



WORK BENCH RISERS

R Series

The storage capacity of your work bench may substantially increase with out reducing the work area by adding an optional riser. Fits easily between standard side and back stops. Dimensions 10-1/2"D × 12"H to work surface.

Model	L	Ship Wt.
R-36	36"	15
R-48	48"	19
R-60	60"	23
R-72	72"	27
R-96	96"	34

Pressed Wood Tops

1/4" pressed wood tops are attached to the steel top work benches. Pressed wood tops are available in any size up to a maximum 48" × 96".

ADJUSTABLE BENCH LEGS

ABL Series

Legs adjust from 32-1/2" to 37-1/2" on 1" centers. Holes are provided for attachment of bench top, shelf, and stringer. Steel floor pads have holes for anchoring to floor. Constructed of 12 gauge steel. Duplex receptacle punchout available on request. Receptacle not included

Model	W	Ship Wt.
ABL-22	22"	23
ABL-28	28"	25
ABL-34	34"	27
ABL-46	46"	31
ABL-58	58"	37

HARD MAPLE TOPS

GW Series

Top [illegible] 1/4" thick natural clear hardwood

Model	W	L	Ship Wt
GW-2448	24"	48"	58
GW-2460	24"	60"	72
GW-2472	24"	72"	86
GW-3048	30"	48"	74
GW-3060	30"	60"	93
GW-3072	30"	72"	112
GW-3096	30"	96"	150
GW-30120	30"	120"	187
GW-30144	30"	144"	218
GW-3648	36"	48"	86
GW-3660	36"	60"	108
GW-3672	36"	72"	130
GW-3696	36"	96"	174
GW-36120	36"	120"	216
GW-36144	36"	144"	260

BENCH LEGS

BL Series

These sturdy all steel legs are designed for maximum support. Top and cross members are permanently welded to legs. Holes are provided to attach bench top, shelf, and stringer. Steel floor pads have holes for anchoring to floor surface. BL-58 bench leg furnished with center upright channel. Duplex receptacle punchout available on request. Receptacle not included.

Model	A	B	C	D	E	Ship Wt.
BL-22	22"	32-1/2"	15-1/2"	18"	9-1/2"	20
BL-28	28"	32-1/2"	19-1/2"	22"	9-1/2"	22
BL-34	34"	32-1/2"	23-1/2"	26"	9-1/2"	24
BL-46	46"	32-1/2"	35-1/2"	38"	9-1/2"	28
BL-58	58"	32-1/2"	47-1/2"	50"	9-1/2"	34

BENCH DRAWER UNITS

1416, 1424, 2024 Series

Drawer units can be fastened to either [illegible] steel benches, tables, desks, or counters. [illegible] loop eyes furnished with each drawer. Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer. Drawer slides effortlessly on ball bearing steel rollers. Sliding tray in each drawer holds small items within easy reach. All trays are 1" deep. Optional cylinder locks are available at an additional charge.

Model	W	D	H	Drawers	Ship Wt
1416-1	15-1/2"	16"	5-1/2"	1	15
1416-2	15-1/2"	16"	12-1/2"	2	45
1416-3	15-1/2"	16"	18-1/2"	3	66
1416-4	15-1/2"	16"	24-1/2"	4	87
1424-1	15-1/2"	24"	5-1/2"	1	26
1424-2	15-1/2"	24"	12-1/2"	2	60
1424-3	15-1/2"	24"	18-1/2"	3	90
1424-4	15-1/2"	24"	24-1/2"	4	120
2024-1	22-1/4"	24"	5-1/2"	1	30
2024-2	22-1/4"	24"	12-1/2"	2	74
2024-3	22-1/4"	24"	18-1/2"	3	105
2024-4	22-1/4"	24"	24-1/2"	4	136

HEAVY DUTY DRAWER UNIT

H-2024-1

Drawer units can be fastened to either wood or steel benches, tables, desks, or counters. Please specify for steel mounting. Padlock tab furnished with each drawer. Drawer stop prevents drawer from pulling out of slides. Release stop for removal of drawer. Drawer slides effortlessly on ball bearing steel rollers. Sliding tray in each drawer holds small items within easy reach. All trays are 1" deep. Inside dimensions of drawer 19-1/2"W × 23-1/2"D × 5"H. Hanger size dimensions 22-1/2"W × 24"L. Optional cylinder locks are available at an additional charge. Ship wt. 40 lbs.



WORK BENCH CABINET UNITS

CU, CUK Series

Standard units furnished with open tops. For use on work benches. Can be used with either wood top or steel top work benches. The units are quickly attached to wood tops by lag screws. The CUK models include a keyed locking handle. All models are 19"H × 19"D. Shelf clearance 8". Please indicate if the unit will be installed on a steel or wood top bench.

Model	W	Ship Wt.
CU-36	36"	60
CU-18	18"	42
CUK-36	36"	60
CUK-18	18"	42

STACKING DRAWER UNITS

SDU Series

These drawers can be mounted side by side, or stacked and bolted together. They can be fastened to either wood or steel benches, tables, desks, or counters. Padlock hasp for each drawer. Drawer slides on ball bearing steel rollers. Sliding tray in each drawer is 13-1/2" × 8" × 1" deep in 1416 and 1424 series and 19-1/2" × 8" × 1" deep in 2024 series. All models are 6-3/4" high. Cylinder lock is available at an additional charge.

Model	W	D	Ship Wt.
1416-SDU	17-3/4"	16-1/4"	25
1424-SDU	17-3/4"	24-1/4"	33
2024-SDU	23-3/4"	24-1/4"	38

SIDE AND BACK STOP SETS

Each set consists of two side stops (model and left) and one back stop. Constructed of 14 gauge steel.

Model	A	B	C	D	E	Ship Wt
2448	5-1/4"	24"	3-1/2"	5-1/4"	48"	16
2460	5-1/4"	24"	3-1/2"	5-1/4"	60"	18
2472	5-1/4"	24"	3-1/2"	5-1/4"	72"	20
3048	5-1/4"	30"	3-1/2"	5-1/4"	48"	20
3060	5-1/4"	30"	3-1/2"	5-1/4"	60"	22
3072	5-1/4"	30"	3-1/2"	5-1/4"	72"	24
3096	5-1/4"	30"	3-1/2"	5-1/4"	96"	29
30120	5-1/4"	30"	3-1/2"	5-1/4"	120"	32
30144	5-1/4"	30"	3-1/2"	5-1/4"	144"	36
3648	5-1/4"	36"	3-1/2"	5-1/4"	48"	22
3660	5-1/4"	36"	3-1/2"	5-1/4"	60"	24
3672	5-1/4"	36"	3-1/2"	5-1/4"	72"	26
3696	5-1/4"	36"	3-1/2"	5-1/4"	96"	31
36120	5-1/4"	36"	3-1/2"	5-1/4"	120"	35
36144	5-1/4"	36"	3-1/2"	5-1/4"	144"	39

STRINGERS

16 gauge one inch channel reinforced construction.

Model	F	G	Ship Wt
ST-36	4-1/4"	32"	4
ST-48	4-1/4"	44"	6
ST-60	4-1/4"	56"	7-1/2
ST-72	4-1/4"	68"	9
ST-96	4-1/4"	92"	12
ST-120	4-1/4"	116"	15
ST-144	4-1/4"	140"	18

SHELVES

16 gauge one inch channel reinforced construction.

Model	H	J	Ship Wt
SH-36	15-1/4"	32"	13
SH-48	15-1/4"	44"	18
SH-60	15-1/4"	56"	22
SH-72	15-1/4"	68"	26
SH-96	15-1/4"	92"	34
SH-120	15-1/4"	116"	42
SH-144	15-1/4"	140"	50

ELECTRICAL OUTLET STRIPS

For the convenience of plugging in power tools, instruments, equipment, etc. at your fingertips. Each strip has a six foot cord. Each model available on all work benches. 15 Amps — 125 Volts — 3 Wire.

Model	L	Receptacle Spacing	Receptacles	Ship Wt
EOS-3	40"	6"	6	3
EOS-6	52"	6"	8	6



GW Series



AWS Series

AW Series

GAS WELDING BENCH
GW Series

A sturdy gas welding bench for extra strength and durability. Top is constructed of 12 gauge steel, capable of holding 32 fire bricks (not furnished). Embossed 14 gauge steel legs. 16 gauge shelf divided into three equal sections for rod storage. Pads on bottom to protect floor. Shipped knocked down (some assembly required). Dimensions 36"W × 36"D × 34"H. Unit can be shipped with a 1416-1 drawer unit (see page 15). Optional cylinder lock on drawer available at an additional charge.

Model	Ship Wt.
GW-3636	95
GW-3636-DR (With 1416-1 Drawer Unit)	110

ARC WELDING BENCH
AW Series

Built for rugged service. The 12 gauge top has three flanges up and front flange down. Legs are double formed, embossed 14 gauge steel. Shelf is divided into three equal sections for the storage of rods. Dimensions 36"W × 36"D × 34"H. Unit can be shipped with a 1416-1 drawer unit (see page 15). Optional cylinder lock on drawer available at an additional charge.

Model	Ship Wt.
AW-3636	125
AW-3636-DR (With 1416-1 Drawer Unit)	140

AWS Series

The arc welding bench can be purchased with a 20 gauge steel shield. The shield comes complete with three see-thru windows. Shield easily snaps on the top flange, no bolting required. The see-thru welding sheild eliminates the danger of eye flash burn while watching the welder. No need for glasses or hand shields. Unit is also available with a solid shield. Dimensions 36"W × 36"D × 68"H. Unit is shipped with a 1416-1 drawer unit (see page 15). Optional cylinder lock on drawer available at an additional charge.

Model	Ship Wt.
AW-3636-S (With Solid Shield)	180
AW-3636-WS (See-thru Shield)	175



HLTT-36-1



MT Series



PPET-2636

TH Series



TC TEC Series



Top and Bottom Shelves

Top, Bottom and Center Shelves

HYDRAULIC LIFT TOP TABLE
HLTT-36-1

[illegible] 5" × 1-1/2" Semi-steel [illegible] rigid, two swivel).

For moving dies and tools to and from work stations. The foot pedal easily adjusts the table height. Heavy, reinforced steel top. Floor lock holds the table firmly in place. Table can be adjusted from a range of 31" to 43" from the floor. Quick change caster brackets available upon request at an additional charge. Ship wt. 260 lbs.

PORTABLE MARKING TABLES
MT Series

1000 lbs. Capacity — 5" × 1-1/4" Semi-steel casters (four swivel).

800 lbs. Capacity — 5" × 1-1/4" Soft rubber casters (four swivel).

Capacity based on evenly distributed load. Designed for factory use, yet attractive enough for an office or a store. Reinforced 16 gauge shelves. All models 30" overall height. Shelf clearance: two shelf model 21", three shelf model 9-3/4".

Model	Shelves	W	L	Ship Wt
MT-2448-2	2	24"	48"	100
MT-2448-3	3	24"	48"	132
MT-2460-2	2	24"	60"	115
MT-2460-3	3	24"	60"	155
MT-2472-2	2	24"	72"	125
MT-2472-3	3	24"	72"	162
MT-3048-2	2	30"	48"	112
MT-3048-3	3	30"	48"	150
MT-3060-2	2	30"	60"	130
MT-3060-3	3	30"	60"	175
MT-3072-2	2	30"	72"	140
MT-3072-3	3	30"	72"	184

HOPPER TABLES
TH Series

500 lbs. Capacity — [illegible] 2-1/2" [illegible] Pressed steel swivel casters.

Used beside machines for holding tote box on the sloping lipped top shelf filled with parts. The finished parts then can be dropped into the chute opening, which leads to the tote box on the bottom shelf. Tote box is removable. Size 14-1/4"W × 29-1/4"L. Overall height 30" in front, 36" in back. Chute opening 6" × 12". Floor clearance 6-1/2". Clearance between shelf and chute 12". Option of floor pads or pressed steel casters.

Model		Ship Wt.
TH-14	Floor Pads	37
TH-14C	Pressed Steel Casters	40

MIJ TABLES
TC,TEC Series

300 lbs. Capacity — 2-1/2" Pressed steel casters.
300 lbs. Capacity — 3" Soft rubber casters.

A durable service table for holding parts during production. All models 13"W × 23"L. 16 gauge steel shelves.

Model	H	Caster	Ship Wt.
TC-213S	23-1/2"	2-1/2" Steel	22
TEC-213S	30-1/2"	2-1/2" Steel	24
TC-313S	23-1/2"	2-1/2" Steel	28
TEC-313S	30-1/2"	2-1/2" Steel	30
TC-213R	24"	3" Rubber	22
TEC-213R	31"	3" Rubber	24
TC-313R	24"	3" Rubber	28
TEC-313R	31"	3" Rubber	30

213, 313 Series — Models with Floor Pads Welded to Legs.
Top and Bottom Shelves

Model	Height to Top Shelf	Shelf Clearance	Ship Wt
T-213	24"	16"	21
TE-213	31"	21"	23

Top, Bottom, and Center Shelves

Model	Height to Top Shelf	Shelf Clearance	Ship Wt
T-313	24"	7-1/2"	27
TE-313	31"	10"	29

PORTABLE PRODUCTION EXAMINATION TABLE
PPET-2636

500 Capacity — 5" Soft rubber stem casters (all swivel).

Table equipped with removable 1/4" pressed wood top and a 1/4" lip in front to prevent items from falling off. Unit has 8" high steel clipboard holder with a 70 degree slope to the back. Size 36"W × 26"D × 38-1/4"H front 46-3/4"H back. Ship Wt. 63 lbs.



UTILITY TABLES

500 lbs. Capacity — 5" Soft rubber casters (four swivel).
300 lbs. Capacity — 2-1/2" Pressed steel casters (four swivel).
300 lbs. Capacity — 3" Soft rubber casters (four swivel).

These tables include back and side stops on shelves to prevent parts and other items from rolling off. Steel pads on legs prevent floor marks. Sturdy deep drawers furnished with padlock loops. Shelves S models 16 gauge H,L,K models 14 gauge. Drawer size 14"W x 16"D x 5"H Cylinder lock available at additional charge

With Top and Bottom Shelves

31" High Overall Floor Pads Welded to Legs				34" High Overall with Casters	
W	L	Model	Ship Wt.	Model	Ship Wt
19"	25"	ST	32	SC	35
23"	24"	HT	43	HC	46
20"	28"	LT	44	LC	47
24"	36"	KT	60	KC	63

With Top, Bottom, and Center Shelves

31" High Overall Floor Pads Welded to Legs				34" High Overall with Casters	
W	L	Model	Ship Wt.	Model	Ship Wt.
19"	25"	S3	42	SC3	45
23"	24"	H3	57	HC3	60
20"	28"	L3	59	LC3	62
24"	36"	K3	83	KC3	86

With Top, Bottom and Center Shelves and 1416-1 Drawer

31" High Overall Floor Pads Welded to Legs				34" High Overall with Casters	
W	L	Model	Ship Wt.	Model	Ship Wt.
19"	25"	SD3	57	SD3C	60
23"	24"	HD3	69	HD3C	72
20"	28"	LD3	71	LD3C	74
24"	36"	KD3	95	KD3C	98

With Top, and Bottom Shelves and 1416-1 Drawer

31" High Overall Floor Pads Welded to Legs				34" High Overall with Casters	
W	L	Model	Ship Wt.	Model	Ship Wt
19"	25"	SD	47	SDC	50
23"	24"	HD	58	HDC	61
20"	28"	LD	59	LDC	62
24"	36"	KD	75	KDC	78

With Top, and Bottom Shelves and 1416-2 Drawer

31" High Overall Floor Pads Welded to Legs				34" High Overall with Casters	
W	L	Model	Ship Wt.	Model	Ship Wt.
19"	25"	S2D	77	S2DC	80
23"	24"	H2D	88	H2DC	91
20"	28"	L2D	89	L2DC	92
24"	36"	K2D	105	K2DC	108

With Top, and Bottom Shelves and 1416-3 Drawer

31" High Overall Floor Pads Welded to Legs				34" High Overall with Casters	
W	L	Model	Ship Wt.	Model	Ship Wt
19"	25"	S3D	98	S3DC	101
23"	24"	H3D	109	H3DC	112
20"	28"	L3D	110	L3DC	113
24"	36"	K3D	126	K3DC	129



2448-3



1836-3



HS Series



HS-2872-3



1836-2



HS-2872-2

HEAVY DUTY TOOL STANDS

300 lbs. Capacity

Heavy duty tool stands have a broad usage in many industries where heavier than average weights are used. Bench drawers can be added (see pages 15, 16). All models are 32-1/2" overall height. Shelves are 12 gauge steel. 2" deep. Top shelf is flat, center and bottom are tray type

With Top and Bottom Shelves
Shelf Clearance 22-1/4"

Model	W	L	Ship Wt.
1830-2	18"	30"	62
1836-2	18"	36	70
1848-2	18	48	85
1860-2	18"	60	104
2430-2	24"	30"	83
2436-2	24"	36"	95
2448-2	24"	48"	116
2460-2	24"	60"	136

With Top, Bottom and Center Shelves
Shelf Clearance 10-1/8"

Model	W	L	Ship Wt
1830-3	18"	30"	85
1836-3	18"	36"	98
1848-3	18"	48"	120
1860-3	18"	60"	148
2430-3	24"	30"	112
2436-3	24"	36"	130
2448-3	24"	48"	162
2460-3	24"	60"	192

EXTRA HEAVY DUTY TOOL STANDS
HS Series

5000 lbs. Capacity

For handling extremely heavy load requirements. All shelves are flat. Bench drawer units can be added (see pages 15, 16). All models 36" high. Shelves are 12 gauge steel.

With Top and Bottom Shelves
Shelf Clearance 23-1/2"

Model	W	L	Ship Wt.
HS-2448-2	24"	48"	135
HS-2460-2	24"	60	155
HS-2472-2	24"	72	175
HS-2848-2	28	48	145
HS-2860-2	28"	60"	170
HS-2872-2	28"	72"	195
HS-3448-2	34"	48"	165
HS-3460-2	34"	60"	190
HS-3472-2	34"	72"	240

Top, Bottom and Center Shelves
Shelf Clearance 10-5/8"

Model	W	L	Ship Wt
HS-2448-3	24"	48"	185
HS-2460-3	24"	60"	215
HS-2472-3	24"	72"	245
HS-2848-3	28"	48"	205
HS-2860-3	28"	60"	240
HS-2872-3	28"	72"	275
HS-3448-3	34"	48"	230
HS-3460-3	34"	60"	280
HS-3472-3	34"	72"	335



LPAS-1616



LPAS-1323

LOW PORTABLE ASSEMBLY STOOLS
LPAS Series

300 lbs. Capacity - 3" Soft rubber stem casters (all swivel).

For general maintenance and assembly use. Convenient 14" high. 1" tray bottom shelf. Has drop front for easy sliding and carrying parts and tools.

Model	W	L	Ship Wt.
LPAS-1616	16"	16"	19
LPAS-1323	13"	23"	22



DV-2242



EST-44



GT-72



OST-39



GT-72-SD

DIVIDED SHELF TRUCK
DV-2242

1400 lbs. Capacity — 5" × 1-1/2" Phenolic casters (two rigid, two swivel).

Five shelf surfaces on each side. All shelves and bottom are pitched to slope toward the center to prevent material from falling off of truck. Dimensions 22"W × 42"L × 55-3/4"H. Solid divider is through center. Shelves 11" deep and slope 2" to center. 12" clearance from bottom to first shelf. Other shelves have 8" clearance. Quick change caster brackets available upon request at an additional charge. Ship wt. 200 lbs.

OPEN SIDE TRUCK
OST-39

800 lbs. Capacity — 5" × 1-1/4" Soft rubber caster.

Dimensions 18-1/2"W × 45"L × 50"H. Shelves 18" × 39", 18 gauge steel flat surface. 15" clearance between shelves. Push handles at both ends. Ship wt. 110 lbs.

ENCLOSED SHELF TRUCK
EST-44

800 lbs. Capacity — 5" × 1-1/4" Soft rubber casters (two rigid, two swivel).

Four shelf surfaces slope 1" to back, to prevent material from falling off. Bottom shelf flat. Dimensions 16"W × 45"L × 62"H. Shelf size 16" × 44", 20 gauge. 10" clearance between shelves. Ship wt. 110 lbs.

GARMENT TRUCK
GT-72

500 lbs. Capacity — 5" × 1-1/4" Soft rubber casters (four swivel).

Light weight and easy to maneuver. Dimensions 20-1/2"W × 74"L × 66"H. Ship wt. 61 lbs.

GARMENT TRUCK
GT-72-SD

500 lbs. Capacity — 5" × 1-1/4" Soft rubber casters (four swivel).

Light weight and easy to maneuver. Bottom shelf. Dimensions 20-1/2"W × 74"L × 66"H. Ship wt. 98 lbs.



Single A-Frame Truck

Double Sided A-Frame Truck

A-FRAME TRUCK
AFT Series

The A Frame truck is adaptable to your needs by using the adjustable, interchangable components. They consist of trays, bins, brackets, spindles, and hanger bars. The single AFT Series will hold up to seven trays, the double fourteen trays.

Single A-Frame Truck
24"W × 35"L × 65-1/2"H

Model	Casters	Capacity	Ship Wt.
S-AFT-P	6" × 2" Phenolic	2500	103
S-AFT-S	6" × 2" Steel	2500	112
S-AFT-R	6" × 2" Mold-on	1750	109

Double Sided A-Frame Truck
40-1/2"W × 35"L × 65-1/2"H

Model	Casters	Capacity	Ship Wt.
D-AFT-6P	6" × 2" Phenolic	2500	113
D-AFT-6S	6" × 2" Steel	2500	124
D-AFT-6R	6" × 2" Mold-on	1750	119
D-AFT-8P	8" × 2" Phenolic	2500	118
D-AFT-8S	8" × 2" Steel	2500	133
D-AFT-8R	8" × 2" Mold-on	2000	128

A-FRAME TRUCK
ACCESSORY TRAYS

500 lbs. Capacity.

Made from 16 gauge steel. Each tray has two drop handles. Dimensions 6"W × 15"D × 32-3/4"W

Model		Ship Wt
OFT-100	Open Front Tray	18
SOF-101	Semi Open Front Tray	21
FTT-102	Flat Top Tray	16
PBT-103	Perferated Bottom Tray (Semi Open Front)	16

OFT-100



SOF-101

FFT-102



PBT-103

Finish for all models will be orange enamel, unless otherwise specified.





LP-300

HB-200



C Series



SP Series



B-0

B-3

HANGER BAR
HB-200

500 lbs. Capacity.

This bar attaches to the A-Frame truck for mounting the brackets and spindles. The single A-Frame truck will hold up to 10 bars, the double 20 bars. Dimensions 4-1/2"H x 34"L. Ship wt. 10-1/2 lbs.

SPINDLES
SP Series

150 lbs. Capacity per pair.

Used for handling spools, rings, etc. The HB-200 is required for mounting spindles. All models have a 15" length.

Model	Diameter	Wt
SP-5	1/2"	1-1/2
SP-62	5/8"	2
SP-75	3/4"	2-1/2
SP-1	1"	4

BRACKETS

250 lbs. Capacity per pair

Used in the handling of tubing, pipe, and flat stock. The HB-200 is required for mounting bracket. All models have a 15" length.

Model	Radius	Wt.
B-0	none	7-1/4
B-3	2"	7-1/2

LOUVERED PANEL
LP-300

Panels are made from 16 gauge steel. 17"W x 34"L. They bolt directly to the A-Frame truck. All hardware is included. Ship wt. 11 lbs.

POLYPROPYLENE CONTAINERS
C Series

These containers come in a variety of sizes with large card holders for easy identification. Containers have a lip which slips onto the LP-300 louvered panel. Comes in YELLOW, BLUE, BEIGE, AND RED.

Model	L	W	H
C-4	4"	4"	2"
C-5	5"	4"	3"
C-7	7"	4"	3"
C-11	11"	6"	5"
C-10	10"	8"	7"
C-15	15"	8"	7"
C-16	15"	16"	7"
C-18	18"	8"	9"
C-20	18"	16"	11-1/2"

Finish for all models will be orange enamel, unless otherwise specified.



PTT Series



SS Series



CST-24



RODT-42



BT-Series

ROBT Series

PAN AND TRAY TRUCK
PTT Series

[illegible]

Pan and tray trucks are [illegible] stock trays of various sizes. Ideal for light to medium duty applications. Units constructed of 1-1/2" × 14 gauge square tubing frame. Slides are 1" angle iron. All models 30"D × 66"H. Quick change caster brackets available upon request at an additional charge.

Model	Tray Width	Slide Spacing	Tray Capacity	Ship Wt
PTT-2430-2	24"	2"	28	199
PTT-2430-4	24"	4"	14	144
PTT-2430-6	24"	6"	9	124
PTT-3030-2	30"	2	28	204
PTT-3030-4	30"	4	14	149
PTT-3030-6	30	6"	9	129
PTT-3630-2	36"	2	28	209
PTT-3630-4	36	4"	14	154
PTT-3630-6	36"	6"	9	134

ROLL-OVER DUMP TRUCK
RODT-42

1000 lbs. Capacity — 4" × 1-1/2" Semi steel casters (two rigid one swivel).

Leakproof. Front is slanted for easy dumping. Two rigid casters in front, one swivel caster in rear. Easily moved into and out of close, narrow areas. Box is 18"D × 24W" × 42L". Height to top of box 23". Height to top of handle 36". The roll over feature gives maximum leverage with ease, turns over load from horizontal to vertical position. Remains upright, material can be easily removed. Quick change caster brackets available upon request at an additional charge. Ship wt. 130 lbs.

SLIDING SHELF TRUCK
SS Series

[illegible] — [illegible]" Semi-steel casters (two rigid, two swivel).

[illegible] — 5" × 2" Phenolic casters (two rigid, two swivel).

For large or heavy stock orders and other purposes. See-thru design for visual load inspection. The shelves are easily removed by sliding out of channels, permitting truck to be used for large bulky materials. Standard unit consists of two shelves and bottom. Shelves slope 2" to the rear. 18" clearances between shelves. Dimensions 37"W × 66"H. Quick change caster brackets available upon request at an additional charge.

Model	L	Shelf Size	Ship Wt.
SS-48	56	36" × 48"	266
SS-60	68"	36" × 60"	298
SS-72	80"	36" × 72"	330

CAGE STOCK TRUCK
CST-24

800 lbs. Capacity — 5" × 1-1/4" Soft rubber casters (2 rigid, two swivel)

See thru design for visual load inspection. Dimensions 24 1/2"W × 42"L × 62"H. Shelves 24" × 36". Extra shelves available at an additional charge (Ship wt. 24 lbs.). Ship wt. 135 lbs.

BOX TRUCKS
BT Series

[illegible] — [illegible] (two rigid, two swivel).

[illegible] Capacity — [illegible] 1-1/4" Soft rubber casters (two rigid two swivel).

Constructed of 14 gauge steel. Casters mounted with diamond pattern with 1/4" tilt. Unit turns within half of its length. Leakproof. Overall height 30".

Model	W	D	L	Ship Wt
BT-2436	24"	24"	36"	95
BT-2448	24"	24"	48"	115
BT-3036	30"	24"	36"	110
BT-3048	30"	24"	48"	136

ROLL-OVER BOX TRUCK
ROBT Series

1000 lbs. Capacity — 5" × 1-1/4" Semi-steel casters (two rigid, two swivel).

800 lbs. Capacity — 5" × 1-1/4" Soft rubber casters (two rigid, two swivel).

Constructed of 14 gauge steel. Casters mounted with diamond pattern with 1/4" tilt. Unit turns within half of its length. Leakproof. Overall height 30". The ROBT series gives maximum leverage with ease, turns over load from horizontal to vertical position. Remains upright, material can be easily removed.

Model	W	D	L	Ship Wt
ROBT-36	24"	24"	36"	120
ROBT-48	24"	24"	48"	140

HDT Series



SL Series

Optional Writing Shelf Attachment



DT Series

ET Series

HAND DUMP TRUCK

HDT Series

1000 lbs. Capacity — 4" × 1-1/2" Semi-steel casters (two rigid, one swivel).

1500 lbs. Capacity — 8" × 2" Semi-steel casters (two rigid, one swivel).

Leakproof. Front is slanted for easy dumping. Two rigid casters in front, one swivel caster in rear. Easily moved into and out of close, narrow areas. Box depth 18". Height to top of box 23". Height to top of handle 36". Width 24". Quick change caster brackets available upon request at an additional charge.

Model	Top	Bottom	Ship Wt.
HDT-42	42"L	29"L	120
HDT-60	60"L	47"L	168

HEAVY DUTY SHOP TRUCKS

DT Series

2000 lbs. Capacity — 5" × 1-1/2" Semi-steel casters (two rigid, two swivel).

2000 lbs. Capacity — 5" × 1-1/2" Phenolic casters (two rigid, two swivel).

All models 32-1/2" high. Shelf clearance 10-1/8" on three shelf model; 22-1/4" on two shelf model. Floor clearance 6-1/2". 12 gauge steel construction. Options available at additional charge: drawer unit, floor lock, flat bottom shelf, writing shelf attachment, quick change caster brackets.

Model	Shelves	W	L	Ship Wt.
1830-DT-2	2	18"	30"	93
2430-DT-2	2	24"	30"	105
3030-DT-2	2	30"	30"	118
1830-DT-3	3	18"	30"	116
2430-DT-3	3	24"	30"	134
3030-DT-3	3	30"	30"	152
1836-DT-2	2	18"	36"	100
2436-DT-2	2	24"	36"	115
3036-DT-2	2	30"	36"	130
1836-DT-3	3	18"	36"	128
2436-DT-3	3	24"	36"	150
3036-DT-3	3	30"	36"	172
1848-DT-2	2	18"	48"	116
2448-DT-2	2	24"	48"	135
3048-DT-2	2	30"	48"	154
1848-DT-3	3	18"	48"	152
2448-DT-3	3	24"	48"	180
3048-DT-3	3	30"	48"	210
1860-DT-2	2	18"	60"	135
2460-DT-2	2	24"	60"	155
3060-DT-2	2	30"	60"	177
1860-DT-3	3	18"	60"	180
2460-DT-3	3	24"	60"	210
3060-DT-3	3	30"	60"	242
3060-DT-3	3	30"	60"	242
Optional Writing Shelf				10

STEP LADDER ATTACHMENT

SL Series

Simple installation. Bolts to legs at swivel caster end. Ladder is spring loaded and adjustable. All steps adjustable. 62" overall height.

Model	Shop Truck Size	Ship Wt.
SL-18	18" Wide unit	40
SL-24	24" Wide unit	45

EXTRA HEAVY DUTY SHOP TRUCK

ET Series

5000 lbs. Capacity — 8" × 2-1/2" Semi-steel casters (two rigid, two swivel).

4000 lbs. Capacity — 8" × 2-1/2" Mold-on rubber casters (two rigid, two swivel).

For moving heavy parts. Constructed of 12 gauge steel. All models 36" high with 10" floor clearance. Shelf clearance 9-5/8" on three shelf model 21" on two shelf model.

Model	Shelves	W	L	Ship Wt.
ET-2448-2	2	24"	48"	220
ET-2460-2	2	24"	60"	240
ET-2472-2	2	24"	72"	260
ET-2448-3	3	24"	48"	275
ET-2460-3	3	24"	60"	305
ET-2472-3	3	24"	72"	335
ET-2848-2	2	28"	48"	230
ET-2860-2	2	28"	60"	255
ET-2872-2	2	28"	72"	280
ET-2848-3	3	28"	48"	290
ET-2860-3	3	28"	60"	325
ET-2872-3	3	28"	72"	365
ET-3448-2	2	34"	48"	256
ET-3460-2	2	34"	60"	286
ET-3472-2	2	34"	72"	316
ET-3448-3	3	34"	48"	325
ET-3460-3	3	34"	60"	370
ET-3472-3	3	34"	72"	415



H Series



BRT Series



S-DT Series



SPT-2842

HEAVY DUTY SLAT-TOP SHOP TRUCKS

S-DT Series

2000 lbs. Capacity — 5" × 1-1/2" Semi steel casters (two rigid, two swivel).

2000 lbs. Capacity — 5" × 1-1/2" Phenolic casters (two rigid, two swivel)

Can slide heavy dies on and off top with safety to fingers and hands. Items easily lifted on and off truck with slings and grabs. 12 gauge top, formed double channel, 3" wide, 1-1/2" deep, spaced 1-1/2" apart. All models 32-1/2" high. Shelf clearance 10-1/8" on three shelf models; 22-1/4" on two shelf models. 6-1/2" floor clearance. Options available at additional charge: floor lock, flat bottom shelf. Quick change caster brackets available upon request at an additional charge.

Model	Shelves	W	L	Ship Wt.
S-30-DT-2	2	24"	30"	117
S-36-DT-2	2	24"	36"	132
S-48-DT-2	2	24"	48"	150
S-30-DT-3	3	24"	30"	146
S-36-DT-3	3	24"	36"	167
S-48-DT-3	3	24"	48"	196

FIVE SHELF HEAVY DUTY TRUCKS

H Series

3000 lbs. Capacity — 8" × 2" Semi steel casters (two rigid, two swivel).

3000 lbs. Capacity — 8" × 2" Mold-on rubber casters (two rigid, two swivel).

For large and heavy stock orders. Trays constructed of 12 gauge steel, 2" deep. All trays can be reversed, except for bottom, at no additional charge. Shelf clearances 12". Floor clearance 9-1/2". Overall height 68". Optional floor lock and flat bottom are available at an additional charge. Quick change caster brackets available upon request at an additional charge.

Model	W	L	Ship Wt.
H-2430	24"	30"	219
H-2436	24"	36"	247
H-2448	24"	48"	299
H-2460	24"	60"	355
H-3036	30"	36"	287
H-3048	30"	48"	349
H-3060	30"	60"	413

BAR AND ROD TRUCK

BRT Series

3400 lbs. Capacity — 8" × 2" Semi-steel casters (two rigid, two swivel).

3000 lbs. Capacity — 8" × 2" Mold-on casters (two rigid, two swivel)

12 gauge steel deck and 4" channel uprights make this unit rugged for transporting tubing, pipe, angle, etc. All models 60" overall height. Height above deck 48". Quick change caster brackets available upon request at an additional charge.

Model	W	L	Ship Wt.
BRT-48	36"	48"	255
BRT-60	36"	60"	275
BRT-72	36"	72"	292

SHEET AND PANEL TRUCK

SPT-2842

2000 lbs. Capacity — 6" × 2" Phenolic casters (two rigid, two swivel)

Used for transporting panel sheets, panel units, and partition sections. End stop on the length of the deck keeps material from sliding off truck. Deck 1/2" plywood. Dimensions: 28"W × 42"L × 49"H. Quick change caster brackets available upon request at an additional charge. Ship wt. 105 lbs.